Bothalia

Vol. V.

THE SOUTH AFRICAN FUNGI AND LICHENS

by Ethel M. Doidge

and flat the forming the string Navaning Stoller My led gree dat liver of II. 148 minh hygowoog in (1) Cloured o eyrodortes of Gradon diretyla. er (3) Charicep, m's rimmens of h (Cours) respect on Clar

MARY GUNN LIBRARY NATIONAL BOTANICAL INSTITUTE REPUBLIC OF SOUTH AFRICA

MARY GUNN LIBRARY South African National

Biodiversity Institute



Bothalia

A RECORD OF

CONTRIBUTIONS

FROM THE

NATIONAL HERBARIUM

UNION OF SOUTH AFRICA
PRETORIA

Vol. V



EDITED BY

R. A. DYER, M.Sc., D.Sc., F.R.S.S.Af.,

CHIEF, DIVISION OF BOTANY AND PLANT PATHOLOGY,
DEPARTMENT OF AGRICULTURE, PRETORIA; AND
DIRECTOR OF THE BOTANICAL SURVEY OF THE UNION OF
SOUTH AFRICA


Digitized by the Internet Archive in 2016

THE SOUTH AFRICAN FUNGI AND LICHENS

TO THE END OF 1945

ВY

ETHEL M. DOIDGE, M.A., D.Sc.,



		i .		
•				
•				
	•			
•				



 ${\it Plate} \ \ 1. \hbox{$--$(Frontispiece)$}$ Kalchbrennera corallocephala (Welw. & Curr.) Kalchbr. (after Kalchbrenner).

PREFACE.

Dr. Ethel Doidge has asked me to write a short preface to this valuable piece of work

which she has just completed.

It is indeed a pleasure to do so for two reasons. Firstly it gives me a very welcome opportunity to pay tribute to a former colleague, who has carried out for many years excellent and most painstaking work in a field of science that is all too little known to, and still less appreciated by the general public in this country. I refer, naturally, to the study of our African fungi and their many important bearings on both plant and animal life throughout the continent. Dr. Doidge took up this study more than 35 years ago. She has made her impress on it and has left a record of it for which younger workers in years to come will never cease to thank her.

Secondly I must refer very briefly to the subject itself. The foundation of a fungus herbarium was laid in Pretoria in 1906, and, largely owing to the loyal co-operation of early colleagues, had grown by 1916 into a collection of over 4,400 specimens. Dr. Doidge's share in this work has been mentioned, her chief contribution being to the ascomycetes and rusts. The late Dr. P. A. van der Byl, who later built up a second herbarium at Stellenbosch, became interested in the Polyporaceae in the indigenous forests and collected a large number of specimens. Miss Bottomley, whose main interest has been in the Gasteromycetes and in fungi parasitic on plants of economic value, has been in charge of the herbarium almost since its inception; under her care it has grown to a collection of over 35,000 specimens of which a large proportion is fungi of southern and tropical Africa.

When it is realised that by far the greater part of southern Africa experiences a semi-arid to arid climate, and that the humid and semi-humid portions have been comparatively little worked over for the collection of fungi, it will be appreciated what a vast field of study

still awaits those who are to follow on.

The recent work by Fleming and his co-workers on the genus *Penicillium* opens up an entirely new world in the study of fungi and one that may lead to still greater benefits to mankind.

When the mycologist succeeds in unravelling the secrets of the fungi cultivated in the fungus gardens so characteristic of the termite mounds throughout semi-arid and arid Africa, perhaps this will then reveal the reasons that lie hidden in man's failure to maintain successfully the fertility of the cropland in the semi-humid and semi-arid climates.

The field for research in Mycology in this country is thus immense, but this Science rarely appeals to the average Administrator under whom much of the work usually falls. Its progress, therefore, must naturally be slow and far from encouraging. However, there are still some labourers in the field of Science whose only thought and ambition is to advance the knowledge of their particular subject for the general benefit of mankind, and in this Dr. Doidge has certainly succeeded. She has tirelessly paved the way and truly laid the foundation on which Mycology in Southern Africa will be built. Great things no doubt will come from the further study of African fungi and more that is new from Africa will still arrive, but come what may, future workers in this field will rightly appraise the value of Dr. Doidge's work.

I trust, therefore, that no time will be lost in publishing this work, so that it may become available not only to workers in Africa but also to mycologists in other parts of the world.

Irene,

I. B. POLE EVANS.

TABLE OF CONTENTS.

Preface by I. B. Pole Evans, C.M.G., M.A., L.L.D., D.Sc.

Section.	PAGE.
I.—Introduction.	. 5
II.—Natural Features and Vegetation.	. 7
III.—History of Observations on the Fungi and Lichens of South Africa	. 18
IV.—Fungi of Interest found by Early Collectors.	44
V.—Fungi on Hosts other than Vascular Plants	. 58
VI.—Groups of Fungi and Acknowledgments for Assistance in determining Species.	64
VII.—Types and Type collections	72
VIII.—List of Species—	
Myxomycetes	83
Phycomycetes	95
Ascomycetes.	109
Lichens	225
Basidiomycetes.	377
Fungi Imperfecti	618
IX.—Host Index—	
Alphabetical Index to Genera of Hosts	739
X.—Locality Index and Maps	967
XI.—Bibliography—	
A.—Publications in Which Reference is made to South African Fungi and Lichens	995
B.—Titles of Works, not included in the General Bibliography, consulted in compiling Sections I-VII	1030
XII.—Index—	
A.—Fungi and Lichens: Orders, Families, Genera, Species, Varieties, Synonyms.	
B.—Names of Botanists, Collectors, etc., mentioned in Sections I-VII.	

I.—INTRODUCTION.

In his preface to the Fungi of Manitoba (by Bisby, Buller and Dearness, 1929) Sir Edwin Butler wrote "Knowledge of the fungus flora of a region appears to me to be the foundation of all mycological work in that region, applied as well as pure; but it is not to be gained in a few months, even in the older countries where most of the fungi have already been collected and named."

Over forty years have passed since the appointment in 1905 of I. B. Pole Evans as mycologist in the Transvaal Department of Agriculture, and the beginning of the serious study of mycology in South Africa. At that time there were no collections of fungi in the country except those of MacOwan and Medley Wood, consisting of some 765 specimens, housed in herbaria at Grahamstown, Cape Town and Durban (Pole Evans, 1916). Dr. Pole Evans laid the foundation of a national collection of fungi at Pretoria, and with the assistance of members of his staff some hundreds of specimens of fungi on indigenous and exotic plants were prepared; MacOwan's collection at Grahamstown was acquired by purchase and Dr. Medley Wood presented his fungi to the Government; these collections were incorporated in the cryptogamic herbarium at Pretoria, which now contains over 35,000 specimens of fungi, of which a large proportion is from southern and tropical Africa. The lichens are not so well represented; only some 2,200 numbers are registered, few of the African specimens having been named.

At Stellenbosch, Dr. P. A. van der Byl's collections of fungi and lichens were bequeathed to the University and have been housed there in the Department of Botany since his death in 1939. A second fungus herbarium developed in the Department of Plant Pathology of the Stellenbosch-Elsenburg College of Agriculture under the direction of Dr. Len Verwoerd

and with the assistance of his colleagues.

There is also a considerable number of fungi, including many of MacOwan's specimens in the herbarium of the South African Museum, Cape Town. Unfortunately there is no complete set of the fungi of Stellenbosch and Knysna found by Dr. A. V. Duthie, these being scattered in several herbaria, but her Myxomycetes are in the Bolus Herbarium, University of Cape Town; they are under the care of Mr. S. Garside, who has a very considerable private collection of lichens. Miss E. L. Stephens is responsible for a valuable collection of the larger fungi, chiefly from the south-western Cape, which is housed in the museum of the University of Cape Town.

In the mycological section of the Timber Research Laboratory, Johannesburg, maintained by the Transvaal Chamber of Mines, it was reported in 1940 that about 1,460 organisms had been collected and over 1,000 cultured (Mrs. R. Brown) including not only fungi found underground, but a number from timber in storage and from plantations, or

cultivated from spores caught in agar plates exposed to air currents in mines.

In Southern Rhodesia, the collections of fungi started by F. Eyles were built up in the Department of Agriculture, Salisbury by Dr. J. C. F. Hopkins, who published a list of

Rhodesian fungi in 1938.

In September, 1939, an opportunity was afforded of listing South African fungi in the Kew Herbarium. At the time it was not possible to record fungi and lichens in the herbarium of the British Museum, from which types had already been sent away to a place of safety. Obviously it was not possible then to search European herbaria for South African collections, nor, during the years 1939–1945, to discover by correspondence what South African fungi and lichens were to be found on the continent of Europe. Some information on this subject has been gleaned from published records, but data are necessarily incomplete.

No comprehensive list of South African fungi and lichens has been published. At the end of 1945, which is the limit of the period covered by this record, the senior mycologists associated with the Cryptogamic section of the National Herbarium at Pretoria are on the eve of severing their official connection with that institution. Owing to the disturbed conditions during the years 1939–1945, when many South Africans volunteered for military service, there will be a gap of some years before younger mycologists will be ready to take up the work. It is a suitable moment, therefore, for the compilation of a record of the South

African species and of the literature concerning them, for the use of future workers. It is hoped that the account in the following pages will be of use, not only to students of systematic mycology, but to phytopathologists charged with the study of the cause and prevention of diseases of plants in southern Africa.

Scope of the Work.

The aim of this compilation is to assemble all available information about the fungi and lichens which are known to occur in southern Africa or which have been recorded as occurring in the sub-continent, to record the hosts or substrata on which they are found, to indicate as far as possible their distribution and the publications in which reference to South African species has been made.

The Myxomycetes and lichens are included, and the peculiar difficulties encountered in connection with the lichen records are set forth in the section on groups of fungi and lichens.

Literature.

The earlier literature on South African fungi consists of a number of scattered references and some short papers in European publications. Even in later years it was found necessary, o ving to the absence of authentically named specimens in South African herbaria, to send fungi to Europe to be named. Fungi were sent by Dr. Pole Evans to P. Hennings, H. and P. Sydow and others, and later many of the larger fungi were identified by C. G. Lloyd. A few mycological papers appeared in the Transactions of the Royal Society of South Africa and since the initiation of "Bothalia" in 1921, work on fungi in the Pretoria herbarium has been published in that journal. The Annals of the University of Stellenbosch handled work done by van der Byl and his colleagues and the lichens were sent to Zahlbruckner, Wainio and others, who published many descriptions of new species.

Owing to the foresight and initiative of Dr. I. B. Pole Evans, a fair mycological library exists in Pretoria, but there are many inevitable gaps, especially in the older literature; for example, no set of "Flora" is available in the country and references to South African species in that publication could not be verified; in listing the lichens, the absence of the Lichenologische Beiträge of J. Müller (Arg.) published in "Flora" was particularly unfortunate.

In the bibliography all publications have been listed in which references to fungi and collected in southern Africa have been traced, and these have been verified wherever possible. Reference to original descriptions of species first described from other countries has been omitted.

Acknowledgments.

In making a compilation such as this, it is impossible to rely on the unaided efforts of a single individual, and help has been sought from many other workers.

To Miss A. M. Bottomley, for many years in charge of the cryptogamic section of the National Herbarium. Pretoria, the author is indebted for generous help throughout the work and in particular for assistance with the Basidiomycetes and for listing the fungi in the South African Museum, Cape Town.

Thanks are due to the Director, Royal Botanic Gardens, Kew for permission to examine the fungus collections in the herbarium for South African fungi, and Miss E. M. Wakefield has given much valuable assistance. Grateful thanks are also due to the Director and Staff of the Imperial Mycological Institute for identifications and for photostatic copies of a number of publications.

Appropriate acknowledgments for help with identification of fungi and hosts and for

assistance in other ways will be found in succeeding chapters.

For transcribing the lists of fungi and lichens in Burchell's "Catalogus Geographicus" and for her attempts to trace the fungi and lichens which Burchell collected, tribute must be

-

paid to Mrs. Helen McKay, who pursued this quest with the enthusiasm inspired in her

by anything connected with that explorer.

Miss M. Gunn, Librarian of the Division of Botany and Plant Pathology, has been consistently helpful in tracing references and obtaining books on loan from other libraries; she has lent books from her private library and allowed the use of her own notes on the early botanical explorers. Many interesting historical details have come to light through her unstinted effort.

Members of the staff of the National Herbarium, both in the phanerogamic and cryptogamic sections have been extremely helpful, and the author wishes particularly to acknowledge the assistance of Misses Edwina Phillips and Eunice Scott who carried out the

laborious task of verifying the herbarium records quoted.

II.—NATURAL FEATURES AND VEGETATION.

Southern Africa, for the purposes of this record, includes the temperate and subtropical regions of the southern part of the continent. In the absence of any suitable political or natural boundary, it is necessary to set an arbitrary limit to the area included, and this has been fixed at the 15th parallel of south latitude, a line running approximately from Mossamedes on the west coast to Moçambique on the east coast. The whole area under consideration therefore lies between the 15th and the 35th parallel of south latitude; it is bounded on the east by the Indian Ocean and the Moçambique channel and on the west by the Atlantic Ocean. The island of Madagascar has not been included.

The area is vast, covering over 1,500,000 square miles and including the Union of South Africa (472,550 square miles), Basutoland (11,716 square miles), Swaziland (6,704 square miles), Bechuanaland Protectorate (275,000 square miles), South West Africa (322,450 square miles), Southern Rhodesia (150,344 square miles) and the greater part of Moçambique (283,800 square miles). The part of Moçambique territory lying north of the town of Moçambique is excluded, but the southern part of the Nyasaland Protectorate and of Northern Rhodesia and the provinces of Mossamedes, Huila and Cubango in Angola fall

within the limits fixed.

Topography and Climate.

(Rogers and Haughton, 1940: 16-23. Schumann, 1940: 37-55.)

Southern Africa, on the whole, is a high-lying country. The interior is a great plateau with an altitude of 3,000 to 5,000 feet above sea level, a large part being within the 4,000 feet contour. It is a region of great plains from which rise flat-topped hills of irregular plan. This plateau is divided by a well marked escarpment from the diversified tract of

country lying between the escarpment and the ocean.

The escarpment which separates the two regions consists of a number of mountain ranges: The Drakensberg or Lebombo Mountains of the Transvaal, the Drakensberg of Natal and the Transkei, the Stormberg of the north-eastern Cape, the Sneeuwberg, Nieuweveld, Komsberg, Boggeveld and Kamiesberg farther south and east. It is continued northward under less well known names to beyond the Cunene River. To the north-east, with an interruption for the basins of the Limpopo and Sabi Rivers, there is a belt of high ground along the eastern border of Southern Rhodesia, including the Chimanimani Mountains, the Udzi Mountains and the Inyanga Mountains, of which the highest point is Inyangeni Mountain, 8,250 feet above sea level, 48 miles north of Umtali. Mont-aux-Sources, the highest point in the sub-continent, where Natal, the Orange Free State and Basutoland meet, is 11,170 feet above sea level.

The presence of ocean currents has a very considerable influence on climate, particularly along the coastal belt. The west coast of southern Africa is washed by the cold Benguella current, which produces important climatic effects from Cape Town almost to the Equator; on the west coast, much of which is an almost rainless desert, there is, because of this current, a cool and foggy seabord. The warm Moçambique current flows down the east coast, where

conditions form a striking contrast to those on the west coast, but it is only on the coast of Zululand, the lower part of the Limpopo and Sabi basins and in Moçambique that anything

approaching true tropical conditions is found.

The average annual rainfall varies from under 5 inches to 50-75 inches. It is greatest in the east where the highest rainfall known is in some of the mountainous areas; for example, the Amatola Mountains in the south-east Cape average 70·2 inches on 150 days and in some years have over 100 inches, and the Pietersburg district in the northern Transvaal, where the Woodbush Forest Station shows an average of 71·97 inches falling on 138 days. In Southern Rhodesia the heaviest rainfall is along the eastern border. The driest areas, with less than 5 inches rainfall per annum, are found along the west coast and in the western basin of the Orange River. The Namib of South West Africa is the only true desert, with an average rainfall, at Port Nolloth, of 2·17 inches on 17 days.

A comparatively narrow strip of country at the south-west extremity of the continent is a region of winter rainfall, and adjacent to this, restricted to a narrow belt on the south coast, is a zone where rain falls at any time of the year. Elsewhere the greater part of the precipitation is in summer and often occurs with thunderstorms, not infrequently accom-

panied by hail; during these storms falls of 2-4 inches in a day are common.

Owing largely to its plateau structure, the mean annual temperature over the greater part of the Union is extraordinarily uniform. Frost occurs in winter over practically the whole of the interior, but its incidence diminishes gradually from the central Transvaal northwards towards the Limpopo valley which is free from frost; this frost-free condition also obtains in the Low Veld of the Transvaal and in a narrow belt right round the coast of the sub-continent. The warmest parts of the Union are in the deep valleys of the Orange River and of the Olifants River on the west coast and of the Tugela. Komati and other rivers to the east.

Natural Vegetation.

In a vast country with elevation varying from sea level to 11,000 feet, rainfall from less than 5 inches to 75 inches or more, and considerable though less extreme variation in

temperature, it is to be expected that the vegetation will be varied in character.

A study of the topography of South Africa has shown that the regions recognised by the topographer form a satisfactory basis for the division of the country into plant regions. The phanerogamic flora is one of the most important factors in the distribution of fungi, and a brief characterization of the plant regions will not be out of place here. For greater detail and many excellent photographs illustrating the character of the vegetation of the different regions, reference may be made to the work of Dr. Pole Evans (1917, 1920, 1936) and that of Dr. R. S. Adamson (1938).

The plant regions are indicated in Map No. 1, which is adapted from Dr. Pole Evans' Vegetation Map of South Africa (1936) and I am indebted to Dr. R. A. Dyer for the following

summary made from that publication.

An Outline of the Vegetation of South Africa.

The natural vegetation of the Union consists of Forest, Parkland, Grassland and Desert Shrub.

Forest occupies a very small proportion of the country; in fact the indigenous timber forests do not cover more than 778,000 acres. They are restricted chiefly to the region of constant rainfall in the south and to the seaward slopes and deep kloofs of the southern and eastern escarpments.

Parkland vegetation covers the central and north-eastern portion of the subcontinent. Thornbush characterizes the central portion, while evergreen and deciduous trees are one of

the main features of the north-eastern portion.

Grassland covers the eastern portion of the Union. Between the great escarpment and the coast tall grass dominates; on the rolling plains of the high veld short grass is the feature

of the landscape; whilst to the west, in the lower and warmer country known as middle

veld, a much more mixed and varied type of grassland occurs.

Desert Shrub covers a large portion of the western half of South Africa. Perennial succulents and woody shrubs largely compose this desert vegetation, but annual herbs and grasses may also periodically dominate the vegetation in certain parts.

Forest.

Three main types may be distinguished:-

- (1) Evergreen and deciduous bush and subtropical forest.
- (2) Temperate evergreen forests.
- (3) Evergreen sclerophyllous bush.

(1) Evergreen and Deciduous Bush and Subtropical Forest.

Stretching from East London northwards along the coast is a narrow belt of dense vegetation which has a more distinctly tropical character than that seen elsewhere in South Africa. The vegetation includes mangrove swamps, palm belts, thorn thickets, stream bank bush and evergreen forests. It is a region of drowned valleys and sandy, bush-covered dunes. The altitude varies from sea level to 800 feet. It is a frostless region and experiences a summer rainfall of from 30–50 inches. The farther north one proceeds the more tropical the vegetation becomes, both in general appearance and in the actual trees, shrubs and other plants found. Mangroves increase in intensity and importance northwards, while palms and arborescent Strelitzias characterize the vegetation which often forms an impenetrable bush.

Lianes and climbing plants form a very conspicuous feature of the bush, and in its shade it harbours a dense growth of shade-loving plants. The forests, which bear a distinctly tropical impress, have been very largely exploited and many of them, especially in Natal and Zululand, have almost entirely disappeared with the cultivation of sugar cane.

(2) Temperate Evergreen Forests.

The true timber forests are found only in coastal and inland sites in southern, southeastern and eastern portions of South Africa. They are usually situated on the eastern and south-eastern aspects of the mountain ranges extending from the Cape to the Transvaal, and occur where the annual rainfall varies from 35–70 inches and more. The most extensive forests are found in the neighbourhood of Knysna and George, on the Elandsberg and on the Amatola Mountains in the neighbourhood of Kingwilliamstown, in the neighbourhood of Port St. Johns and in the Woodbush Mountains of the Transvaal. Between these centres there are many isolated patches of forest both along the eastern escarpment and along the coast. Nearly all these forests have suffered very severely from the hand of man, and had it not been for State protection little of the indigenous forests would be remaining today. Many have already been entirely destroyed in the southern portion of the Cape and in the Cape Peninsula.

The chief components of the forests are the coniferous "yellow-woods", *Podocarpus* spp., which frequently attain a height of 100 to 150 feet. They yield valuable timber which is used for structural and other purposes. Associated with the "yellow-woods" are a great variety of broad-leaved, evergreen trees. These increase in number of species the farther north the forests extend, and at the same time become more tropical in character.

In the south-western part of the Cape occur the "cedar" forests of South Africa, composed of Widdringtonia juniperoides. They can hardly be termed true forests, as the trees seldom form a close canopy, but occur mainly in isolated formation on the slopes of the Cedarberg Mountains. These trees yield a light, soft, durable timber, which is regarded one of the most valuable in the country.

(3) Evergreen Sclerophyllous Bush.

This covers an angular strip of country stretching roughly from the Olifants River on the west coast to Port Elizabeth on the south. On the north it is bounded by the Cape mountain ranges. The country on the whole is mountainous and includes many wide open valleys. The vegetation is composed mainly of bush or scrub, in which small leathery leaves are the predominating feature. It is commonly known as sclerophyllous vegetation. The general aspect of the vegetation has a remarkable uniformity and is of a characteristic dull grey-green colour. The region is essentially one with a winter rainfall and a hot dry summer. The absence of grassland in the general landscape is a noteworthy feature, although there is dispersed throughout the bush and scrub a large number of different species of grasses. The rainfall averages about 30 inches, but in several of the mountainous parts it exceeds this and may even reach 100 inches.

The seashore with its sand dunes, the sandy flats, the inland valleys and plains, vleis

and mountain slopes, all bear their own characteristic vegetation.

Throughout the region the dominating families are the Proteaceae, Ericaceae, Restionaceae and Compositae. The region is also remarkable for a large number of endemic plants. The vegetation of this region has little in common with that of the rest of South Africa, and there is much evidence to suggest that even the origin of this flora may be different from that of the rest of South Africa. It is the richest floral region in Africa, in fact it is one of the richest floral regions of the world, and it has long been renowned for its wealth of bulbous plants, which have for some time been introduced into cultivation throughout Europe and many other parts of the world.

Parkland.

Parkland vegetation covers the north-eastern and central portions of the sub-continent. Three well-marked types occur:—

Open woodland and orchard country of evergreen and deciduous tree and bush.
 Open woodland country of sub-tropical evergreen and deciduous tree and thorn forest.

(3) Thorn country.

(1) Evergreen and Deciduous Tree and Bush.

Open woodland and orchard vegetation characterizes the mountainous and rugged country in the western and eastern Transvaal, which is described locally as "Banken veld". The rainfall over this area varies from 25–35 inches, and the underlying rocks are composed largely of quartzites.

In the eastern portion, where the country falls within the rain shadow of the Drakensberg, tall arborescent Euphorbias, E. ingens and E. Cooperi and arborescent Aloes, A. castanea.

A. Marlothii form a conspicuous feature in the landscape.

Similar open woodland and orchard vegetation covers the mountainous country to the north known as the Limpopo Highlands, especially on the Waterberg plateau, where the sandstones and quartzites give rise to similar soils. On the Pietersburg plateau the vegetation is mainly orchard country in which deciduous trees dominate. The trees are chiefly Acacia spp., "maroola" Sclerocarya caffra and the "naboom" Euphorbia ingens.

The vegetation on the eastern slopes of the northern Drakensberg is typical of that "open woodland" country. It consists of tall grass (4-6 feet) interspersed with bush and tall trees. The characteristic trees of this region, which receives a rainfall of 35 to 45 inches, are the "mobola plum" Parinarium mobola, the "kejatenhout" Pterocarpus angolensis, the "waterboom" Syzygium cordatum and the "hill matome" Diospyros mespiliformis.

On the Zoutpansberg range a remarkable assemblage of temperate and tropical species and of hygrophilous and sclerophyllous plants is found within comparatively short range. Temperate broad-leaved evergreen forests, tropical forests and thorn forests all occur in succeeding ranges from south to north, and with decreasing rainfall.

(2) Subtropical Evergreen and Deciduous Tree and Thorn Forest.

This type of vegetation covers the low-lying country ranging from 500 to 2,500 feet in

Zululand, Swaziland and the eastern and northern Transvaal.

The vegetation is mainly dry thorn forest with occasional large evergreen trees scattered through it. Over the northern portion, the annual rainfall rarely exceeds 15 inches, and frequently it is much less. Over the eastern portion it varies from 15 to 30 inches, but a long dry period is nearly always experienced sometime during the year. South of the Olifants River the vegetation is typically an Acacia thorn forest. Tall trees are the dominating feature, and of these Acacia pallens is the most characteristic, especially on drier soils. On soils which are inclined to be waterlogged, dense thickets of Acacia rostrata, A. arabica var. Kraussiana and A. bitakunensis commonly occur. Along the watercourses and at the edges of swamps the "fever tree" Acacia xanthophloea is typical of this region.

(3) Thorn Country.

The type of vegetation known as "thorn country" covers practically the whole of the central portion of South Africa as far south as latitude 28°. It covers the greater part of British Bechuanaland, the Bechuanaland Protectorate, the north-western and central Transvaal and the eastern portion of South West Africa.

Over the eastern portion the rainfall varies from 20-25 inches; over the central portion

it ranges from 15-25 inches, while the western portion receives 5-15 inches.

Deep sandy soils characterize the region as a whole. Thorn bush and thorn trees are the dominating features of the landscape. The most characteristic tree of the whole region is the "camelthorn" Acacia giraffae. It is common throughout the area, except in the low-lying south-eastern portions where the soils are highly alkaline, and here the "vaal-kameel" Acacia haematoxylon assumes dominance. There is a great variety of Acacias throughout this area.

In the western portion large tracts of country are covered by the "driedoring" Rhigozum trichotomum which is frequently associated with Parkinsonia africana and Cataphractes Alexandri. In the south-west portion the sand has blown into long, wide, undulating dunes, which usually have a west-north-west trend. These are mainly grass-covered with scattered thorn bush. The dominant grasses are the "tall" and "short bushman grass", Aristida ciliata and A. uniplumis respectively. On the tops of the dunes, the most characteristic grass is the coarse Danthonia suffrutescens.

In the country usually referred to as the Kalahari desert, one of the most characteristic herbaceous plants is the "tsama" Citrullus vulgaris var. On this most of the animal

life in this semi-desert region depends for its water supply.

Graceland

Grassland vegetation occupies the eastern portion of South Africa. It is a region of spring and summer rainfall and long, cold, dry winters. The rainfall over the area varies from 20-40 inches. Three main types of grassland can be distinguished:—

- (1) Tall grass.
- (2) Short grass.
- (3) Mixed grass.

(1) Tall Grass.

Tall grass covers the country which lies between the eastern escarpment and the coastal belt. The dominant grass throughout is *Hyparrhenia hirta* and allied species. It forms a dense cover and a uniform sward. In moister situations taller grasses belonging to the genus Cymbopogon are dominant. Cymbopogon and Hyparrhenia characterize the vegetation on the higher slopes of the escarpment.

In the low-lying, sheltered and drier valleys at lower altitudes, Acacia trees, thorn bush and arborescent succulents such as Aloes and Euphorbias invade the grass and hold their

own. In such localities the dominant grasses belong to the genera Themeda, Digitaria, Panicum, Rhynchelytrum, Setaria, Pennisetum and Chloris.

(2) Short grass.

Short grass covers the high-lying country (5,000-6,000 feet) west of the Drakensberg escarpment. This country is known locally as the Highveld. It is essentially grass country devoid of natural tree and bush. The dominant grass throughout the region is a short or dwarf form of *Themeda triandra*. Associated with the grass cover and intermixed with it is a large number of herbaceous plants.

(3) Mixed Grass.

Mixed grass covers a wide tract of country lying between the Highveld on the east and the thorn country of the Kalahari on the west. The region includes a number of different geological formations and consequently exhibits a great range of soils. These in turn show considerable variation in the grass covering. The region as a whole is pure grassland, but frequently on rocky outcrops bush and scattered trees may occur.

Desert Shrub.

Occupying the high country between the Kalahari on the west and the dry Vaal-Hart Valley on the east, is a mixture of thornscrub and desert shrub not met with elsewhere in the Union.

The Desert Shrub vegetation covers a broad belt of country extending from South West Africa southwards to the Province of the Cape of Good Hope, when it broadens out considerably and extends almost to the coast at Port Elizabeth and Port Alfred, where it creeps down the valleys of the Sundays and the Great Fish Rivers. The rainfall over the whole area varies from 5 to 15 inches. It is greatest in the south-eastern portion. The southern portion of this area is composed of Karoo beds with rich and shallow soils, whilst in the central and northern portions granites and gneiss occur. Although there are many distinct plant associations, there is a remarkable uniformity in the general appearance of the vegetation throughout the area. Except in the extreme south, where succulents dominate, desert shrubs and shrublets characterize the whole area. The plants may be either woody or fleshy, and they are always widely spaced in bare soil. They are generally of a fairly uniform height. The leaves in most cases are small and well adapted to withstand desert conditions. Except in the southern portion, trees are not a conspicuous feature within the area.

The Karoo proper, which occupies the southern portion of this area and is really a great shallow basin lying at an altitude of 2,000 to 3,000 feet, is covered with fleshy succulents widely spaced in the bare soil and harbours many bulbous and tuberous plants. In the

southern portion tree growth is sometimes a conspicuous feature.

North of the Karoo, on the country lying above 4,000 feet, the vegetation is composed almost entirely of "karoo bush" or woody shrubs. These occur mainly on shallow and rocky soils. Wherever the soil is sandy and deeper, the "driedoring" Rhigozum trichotomum, a bush which usually attains a height of 3 to 4 feet, mostly dominates. After rain this bush is densely covered with white flowers and forms a conspicuous feature of the Karoo. On the rocky kopies in this area another species of "driedoring", otherwise known as the "wilde granaat" Rhigozum obovatum, is a remarkable sight after rain, with its masses of bright yellow flowers.

The central portion of this area, which includes Bechuanaland and Namaqualand is composed of vast plateaux and plains. The granitic soils are mostly sandy and are mainly covered by the "driedoring" Rhigozum trichotomum, the "baviaanskos" Augea capensis, and, where the drainage is poor, by "ganna" Salsola spp. On the deep sandy plains the

" bushman grass" Aristida brevifolia often dominates.

True desert occurs along the west coast of South Africa from just beyond the Olifants River in the south to beyond our boundary in the north. The belt varies in width from 10

to 80 miles. Its broadest portion is from Lüderitz Bay to Conception Bay. It extends inland down the valley of the Orange River nearly as far as Upington, and broadens out over a large part of Great Namaqualand, with a corresponding extension north of the Orange River. The average rainfall throughout this area is from under 1 inch up to 5 inches. Over many parts of the country rain frequently does not fall for several years. The whole country throughout the year has a typical desert appearance. The few plants that do occur are mainly stem succulents, and there are always wide spaces of bare ground between them.

The coastal desert extends from the western slopes of the escarpment to the coast line and five distinct zones can be distinguished, viz. the western slopes of the escarpment, the

gravel plains, the sand dunes, the rocky hills and the seashore.

The plants that characterize the western slopes are the "kokerboom" Aloe dichotoma, the "gifboom" Euphorbia virosa, the "melkboom" Euphorbia Dregeana and the "Bush-

man's candle" Sarcocaulon Burmanii.

The gravel plains may be destitute of obvious plants for miles and miles. Sometimes they bear a scanty growth of the "vogelstruisgras" *Eragrostis spinosa* and the "twaa grass" *Aristida brevifolia*, and occasionally the "baviaanskos" *Augea capensis* and several species of the "Bushman's candle" *Sarcocaulon* spp. In the north in the neighbourhood of Walvis Bay, the extraordinarily interesting and remarkable coniferous plant, the "tumboa" *Welwitschia Bainesii*, occurs. With it is commonly associated one of the "schilpadbossies" *Zygophyllum Stapfii*.

There is little vegetation on the sand dunes, but occasionally the "steekriet" Eragrostis cyperoides and the "vogelstruisgras" Eragrostis spinosa, in widely isolated tufts, are found.

Along the seashore a few interesting succulents belonging to the genera Salicornia

and Salsola have established themselves.

The vegetation found in the valley of the Orange River is equally remarkable and interesting. The rocky mountains which flank this river harbour an apocynaceous plant, the "halfmens" or "elephant's trunk" *Pachypodium namaquanum*, a tall cylindrical stem succulent which attains a height of 12 to 15 feet and bears a crown of leaves and flowers. It has the remarkable habit of always pointing northwards. Other interesting stem-succulents in these hills are the Namaqualand "spekboom" *Ceraria namaquensis*, the "kokerboom" *Aloe dichotoma*, the "gifboom" *Euphorbia virosa*, and several species of *Cotyledon*, *Sarcocaulon* and *Commiphora*.

In this brief outline of the vegetation of South Africa, it has been possible to give only a rough idea of the main botanical features of the country. The flora, more than

15,000 species, is one of the most diverse and interesting in the world.

Fungi in Relation to the Natural Vegetation.

As might be expected, the forest country has had a special attraction for the mycologist. In the "bush" on the coast of Natal, Zululand and the Transkei large numbers of fungi have been found, including those collected by Medley Wood at Inanda and in the neighbourhood of Durban, and a part of Miss A. Pegler's collections in the district of Kentani. Other localities explored for fungi in this region of "evergreen and deciduous bush and tropical forest" are in the neighbourhood of East London and on the Natal coast; only a few specimens have come from the more tropical coast of Zululand and Moçambique, which

would well repay exploration.

The "temperate evergreen forests" have yielded a very large proportion of the fungi known to occur in southern Africa, particularly the Hymenomycetes, Ascomycetes and Myxomycetes. They also harbour a great variety of lichens, few of which have yet been identified. Many of MacOwan's earlier collections were made in the forests of the Boschberg near Somerset East, and the forests of the eastern Cape were extensively explored for Hymenomycetes by J. D. M. Keet of the Forestry Department and P. A. van der Byl. The latter also collected in and around Knysna, and it was partly on specimens from the Knysna forests that Miss A. V. Duthie's studies of Myxomycetes and her outstanding contribution to the knowledge of South African Gasteromycetes were based. W. G. Rump,

on the staff of the Natal Museum, has searched the forests in the neighbourhood of Pieter-maritzburg and has added much to the knowledge of the Hymenomycetes in that area.

Many of the indigenous forests have been visited on numerous occasions by those interested in mycology, especially the Xumeni forest in the Polela district of Natal, the forests of the Amatola Mountains in the eastern Cape, especially the Pirie forest and the Hogsback, those of the Knysna, George and the Tzitzikama farther west and of the Woodbush in the northern Transvaal. In these forests in addition to the larger fungi, many leaf-inhabiting ascomycetes have been found, and these, in damp places, are in their turn attacked by numerous hyperparasites. Leaf spots and other lesions caused by Fungi Imperfecti are common, but few have yet been put on record. During the wet season Agaries develop in variety and profusion on tree trunks, on fallen logs and in humus. Owing to the difficulty of preserving specimens in a recognizable condition practically nothing is known of the more ephemeral species. A few cosmopolitan species have been recorded and some were described as new from specimens collected by Medley Wood and MacOwan; the type specimens of the latter are often in poor condition and unrecognizable. Apart from the Hymenomycetes, little is known of fungi attacking wood and living as saprophytes in the humus forming the floor of the forest.

The number of fungi recorded from the region of "evergreen sclerophyllous bush" is far below what might be expected in so rich a floral region. Some interesting Gastromycetes come from this region, including those collected by Miss Duthie around Stellenbosch and by Miss E. L. Stephens near Cape Town. A number of parasitic fungi have been found, including some interesting species on the Proteaceae, but a systematic search would probably reveal many more on the indigenous flora. Many of the rusts and other parasitic fungi which are known were originally found on flowering plant specimens prepared by early collectors. MacOwan's later collections, including a large number of lichens came from the vicinity of Cape Town.

The vast region of parkland, covering the north-eastern and central portions of the sub-continent is mycologically practically unexplored. A few collections have been made in the eastern Transvaal, largely by L. C. C. Liebenberg and in the neighbourhood of Lourenço Marques by C. W. Howard once entomologist in this territory, by J. G. A. Cardoso and by the Swiss missionary Rev. H. Junod. Another missionary, Father Menyharth contributed fungi and lichens from the lower Zambesi area. In Rhodesia, the collections of F. Eyles and J. C. Hopkins are mostly from this type of country.

In the section of this region known as "thorn country", with a long dry season and low rainfall, very few fungi have been found and they are apparently sporadic in appearance, Some of those found are of particular interest. Polyplocium inquinans was found near Vryburg, and a number of remarkable fungi were collected by J. Acocks in the thorn country of Griqualand West, including Montagnites Candollei, Gyrophragmium Delilei, Secotium agaricoides, Phellorina inquinans and Geastrum arenarium. The Broomeias are found in the thorn country and also some truffles of the genus Terfezia.

The extensive grasslands have also been very imperfectly explored for fungi, although a number of parasitic species have been described. Very little is known about the Agarics which frequently appear in considerable numbers after rain; some of the species found by MacOwan have not been noted in recent years, and it has been observed near Pretoria that certain Agarics are sporadic in appearance, and in localities under observation may only appear once in 5 to 7 years.

Part of MacOwan's earlier collections were made in the vicinity of Somerset East in the extreme south-east of the grassland area, and the inland part of the Kentani district, where Miss Pegler found some hundreds of fungi, is also grassland. I. B. Pole Evans has contributed specimens found in the course of his botanical explorations and some fungi of interest have been contributed by A. O. D. Mogg, especially from the grasslands of Natal. A fair number has also been found in the Transvaal, especially in places within easy reach of mycologists stationed in Pretoria.

Of the fungus flora of the desert shrub little is known. *Polyplocium inquinans* was first discovered on the banks of the Orange River and again in the Burghersdorp district by Gideon Joubert, who found several other interesting fungi. A few parasitic species including rusts have been found, and judging by the few collections of which records are available, there is a particularly rich and interesting lichen flora in this region.

Some thousands of specimens of South African fungi have been collected and named, but the mycological work so far accomplished can only be regarded as a foundation for further research. In very few areas has any systematic search for fungi been made and many of the specimens collected have been imperfectly studied. In few cases is any information available about seasonal prevalence, geographical distribution, host range and spore forms of the fungi

recorded.

South African mycology is a very broad field and the workers are few. Apart from the earlier collections, the work has been done by those whose main interest was plant pathology. Only in recent years has a post been created in the National Herbarium for a systematic mycologist. This is a small beginning, but it is encouraging, as it implies an official recognition of useful work accomplished and of the necessity for a study of fungi in relation to indigenous as well as cultivated plants.

Plants in Cultivation.

The history of plant introduction into South Africa begins in 1651, with the arrival of Johan van Riebeeck to establish a settlement at the Cape; van Riebeeck was accompanied by a gardener, as the settlement was to be half-way house to the east where water and provisions could be obtained. *Vegetable seeds were brought from Holland, sub-tropical trees and plants from Batavia and from Europe apple and pear trees, chestnuts, olives, plums and cherries. The trees planted by van Riebeeck at the Cape were the beginning of South Africa's great fruit industry. Vines were introduced at a very early date, and with the arrival of the Huguenots the quality of the grapes and of the wines produced, gradually improved; so also did the general cultivation of the land.

In the Paarl and Stellenbosch districts, where many of the Huguenots settled, viticulture is still one of the most important agricultural pursuits; many thousands of vines are grown in other parts of the south-western Cape, especially in the districts of Worcester, Robertson, Montagu, Malmesbury, Tulbagh, Ceres, Cape and Caledon. This region, of which the natural vegetation is evergreen sclerophyllous bush, is also the most important for deciduous fruit

trees.

Citrus trees, which were introduced at an early date into this region are still to be found there, but more extensive orchards have been planted in other parts of the Cape, in the Transvaal, in Natal and in Southern Rhodesia; some 56,000 acres are planted with citrus trees in areas where frost is not known or is slight. A variety of tropical fruits is grown in the warmer districts, chiefly in the Low Veld and sub-tropical forest areas; the chief centres

for pineapple growing are near the coast of the eastern Cape and Natal.

In 1652, at the back of Table Mountain, van Riebeeck found in the kloofs of the mountain "fine, thick and fairly long trees" and higher up the mountain "hundreds of such trees fit for masts for ships but difficult to remove". These yellow-woods were cut for building purposes and the natural forests on the mountain destroyed. To provide timber, sacks of acorns were sent from Holland and kernels of stone and cluster pines from Italy; these were planted in quantity and flourished amazingly. In other parts of the country the indigenous forests have also been heavily exploited and now cover only a small acreage. Plantations of exotic trees have been established to provide a part of the country's timber requirements and the greatest acreage under trees is to be found adjacent to the natural forests, the majority being species of Pinus, Eucalypts and poplars.

^{*} A most interesting account of the early days of agriculture in South Africa is to be found in 'Historic Farms of South Africa; the wool, the wheat and the wine of the 17th and 18th centuries' by Dorothea Fairbridge. Oxford University Press, 1931.

Large plantations of the Australian wattles (Acacia mollissima and A. decurrens) are grown for the production of bark extract used in tanning. Of over 568,000 acres planted with these trees, about 500,000 acres are in Natal. Other exotic trees are grown in considerable

variety but in comparatively small numbers.

Wheat, oats and barley, introduced into the Cape by van Riebeeck, are grown mostly in the south-western Cape in the region of sclerophyll vegetation. In the north-western Cape and the eastern Orange Free State, wheat is a winter dry land crop; in the Transvaal a considerable quantity is grown under irrigation. Maize, one of the agricultural mainstays of the country, was introduced into Africa in early years by the Portuguese; it probably reached southern Africa towards the end of the 18th century and has become the staple food crop of the South African native. Maize is cultivated extensively, but the main production is in the grassland country of the Natal midlands, the Orange Free State and the southern Transvaal.

Sugar cane is an important crop in the coastal belt of Natal and Zululand, where the plantations have largely replaced the natural bush. Coffee, once cultivated on the Natal coast and in the northern Transvaal is no longer grown on a commercial scale; the decline of this industry was due in part to the attacks of the coffee rust, Hemileia vastatrix.

In most parts of the country, potatoes are grown, the largest quantities being produced in the grassland. Tobacco is an important crop in certain areas of the Transvaal, the Cape Province and Southern Rhodesia, and other solanaceous crops such as the tomato, brinjal or egg plant and the "Cape Gooseberry" *Physalis peruviana* are cultivated freely, tomatoes being a winter crop in the sub-tropical areas.

Peanuts are grown extensively, chiefly in the sub-tropical parts of the Transvaal, and numerous other plants are in cultivation, including a variety of fodder crops, agricultural

grasses and drought-hardy plants.

Some mention must be made of garden plants. South Africa has a natural wealth of flowers and has given the world many of its most beautiful plants. The Ornithogalums, Freesias, Ixias and many other bulbous plants are well known in the gardens of the world and the cultivated varieties of many well-known genera such as Gladiolus and Pelargonium were derived from South African species. In addition, many flowering plants have been introduced; roses and carnations flourish and gardens are gay with all the well-known annuals, of which the hardier varieties can be grown during the winter months.

Fungi in Relation to Cultivated Plants.

Since the middle of the 17th century there has been a steady flow of plants into South Africa, from Europe and Batavia in the early years and later from all parts of the world. During this time many of the fungi parasitic on cultivated plants were introduced into the country with their hosts, some of them at an early date. Describing agriculture at the Cape of Good Hope in the 18th century, Mentzel writes: "The purest wheat is from time to time spoilt by rust, which covers the ears with black dust and spoils the grains . . . No better remedy has yet been found than to sow seed wheat from other places where this has not occurred." In 1820, according to Theal, the wheat crops throughout South Africa were attacked by a kind of blight previously unknown in the country and those in the Albany district were completely destroyed. In 1821 the wheat crops in that district again entirely failed from blight; this was a severe blow to the newly arrived settlers. During the years 1820-1825, the repeated failure of the wheat crop in the Albany district owing to the attacks of rust is mentioned by Thompson (1827) as a serious obstacle to the progress of the new settlement. In a foot note he refers to earlier failures of the wheat crop: "The nature and causes of the vegetable disease called the rust, which has been recently so calamitous to the Cape, I do not profess sufficient agricultural or scientific skill satisfactorily to explain. Its prevalence is not altogether unprecedented in South Africa; for there are records of its existence in 1708-9-10, to such an extent that there was scarcely sufficient seed corn left in the Colony—and again about 50 years ago though not in a shape so virulent."

Many fungi on cultivated plants are widespread and occur wherever the host is cultivated, others are limited in their distribution and some which have been introduced have not become troublesome because of climatic conditions.

The cereal rusts such as *Puccinia graminis* on wheat and oats, *P. anomala* on barley and *P. coronata* on oats are common and widespread. These are heteroecious species, but are perpetuated from year to year without the development of aecidia on an alternate host. *Puccinia maydis*, another heteroecious rust is equally widespread; although an alternate host, *Oxalis corniculata* is fairly common, aecidia are found only occasionally. *Aecidium Oxalidis* occurs on other species of Oxalis but spores from these hosts failed to infect maize.

Smuts of cereals are common and many fungi parasitic on fruit trees such as *Puccinia* pruni-spinosae, Cladosporium carpophilum causing freckle on peaches and apricots and Taphrina deformas causing peach leaf curl, occur in most areas where the hosts are grown.

Equally common and widespread are many parasites of field and garden plants.

Other introduced fungi are only found in certain limited areas. Cercospora Leoni is found on sultana vines in the Upington area, where it causes considerable damage; in the same district a destructive wilt of cotton is caused by Verticillium alboatrum. Cercospora Leoni is not known elsewhere, and of Verticillium alboatrum in other parts of South Africa

there are only one or two records on Solanum spp.

Phoma citricarpa, causing black spot on oranges, known in China, Formosa and parts of Australia, was introduced many years ago into the Town Bush Valley and the Chase Valley near Pietermaritzburg. Until a few years ago it was restricted to these valleys, where mist and rain are common in the early spring; recently it has spread into citrus orchards in other parts of Natal where less humid conditions prevail, and has also been found in the Transvaal.

Another fungus which has become destructive in recent years is *Phytophthora infestans*; this fungus has been introduced into the country not once, but many times with imported seed potatoes, but for some 25 years during which observations were made, only two outbreaks of "Irish potato blight" of any consequence were reported. The potato variety "Up-to-Date" which was the chief maincrop variety grown, was until recently regarded as one of the most resistant varieties; for some reason, during the last decade, its resistance has broken down. It is now very susceptible, and *Phytophthora infestans* is a troublesome parasite in potato fields in areas such as parts of Natal, and near Haenertsburg in the Transvaal, where conditions are suitable for its development.

Some parasitic fungi common in other countries have not reached South Africa. Rusts of the genus *Uromycladium*, common on Australian Acacias, are not found in the wattle plantations; this may be due to the fact that only seed of these trees has been imported

and that it is subjected to considerable heat before planting.

Puccinia Asparagi which causes great damage to the cultivated asparagus in America has been found on Asparagus Cooperi and A. plumosus; in America this rust is said not to occur on A. plumosus; in South Africa there is no record of its occurrence on the cultivated A. officinalis.

On the other hand, *Uromyces transversalis*, a rust which occurs commonly in indigenous *Gladiolus* spp., causes serious losses in commercial plantings of the cultivated varieties of this genus.

A few plant parasites have been introduced but do not survive under South African conditions. One of the most noteworthy of these is *Spongospora subterranea*; in some seasons a large percentage of seed potatoes imported show lesions of corky scab caused by this organism, but owing to high soil temperatures and low humidity it does not survive; the only case on record where a crop was infected was during an exceptionally wet season in a locality nearly 7,000 feet above sea level.

Plasmopora viticola has occasionally been observed in the eastern Cape and eastern Transvaal, but it is not a troublesome parasite there and has comparatively little effect on the grape vines. Fortunately, this fungus does not seem to have been introduced into the vine-growing districts of the south-western Cape.

The introduction of fungi on cultivated plants continues, and a number have come to South Africa in the last decade. Amongst these may be mentioned Puccinia Antirrhini which was first seen in 1939 and spread throughout the country with great rapidity. In 1943, Puccinia Helianthi was reported for the first time in Moçambique and in Southern Rhodesia. A report of a destructive outbreak of rust in large plantations of sunflowers in the Transvaal was received during the same year, but the fungus was not identified until the following season. In the Transvaal Puccinia Helianthi was associated with Cystopus Tragopogonis which had previously only been found on Scorzonera in the south-western Cape.

Another recent introduction is *Sphaerotheca pannosa* var. *persicae*, which is an active parasite of peach trees. This fungus was apparently introduced on some trees which came from South America; it has spread rapidly through the peach orchards and has become one of the most troublesome of the fungi with which fruit growers have to contend.

III.—HISTORY OF OBSERVATIONS ON THE FUNGI AND LICHENS OF SOUTH AFRICA.

The settlement founded by Johan van Riebeeck at the Cape in 1652 at first made slow progress: the settlers had to contend with the alternation of drought and flood, so well known in South Africa, their crops were destroyed by the south-easterly gales, great damage was caused by wild animals and much vexation by the pilfering habits of the Hottentots. In 1679, the colony comprised only the settlements round the foot of Table Mountain, a cattle station at Tygerberg, the outposts at Saldanha Bay and the ground beyond the isthmus held on lease from the Hottentots.

After the arrival of Simon van der Stel as Governor, expansion became more rapid. He discovered the beautiful Stellenbosch valley and before many months had passed the first farmer put his plough into the ground there; a few years later 23 farms were marked out along the Berg River in the Drakenstein Valley. In the first years of the 18th century the second terrace upward from the sea began to be occupied by Europeans, who settled in the fertile Tulbagh basin and spread gradually down the valley of the Breede River and over the Witsenberg to the high plateau called the warm Bokkeveld. Some crossed the Hottentots Holland mountains and pushed their way to the sea at Cape Agulhas; others kept up the western coast and in the course of time reached the mouth of the Olifants River.

Expansion continued steadily, and by the middle of the 18th century the eastern frontier was fixed at the Gamtoos River and Bruintjes Hoogte; the northern boundary was not defined. On the fringes of the colony lived the graziers, the real pioneers, whose life was often rough and wild. They spent a part of the year as semi-nomads, the cattle breeder and his family passing the day in the open air and sleeping in a great tent wagon. To the north their sheep and cattle were sometimes driven off by Bushmen and a little excitement was caused by pursuit of the marauders. On the eastern border the Xosas were expert stock-lifters, but had not come into direct conflict with the settlers. Behind them as they moved onward, a more settled class of people occupied the country, although thinly, in contrast to the closer settlement nearer to Cape Town.

An old elephant hunter named Willem Prinsloo was the first white man who, in 1771, made himself a home beyond the borders of the Colony, on the banks of the little Fish

River, where he occupied the site of the present village of Somerset East.

To this South Africa of 1772 came Dr. Carl Pehr Thunberg, to add to the knowledge of the most rich and beautiful flora, the fame of which had reached Europe in the early days of the Dutch settlement. His means were slender, and in order to reach the Cape he sailed as extra surgeon on one of the East India Company's ships, arriving in Cape Town in the middle of April. Here he *" visited Mr. Auge, the gardener who has made many and those very long excursions into the interior of the country and has collected all the plants and insects which the late Governor Tulbagh sent to Europe to Linnaeus, to the Professors Burmann and van Ruyen."

^{*} Quotations from Thunberg's Travels, English translation.

At first Thunberg's botanical explorations were made in the neighbourhood of Cape Town, on Table Mountain and Paarl Mountain. The flowering plants were his main interest, but during his travels he collected a number of cryptogams; 14 fungi and 39 lichens were listed in his Flora capensis, the first plants of these groups to be recorded from South Africa. He rarely states where these were collected; this information, which might be found on his herbarium labels, unfortunately is not available. In the month of May, after rain, he found Agaricus muscarius growing near the town, between bushes, and in June and July Agaricus campestris; on stones at the top of Table Mountain, on the side facing town, he collected Lichen tabularis.

In September a more extended tour was undertaken, which lasted till the end of the year. With Auge for companion and two other Europeans, an ox wagon and equipment for collecting plants and animals, Thunberg travelled first in a northerly direction, past Saldanha Bay, where in September to October he found *Lichen flavicans*, till he reached the Groot Bergrivier; at this point he turned to the south-east, crossing the Witzenberg and the Hex Rivier to Swellendam. The expedition then continued eastward, visiting the forest at Grootvadersbosch in the Swellendam district, where *Boletus sanguineus* was collected, and travelling along the Attaqua and Outeniqua Mountains, which were crossed in a northerly direction into the Langekloof. Still farther east the sea was reached at the mouth of the Gamtoos River, which was the eastern limit of this journey.

In September of the following year Thunberg set out on a second journey. This time for his fellow traveller he "had an English gardener of the name of Masson, who had been sent hither by the King of England to collect all sorts of African plants for the gardens at Kew. Mr. Masson arrived the year before on the same ship in which Captain Cook with the Professors Forster and Sparrman were to make their celebrated voyage round the world and towards the southern pole." He had arrived in Cape Town after Thunberg had set out for Caffraria. Again Thunberg started his journey in a northward direction, till he reached Elands Kloof, then travelled southward through the Cold and the Warm Bokkeveld to the Winterhoek Mountains, through Goudini to Swellendam, later reaching Mossel Bay. Going again through the Langekloof to the Gamtoos River, which was then the limit of the Cape Colony, he pushed on to the Sunday's River which runs into Algoa Bay to the north-east of Port Elizabeth.

A few quotations from Thunberg's Travels (English translation) suffice to indicate the labour involved in making such journeys and the dangers encountered:

"Roads that can be properly so called are not to be found in all this southern part of Africa; yet the way which people in general take, when they travel, is pretty well beaten in the neighbourhood of the Cape; farther down the country, indeed, very often not the least vestige of a road appears. Therefore . . . it may easily happen that a traveller shall lose his way . . . On the 2nd of November, we were overtaken by some remarkably heavy showers when we crossed Quaiman's drift . . . More weary and wet or in a worse plight we never could have been."

The expedition passed the forests of the "Houtniquas" where Thunberg found Clavaria capensis (fide Juel, 1918, this is a Xylaria), and on the yellow-woods collected for the first time Lichen helophorus, now known as Corynelia uberata. Wild animals were plentiful and the expedition was able to shoot game for food; but on more than one occasion the wild animals were a source of danger.

"In the afternoon we arrived at Koukuma River" (Goukamma River near Knysna) and intended to pass through a thicket to a farm which we discovered on an eminence.... We had not advanced far into the wood before we had the misfortune of meeting with a large old male buffalo." The unfortunate horses were abandoned to their fate and Thunberg escaped by climbing a "tolerably high tree", until the buffalo, having expended his rage on the horses, departed along the way they had intended to travel; going in search of his companions he "discovered these magnanimous heroes sitting fast, like two cats, on the trunk of a tree with their guns on their backs. . . ."

"On the 11th we passed over the very lofty mountains that lead to the Lange Kloof. The sides of the mountains that we passed over were sometimes so steep and the path so narrow that we did not cross it but at the hazard of our lives and shuddered when we looked

down the precipice."

During the return from Kaffraria in 1772, "having crossed Keurbooms River we proceeded to Diep River and on the 10th came to Ganskraal. Behind the low mountains lay Camenassie Land. The Lycorperdon carcinomale grew here on the ant hills, the brown powder

of which was said to be used in cancers."

During the second journey into Caffraria, when they reached the Sundays River, Masson and Thunberg consulted their guide and attendants about continuing eastward, but none of them were inclined to proceed farther, on the ground that they were now on the borders of a powerful nation, the Kaffirs. "The Caffres it is true are not bad in themselves, but as they are in great want of iron, they are sometimes so greedy after it as to make no conscience of murdering a Christian for the sake of getting the iron from off the wheels of his waggon."

The third journey, undertaken in 1774 by Thunberg and Masson was in a northerly direction over Riebeck's Casteel through Zwartland to Piquetberg, then north-east over the Maskamma berg to the Hamtam-berg. They then turned south-east through the Lower and Middle Roggeveld and south-west back to Cape Town. It must have been on the return journey that Thunberg found Lichen incarnatus, "in Carro infra Bockland" (? in the Karroo below the Bokkeveld). This is a xerophytic lichen, living in calcareus soil and now known as Lecidea decipiens. At this time the farms on both sides of the Roggeveld Mountains were subject to the depredations of Bushmen; Thunberg himself relates that in 1772 a party of Bushmen murdered a burgher and his family and drove off the cattle from several farms.

His experiences on these journeys in southern Africa are epitomised by Thunberg in his author's preface to the Flora capensis, 1923:—

"Thunberg, Carol Petrus, Suecus, occasione, quam in Florae meae japonicae indicavi, ad hasce Australis orbis oras perductus, ab Anno 1772 usque ad Annum 1775, omnis generis Naturalia, praecipue vero Florae Capensis dilectissimas copias sedula et indefessa manu quaesivi, collegi, examinavi et descripsi. Hunc in finem plura suscepi itinera, saepius molestiarum et periculi plena; imprimis vero quotannis ad remotiores regiones, itinere per plures menses producto, penetravi; atque sic per

Dunas arenosas, Carro aridissimas, Littora falsa, Alpes altas, Fruteta spinosa, Rivos infidissimos, Campos undulatos, Colles lapidosas, Praecipitia montium, Sylvasque inconditas,

pericula vitae adii, feroces gentes at bruta prudenter elusi, Thule hujus australis gazas speciosas detegendi grstia laetus cucurri, sudavi et alsi."

This is reminiscent of St. Paul's account of his journeyings, "In journeyings oft, in perils of waters, in perils of robbers...in perils by the heathen... in perils in the wilderness."

Thunberg's fungi and lichens were no doubt sent to Europe with the rest of his specimens; new species were described by the younger Linnaeus (1781) and by Acharius (1798).



Plate 2.—Cradock Pass: "Over the very lofty mountains that lead to the Langekloof", Thunberg. From an engraving by C. C. Michell.

The fact that the mycologist Persoon was born in South Africa is a source of pride to the country of his birth. He was left an orphan at an early age, sent to Germany, and afterwards settled in Paris. He had therefore no special interest in South African mycology and the few references in his Synopsis Methodica Fungorum are to fungi collected by Thunberg, e.g. Sphaeria turbinata. Hab. ad Caput bona spei in foliis gramineis. Ab illustre Thunberg et celeberrimo Swartz benevole mihi missa est.

Scleroderma carcinomale—Lycoperdon carcinomale L. Hab, ad Caput Bonae spei in

acervis formicarum.

Some 35 years elapsed before any further observations on South African fungi and lichens were made. During these years the colony had made progress, had become more closely settled and had extended its borders. A number of mission stations had been established, one of the most notable being founded outside the boundaries of the colony in a well-watered valley north of the Orange River. This station, named Klaarwater (now Griquatown) became the nucleus of a settlement which was a place of attraction for Hottentots and coloured people of mixed descent. The missionaries led out water, started cultivation and planted trees, and an attractive village with several outstations grew up.

In November, 1810, William John Burchell landed in Cape Town. His intention was to journey beyond the boundaries of the Cape Colony to the country of the Bechuanas, and from Litakun (now Kuruman) to turn towards the west coast and to try to find his way by sea to St. Helena. In the early days of 1811, however, he had conversation with missionaries from Klaarwater, who were on furlough in Cape Town. From them he learned that it would be inadvisable to travel westward, because of difficulties likely to arise from lack of water and the presence of hostile tribes. He therefore arranged to travel as far as Klaar-

water with the missionaries and to make Litakun his objective in the north.

While superintending the building and equipping of his wagon, Burchell stayed in Cape Town with the Lutheran minister, Pastor Hesse, who was an enthusiastic gardener and collector, and amongst other objects of natural history, collected some lichens, which were sent to Europe; one of these was named in his honour Stictina Hesseana. During his stay in Cape Town, Burchell found time to make botanical excursions in the vicinity and to undertake, on horseback a tour as far east as Caledon and as far north as Tulbagh. He

thus acquired first hand knowledge of some of the ground covered by Thunberg.

Burchell's trek into the interior began in June, 1811, and covered, in all approximately 4,500 miles. At Klaarwater he was unable to procure servants to accompany him farther north, so decided to travel on oxback, with a few Hottentots, a Bechuana and a Bushman, to Graaff-Reinet, to ask help from the landdrost there. For this journey, Burchell relates that one of his Hottentot herdsmen "agreed to furnish three pack oxen and to supply me for my own use with a quiet riding ox and one that could easily be managed, as I was completely a novice in the art of riding on oxback." (Burchell, 1822:533.) He was the first European to make a track from Klaarwater through Bushmanland to Graaff-Reinet. Having obtained the assistance which he sought, Burchell left Klaarwater for Bechuanaland, arrived at Litakun about five weeks later and reached the Chué spring (Honing Vlei), the most northern point in his route in October, 1912. After returning to Klaarwater, which was his headquarters for his northern journeys, he made his way south to the eastern part of the Cape Colony.

On the eastern border, the encroachments of the Xosas had led to the Fourth Kaffir war, which had ended in the defeat and flight of the Xosas by March, 1812. A line of military posts had been formed from the sea to the second chain of mountains, to prevent their return. These disturbances had occurred while Burchell was in the country north of the Orange River. It was in 1813 that he went to Grahamstown and made excursions to the mouth of the Great Fish River and the Kowie. He then went by way of Uitenhage to one of the new forts, Fort Frederick (now Port Elizabeth), through Plettenberg Bay, Mossel

Bay, the Garcia Pass, Swellendam and Stellenbosch to Cape Town.

He reached Cape Town in April, 1815, and shortly afterwards discovered on waste land belonging to the Government, orchilla (Roccella sp.) growing in considerable quantity.

He wrote to Lieut. Col. Bird, Deputy Colonial Secretary, pointing out that the collection and export of this weed, a lichen yielding a violet-mauve or purple colouring matter, could be made beneficial to the colony. In a letter written in August, 1815, he states that he is obliged to leave his oxen and wagons to be hereafter employed in the collection of orchilla. What happened to his wagons is not known, and apparently nothing came of the communications between the Governor of the Cape Colony and the Colonial Agent for the Cape of Good

Hope about the exploitation of this lichen.

It is not clear which species of Roccella was found by Burchell growing in such quantity but in 1866, Lauder Lindsay gave the names of lichens sent to England "attached to specimens of 'Angola Orchella Weed' imported into London for the orchill and cudbear manufacture and sent to me at various times by importers and manufacturers. I have frequently found fragments of trees or shrubs on which the said weed-a species of Roccella-grows. These twigs are not such as to enable me to determine the species of the tree or shrub to which they belong. . . . It is of some interest, if not importance, that we should know to a greater extent, and more precisely than we do at present, the species of trees that nourish the valuable Roccellae (R. Montagnei Bel. and R. fuciformis Ach.) which constitute in great measure the 'Orchella' weeds of commerce; which are imported largely from—the coasts especially of -Central Africa, and which generally occur (especially R. Montagnei) on trees near the sea. These Roccellae, which now appear to have completely superseded all other lichens in the home manufacture of orchill and cudbear, are as common on the east as on the west coast of Africa. Dr. Kirk has favoured me with specimens of a large Everniiform state of Roccella fuciformis (with which I am disposed to associate R. Montagnei as a variety) growing on Dalbergia melanoxylon, on the Royuma River, about eight miles from the coast. in eastern tropical Africa (Zambesi Expedition), which resembles what now enters the London market as 'Mozambique weed'."

During recent years, 1941–1942, manufacturing chemists in London, whose usual source of supply in Holland had been cut off, enquired about the possibility of collecting and exporting Roccella for the manufacture of litmus. According to an unpublished report made by Mr. S. Garside it would appear that 'orchilla' no longer grows in quantity as observed by Burchell. Garside states that Roccella hypomecha found on rocks near the sea, but above high tide mark, appears to be abundant on all rocky coasts to the east of the Cape peninsula and has been recorded from a number of localities. There is no record of this species having been used for the manufacture of litmus. R. Montagnei, which gives the greatest litmus yield of all Rocella spp., grows on trees near the sea coast; it is frequent in the Knysna district and in warmer regions, e.g. Natal and Moçambique. Mr. Garside concludes "These lichens grow in comparatively small quantity. There is no prospect of starting an industry' but a considerable probability of exterminating the plants in the more accessible spots."

During his journeyings, Burchell collected a considerable number of fungi and lichens, some 56 fungi and 90 lichens, but his specimens have not been traced; they are listed in his Catalogus Geographicus (in Mss. in Library of Kew Herbarium) the lichens being inserted between the leaves dated 12th September and 15 September, 1812. Most of the fungi and lichens were gathered during his return journey in 1813–1815, through the Boschberg and thence westward through Keurbooms River, Knysna and George to Cape Town; but there are a few records of specimens found during the trek northward in 1811–1812, on the Windheuvel', 'on the Roggeveld Mountains', at the confluence of the 'Vaal and Orange Rivers', 'at Klaarwater', 'at Litakun' and so on.

Burchell's St. Helena lichens were described by Leighton (Trans. Linn. Soc. XXVII, 1869: 155) as "unarranged lichens in Herb. Hooker"; no reference to his South African lichens has been found in any available literature. In the Catalogus most of the lichens are unidentified, or are assigned to a genus. They are usually listed as lichens on branches of his numbered flowering plants or on stones and include species of Collema, Sticta, Baeomyces, Usnea, Opegrapha and Lecidea. Several species of Parmelia are included in the list, and some of these are tentatively assigned to species, e.g. Parmelia pulmonaria, P. speciosa and P. flavicans.



Plate 11.—Aecidium resinicolum (Rud.) Wint. on Rafnia angulata. (Photo.: H. A. V. King.)

Searching for Burchell's fungi, at Kew, Miss Wakefield found a specimen under *Polystictus sanguineus* labelled *Boletus pulcherrimus* B., This she recognised as a Burchell collection, because of a characteristic dark-coloured label, which he used, with a sign in the corner like a double walled P; there is no locality on the label. This is evidently No. 3167/2 in the Catalogus, "*Boletus pulcherrimus* B., on Boschberg in the forests, 29.5.1813". His beautiful drawing of "*Lycoperdon formicarum*" is unmistakably *Podaxis pistillaris*, but this fungus does not appear amongst those numbered and no locality is given.

Unlike Thunberg and some of the later collectors, who were interested mainly in the larger fungi, Burchell listed many a fungus or "fungillus" on the leaves and bark of his flowering plant specimens, e.g. "on bark of Rhus pyroides", "on leaves of Capparis citrifolia in the forest close to Melkhout" (might this be Oncospora bullata?), on Ilex crocea, Podocarpus, Olea and many other hosts. If these specimens could be traced, they would probably

constitute the earliest records of a number of parasitic species.

The first rust on an indigenous South African plant of which there is a record was found by a contemporary of Burchell, James Niven, a gardener who collected for Hibbert and the Empress Josephine, 1798–1803, and again for Lee and others, 1803–1812. This fungus, a gall-forming aecidium on species of *Rafnia* (Leguminosae) was first described by Rudolfi (1829: 389) as follows:—

"Caeoma—Aecidium resinaecola n. spec. Caeoma maculis nullis; pseudoperidiis in lacinias aequales liveras fissas; sporidiis pallidis. Habitat in resina effusa fruticum ex familia Leguminosarum, Africae australis. Autumne. Ex interioris Capitis bonae spei a cl. Niven."

Aecidium resinicolum was collected again by MacOwan and by Schlechter on Rafnia amplexicaulis and R. perfoliata, and a variety, var. tumefaciens Wint. on Rafnia angulata. The rust was redescribed by Winter (1884 c: 264) and material collected by MacOwan was distributed in Rabenhorst-Winter Fungi Europaei et extra-europaei as Nos. 3321 and 3838. (Plate 11.)

In the third and fourth decades of the 19th century, South Africa was visited by a number of botanical collectors who laid a more solid foundation for the study of cryptogams.

Christian Frederick Ecklon was born in Schleswig-Holstein; he qualified as an apothecary, and in this capacity came to Cape Town in 1823, as assistant to Poleman, a dilettante botanist and the companion of Burchell in his rambles about the Cape peninsula. After some years he gave up his situation and devoted all his time to exploring the flora of Table Mountain and the vicinity of Cape Town. In 1827 he sent away a mass of material and sailed for Europe the following year.

When he returned to the Cape in 1829, Ecklon formed a botanical partnership with Carl Zeyher, who had arrived at the Cape in 1822 with the object of collecting plants. Zeyher went alone to Clanwilliam, Olifants River and the Cedarberg, and then started for Namaqualand and the Khamiesberg, pushing on to the Valley of the Orange River. Meanwhile Ecklon went by sea to Algoa Bay and botanised over the districts of Uitenhage, Albany and 'Kaffirland' as far as the Winterhoek. After returning to Cape Town with their spoil Ecklon and Zeyher set out again in company, ascended the Tulbagh Winterhoek and then undertook their greatest expedition to the eastern frontier. On their return, Ecklon arranged to go to Hamburg to dispose of their joint collections.

This partnership had no particular interest in fungi; Ecklon collected a number of lichens, which are enumerated by Stizenberger (1890) and it is probable that many specimens in the herbarium of the South African Museum, Cape Town, bearing Dr. Pappe's numbers were from his collections. Ecklon probably also collected some fungi, but they are difficult to trace. In the Berkeley herbarium at Kew, there is a specimen of a fungus on Osyris abyssinica, collected by Ecklon at the Cape; this was a species first found by Boivin and sent by him to Montagne, who described it in 1843 as Dothidea amphimelaena. Polystictus Eckloni Berk. ex Cooke was collected by Ecklon and Zeyher, in some unknown locality at the Cape.

After his partner's departure for Europe, Zeyher went to Uitenhage, where he was for some time in the service of Mr. Joachim Brehm, a notable gardener. During this period he became interested in the fungi of the district and made fairly extensive collections of the larger species. The bulk of this collection was examined by Berkeley, who published a systematic account of Zeyher's fungi in 1843; he listed 31 species and described *Phellorina* as a new genus of the Gasteromycetes. Part of Zeyher's collection was sent by Kuntze to Fries, who found certain remarkable species omitted from Berkeley's account. Fries describe three Agarics as new, and stated that the remainder of Zeyher's Agarics were either common European species or had been fully described by Berkeley.

While at Uitenhage, Zeyher undertook, in November 1840, to accompany James Burke, the zoological collector, in a trip to the north. During this journey a remarkable fungus was found on the banks of the Orange River; this was described by Berkeley in 1843 as

Polyplocium inquinans, new genus and species.

When Zeyher fell on hard times, he parted with his herbarium to Dr. Pappe, then colonial botanist; in his collection of flowering plants now in the South African Museum, a number of leaf fungi, mostly rusts, have been detected; e.g. Uromyces Leiae has been found on his specimens of Lapeyrousia corymbosa (Zeyher 1594) and Sparaxis bulbifera (Zeyher 3968); further examination would probably reveal other material of interest. On Freesia specimens sent to Europe, Bubak found two rusts, which he described as Uromyces Freesiae in Promontorio Bonae spei (Zeyher) and U. Ecklonii (Ecklon and Zeyher).

Of the lichen collections made by Zeyher, Leptogium africanum Zahlbr., from the Winterhoekberg near Uitenhage, was determined by Nylander as L. Brebissonii: Endocarpum peltatum in Herb. Hooker was also from Uitenhage: other collections recorded by Stizenberger in the Lichenaea africana (1890) are from the south-western Cape, on rocks' Cape of

Good Hope' or from the neighbourhood of Saldanha Bay.

J. F. Drège, botanist, apothecary and traveller, a native of Altona in Germany, arrived at the Cape in 1826 and spent nearly 8 years in South Africa. His MS, diary which survives (Laidler 1937: 12) is a document of absorbing interest and gives an intimate account of conditions in the country districts through which he passed in his dual rôle of botanical explorer and travelling apothecary. Drège journeyed extensively in the Cape Colony, north to the Orange River and as far east as the Kei River. In the latter part of 1831 he penetrated farther east.

In consequence of the exterminating wars of Chaka, the Zulu warrior chief, the well-watered and fertile country around Port Natal, more favoured by nature than any other part of South Africa, had been depopulated. Dr. Andrew Smith, the celebrated zoologist and traveller, was sent to report on the possibility of opening up this country to settlers, a service of no little danger, owing to the ferocious character of Dingaan, the brother and successor to Chaka. Drège accepted the invitation of Dr. Andrew Smith to accompany this expedition. From the Umzimvubu to the Tugela, a distance of 250 miles, the land had been utterley ravaged; not more than 50 persons were seen in the whole territory, except near Port Natal. Here a number of natives, the remains of the original inhabitants, had left their hiding places and gathered for protection around the English traders and hunters settled there. Drège proceeded no farther than the Umgeni, but Smith crossed the Tugela to interview Dingaan in his principal kraal on the Umhlatuzi River. Returning with the party early in 1832, Drège spent some time in Uitenhage and then resumed his botanical explorations in the Cape Province, until the beginning of 1834, when he set sail for Germany, taking with him extensive and valuable botanical collections.

In his geographical analysis of South African flora, Drège (1843: 38) mentions 103 collections of 64 species of fungi; of these by far the greater number (90) were collected near the coast, 24 in the south-west between Cape Hangklip and Jeffrey's Bay and 66 between Port Elizabeth and Durban. A set of Drège's fungus specimens was sent by Professor Miquel to the French mycologist Montagne, who, in 1847, published notes on 39 fungi, of which all but four were hymenomycetes. Two species Trametes captiosa and Daedalea Dregana were described as new. Other fungi collected by Drège are Sphaeropsis congesta on Podo-

carpus described by Léveillé and a smut found at Paarl and named by Tulasne Ustilago Dregeana. The host was not named in Tulasne's original description, but is now thought to be a species of Eragrostis (Zundel 1939: 573). In the geographical analysis 238 collections of lichens are mentioned, most of which were named; a few specimens ex Herb. Hampe were

described by Massalongo in 1861 in his Lichenes capenses.

A few years after Drège's return to Germany, J. A. Wahlberg, a Swedish naturalist and hunter, collected fungi in Natal and parts of the Cape. This was in the years 1839–1840. His specimens were examined by Elias Fries, who published an account of them in his 'Fungi natalenses' in 1848. Forty species were described, again nearly all Hymenomycetes. A few of these had also been collected by Zeyher, some Polyporaceae being common to both collections. Wahlberg was a determined and successful elephant hunter and was very adventurous. He was less fortunate than some of the earlier travellers in eluding the 'perils of wild beasts'. Some years later, he was hunting to the north-east of Lake N'Gami, where in 1856, he met his death—having been gored by an elephant (Chapman 1868: 350).

Two other travellers in the Cape and Natal about this period had some interest in fungi

and lichens.

In 1839–1840, a German naturalist, Wm. Quinzius or Gueinzius, resided with a certain Field-cornet Morkel at Hottentot's Holland, where he acted as apothecary and botanist.* In 1839 he collected Secotium Gueinzii which was named in his honour by Gustav Kunze, this fungus was later found by Zeyher at Uitenhage. Gueinzius proceeded to Port Natal in 1841, and in 1842 was resident at Congella at the time of the clash between the English settlers at Port Natal and the emigrant farmers from the Cape who entered Natal from the North. (Bird 1888: 38, 82). At this time Gueinzius left Natal for the Cape, but probably returned later. Amongst the lichens which he collected at Port Natal was Roccella Montagnei, one of the 'orchillas' mentioned by Burchell.

Dr. Ferdinand Krauss, professor at the University of Stuttgart, visited South Africa 1838-1840; he travelled in Natal and the Cape Colony, and in 1846 plublished in Flora his "Pflanzen des Cap- und Natal-landes" in which 56 lichen species are listed. Some of the species which he collected, e.g. Leptogium Kraussii, Arthonia violascens and Step-

hanophorus Kraussii were described by von Flotow (1843) in Linnaea.

William Henry Harvey, well known as the auther of the "Genera of South African Plants", was at the Cape during the years 1835–1841. During this time he held the post of Colonial Treasurer, but spent all his hours of leisure in collecting and studying plants in the neighbouring mountains and plateaux. While making his extensive collection of flowering plants, he found several Agaries, which were described by Berkeley (1844: 186) including two new species Bolbitius mitraeformis "on Devil's Mount" in 1841, and Cantharellus (Pleuropus capensis) on decayed stalks of herbaceous plants on the summit of Table Mt. In his genera (1838: 407) Harvey states that "the South African fungi are an unexplored field" and lists no species.

About Miss Armstrong, an early collector of lichens, no details have been found, although several families of that name were resident in Natal in the second half of the 19th century. All that can be learned is in the introduction to Nylander's "Lichens of Port Natal", published in 1869, in which he states that Admiral T. Jones (? T. A. Jones, Irish lichenologist) kindly sent a collection of lichens of Port Natal, communicated by M. Mackenzie and collected

principally by Miss Armstrong.

During the 19th century, a number of scientific expeditions were sent out from Europe and America, several of them with the intention of circumnavigating the world; a number

of these expeditions made the Cape a port of call.

Charles Darwin was on board $H.\dot{M}.S.$ Beagle, which during 1832–1836 sailed to South America and islands of the Pacific to study the natural history of the countries visited. In 1833, the Beagle touched at the Cape, and Darwin made an excursion of some days' length

^{*} Letter in Cape Archives, in reply to a request from Mr. Quinzius of Namnbourg, Prussia, for information regarding his son Wm. Quinzius.

into the country. No South African species, however, are included amongst the cryptogamic plants collected by Darwin during the voyage of the Beagle and described by Berkeley in 1842. His conception of the vegetation of South Africa is briefly summarised in the "Journal of Researches during the voyage of H.M.S. Beagle (1837)": Dr. Andrew Smith (the zoologist with whom Drège visited Natal) informs me that, taking into consideration the whole of the southern part of Africa, there can be no doubt of its being a sterile country. On the southern and south-eastern coasts there are some fine forests, but with these exceptions the traveller may pass for days together through open plains, covered by a poor and scanty vegetation.

Expeditions which touched at the Cape during the years 1855-1875 made a definite

contribution to the knowledge of cryptogamic plants.

Dr. Heinrich Wawra, 'Ritter von Fernsee' and ship's surgeon, accompanied three such expeditions; in 1857–1858, he was surgeon to the corvette Caes. R. Carolinae, which put in at the Cape. In 1868–1871, he sailed in the Austrian frigate Donau on a voyage round the world; this vessel touched at Hawaii, the Sandwich Islands and 'other parts of the world'. He was also in the ship in which the princes Philipp and August of Sachs-Coburg sailed round the world in 1872–1873. On all these voyages Wawra made collections of lichens, on his first voyage in the Carolina making fairly extensive collections at the Cape, which were described by Massalongo in 1861; lichens from the other voyages were described in 1876 by von Krempelhuber.

Another voyage round the world was undertaken in 1857-1859 by the Austrian frigate Novara. This frigate, which sailed from Trieste on the 30th April, 1857 and arrived at the Cape on October 2nd of that year, had on board, amongst other scientists Antony Tellinck, described as a horticulturist and referred to by Zahlbruckner (1932:243) as Jelinck, by Stizenberger (1890) as Jelinck; the botanist to the expedition was Dr. Edward Schwarz. The members of the expedition made excursions in the neighbourhood of Cape Town and into the interior to Paarl, Stellenbosch and Genadendal. On these excursions lichens were collected by Tellinck and his specimens were described by von Krempelhuber in 1870. The voyage of the Novara was not resumed until August 26th, 1858.

Ringgold's United States North Pacific Exploring Expedition arrived in Simon's Bay in 1883 and remained six weeks; C. S. Wright, who was on board made large collections of plants in the neighbourhood, only a few of these were cryptogams, and the lichens went to Tuckerman for identification; these included specimens of *Pertusaria ambigens*, P. euglypta,

Lecidea africana and L. melamplepa.

An expedition left England in 1874 for Kerguelen Island, to observe the transit of Venus. The ship put in at Cape Town and was detained there from the last week in July till the first week in September. The Rev. A. E. Eaton was the naturalist attached to the expedition, and at the recommendation of Dr. Hooker he made collections of the lower cryptogamic plants in the immediate vicinity of Cape Town. The fungus specimens which Eaton collected were sent to Berkelev for examination and he enumerated (1876 a) 31 species, of which 24 were Hymenomycetes, 2 Myxomycetes, 3 rusts and 2 ascomycetes. He described 6 species as new, namely Omphalia paurophyllus, Galera Eatoni, Marasmius ustorum, Panus quaquaversus, Boletus subflammeus and Daedalea Eatoni. The list included Morchella esculenta found at Groot Schuur. Crombie, who enumerated Eaton's Cape lichens, states that the only locality examined was Table Mountain to which, however, he was able to make only a very few excursions. Unfortunately that to the summit was interrupted by mist, so that but few specimens were there gathered. Up to this time, the only separate list of Cape lichens was that of Massalongo (1861) who recorded 48 species, with a fair proportion of varieties, collected by Wawra, and in an appendix mentioned another 19 species which had been found by previous collectors such as Ecklon, Breutel, Drège and Zeyher. Crombie (1876 a) enumerated 96 species collected by Eaton, of which 34 were described by Nylander as new; there were only 12 species common to this list and that of Massalongo.

Until the middle of the 19th century, no great effort was made to improve the means of travelling from the sea coast to inland districts, and only the most intrepid would undertake



Plate 3.—The Montagu Pass, which replaced the old Cradock Pass. (After Newman.)





Plute 4.—The Montagu Pass, 1945. (Photograph by courtesy of the Royal Automobile Club of South Africa.)

long trips by ox-wagon, northward through the Karoo to the Orange River and beyond. Burchell had crossed the Orange River and reached Bechuanaland. Zeyher had travelled to Namaqualand and the Khamiesberg, pushing on to the valley of the Orange River, but in returning homewards he suffered much from want to water and lost many of his oxen. During his later trip in company with Burke, he travelled as far as the Magaliesburg, in what is now the Transvaal, a distance of some 1,000 miles from Cape Town. This was the farthest north of the earlier collectors.

In 1844, a system of public road-making was initiated, and as a result, travelling conditions were vastly improved. In the succeeding years roads were made, mountain barriers opened up and the larger rivers, including the Gouritz River, were bridged. This river, in common with many other South African streams was liable—in local parlance—to 'come down' after thunderstorms 'up country'; it has been known to rise 20 or 30 feet in a few hours, rushing along with great velocity and sweeping off every obstruction in its path. In the wet season it may be days or weeks before such a river can be forded. The first mountain pass to be tamed was Cradock's Kloof 'over the very lofty mountains that lead to the Langekloof' (Thunberg). This was a mere track over a rugged, rocky ledge, with a steep precipice on one side of the mountain, between George and the Langekloof and to cross it with wagons was an undertaking of extreme peril (Newman 1855:171). This track was replaced by a beautiful and easy ascent of the mountain now known as the Montagu Pass

The first railway was started in 1859, and after 1874, as a result of the general prosperity which followed the discovery and development of the diamond mines in Griqualand West, there was rapid construction of railway lines from the three principal seaports, Cape Town, Port Elizabeth and East London. The line from Cape Town reached Kimberley in 1885, and, as a result of the further stimulus provided in 1887 by the development of the Witwatersrand goldfields, the railways from the Cape were extended to the Transvaal. Railway construction in Natal was rather more tardy, but the line from Durban to Charlestown was completed in 1891; from Charlestown passengers completed their journey to the goldfields by coach, and a current advertisement extolled the advantages of sending goods by 'train and ox-wagon combined', i.e. by rail to Charlestown and beyond by ox-wagon.

In such ways the path of the botanical collector was made smooth, and he had at least

no difficulty in obtaining transport from the coast to the main inland centres.

In the later years of the century, botanical collecting was no longer a monopoly of collectors who came from Europe and after some years returned laden with their spoils. Several men interested in plants became resident in South Africa and continued, over a period of years, collections and studies of the plants of the districts wherein they resided. The names of Peter MacOwan and John Medley Wood will leap to the mind of the student of South African fungi.

John Medley Wood started life as a sailor, but after seven years of the sea, he went to Natal to join his father, who had also left the sea and was the first deputy sheriff of Natal. He arrived at Durban on May 4th, 1852. On landing, he tramped for some distance the sand and bush along the coast and then said he was not going any farther. He enquired of his companion how far it was to Durban and was told that they were then at the corner of the market square and that a house near by was his father's office (N. E. Brown, 1915). Such was Durban at that time. In his early years in Natal, Medley Wood traded with Zululand and turned his attention to farming. After some years he went to Inanda and there took up stock farming; it was in that neighbourhood that most of his fungi were collected.

In 1879 there was war with the Zulus on the opposite side of the Tugela, and the disaster of Isandhlwana, where a column of British soldiers was cut to pieces by the Zulu hordes, caused residents in the vicinity, amongst whom was Medley Wood, to remove their wives and families to Verulam, where if necessary, they could be defended. Fortunately the gallant defence of Rorke's Drift, where 80 men held the position against several thousand Zulus saved Natal from invasion and the farmers were soon able to return to their homes. In 1875, Medley Wood had entered into correspondence with Kew, and in 1879, a list of his fungi was published in Grevillea by Cooke, who sent the Agarics to be determined by the Hungarian mycologist, Kalchbrenner. Later collections were identified by these mycologists. who in 1881 published a paper on 'Natal Fungi collected by J. M. Wood, Inanda'; a few numbers were also included with fungi listed in Kalchbrenner's Fungi MacOwaniana. Under 'Fungi exotici' in Grevillea for 1882, Cooke described 49 new species from a collection of 200 fungi found at Inanda by Medley Wood, who in the same year reported an outbreak of Hemileia vastatrix in the coffee plantations on the Natal coast. In the following years 1883-1889, Cooke continued to describe odd specimens of Natal fungi; in 1899, P. Sydow published a list of 41 Natal fungi, 8 of which he described as new, among the latter being the genus Woodiella, named in honour of the collector.

In 1882, Medley Wood was appointed Curator of the Botanic Gardens, Durban, and when the Gardens were separated from the Herbarium, remained Director of the Natal

Herbarium until his death in 1915, in his 88th year.

Peter MacOwan arrived in Grahamstown in 1861 to take charge of a projected 'College' and in that town he laid the foundations of his herbarium. He left Grahamstown in 1869 to take up the post of science tutor at Gill College, Somerset East, and it was from this centre that he explored the Boschberg and made his earlier collection of fungi and lichens. first papers on his fungi were published by von Thuemen in Flora, during the years 1875-1878, and MacOwan also contributed material to von Thuemen's 'Mycotheca universalis'. The greater number of his fungi was listed and described as 'Fungi MacOwaniana' by Kalchbrenner and Cooke in Grevillea during the years 1880-1882; a few went to Dr. Georg Winter and were published in his papers on 'Exotische Pilze' in Flora, 1884, and Hedwigia,

MacOwan's lichens from the Boschberg were sent to Stirton at Glasgow, who described them in 1877 in 'Additions to the Flora of South Africa'. In this paper were also described lichens collected near 'Diamond Fields' by Dr. John Shaw, who was headmaster of the school at Colesberg and later joined the staff of the South African College, Cape Town. Dr. Shaw was interested in botany, and the first paper read to the newly formed South African Philosophical Society was his 'Remarks on Roridula dentata one of the Insectivorous plants, illustrated by specimens '. Also included in Stirton's paper were specimens collected in the Cape and Transvaal by Dr. J. H. McLea; a few of these, collected at Lydenburg, are

in Rehmann's herbarium.

While MacOwan was at Somerset East, contributions to the Fungi MacOwaniani were made by Richard Baur, a Moravian missionary stationed at Baziya in the Transkeian territory of Tembuland, who, in his earlier years, lived in Cape Town and was very friendly with Zeyher (MacOwan). Baur sent his specimens to MacOwan at Gill College, whence the rarer and undescribed species found their way to Kew. Another name associated with the Fungi MacOwaniani is that of William Tuck (called by Berkeley in error Julius Tuck) who was shipwrecked on the Natal coast in 1849, and for a time lodged with the German Naturalist Gueinzius. Later he made his way to the Cape, and, after working in various private gardens, in 1866 became curator of the Botanical Gardens at Grahamstown. Tuck's chief title to fame in the fungus world was the discovery of the remarkable phalloid described by Berkeley as a new genus, Kalchbrennera. Berkeley named the fungus Kalchbrennera Tuckii in honour of the collector, but as it had been recorded in tropical Angola as Lysurus corallocephala, the latter specific name has priority, and the fungus is now known as Kalchbrennera corallocephala.

In 1881, MacOwan was appointed Director of the Cape Town Botanical Gardens and Curator of the Cape Government Herbarium; these appointments he held until his voluntary retirement in 1905. His herbarium was left at Gill College, but as it was never used, in 1904 the Trustees were persuaded to present it to the Albany Museum, Grahamstown; it then contained 1,800 fungi. After his transfer to Cape Town, MacOwan had less time for the collection of fungi, although he added a number of specimens to his collections.

As Director of the Botanic Gardens, he had to give attention to horticultural matters and to economic botany generally, with the result that numbers of people from all parts of South Africa came to him for advice. In 1887, the Cape Government acknowledged this work by employing him as official consultant in economic botany. "From that time he had to pour out a regular flood of reports, many of which were published in the Agricultural Journal of the Cape Colony, while hundreds were merely filed "(Schonland 1910). Amongst the published reports are the first papers written in South Africa on subjects connected with Plant Pathology, e.g. "The fungus enemies of apple and pear trees" and some on diseased

trees in forestry plantations.

From Cape Town, however, MacOwan made considerable collections of lichens. He entered into correspondence with Dr. Hugo Lojka of Buda-Pesth, who asked him for material for his Lichenotheca universalis. After Lojka's death, MacOwan's lichens were handed over to Stizenberger, who described from them a large number of new species in his Lichenaea africana (1890). In addition to records from the earlier collectors, the Lichenaea includes reference to specimens collected by J. C. Breutel, a Swiss missionary who collected cryptogams at Genadendal, 1853–1854, and a large number of records, and some descriptions, of lichens sent to Europe by Dr. Wilms, a well-known collector of plants, who was for some years resident at Lydenburg in the Transvaal; descriptions of most of Wilms' lichens were published by J. Müller (Arg.) in his Lichenologische Beiträge, 1885–1888.

Several botanical collectors from Europe came to South Africa in the second half of the 19th century. Dr. Anton Rehmann, who travelled extensively in extra-tropical Africa

in 1875-1880, collected a number of lichens which are listed by Stizenberger.

Friedrich Rudolf Schlechter, a German collector, first came to the Cape in October, 1891. In Cape Town he made the acquaintance of MacOwan and Marloth, his contemporaries and fellow enthusiasts. In the course of his travels he went to the Transvaal, visiting the Woodbush and Lydenburg and reaching the Limpopo in the north. After his return to Cape Town in 1893, he went up the west coast as far as the Olifants River and then eastward through Knysna and Humansdorp to the Transkei, Pondoland and Natal. He visited Durban, where he met Medley Wood and returned to Europe via Mocambique and German East Africa. In 1896 he returned to South Africa on a second collecting trip. Schlechter's main interest was the flowering plants, particularly orchids, but in the course of his travels in South Africa he collected a number of fungi. In 1895, P. Hennings described six fungi collected by Schlechter, which he found in the Köninglichen bot, Museum in Berlin, and in 1898 a further 15 fungi were sent to him for study; of the latter 9 were described as new species of which 7 were rusts. In 1899, P. Sydow described Cystopus Schlechteri found by Schlechter in the eastern Cape on Salsola aphylla. Hennings (1895 b) stated that more comprehensive fungus collections had for years been sent to Prof. Magnus, but no account of these can be traced. Apparently no complete list of Schlechter's fungi has ever been published, but from time to time new species, especially rusts, have been described from his collections.

P. Hennings also described in 1892 and 1895, a number of fungi collected by P. Bachmann in Pondoland during the years 1887–1888, and in his Plantae Pentherianae in 1900, a few fungi found in the Cape and East Griqualand and at Harrismith by P. Krook. Bachmann also collected a few lichens, which are mentioned in the 1895 supplement of Stizenberger's Lichenaea africana.

The collectors of South African fungi and lichens mentioned thus far drew most of their material from the Cape and Natal, only a few extending their activities to the 'diamond fields' of Griqualand West and to parts of the Transvaal. Until the later decades of the 19th century, no information is available about cryptogams found in South West Africa nor in the Portuguese territories of Angola in the west and Moçambique in the east.

Dr. Friedrich Welwitsch, an Austrian botanist, who had spent a number of years in Portugal where he made extensive collections of plants and had charge of botanic gardens, was commissioned in 1851 by the Portuguese Government to explore the Portuguese possessions on the west coast of Africa (Hiern, 1896). He left Lisbon in 1853, and at first made Loanda the base of his operations, exploring the maritime region and later the mountainous district of Golungo Alto with its tropical forests, then travelling south-west through the

park-like vegetation of the Pungo Andongo. His health became seriously affected by his prolonged stay in these tropical regions and he was forced to return to Loanda. When his health had been somewhat restored, Welwitsch proceeded by sea to Mossamedes. He extended his journey southward as far as the bay of Tigers (lat 17°) and working inland approached the elevated plateau called Huila. His later explorations during 1859 and 1860 were thus conducted within the region regarded for the purposes of this review as 'southern Africa', and fungi and lichens collected in the districts of Mossamedes, Huila and Cubango, south of the 15th parallel have been listed.

Welwitsch's collections form the best and most extensive herbarium of the flora of tropical Africa it and consists of about 5,000 species, not only flowering plants, but valuable collections of cryptogams. The fungi were described by Welwitsch and Currey in the Fungi angolenses (1868) and by Annie Lorrain Smith (1898, 1901), the lichens by Wainio (1901).

During the years 1884-1887, Hans Schinz conducted his "Explorations through the German territory of Great Namaqualand and Hereroland to the river Cunene, the Lake N'gami and the Kalahari" (Schinz, 1891). In his account of these explorations, he gave a general account of the flora of the country, but his botanical collections were studied by a number of German botanists and the results published elsewhere. Fayod (1890) described 8 Agarics, of which 2, Naucoria pediades and N. semi-orbicularis, are cosmopolitan; the rest were described as new species. There seems to be no further publication on Schinz fungi, but a few parasitic species, e.g. Puccinia desertorum Syd. on Evolvulus alsinoides, collected near Okahandja, have been found on his flowering plants. His lichens, amongst which a number of new species were found, were described by J. Müller (Arg.) in Flora (1888) and by Wainio (1900).

In 1899, a German expedition under the leadership of H. Baum set out from Mossamedes, to explore the natural resources of a strip of territory, newly acquired on the southern border of Augola. This expedition known as Kunene-Sambesi expedition—covered part of the maritime region explored by Welwitsch, but travelled farther south as far as the Habungu river; inland it penetrated as far east as the Zambesi river, for the most part following the course of the Kunene, Kuito and Kuando rivers, and apparently skirting the southern limit of the Huila plateau. This expedition brought back to Europe about 1,000 plant specimens, including 53 species of fungi, of which 36 were described by P. Hennings (1903) as new.

Karl Dinter, who went to South West Africa in 1897, was Government Botanist in the territory 1900-1914; he apparently went back to Germany in 1914, but returned later and continued his botanical explorations, some of which were undertaken in company with R. Marloth. In his account of the flora of South West Africa (1909) Dinter states that, owing to the dry nature of the country, the fungus flora is poor. He mentions an Agaricus growing on termite hills, common in wet seasons and apparently edible, a Geaster and other fungi belonging to the genera Catastoma. Tulostoma and Polyplocium. At Okahandja he found Broomeia and a few species of Polyporus. In a later publication (1912), he describes the Agaricus mentioned above, but distinguishes it only by its native name: he also mentions a species of Terfezia.

The Percy Sladen Memorial Expedition, 1910–1911 and 1912–1913, went northwards from the Cape and via Warmbad into Great Namaqualand; it also travelled from Mossamedes eastward to Huila, then south-east to Fort Humbe, following part of Welwitch's route. The new fungi collected in South West Africa by H. H. W. Pearson, the botanist to the expedition were described by Pole Evans (1915 a).

Later collections in South West Africa were concerned mostly with lichens. Zahlbruckner (1926 b) has described a number of lichens collected by 'Apotheker Fincke' on Haifischinsel off Lüderitzbucht and in the neighbourhood of Windhoek. Magnusson (1933:13) mentions one I. Örtendahl, garden inspector of the Botanical Gardens. Uppsala, who made a journey through Great Namaqualand in 1931, and brought home a rich collection of lichens from the deserts. Of special interest were a number of yellow species of Acarospora,

yellow species being as numerous in Africa as brown species in Europe; the latter are rare in Africa.

On his Zambesi expedition, which lasted for over 5 years, and started from the east coast to explore the Zambesi River, David Livingstone was accompanied by John Kirk in the dual rôle of physician and naturalist. Only one or two odd records of cryptogams collected by Kirk during this trip can be traced, one from Lupata, another from Rovuma River. It is possible that fungi and lichens were amongst the specimens lost when, in 1860, Kirk's canoe was upset as he was traversing a narrow gorge where the river current was swift.

Apart from Kirk's few specimens, the earliest records of the fungus and lichen flora of Moçambique were the work of two missionaries.

Henri Alexandre Junod, who spent 30 years in southern Africa, entered the service of the Swiss mission and arrived in Mocambique in 1889. In addition to his educational and ethnological work, he was keenly interested in entomology and botany and made extensive and valuable collections of insects and plants. His name is associated with that of his friend Hans Schinz in the account of his collections published in the Bull. de l'Herb. Boissier (1899, 1903) and the Memoires de l'Herb. Boissier, No. 10, 1900. These papers are concerned mostly with his flowering plants, but a few ferns are listed, and, in one paper, 6 lichens. A number of his Mocambique fungi, mostly from Rikatli, about 20 miles north of Lourenco Marques, were sent to Pretoria; they include a number of species of special interest including two collections of the fungus described by Pole Evans and Bottomley as Diplocustis Junodii, now considered identical with Broomeia ellipsospora v. Höhn. After leaving Mocambique, Junod was stationed for years at Shilowane, in the Low Veld area of the northern Transvaal: this was fever country, and holidays were spent in a hut on Mount Mamotsuiri known as the 'Sanatorium'. Here, in 1900, he collected a number of lichens, which were examined by Steiner, who erroneously placed the locality in the Cape Province. Steiner (1907) listed 33 lichens of which 3 species and 7 varieties were described as new.

Father Ladislau Menyharth was a Jesuit missionary. Always interested in natural science and especially in botany, his hope for 20 years was to be sent to a mission station in Africa. It was not until 1889 that he embarked for the east coast of Africa; he was stationed at Boroma on the Zambesi during the years 1890–1894 and it was from this centre that most of his collections were made. He was then transferred to Zumbo, higher up the river, at the junction of the Loangwa River with the Zambesi; here he died of fever in 1897. Father Menyharth made extensive collections of flowering plants and cryptogams; five of his fungi were listed by P. Hennings (1906) including two rusts which were named Aecicdium Menyharthi and Uromyces Schinzianus. He was apparently more interested in lichens, of which 55 species and varieties were listed by Wainio.

Le Testu, a French botanist, better known for his collections in tropical Africa, sent a small number of Moçambique fungi to Maublanc, who described them in 1906. Later, in 1908, C. W. Howard, who was appointed entomologist at Lourenço Marques collected a number of fungi, mostly at Umbelusi, Quelimane, and up the Maputo and Zambesi rivers. Some of these were listed by H. & P. Sydow (1909) in Annales Mycologici, where 6 new and 18 known species sent by Howard were mentioned; he left Moçambique in 1911.

At the beginning of the 20th century, a new chapter in the history of South African mycology was opened. In the Transvaal Department of Agriculture established in 1903, the agrostologist and botanist, Joseph Burtt Davy, soon had to deal with numerous enquiries about plant diseases, for which he had to ask the assistance of Geo. Massee at Kew. The chief problems which came to his notice were connected with cereal rusts and with the coffee leaf disease caused by Hemileia vastatrix, which had been destructive on the Natal coast since it was detected by Medley Wood in 1883 and was now wiping out the coffee plantations in the northern Transvaal. He soon realised the desirability of appointing a plant pathologist, who could devote his time to studying the life histories of parasitic fungi and carry on practical experiments with fungicides.

With these problems in view, enquiries for a suitable candidate inevitably led to Marshall Ward, then occupying the chair of Botany at Cambridge, whose reputation as a mycologist had been established by his investigation in 1880 of the cause of the coffee leaf disease in Cevlon, and whose later work was largely concerned with the rusts of cereals and grasses. One of Marshall Ward's most brilliant students at this time was Illtvd Buller Pole Evans, who, since 1903, had been working in the Botany school on problems connected with the cereal rusts. To him was offered the post of mycologist in the Transvaal Department of Agriculture, and he arrived in Pretoria on July 28th, 1905. He at once attacked the cereal rust problem and made a large number of cultures. The absence of any information about alternate hosts of the heteroecious rusts in this country and the fact that Hemileia species occurred on indigenous hosts, early convinced him of the necessity for a survey of fungi on native plants and for a general study of the cryptogamic flora of the country. In his first year, he collected 200 specimens, which formed the nucleus of the mycological herbarium at Pretoria. At this time there were three small mycological herbaria in South Africa; the Albany Museum, Grahamstown and the South African Museum, Cape Town each had a rather incomplete set of MacOwan's fungi and Medley Wood's collections were housed in the Natal Herbarium, Durban.

With all his energy and enthusiasm it was impossible for Pole Evans to cope single-handed with the numerous problems which were brought to him, and in 1908, the author had the honour of being appointed his first mycological assistant. The third member of the staff of the mycological section at this time was a clerk, P. J. Pienaar; he became interested in fungi and made a very comprehensive collection on Garstfontein, a farm in the Pretoria district. A few years later, he was further pressed into the service of plant pathology and made some inspection trips over a wide area; from all these he brought back interesting

specimens for the herbarium.

When, in 1910, the Union of South Africa became an accomplished fact, a separate Division of Plant Pathology and Mycology was formed for the investigation and control of plant diseases throughout the four provinces. The increased scope of the work obviously called for an increase of staff. P. A. van der Bvl was appointed in 1911, and in July 1913, Miss A. M. Bottomley joined the staff. Miss Bottomley took charge of the herbarium. and under her care and with the loval co-operation of members of the staff, it developed rapidly. During the 12 months after her appointment 2.651 specimens were registered and by 1918 there was 11,369 fungi in the collection. Medley Wood presented most of his fungi to the Government and after his death, these were incorporated with the collections at Pretoria: an incomplete set of MacOwan's fungi was purchased from Dr. Schonland on his retirement from the curatorship of the Herbarium of the Albany Museum. Many important sets of exotic fungi have been acquired by purchase or exchange. At the end of 1945, the Cryptogamic Herbarium at Pretoria housed over 61.200 specimens, of which about 35,500 are fungi, including a major part of the South African fungi listed in this publication. The lichen collections, 2,194 numbers, are comparatively poor and most of the South African specimens await identification.

While building up his staff and attending to all the work involved in the investigation and control of plant diseases. Pole Evans did not neglect his first love—mycology. He continued his work on the cereal rusts and his search for the aecidial forms of the heteroecious species. He studied the life history of the fungus on Rhamnus prinoides, which had been variously described as Aecidium Rhamni f. Rhamni prinoidis by von Thuemen, as the aecidial form of Puccinia coronata by Kalchbrenner and as Aecidium elegans by Dietel, and found that it was a species of Endophyllum which he named Endophyllum MacOwani; the aecidium of Puccinia coronata is not known in this country. He also made collections of rusts on other indigenous plants and published his first paper on these fungi, "The species of Puccinia on Compositae" in 1916.

In 1912, he discovered and described a fungus, *Isaria Psychidae*, causing a disease of the bagworm (*Acanthopsyche Junodi*) which is a serious pest in the Natal wattle plantations. The fungus was grown in bulk and the spores disseminated in the plantations, but this

attempt at artificial infection of the insects was not successful as suitable climatic con-

ditions were seldom present when the inoculum was available.

At the request of the Governor General of Moçambique, he left Pretoria on 29th August, 1913 to visit the coconut plantations of the Campanha da Zambesia in the district of Quelimane, to study and report on the diseases affecting palms; he returned on September 25ht. The trip was briefly mentioned in his annual report, but a full account of his investigations into coconut palm diseases was not published until 1918. No further studies of plant diseases in Moçambique were made until 1932, when J. G. A. Cardoso was appointed plant pathologist in the Department of Agriculture at Lourenço Marques; he has published a number of papers on phytopathology.

During the next few years, until 1919, Pole Evans continued to publish mycological papers, such as those describing *Diplodia natalensis*, a variety of *Kalchbrennera Tuckii*, *Terfezia* 'a truffle from the Kalahari' and, in collaboration with Miss Bottomley, studies on the genera *Broomeia* and *Diplocystis*. About this time, the increasing pressure of administrative work made itself felt and other interests, such as the botanical survey and the study of pasture grasses, made great inroads on his time. He was unable to continue his study of Sou thAfrican fungi, but the work was continued by members of his staff, some of whom

had worked with him in the early days and had been fired with his enthusiasm.

In 1921, the publication "Bothalia", so named after the first Union Premier and Minister for Agriculture, General Louis Botha, was launched as a medium for the publication of papers based on material in the National Herbarium, with Pole Evans as its editor. In this publication will be found records of the work of the staff on several groups of fungi, including phycomycetes, ascomycetes, rusts and Fungi Imperfecti.

Amongst those who joined the staff after 1918, several were interested in fungi. Miss Mary Thomson (now Mrs. Pole Evans) was appointed in 1919; she studied the life history of the maize rust with its aecidium on Oxalis corniculata, and worked out the life cycle of a heteroecious species with teleuto-sori on an indigenous grass, Tristachya, and aecidia on the 'wild sweet pea', Sphenostylis angustifolia—the only work of this kind which has been done in South Africa.

- V. A. Putterill in 1918 published notes on the morphology and life history of *Uromyces Aloes*. In the same year a mycological laboratory was opened in Cape Town, of which he was put in charge, and there studied diseases of plants in the South-western Cape. This work was later taken over by the Stellenbosch-Elsenburg College of Agriculture, but, transferred to the fruit inspection service, Putterill retained his interest in fungi and is responsible for records of a number of organisms associated with fruit decay or found in packing sheds.
- V. A. Wager, appointed in 1926, has made studies of South African Pythiaceae, and is now stationed at Durban where he has prepared specimens of a number of fungi found on the Natal coast. An appointment was made in 1934 of a mycologist to study fungi attacking locusts, as swarms of these insects were particularly destructive at this time. E. E. Schaefer, who joined the staff in this capacity, made a study of *Empusa Grylli* and other locust fungi, and still maintains his interest in fungi attacking insects.

Here may be mentioned S. H. Skaife, then Inspector of Science in the Cape Education Department, who published several papers on entomogenous fungi during the years 1920–1925, and A. McMartin, on the staff of the experiment station of the Natal Sugar Association, who published the results of his studies of locust fungi in 1935.

Thus far the appointment of P. A. van der Byl in 1911 has been no more than mentioned. At first he studied a number of plant diseases, including the dry rot of maize caused by Diplodia Zeae, but he soon became interested in the larger fungi, especially the Polyporaceae found on indigenous trees. In 1915, he went through the forests of the eastern Cape Conservancy in company with the Conservator of Forests, J. D. M. Keet; extensive collections were made, which provided material for his later work on the Polyporaceae. After Medley Wood's death in 1915, it was decided to establish a phytopathological laboratory in connection with the Natal herbarium and van der Byl went to Durban to take charge there.

During the next few years, he studied fungi affecting sugar cane and those causing deterioration in the sugar refineries. Later and more extensive studies along these lines have been made by McMartin (1937-1945) at Mount Edgecombe, the experiment station of the Natal Sugar Association.

In 1921, van der Byl was appointed Professor of Plant Pathology at the University of Stellenbosch, where he continued his studies of the larger fungi, and later became Principal of the Stellenbosch-Elsenburg College of Agriculture. At Stellenbosch he found a willing co-adjutor in Miss A. V. Duthie, lecturer in botany, who had for some years been collecting Myxomycetes and had published lists of South African species. With her help, van der Byl made further collections, mostly in the neighbourhood of Stellenbosch and in the Knysna forests. Most of these fungi, and those which he had collected earlier, went to C. G. Lloyd in America for identification; Lloyd remarked on the excellent and rare specimens of Gastromycetes contributed by Miss Duthie. In his later years, van der Byl became interested in lichens and made extensive collections, which, as well as his fungi, he bequeathed to the University of Stellenbosch.

As time went on, a group of van der Byl's students took up mycological work and made studies of fungi in the south-western Cape: amongst these may be mentioned Len Verwoerd, who succeeded van der Byl as Professor of Plant Pathology, B. J. Dippenaar, who occupies a similar post in the University of Pretoria and S. J. du Plessis.

In 1923, F. Eyles from Southern Rhodesia spent six months at Stellenbosch working under van der Byl. Eyles had for many years been interested in plants, and published a record of plants of Southern Rhodesia in 1915: in this only four fungi were listed, and these probably because they had been detected on flowering plant specimens. Soon after, he gathered a number of fungi, especially on a trip to Umtali in 1919. After his return to Salisbury from Stellenbosch, he began serious work on mycology and plant pathology in the Department of Agriculture, and in 1926 published a preliminary list of plant diseases. In March, 1928 he retired from the Department and was appointed Curator of the Queen Victoria Memorial Museum. His work in the Agricultural Department was carried on by J. C. F. Hopkins, who had joined the staff in 1926. In 1932, Eyles compiled a list of fungi of Southern Rhodesia, which he had collected and recorded, but unfortunately did not live to have this published: his records are incorporated in the list of fungi of Southern Rhodesia published by Hopkins in 1938 and his specimens are to be found in the herbarium of the Department of Agriculture at Salisbury.

In Southern Rhodesia valuable work, particularly on fungi associated with Citrus, has been done by G. R. Bates, who, for a number of years, was plant pathologist at the Mazoe Citrus Experimental Station and has now joined the Department of Agriculture at Salisbury.

The year 1930 saw the inception on the Witwatersrand of the first South African Institution in which industrial mycology was to play an important part. The brewing and winemaking industries have made no study of the organisms employed and little is known of the flora of kaffir beers or of the 'wild yeasts' used by the natives in various fermentation processes: nor has any systematic study been made of the organisms causing wastage in commercial products.

In 1929, Miss R. Lurie started work at the University of the Witwatersrand on organisms causing decay in mine timbers. Specimens, both of untreated timber and timber treated with zinc sulphate, were sent up from different mines, and it soon became obvious that the zinc sulphate treatment was not sufficiently effective against certain types of organisms. Experiments on a commercial scale were inaugurated and a preservative process involved which was an improvement on the old method. In 1934 a laboratory for this work was established at the Exchange Yard (Ptv.), Ltd., and there, in 1935, experiments were extended to include the preservation of fabrics, such as airfiltration bags, blanketing, canvas, hessian and coconut matting. As a result of Miss Lurie's preliminary work, the Transvaal Chamber of Mines established the Timber Research Laboratory. Miss D. Weintroub, and later Miss M. W. Simpson were appointed to assist in the mycological work. Miss Lurie married in

1936, and when she was unable to continue full-time work, for 5 years acted as consultant to the laboratory, again taking charge in 1942 until the end of 1945.

An extract from her report as consultant in 1939 indicates the scope of the work: "The importance of the mycological aspect of combatting the disintegration of wood and fabrics cannot be over-emphasised, as, without a knowledge of the causes of destruction, satisfactory control measures cannot be adopted. A study has been made of the more commonly occurring fungi, but the problem has been complicated by the discovery that a large number of organisms thrive under the conditions prevailing underground. Thus a considerable time must elapse before all the organisms already established in culture from various sources can be subjected to detailed examination. To add to the complexity of the situation, research into the morphology and biology of some of the fungi suggests the existence of several strains of the same organism, some of which are more active than others in their attack on timber. This is naturally of importance in studying the toxicity of preservatives, when the most virulent strain must be chosen for test purposes. With the variation in depth of the Witwatersrand mines the resulting problem of ventilation with its concomitant factors of temperature and humidity, has a direct bearing on the occurrence and distribution of fungal flora. The variety of materials used for mining purposes, which are liable to destruction by fungi, calls into play specific action by different organisms, and this perhaps in some measure accounts for the large numbers found underground. One of the problems still under investigation at the laboratory is the determination of the organisms responsible for the destruction, not only of different species of timber, but also of the many different fabrics used in the mines. The physical and chemical nature of the material will determine the organism that will destroy it. For instance, the coconut matting is not attacked by the same fungi which disintegrate cotton, nor do the destroyers of flannel break down other fabrics. Much work still remains to be done in this connection, as the technique for the isolation of the causal organisms of decay in fabrics such as coconut matting and hessian is extremely difficult." In 1940, it was reported that about 1,460 organisms had been collected and over 1,000 cultured.

Amongst the enthusiastic collectors who, since the beginning of the 20th century, have made material contributions to the knowledge of South African fungi, Miss Alice Pegler has a place of honour. Miss Pegler lived for many years at Kentani, where she made a systematic study of the flora of the district and prepared representative sets of plants for her herbarium of over 2,000 specimens, and for distribution. During the years 1911–1915, she collected a large number of fungi; 77 species from her collection were listed by Pole Evans and Bottomley in 1918, and later study added to this number.

In Southern Rhodesia, C. F. M. Swynnerton, a very keen all round naturalist, perhaps best known for his researches in connection with the tsetse fly problem, made collections of birds and plants in the Melsetter district, then known as Gazaland, and sent a large collection of plants to the British Museum. These were mostly from the Chirinda forest, a most interesting patch of residual rain forest; his collections included some fungi and lichens.

Several other collectors who have made contributions to the cryptogamic herbarium at Pretoria are mentioned elsewhere. W. G. Rump has been on the staff of the Natal Museum since 1904; after gaining considerable experience in collecting arachnids, insects, myriopods and mollusca in the forests, some of which have been described in the Annals of the Natal Museum, on the advice of the Director widened his activities to include fungi. He has made extensive collections of the larger fungi, especially in the forests near Maritzburg. Gideon Joubert, a farmer of the Cape Province, collected a number of particularly interesting fungi between 1916 and 1936. The fungi which he found in the Albert District, included Polyplocium inquinans, two species of Phellorina, Battarea Tepperiana, Kalchbrennera corallocephala, a species of Phallus and some Agarics; from Matatiele he sent some Geasters and Tulostomas. L. C. C. Liebenberg made interesting collections in the eastern Transvaal, A. O. D. Mogg in the grasslands of the Transvaal and Natal. The contributions made by J. P. H. Acocks are remarkable for the rare Gasteromycetes which he found first in the Cape

Peninsula in his student days under the direction of Miss E. L. Stephens, and later in the

arid region of Griqualand West.

South Africa in the 20th century still attracts botanical travellers from Europe. When the British Association for the Advancement of Science held its meetings in South Africa in 1905, one of the visiting members was W. N. Cheesman, an amateur Yorkshire naturalist, who took a keen interest in fungi. He found a number of fungi, chiefly near the Victoria Falls; these were identified by Massee.

Other botanical collectors known to have visited this country, were interested chiefly in lichens. J. Brunnthaler, conservator of the botanical museum of the University of Vienna, visited Africa in 1909 and made extensive collections of lichens and hepatics. He journeyed through the south-western Cape, through Worcester to the Karroo, then via Swellendam to Port Elizabeth; other localities visited were Van Reenen's Pass, Victoria Falls and Bulawayo: thence he travelled through Moçambique to tropical Africa. Brunnthaler handed his lichen collections to Zahlbruckner, who (1926 b) described from them a large number of new species.

During the years 1929-1930, O. A. H $\dot{\varphi}$ eg, curator of the museum at Trondheim, travelled through South Africa. His fungi were examined by Miss Wakefield (1936). The lichens, which made up by far the greater part of his collections, were he stated "under examination, in so far as it has been found possible to find specialists able and willing to undertake the task for the various groups". Unfortunately no published record of H $\dot{\varphi}$ eg's lichens has been found with the exception of those listed in the first two volumes of Motyka's monograph of

the genus Usnea.

It is also unfortunate that it is not possible to include in this record the work of S. Garside, who for years has been making a study of South African lichens and has built up a valuable herbarium. During the past years he has been making comprehensive collections from MacOwan's stamping grounds in the vicinity of Cape Town and endeavouring to establish MacOwan's types. His studies of South African lichens, with the exception of a short paper on Siphula tabularis, have not yet been published and thus are not available for the purposes of this record.

IV.—FUNGI OF SPECIAL INTEREST FOUND BY EARLY COLLECTORS.

Of the fungi which attracted the attention of the early travellers and collectors, several of particular interest belong to the series of the Gasteromycetae named by Fischer (1933: 109-119) the Podaxineae, a series which comprises the families Secotiaceae and Podaxaceae. The Secotiaceae are a very interesting family: they have characters suggesting the Agarics, and characters apparently connecting them with the Hymenogastraceae, which they resemble in later stages of development.

The Rev. M. J. Berkeley (1843 a: 200) in his introductory remarks to his paper. On two Hymenomycetous Fungi belonging to the Lycoperdaceous group. writes as follows:—

"Few fungi have as yet been received from South Africa: but, from the collections hitherto made in that country, it is evident that far the most striking feature is the variety of forms under which the Lycoperdaceous group presents itself to the notice of the mycologist. Not only the common European genera and even species occur, while the curious Battarea, represented by the British species accompanies them; but we have Podaron carcinomatis on the ant hills, differing altogether in habit from any European species."

Secotium Gueinzii, the type species of the genus Secotium, was briefly described by Kunze (1840: 322) and in more detail by Berkeley (1843 a: 201) whose illustration is reproduced. [Plate 5 (a)]. It was found by Gueinzius in 1839 "in arenosis Promontorii Bonae Spei" and shortly afterwards, also in 1839, by Zeyher at Uitenhage. Secotium Gueinzii was not found again for nearly one hundred years: in December, 1932, it was collected at Brackenfel, near Bellville in the Cape Province by J. P. H. Acocks. Some 25 species of Secotium have been described, mostly from Australasia; only three species have been recorded from South









Plate 5.—(a) Secotium Gueinzii Kunze (after Berkeley, 1943 a, Tab. V).





 ${\it Plate~6.} \hbox{$-$Polyplocium inquinans Berk. (after Berkeley, 1843 a, Tabs. VI-VII).}$

Africa. A species of the nearly related genus Gyrophragmium, G. Delilei Mont., has also been collected in recent years by Acocks at Bellville and in the arid regions of Kimberley, Kuruman and Barkly West.

The second of the 'Two new fungi' described by Berkeley (l.c.) was Polyplocium inquinans, and his excellent illustration is reproduced here. The type was found by Burke and Zeyher on the banks of the Orange River, and this rare fungus was not recorded again for 80 years, when Dr. Pole Evans, in 1919, found it near Lake Chrissie in the Transvaal and again, in 1924, at Armoedsvlakte. The only other collector who has added to our knowledge of this remarkable fungus is Gideon Joubert, a farmer of the Cape Province, a keen observer and one intensely interested in plants. From 1918 he was farming at Knapdaar in the Burghersdorp district, where he found Polyplocium inquinans on several occasions. He sent specimens to Pretoria in 1921 and in 1936, and saw others in too advanced a state of development to send by post. On one occasion he found two particularly fine specimens, one of which measured 17 inches in diameter. His son also saw this fungus, growing at Vlei Draai near Franklin in East Griqualand, but did not know that it was of any particular interest and did not collect it.

A third fungus of this group is MacOwanites agaricinus Kalchbr. The genus was first named MacOwania (Berkeley 1876 a: 249) and (1876 c: 785), but a change of generic name was necessary as Professor Oliver had already published a genus of Compositae under that name. This fungus is known only from the type collection made by MacOwan at the foot of trunks of Acacia Karroo in fields near Somerset East. Kalchbrenner (1882 a: 107) says that MacOwanites agaricinus is the size of a small potato and has a strong odour of garlic. The type is MacOwan 1211, of which there are several slices in the South African Museum, Cape Town, one slice in the National Herbarium, Pretoria, a slice at Kew and another slice at Upsala (Zeller & Dodge, 1937: 636). At Kew there are two water colour drawings, showing this fungus with pileus buffy brown, gleba isabella colour, and stipe white, with cut surface cartridge buff or a little darker below. These drawings seem to have been based on another specimen, perhaps the one at Upsala, which is much less expanded than those in other herbaria; they were reproduced in black and white by Berkeley (l.c.) [Plate 5 (b)]. Dr. Pole Evans sent a photograph of Berkeley's illustration to Gideon Joubert, but he was unable to find anything resembling it, and the fungus has not been found by any other collector. Only one other species has been assigned to this genus, it was found in Oregon and California and named MacOwanites magnus Parks.

Familiar to every traveller through South Africa in the summer and autumn are the sporophores of Podaxis, which stand like sentinels on termite hills in many parts of the country. (Plate 7.) They could not fail to attract the attention of the early travellers and collectors.

The first specimen to be sent to Europe was collected by Thunberg and described by the younger Linnaeus (1781: 453) as follows:—

"Lycoperdon carcinomalis clavatum stipite cylindrico recto.

Habitat in Cap. bonae spei, D. D. Thunberg.

Fungus statura Agarici pileo nondum a stipite distincto clavatus. Clava ovata-oblonga, basi dehiscente tomento et farina fusca.

Stipes cylindricus fibris rectis.

Pulvis in Capite bona spei ad Ulcera cancrosa in usu est."

The specific name used by Linnaeus evidently had reference to the supposed efficacy of the powdery mass of spores in the prevention of carcinomatous ulcers. In his Prodromus (1800: 182) and Flora capensis (1823: 756), Thunberg states: "Crescit in summis apice acervorum Termium argillaceorum. Usus: Pulvis contra ulcera cancrosa adhiberi dicitur." Pappe (1850: 31), the first colonial botanist at the Cape, describes the Podaxis as "Scleroderma carcinomale Pers., a mushroom of an oblong, club-shaped form, which grows gregariously on ant hills. It contains a blackish powder (seeds) which is used occasionally for curing carcinomatous ulcers."

Burchell's collections of fungi unfortunately have not been traced, but in the Gubbins Library (University of Witwatersrand) there is an admirable drawing (No. 606) labelled "Lycoperdon formicarum—Lycoperdon carcinomale Syst. Beg. Intus scatens pulvere nigro-fusco". I am indebted to Mrs. Helen M. McKay, author of several papers on William John Burchell, Botanist' for drawing my attention to this drawing, and to the trustees of the Gubbins Library for permission to reproduce it. (Plate 8).

Fries changed the name of this fungus to *Podaxon carcinomalis*. It was collected again by Drège "inter Omtendu et Omsamculo in campis collinis herbosis" and by Zeyher on ant hillocks, Uitenhage, *Zeyher* 99". By this time, Berkeley (1843 b:522) refers to it as "the old species *P. carcinomatis*", and points out (1843 a:200) that "the specific name is so spelt in the Linnaean Herbarium where the original specimen remains in excellent

preservation.

Recent research (Morse 1933: 27) identifies *Podaxon carcinomale* with *P. pistillaris*; the latter was described in 1771 as *Lycoperdon pistillare* Linn, from a specimen collected in India. This specific name therefore has priority as also the generic spelling Podaxis over Podaxon. The fungus is therefore now known as *Podaxis pistillaris* (Linn. ex Pers.) Fr.; it is a widely distributed species, found intermittently in a belt encircling the earth approximately within the fortieth parallels north and south (Morse 1933: 1).

Some Lycoperdineae of special interest were also found by early travellers and collectors.

In 1838, there travelled in South Africa a Quaker missionary, James Backhouse, who, being a nurseryman of York, England, was naturally interested in plants. In the Albany District he collected a specimen of a curious fungus which was described by Berkeley (1844:193) as Broomeia congregata, new genus and species. This interesting fungus may be described as a compound Geaster, an aggregate of a varying number of individuals surrounded by a common outer peridium. The type has over 150 individuals; Pole Evans and Bottomley (1919) found specimens with the number of individuals varying from 60 to 900

Several mycologists have mentioned the characteristic odour of this Broomeia: "When fresh or moistened, it exhales a strong scent of aniseed" (Berkeley l.c.); "Non oculis sed naso detexit monet MacOwan" (Kalchbrenner 1882:108): "Fungus insignis caryophylli odore" (v. Thuemen 1876:424). Later Pole Evans (1917:4) wrote "The plants emit a strong, though somewhat pleasant smell of benzaldehyde, and their presence in the bush can be frequently detected from the odour emitted."

Backhouse reported that the fungus occurred on rotten wood, but MacOwan pointed out that it occurred under Acacias, and later observations indicate that it is usually found close to the foot of such trees.

MacOwan was evidently very much interested in Broomeia congregata, which he collected under Acacias on the banks of the Klein Vis Rivier near Somerset East and also not far from the Boschberg Mountains. It was also found at Inanda by Medley Wood. Portions of all these collections are to be found in Kew Herbarium and there is a portion of the Boschberg collection in the Herbarium of the South African Museum, Cape Town. In 1877, in the Cape Monthly Magazine, MacOwan published an "Inquiry for two Cape Fungi, Broomeia congregata Berk, and Podoxan carcinomatis Fr." The fungiwere briefly described and an appeal sent out for specimens. In 1882, Broomeia was listed in Fungi MacOwaniana (Kalchbrenner l.c.).

This fungus was also found in Damaraland by Capt. Eën; he was a Swedish master mariner who, in 1866, joined the traveller Charles John Andersson, his fellow countryman, whose field was the northern part of what is now South West Africa, between the Swakop and Cunene Rivers (Wallis 1936: 354). On more than one occasion Capt. Een took charge of Andersson's wagon train and he conducted a trading expedition as far north as Ondonga (Wallis 1936: 361). In the course of his travels he must have become interested natural history for "in 1879, Capt. Eën brought back from Damaraland a few specimens Broomeia congregata which he divided between the British Museum and Kew. They were




Plate 7.—Podaxis pistillaris (Linn. ex Pers.) Fr. growing on termite hills. (Photo.: R. A. Dyer.)




Plate 8.—Podaxis pistillaris (Linn. ex Pers.) Fr. Burchell's drawing of "Lycoperdon formicarum—Lycoperdon carcinomale". (Photograph by courtesy of the Gubbins trustees.)




Plate 9.—Broomeia congregata Berk. (after Murray, 1884, Pl. 29).

exhibited at the time by Mr. Thistleton Dyer, who called attention to the interest of the specimens." (Murray 1884: 311).

There was evidently some discussion about the structure of the outer peridium, which was later accurately described and figured from Een's specimens by Murray, (l.c.) (Plate 9) for in 1883, MacOwan (1883: 373) gave his own observations on this fungus, which bear out the details later published by Murray. He says that "if the Rev. C. Kalchbrenner and myself had been able to carry out our original idea of publishing an extended paper on the South African fungi collected by myself, there would have been no question as to the outer peridium. My venerable friend has, no doubt, the MS notes upon this rarity, which I have sent to Kew, to Vienna and to sundry private mycologues."

Broomeia congregata has been found a number of times in recent years, always on the ground, in close proximity to the trunk of living trees of Acacia Karroo (Pole Evans and Bottomley 1919: 189). It is, however, not very common and is sporadic in its appearance.

A second species of Broomeia was found by Emil Holub, a Bohemian explorer and naturalist, who made three exploring trips in Southern Africa between 1872 and 1879, reaching the Zambesi and the Victoria Falls. This species was described by von Höhnel as Broomeia ellipsospora and said to occur "in sabulosis africa australi". Br. ellipsospora was also found in Moçambique territory by the Rev. H. Junod, the Swiss missionary and collector, and has been collected several times in South West Africa, the Transvaal and the Orange Free State.

Owing to their ephemeral character, records of the occurrence of the Phalloids are

comparatively few, but are of exceptional interest.

One of the most beautiful and remarkable of the phalloid genera, Kalchbrennera, is represented by a single species, and is known to occur only in southern and tropical Africa. The genus was named after the well-known Hungarian mycologist, Kalchbrenner, who sent specimens to Berkeley (1876 b and c) for description; the species, K. Tuckii, was named after the collector of the original specimen, William Tuck, formerly Curator of the

Botanic Garden, Grahamstown.

The white volva of this fungus, measuring about $1\frac{1}{2}$ inches in diameter, is half buried in the soil. From the volva emerges a hollow stalk, about 4 inches long, which is cylindrical or becomes gradually broader upwards; it is pale waxy yellow, tinged with red above, and is spongy in texture. At its top, the stalk merges into a hemispherical receptacle, formed like a narrow meshed trellis, and from this arise a number of 'processes'. The processes are 12–16 in number, one half to three quarters of an inch long, bright cinnabar red to scarlet in colour; they are simple and nail or clubshaped, or once or twice bifurcate, and have a traversely wrinkled surface. On the hemispherical receptacle, between the bases of the processes, is spread the even stratum of spores, of which the olive black colour throws the scarlet processes into bold relief. (Plate 1. Frontispiece.) Like most of the phalloids, Kalchbrennera has a strong and extremely disagreeable smell.

"Springing up after rainy, thundery weather and decaying in the course of twenty-four hour, this very interesting plant has occurred three or four times in rough places of the mountain Boschberg in East Somerset, Cape Colony, amongst Acacia thickets, where it was found by Julius Tuck, formerly prefect of the Botanic Garden and sent by Mr. MacOwan, Professor in Gill's College, Somerset East, a diligent collector of the Fungi in his neighbourhood ", (Berkeley 1876 b: 248). It was also collected by Medley Wood in Natal and by Trollip near Bedford, at the foot of the Kagaberg. More recently, Kalchbrennera has been found in a number of localities, especially in the Cape and Natal; one collection was made at Knapdaar by Gideon Joubert.

The same fungus was collected by Welwitsch in tropical Angola, where it was found amongst plantings of Zea Mays in damp sandy loam, often three days after rain—usually after thunder storms. The specimen which was found at Pungo Andongo (Welwitsch no. 119) was described in 1868 as Lysurus corallocephala Welw. and Curr.; this specific name therefore has priority and the fungus is now known as Kalchbrennera corallocephala (Welw. and Curr.) Kalchbr.

Another phalloid found in Natal by Medley Wood was studied by MacOwan. Accompanying a sketch on an herbarium sheet in Kew Herbarium, there is the following note, apparently in MacOwan's handwriting: "We have a curious Phalloidea under description, very close to Kalchbrennera but quite generically distinct. This is the aspect. The crown of processes is of a magnificent yellow-scarlet, like Clathrus. The sporiferous centre dull bistre and slimy of course, the stipes waxy yellow, loosely cellular. I have not yet heard from Kalchbrenner about it. The scent is ten times worse than Phallos impudious." This is the fungus originally collected at Inanda by Medley Wood and described as Anthurus Woodii MacOwan (Kalchbrenner 1880 a: 23); later it was transferred to the genus Lysurus by Lloyd. It grows on old cow dung, and appears to be fairly common in the Cape and Natal; it has also been seen in the Transyaal.

The earlier botanical travellers were collectors in search of flowering plants. Some of the larger fungi which attracted their attention were collected, but until MacOwan and Medley Wood began systematically to collect fungi in the eastern Cape and in Natal, the smaller

fungi received little attention.

One of the earliest collections of a parasitic fungus was made by Thunberg, who found on the leaves and twigs of Podocarpus the ascomycete now known as Corynelia uberata. According to Thunberg (1800: 176 and 1823: 743) "Crescit in foliis et ramulis arborum in sylvis Honteniquas Grootvadersbosch et aliis". The single collection, of which a portion is in the herbarium of Elias Fries, was apparently divided and studied by a number of European botanists. It was described under a number of names. The authentic name, Corynelia uberata was proposed by Acharius in Fries: Observationes Mycologicae (Fries 1818: 343–344. Plate 8. Fig. 1, a-e). The varied and rather dubious synonymy is discussed fully by Fitzpatrick (1920: 247-251). Acharius, in connection with his description, cites Mucor claratus Linnaeus f. (1781: 453) and Sphaeria turbinata Persoon (1801: 95) as synonyms, but this cannot be confirmed as a search for authentic material of the two latter species was unsuccessful.

Fitzpatrick's illustrations, which are reproduced, give an excellent impression of the appearance of Corynelia uberata Fr. ex Ach. (Plate 10). The fungus is extremely common throughout southern Africa on leaves, twigs and fruit of the Yellow-woods, Podocarpus spp. According to Fitzpatrick (l.c.) the same species has been found in Japan and in the

Phillippines.

V. FUNGI ON HOSTS OTHER THAN VASCULAR PLANTS.

The fungi parasitic on algae, hepatics and mosses have not yet been studied. Sparrow (1943:7) states, that from the scanty evidence now available, it seems probable that aquatic phycomycetes are world-wide in their distribution. When fresh-water algae collected in South Africa are examined, fungi belonging to the Chytridiales are frequently seen invading the algal cells and are apparently quite common. None of these has been studied nor has any record been found of species collected in southern Africa.

Only one fungus is known on the Hepaticae; several collections of *Riccia* sp., made by Miss A. V. Duthie at Stellenbosch, were parasitised by a fungus described by S. J. du Plessis

as Olpidiopsis Ricciae.

Fungi developing upon Other Fungi.

A number of fungi actively parasitic on other fungi, which are apparently cosmopolitan are common in South Africa. Darluca filum is very frequent on Uredineae, and in wet seasons attacks the uredo-sori so severely that the teleutospores do not develop; the perfect stage of this fungus. Eudarluca australis, has been observed only occasionally. Tuberculina spp. have been found on rusts. Cicinnobolus is common on Erysiphaceae and Mycogone occurs on Agarics, especially Russula. No parasites of Phycomycetes have been recorded.

Leaf-inhabiting ascomycetes in the indigenous forests support a wide range of hyperparasites. These organisms have been studied by C. G. Hansford and to him grateful thanks are due for the identification of a large number of species. On the Meliolaceae are




Fig. 16 A similar cluster of perithecia, but with many individuals broken away, exposing their white interiors (x H). Fig. 15, A small group of perithecia, several of which show the characteristic method of debiseence by a single, deep apieal cleft (x H). Fig. 18, A copy of one of the illustrations published by Plate 19.—Corynclia oberata Fr. ev Veharius (after Fitzpatrick 1920, Pl. 14). Fig. 13. Clusters of perithecia on leaves of Podovarpus Intifolia (x, 24), Fig. 14. Clusters of immature perithesia the tips of several individuals crushed in the lower cluster (X.11). Fig. 15.A cluster of almost mature but inruptured perithesia (x.11). Ascharius in connection with the original description in Observationes Aycologicae of Fries.

found Sphaeriaceae of the genera Dimerium, Phaeophragmeriella, Dimerina and Chaetodimerina, Hypocreaceae including species of Calonectria, Paranectria, Philonectria and Nectria, Trichothyriaceae (*Trichothyrium* spp.) and Microthyriaceae (*Echidnodes lembosioides*). There are also a number of Fungi Imperfecti belonging to several genera of which the most common are Helminthosporium, Spegazzinia, Cephalosporium and Eriomycopsis. Hyperparasites on the Asterinaceae are less numerous; one of the most interesting is *Mycolangloisia nitida* belonging to the Trichothyriaceae; in addition there are several species of the genera Dimerium, Phaeodimeriella, Mycophaga, Calonectria and Eriomycopsis.

Amongst the Sphaeriaceae, a species of Cicinnobella has been found on Englerula Macarangae. The genera Cryptogene and Cryptogenella were described by Dr. H. Sydow on Parodiella perisporioides collected in Southern Rhodesia.

Lasmeniella globulifera is a hyperparasite on Endodothella Deightoni, Phyllachora Halsei and Ph. Pterocarpi, which are Phyllachoraceae on leguminous hosts; the first two were found in the coastal scrub and the last in the parkland of the northern and eastern Transvaal and of Southern Rhodesia. Several parasites are found in the stromata of Phyllachoras on grasses; Cryptodidymosphaeria clandestina is fairly common; in addition, Pleospora Doidgeae, Coniothyrium occultum and Stagonospora cryptogea occur, chiefly in the perithecial cavities of Phyllachora Doidgeae which is a common parasite of the Andropogoneae. Fusarium expansum has been found parasitising Phaeochorella Parinarii on Parinarium mobola in the parkland of the northern Transvaal. The tale of hyperparasites on Phyllachoraceae is by no means complete; several unidentified species have been observed, notably one which invades old perithecial cavities of Phyllachora Strelitziae; the two-celled spores of this parasite were originally described as those of the stromatal ascomycete, which was therefore placed in the genus Endodothella.

On Hypoxylon, in the Xylariaceae, are found Nectria episphaeria and Tympanopsis euomphala; the latter species is also known in England and in North Africa and is restricted to Hypoxylon rubiginosum, it is not known on any other host.

Amongst the Hypocreaceae, the stromata of Epichloe cinerea are often covered with a pink mat consisting of mycelium and spores of Fusarium ciliatum; from this mat F. decemcellulare has also been isolated. F. avenaceum is frequently found on sclerotia of Claviceps Paspali and F. heterosporum var. congoense on those of other species of Claviceps and on ovaries infected with smuts such as Ustilago bromivora. Fusarium culmorum has been found on Sphacelotheca Sorghi, a smut of Kaffir corn; F. avenaceum has been observed destroying the teleutospores of Puccinia ranulipes on Asparagus laricinus.

A Polyporus sp. has been seen supporting the fructifications of *Trametes Sycamori* and Hollós found *Phoma Geasteropsidis* on the Gastromycete *Geasteropsis Conrathi*. Cultivated mushrooms are sometimes attacked by an unidentified species of Verticillium. Amongst the Fungi Imperfecti, the 'bagworm fungus', *Isaria Psychidae*, is often attacked by *Melanospora parasitica*.

Fungi on Lichens.

Pharcidia Psorae was recently found near Cape Town by S. Garside, on a species of Lecidea; Homostegia Piggotii was identified by Zahlbruckner on Parmelia rudecta collected in South West Africa. Other fungi on lichens listed by Vouaux were found on specimens sent to Europe by collectors such as MacOwan, McLea, Wilms and Miss Armstrong in the 19th century. These include Celidium stictarum on Lobaria, Abrothallus Parmeliarum on Sticta, Triblidiara capensis on Lecidea, Mycobilimbia quaternella on Pertusaria, M. acervata and Nesolechia perforans on Parmelia. The form 'pleurocarpa' of Lobaria pulmonaria, a ccording to Garside, was based on specimens of this lichen in which the apothecia were rendered abortive by an attack of the parasitic fungus Celidium stictarum; a specimen of this 'form' was found by MacOwan on a tree trunk in the Boschberg.

Fungi attacking Insects and Spiders.

The entomogenous fungus which has attracted the most attention in South Africa is undoubtedly Empusa Grylli. In seasons when climatic conditions are suitable, this fungus causes heavy mortality amongst the locust swarms: hundreds of infected insects climb high up on the vegetation and just before they die, fold their legs round the stem or leaf to which they are clinging. It is no uncommon sight, where mortality due to Empusa has been high, to see the tops of plants bearing locusts in all stages of disintegration (McMartin 1935 a). This fungus is an obligate parasite and attempts to grow it in artificial culture have failed. Empusa Grylli attacks the redwing and the brown locust and is also found on grasshoppers. Next in importance is a parasite of locusts is Beauveria bassiana causing the 'white fungus disease' which occasionally occurs in epidemic form. Metarrhizium anisopliae is fairly common on the redwing locust. A number of species of Fusarium have been recorded on the redwing locust, but these are probably saprophytes.

House flies become infected with *Empusa Muscae* and when conditions are suitable, Aphids are decimated by *Entomophthora Aphidis*. The cutworm, *Euroa segetis*, is attacked by *Entomophthora megasperma* and the larvae of the cabbage moth, *Plutella maculi pennis* by *Entomophthora sphaerosperma*. *Entomophthora apiculata* is found on a wide range of

insect hosts.

Fusarium coccophilum is common on scale insects in the more humid areas; the perfect form of this fungus has not been observed in South Africa. Fusarium coccophilum, in wet seasons, is an important factor in the control of the red scale, Aonidiella aurantii, on citrus and on roses; it is also found on a number of species of Aspidiotus and on the Mussel scale, Lepidosaphes Gloveri. The latter scale is often attacked by the 'white-headed fungus'. Tetracium rectisporum, especially in citrus orchards near the coast; the perfect stage of Tetracium has not been found. Myriangium Montagnei is known on Lepidosaphes and also parasitises unidentified scale insects on indigenous plants. Fusarium lateritium found on the waxy scale. Ceroplastes sp., and Aspergillus spp., observed on indigenous scale insects are possibly saprophytes. A number of species of Septobasidium, recorded on branches of cultivated and indigenous trees, are associated with scale insects infesting these hosts, but in no case has the insect been identified.

When conditions are suitable, Isaria Psychidae causes great mortality amongst bagworms, Acanthopsyche Junodi, in the wattle plantations, and according to Ripley, an unidentified Entomophthora caused extensive epidemics amongst these insects in 1923. Beauveria Bassiana has been found attacking larvae and chrysalides of Cactoblastis cactorium, an insect introduced from Australia to assist in the destruction of the prickly pear. Two specimens of Cordyceps have been collected, and those by MacOwan, on larvae of Elateridae.

Local collectors have paid no attention to the Laboulbeniaceae and the few species described were probably found by Thaxter on museum specimens of the insect hosts.

The only fungus parasite of spiders which is known is Gibellula aranearum, found in Natal on a spider of the family Lycosidae.

Fungi causing Diseases of Animals.

Saprolegnia has been observed on goldfish in the ornamental water at the Union Buildings. Pretoria and on a frog. but apart from this, nothing is known in South Africa of the parasitic Saprolegniaceae.

Aspergillus fumigatus is the cause of a fatal disease in young ostriches, the fungus being found in bone cavities, lungs and intestinal tracts. This fungus also invades the air sac of ducks and penguins with fatal results, and has caused a disease of various birds in aviaries.

A condition in merino sheep known as 'lumpy wool' is caused by Actinomyces dermatonomus. Isolated outbreaks of this disease have occurred in the Karoo districts, where in some seasons it assumes serious proportions. Outbreaks have also occurred in East Griqualand and in the eastern, southern and south-western districts of the Cape.

One case of sporotrichosis, caused by Sporotrichum Schencki, has been diagnosed in a horse and three cases are on record of animals infected with Rhinosporidium Seeberi. The

latter fungus has been isolated from a tumour on the septum nasi of a horse and from tumours situated in the regio respiratorio, on the leg and in the nasal cavity of two mules.

Actinomycosis or lumpy jaw, caused by Actinomyces bovis, is fairly common in cattle. Ringworm has been diagnosed on horses, cattle, dogs and cats, but no attempt has been

made to identify the casual organisms.

Thanks are due to Dr. E. M. Robinson of the Division of Veterinary Services for information about fungi concerned in diseases of animals and for references to literature on the subject.

Fungi causing Disease in Man.

It seems possible that diseases caused by fungi are more common than records indicate, especially in native itrrteories and in subtropical areas. In the colony of Moçambique, according to Dr. Ribeiro, mycoses cause, next to leprosy, the greater number of mutilations in the native population. A large number of natives can be seen rendered absolutely incapable of work owing to lesions caused by fungi. Between 1932 and 1934, 776 cases of unidentified mycoses were observed in Angoche and recorded in the hospital or in the mobile

clinic (Ferreira 1941: 33-34).

The first record of bronchomycosis from South Africa appears to be in 1902, when Actinomyces Leishmani was isolated from nodules in the lung and from the pericardial fluid of a soldier who had returned to England from Ladysmith (Birt and Leishman 1902). Further cases were investigated by Dr. A. Pijper, who described Monilia bethaliensis, isolated from sputum of a patient suffering from cough, periods of feverishness and bronchitis. The species was transferred by Dodge, to the genus Candida. Dr. Pijper also isolated from sputum, in cases of bronchomycosis, several other species classified by Dodge in the genera Candida and Castellania. Actinomyces Pijperi was found in mycopurulent sputum of a patient with chronic bronchitis. Histoplasma capsulatum has been isolated from lesions in the mouth of a European and Rhinosporidium Seeberi found in several cases of infection of the conjunctiva.

The first isolation of a Cryptococcus from spinal fluid in South Africa was made by Dr. Pijper from a fatal case of blastomycotic meningitis; later a number of other cases attributed

to Cryptococcus histolyticus were described and the organism isolated.

Aspergillus niger has been found in connection with an affection of the ear (otitis externa),

Geotrichum rugosum in a case of thrush.

From 'mycetoma pedis', forms of 'madura foot', Actinomyces africanus, A. madurae and A. transvaalensis have been isolated, and A. pretorianus from mycetoma of the shoulder. Hanseniospora Guillermondii was found and described by Pijper causing onychomycosis

in the case of a European woman.

Sporotrichosis, characterised by ulcers of the skin and inflamation of the joints and caused by Sporotrichum Schencki, var. Beurmanni, has claimed many victims among natives working underground in the gold mines of the Witwatersrand; in one mine 650 cases were recorded amongst natives and some Europeans were also affected; several case, amongst natives have also been reported from Moçambique.

Dr. Pijper's isolation of Sporotrichum Carougeaui, from a superficial lesion of the skin, is of interest; this fungus was found by Langeron in Madagascar in 1913, but his strain was

lost; the South African fungus is on record at the Lister Institute.

The most common mycoses are those causing cutaneous affections. The most frequent cause of ringworm of the scalp, especially in children, is Microsporon ardouini; Ectotrichophyton mentagrophytes and Epidermophyton rubrum have been found causing ringworm of the body, favus is caused by Achorion Schoenleinii and Endodermophyton africanum was isolated from scales of the body in a form of 'tinea imbricata'. Malasezzia furfur causes a skin disease of the body known as 'pityriasis versicolor'. Epidermophoton interdigitale causes athlete's foot and was one of the most common of the minor ailments in the army (Shapiro 1941).

In recording fungi parasitic on man and the higher animals, the nomenclature used by

Dodge (1936) has been followed.

The author is glad to acknowledge the great assistance given by Dr. Adrianus Pijper in supplying information on fungal infections of humans and compiling a list of papers on the subject. Thanks are also due to Dr. Harington of the Port Elizabeth branch of the Medical Research Institute for directing the author to further literature, to Miss Strang, Librarian of the Medical Research Institute, Johannesburg, for assistance in tracing references and for the loan of books and to Dr. H. I. Lurie of that institution for a number of unpublished records of skin diseases.

VI. OBSERVATIONS ON THE GROUPS OF FUNGI AND ACKNOWLEDGMENT FOR ASSISTANCE IN DETERMINING SPECIES.

In naming fungi and for the classification of the fungi generally, frequent use has been made of Engler and Prantl's Die Natürlichen Pflanzenfamilien, Saccardo's Sylloge Fungorum, C. G. Lloyd's Mycological Notes and Monographs and Ainsworth and Bisby's Dictonary of Fungi, in which is reproduced as an appendix G. W. Martin's Key to the families of fungi.

The families of the Myxomycetes are listed in the order in which they appear in Lister's Mycetozoa (1925 ed.), the genera being placed in alphabetical order; the classification followed in the Phycomycetes is that used by Fitzpatrick in his book on the Lower Fungi

(1930)

The arrangement of the Ascomycetes presented some difficulties. The Endomycetales, 'lower' or degenerate forms, include a number of parasites on humans, and in this group the classification in Dodge's Medical Mycology has been adopted. Species which, according to Dodge, are imperfect forms of Eremascaeae, or Saccharomycetaceae are placed, with the Trichophytonaceae (according to Dodge' Gymnoascaceae Imperfectae') at the end of the Fungi Imperfecti. In the classification of the Myriangiales, Sphaeriales and Microthyriales the author is in agreement with the views expressed by Hansford in his paper on 'The Folicolous Ascomycetes' (1946), and these groups have been arranged in accordance with his suggestions.

The nomenclature followed in listing the lichens is that of Zahlbruckner's Catalogus Lichenum Universalis: reference is made to the volume and page of this work on which each species is recorded, whether its occurrence in southern Africa is mentioned or not. This departure from the general rule to include only South African references is made because of the unsatisfactory state of the literature on South African lichens. In two cases Zahlbruckner's nomenclature has not been followed: Magnusson's papers on the genus Acarospora are considered authoritative for that genus, and Motyka's nomenclature in the genus Usnea has been followed as far as available, but his monograph is unfortunately incomplete.

The Myxomycetes (Mycetozoa) are fairly well represented, especially near the coast and in wooded areas; so far the species collected have been those found in temperate and

subtropical regions in other parts of the world.

A few Myxomycetes were listed by Kalchbrenner (1882: 143) from specimens sent by MacOwan and Medley Wood, but the study of these organisms in South Africa is largely the work of Miss A. V. Duthie, who made extensive collections in the forests of Knysna and the woods around Stellenbosch. She published lists of South African species in 1917 and 1918. She also sent material to Miss Gulielma Lister, who in her Note to the third edition of Lister's Mycetozoa stated that the collections made by Miss A. V. Duthie in the Cape Province have extended our knowledge of the range of many species. It is probable that a number of species recorded in the third edition of this work from 'Cape Province' or 'South Africa' were collected by Miss Duthie in the areas mentioned above. Comparatively few species have been collected in the forest areas of the eastern Cape, Natal and the Transvaal. This is probably because most of these forests are difficult of access in the wet season and because such delicate organisms cannot be preserved satisfactorily without carrying special equipment.

Phycomycetes are not abundant, presumably because the climate is too dry and temperatures too high for many of the plant parasites. Next to nothing is known of the aquatic forms, but these have frequently been observed and should be an interesting subject for

future investigation.

Species of Phytophthora and of the Peronosporaceae on cultivated plants are often troublesome in wet seasons and in the south-western Cape a few species have been found on indigenous plants and on weeds. A study of the Pythiaceae has been made by V. A. Wager, who has been consulted about identifications of species not included in his published work. He has found a number of species of Pythium and Phytophthora on underground

parts of plants.

Some of the more common Zygomycetes have been recognised, and of these Rhizopus nigricans is perhaps the most widespread; it is extremely destructive to fruit, tubers and other stored parts of plants. No general study has been made of moulds belonging to the Mucorales; a few isolated records such as those of Circinella Sydowii and Syncephalastrum racemosum from the gold mines, Cunninghamella from locust eggs and Haplosporangium bisporale from a wilted bean plant are sufficient to indicate that a study of the Zygomycetes would probably reveal the presence in South Africa of moulds belonging to other of the less common genera.

A number of Entomophthorales attack injurious insects such as flies, aphids and locusts; of these *Empusa Grylli* has attracted the most attention as it is periodically a factor in the

control of locust swarms.

Ascomycetes are present in great numbers in the subcontinent; they are particularly numerous, as might be expected, in forests and wooded areas, but many unusual species have been found in less humid situations. There are indications that a study of the fungus and lichen flora of the arborescent Euphorbias might prove particularly interesting. Some work has been done in Pretoria on leaf inhabiting ascomycetes, especially those belonging to the Meliolaceae and the Microthyriales; the Phyllachoraceae and Valsaceae have also been studied. Mr. C. G. Hansford has been responsible for the identification of some of the leaf parasites, and to him the author is indebted for naming all the hyperparasites and for much advice and help. The Xylariaceae were submitted to Professor Julian Miller, who published the result of his study of the South African collections (1942) and has since kindly identified further specimens which were sent to him. Apart from the Valsaceae and Xylariaceae, ascomycetes growing on wood and decaying vegetable matter have been largely neglected, and so also have the coprophilous species.

Of the Hypocreaceae, Epichloe cinerea appears to be the most common species, occurring on a wide range of grasses. The sclerotia of a number of ergots have been collected on various hosts; a number of these have been germinated by Miss E. J. Scott, but her work is not yet complete and these can only be listed as Claviceps spp. Where the ascus stage has not been obtained, the records are included in the Fungi Imperfecti as Sphacelia spp. A number of samples of ergot from native grasses were analysed by a pharmaceutical firm and said to be deficient in alkaloid and of no value for pharmaceutical purposes. The most common species, Claviceps Paspali, has been proved to cause poisoning in cattle, the symptoms being inco-ordination of movement in varying degree up to complete paralysis (Mitchell 1918 b).

Many species of the Sphaeriales on cultivated plants are known only through their parasitic conidial stage or stages and are listed in the Fungi Imperfecti with a reference to the ascus stage, where it is known. When the perfect stage has been found, e.g. in the case of Valsa leucostoma, only these rare occurrences are recorded in the ascomycete list, with a cross reference to the more common conidial forms. An exception has been made in the case of common mildews of cultivated plants, which, in order to avoid adding to the long list of Oidium spp., are listed with the Erysphaceae even if the perithecia have not been found.

Discomycetes are fairly abundant, but few have yet been collected and still fewer identified. *Morchella conica* occurs in oak woods and among shrubs in various localities in the Cape Peninsula. Marloth, in 1913, stated that 25 years earlier he found only a few specimens among oaks at the Round House near Cape Town, but gradually the plant has spread and occurs now in various localities in the Cape Peninsula and probably elsewhere. The Tuberales are represented only by *Pseudobalsamea* growing in mushroom beds and by species of Terfezia found in arid regions.

The few Laboulbeniaceae on record are apparently known only from Thaxter's studies of specimens found on insects in museum collections; no one in South African has scrutinized

insects for these peculiar forms.

The lichen flora is remarkably rich and varied, near the coast and in the interior, in forest and in desert, but the records of the lichens of southern Africa are unfortunately in a confused state and some identifications probably not accurate. For this reason, it has been argued by Mr. Garside that publication of a list of species at this stage will tend to perpetuate errors which have been made. If, however, it is borne in mind that the list is methoded only as a guide to the very scattered literature on South African lichens and to specimens in South African herbaria, such a record should be of value to future workers and perpetuation of errors avoided.

The first list of African lichens, Stizenberger's 'Lichenaea Africana' (1890-1895) gives few details about distribution and many of the earlier publications to which he refers are not available in this country. Wainio's Monograph on the genus Cladonia has not been accessible and many details might be filled in were it possible to consult J. Müller's (Arg.)

'Lichenologische Beiträge' published in Flora (1880-1888).

Although MacOwan and doubtless other collectors numbered their specimens no numbers are quoted by Stizenberger nor by Motyka in his recent monograph on the genus Usnea. This omission makes it impossible to link references to collections quoted by the two authors; a number of species of Usnea listed by Stizenberger are said by Motyka not

to occur in South Africa. In such cases the discrepancy is indicated in a foot note.

It is most unfortunate that no sets of lichens collected by MacOwan, Wilms and earlier collectors are to be found in South Africa, the few MacOwan specimens detected being imperfectly labelled. As indicated elsewhere type specimens are to be found in several European herbaria. In more recent years, van der Byl made extensive collections of lichens, which are to be found in the Department of Botany of the University of Stellenbosch. He sent specimens for identification to Miss Annie Lorrain Smith, to G. K. Merrill, E. A. Wainio and A. Zahlbruckner; where his records show which of these lichenologists was responsible for the identification of series of numbers, this information is included in the record, unless it has been published. A number of new species were described by Wainio and Zahlbruckner, and in Zahlbruckner's papers on African lichens, the numbers of van der Byl lichens identified, as well as those of the type specimens of new species are quoted.

South African students of lichenology are lamentably few. Mr. S. Garside has long been interested in this subject and many of his collections are quoted in Motyka's monograph of the genus Usnea. Thanks are due to him for the identification of specimens in the Pretoria collections of the Roccellaceae, Stictaceae and Teloschistaceae, families which are his present

subject of study.

Basidiomycetes are abundant. The Ustilaginales are represented by most of the important smuts in cereals and a considerable number on wild hosts, notably on grasses of the section Andropogoneae. Fungi of this group were sent for identification to Zundel, who has cited South African specimens in a number of papers and has published a general account of the smuts of southern Africa.

The Uredinales are represented by numerous rusts on cultivated plants and an even greater number on indigenous hosts: it is thought that the tale of South African rust fungi is by no means complete, and nothing is yet known of the life histories of most of the heteroecious species. The familiar generic names Puccinia and Uromyces have been retained, and in general the nomenclature of Sydow's Monograph (1904–1924) has been followed. More recent classifications, based on spore forms in the life cycle of the rust fungi, are impossible of application to South African species until life histories have been studied. The earliest paper on South African fungi is by Pole Evans (1916 a); later studies by the author were published in Bothalia.

For identification of numerous Hymenomycetes and for revision of the nomenclature of the whole group, the author is greatly indebted to Miss E. M. Wakefield of Kew Herbarium. Thanks are also due to Miss A. M. Bottomley for her very considerable help in compiling

data about the Hymenomycetes. In earlier years many specimens were examined by C. G. Lloyd, and papers on the South African species of Thelephoraceae and Polyporaceae were published by van der Byl; a few species of Thelephoraceae were sent to Burt, who included them in his monograph of the family. The Thelephoraceae are fairly well represented, especially in forest and plantations; of the Clavariaceae 33 species are recorded and 30 species of the Hydnaceae.

Polyporaceae are numerous and have been collected extensively by van der Byl and Keet and in more recent years by Rump. A large number of species has been identified, but the mass of unidentified material not yet studied probably includes species not recorded from South Africa or undescribed. A few of these fungi are actively parasitic and are known to cause injury to trees; in the forests Ganoderma applanatum injures ironwood trees (Olea laurifolia) and Fomes rimosus causes heartwood of sneezewood (Ptaeroxylon utile); Ganoderma lucidum attacks willows and native Acacias. A number of species cause decay in

commercial timber, especially that used underground in the form of mine props.

The Boletoideae are more numerous than indicated in the list, where six out of the eleven species of Boletus recorded are represented by only one or two collections, probably because the fungi often collapse and decay before they can be satisfactorily studied. Marloth (1913:23) states that Boletus edulis is to be found in almost all the oak woods around Table Mountain, as well as at the Paarl, Stellenbosch and Wellington, appearing in April and May according to the autumnal rains. This fungus attains much larger dimensions than in Europe, weighing not rarely 2 lb. and occasionally 3 lb., the cap being 8 or 10 or even 12 in. in diameter. Boletus bovinus occurs more frequently in pine woods.

There has been no critical study of the Agaricaceae, the only publication on this group being a paper by van der Byl on the genus Lentinus. In the more humid regions great numbers of these fungi appear annually, but in more arid districts their appearance is sporadic and dependent on a very variable rainfall. Most of the Agarics become infested with insects and soon break down, especially in hot weather, and they are difficult to identify from dried specimens, even with accompanying notes about size and colour. A study of this group will only be effective when it can be carried out over a period of years by someone familiar

with species occurring in other parts of the world.

Many of the cosmopolitan species are common, including edible species of Psaliota, Lepiota and Coprinus. One of the mushrooms most relished by the natives is the 'ikowe', Schulzeria Umkowaan, a large species with white gills; this mushroom has a long, tough, subterranean stipe, which can always be traced to its origin in a termite comb. Collybia albuminosa grows on exposed termite nests, and Entoloma microcarpum develops in great numbers on the 'fungus garden' prepared by the termites, which bring to the surface a spreading layer of finely triturated termite comb.

The parasitic Armillaria mellea has caused serious damage, chiefly in the plantations of the northern Transvaal, where it spread to trees in plantations from stumps of indigenous

trees not removed when the native bush was cleared.

Several poisonous species occur fairly commonly, but comparatively few cases of mushroom poisoning have been reported; this is probably because mushrooms are avoided as an article of diet by many people, who are not confident that they can recognise the edible varieties. Amanita muscaria is often abundant under oaks or pine trees; the vivid colouring of this species acts as a danger signal and it is not known to have caused poisoning. In a number of cases which have been reported the information is incomplete and it has been impossible to discover what fungi are responsible.

Cases of poisoning have occurred which were directly due to Amanita phalloides; the first record of poisoning by this fungus reported to Pretoria was in 1925, when it was the cause of three deaths in the Harrismith district. Marloth (1912:21) states that numerous cases of poisoning have been caused by this plant; he mentions that a cook at Elsenburg College, an Indian who had come from Natal, was thrown into terrible agony for 36 hours merely by having eaten some rice boiled in a pot which his mate had just used for stewing some of the Amanita; the mate died the same day. Marloth adds that the squirrels on

the Cape woods, which are fond of Boletus edulis, do not touch the Amanita phalloides although both kinds of fungus grow often intermingled.

Amanita pantherina is an equally dangerous species and is known to have been responsible for several cases of poisoning. A fatal case was reported from Cape Town in 1927 (Silbauer and Mirvish 1927). On May 15 of that year an impoverished family of three adults and four children gathered mushrooms on the slopes of Table Mountain and 4.30 p.m. all partook of a meal of these fungi, which, in later investigations by Dr. Marloth, proved to be in part Amanita pantherina. At 6.15 p.m. a doctor was summoned and he found the two youngest children in a state of coma; while he was examining them the mother complained of feeling dizzy and became drowsy and semi-conscious. The whole family was taken to hospital. The mother died at 6 a.m. on May 17th, a girl aged 14 at 3.40 p.m. on the same day; the three younger children, aged 2½, 3½ and 10 died on the morning of the 18th. The father and an elder son aged 18 lived until the following day, but not one of the family survived.

An unnamed species of Hebeloma, common in the neighbourhood of Pretoria, is considered by some a good edible variety; others after eating a small portion of this mushroom

are soon attacked by headache, dizziness and cramp.

The Gasteromycetes are well represented and a number of particularly interesting species have been found. Several papers on fungi of this group have been published by Verwoord and N. J. G. Smith; a comprehensive account of the Gasteromycetes of Southern Africa has recently been written by Miss A. M. Bottomley for publication in Bothalia.

Many Fungi Imperfecti parasitic on cultivated plants and a smaller number on indigenous hosts are known, but very few of these species have been traced to the 'perfect' form. Mildews are extremely common on a wide range of hosts, and for the sake of completeness—with the exception of certain common species on cultivated plants (see notes on ascomycetes)—these are listed as Oidium spp. and grouped according to the family of the host.

Maize becomes seriously infected with Diplodia Zeae, which Mitchell (1918 a) proved to be a cause of inco-ordination of movement and paralysis in cattle. He was able to produce symptoms of poisoning after having fed 20 fb. of artificially infected maize to bovines. Theiler (1927) found that 2 3 fb. of maize infected with Diplodia Zeae caused poisoning

within 2 days; results of feeding experiments with pigs and horses were negative.

The Cerebella spp. found on a number of grasses are not parasitic on these plants but are saprophytes growing on the honey dew secretion associated with the Sphacelia stage of Claviceps spp. The fungi of this genus need study, not only as they occur on grasses, but in culture, before the species can be determined. With the exception of Cerebella Cynodontis, which was described by Sydow from a South African specimen, these fungi have not been assigned to a species.

For assistance with the identification of a number of Fungi Imperfecti, thanks are due to Miss E. M. Wakefield and to the Director and staff of the Imperial Mycological Institute. Mr. C. G. Hansford has kindly identified the hyperparasites. The species of Helminthosporium on cereals and grasses were identified by Miss K. M. Putterill, formerly on the staff

of the Cryptogamic Herbarium, Pretoria.

STATISTICAL SUMMARY.

Summary of the number of Genera, species and varieties recorded in each family and group.

Group and Family.	Genera.	Species.	Varieties.	Forms
Myxomycetes—				
Ceratiomyxaceae	1	1	2	
Physaraceae	10	45	4	
Didymiaceae	2	5		
Stemonitaceae	4	13	2	_
Amaurochaetaceae	1		2	
	2	1		
Heterodermaceae		4		
Tubulinaceae	1	1	- 1	
Reticulariaceae	2	2		
Lycogalaceae	1	3		
Trichiaceae	2	9		
Arcyriaceae	2	9	-	
Total Number of Myxomycetes	28	93	10	
Chytridiales— Plasmodiophoraceae	3	3	_	
Woroninaceae	1	1	_	
Synchytriaceae	1	3		
Cladochytriaceae	1	1	_ ·	-
Blastocladiales—				
Blastocladiaceae	1	1		
Saprolegniales—				
Saprolegniaceae	1	1		
Peronosporales-		_		
Albuginaceae	1	10		
Pythiaceae	$\hat{2}$	17	1	
Peronosporaceae	4	16	1	
Mucorales-	-	10		_
Mucoraceae	3	10		
Pilobolaceae	ĭ	10		
	i	i	_	
Choanophoraceae	1	1	-	_
Piptocephalaceae	1	r	_	
Entomophthorales— Entomophthoraceae	2	10	_ !	_
TOTAL NUMBER OF PHYCOMYCETES	24	77	1	

Group and Family.	Genera.	Species.	Varieties.	Forms.
Ascomycetes—				
Laboulbeniales				
Laboulbeniaceae	3	5		
Peyritschiellaceae	3	3	- 1	
Endomycetales-				
Ashbyaceae	2	2		
Endomycetaceae	1	1	_	
Coccidioideaceae	2	2		
Sacchararomycetaceae	2	4	_	
Taphrinales—			!	
Protomycetaceae	1	1		
Taphrinaceae	1	4		

Group and Family.	Genera,	Species,	Varieties,	Forms,
Myriangales	-		-	
Myriangiaceae	•)	2		
Dothideaceae	15	19		
Parodiellinaceae	4	1	-	
Erysiphaceae	6	29	Į.	
Meholyceae	~	102	3	
Eurotiace et	3	- 3		
Sphaerides Chaetomaccic :	1	ä		
Sordariveae	4	12		
Sphaeriage	22	44	2	
Ceratostomaticeae .	1	3		
Нуростеденае	21	69		*
Lophiestomitaerie	1	1		
Mycosphaere flace are	21	79	-	
Conomoniactur	1	11		
$V_A _{s,\alpha}$ v_Av_A	13 9	35 81	• •	
Phyllichorogram	4	6	2	
Capnodra car	9	3		
Cory to line to .	3	3	_	
Melogrammataceae	2	3	I	
Microthyrides				
Stigmatox over	6	c)		
Microthyrus car.	21	51	1	
Astronomoran	7	65	4	-
Trichott yrise cae	2	3		
Trichopelt serve.	'	13	•	
Hemisphaeria cae Hysteri des	,	1.5	-	•
Hysteriaceae .	4	6	1 -	
Phaeidiales -	_		•	
Phacidi ceae	2	3	-	-
Pezizales				
Peziz ice ie	17	34	-	-
Helvellace ic.,	2	3	-	-
Helotules -	8	13		
Dermateaceae	3	4		-
Orbilaceae	ï	ī		-
Hyaloseyphaceae. Helotiaceae	10	18	- !	
Patellariaceae	9	11		
Tuberales —				
Tuberaceae	2	4		
Total Number of Ascomycetes	274	835	15	
Lichenes -				
Pyrenocarpeae-	2	6	1	
Verrucariaceae	3	7	1	
Dermatocarpaceae. Pyrenulaceae	š	48	3	1
Trypetheliaceae	3	5	_	
Paratheliaceae	1	1	_	
Astrotheliaceae	1	1		
Strigulaceae	1	6	1	
Pyrenidiaceae	1	1		
Mycoporaceae	2	2		accusates.
Gymnocarpeae—	1	4		
Caliciaceae	ì	2	_	
Sphaerophoraceae	î	ī		~~~
Arthoniaceae.	$\hat{2}$	$3\dot{2}$	1	
An endinaceder.				

Group and Family.	Genera.	Species.	Varieties.	Forms
Cryptotheciaceae	1	ı		
Graphidiaceae	ŝ	48	3	
Chiodectonaceae	4	10	2	1
Dirinaceae	î	i		
Roccellaceae	2	10	6	1
Lecanactidaceae	3	7	_	
Pilocarpaceae	1	1		
Chrysothricaceae	1	1		
Thelotremaceae	4	13	2	
Diploschistaceae	3	12	3	1
Gyalectaceae	3	3		_
Coenogoniaceae	1	2		
Ephebaceae	1	1	_	
Pyrenopsidaceae	4	6	_	_
Collemaceae	4	26	7	1
Heppiaceae	1	3	1	_
Pannariaceae	5	12	5	
Stictaceae	2	28	11	4
Peltigeraceae	3	11	<u> </u>	4
Lecideaceae	7	167	14	14
Phyllopsoraceae	1	4	2	
Cladoniaceae	4	25	19	11
Gyrophoraceae	2	5	2	1
Acarosporaceae	3	45	3	_
Pertusariaceae	1	48	4	-
Lecanoraceae	9	82	13	9
Parmeliaceae	2	131	39	12
Usneaceae	6	98	14	6
Caloplacaceae	3	86	12	6
Teloschistaceae	2	18	12	7
Buelliaceae	2	91	13	6
Physciaceae	3	42	12	7
ichenes Imperfecti	1	5		
		_		
Total Number of Lichens	126	1,159	205	92
	126	1,159	205	92
Sasidiomycetes—	126	1,159	205	92
	126	1,159	205	92
Sasidiomycetes— Hemibasidii— Ustilaginales—	126	1,159	205	92
asidiomycetes— Hemibasidii— Ustilaginales— Ustilaginaceae.			205	92
sasidiomycetes— Hemibasidii— Ustilaginales— Ustilaginaceae. Tilletiaceae.	8	103	205	92
asidiomycetes— Hemibasidii— Ustilaginales— Ustilaginaceae.	8 4 1	103 21	205	92
sasidiomycetes— Hemibasidii— Ustilaginales— Ustilaginaceae. Tilletiaceae. Graphiolaceae.	8 4 1	103 21 1	205	92
asidiomycetes— Hemibasidii— Ustilaginales— Ustilaginaceae. Tilletiaceae. Graphiolaceae. Uredinales— Melampsoraceae. Pucciniaceae.	8 4 1 6 16	103 21 1 17 312		92
Sasidiomycetes— Hemibasidii— Ustilaginales— Ustilaginaceae. Tilletiaceae. Graphiolaceae. Uredinales— Melampsoraceae.	8 4 1	103 21 1		92
asidiomycetes— Hemibasidii— Ustilaginales— Ustilaginaceae. Tilletiaceae. Graphiolaceae. Uredinales— Melampsoraceae. Pucciniaceae.	8 4 1 6 16	103 21 1 17 312		92
Sasidiomycetes— Hemibasidii— Ustilaginales— Ustilaginaceae. Tilletiaceae. Graphiolaceae. Uredinales— Melampsoraceac. Pucciniaceae. Uredinea Imperfectae. Eubasidii— Hymenomyceteae—	8 4 1 6 16	103 21 1 17 312		92
Sasidiomycetes— Hemibasidii— Ustilaginales— Ustilaginaceae. Tilletiaceae. Graphiolaceae. Uredinales— Melampsoraceac. Pucciniaceae. Uredineae Imperfectae. Eubasidii— Hymenomyceteae— Tremellales—	8 4 1 6 16	103 21 1 17 312 145		92
sasidiomycetes— Hemibasidii— Ustilaginales— Ustilaginaceae. Tilletiaceae. Graphiolaceae. Uredinales— Melampsoraceae. Pucciniaceae. Uredineae Imperfectae. Eubasidii— Hymenomyceteae— Tremellales— Auriculariaceae.	8 4 1 6 16 3	103 21 1 17 312 145		92
sasidiomycetes— Hemibasidii— Ustilaginales— Ustilaginaceae. Tilletiaceae. Graphiolaceae. Uredinales— Melampsoraceae. Pucciniaceae. Uredineae Imperfectae. Eubasidii— Hymenomyceteae— Tremellales— Auriculariaceae. Tremellaceae.	8 4 1 1 6 16 3 4 4 4	103 21 1 17 312 145		92
sasidiomycetes— Hemibasidii— Ustilaginales— Ustilaginaceae. Tilletiaceae. Graphiolaceae. Uredinales— Melampsoraceae. Pucciniaceae. Uredineae Imperfectae. Eubasidii— Hymenomyceteae— Tremellales— Auriculariaceae.	8 4 1 6 16 3	103 21 1 17 312 145		92
sasidiomycetes— Hemibasidii— Ustilaginales— Ustilaginaceae. Tilletiaceae. Graphiolaceae. Uredinales— Melampsoraceae. Pucciniaceae. Uredineae Imperfectae. Eubasidii— Hymenomycetae— Tremellales— Auriculariaceae. Tremellaceae. Dacryomycetaceae. Hymenomycetales—	8 4 1 1 6 16 3 4 4 4 6 6	103 21 1 17 312 145		92
asidiomycetes— Hemibasidii— Ustilaginales— Ustilaginaceae. Tilletiaceae. Graphiolaceae. Uredinales— Melampsoraceae. Pucciniaceae. Uredineae Imperfectae. Eubasidii— Hymenomyceteae— Tremellales— Auriculariaceae. Tremellaceae. Dacryomycetaceae. Hymenomycetales— Exobasidiaceae.	8 4 1 1 6 16 3 4 4 6 6 2	103 21 1 17 312 145 30 18 13 6		92
asidiomycetes— Hemibasidii— Ustilaginales— Ustilaginaceae. Tilletiaceae. Graphiolaceae. Uredinales— Melampsoraceae. Pucciniaceae. Uredineae Imperfectae. Eubasidii— Hymenomyceteae— Tremellales— Auriculariaceae. Tremellaceae. Dacryomycetaceae. Hymenomycetales— Exobasidiaceae. Hymenomycetales— Exobasidiaceae. Hymenomycetales— Exobasidiaceae. Hypochnaceae.	8 4 1 1 6 16 3 4 4 6 6 2 1 1	103 21 1 17 312 145 30 18 13 6 2		92
Sasidiomycetes— Hemibasidii— Ustilaginales— Ustilaginaceae. Tilletiaceae. Graphiolaceae. Uredinales— Melampsoraceae. Pucciniaceae. Uredineae Imperfectae. Eubasidii— Hymenomycetae— Tremellales— Auriculariaceae. Tremellaceae. Dacryomycetaceae. Hymenomycetales— Exobasidiaceae. Hypochnaceae. Thelephoraceae. Thelephoraceae.	8 4 1 1 6 16 3 4 4 6 6 2 1 1 1 4	103 21 1 17 312 145 30 18 13 6 2 118		92
asidiomycetes— Hemibasidii— Ustilaginales— Ustilaginaceae. Tilletiaceae. Graphiolaceae. Uredinales— Melampsoraceae. Pucciniaceae. Uredineae Imperfectae. Eubasidii— Hymenomyceteae— Tremellales— Auriculariaceae. Tremellaceae. Dacryomycetaceae. Hymenomycetales— Exobasidiaceae. Hypochnaceae. Hypochnaceae. Thelephoraceae. Clavariaceae.	8 4 1 1 6 16 3 4 4 6 6 2 1 14 3	103 21 1 17 312 145 30 18 13 6 2 118 32		92
Sasidiomycetes— Hemibasidii— Ustilaginales— Ustilaginaceae. Tilletiaceae. Graphiolaceae. Uredinales— Melampsoraceac. Pucciniaceae. Uredineae Imperfectae. Eubasidii— Hymenomyceteae— Tremellales— Auriculariaceae. Tremellaceae. Dacryomycetaceae. Hymenomycetales— Exobasidiaceae. Hymenomycetales— Exobasidiaceae. Hypochnaceae. Thelephoraceae. Clavariaceae. Hydnaceae.	8 4 1 1 6 16 3 4 4 6 6 2 1 14 3 11 11	103 21 1 17 312 145 30 18 13 6 2 118 32 30		92
asidiomycetes— Hemibasidii— Ustilaginales— Ustilaginaceae. Tilletiaceae. Graphiolaceae. Uredinales— Melampsoraceae. Pucciniaceae. Uredineae Imperfectae. Eubasidii— Hymenomyceteae— Tremellales— Auriculariaceae. Tremellaceae. Dacryomycetaceae. Hymenomycetales— Exobasidiaceae. Hypochnaceae. Hypochnaceae. Thelephoraceae. Clavariaceae.	8 4 1 1 6 16 3 4 4 6 6 2 1 14 3	103 21 1 17 312 145 30 18 13 6 2 118 32		92

Group and Family.	Genera.	Species.	Varieties.	Forms
Gasteromyceteae—				
Hymenogastrales—				
Hymenogastraceae	8	17		
Secotiaceae	4	.5	_	
Phallales—	4	.,	_	
	4	-		
Phallaceae,	7	10		
Clathraceae	,	[11]		
Sclerodermales—		1.0		
Sclerodermataceae	-)	16	-	-
Arachniaceae	1	5		
Lycoperdales—				
Lycoperdaceae	10	72		-
Tulostomataceae	-5	24	-	
Nidulariales→				
Nidulariaceae	• •	11	-	
Sphaerobolaceae	1	1	_	
Cpnactice ac				
Total Number of Basidiomycetes	198	1,704	39	_
Leptostromataceae. Excipulaceae. Melanconiales— Melanconiaceae. Moniliales— Actinomycetaceae. Muedinaceae. Dematiaceae. Tuberculariaceae. Stilbaceae. Eremascaceae Imperfectae. Saccharomycetaceae Imperfectae. Trichophytonaceae.	3 20 1 34 43 19 8 5 3 8	4 117 11 133 229 62 15 11 6 11	1 3 22 1	- - - 11 - - -
	100	1		
TOTAL NUMBER OF FUNGI IMPERFECTI	199	880	27	11
OTALS—		1		
Myxomycetes	28	93	10	_
Phycomycetes	24	77	1	
ASCOMYCETES	274	835	15	
LICHENS	126	1,159	205	
	198	1,704	39	
Basidiomycetes	199	880	27	
FUNGI IMPERFECTI				
	849	4,748	297	

VII.-TYPES AND TYPE COLLECTIONS.

It has been indicated elsewhere that the first fungi found in South Africa were taken to Europe as part of the spoils of the earlier botanical collectors, or, later, were sent to European mycologists for identification. As a result of this practice, few of the earlier type specimens are to be found in South Africa, and when Dr. Pole Evans began his study of South African fungi, the lack of types and of authentically named specimens was a serious handicap. It was found necessary, therefore, to send further collections away for study

retaining duplicates in the country, until sufficient named material had accumulated to form a basis for future work.

Type specimens of fungi collected in the 18th and 19th centuries are scattered in many herbaria, and are not always easy to trace. Dr. Wiltshire (1944:5) states that "since the last International Botanical Congress, the Committee on Nomenclature of the Botanical Society of America undertook to gather data on the location of type specimens. A preliminary list in mimeographed form of the herbaria of notable mycologists and the places where they are preserved, was circulated some years ago, but is far from complete." This list is not available in South Africa, and information about the location of type specimens of South African fungi and lichens is meagre and very far from complete. In the succeeding pages an effort has been made to indicate where at least the more important of these collections are to be found. It is hoped that at some future date a South African mycologist will find it possible to catalogue South African types in European and American herbaria; such a compilation would be of great service.

Most of Thunberg's specimens are in the Thunberg Herbarium in the botanical museum, Uppsala; there are also a number in other herbaria from sendings to his friends while on his travels. Two of his collections, Lycoperdon carcinomatis [=Podaxis pistillaris (Linn. ex Pers.) Fr.] and Lichen verrucosus [=Siphula tabularis (Thumb.) Nyl.] are in the Linnean

Herbarium, London (Jackson 1912: 97, 99).

Collections made by Eaton, Harvey and Zeyher were sent to Berkeley for examination and are in the Berkeley Herbarium at Kew. In 1847, Taylor published descriptions of a number of lichens collected by Zeyher, which he found in the Hooker Herbarium. Part of Zeyher's collection of fungi was sent by G. Kunze to Elias Fries; a few of these had not been studied by Berkeley, others were common to both collections. These fungi, and also those described by Fries from collections made by J. A. Wahlberg in Natal and parts of the Cape, are in the Museum of the Acad. Sc., Stockholm. Most of Drège's specimens are preserved

in the Herb. Delessert at Geneva (Pole Evans 1917: 101).

MacOwan's early collections were sent to von Thuemen, who distributed many numbers in his Mycotheca universalis. A number were identified by Winter and were distributed with the Rabenhorst-Winter Fungi Europaei et Extra-europaei. MacOwan prepared several sets of his Fungi austro-africani, of which one was sent to Cooke at Kew, where it was filed in the herbarium, and a second went to Kalchbrenner. A third set of MacOwan's plants, apparently including fungi, was sent to Theodor M. Fries, for in a letter dated 25th October, 1887, Fries writes from Uppsala: "The fine specimens of Hydnora and Broomeia are now true ornaments to our museum and the centuries that we have last received of your splendid Herbarium austro-africanum must, as well as those we have received before, be considered as the most precious additions that our herbarium have received of late." A third set was left in Somerset East, when MacOwan went to Cape Town, and was later transferred to Grahamstown; this set was acquired by purchase for the Pretoria Herbarium from Dr. S. Schonland when he retired from the curatorship of the Albany Museum. It is unfortunately not complete, nor is the set in the herbarium of the South African Museum, Cape Town.

MacOwan's lichens are more difficult to trace, and unfortunately very few numbers are to be found in South African herbaria. Some earlier collections, mostly from the Boschberg, were sent to Glasgow, where they were studied by Stirton and described in a paper which also dealt with lichens sent by Shaw and McLea. Some lichen numbers were included with the specimens sent to Kalchbrenner, who forwarded them to Lojka at Buda-Pesth; Lojka was interested in the South African material and asked MacOwan to send specimens for the 'Lichenotheca universalis' which he was preparing for distribution; he also asked to see the specimens sent to Stirton as he considered that some of Stirton's species were 'ambiguous'. After Lojka's death, MacOwan's lichens were sent to Stizenberger at Constanz in Germany; Stirton's types, which had been mislaid after Lojka's death, were found amongst his effects and also submitted to Stizenberger. The latter eventually returned them to MacOwan; a few specimens at Pretoria have Stirton's original determination and comments in a different

hand, apparently that of Stizenberger: unfortunately these specimens have no distinguishing numbers. In the report of the Government Botanist, 1897, MacOwan writes: "From the roll of correspondents with this herbarium, there has been recently removed by death, the eminent lichenologist Dr. Ernest Stizenberger of Konstanz. After the death of Dr. Hugo Lojka of Buda-Pesth, who had interested himself in Cape lichens, Dr. Stizenberger took up the broken thread of investigation, and at his suggestion, special attention was given to the collection of the saxicole forms, which previously had been greatly neglected. Considerable numbers of each species were placed at his disposal, and after the publication of his Lichenaea Africana, the surplus was distributed among lichenologists." Mr. S. Garside has ascertained that most of MacOwan's lichen types are to be found in the Herbarium der Botanische Museum der Universität, Zurich. It would appear that all, or most of Stizenberger's lichen collections went to Zurich, as there are numerous references to collections made by Wilms, Rehmann and Breutel in Zurich, as well as those of MacOwan.

Medley Wood's fungi also went to Cooke and Kalchbrenner and there is a set of his specimens at Kew. The lichens which he collected were probably sent to Lojka, as in a letter dated 8.3.87, the latter states that he has written to Medley Wood, asking him to collect corticolous and folicolous lichens. A set of Medley Wood's fungi was kept in the Natal Herbarium, and was presented to the Government in 1913: this set is now in the Cryptogamic Herbarium, Pretoria, but unfortunately, during the years it was kept in Durban,

insects wrought considerable havoc, especially in the larger specimens.

A large number of South African and many tropical African type collections, which are of almost equal importance in the study of South African species, were filed in the herbarium of the Botanisches Museum, Berlin-Dahlem, where it is hoped they may have survived the ordeal by fire in 1944. These include fungi described by P. Hennings, some of Schlechter's specimens, parts of lichen collections of Wilms, Breutel, Bachmann and many more, as well as Baum's fungus collections, made when he accompanied the Kunene-Sambesi Expedition.

Welwitsch's Angola collections were divided between Lisbon and the British Museum, and when there was only a single specimen, an illustration was filed in the British Museum. Also in the latter institution are collections of lichens contributed by MacLea, Breutel and

others, some, at least, of which are parts of type collections.

Besides Thunberg's specimens, a more recent collection of South African lichens is to be found at Uppsala. I. Ortendahl of the Botanical Gardens there, made a collection in Namaqualand, which was sent to Magnusson for examination. This collection, in which vellow species of Acarospora predominate, is preserved in the Plant Biological Institution at Uppsala. The extensive collections of lichens and fungi taken back to Norway by O. A. Hyeg as a result of his journey through Africa, are in the Museum of the Royal Norwegian Society of Science, Trondheim.

From 1905 onwards, Dr. Pole Evans sent numerous specimens to Europe for identification, some to P. Hennings and P. Magnus, but the majority to H. and P. Sydow, in whose herbarium many types were assembled. After the first world war, H. Sydow disposed of his herbarium, and it is now in the Nat. Hist. Museum, Stockholm. Later Sydow started a new Herbarium and types of species described more recently were kept in Berlin: this second collection was unfortunately destroyed during the second world war. Portions of all collections sent away were retained in Pretoria, where are also to be found types of species described in Bothalia from 1921 onward. Many of the larger fungi were sent to C. G. Lloyd in America, and after P. A. van der Byl became Professor of Plant Pathology in the Stellenbosch-Elsenburg College of Agriculture, he continued this practice. A number of types are therefore in the Lloyd Mycological Collections and parts of the type collections either in the Pretoria Herbarium or in the van der Byl Herbarium at Stellenbosch. There are also a few types in the herbarium of the Stellenbosch-Elsenburg College of Agriculture.

About 1930, van der Byl became interested in lichens and made considerable collections which he sent abroad for identification. New species were described by Vainio, of which the types were deposited in the Herbarium of the Mus. Bot. Univ. Fennicae in Abo (Turku) Finland. Zahlbruckner was responsible for a larger number of descriptions and the types

filed in the botanical section of the Naturhist. Museum in Vienna, of which he was the Director. Other types in this herbarium are those of species described by Zahlbruckner from material collected in Africa by Brunnthaler and in South West Africa by 'Apotheker Fincke' of Luderitzbucht. Parts of all van der Byl's lichen collections were retained in his herbarium now housed in the botanical department of the University of Stellenbosch.

According to Schinz (1905:2) Menyharth's collections of plants from the Zambesi region are partly in the botanical museum of the University of Vienna and partly in the Haynald-Observatorium in Kalocza, Hungary; duplicates of most of the numbers were

to be found in Vienna.

As Dr. Wiltshire has pointed out, the practice in general botany of taking the actual specimen studied as the type does not hold in mycology, where the author of a new species bases his description usually on a number of specimens or a collection. After elaborating this point, he continues (1944:5): "I suggest therefore, that Article 18 of the International Rules, which states that 'The type of the name of a species or group of lower rank is usually a specimen or preparation', should be extended to read 'except that the type of an epithet among micro-fungi is almost universally a collection'. It follows that all the material of a type collection has equal value wherever it may be deposited. . . . In South Africa it is taken for granted that the part of a MacOwan or Medley Wood collection retained in that country is as much type material as that sent to Kew and used by Cooke as the basis for a new species, and I really do not see how anyone can object to this. The parts of the fungus used by Cooke for his examination were not preserved. For purposes of comparison the right species has to be taken from the original material and identified whether that material be preserved at Pretoria or Kew."

In the lists of species in succeeding pages, the word 'type' is used in the sense suggested

by Dr. Wiltshire, i.e. as indicating the type collection or a part thereof.

VIII.—LIST OF SPECIES.

In the following list abbreviations are used for author's names and publications, and place names are indicated as briefly as possible. A note of interrogation before a record indicates that there is some doubt about the identification, but that the fungus is probably the species named.

South African Collections listed and Abbreviations used.

The largest collection of fungi of southern Africa is to be found in the Cryptogamic section of the National Herbarium, Pretoria. The numbers in this collections are quoted without any qualifying letters.

Other South African collections listed are the following, the abbreviations used in

quoting their numbers being shown in brackets:-

- (Duthie) Dr. A. V. Duthie's collections, mostly from Knysna and Stellenbosch. The Fungi are scattered in several herbaria; Mr. S. Garside kindly permitted the author to list the Myxomycetes, which are under his care in the Bolus Herbarium, Cape Town.
- (MacOwan) Fungi MacOwaniana, of which the majority were collected by Dr. Peter MacOwan in the neighbourhood of Somerset East, the Boschberg and Cape Town. Sets of specimens in the National Herbarium, Pretoria and the South African Museum, Cape Town are incomplete. There is also a set in the Kew Herbarium.
- (Medley Wood) Dr. J. Medley Wood's Natal fungi, originally housed in the Natal Herbarium, Durban were later transferred to the National Herbarium, Pretoria.
- (Pegler) Miss A. Pegler's fungi of Kentani. There is an almost complete set in the National Herbarium, Pretoria; a set was also sent to Kew Herbarium.

- (Rh) Mycological Herbarium of the Department of Agriculture, Southern Rhodesia. Thanks are due to Dr. J. C. F. Hopkins for lists of unpublished records from this herbarium.
- (Rump) Mr. W. G. Rump's collections of the larger fungi of Natal, mostly from the country around Pietermaritzburg. These are housed in the Natal Museum, Pietermaritzburg and there is a fairly complete set in the National Herbarium, Pretoria.
- (S.A.M.) Fungi and lichens in the herbarium of the South African Museum, Cape Town, were listed through the courtesy of the Director of the Museum.
- (Stell.) The Mycological Herbarium of the Stellenbosch-Elsenburg College of Agriculture, originally Dr. L. Verwoerd's collections. I am greatly indebted to Dr. B. J. Dippenaar for a list of the fungi in this herbarium.
- (E. L. Stephens) Collections, mostly of the larger fungi of the south-eastern Cape, assembled by Miss E. L. Stephens in the museum of the University of Cape Town. Miss Stephens very kindly assisted in listing these collections.
- (T.R.L.) The Mycological Herbarium of the Timber Research Laboratory, Johannesburg. Thanks are due to Miss D. Weintroub of that institution for a list of the named fungi in the herbarium.
- (v.d. Byl) The herbarium of Dr, P. A. van der Byl in the botanical department of the University of Stellenbosch. A record of the fungi in this collection has been published by Dr. G. C. Nel (1942) and the trustees of the van der Byl herbarium granted access to his collections so that the lichens could be listed. In the van der Byl herbarium, as in the National Herbarium, Pretoria there are two series of numbers, one for fungi and the other for lichens.

It is not considered necessary to explain abbreviations used in referring to European herbaria and well-known exsiccata, which are readily recognisable.

Amongst the species listed there are a number which, in literature quoted, are recorded as occurring in South Africa, but which are not represented in any South African herbarium.

Place of Collection.

In order to avoid repetition of names of districts and provinces, the place of collection is indicated as briefly as possible. The district and province in which each place is located can be found by reference to the locality index (p. 00). In this index there are a few omissions—mainly places quoted by early collectors—which it has not been possible to locate. Maps of provinces are supplied showing division into districts, and by comparison with the vegetation map, a general idea can be gained of the type of country in which the fungus or lichen was found.

Literature.

Citations are made as follows: Author, year of publication (in parenthesis) and page The full citation may be found by reference to the bibliography, where titles are listed under the names of authors, arranged in alphabetical order, and date of publication. When more than one paper by the same author in any year is quoted, these are distinguished by letters added to the year of publication.

There are two exceptions to this method of citation. Saccardo's Sylloge Fungorum and Zahlbruckner's Catalogus Lichenum universalis are quoted respectively as 'Sacc. Syll. Fung.' and 'Zahlbruckner Cat. Lich.', followed by the number of the volume in Roman figures and the page.

References to original descriptions are not included unless the type specimen was collected in South Africa.

List of Author's Names and Abbreviations.

			TO 1	THE TO 1 .	1001 1000
Abbott	E. V. Abbott		Bourd	H. Bourdot	1861-1937
Ach	Erik Acharius	1757-1819	Br	C. E. Broome	1812-1886
Aderh	Rudolph Aderhold	1865-1907	Branth	J. S. Branth	
Afzel	Adam Afzelius	1750-1837	Braun	A. Braun	1805-1877
Ains	G. C. Ainsworth	_	Breda de	Jacob van Breda de	
Alb	J. B. Albertini	1769-1831	Haan	Haan	-1917
					1839-1925
Allesch	A. Allescher	1828-1903	Bref	Oscar Brefeld	
Alm	J. V. d'Almeida	1855 - 1915	Bres	G. Bresadola	1847-1829
Anzi	M. Anzi		Bri	G. Briosi	1846 - 1920
Appel	Otto Appel		Brick	Carl Brick	1863 - 1924
Arn	F. Arnold	_	Brizi	Ugo Brizi	
Arnaud	G. Arnaud		Brumpt	Emile Brumpt	
Arth	J. C. Arthur	1850-1942	Brun	Paul Brunaud	
		1000-1042	Brushi	? Brushi	
Ashby	S. F. Ashby	1074 1010			1005 1005
Atk	G. F. Atkinson	1854-1918	Bubák	Franz Bubák	1865 - 1925
Auersw	B. Auerswald	1818-1870	Buchanan	R. E. Buchanan	
Bagl	F. Baglietto	1826-1916	Buchenau	F. Buchenau	
Bailey	A. A. Bailey	-	Buism	Christine J. Buisman	1900 - 1936
Baillon	H. Baillon	-	Bull	P. Bulliard	1752 - 1793
Bailly	Amour Bailly		Burkh	W. H. Burkholder	
					1839-1916
Bain	S. M. Bain	1869-1919	Burr	J. J. Burrill	
Bainier	G. Bainier	-1920	Burt	Edward A. Burt	1859-1939
Bakke	A. L. Bakke		W. Busse	Walter Busse	1865 - 1933
Bals	G. Balsamo-Crivelli		Butler	Edwin J. Butler	1874 - 1943
Bancroft	K. Bancroft		Calm	L. C. A. Calmette	1863 - 1933
Bang	Henrik Bang		Cam	M. de Souza da Camara	
Barel	A. Barclay	1852-1891	Carne	W. M. Carne	
Basgal	Waldemar Basgal	1002-1001		C. W. Carpenter	
		1501 1000	Carpenter		1818-1887
Batsch	A. J. G. Batsch	1761-1802	Casp	J. X. R. Caspary	
Batt	A. Batarra	1714 - 1789	Cast	L. Castagne	1785 - 1858
Bausch	Wilhelm Bausch		Castellani	Aldo Castellani	
Beach	W. S. Beach		Catt	A. Cattaneo	
G. Beck	G. Beck von Mannagetta	1856-1931	Cav	F. Cavara	1857-1929
Beckm	Johann Beckmann	1739-1811	Ces	V. de Cesati	1806-1883
Beeli	M. Beeli	1700-1011	Chalmers	Albert J. Chalmers	1000 1000
					1019 1001
Bél	Ch. Bélanger		Chat	G. Adolphe Chatin	1813-1901
Bell	A. Bellynck	1814–1877	Chaub	L. A. Chaubard	
Beltr	F. Beltramini de Casati	_	Cheney	L. S. Cheney	1858 - 1938
Béreng	G. A. de Bérenger	1815-1895	Chester	F. D. Chester	1861 - 1943
Berk	M. J. Berkeley	1803-1889	Chev	F. F. Chevallier	1796-1840
Berkhout	C. M. Berkhout		Christopher-	J. B. Christopherson	_
Berl	A. N. Berlese	1864-1903	son	o. D. Childropherodi	
Berthet	J. A. Berthet	1004-1000		Charles David Chunn	
		_	Chupp	Charles David Chupp	_
Biourge	Ph. Biourge		Church	M. B. Church	
Biroli	Giovanni Biroli		Ciferri	Rafaele Ciferri	-
Bisby	G. R. Bisby		Claus	R. E. Clausen	
Bitane	A. A. Bitancourt		Clem	F. E. Clements	
BivBern	A. de Bivona-Bernardi	1774-1837	Clint	G. P. Clinton	1867-1937
Bjerk	C. Bjerkander	1735-1795	Clus	C. Clusius	
Blume	C. L. Blume	1796-1862	Coem	E. Coemans	_
Bodin		1700-1002			
Douin	Eugéne and J. Almy		Coker	W. C. Coker	1000 1000
T) 111	Bodin		Cohn	F. J. Cohn	1828 - 1898
Boedijn	K. B. Boedijn	_	Colby	A. S. Colby	
Boist	A. Boistel		Cooke	M. C. Cooke	1825 - 1914
Bolle	Pierrette C. Bolle		Corda	A. C. J. Corda	1809.1849
Bolley	H. L. Bolley		Cornu	M. M. Cornu	1843-1901
Bolt	James Bolton	-1799	Cost	J. Costantin	1857-1936
Bomm	Elisa E. Bommer	1832-1910	Cotton	A. D. Cotton	
Bon	H. F. Bonorden				
		1901-1884	Couch	J. N. Couch	
Borr	W. J. Borrer	_	Cromb	James M. Crombie	_
Bory	Jean Bory de St. Vincent		Crouan	P. L. and H. Crouan	
Bosc	Louis A. G. Bosc	1759 - 1828		P. L. Crouan	1798 - 1871
Bottomley	Averil M. Bottomley	_		H. M. Crouan	1802 - 1871
Boud	Emile Boudier	1828-1920	Cub	G. Cuboni	1852-1920
B. de Lesd.	M. Bouly de Lesdain		Cunn	G. H. Cunningham	
	July and Library		Самини		

Curr	F. Currey	1819-1881	Fisch. v.	A. A. Fischer von Wald-	1839 - 1920
Currie	J. N. Currie		Waldh.	heim	
Curt	M. A. Curtis	1801 - 1872	Fitz	H. M. Fitzpatrick	-
Cutler	Elliott C. Cutler		Flagey	C. Flagey	
Dade	H. A. Dade		Floerke	H. G. Floerke	
Dalla Torre.	K. W. v. Dalla Torre		Flotow	Julius von Flotow	_
Dan	E. Y. Daniels		Fr	Elias Magnus Fries	1790-1878
Darling	S. T. Darling		Th. Fr	Theodor Magnus Fries	
Dast	Jehangir F. Dastur		Frag	R. G. Fragoso	1862 - 1928
Davis	J. J. Davis	1852 - 1937	Frank	A. B. Frank	1839 - 1900
Dearn	John Dearness		Frege	? Frege	_
DC	Aug. Pyr. de Candolle	1778 - 1841	Fres	J. B. G. W. Fresenius	1808-1880
de Bary	Anton de Bary	1831 - 1888	Fron	Georges Fron	_
Del	D. F. Delise	_	Fick	K. W. G. L. Fuckel	1821 - 1876
Delacr	E. G. Delacroix	1858 - 1907	Funck	N. Funck	
de Not	G. de Notaris	1805 - 1877			
des Abb	H. des Abbayes	_	Gaill	Albert Gaillard	1858~1903
de Seyn	J. de Seynes	1833-1912	Gall	B. T. Galloway	1863-1938
Desm	J. B. H. J. Desmaziéres	1786 - 1862	Galz	A. Galzin	1853-1925
Despr	? Despréaux		Garov	Santo Garovaglio	1805-1882
Desv	A. N. Desvoux	1784-1856	Gasp	G. Gasperini	
de Toni	G. B. de Toni	1864-1924	Gaudich	Charles Gaudichaud-	1789 - 1854
Dickson or	James Dickson	1738 - 1822	Cittacaciiiiiii	Beaupré	
Dicks	** **! 1 1		Gäumann	E. A. Gäumann	
Died	H. Diedecke	-	Gerard	W. R. Gerard	1841-1914
Diehl	W. W. Diehl	-	Giard	Alfred Giard	
Dierekx	Fr. Dierekx		Gibbs	Thomas Gibbs	1865-1919
Diet	Paul Dietel	_	Gill, or Gillet	C. C. Gillet	1806-1896
Dipp	B. J. Dippenaar		Gillot	F. X. Gillot	1842-1910
Ditm	L. P. Fr. Ditmar Carroll William Dodge		Gilman	J. C. Gilman	
Dodge	E. M. Doidge		Gmel	J. F. Gmelin	1748 - 1804
Doidge Dorogin	Georg. N. Dorogin		Godfrey	G. H. Godfrey	-
Dors	P. H. Dorsett	1862-1943	S. F. Gray	S. F. Gray	1766-1836
Drechsl	Charles Drechsler		Grev	R. K. Greville	1794–1866
Duby	J. E. Duby	1798-1885	Griff	E. Griffon	1869-1912
Ducom	V. Ducomet	_	Gross	J. G. Grossenbacher	
Duf	J. M. L. Dufour		Grotenf	Gösta Grotenfelt	
Dug	B. M. Duggar		Grout	A. J. Grout.	1848-1938
du Pless	S. J. du Plessis	_	Grove	W. B. Grove David Gruby	1040-1330
Durr	M. Ch. Durieu de Mai-	1796-1878	Gruby Guba	E. F. Guba	_
	sonneuve		Guill	Guillermond	
du Rietz	G. Einar du Rietz	_	Gyelin	V. Gyelnik	
	P 0 P 1		Gyciii	v. Gyenna	
Earle	F. S. Earle	1856 - 1929		0.0.77.1	
Eaton	Amos Eaton		Hahn	G. G. Hahn	_
Edgert	C. W. Edgerton		Hall	J. G. Hall	1852-1918
Eds	H. A. Edson E. T. Edwards		Halst	B. D. Halsted	1002-1910
Edwards Ehrlich			Hampe	E. Hampe	
Ehrenb	J. Ehrlich C. G. Ehrenberg	1795–1876	E. C. Hansen H. N.Hansen	Emil Christian Hansen H. N. Hansen	
Ehrht	Friedr. Ehrhart	1799-1070	Hansf	C. G. Hansford	
Ell	J. B. Ellis	1829-1905	Har	Paul A. Hariot	1854-1917
Erikss	Jakob Eriksson	1848-1931	Hara	Kanesuke Hara	
Eschw	F. G. Eschweiler		Harm	J. Harmand	
Essary	S. H. Essary	1870-1935	Harrison	F. C. Harrison	
Evans	I. B. Pole Evans		Harz	Carl Otto Harz	1842-1906
Everh	B. M. Everhart	1818-1904	Hazsl	Friedr. A. Hazslinszky	1818-1896
			Heald	P. D. Heald	_
Fabr	J. H. Fabre	1823-1915	Hedgcock	G. G. Hedgcock	
Farquh	C. O. Farquharson	1888-1918	Hedw	J. Hedwig	1730-1799
Fautr	F. Fautrey		Hedw. f	R. A. Hedwig	1772-1806
Fawc	H. S. Fawcett	_	Henn	Ernst J. Henning	1857-1929
Fayod	V. Fayod	1860-1900	P. Henn	Paul C. Hennings	1841-1908
Fée	A. L. A. Fée		Hepp	Phillip Hepp	
Ferraris	Teodoro Ferraris		Hesse	Rudolf Hesse	1844 - 1912
Alf. Fischer.	Alfred Fischer	1858-1914	Hillm	Johannes Hillman	
Ed. Fischer.	Eduard Fischer	1861 - 1939	Hoffm	G. F. Hoffmann	1761-1826

	H. C. Hermann Hoff- mann	1819–1891	Lam	J. B. A. P. M. de Lamarck	1774-1829
Hollós Holmsk	László Hollós Th. Holm (previously	1859–1940 1732–1794	Lamb Lambert	J. B. Ernest Lambotte E. M Lambert	1832–1905
Holw	Holmskjöld)	1059 1009	Lamy	Edouard Lamy de la	_
Hook	E. W. D. Holway William Jackson Hooker	1853–1923 1785–1865	J. E. Lange	Chapelle Jakob Emanuel Lange	_
Hook f	Joseph Dalton Hooker	_	Langeron	Maurice Langeron	
Hopkins Hori	J C F Hopkins Shôyarô Hori	_	Langl Lasch	A. B. Langlois W. G. Lasch	1832-1900 1787-1863
Hornem	J. W. Hornemann	1770-1841	Laub	Karl Richard Laubert.	
Howe jr	Reg. H. Howe (jnr)		Laughton	Elaine M Laughton	_
Hudson Hue	William Hudson	1703–1793	Laur Leb	F. Laurer	1813-1878
1140	A. Huc.,,,,,,,,,,	_	Lehm	S. G. Lehman	
Ito	Seiya Ito		Leight	W. A. Leighton	_
Ivimey Cook	W. R. Ivimey Cook		Lendner	A. Lendner	
T	Ou T	1004 1033	Lenz Leon	H. O. Lenz Leon H. Leonian	
Jaap Jacq	Otto Jaap N. J. Jacquin	1864-1922 1727-1817	Le Prévost.	Auguste le Prévost	_
Jacz	A. A. de Jaczewski	1863-1932	Lettau	G. Lettau.	
James	J. F. James	1857-1897	Leus Lév	Simeona Leus-Palo J. H. Léveillé	1796–1870
Jamieson	Clara O. Jamieson		Leyss	F. W. von Leysser	1731–1815
Jatta Jenkins	Antonio Jatta Anna E. Jenkins	_	Lib	Marie Anne Libert	1782 - 1865
Jensen	J. L. Jensen	1836-1904	Libosch	J. Liboschitz	-1824
Johns or J.	James Johnson		Lindau	Jens V. A. Lind Gustav Lindau	1874 - 1939 $1866 - 1923$
Johnson Johnston	I D Johnston		Linder	David H. Linder	
L R Jones	J. R. Johnston L. R. Jones	_	Lindsay	W. Lauder Lindsay	_
T A Jones	Theobald A. Jones	_	Lingelsh	A. Lingelsheim	1874-1937
$J\phi$ rg	C. A. J ϕ rgensen	_	Link Linn	J. H. F. Link Carl von Linné (Lin-	1767–1851 1707–1778
Jørst Jungh	Ivar Jørstad F. F. W. Junghuhn	1809-1864		naeus)	1101 1110
oungii	r. r. w. bungnum	1009-1004	Linn f	Carl von Linné (Lin-	1741-1783
Kalchbr	Károly Kalchbrenner	1807-1886	Lindr or Liro	naeus f) J. I. Liro, formerly Lind-	_
Karst	P. A. Karsten	1834-1917	222404, 04 2240	roth	
TZ CC					
Kauff	C. H. Kauffman	1869-1931	Lister	Arthur Lister	1830-1908
Kauff Kellern Kern	C. H. Kauffman W. A. Kellerman	1869–1931 1850–1908	G. Lister	Arthur Lister Gulielma Lister	
Kellern Kern Kev	C. H. Kauffman. W. A. Kellerman. F. D. Kern. A. G. Kevorkian.	1869-1931	G. Lister Litsch	Arthur Lister Gulielma Lister V. Litschauer	 1870–1939
Kellern Kern Kev Kickx	C. H. Kauffman. W. A. Kellerman. F. D. Kern. A. G. Kevorkian. Jean Kickx.	1869–1931 1850–1908	G. Lister Litsch Lloyd Louw	Arthur Lister	1870–1939 1859–1926
Kellern Kern Kev Kickx Killerm	C. H. Kauffman. W. A. Kellerman. F. D. Kern. A. G. Kevorkian. Jean Kickx. S. Killermann.	1869-1931 1850-1908 — — — 1803-1864	G. Lister Litsch Lloyd Louw Lucand	Arthur Lister Gulielma Lister. V. Litschauer C. G. Lloyd. A. J. Louw J. L. Lucand	1870–1939 1859–1926
Kellern Kern Kev Kickx	C. H. Kauffman. W. A. Kellerman. F. D. Kern. A. G. Kevorkian. Jean Kickx S. Killermann. Charlotte M. King.	1869-1931 1850-1908 — — — 1803-1864 — 1864-1937	G. Lister Litsch Lloyd Louw Lucand Lucet	Arthur Lister Gulielma Lister. V. Litschauer C. G. Lloyd A. J. Louw J. L. Lucand Adrien Lucet.	1870–1939 1859–1926 — 1821–1896
Kellern Kern Kev Kickx Killerm King Kleb Klotzsch	C. H. Kauffman. W. A. Kellerman. F. D. Kern. A. G. Kevorkian. Jean Kickx. S. Killermann. Charlotte M. King. H. Klebahn. J. F. Klotzsch.	1869-1931 1850-1908 — — — 1803-1864	G. Lister Litsch Lloyd Louw Lucand Lucet Ludw	Arthur Lister Gulielma Lister. V. Litschauer C. G. Lloyd A. J. Louw J. L. Lucand Adrien Lucet Friedrich Ludwig	1870–1939 1859–1926
Kellern Kern Kev. Kickx Killerm King. Kleb. Klotzsch. Knight.	C. H. Kauffman. W. A. Kellerman. F. D. Kern. A. G. Kevorkian. Jean Kickx. S. Killermann. Charlotte M. King. H. Klebahn.	1869-1931 1850-1908 — — 1803-1864 — 1864-1937 1859-1942	G. Lister Litsch Lloyd Louw Lucand Lucet Ludw Lynge	Arthur Lister. Gulielma Lister. V. Litschauer C. G. Lloyd. A. J. Louw J. L. Lucand Adrien Lucet. Friedrich Ludwig. B. Lynge.	1870–1939 1859–1926 — 1821–1896 — 1851–1918
Kellern Kern Kev Kickx Killerm King Kleb Klotzsch Knight Koerb (see Körb)	C. H. Kauffman. W. A. Kellerman. F. D. Kern. A. G. Kevorkian. Jean Kickx. S. Killermann. Charlotte M. King. H. Klebahn. J. F. Klotzsch.	1869-1931 1850-1908 — — 1803-1864 — 1864-1937 1859-1942	G. Lister Litsch Lloyd Louw Lucand Lucet Ludw Lynge Macbr	Arthur Lister Gulielma Lister. V. Litschauer C. G. Lloyd A. J. Louw J. L. Lucand Adrien Lucet. Friedrich Ludwig B. Lynge T. H. Macbride	1870–1939 1859–1926 — 1821–1896
Kellern Kern Kev Kickx Killerm King Kleb Klotzsch Knight Koerb (see Körb) Koern	C. H. Kauffman. W. A. Kellerman. F. D. Kern. A. G. Kevorkian. Jean Kickx. S. Killermann. Charlotte M. King. H. Klebahn. J. F. Klotzsch. Charles Knight.	1869-1931 1850-1908 ————————————————————————————————————	G. Lister Litsch Lloyd Louw Lucand. Lucet Ludw Lynge Macbr MacCarthy.	Arthur Lister Gulielma Lister. V. Litschauer C. G. Lloyd A. J. Louw J. L. Lucand Adrien Lucet Friedrich Ludwig B. Lynge T. H. Macbride Lee MacCarthy	1870–1939 1859–1926 — 1821–1896 — 1851–1918
Kellern Kern Kev Kickx Killerm King Kleb Klotzsch Knight Koerb (see Körb) Koern Koord	C. H. Kauffman. W. A. Kellerman. F. D. Kern. A. G. Kevorkian. Jean Kickx S. Killermann. Charlotte M. King. H. Klebahn. J. F. Klotzsch. Charles Knight.	1869-1931 1850-1908 ————————————————————————————————————	G. Lister Litsch Lloyd Louw Lucand Lucet Ludw Lynge Macbr	Arthur Lister Gulielma Lister. V. Litschauer C. G. Lloyd A. J. Louw J. L. Lucand Adrien Lucet. Friedrich Ludwig B. Lynge T. H. Macbride	1870–1939 1859–1926 — 1821–1896 — 1851–1918
Kellern Kern Kev Kickx Killerm King Kleb Klotzsch Knight Koerb (see Körb) Koern Koord Kord	C. H. Kauffman. W. A. Kellerman. F. D. Kern. A. G. Kevorkian. Jean Kickx. S. Killermann. Charlotte M. King. H. Klebahn. J. F. Klotzsch. Charles Knight. F. Koernicke S. H. Koorders. G. W. Körber.	1869-1931 1850-1908 ————————————————————————————————————	G. Lister Litsch Lloyd Louw Lucand. Lucet Ludw Lynge Macbr MacCarthy MacKinnon MacOwan Magn	Arthur Lister. Gulielma Lister. V. Litschauer C. G. Lloyd. A. J. Louw J. L. Lucand Adrien Lucet. Friedrich Ludwig. B. Lynge. T. H. Macbride Lee MacCarthy. J. E. MacKinnon. Peter MacOwan Paul Magnus.	1870–1939 1859–1926 — 1821–1896 — 1851–1918 — 1848–1934
Kellern Kern Kev Kickx Killerm King Kleb Klotzsch Knight Koerb (see Körb) Koern Koord	C. H. Kauffman. W. A. Kellerman. F. D. Kern. A. G. Kevorkian. Jean Kickx S. Killermann. Charlotte M. King. H. Klebahn. J. F. Klotzsch. Charles Knight.	1869-1931 1850-1908 ————————————————————————————————————	G. Lister Litsch Lloyd Luouw Lucand Lucet Ludw Lynge Macbr MacCarthy. MacKinnon. MacOwan. Magn H Magnus-	Arthur Lister. Gulielma Lister. V. Litschauer C. G. Lloyd. A. J. Louw J. L. Lucand Adrien Lucet. Friedrich Ludwig. B. Lynge. T. H. Macbride Lee MacCarthy. J. E. MacKinnon. Peter MacOwan	1870–1939 1859–1926 — 1821–1896 — 1851–1918 — 1848–1934 — 1830–1909
Kellern Kern Kev Kickx Killerm King Kleb Klotzsch Knight Koerb (see Körb) Koern Koord Körb Krass Krempelh	C. H. Kauffman. W. A. Kellerman. F. D. Kern. A. G. Kevorkian. Jean Kickx. S. Killermann. Charlotte M. King. H. Klebahn. J. F. Klotzsch. Charles Knight. F. Koernicke S. H. Koorders. G. W. Körber. J. M. Krassilstschik. Anton von Krempelhuber	1869-1931 1850-1908 ————————————————————————————————————	G. Lister Litsch Lloyd Louw Lucand. Lucet Ludw Lynge Macbr MacCarthy MacKinnon MacOwan Magn	Arthur Lister. Gulielma Lister. V. Litschauer C. G. Lloyd. A. J. Louw J. L. Lucand Adrien Lucet. Friedrich Ludwig. B. Lynge. T. H. Macbride Lee MacCarthy. J. E. MacKinnon. Peter MacOwan Paul Magnus.	1870–1939 1859–1926 ————————————————————————————————————
Kellern Kern Kev Kickx Killerm King Kleb Klotzsch Knight Koerb (see Körb) Koern Koord Körb Krass Krempelh	C. H. Kauffman. W. A. Kellerman. F. D. Kern. A. G. Kevorkian. Jean Kickx. S. Killermann. Charlotte M. King. H. Klebahn. J. F. Klotzsch. Charles Knight. F. Koernicke S. H. Koorders. G. W. Körber. J. M. Krassilstschik. Anton von Krempelhuber J. V. von Krombholz.	1869-1931 1850-1908 ————————————————————————————————————	G. Lister Litsch Lloyd Louw Lucand. Lucet Ludw Lynge Macbr MacCarthy. MacKinnon. MacOwan Magn H Magnusson Maire Malme	Arthur Lister. Gulielma Lister. V. Litschauer C. G. Lloyd. A. J. Louw J. L. Lucand Adrien Lucet. Friedrich Ludwig. B. Lynge. T. H. Macbride Lee MacCarthy. J. E. MacKinnon. Peter MacOwan Paul Magnus. A. H. Magnusson. René C. J. Maire. Gustav O. A. V. Malme	1870–1939 1859–1926 ————————————————————————————————————
Kellern Kern Kev Kickx Killerm King. Kleb Klotzsch Knight Koerb (see Körb) Koern Koord Körb Krass Krempelh Krüg. Krüg.	C. H. Kauffman. W. A. Kellerman. F. D. Kern. A. G. Kevorkian. Jean Kickx. S. Killermann. Charlotte M. King. H. Klebahn. J. F. Klotzsch. Charles Knight. F. Koernicke S. H. Koorders. G. W. Körber. J. M. Krassilstschik. Anton von Krempelhuber	1869-1931 1850-1908 ————————————————————————————————————	G. Lister Litsch Lloyd Louw Lucet Ludw Ludw Lynge MacCarthy MacKinnon Magn H Magnus- son Maire Mang	Arthur Lister. Gulielma Lister. V. Litschauer C. G. Lloyd. A. J. Louw J. L. Lucand Adrien Lucet. Friedrich Ludwig. B. Lynge. T. H. Macbride Lee MacCarthy. J. E. MacKinnon. Peter MacOwan Paul Magnus. A. H. Magnusson. René C. J. Maire. Gustav O. A. V. Malme L. Mangin.	1870–1939 1859–1926 ————————————————————————————————————
Kellern Kern Kev Kickx Killerm King Kleb Klotzsch Knight Koerb (see Körb) Koern Koord Kord Krass Krempelh Krüg King Krüg Krüg Kkühn	C. H. Kauffman. W. A. Kellerman. F. D. Kern. A. G. Kevorkian. Jean Kickx. S. Killermann. Charlotte M. King. H. Klebahn. J. F. Klotzsch. Charles Knight. F. Koernicke S. H. Koorders. G. W. Körber. J. M. Krassilstschik. Anton von Krempelhuber J. V. von Krombholz. Wilhelm Krüger. Julius G. Kühn. G. S. Kulkarni	1869-1931 1850-1908 ————————————————————————————————————	G. Lister Litsch Lloyd Louw Lucand. Lucet Ludw Lynge Macbr MacCarthy. MacKinnon. MacOwan Magn H Magnusson Maire Malme	Arthur Lister. Gulielma Lister. V. Litschauer C. G. Lloyd. A. J. Louw J. L. Lucand Adrien Lucet. Friedrich Ludwig. B. Lynge. T. H. Macbride Lee MacCarthy. J. E. MacKinnon. Peter MacOwan Paul Magnus. A. H. Magnusson. René C. J. Maire. Gustav O. A. V. Malme L. Mangin. El. and Em. Marchal	1870–1939 1859–1926 ————————————————————————————————————
Kellern Kern Kev Kickx Kilderm King. Kleb Klotzsch Knight Koerb (see Körb) Koern Koord Körb Krass Krempelh Krüg Kühn Kulk O Kuntze.	C. H. Kauffman. W. A. Kellerman. F. D. Kern. A. G. Kevorkian. Jean Kickx. S. Killermann. Charlotte M. King. H. Klebahn. J. F. Klotzsch. Charles Knight. F. Koernicke S. H. Koorders. G. W. Körber. J. M. Krassilstschik. Anton von Krempelhuber J. V. von Krombholz. Wilhelm Krüger. Julius G. Kühn. G. S. Kulkarni Otto Kuntze.	1869-1931 1850-1908 ————————————————————————————————————	G. Lister Litsch Lloyd Louw Lucet Ludet Ludw Lynge MacCarthy MacCarthy MacGwan Magn H Magnusson Maire Malme Mang Mang Marchal	Arthur Lister. Gulielma Lister. V. Litschauer C. G. Lloyd. A. J. Louw J. L. Lucand Adrien Lucet. Friedrich Ludwig. B. Lynge. T. H. Macbride Lee MacCarthy. J. E. MacKinnon. Peter MacOwan Paul Magnus. A. H. Magnusson. René C. J. Maire. Gustav O. A. V. Malme L. Mangin. El. and Em. Marchal Élie Marchal. Émile Julius Marchal	1870-1939 1859-1926 1821-1896 1851-1918 1848-1934 1830-1909 1844-1914 1852-1937
Kellern Kern Kev Kickx Killerm King Kleb Klotzsch Knight Koerb (see Körb) Koern Koord Kord Krass Krempelh Krüg King King	C. H. Kauffman. W. A. Kellerman. F. D. Kern. A. G. Kevorkian. Jean Kickx. S. Killermann. Charlotte M. King. H. Klebahn. J. F. Klotzsch. Charles Knight. F. Koernicke S. H. Koorders. G. W. Körber. J. M. Krassilstschik. Anton von Krempelhuber J. V. von Krombholz. Wilhelm Krüger. Julius G. Kühn. G. S. Kulkarni	1869-1931 1850-1908 ————————————————————————————————————	G. Lister Litsch Litsch Lloyd Louw Lucet Ludw Lynge Macbr MacCarthy MacKinnon Magn Magn H Magnus- son Maire Malme Mang Marchal	Arthur Lister Gulielma Lister V. Litschauer C. G. Lloyd A. J. Louw J. L. Lucand Adrien Lucet. Friedrich Ludwig B. Lynge T. H. Macbride Lee MacCarthy. J. E. MacKinnon. Peter MacOwan Paul Magnus. A. H. Magnusson. René C. J. Maire Gustav O. A. V. Malme L. Mangin. El. and Em. Marchal Élie Marchal Émile Julius Marchal Juan B. Marchionatto	1870-1939 1859-1926 1821-1896 1851-1918
Kellern Kern Kev Kickx Killerm King. Kkleb Klotzsch Knight Koerb (see Körb) Koern Koord Körb Krass Krempelh Krüg Kulk O. Kuntze G. Kunze	C. H. Kauffman. W. A. Kellerman. F. D. Kern. A. G. Kevorkian. Jean Kickx. S. Killermann. Charlotte M. King. H. Klebahn. J. F. Klotzsch. Charles Knight. F. Koernicke S. H. Koorders. G. W. Körber. J. M. Krassilstschik. Anton von Krempelhuber J. V. von Krombholz. Wilhelm Krüger. Julius G. Kühn. G. S. Kulkarni Otto Kuntze. Gustav Kunze.	1869-1931 1850-1908 ————————————————————————————————————	G. Lister Litsch Lloyd Louw Lucand Lucet Ludw Lynge MacCarthy. MacCarthy. MacKinnon. MacOwan. Magn H Magnusson Maire Malme Mang Marchal	Arthur Lister. Gulielma Lister. V. Litschauer C. G. Lloyd. A. J. Louw J. L. Lucand Adrien Lucet. Friedrich Ludwig. B. Lynge. T. H. Macbride Lee MacCarthy. J. E. MacKinnon. Peter MacOwan Paul Magnus. A. H. Magnusson. René C. J. Maire Gustav O. A. V. Malme L. Mangin. El. and Em. Marchal Élie Marchal. Émile Julius Marchal Juan B. Marchionatto G. B. Marignoni.	1870-1939 1859-1926 1821-1896 1851-1918
Kellern Kern Kev Kickx Kilderm King. Kleb. Klotzsch Knight. Koerb (see Körb) Koern Koord. Körb. Krass. Krempelh. Krüg. Kühn Kulk O, Kuntze. G. Kunze.	C. H. Kauffman. W. A. Kellerman. F. D. Kern. A. G. Kevorkian. Jean Kickx. S. Killermann. Charlotte M. King. H. Klebahn. J. F. Klotzsch. Charles Knight. F. Koernicke S. H. Koorders. G. W. Körber. J. M. Krassilstschik. Anton von Krempelhuber J. V. von Krombholz. Wilhelm Krüger. Julius G. Kühn. G. S. Kulkarni Otto Kuntze.	1869-1931 1850-1908 ————————————————————————————————————	G. Lister Litsch Litsch Lloyd Louw Lucet Ludw Lynge Macbr MacCarthy MacKinnon Magn Magn H Magnus- son Maire Malme Mang Marchal	Arthur Lister Gulielma Lister V. Litschauer C. G. Lloyd A. J. Louw J. L. Lucand Adrien Lucet. Friedrich Ludwig B. Lynge T. H. Macbride Lee MacCarthy. J. E. MacKinnon. Peter MacOwan Paul Magnus. A. H. Magnusson. René C. J. Maire Gustav O. A. V. Malme L. Mangin. El. and Em. Marchal Élie Marchal Émile Julius Marchal Juan B. Marchionatto	1870-1939 1859-1926 1821-1896 1851-1918
Kellern Kern Kev Kickx Kilerm King King Kleb Klotzsch Knight Koerb Koerb Koord Körb Krass Krempelh Krüg Kulk O Kuntze G Kuntze LaBill Lachner Sandoval	C. H. Kauffman. W. A. Kellerman. F. D. Kern. A. G. Kevorkian. Jean Kickx. S. Killermann. Charlotte M. King. H. Klebahn. J. F. Klotzsch. Charles Knight. F. Koernicke S. H. Koorders. G. W. Körber. J. M. Krassilstschik. Anton von Krempelhuber J. V. von Krombholz. Wilhelm Krüger. Julius G. Kühn. G. S. Kulkarni Otto Kuntze. Gustav Kunze. J. J. de la Billardiére. Vicenzo Lachner-Sandoval	1869-1931 1850-1908 ————————————————————————————————————	G. Lister Litsch Litsch Lloyd Louw Lucand. Lucet Ludw Lynge MacCarthy. MacCarthy. MacKinnon. Magn H Magnusson Maire Malme Mang Marchal Marchion Marign Marign Martin Martins	Arthur Lister. Gulielma Lister. V. Litschauer C. G. Lloyd. A. J. Louw J. L. Lucand Adrien Lucet. Friedrich Ludwig. B. Lynge. T. H. Macbride Lee MacCarthy. J. E. MacKinnon. Peter MacOwan Paul Magnus. A. H. Magnusson. René C. J. Maire. Gustav O. A. V. Malme L. Mangin. El. and Em. Marchal Elie Marchal. Émile Julius Marchal Juan B. Marchionatto G. B. Marignoni. Rudolf Marloth G. H. Martin. Carl F. P. von Martius.	1870-1939 1859-1926 1821-1896 1851-1918
Kellern Kern Kev Kickx Kilderm King Kleb Klotzsch Klotzsch Koerb Koerb Koerb Koord Kord Körb Krass Krempelh Krüg Kulk O Kuntze G Kunze LaBill Lachner Sandoval Laff	C. H. Kauffman. W. A. Kellerman. F. D. Kern. A. G. Kevorkian. Jean Kickx. S. Killermann. Charlotte M. King. H. Klebahn. J. F. Klotzsch. Charles Knight. F. Koernicke S. H. Koorders. G. W. Körber. J. M. Krassilstschik. Anton von Krempelhuber J. V. von Krombholz. Wilhelm Krüger. Julius G. Kühn. G. S. Kulkarni Otto Kuntze. Gustav Kunze. J. J. de la Billardiére. Vicenzo Lachner-Sandoval H. A. Lafferty.	1869-1931 1850-1908 ————————————————————————————————————	G. Lister Litsch Litsch Lloyd Lloyd Lucuw Lucet Ludw Lynge Macbr MacCarthy MacKinnon MacOwan Magn H Magnus- son Maire Malme Marchal Marchal Marchion Marign Marloth Martin Martius Mason	Arthur Lister. Gulielma Lister. V. Litschauer C. G. Lloyd. A. J. Louw J. L. Lucand Adrien Lucet. Friedrich Ludwig. B. Lynge. T. H. Macbride Lee MacCarthy. J. E. MacKinnon. Peter MacOwan Paul Magnus. A. H. Magnusson. René C. J. Maire. Gustav O. A. V. Malme L. Mangin. El and Em. Marchal Elie Marchal. Émile Julius Marchal Juan B. Marignoni. Rudolf Marloth. G. H. Martin. Carl F. P. von Martius. E. W. Mason.	1870-1939 1859-1926 1821-1896 1851-1918 1848-1934 1830-1909 1844-1914 1852-1937 1839-1923 1871- 1855-1931 1794-1868
Kellern Kern Kev Kickx Kilerm King King Kleb Klotzsch Knight Koerb Koerb Koord Körb Krass Krempelh Krüg Kulk O Kuntze G Kuntze LaBill Lachner Sandoval	C. H. Kauffman. W. A. Kellerman. F. D. Kern. A. G. Kevorkian. Jean Kickx. S. Killermann. Charlotte M. King. H. Klebahn. J. F. Klotzsch. Charles Knight. F. Koernicke S. H. Koorders. G. W. Körber. J. M. Krassilstschik. Anton von Krempelhuber J. V. von Krombholz. Wilhelm Krüger. Julius G. Kühn. G. S. Kulkarni Otto Kuntze. Gustav Kunze. J. J. de la Billardiére. Vicenzo Lachner-Sandoval	1869-1931 1850-1908 ————————————————————————————————————	G. Lister Litsch Litsch Lloyd Louw Lucand. Lucet Ludw Lynge MacCarthy. MacCarthy. MacKinnon. Magn H Magnusson Maire Malme Mang Marchal Marchion Marign Marign Martin Martins	Arthur Lister. Gulielma Lister. V. Litschauer C. G. Lloyd. A. J. Louw J. L. Lucand Adrien Lucet. Friedrich Ludwig. B. Lynge. T. H. Macbride Lee MacCarthy. J. E. MacKinnon. Peter MacOwan Paul Magnus. A. H. Magnusson. René C. J. Maire. Gustav O. A. V. Malme L. Mangin. El. and Em. Marchal Elie Marchal. Émile Julius Marchal Juan B. Marchionatto G. B. Marignoni. Rudolf Marloth G. H. Martin. Carl F. P. von Martius.	1870-1939 1859-1926 1821-1896 1851-1918 1848-1934 1830-1909 1844-1914 1852-1937 1839-1923 1871 1855-1931

Massal	A. B. Massalongo	1824-1860	Peck	C. H. Peck	1833-1917
Massey Matruch. or	L. M. Massey Louis Matruchot	1863-1921	Peglion Penz	Vittorio Peglion Otto Penzig	1856-1929
Matr.			Perc	John Percival	_
Matsum Mattir	Takashi Matsumoto Oreste Mattirolo	2000	Pers Petch	C. H. Persoon Thomas Petch	1761-1837
Maubl	André Maublanc	-	Pethybr	G. H. Pethybridge	_
McAlp	D. McAlpine	1849-1932	Petrak	Franz Petrak	
McRae	W. McRae		Petri	Kionello Petri	
Megl	G. Megliola		Phill Picard	William Phillips F. Picard	1822-1905
Merrill Metsch	G. K. Merrill Elias Metschnikoff		Pierce	N. B. Pierce	1856-1916
Mey	G. F. W. Meyer	1782-1856	Pijper	Adrianus Pijper	
Mich	P. A. Micheli	1679-1737	Plowr	C. B. Plowright	1849-1910
Michx Milbrath	André Michaux John A. Milbrath	1746-1802	Poetsch	J. S. Poetsch	1766-1854
Miles	L. E. Miles	1890-1941	Pole Evans	A. I Olicau	1100-100*
Miller	Julian H. Miller		(see Evans)		
Milochevitch	S. Milochevitch		Porta	G. Porta	1540-1615
Minks Miq	Arthur Minks F. A. W. Miquel	1811-1871	Potter Preuss	M. C. Potter	-1855
Mitra	Manoranjan Mitra	1895-1942	Priestley	Henry Priestly	_
Miyabe	Kingo Miyabe		Prill	E. E. Prillieux	1829-1915
Miyake	Tsutome Miyake		Pullinger	B. Davidine Pullinger	No. of Contrast
Molliard	M. Molliard	1784-1866	Putterill	V. A. Putterill	
Mont Morg	J. C. F. Montagne A. P. Morgan	1836-1907	Quél	Lucien Quélet	1832-1899
Motyka	Josef Motyka		Q doi:		
Moug	J. B. Mougeot	1776-1858	Rabenh	G. L. Rabenhorst	1806-1881
Mudd	William A. Mudd	1730-1784	Rac	M. Rac borski Louis Ramond	1863-1917
Müll MüllArg	O. F. Müller J. Müller (Argau)	1826-1896	Ramond	R. D. Rands	
Munn	Mancel Thornton Munn	_	Rang	J. F. Rangel	
Murrill	W. A. Murrill	_	Rav	H. W. Ravenel	1814-1887
N	T 4 N		Ravaz	L. E. Ravaz Tscharna Rayss	1863-1937
Nannf Nannizzi	J. A. Nannfeldt Arturo Nannizzi	_	Rayss Rea	Carleton Rea	_
Nattrass	R. M. Nattrass	_	Rebent	J. F. Rebentisch	1772-1810
Neck	Noël Joseph de Necker		Redaelli	Piero Redaelli	
Xees	C. G. D. Nees von Esen- beck	1776–1858	Reddick	Donald Reddick Karl Redinger	
Nel	G. C. Nel		Redinger	Max Reess	1845-1901
Niehaus	C. G. Niehaus	-	Rehm	H. Rehm	1829-1916
Niels	P. Nielsen	1829-1897	J. Reinke	Johannes Reinke	1829-1916
Niessl	G. von Niesel	1839-1919	Reinking	O. A. Reinking Richard Relhan	
Nish Nisikado	Toji Nishida Yosikazu Nishikado	1874-1927	Relh Remak	Robert Remak	
Nitschke	Theodor Nitschke	1834-1883	Requien	E. Requien	1788-1851
Noack	Fritz Noack	-	Retz	A. J. Retzius	1742 - 1821
Norm Nowak	J. M. Norman L. Nowakowski		Rex Rick	G. A. Rex	
Nowell	William Nowell		Riv	S. Rivolta	
Nyl	William Nylander	1822-1899	Roark	E. E. Roark	1894-1918
E. Nym	E. O. A. Nyman	1866-1900	Roberts	J. W. Roberts	
Oed	G. C. Oeder	1728-1791	Robin Rodway	Charles Robin L. Rodway	
Oliv	H. Olivier	-	Röhl	J. C. Röhling	1757-1813
Opiz	P. M. Opiz	1787-1858	Roll	L. L. Rolland	1841-1912
Osbeck	Pehr Osbeck	1723-1805	Romell	L. G. Romell	1854–1927 1851–1928
$\begin{array}{c} \text{Otth.} \dots \dots \\ \text{Oud.} \dots \end{array}$	G. H. Otth C. A. J. A. Oudemans.	1806–1874 1825–1906	Rostr	F. G. E. Rostrup	1831-1925
Overh	L. O. Overholts	1020-1000	Roth	A. W. Roth	1757-1834
			Roum	C. Roumeguére	1828-1892
Pamm	L. H. Pammel	1862-1931	Rouss	Mariette H. Rousseau	-1926 1833-1900
Pass. or Pas- ser.	G. Passerini	1816–1893	Roze Rud	E. Roze Fr. K. I. Rudolphi	1801-1849
Pat	N. Patouillard	1854-1926	Ryan	R. W. Ryan (Sister	
Pazschke	Otto Pazschke	1843-1922		Mary Hilaire)	

0.1	D-i		C14	C E Ct-ma	
Sabourand	Raimond Sabouraud	1045 1000	Stone	G. E. Stone	1000 1010
Sacc	P. A. Saccardo	1845-1920	Stonem	Bertha Stoneman	1866-1943
D. Sacc	Domenico Saccardo		Stout	G. L. Stout	
Sadeb	R. E. B. Sadebeck	1839-1905	Strauss	F. C. J. von Strauss	1787-1855
Salm	E. S. Salmon		Sturgis	W. C. Sturgis	1862 - 1942
Sandst	Heinrich Sandstede		Sw	Olof Peter Swartz	1760-1818
Sard	J. R. Sardiña		Swing	W. T. Swingle	
Sarnth	Ludwig von Sarntheim.		-	Hans Sydow	1879-
Sartory	Auguste Sartory		Syd	Paul Sydow	1851-1925
Savul	Trajan Savulescu		Talice	Rudolfo V. Talice	1001 1020
Sawada	Kaneyoshi Sawada		Tan	Tyozaburo Tanaka	
Scalia		_	Tassi		_
	Giuseppe Scalia	7510 1500		Flaminio Tassi	1007 1007
Schaeff	J. C. Schaeffer	1718–1790	Taubenh	J. J. Taubenhaus	1885-1937
Schaer	L. E. Schaerer		Thaxt	R. Thaxter	1858 - 1932
Schilb	K. Schilberszky	1863-1935	Tayl	Thomas Taylor	_
Schleich	J. C. Schleicher	1768-1834	Teh	L. R. Tehon	
Schm	J. K. Schmidt	1793-1850	Theiss	F. Theissen	1877-1919
Schrad	H. A. Schrader	1767-1836	Thom	Charles Thom	
Schrank	F. P. von Schrank	1747-1835	Thuem	F. von Thuemen	1839-1892
Schreb	J. C. D. von Schreber		Thunb	Carl Pehr Thunberg	1743-1828
Schroet	J. Schroeter	1837-1894	Tirab	Carlo Tiraboschi	_
Schuler	J. Schuler	_	Tisd	W. B. Tisdale	
Schultz	C. F. Schultz	1765-1837	Tode	H. J. Tode	1733-1797
Schum	H. C. F. Schumacher	1757-1830		Filippo Tomini	
			Togn	Filippo Tognini	1866–1896
Schw	L. D. von Schweinitz	1780-1834	Torn	Francesco Tornabene	_
Schwend	Simon Schwendener		Torrend	Camillo Torrend	
Scop	J. A. Scopoli	1723–1788	Tourn	J. P. de Tournefort	
Seaver	F. J. Seaver		Tracy	S. M. Tracy	1847 - 1920
Secretan	L. Secretan	1758-1839	Trail	J. W. H. Trail	1851–19 39
Seeber	G. R. Seeber		Tranzsch	W. A. Tranzschel	
Shaw	F. J. F. Shaw	1885-1936	Trav	G. B. Traverso	
Shear	C. L. Shear	_	Trel	W. Trelease	
Sheld	J. L. Sheldon		Trevis	Vittore Trevisan	1818-1897
Sherb	C. D. Sherbakoff		Trinch	G. Trinchieri	
Shirai	Mitsutaro Shirai		Trott	Alessandro Trotter	_
Shirley	J. Shirley		Trow	A. H. Trow	1863-1939
Siem	Wincenty Siemaszko		Tuckerm	Edward Tuckerman	1817–1886
Singer	Rolf Singer		Tuckerm	(I D Tulcana	1815–1885
Small	W Cma ll	.—	Tul	L. R. Tulasne C. Tulasne	1816-1884
A. L. Sm	W. Small	1054 1007	m	M. Thurster	1879-1929
C. O. Smith	Annie Lorrain Smith	1854–1937	Ture	M. Turconi	1879-1929
	Clayton O. Smith		Turn	Dawson Turner	
E. F. Sm	Erwin F. Smith	1854 - 1927			
E. H. Sm	Elizabeth H. Smith	1877-1933	Unger	Franz Unger	1800-1870
J. E. Sm	James Edward Smith	1759 - 1828	Uppal	B. N. Uppal	
R. E. Sm	Ralph E. Smith		Орран	D. N. Орран	
W. G. Sm	Worthington G. Smith	1835-1917			
Snyder	W. C. Snyder	_	Vahl	M. H. Vahl	1749-1804
Solh	W. G. Solheim	_	Vaill	Sébastian Vaillant	1669 - 1722
Sommerf	Sören C. Sommerfelt	1794-1838	Vain	E. A. Vainio (see also	
Sopp	Olav Johan-Olsen Sopp			Wainio)	
Sorokin	N. V. Sorokin	1846-1909	van Breda	J. van Breda de Haan	_
South	Effie A. Southworth		v. d. Byl	P. A. van der Byl	1888-1939
Sow	James Sowerby	1757-1822	v. Schrenk	H. von Schrenk	1000 1000
Spauld	P. Spaulding	1707-1022	van Tiegh	P. E. L. van Tieghem.	1839-1914
					1009-1014
Speare	A. T. Speare	1050 1000	Vent	E. P. Ventenat	_
Speg	C. Spegazzini	1858-1926	Verw	Len Verwoerd	1000 1000
Spreng	Kurt P. J. Sprengel	1766–1833	Vi	Pierre Viala	1859 - 1936
Starb	Karl Starbäck	_	Viand-Gr	A. Viand-Grand-Marais.	_
Steiner	Julius Steiner		Marais		
Steinm	A. Steinman		Vincent	H. Vincent	
Steud	Ernst Gottlieb Steudel		Vitt	C. Vittadini	1800 - 1865
Stev	F. L. Stevens	1871-1934	Vivian	D. Viviani	1772-1840
N. E. Stev	N. E. Stevens		Vize	John E. Vize	1830-1916
Stewart	F. C. Stewart		Vogl	P. Voglino	1864-1933
Stirt	James Stirton		Volkart	Albert Volkart	
Stizenb	E. Stizenberger		von Höhn	F. von Höhnel	1852-1920
Stoddard	James L. Stoddard		Vouaux	Leon Vouaux	1870-1914
Stoll	O. Stoll.	_	Vuill	P. Vuillemin	1861-1932

Wadk	R. F. Wadkins		Wiltsh	S. P. Wiltshire	
Wahlbg	Göran Wahlenberg	1780-1851	Wingate	H. Wingate	
Wain	E. A. Wainio (later	1853-1929	Wint	G. Winter	1848-1887
	(Vainio)		With	William Withering	1774-1799
Wakef	Elsie M. Wakefield		Wolf	F. A. Wolff	-
Wallr	C. F. W. Wallroth	1792-1857	Wollenw	H. W. Wollenweber	- marine
Web	G. H. Weber		Woron	M. S. Woronin	1838-1903
Wedd	H. A. Weddell		Woronich	N. Woronichine	*****
Weese	Josef Weese		Wrobl	Anton Wróblewski	
Wehm	L. E. Wehmeyer		Wulf	F. X. von Wulfen	1728-1805
Weinm	J. A. Weinmann	1782 - 1858			
Weiss	F. A. Weiss		Yam	Wataro Yamamoto	
Welch	D. S. Welch		Yoshino	Kiichi Yoshino	
Welw	F. Welwitsch	1807-1872	Yukawa	K. Yukawa	
Went	F. A. F. C. Went	1863-1935			
Werd	E. Werdermann		Zach	F. Zach	
Wernham	C. C. Wernham		Zahlbr	Alexander Zahlbruckner	1860-1938
Wernicke	Robert Wernicke		Zal	K. Zaleski	
West	G. D. Westendorp	1813-1868	Zeller	Sanford M. Zeller	
Westling	R. Westling	-	Zenk	Jonathan Carl Zenker	
Weston	W. H. Weston		Zimm	A. Zimmermann	1860 - 1931
Wettstein	R. von Wettstein	1863-1931	Zoll	H. Zollinger	1818-1859
Wiggers	F. H. Wiggers		Zopf	F. W. Zopf	1846 - 1909
Wilcox	E. M. Wilcox	-1920	Zundel	G. L. I. Zundel	
Willd	C. L. Willdenow	1765 - 1812	Zwackh	Wilhelm von Zwackh-	
Willey	Henry Willey			Holzhausen	

Grateful thanks are due to Miss E. M. Wakefield for revising the list of author's names, for indicating standard abbreviations and for filling in details not available in South Africa.

MYXOMYCETES

(MYCETOZOA.)

EXOSPOREAE.

CERATIOMYXACEAE.

Ceratiomyxa fruticulosa Macbr.

Lister (1925) 4; Duthie (1917) 300; van der Byl (1922 d) 282; Hopkins (1938 a) 98. Ceratium hydnoides Alb. & Schw., Kalchbrenner (1882 b) 27; Sacc. Syll. Fung. IV: 598; Bottomley (1916) 425.

Ceratium sphaeroideum Kalchbrenner & Cooke (1880) 22.

on decayed wood and bark, Boschberg, Macowan 1050, (S.A.M. 33322) & Macowan 1284, 22022; Inanda, Medley Wood 521, 10179, 9497; Knysna, Duthie 23; Stellenbosch, Duthie; Potchefstroom, Goossens, 27319; Salisbury, Eyles 4333.

Var. flexuosa Lister

Lister (1925) 4; Duthie (1917) 300.

Ceratium arbuscula Berk. & Br., Torrend (1905) 217.

on moist logs and rotton wood, without locality, Duthie; near Wonderboom, Doidge & Bottomley, 28803; Moçambique (Torrend).

Var. porioides Lister

Lister (1925) 5.

on rotten wood, South Africa, without locality.

ENDOSPOREAE.

PHYSARACEAE.

Badhamia affinis Rost.

Lister (1925) 16.

on Passiflora sp., Schagen, Liebenberg, 28805.

on Quereus sp., old oak bough, Belvidere, Knysna, Duthie 114; on dead wood, Knysna, Duthie 20.

on moss and on bark of dead and living trees, Knysna, Duthie 147.

Badhamia foliicola Lister

on dead leaves and twigs, Kaapmuiden, H. A. Wager, 7414.

Badhamia macrocarpa Rost.

on Aloe sp., decayed stem, Fort Beaufort, Moore, 25453.

on decayed leaf, Stellenbosch, Duthie 158; on bark, Boschfontein, Doidge & Bottomby, 30686.

Badhamia nitens Berk.

Lister (1925) 14.

on dead wood, South Africa, without locality.

Badhamia rubiginosa Rost. var. dictyospora Lister

Lister (1925) 19, 20.

on fallen leaves and brushwood, South Africa, without locality.

Badhamia utricularis Berk.

Lister (1925) 12; Van der Byl (1922 d) 282, (1929 b) 101.

Badhamia varia Mass., Cheesman (1909) 413.

on tree stumps and on decaying wood, Port Elizabeth, Cheesman; East London, Cheesman; Stellenbosch, Duthie 33; Jonkershoek, Duthie 96; Belvidere, Knysna, Duthie 110; without locality, M. Pole Evans, 14670, 14671, 14672; near Rhodes Memorial, Rondebosch, J. Acocks, (E. L. Stephens 377).

Badhamia sp.

Duthie (1917) 300.

on Populus sp., decayed log, Cape Peninsula, Pocock, (Duthie 188).

on dead bark, Stellenbosch.

Cienkowskia reticulata Rost.

Lister (1925) 73.

on dead wood, in poplar bush, Potchefstroom, Goossens. 27317; Forest Hall, Knysna, Duthie 119; Belvidere, Knysna, Duthie 117.

Craterium aureum Rost.

Lister (1925) 79, 80.

on dead leaves, Cape of Good Hope.

Craterium leucocephalum Ditm. var. scyphoides Lister

Lister (1925) 78, 79,

on dead leaves and twigs, Cape of Good Hope.

Craterium minutum Fr.

Lister (1925) 75; Duthie (1917) 303.

Craterium confusum Massee (1892 a) 264. on leaves and twigs, Natal.

Diachaea leucopoda Rost.

Kalchbrenner (1882 a) 143; Cheesman (1909) 413; Lister (1911) 119, (1925) 101;
 Massee (1892 a) 260; van der Byl (1922 d) 282; Doidge & Bottomley (1931)

Diachaea elegans Fr., Lister (1894) 91.

on Fragaria sp., Potchefstroom, Saunders, 20592, 20609; Stellenbosch, Bulmer, 9044; Onderstepoort, Bisschop, 33451.

Solanum nigrum Linn., Garstfontein, Pienaar, 2084.

on dead and living leaves, dead twigs and bark, Inanda, Medley Wood 139, Kew; Rain Forest, Victoria Falls, Cheesman; Swaziland, Bolus, 310; Knysna, Pienaar, 2349; The Willows, v. d. Byl, 5603; Garstfontein, Pienaar, 6583; Groenkloof, Bottomley, 23209; Fountains Valley, Bottomley, 20607; De Beers Rust, Doidge, 30679 & Hean, 30525; Stellenbosch, Duthie 5; Rondebosch, M. A. Pocock (E. L. Stephes 539).

Diderma effusum Morg.

Duthie (1918) 458; van der Byl (1922 d) 282; Lister (1925) 85. on dead leaves and twigs, Stellenbosch, *Duthie* 29, 44.

Diderma hemisphericum Hornem

Lister (1925) 84.

on dead leaves and twigs, Forest Hall, Knysna, Duthie 58; Stellenbosch, Loseby (Duthie 159).

Diderma subdictyospermum Lister

Lister (1911) 101; Duthie (1917) 303.

Chondrioderma subdictyospermum Rost., Lister (1894) 77. on moss and dead leaves, Cape of Good Hope, Kew.

Fuligo cinerea Morg.

Lister (1925) 69; Hopkins (1938 a) 98.

on Carica Papaya Linn., on leaves, Hartley (Rh. 1051).

on bark, in poplar bush, Potchefstroom, Goossens, (Duthie 175) 27808; Mountain Ravine, Stellenbosch, Duthie 135; on garden soil, Hunters' Road (Rh. 1141).

Fuligo muscorum Alb. & Schw.

on leaves and twigs in poplar grove, De Beers Rust. Hean, 30484.

Fuligo septica Gmel.

Lister (1894) 66, (1911) 86, (1926) 66; Duthie (1917) 302; Van der Byl (1922 d) 282; Verwoerd (1931 a) 298.

Aethalium septicum Fr., Berkeley (1876 a) 175. Fuligo varians Sommerf., Massee (1892 a) 340.

on decayed wood and leaves, Groot Schuur, Eaton, Kew; Knysna, Duthie 18; Klapmuts, v. d. Byl 383, 31719; Stellenbosch and Kirstenbosch, Duthie; without locality, Kew; Bloemfontein, Verwoerd, and Potts, 13005; Clanwilliam, Duthie; Newlands, E. P. Phillips, (S.A.M. 9553) and Péringuey, 9181, 9182; Lion's Head, M. Pole Evans, 14478; Deepwalls, J. Phillips, 18027, 18152; Pretoria, Wager, 24892, Bottomley, 17715, Schweickerdt, 30524; Brooklyn, Doidge, 30683; Daspoort, Kresfelder, 9187; Horn's Nek, Sichel, 31000; Groenkloof, Bottomley, 14527; in poplar bush, Potchefstroom, Goossens, 27323, 27325; De Beers Rust, Doidge, 30682; Hogsback, K. M. Putterill, 30812; Vereeniging, L. C. Turner, 9188; Stikland and University Grounds, Rondebosch, J. Acocks (E. L. Stephens 169, 541); Johannesburg, Blackburn, 32312; Tebetabeng Mill, Hean, 33492.

Leocarpus fragilis Rost.

Duthie (1917) 303; van der Byl (1922 d) 282; Lister (1925) 80; Hopkins (1938 a) 98.

on dead leaves and bark: on pine needles, Stellenbosch, *Duthie 49*, 128: Papegaaisberg, *Duthie 140*; Stellenbosch, *Niewoudt*, (Stell. 564); Potchefstroom, *Goossens*, 27328; on pine needles and bark, Hogsback, K. M. Putterill, 30808: on oak leaves and twigs, Kirstenbosch, *Bottomley*, 24848; on pine needles, Univ. Grounds, Rondebosch, E. L. Stephens 538; Salisbury, Eyles 6641.

Physarella oblonga Morg.

Lister (1925) 73.

on dead wood, Forest Hall, Knysna, Duthie 111.

11101-3

Physarum auriscalpium Cooke

Lister (1925) 39: van der Byl (1922 d) 282, (1929 b) 101; Verwoerd (1931 a) 298. on dead wood, south-western Cape, v. d. Byl; Brenton, Knysna, Duthie 169; on dead pine needles, Bloemfontein, Verwoerd: Stellenbosch, Duthie 50 and Loseby (Duthie 161).

Physarum bitectum Lister

Lister (1925) 59; Macbride (1934) 56.

on decaying leaves and wood, Belvidere, Knysna, *Duthie 107*, 27302; in poplar bush, Potchefstroom, *Goossens*, 27318.

Physarum bogoriense Rac.

Lister (1925) 58.

on dead leaves, Forest Hall, Knysna, Duthie 66; Belvidere, Knysna, Duthie 113.

Physarum cinereum Pers.

Cooke (1879 b) 70, (1880) 14; Kalchbrenner (1882 a) 143; Sacc. Syll. Fung. VII:
 344; Lister (1894) 55, (1925) 53; Duthie (1917) 301; Hopkins (1939 a) 10;
 Doidge & Bottomley (1931) 12, 35.

Physarum capense Rost., Massee (1892 a) 309; Sacc. Svll. Fung. VII: 344.

on Cephalandra sp., Southern Rhodesia, Hopkins.

Cynodon transvaalensis Burtt Davy, Arcadia, Punt, 16997; Sunnyside, Kresfelder, 29947. Cynodon sp., Pietersburg, Trollope, 16998; Grootfontein, Gill, 20359.

Digitaria sp., Beestekraal, E. du Toit, 26610.

Euphorbia splendens Boj., Arcadia, Fouché, 14636.

Medicago sativa Linn., Pyramids, Frayne & Maynard, 14250; Ferreira, 21930.

Pennisetum clandestinum Hochst., Cedara, 24880.

Sorghum sp., Pietersburg, Trollope, 16999.

on turf, lucerne, etc., abundant after rain, Inanda, Medley Wood 429, 3493, Kew; on bark, Medley Wood 425; Natal, Kew; Somerset East, MacOwan; Knysna and Stellenbosch, Duthie: Arcadia, van Nonhuys, 25984: Natal, Duthie 123, 124; Bloemfontein, Potts (Duthie 151).

Physarum citrinum Schum.

Duthie (1917) 302; Sacc. Syll. Fung. VII: 340; Lister (1925) 30. on dead wood and leaves, without locality, *Duthie*; Cape, *MacOwan*, Kew.

Physarum columbinum Sturgis.

Lister (1925) 31.

Physarum compactum Lister, Duthie (1918) 456. on dead wood, Cape Province, without locality.

Physarum compressum Alb. & Schw.

Lister (1925) 49.

on dead leaves and twigs, widely distributed over Africa; Winterhoek Mountain, Rottman (Duthie 155); Stellenbosch, Loseby (Duthie 160).

Physarum confertum Macbr.

on dead bark, Maritzburg, Rump, 27633.

Physarum didermoides Rost.

Lister (1894) 54, (1925) 45; Duthie (1917) 301. on dead wood and leaves, Zululand and Natal, Kew.

Physarum digitatum Farquh. & G. Lister.

Farquharson & Lister (1916) 128; Lister (1925) 65. on dead wood, Forest Hall, Knysna, Duthie 112.

Physarum flavicomum Berk.

Lister (1925) 38. on dead wood, Knysna, Duthie 70.

Physarum gyrosum Rost.

on leaves, twigs and soil in poplar grove, de Beers Rust, Hean, 30484.

Physarum javanicum Rac.

Lister (1925) 49. on dead wood, twigs and grass, Cape Province.

Physarum leucopus Link.

Duthie (1917) 302; Sacc. Syll. Fung. VII: 343; Lister (1925) 24. on dead leaves, without locality, Duthie.

Physarum melleum Mass.

Lister (1925) 25; Duthie (1917) 300; Hopkins (1938 a) 98.

Physarum Kalchbrenneri Massee (1892) 297; Sacc. Syll. Fung. XI: 462.
on wood, Cape, Kew; Forest Hall. Knysna, Duthie 2; de Beers Rust, Doidge, 30684; on soil, Salisbury, Eyles 6642 (Duthie 176).

Physarum mutabile Lister.

Lister (1911) 53, (1925) 32; Duthie (1917) 300. on dead leaves and stems, Groenkloof, *Pole Evans*, 8763; Belvidere, Knysna, *Duthie 71*.

Physarum nucleatum Rex.

Lister (1925) 43.
on Salix sp., dead branch, Maritzburg, J. M. Sim, 8804.
on dead wood, Knysna, Duthie 22, 68, 78; Forest Hall, Knysna, Duthie 64.

Physarum nutans Pers.

Lister (1925) 46; Duthie (1917) 301.

Tilmadoche nutans Rost., Kalchbrenner (1882 a) 143. Sacc. Syll. Fung. VII: 359; Cheesman (1909) 413.

on dead wood, Somerset East, MacOwan 1305; in Palm Kloof, Victoria Falls, Cheesman; Umkomaas, Cheesman; Vereeniging, Hardenberg, 1024; in poplar bush, Potchefstroom, Goossens, 27308, 27314; Jonkershoek, Duthie 102; Salisbury, Eyles (Duthie 168); Knysna, Duthie 73, 85, 125; Nottingham Road, v. d. Byl 546, 31809.

Var. leucophaeum Lister.

Duthie (1917) 301.

Physarum leucophaeum Fr., Kalchbrenner (1882 a) 143., Massee (1892 a) 289; Sacc. Fung. VII: 345.

on wood, Boschberg, MacOwan 1051, 20810: in poplar bush, Stellenbosch, Duthie 38; Jonkershoek, Duthie 97.

Physarum penetrale Rex.

Lister (1925) 41. on charred wood, Knysna, Duthie 24.

Physarum pusillum Lister.

Lister (1925) 44; Duthie (1917) 300; van der Byl (1922 d) 282. on twigs, dead leaves and bark, south-western Cape. v. d. Byl: Hogsback, K. M. Putterill, 30809; in poplar bush, Potchefstroom, Goossens. 27322; in poplar bush, de Beers Rust, K. M. Putterill, 30680; without locality. Duthie 37; Stellenbosch, Duthie 46; Forest Hall, Knysna, Duthie 59, 65, 144; Belvidere, Knysna, Duthie 167.

Physarum roseum Berk. & Br.

Lister (1925) 33. on dead wood and leaves, South Africa.

Physarum sinuosum Weinm.

Lister (1925) 58; van der Byl (1922 d) 282. on dead leaves and twigs, Stellenbosch, *Duthie 48*.

Physarum tenerum Rex.

on dead wood in kloof, Boschfontein, Doidge, 30685.

Physarum vernum Sommerf.

Lister (1925) 54; van der Byl (1922 d) 282, (1929 b) 101; Doidge & Bottomley (1931) 12; Hopkins (1938 a) 98.

on Cynodon sp., Daspoort, Pole Evans 94.

Caucus carota L. var. sativa DC., Pretoria, van der Vyver, 25507.

Gerbera sp., Daspoort, Pole Evans, 95.

on grass, Nylstroom, Prance, 12520: Turffontein, 14255: Leeuwdoorns, Strauss, 2102; Pretoria, H. A. Wager, 5187; and Acocks, 30663; Christiana, Burtt Davy, 2212; Pienaars Poort, Pole Evans, 637; Belvidere, Knysna, Duthie 1: Salisbury, Kopkins, (Rh. 3701) 30802.

on bark, Xumeni Forest, Doidge, 30851: on dead leaves and twigs, Natal, Duthie 120, 122; Baviaans Poort, C. E. Moss 98; on soil, Salisbury, Eyles 6642.

Physarum viride Pers.

Duthie (1917) 300; Lister (1925) 35.

Tilmadoche mutabilis Rost., Kalchbrenner (1882 a) 143; Massee (1892) 329.

Tilmadoche viridis (Gmel.) Sacc. Syll. Fung. VII: 360.

on dead wood, Somerset East, MacOwan; Forest Hall, Knysna, Duthie 60, 115; Brenton, Knysna, Duthie 173.

Var. aurantium Lister.

Lister (1925) 36.

on dead wood, Belvidere, Knysna, Duthie 10; Forest Hall, Knysna, Duthie 116.

Var. incanum Lister.

Lister (1925) 36.

on dead wood, South Africa.

Trichamphora pezizoidea Jungh.

Kalchbrenner (1882 a) 143; Lister (1894) 89, (1911) 90, (1925) 71; Duthie (1917) 303.

on dead wood, Somerset East, MacOwan 1159; Natal.

DIDYMIACEAE.

Didymium difforme Duby

Duthie (1918) 458; van der Byl (1922 d) 282; Lister (1925) 109.

Chondrioderma difforme Rost., Cheesman (1909) 412.

on dead leaves and decaying herbaceous stalks, in Rain Forest, Victoria Falls, Cheesman; Umtali, Cheesman; Stellenbosch, Duthie 47; Bloemfontein, Potts (Duthie sine no.).

Didymium melanospermum Macbr.

Duthie (1918) 458; Lister (1925) 114-116.

Didymium physaroides Fr., Kalchbrenner (1882 a) 143; Massee (1892 a) 234.

on dead wood, twigs and leaves, especially of Conifers, without locality, *Duthie*; Inanda, *Medley Wood 198*; Pretoria, *Punt*, 17018; Irene, *M. Pole Evans*, 23210.

Didymium nigripes Fr.

Duthie (1918) 458; Lister (1925) 116; Hopkins (1938 a) 98.

Didymium microcarpon Rost., Kalchbrenner (1882 a) 143; Sacc., Syll. Fung. VII: 382. on dead leaves and twigs, Somerset East, MacOwan; Salisbury, Eyles 4118; Forest Hall, Knysna, Duthie 43; Johannesburg, C. E. Moss (Duthie 154); on pine needles, Papegaaisberg, Duthie 142.

Var. eximium Lister

Lister (1925) 116.

on dead leaves and twigs, Newlands woods E. L. Stephens 381.

Var. xanthopus Lister

Duthie (1918) 458; Lister (1894) 98, (1925) 116; van der Byl (1922 d) 282.

on Phytolacca sp., stump, Belvidere, Knysna, Duthie 13.

on dead leaves and twigs, Stellenbosch, Duthie 42, 56, 109: Pretoria, Duthie 74.

Didymium squamulosum Fr.

Duthie (1918) 458: Lister (1925) 117.

Didymium leucopus Fr., Kalchbrenner (1882 a) 143.

on dead leaves, Somerset East, MacOwan; Belvidere, Knysna, Duthie 108, 108 a; Knysna, Duthie 25, 67; Forest Hall, Knysna, Duthie 171; Zwartkop Forest, Natal, Duthie 57; Stellenbosch, Loseby (Duthie 160 a); on old sedge leaves, without locality, Duthie 163

Mucilago spongiosa Morg.

Duthie (1918) 459; Lister (1925) 123.

Spumaria alba DC., Massee (1892 a) 257.

on grass and dead leaves. Stellenbosch, Loseby, 27303; Stellenbosch, Duthie 157.

STEMONITACEAE.

Comatricha irregularis Rex

? on dead wood and bark, Xumeni Forest, Doidge, 30852,

Comatricha longa Peck

Duthie (1917) 306; Lister (1925) 148. on dead wood, Cape and South-West Africa (Brit. Mus.); Knysna, Duthie 21.

Comatricha nigra Schroet.

Lister (1925) 141 : van der Byl (1922 d) 282, (1929 b) 101.

Stemonitis Friesiana de Bary, Cheesman (1909) 412.

on dead wood, Bloemfontein, nr. Sannah's Post, Cheesman: Stellenbosch, Duthie 36, 86, 136: Newlands, E. L. Stephens 378.

Var. alta Lister

Lister (1925) 142.

on dead wood, Cape.

Comatricha tenerrima G. Lister

? on dead twig, Tebetabeng Mill, Hean, 33493.

Comatricha typhoides Rost.

Duthie (1918) 458: Lister (1925) 145.

on decayed wood, in poplar bush, Potchefstroom, Goossens, 27311; Belvidere, Knysna, Duthie 6; Brenton, Knysna, Duthie 91; Kirstenbosch, Duthie 31; Nottingham Road, v. d. Byl 545, 31808.

Enerthenema papillatum Rost.

? on dead wood, along Aspies R., near Zoo, Pretoria, Scott, 33769.

Lamproderma scintillans Morg.

Duthie (1917) 306; van der Byl (1922 d) 282; Lister (1925) 153.

on moss and roots of epiphytic orchids in greenhouse, Stellenbosch, *Duthie*; ? on dead leaves in poplar bush, Potchefstroom, *Goossens*, 27321.

Lamproderma violaceum Rost.

? on dead wood, Town Bush Valley, Rump, 29539.

Stemonitis ferruginea Ehrenb.

Duthie (1918) 458; Lister (1925) 138.

on dead wood and bark, Forest Hall, Knysna. Duthie 93; Hogsback, K. M. Putterill, 30810; Newlands, E. L. Stephens 379.

Stemonitis fusca Roth.

Berkeley (1876 a) 175; Kalchbrenner (1882 a) 143; Massee (1892 a) 73; Cheesman (1909) 412; Lister (1925) 132; van der Byl (1920 b) 101; Verwoerd (1931 a) 298.

on decaying wood, Maritzburg, Cheesman; Someiset East, MacOwan 1173, 20948 (S.A.M. 33338); Inanda, Medley Wood 206, 10655; Groot Schuur, Eaton; south-western Cape, v. d. Byl; on decaying organic matter in silo, Bloemfontein, Verwoerd. on timber in storage, Exchange Yard, Johannesburg, (T.R.L. 1423).

Stemonitis herbatica Peck

Duthie (1918) 458; Lister (1925) 137; Hopkins (1938 a) 98. on **Nicotiana tabacum** Linn., seedlings, Salisbury, *Jack*, 5190. on dead wood and leaves, Salisbury, *Duthie 76*; Forest Hall, Knysna, *Duthie 11*.

Stemonitis pallida Wingate

on bark and wood, Hogsback, K. M. Putterill, 30811.

Stemonitis splendens Rost.

Duthie (1918) 458; Lister (1894) 114, (1911) 145, (1925) 135; van der Byl (1922 b) 282.

Stemonitis acuminata Massee (1892 a) 78; Sacc. Syll. Fung. XI: 467. Stemonitis maxima Massee (1892 a) 74.

on decayed wood, Natal, Medley Wood 206, Kew; Table Mt., Eaton, Kew; Kentani, Pegler 2457, 11522; Deepwalls, J. Phillips, 18154; Pretoria, Pole Evans, 8824; Wonderboom, Roberts, 2550; Schagen, Liebenberg, 28518; Buccleuch, Leighton, 11527; Xumeni Forest, Doidge, 30850; Stellenbosch, Duthie 150, 153; Cape, MacOwan 1173 Kew; Brenton, Knysna, Duthie 87; Pretoria Distr., Duthie 75; Kirstenbosch E. L. Stephens 540; Klapmuts, v. d. Byl 382, 31718; Buffelspoort, Turner, 33594.

Var. Webberi Lister

Duthie (1918) 458; Lister (1894) 112, (1925) 135; van der Byl (1922 d) 282. on dead wood, Stellenbosch, *Duthie*; near Gwelo, *E. L. Stephens*.

AMAUROCHAETACEAE.

Amaurochaete fuliginosa Macbr.

on dead coniferous wood, Newlands, Péringuey, 9183, E. P. Phillips (S.A.M. 9554); Potchefstroom, Goossens, 27327; Bloemfontein, Potts, 13006; Pretoria, Davison, 15460; Irene, M. Pole Evans, 17086.

HETERODERMACEAE.

Cribraria argillacea Pers.

Duthie (1917) 307; Lister (1925) 170; van der Byl (1922 d) 282.
on dead coniferous wood, Papegaaisberg, Stellenbosch, Duthie 25: Belvidere, Knysna
Duthie 127.

Cribraria intricata Schrad.

Lister (1925) 174; van der Byl (1929 b) 101. on dead wood, Belvidere, Knysna, *Duthie* 14.

Cribraria tenella Schrad.

Lister (1925) 175.

on dead wood, Forest Hall, Knysna, Duthie 130.

Dictydium cancellatum Macbr.

Duthie (1917) 307: Lister (1925) 179: van der Byl (1922 d) 282.

on dead wood and moss. Knysna and Stellenbosch, Duthie 25: Kentani, Pegler 2416, 11239: Potchefstroom, Goossens, 27312, 27313: near Wonderboom, Doidge & Bottomley 28736.

TUBULINACEAE.

Tubifera ferruginosa (fmel.

Duthie (1918) 458: Lister (1925) 187.

Tubulina cylindrica DC., Lloyd (1917 a) L. 65: 4.

on dead wood, Palm Grove, Victoria Falls: without locality, Duthie 160.

RETICULARIACEAE.

Dictydiaethalium plumbeum Rost.

Duthie (1917) 307; Lister (1925) 191; van der Byl (1922 d) 282.

on dead wood and twigs. Rain Forest, Victoria Falls, Duthie 39: Stellenbosch, Duthie 53.

Reticularia Lycoperdon Bull.

Duthie (1917) 307: Lister (1925) 195; van der Byl (1922 d) 282.

on dead coniferous wood, Knysna, Duthie 19: Stellenbosch. Duthie 34; Kirstenbosch. Duthie: Claremont, Duthie 26: on dead wood, in poplar bush, Potchefstroom, Goossen, 27326: on dead wood, University Grounds, Rondebosch, J. Acocks, (E. L. Stephens 537),

LYCOGALACEAE.

Lycogala epidendrum Fr.

Kalchbrenner (1882 a) 143; Sacc. Syll. Fung. VII: 335; Massee (1892 a) 122;

Duthie (1917) 308; van der Byl (1922 d) 282; Lister (1925) 199.

on dead wood, Somerset East, MacOwan 1191 (S.A.M. 33325); Knysna and Stellenbosch, Duthie: Rondebosch, E. L. Stephens, 26848: University Grounds, Rondebosch, M. A. Pocock, (E. L. Stephens 385); Pretoria, Fouché, 15507; Potchefstroom, Gunn, 30514; Town Bush Valley, Rump 51, 27653.

Lycogala flavo-fuscum Rost.

Duthie (1918) 458; van der Byl (1922 d) 282: Lister (1925) 198. on dead wood, Stellenbosch, *Duthie 100*, 133: Stikland, *J. Acocks*, (E. L. Stephens 535).

Lycogala rufo-cinnamomeum Mass.

Massee (1892 a) 125; Lister (1925) 260.

on wood, South Africa. (Fide Lister, I.c., this a fungus.)

TRICHIACEAE.

Hemitrichia clavata Rost.

Duthie (1917) 308; Lister (1894) 177, (1925) 221.

Hemiarcyria clavata Rost., Kalchbrenner (1882 a) 143; Medley Wood (1898) 17; Sacc. Syll. Fung. VII: 447.

on dead wood, Somerset East, MacOwan 1128, 1172; Knysna and Clanwilliam, Duthie; Hogsback, K. M. Putterill, 30807; Pretoria, Bottomley, 11536; in poplar bush, Potchefstroom, Goossens, (Duthie 186) 27309, 27315; De Beers Rust, Doidge, 30681; Kaapmuiden, H. A. Wager, 7728; Natal, Medley Wood 529, 10402, Kew; Belvidere, Knysna, Duthie 9 a; Flynn's Bridge, Knysna, Duthie 9.

Hemitrichia Serpula Rost.

Lister (1925) 224, 225; Duthie (1917) 308. Arcyria Serpula Mass., Cheesman (1909) 412.

on dead wood, Boschberg, MacOwan 1168, (S.A.M. 33332); Victoria Falls, Cheesman and Duthie; Brenton, Duthie 17; East London, Cheesman; Deepwalls, Bottomley, 30773; Winters Kloof, Doidge, 1848; Xumeni Forest, Morgan & Doidge, 30266; in poplar bush, Potchefstroom, Goossens, 27324; Inchanga, in bush, Akerman (Duthie); Nottingham Road, v. d. Byl 548, 31810.

Hemitrichia Vesparium Macbr.

Lister (1925) 218.

on dead wood in poplar bush, Potchefstroom, Goossens, 27306.

Trichia affinis de Bary

Duthie (1918) 458; Lister (1925) 205.

on decayed wood and moss, in poplar bush, Potchefstroom, Goossens, 27316; Xumeni Forest, Morgan & Doidge, 30259; on pine needles, Papegaaisberg, Duthie 141, Forest Hall, Knysna, Duthie 30.

Trichia Botrytis Pers.

Duthie (1917) 308.

Trichia fragilis Rost., Massee (1892 a) 176; Sacc. Syll. Fung. VII: 440. on dead wood, Boschberg, MacOwan 1169 (S.A.M. 33331).

Trichia favoginea Pers.

on Eucalyptus globulus Lab., dead wood, Keiskama Hoek, v. d. Byl, 11537.

Trichia persimilis Karst.

Duthie (1917) 308; Lister (1925) 205.

Trichia Balfourii Massee (1892 a) 186; Sacc. Syll. Fung. X: 95.

on dead wood and leaves, Cape, Kew; Xumeni Forest, Morgan & Doidge, 28908; Forest Hall, Knysna, Duthie 61, 143; Belvidere, Knysna, Duthie 3, 134.

Trichia scabra Rost.

Kalchbrenner (1882 a) 143; Duthie (1917) 308; Lister (1925) 206. on dead wood and leaves, Somerset East, MacOwan, Kew.

Trichia varia Pers.

Lister (1925) 207.

Trichia turbinata Sow., Bottomley, (1916) 425.

on decaying wood, Boschberg, MacOwan 1128, 20836, (S.A.M. 33334); Natal, Medley Wood 463, 10640; in woods near Newlands, E. L. Stephens, (Duthie 180) and Sydney Wanton (E. L. Stephens 375).

ARCYRIACEAE.

Arcyria cinerea Pers.

Kalchbrenner (1882 a) 143; Massee (1892 a) 152; Sacc. Syll. Fung. VII: 427; (1917) 309; van der Byl (1922 d) 283; Lister (1925) 231.

on dead wood, Somerset East MacOwan 1049: Cape, Kew: Hogsback, K. M. Putterill, 30813: Town Bush, Rump, 27530: in poplar bush, Potchefstroom, Goossens, 27307; De Beers Rust, K. M. Putterill, 30688: Stellenbosch, Duthie: Knysna, Duthie 92; Forest Hall, Knysna, Duthie 79; Jonkershoek, Duthie 104.

Arcyria denudata Wettstein

Duthie (1917) 309; Lister (1925) 235; van der Byl (1922 d) 283; Simpson & Talbot (1946) 132.

Arcyria punicea Pers., Cooke (1879 b) 70; Kalchbrenner (1882 a) 143; Massee (1892 a) 143; Sacc. Syll. Fung. VII: 426.

on Euphorbiz sp., dead plant, Blaauwkrantz Kloof, Cruden, 14246.

Olea sp., dead stumps, Qudeni Forest, Simpson & Talbot, 34932.

Pinus sp., dead log, Meintjies Kop, Punt, 14526.

on dead wood and bark, Inanda. Medley Wood 183, 322, 10200, Kew: Boschberg, MacOwan 1127, (S.A.M. 33329) 20923, Kew: in poplar bush, Potchefstroom Goossens, 27304, 27305: De Beers Rust, K. M. Putterill, 30677; and Doidge 30678; Town Bush, Rump 158, 27779; Hogsback, K. M. Putterill, 30806; Jonkershoek, Duthie 98, 103: Brenton, Knysna, Duthie 88, 89; Belvidere, Knysna, Duthie 77, 165; Newlands Woods, Sydney Manton (E. L. Stephens 200); Otto's Bluff, Rump, 33752.

Arcyria incarnata Pers.

Duthie (1918) 458; Lister (1925) 237. on dead wood, Kirstenbosch, Duthie 54.

Arcyria insignis Kalchbr. & Cooke

Kalchbrenner (1882 a) 143: Sacc. Syll. Fung. VII: 432: Lister (1894) 188, (1925) 236: Massee (1892 a) 148: Duthie (1917) 309.

on dead wood, Natal, Medley Wood 49, Kew; Somerset East, MacOwan, Kew; Brenton, Knysna, Duthie 32.

Arcyria nutans Grev.

Duthie (1917) 309; van der Byl (1922 d) 283; Lister (1925) 239.

on dead wood, Forest Hall, Knysna, Duthie 8: Newlands Woods, E. L. Stephens 380, 536.

Arcyria Oerstedtii Rost.

Lister (1925) 239; van der Byl (1922 d) 283, (1929 b) 101. on dead wood, Brenton, Knysna, Duthie 90; on soil, Stellenbosch, Duthie 28,

Arcyria pomiformis Rost.

Kalchbrenner (1882 a) 143 ; Duthie (1917) 309 ; Lister (1925) 233. on dead wood, Somerset East, MacOwan ; Knysna, $Duthie\ 4\theta$.

Perichaena corticalis Rost.

Duthie (1917) 310; Lister (1925) 246.

Perichaena populina Fr., Montagne (1847) 176.

on dead wood and bark, Buffelsrivier, Drège; Clanwilliam, Duthie; Knysna, Duthie 164; Stellenbosch, Duthie 45.

Perichaena depressa Lib.

Torrend (1905) 217; Duthie (1917) 310; Lister (1925) 244.

on dead wood and bark. Moçambique, Brit. Mus.: Knysna, Duthie 84; Moçambique (Torrend).

PHYCOMYCETES

CHYTRIDIALES.

PLASMODIOPHORACEAE.

Plasmodiophora Brassicae Woron.

Pole Evans (1913) 93; van der Byl (1922 d) 282; Verwoerd (1929 b) 9, (1931 a) 298; Doidge & Bottomley (1931) 15, 32, 59, 64; Nel (1942) 9; Anon. (1935) 82; Karling (1942) 93, 127.

on Brassica oleracea Linn., Stellenbosch, v. d. Byl, 18094, and Verwoerd; Bellville, Bowman, 28258; Kruispad and Brackenfel, Brink; Bottelary and Kuils Rivier, v. d. Byl; Wellington, v. d. Byl 2431, and Verwoerd, (Stell. 311); Maitland, Paarl and Cape Flats, Verwoerd; Bloemfontein, Verwoerd; Alberton, Mendes, 33918.

Brassica oleracea var. acephala DC., Wellington, v. d. Byl.

Brassica oleracea var. botrytis Linn., Brackenfel, v. d. Byl, 18064. Stellenbosch, Dieprivier, Wellington and Kuilsrivier, Verwoerd.

Brassica oleracea var. gemmifera Zenk., Wynberg, Verwoerd.

Brassica rapa Linn., intercepted in the United States on material from South Africa.

Iberis sp., Durban, Wager, 34160.

Sorodiscus radicicolus Ivimey Cook

Ivimey Cook (1931) 321; Karling (1942) 48.

on Gynandropsis pentaphylla DC., Greylingspos, Doidge, 27351 Type, and F. Turner, 23206; The Hangingshaw, Rustenburg, F. Turner, 23381; Koster, Shorten, 23217.

Spongospora subterranea (Wallr.) Lagerh.

Doidge & Bottomley (1931) 52; Hopkins (1938 a) 98, (1939 a) 43; Nel (1942) 9; Karling (1942) 57, 135.

on Solanum tuberosum Linn., tubers and stems, Tweespruit, Nelson, 18024; Cato Ridge, Allsop, 24956; Hamberg, F. Turner, 27356; Eloff, Caplan & Blieden, 28722: Salisbury (Rh. 1828, 3239); Chipinga (Rh. 3011); Somabula (Rh. 3221); without locality, v. d. Bul 463.

WORONINACEAE.

Olpidiopsis Ricciae du Pless.

du Plessis (1933 a) 761; Nel (1942) 8.

on Riccia sp., Stellenbosch, Duthie 5006, 5007, (Stell. 603, v. d. Byl 2691) Knysna, Duthie 5118.

SYNCHYTRIACEAE.

Synchytrium Cotulae du Pless.

du Plessis (1933 e).

on Cotula coronopifolia Linn., Stellenbosch, Duthie, (Stell. 862).

Synchytrium Dolichi (Cooke) Gaümann

van der Byl (1928 a) 183; Nel (1942) 10.

Aecidium Dolichi Cooke, (1882 a) 127.

Aecidium Rhynchosiae Cooke, (1882 a) 127.

Woroninella Dolichi (Cooke) Syd., van der Byl (1925 b) 191; Hopkins (1938 a) 98 (1939 a) 48.

on Dolichos biflorus Linn., Inanda, Medley Wood 640, 340, 840, 10290.

Dolichos sp., Inanda, Medley Wood 40, 10291.

Desmodium scalpe (Comm.) DC., Inanda, Medley Wood 613, 10301, 11200.

Glycine javanica Linn., Durban, v. d. Byl 76.

Rhynchosia spp., Maritzburg, Pole Evans, 1432: Barberton, Pole Evans, 1161; Natal, Medley Wood 557, 11114, Kew.

Vigna luteola (Jacq.) Benth., Goukama R., Duthie (v. d. Byl 1703).

Vigna triloba (Thunb.) Walp., Shamva (Rh. 2595).

Synchytrium endobioticum (Schilb.) Perc.

Doidge (1926) 161; Doidge & Bottomley (1931) 53.

on **Solanum tuberosum** Linn., Castle Howard, *Woodrow*, 15439; Witpoortje and Hamberg, *Doidge*: Pretoria (artificial infection) 15511; isolated outbreaks of this disease in 1922 and 1925 were dealt with by quarantine measures; last occurrence in 1926.

CLADOCHYTRIACEAE.

Physoderma Maydis Miyabe

Physoderma Zeae-maydis Shaw, Hopkins (1938 a) 98, (1939 a) 50. on **Zea Mays** Linn., Salisbury, (Rh. 1295, 1310).

BLASTOCLADIALES.

BLASTOCLADIACEAE.

Allomyces arbusculus Butler

Wolf (1946) 167: Sparrow (1943) 422-3.

isolated from soil samples, from bank of Kat River, about a foot above normal water level, but covered during flood periods, near Balfour, Cape, *Moore:* from roadside pool, overgrown with bulrushes, on the Katberg road near Balfour, Cape, *Moore.*

SAPROLEGNIALES.

SAPROLEGNIACEAE.

Saprolegnia ferax Auct.

on Cuprinus auratus (gold fish) Union Buildings, Pretoria, Goldblatt, 17280.
Ranidae undet., (frog) without locality, 17290.

PERONOSPORALES.

ALBUGINACEAE.

Cystopus austro-africanus (Syd.) Sacc. & Trott.

Sacc. Svll. Fung. XXIV (1926) 33.

Albugo austro-africanus Syd., H. & P. Sydow (1912 c) 437. Cystopus austro-africanus (Syd.) Wakefield (1927) 244.

on Aizoon rigidum Linn., Humewood, Doidge, 1234, Kew.

Cystopus Bliti de Bary

Sacc. Syll. Fung. VII: 236; Wakefield (1927) 246; Hopkins (1939 a) 4. Cystopus Amaranthi Berk. (?) Kalchbrenner (1882 b) 27.

on Achyrathes aspera Linn., Garstfontein, Pienaar, 1205, 1310, Kew, and Doidge, 1477, Kew; Duivelskloof, Doidge, 20334, Kew.

Achyranthes sp., Salisbury, Hopkins.

Amaranthus angustifolius Lam., Somerset East, MacOwan 1320, 20808.

Cyathula globulifera Moq., Somerset East, MacOwan 1313, 21990 (de Thuem. Myc. Univ. 1512), also ex Herb. Kalchbr. Kew; Garstfontein, Pienaar, 1268, Kew.

Cystopus candidus (Pers.) de Bary

Kalchbrenner (1882 b) 27; Sacc. Syll. Fung. VII: 234; Wakefield (1927) 243; Doidge & Bottomley (1931) 30, 54, 64; Verwoerd (1931 a) 298.

Albugo candida (Pers.) O. Kuntze, van der Byl (1922 d) 283; Nel (1942) 8; Cardoso (1945) 155.

Albuqo candida f. Heliophilae Hennings (1898) 293.

on Armoracia rusticana Gaertn., Constantia, Lounsbury, 718; Cape Town, Mally, 11822 Bloemfontein, Verwoerd; Stellenbosch, v. d. Byl, and Verwoerd (Stell. 316); Helderberg, v. d. Byl 101.

Brassica Napus Linn., Natal, Medley Wood 459, 10453, Kew; Somerset East, MacOwan 1248, 20914 (S.A.M. 33353); Kilgobbin, Fannin, (v. d. Byl 577) 31828;

Brassica nigra Koch, Equeefa, Fuller, 1537, Kew.

Brassica rapa Linn., Pretoria, Bottomley, 20400, Kew; Stella Bush, Wager, 33194; Irene, Pole Evans, 34352.

Brassica spp., Port Elizabeth, Doidge, 1232; Isipingo, v. d. Merwe, 15509; Glen, Shuttleworth, 32659.

Cardamine africana Linn., Somerset East, MacOwan 1199, 21949 (de Thuem. Myc. Univ. 1314) Kew; Boschberg, MacOwan 1287, ex Herb. Kalchbr., Kew.

Heliophila Meyeri Sond., Van Rhynsdorp, Schlechter, Kew.

Heliophila sp., Cape Town, Lounsbury, 192, Kew; Tulbagh, Duthie, (v. d. Byl 2597, Stell. 500); Gordon's Bay, du Plessis, (Stell. 554).

Lepidium sp., Steynsberg, Pole Evans, 20623.

Raphanus sativus Linn., Pretoria, Wager, 21584; Stellenbosch, v. d. Bul 879; Constantia, Verwoerd, (Stell. 453).

Sisymbrium gariepinum Burch., Bloemfontein, Potts, 9756, Kew.

Sisymbrium sp., Bloemfontein Verwoerd.

Cystopus cubicus (Strauss) de Bary

Wakefield (1927) 245; Doidge & Bottomley (1931) 11, 56; Hopkins (1938 a) 99, (1939 a) 20.

Albugo Tragopogonis S. P. Gray, Nel (1942) 8.

as Albugo cubicus Nel (1942) 8.

on Cenia turbinata Per., Somerset West, du Plessis (Stell. 831).

Cineraria sp., Stellenbosch, v. d. Byl 2619 and Verwoerd (v. d. Byl 1256).

Dimorphotheca sp., Pretoria, Greenstein, 30665, du Toit, 33747, and v. d. Merwe, 33897. Gerbera Jamesoni Bolus, Barberton, Pole Evans, 1159, Kew; Pretoria, Pole Evans, 7803, Kew, Bottomley, 18074, 33452, 32655, Doidge, 20366 and Hean, 32743; Johannesburg, Kelly, 10020, Kew; Empangeni, Krietzen, 25493; Salisbury, Hopkins, 27353: Salisbury (Rh. 2533, 2543, 2611, 3003, 3029, 3128); Durban, v. d. Bul 1150; Chase Valley, Wager, 33285.

Gerbera plantaginea Harv., Garstfontein, Pienaar, 1986, Kew and Erasmus 2081, Kew.

Senecio angustifolia Willd., Pretoria, Pole Evans, 11325, Kew.

Senecio inaequidens DC., Maritzburg, Pole Evans, 1428, Kew; Mooi River, Mogg, 12242. Senecio orbicularis Sond., Pretoria, Bottomley, 9744, Kew and 18070; Irene, Pole Evans, 20365, Kew.

Senecio pellucidus DC. var. ruderalis Harv., Allerton, Steun, 30898.

Senecio pinnulatus Thunb., Hopefield, v. d. Bul 1290 (Stell, 145).

Senecio sp., Stellenbosch, v. d. Byl 2619 and Verwoerd (v. d. Byl 1256); Hopefield, v. d. Byl (Stell. 884).

Cystopus Evansii (Syd.) Sacc. & Trott.

Sacc. Syll. Fung. XXIV (1926) 34,

Albugo Evansii Syd., H. & P. Sydow (1912 c) 437; Nel (1942) 8.

Cystopus Evansii (Syd.) Wakefield (1927) 246; Verwoerd (1931 a) 298; Doidge & Bottomley (1931) 41.

on Nemesia strumosa Benth. var. Suttonii Hort., Bloemfontein, Verwoerd.

Nemesia spp., Hoogfontein, v. d. Merwe, 1472, Kew, Type; Port Alfred, Graham, 23469; Darling, Duckitt, r. d. Byl 2585 and Verwoord (Stell, 414); Stellenbosch, Sauer (Stell, 830).

Cystopus Ipomoeae-panduranae (Schw.) Stev. & Swing. Wakefield (1927) 245.

on Convolvulus ulosepalus Hall.f., Buffelspoort, Doidge, 33139.

Ipomoea cardiosepala Hochst., Inanda, Medley Wood 225, Kew. Medley Wood 467, 847, 10452: Barberton, Wager, 26153.

Ipomoea ficifolia Lindl., Tzaneen, Doidge, 20319, Kew.

Ipomoea obscura Ker., Tzaneen, Doidge, 20338, Kew.

Inomoea sp., Barberton, Pole Evans 1160, Kew.

Cystopus Portulação de Barv

Kalchbrenner (1882 b) 27: Sacc. Svll. Fung. VII: 235; Wakefield (1927) 244;

Hopkins (1938 a) 99, (1939 a) 35.

on Portulaca oleracea Linn., Somerset East, MacOwan 1303, (de Thuem, Myc. Univ. 252 b, Rabenh.-Wint. Fung. Eur. 3775) 20827, Kew: Skinner's Court, 101. Kew: Pretoria. Burtt Davy, 148, 157, Kew. Pole Evans, 18083, Hean, 29948, Doidge, 29949; Lyttelton Junction, Erasmus, 1515, Kew: Garstfontein, Pienaar, 2145, Kew: Salisbury, Hopkins,

Cystopus quadratus Kalchbr. & Cooke.

Kalchbrenner & Cooke (1880) 22: Wakefield (1927) 246; Sacc. Syll. Fung. VII:

on Hypoestes verticillaris R. Br., Cape, MacOwan 1314. Kew, Type; Garstfontein, Pienaar 1425, Kew.

Cystopus Schlechteri Syd.

P. Sydow (1899 d) (142); Sacc. Syll. Fung. XVI: 396. on Salsola aphylia Linn. f., eastern region of South Africa, Schlechter.

Cystopus Tragopogonis (Pers.) Schroet.

Verwoerd (1929 b) 25; van der Byl (1929 b) 102.

on Helianthus annuus Linn., Durban, Wager, 32417; Buffelspoort, Redpath, 34076: Hatfield, Pretoria, Anderssen, 34078; Naboomspruit, 34050, 34166.

Scorzonera hispanica Linn., Stellenbosch, Verwoerd; Paarl, Verwoerd.; Stellenbosch, Joubert (v.d. Byl 2063).

PYTHIACEAE.

Phytophthora cactorum (Leb. & Cohn) Schroet.

Mes (1934) 286; Wijers (1937) 211; Wager (1941 a) 24, (1942 b) 538, 540. Phytophthora citricola Sawada. Doidge & v. d. Plank (1926) 23.

isolated from:

Antirrhinum majus Linn., Pretoria, Mes, Wager 185, 32599, Verdoorn, 29725; Durban, Wager 536.

Centaurea moschata Linn., Pretoria, Wager.

Citrus maxima Merr., Fish River, Doidge (Wager 292) 32600.

Dianthus caryophyllus Linn., Pretoria, Wijers.

Verbena hybrida Voss., Pretoria, Wijers.

Phytophthora cinnamomi Rands

Wager (1941 a) 16, (1942 b) 538, (1942 a) 521.

as Phytophthora cambivora Petri, Doidge & Bottomley (1931) 10; Wager (1931) 32. isolated from:

Persea americana Mill., Nelspruit, Doidge (Wager 385) 32601; Buffelspoort, Wager 501 d; Phoenix, Wager 509, 591.

Phytophthora citrophthora (R. E. & E. H. Sm.) Leon.

Wager (1931) 35, (1941) 23, (1942 b) 538, 540; Hector & Loest (1937) 643, Doidge & v. d. Plank (1936) 23; Bates (1937) 176; Cardoso (1937) 151, (1938) 74, (1939) 44 (1945) 151, 152, 153; Hopkins (1938 a) 99, (1939 a) 11; (1943) 182.

Pythiacystis citrophthora R. E. & E. H. Sm., Doidge (1925) 499; Cardoso (1935) 186;
Doidge & Bottomley (1931) 43, 45.

isolated from

Citrus Limonia Osbeck, Mazoe, Bates: Muden, Wager 546; Umbeluzi, Cardoso; Moamba, Marracuene, Manhiça, Cardoso.

Citrus maxima Merr., Patentie, Wager 199, 32602; Mazoe and Rusapi, Hopkins; Nkwaleni, Wager.

Citrus nobilis Lour. var. deliciosa Sw., Umbeluzi, Moamba, Marracuene, Cardoso; Mposa, Zululand; Lourenço Marques, Nascimento.

Citrus sinensis Osbeck, Marico Distr. and Northern Transvaal, Doidge; Mazoe, Bates; Sul do Save, Cardoso; Fort Beaufort, Wager, 32603; Sundays River, Loest; eastern Transvaal, Loest: Thabazimbi, Jourdan: Umbelusi, Moamba and Marra-

cuene, Cardoso; Lourenço Marques, Guimarāis.

Citrus spp., Mayfern, Loest, 33295; soil in orange grove, Mazoe, Bates 321.

Phytophthora cryptogea Pethybr. & Laff.

Wager (1941 a) 28.

isolated from:

Godetia sp., Pretoria, Bottomley (Wager 219) 32604.

Chrysanthemum cinerarifolium Viz., Mazoe, Bates 363 (Wager 515); Hopkins (Rh. 6229), ? host as Pyrethrum sp.

Phytophthora infestans (Mont.) de Bary

Doidge & Bottomley (1931) 52, 64; Verwoerd (1929 b) 23; Wager (1941 a) 20.

on Solanum tuberosum Linn., Pretoria, Battison, 311; Eikenhof, Brink, 760; Houtboschdorp, Scott, 28721; Haenertsburg, Lake, 28268; Mokeetsi, Lixon, 29885; Nottingham Road, Clouston, 27383; Fort Beaufort, Wager; Stellenbosch, Verwoerd; Paarl,

Verwoerd: Plettenberg Bay, Verwoerd: Camperdown, Gavin, 31988; Knysna, Mostert. (Stell. 804); Wynberg. (Stell. 1052): East London. Doidge, 10905: Sarnia. Mt. Edgecombe, Phoenix, Wager: Donnybrook. Hains: Rosetta. Ratsey; Mooi River, Pickering & Tatham.

Lycopersicum esculentum Mill., Natal coast, Doidge & Bottomley and Storey.

Phytophthora parasitica Dast.

Wager (1935 a) 236, (1941 a) 21; Hopkins (1931 d) 49, (1938 a) 99, (1939 a) 5, 10, 21, 24, 27, 40, (1939 b) 40, (1943) 185, 186.

Phytophthora parasitica var. Rhei Godfrey, Doidge & Bottomley (1931) 55; Wager (1931) 35, 38.

isolated from:

Anthirrhinum majus Linn., Salisbury, (Rh. 1399, 2615).

Clarkia elegans Dougl., Salisbury (Rh. 2759, 3391).

Cotyledon sp., Pretoria, Wager: Salisbury (Rh. 1669).

Delphinium cultorum Voss, Pretoria, Doidge, 30783.

Godetia sp., Salisbury (Rh. 2698).

Hibiscus Sabdariffa Dast., Umtali, Hopkins.

Lilium philippense Baker, Salisbury (Rh. 3667).

Lycopersicum esculentum Mill., Nelspruit. Wager 285, 32606; Mazoe, Bates, 321 b; Durban, Wager 587, 590.

Nicotiana Tabacum Linn., Salisbury (Rh. 1538); Sabi Valley (Rh. 1473).

Rheum Rhaponticum Linn., Uitenhage; Leeuwdoorns; Potchefstroom; Nelspruit, Wager 133, 32605; Humansdorp; Kat River; Salisbury (Rh. 1458); Syringa, (Rh. 2323).

Trichocaulon sp., Pretoria, Wager.

isolated from soil under indigenous trees, Mazoe, Bates 331.

Phytophthora Syringae Kleb.

Wager (1941 a) 30, (1942) 541.

Phytophthera hibernalis Carne, Doidge & v. d. Plank (1936) 23.

isolated from:

Citrus sinensis Osbeck, Fish River, Doidge (comm. V. A. Putterill).

Pythium acanthicum Drechsl.

Wager (1941 a) 13.

isolated from:

Dahlia pinnata, Cav., Pretoria, Wager.

Hibiscus sp., Cavendish, Wager 524.

Pisum sativum Linn., Nelspruit, Wager 222, 32607.

Pythium aphanidermatum (Eds.) Fitz.

Doidge & Bottomley (1931) 46, 53: Wager (1931 b) 436, (1932 c) 465, (1933 b) 248 (1941 a) 5: Hopkins (1938 a) 99, (1939 a) 27, (1939 b) 103.

isolated from:

Amaranthus tricolor Linn., Umhlanga Rocks, Wager 570.

Carica Papaya Linn.. eastern and northern Transvaal, Natal and Cape, Wager 130, 32608.

Celosia argentea Linn., Umhlanga Rocks, Wager 569.

Citrus sp., Muden, Wager 538.

Cucurbita Pepo Linn., Nelspruit, Wager.

Lycopersicum esculentum Mill., Nelspruit, Wager; Windhoek, Wager; Durban, Wager 572, 578.

Nicotiana Tabacum Linn., Rustenburg, Wager; Balfour, Wager; Banket, (Rh. 3688).

Pteridium aquilinum (L.) Kuhn, White River, Wager.

Sechium edule, Sw., Nelspruit, Wager.

Solanum melongena L. var. esculentum Nees, Nelspruit, Wager.

Solanum tuberosum L., Pretoria Wager 140, 32609.

Pythium Debaryanum Hesse.

Hopkins (1932) 463, (1938 a) 99, (1939 a) 17, 24, 28; Wager (1941 a) 17.

Pythium Fabae Cheney, Wager (1941 a) 18.

isolated from:

Antirrhimum majus Linn., Salisbury, Hopkins.

Coleus sp., S. Rhodesia, Hopkins.

Delphinium cultorum Voss, Salisbury (Rh. 1994).

Lactuca sativa Linn., Salisbury (Rh. 2153).

? Musa paradisiaca L. var. sapientium Kunze, Cavendish, Wager 511.

Nicotiana Tabacum Linn., Salisbury, (Rh. 1512, 1806); M'Soneddi (Rh. 1910).

Persea americana Mill., Buffelspoort, Wager 506.

Stapelia sp., Pretoria, Wager 224, 32610.

Var. Pelargonii Braun.

Wager (1941 a) 18.

isolated from:

Phaseolus vulgaris Linn., Pretoria, Wager 247, 32611.

Pythium irregulare Buisman.

Wager (1931) 5, (1941 a) 7, (1942 b) 538; Doidge & van der Plank (1936) 23; St. John-Brooks (1936) 107.

isolated from:

Antirrhinum majus Linn., Durban, Wager 536.

Carica Papaya Linn., Louis Trichardt, Wager 155, 32613.

Citrus sinensis Osbeck, Kosterfontein, F. Turner (Wager 90) 32612.

Pythium myriotylum Drechsl.

Wager (1932 b) 435, (1941 a) 10.

isolated from:

Carica Papaya Linn., Nelspruit, Wager 200, 32614.

Pythium oligandrum Drechsl.

Wager (1941 a) 15.

as Pythium cf. artotrogus, Wager (1931) 39.

isolated from:

Antirrhinum majus Linn., Pretoria, Wager 103, 32615.

Brassica oleracea Linn., Pretoria, Wager 214, 32616.

Cucurbita Pepo Linn., Pretoria, Wager.

Papaver Rhoeas Linn., Pretoria, Wager.

Pythium spinosum Sawada

Wager (1931) 5, (1932 b) 435, (1941 a) 12.

isolated from:

Antirrhinum majus Linn., Durban, Wager 534.

Carica Papaya Linn., Louis Trichardt, Wager 156, 32618.

Phaseolus vulgaris Linn., Cavendish, Wager 529.

Pythium splendens Braun

Wager (1931 16, (1932 b) 435, (1941 a) 11.

isolated from :

Carica Papaya Linn., Nelspruit, Wager 151, 32617.

Hibiscus sp., Phoenix, Wager 525.

Lycopersicum esculentum Mill., Cavendish, Wager 528: Durban, Wager 583.

Zinnia elegans Jacq., Durban, Wager 571.

Pythium ultimum Trow

Doidge & Bottomley (1931) 30, 46, 60: Wager (1931) 10, 16, 34, (1932 b) 436, (1941 a) 4: Hopkins (1938 a) 99, (1939 a) 10, 16, 27, 34.

as Pythium sp., Hopkins (1932) 465.

isolated from:

Althea rosea Cav., Salisbury, Hopkins.

Aloe variegata Linn., Pretoria, Wager.

Arachis hypogea Linn., Settlers, Wager,

Brassica oleracea Linn., Port Elizabeth, Wager; Salisbury, Hopkins.

Callistephus chinensis Nees, Pretoria, Wager 170, 32620.

Carica Papaya Linn., eastern and northern Transvaal, Natal and Cape, Wager 150, 32619; Salisbury and Hartley (Rh. 2273).

Citrus sinensis Osbeck, Fort Beaufort, Wager.

Clarkia elegans Dougl., Salisbury, (Rh. 1353).

Coleus sp., Salisbury (Rh. 1652).

Cupressus sp., Mbesa (Rh. 1435).

Dahlia pinnata Cav., Pretoria, Wager.

Delosperma sp., Pretoria, Wager.

Delphinium cultorum Voss, Pretoria, Wager.

Dianthus plumarius Linn., Pretoria, Wager.

Dinteranthus microspermus Schantz, Pretoria, Wager.

Duvalia parviflora N.E.Br., Pretoria, Wager.

Fenestraria aurantiaca N.E.Br., Pretoria, Wager.

Gilia rubra Heller, Pretoria, Wager.

Hakea sp., Durban, Wager 566.

Ipomoea batatas Lam., Pretoria, Wager.

Lathyrus odoratus Linn., Pretoria, Wager.

Lycopersicum esculentum Mill., South-West Africa, Wager: Durban, Wager 583.

Mesembrianthemum sp., Pretoria, Wager 281, 32621.

Nicotiana Tabacum Linn., Rustenburg, Wager; Salisbury (Rh. 3404).

Papaver nudicaule Linn., Pretoria, Wager; Stellenbosch, Dippenaar.

Persea americana Mill., Buffelspoort, Wager 503. Phaseolus vulgaris Linn., Pretoria, Wager.

Pinus Coulteri D. Don., Bulawayo (Rh. 2686).

Pinus radiata Don., Salisbury, Hopkins.

Pinus spp., Pretoria, Wager; Salisbury (Rh. 2172).

Pisum sativum Linn., Nelspruit, Wager.

Rheum Rhaponticum Linn., Pretoria, Wager.

Solanum Melongena Linn., var. esculentum Nees., Durban, Wager 589.

Stapelia sp., Pretoria, Wager.

Striga lutea Lour., Pretoria, Wager.

Tavaresia sp., Pretoria, Wager.

Tropaeolum majus Linn., Pretoria, Wager.

Pythium vexans de Bary

Wager (1941 a) 8, (1942 a) 523.

isolated from:

Carica Papaya Linn., Louis Trichardt, Wager 201, 32622. Limonium latifolium Kze., Pretoria, Wager 227, 32623. Persea americana Mill., Buffelspoort, Wager 501 b.

Pythium sp.

McMartin (1937 b) 267, 253.

on Saccharum officinarum Linn., Natal coast, McMartin.

Pythium sp.

Moore (1926) 428.

on Nicotiana Tabacum Linn., seedlings, Moore.

PERONOSPORACEAE.

Peronoplasmopara cubensis (Berk. & Curt.) Clint.

Doidge & Bottomley (1931) 22.

Pseudoperonospora cubensis (Berk. & Curt.) Verwoerd & du Plessis (1931) 294;

Wager (1935 a) 457.

on Cucumis sativus Linn., Mokeetsi, Fry, 25972: Karino, Domirle, 24877; Alkmaar. Wager, 26569; Kaapmuiden, Hulley, 27580, Phillips, 23234; Barberton, Button, 641; East London, Slemert, 17087.

Cucumis Melo Linn., Constantia, Verwoerd (Stell. 470); Villiersdorp, Lotter (Stell. 417); Wýnberg, Dippenaar.

Citrullus vulgaris Schrad., South-western Cape, Dippenaar.

Peronospora destructor (Berk.) Casp.

Peronospora Schleideni Unger, Pole Evans (1911 b) 258,; Eyles (1926) 643; Hopkins (1930) 528; Verwoerd (1929 b) 19, (1931 a) 298; Doidge & Bottomley (1931) 42; Nel (1942) 9.

on Allium ascalonicum Linn., Kentani, Pegler 2391, 9528.

Allium Cepa Linn., Zandvlakte, Gellman, 30841; Joubertina, Reinecke, 30839, 33330; Riversdale, Verwoerd (Stell. 469); Bloemfontein, Verwoerd; Potchefstroom, Pienaar, 1912; Pretoria F. de Villiers, 5130, Faure, 11791, Rickert, 30842 and van Rooyen, 32205; Klip River, v. Zyl, 9193; Marabastad, Maré, 30840; Bubi, Eyles; Stellenbosch, Malan (v. d. Byl 1302), Verwoerd, (Stell. 147); Wonderboom, Bottomley, 33329; Joubertina, Reinecke, 33330; Fort Victoria, Hopkins (Rh. 6122).

Peronospora effusa (Grev.) Rabenh.

Nel (1942) 9.

on Chenopodium ambrosioides Linn., Bon Accord, Mogg, 32430; Pyramids, Mogg, 32643. Chenopodium foetidum Schrad., Potgietersrust, Forster, 28507.

Chenopodium murale Linn., Knysna, du Plessis (Stell. 591).

Chenopodium spp., Cana, Hean, 32144; Sandown, Hean, 32426; Hopefield, v. d. Byl 1293.

Spinacia oleracea Linn., Johannesburg, Cohen, 34213.

Peronospora Euphorbiae Fuck.

Verwoerd & du Plessis (1933) 227; Nel (1942) 9. on **Euphorbia** sp., Piquetberg, du Plessis (Stell. 602, v. d. Byl 2689).

Peronospora Mesembryanthemi Verw.

Verwoerd (1924 a) 13: Doidge & Bottomley (1931) 38; Nel (1942) 9.

on Mesembryanthemum spp., Stellenbosch, Verwoerd (Stell. 104, v. d. Byl 1242) Type: Grahamstown, Dyer. 23383, 23631; Bathurst Rail, Elliott, 25481; Kloof, McClean, 26332.

Peronospora obovata Bon.

Verwoerd & du Plessis (1933) 228; Nel (1942) 9.

on Spergula arvensis Linn., Stellenbosch, Verwoerd & du Plessis, (Stell, 614), v. d. Byl 2688)

Peronospora Oxalidis Verw. & du Pless.

Verwoerd & du Plessis (1932) 314; Nel (1942) 9.

on Oxalis cernua Thunb., Stellenbosch, du Plessis (Stell. 547, v. d. Byl 2686) Type. Oxalis sp., Elsenburg, du Plessis.

Peronospora parasitica (Pers.) Tul.

Verwoerd (1929 b) 24; Doidge & Bottomley (1931) 15, 54; Nel (1942) 9.

on Brassica oleracea Linn., Wellington, Davies, 27264; Grahamstown, McClean, 23807; Pretoria, Bottomley, 20352; Schagen, Theron, 26145; Estcourt, 24343; Krantzkloof, Bell, 8967; without locality, 460; Stellenbosch, du Plessis (Stell, 556, v. d. Byl 2685).

Brassica oleracea var. acephala DC., south-western Cape, Dippenaar.

Brassica rapa Linn., Kameeldrift, v. Willigh, 34323.

Raphanus Raphanistrum Linn., Somerset West, du Plessis (Stell, 801, v. d. Byl 2701).
Raphanus sativus Linn., Groot Drakenstein, Turner, 7350.

Peronospora Rumicis Corda

Verwoerd & du Plessis (1932) 413: Nel (1942) 9.

on Polygonum aviculare Linn., Stellenbosch, du Plessis (Stell. 546, v. d. Byl 2702).

Peronospora trifoliorum de Bary

Doidge & Bottomley (1931) 35, 57: Bottomley (1932) 21; Nel (1942) 9.

on Glycine Max Merr., Cedara, Staples, 17059.

Medicago sativa Linn., Grootfontein, 26083: Pretoria, L. Turner, 6935: Groenkloof, Mellé, 9190, Doidge, 18071; Welverdiend, Burgers, 15535: Cedara, Staples, 17059: Ixopo, Hancock, 15046; Kilgobbin, Fannin, (v. d. Byl 579) 31829; Stellenbosch, du Plessis (Stell. 585, v. d. Byl 2703).

Peronospora Viciae (Berk.) de Barv.

Doidge & Bottomley (1931) 47.

on Pisum sativum Linn., Ceres, 728; Cape Flats and Stellenbosch, *Dippenaar* (Stell. 860); Grahamstown, *Pringle*, 34235.

Plasmopara viticola (Berk. & Curt.) Berl. & de Toni.

Pole Evans (1907 a) 166, (1908 c) 213, (1908 c) 124; Lounsbury (1907) 330; Doidge & Bottomley (1931) 28; Hopkins (1930) 524, (1939 a) 48; Marloth (1913) 24; Cardoso (1939) 45, (1945) 155. on Parthenocissus quinquefolia Planch., Grahamstown, Dewar, 286.

Vitis vinifera Linn., Grahamstown, *Dewar*, 237; Graaff Reinet, *Mally*, 1534; Somerset East, *Dewar*, 313; Fort Beaufort, *Pole Evans*, 297; Cape Town, 223; Umzimkulu, *MacIntyre*, 10132; Barberton, *Lounsbury*, 1276; Lourenço Marques, 24340; Umbeluzi, Xinavane, *Guimarāis*, Shamva (Rh. 812).

Sclerospora Butleri Weston

Weston (1933) 592.

on Eragrostis aspera Nees, Bulaki, Nyasaland, E. J. Butler (Type in Farlow Herbarium; ? Eragrostis sp., Pinetown.

Sclerospora graminicola (Sacc.) Schroet.

Wickens (1937) 690; Hopkins (1938 a) 100, (1939 a) 31; Doidge & Bottomley (1931) 35; Weston (1933) 587.

on Pennisetum spicatum Koern, Swallowfields (Rh. 3243).

Pennisetum typhoides Stapf & Hubb., Roodekop, Clover, 26691; Immerpan, Todd, 28823; Letaha, Curson, 28861; Zomba, 8950; without locality, Curson, 30464; Makwapala, near Zomba, E. J. Butler.

Setaria verticillata Beauv., Groenkloof, Mackay, 20347.

Sclerospora indica Butler

as Sclerospora Maydis (Rac.) Butler, Doidge & Bottomley (1931) 36.

on Zea Mays Linn., Naboomspruit, McKay, 20385; Pienaars River, McKay, 20425; North coast of Natal, 32497.

Sclerospora Sorghi (Kulk) Weston & Uppal

Hopkins (1938 a) 100, (1939 a) 44.

sub Sclerospora graminicola (Sacc.) Schroet., Doidge & Bottomley (1931) 31, 32, 59.

on Sorghum caffrorum Beauv., Pretoria, du Preez, 25910.

Sorghum Durra Stapf, Pretoria, F. du Toit & Wager, 25903.

Sorghum sudanense Stapf, Ntababane, 15506, 32496; Beestekraal, Anderssen 27754; Salisbury (Rh. 1950).

Sorghum verticilliforum Stapf, Pretoria, Lundie, 15419; Moorddrift, Kitchener, 11876.

MUCORALES.

MUCORACEAE.

Circinella Sydowii Lendner

Lendner (1913) 29; Sacc. Syll. Fung. XXIV: 6; Stevenson & Rands (1938) 261.

in sugar solution, in gold mine, Johannesburg.

Mucor exitiosus Mass.

Massee (1901 a) 94, (1908 b) 197; Pole Evans (1907 a) 170; Anon. (1901) 850; Sacc. Syll. Fung. XVII: 495.

isolated from:

Nomadacris septemfasciata Serv., South Africa.

Mucor hiemalis Wehm.

on artificial medium, Cedara, Ripley.

Mucor mucedo Linn.

Thunberg (1800) 183, (1923) 756. on plants, bread, etc., Cape, *Thunberg*.

Mucor racemosus Fres.

McAlpine (1899) 1213, (1900) 184.

? as Mucor sp., Howard (1902) 466, 469; McMartin (1935 a) 23.

on Nomadacris septemfasciata Serv., dead locusts, from? Cape Town (more probably Natal).

Natal coast, McMartin.

isolated from coat of mine native, Robinson Deep (T.R.L. 428, det. Baarn).

Mucor Rouxii Calm.

Doidge (1909) 7, 8.

isolated from 'leting', made from malted grain of Sorghum caffrorum Beauv., from Basutoland, Doidge.

Mucor stercoreus (Tode) Link.

Hydrophora stercoraria Tode, Kalchbrenner & Cooke (1880) 25. on dung, Somerset East, MacOwan 487, 1299.

Rhizopus arhizus Alf. Fischer.

Hopkins (1938 d) 510, (1939 d) 116, (1939 a) 29. on **Nicotiana Tabacum** Linn., on leaf during curing, S. Rhodesia, *Hopkins*. on artificial medium, Cedara, *Ripley*.

Rhizopus Artocarpi (Berk. & Curt.) Rac.

Doidge & Bottomley (1931) 31, as Rhizopus sp. ? on Artocarpus integra Merr., on fruit, Barberton, Pole Evans.

Rhizopus nigricans Ehrenb.

V. A. Putterill (1921) 529, (1923 a) 334; du Plessis (1936) 15; Cardoso (1937) 156;
 (1945) 154; Bates (1937 b) 189; Hopkins (1938 a) 99, (1939 a) pp.

? Rhizopus stolonifer Ehrenb., Hopkins (1932) 463.

Very common on decaying parts of plants, especially fruits, tubers and seedlings; see host index.

PILOBOLACEAE.

Pilobolus crystallinus (Wiggers) Tode

Nel (1942) 8.

on dung, Stellenbosch, Verwoerd, (v. d. Byl 1166).

CHOANEPHORACEAE.

Cunninghamella sp.

isolated from eggs of Nomadacris septemfasciata Serv., Pretoria, Faure 27545.

PIPTOCEPHALACEAE.

Syncephalastrum racemosum (Cohn) Schroet.

isolated from flannel, used underground in mine, Durban Roodepoort Deep (T.R.L. 216, det. Baarn).

on underground mine timber, New Modderfontein, (T.R.L. 253 det. Baarn).

MORTIERELLACEAE.

Haplosporangium bisporale Thaxter var.

St. John-Brooks (1936) 69.

isolated from Phaseolus vulgaris Linn., wilted plant, Wager (det. I.M.I.).

ENTOMOPHTHORALES.

ENTOMOPHTHORACEAE.

Empusa conglomerata Sorokin

Skaife (1921) 80.

on Nephrotoma umbripennis Alex., imago, Cedara, Skaife.

Empusa Fresenii Nowak.

on Aphis sp., on Sorghum caffrorum Beauv., Maritzburg, Pole Evans, 1387.

Empusa Grylli Fres.

Pole Evans (1907 a) 168, (1907 d) 953; Marloth (1913) 24; Skaife (1921) 81, (1925) 298; van der Byl (1922 d) 283; Verwoerd (1931 a) 298; McMartin (1935 a) 119, (1935 b) 181; Schaefer (1936) 22; Cardoso (1937) 151; Hopkins (1938 a) 99.

Entomophthora Grylli Fres., Massee (1908 b) 197.

on Acrididae undet., Cedara, Skaife; Maritzburg, Pole Evans, 1481.

Aeolopus sp., Hartebeestpoort, Schaefer, 33434.

Glaphyracris cyanez Stall., Bizana, Schaefer.

Locustana pardalina Walk., Bloemfontein, Verwoerd; Kalahari, Mally (Stell. 243).

Nomadacris septemfasciata Serv., Natal and Transvaal, Pole Evans; widely distributed in Southern Thodesia, Hopkins; Outjo, Locust Officer, 27549; Mposa area, v. Wyk, 27592: Okahandja, Locust Officer, 27550; Nampula, N. de Fontoura; Metònia, Moamba and Manhiça, Cardoso; Lourenço Marques, Guimarāis; Cabo Delgado.

Oedaleus sp., Natal, Lea.

Empusa Lecanii Zimm.

on Dactylopius Opuntiae Ckll., Natal, Ripley (det. Petch).

Empusa Muscae Cohn

Skaife (1921) 78; van der Byl (1922 d) 283; Verwoerd (1931 a) 298; Hopkins (1938 a) 99; Nel (1942) 8.

on Musca domestica Linn., Bloemfontein, Verwoerd; Cedara, Skaife; Stellenbosch, Brain and Verwoerd (Stell. 279).

Muscidae undet., Cedara, Skaife.

Anthomyidae undet., Cedara, Skaife.

Stomoxys calcitrans Linn., Umtali (Rh. 2951).

Empusa sp.

Nel (1942) 8.

on Naudauralea Tyrrhaea Gram., Kluitjies Kraal, Wolseley, v. d. Byl 98.

Entomophthora Aphidis Hoffm.

Skaife (1921) 83; Hopkins (1937 a) 99.

on Aphis spp., Cedara, Skaife; Salisbury (Rh. 2113).

Entomophthora apiculata Thaxt.

on Lepidoptera: imagines of Lycophotia muscosa Geyer, of an undet. Geometrid and a Lycaenid: larvae of Pachypasa capensis Aur., Cedara, Skaife.

Diptera: imagines of a large Anthomyid fly and of Nephrotoma unicingulata Alex., Cedara, Skaife.

Coleoptera: imagines of Trocalus fulgidus Fabr. and of Adoretus ictericus Borm., ('edara, Stavles.

Hemiptera: adults of Locris arithmetica Walk., Cedara, Skaife.

Entomophthora coronata (Cost.) Kev.

Schaefer (1941) 241. on Camponotus sp., Pretoria, Schaefer.

Entomophthora megasperma Cohn

Skaife (1921) 84. on Euxoa segetis Schiff., on larvae, Cedara, Skaife.

Entomophthora sphaerosperma Fres.

Ullyett & Schonken (1940) 1, 6. on Plutella maculipennis Curt., Pyramids, Ullyett & Schonken.

Entomophthora sp.

on Acanthopsyche Junodi Heyl. Natal. causing extensive epidemics in 1923, Ripley, Cedara, 30443.

ASCOMYCETES

LABOULBENIALES.

LABOULBENIACEAE.

Laboulbenia anomala Thaxt.

Thaxter (1899) 157; Sacc. Syll. Fung. XVI: 682. on Orectogyrus suturalis Req., Zambesi.

Laboulbenia bilabiata Thaxt.

Thaxter (1905) 315.

on Brachynus armiger Dej., Cape of Good Hope.

Laboulbenia Drvptae Thaxt.

Thaxter (1902) 27; Sacc. Syll. Fung. XVII: 920. on **Drypta ruficollis** Dej., Natal.

Rhachomyces Dolichaontis Thaxt.

 $\label{eq:Thanker} Thaxter~(1901)~39,~(1931)~285~;~Sacc.~Syll.~Fung.~XVI:~691~.$ on <code>Dolichaon lathrobioides</code> Casteln., Cape, Sharp.

Rhizomyces confusus Thaxt.

Thaxter (1918) 710; Sacc. Syll. Fung. XXIV: 137.

Rhizomyces crispatus pr. p. Thaxter (1900 a) 434; Sacc. Syll. Fung. XVI: 680.
on Diopsidae undet., Natal.

PEYRITSCHIELLIACEAE.

Eucantharomyces africanus Thaxt.

Thaxter (1900 a) 418; Sacc. Syll. Fung. XVI: 676. on Callidea natalensis and Callidea sp., Natal.

Monoicomyces zealandicus Thaxt.

Thaxter (1931) 51.

on Atheta obtusidius Epp., Cape Town, Thaxter 2485.

Stichomyces capensis Thaxt.

Thaxter (1931) 250.

on Conosoma angustum Bernh., Cape Town, Thompson.

ENDOMYCETALES.

(Gymnoascales.)

ASHBYACEAE.

Ashbya Gossypii (Ashby & Nowell) Guill.

St. John-Brooks (1936) 14.

Nematospora Gossypii Ashby & Nowell, Moore (1930) 13; Doidge & Bottomley (1931) 20, 25.

on Gossypium sp., bolls, northern and eastern Transvaal, Magut. Premier Cotton Estates, Moçambique, Moore: common throughout the more humid parts of the cotton belt, Moore.

Firmiana simplex Wight., Rustenburg, Moore.

Phaseolus vulgaris Linn., ? Northern Transvaal, Moore.

Nematospora Corylii Pegl.

Moore (1930) 15; Doidge & Bottomley (1931) 20, 25; Hopkins (1938 a) 100, (1939 a) 15, 21, (1943) 188.

on Bauhinia Galpinii N.E. Br., seeds, Pretoria, Bottomley, 25454.

Crotalaria juncea Linn., Salisbury, Gatooma, Mashangani, Hopkins.

Gossypium sp., bolls, Northern Transvaal, Moore: Salisbury, Bindura, Concession, Hopkins.

Phaseolus vulgaris Linn., Magut, Parsons, 21220: Utrecht, Neethling, 23207, 23208; Gamtoos River Valley, Galpin, 26693: Penhalonga, Hopkins (Rh. 5615); Letaba, Grime, 26573.

ENDOMYCETACEAE.

Hanseniospora Guilliermondii Pijper

Pijper (1928) 989: Dodge (1936) 143.

isolated from onychomycosis of European woman, Pretoria. Pijper; pathogenicity quite probable, but not proved.

COCCIDIOIDEACEAE.

Histoplasma capsulatum Darling

Simson & Barnetson (1942) 302.

isolated from lesions in mouth of European usually resident in Southern Rhodesia, Johannesburg, Simson & Barnetson.

Rhinosporidium Seeberi (Wernicke) Seeber

Rhinosporidium Kinealyi Minchin & Fantham, Simson & Strachan (1937) 83.

as Rhinosporidium sp., Zschokke (1913) 641; Quinlan & de Kock (1926).

found in infection of the conjunctiva in 5 cases, 2 European and 2 native boys, 1 native adult, Johannesburg and Duivelskloof, Simson & Strachan.

found in tumour from septum nasi of horse, Theiler.

found in tumours situated on Regio Respiratorio of nasal chambers of a mule; in a second case in tumour on leg and in nasal cavity of mule.

EREMASCACEAE.

None recorded; for conidial forms see Eremascaceae Imperfectae in the Fungi Imperfecti.

SACCHAROMYCETACEAE.

Kloeckerospora uvarum Niehaus

Niehaus (1932) 146.

isolated from Vitis vinifera Linn., bark, Government vineyard, Elsenburg, Niehaus.

Saccharomyces acidi-lactici Grotenf.

Chapman & Baker (1907); Doidge (1910) 5.

isolated from "leting" and from kaffir beer, Juritz.

Saccharomyces Cerevisiae Hansen.

Used in all South African breweries; as "top yeast" for brewing ales, and as "bottom yeast" for brewing lager (McKenzie).

Saccharomyces fragilis Jörg.

Chapman & Baker (1907); Doidge (1910) 5. isolated from "leting" and from kaffir beer, Juritz.

Saccharomyces sp.

on Ficus carica Linn., common in ripe fruit after rain, south-western Cape, Dippenaar; Transvaal, Bottomley.

Saccharomyces sp.

on Litchi sinensis Sonn., fruit, Natal coast and eastern Transvaal, Bottomley.

Saccharomyces spp.

isolated from sputum (? contaminants), Medical Research Institute, Johannesburg, H. I. Lurie.

Saccharomyces spp.

Doidge (1910) 15.

isolated from kaffir beer made from "mabele" (Sorghum caffrorum Beauv.) and maize (Zea Maus Linn.).

Many "wild" yeasts occur; some of those occurring on Mesembryanthemae, fruits of the "marula" (Sclerocarya caffra Sond.) and on other indigenous plants are used by natives for fermenting liquids; others cause fermentative injury to fruits, food materials, etc. The species used in the wine-making industry have not been identified.

Schizosaccharomyces ovis Quin.

Quin (1943) 107; Clark (1946) 154. in ruminal ingesta of sheep fed on lucerne, Onderstepoort, Quin.

TAPHRINALES.

PROTOMYCETACEAE.

Byssochlamys nivea Westling

isolated from canned, pasteurised cheese, Durban, Wickens (det. E. W. Mason).

TAPHRINACEAE.

Taphrina aurea Sadeb.

Pole Evans (1906 a) 140; Verwoerd (1929 b) 23; Doidge & Bottomley (1931) 51; Nel (1942) 14.

on **Populus alba** Linn. var. **pyramidalis** Bunbe, Stellenbosch, *Verwoerd* (Stell. 142); Klapmuts, v. d. Byl 69.

Populus nigra Linn. var. italica du Roi, Constantia, Wynberg, Stellenbosch, Klapmuts, *Verwoerd*.

Populus sp., Stellenbosch, Malleson, 546; Constantia, Pole Evans, 41, 459.

Taphrina deformans (Fuck.) Tul.

van der Byl (1922 d) 283; Eyles (1926) 644; Verwoerd (1929 b) 20. (1931 a) 298; Doidge & Bottomley (1931) 41, 47; Hopkins (1930) 647, (1938 a) 104, (1939 a) 36.

Exoascus deformans Fuck., Fuller (1902) 624; Pole Evans (1906 a) 139; Cardoso (1945) 153.

on Prunus persica Sieb. & Zucc., Wellington, Stoneman, 7360; Stellenbosch, Verwoerd (Stell. 100); Elgin, Paarl, Wellington, Caledon, Bredasdorp, Wynberg, Piquetberg, Robertson, Montagu, Tulbagh, Verwoerd; Morgenzon, Wolfaard, 19865; Bloemfontein, Verwoerd; on fruit, Wepener, Roux, 34085; Pretoria D. Gunn, 10718, 11672; Johannesburg, J. Phillips, 18030, Easton, 24878, Adler, 24879; Bethal, 1012; Delmas, Thomsen, 1020; Waterval, Elandshoek, Wager, 22385; Inyazura (Rh. 943); Inyanga, Eyles; Salisbury, Hopkins; Lourenço Marques, Nascimento.

Prunis persica var. nucopersica Schneid., Stellenbosch, Wynberg, Verwoerd,

Taphrina Mume Nish.

on **Prunus Armeniaca** Linn.. Wellington, *Dippenaur*: Johannesburg. 18061: Frankfort *Haines*, 24881; Golden Valley, *Abrahamson*, 26612; Kokstad. *Payne*, 31975.

Taphrina Pruni (Fuck.) Tul.

? on Prunus salicina Lindl., south-western Cape, Dippenaar.

MYRIANGIALES.

MYRIANGIACEAE.

Ascostratum insigne Svd.

H. & P. Sydow (1912 a) 41; Theissen & Sydow (1917 b) 441; Doidge (1924 a) 206.

on Euphorbia sp., Amanzimtoti. Doidge, 1660 Type, 6625.

Elsinoë ampelina (de Bary) Shear.

See Sphaceloma ampelinum de Bary: perfect stage of this fungus has not been found in South Africa.

Elsinoë Fawcetti Bitanc. & Jenk.

See Sphaceloma Fawcetti Jenk.: perfect stage has not been found in South Africa.

Elsinoë Poinsettiae Jenkins.

See Sphaceloma Poinsettiae Jenk.; the perfect stage has not been found in South Africa.

Elsinoë Pyri (Woron.) Jenkins

Hopkins (1939 a) 39 (Sphaceloma stage). ? on **Pyrus malus** Linn., leaves, Umtali, *Hopkins*.

Elsinoë Violae Jenkins.

See Sphaceloma Violae Jenk.; the perfect stage is not known in South Africa.

Myriangium Montagnei Berk.

on Lepidosaphes Gloveri Pack on Citrus sinensis, Nelspruit, Marloth, 25485; Rivulets, Marloth, 25511.

Coccidae undet., on Citrus sinensis, Durban, v. d. Merwe, 34121; on Mundulea sericea, Donkerpoort, Doidge, 34133; on Cluytia sp., Hlabini Forest, Morgan & Doidge, 34122.

DOTHIDEACEAE.

Auerswaldia examinans (Mont. & Berk.) Sacc.

Doidge (1921 c) 20.

on Citrus sinensis Osbeck, bark, Krantzkloof, Bell, 7733.

Auerswaldia scabies (Kalchbr. & Cooke) Sacc.

Saccardo, Syll, Fung, II: 626; Theissen & Sydow (1915) 300.

Dothidea scabies Kalchbrenner & Cooke (1880) 32.

on leaves of tree undet., Noodsberg, *Medley Wood 50*, 10436, Kew; Kaffraria, *MacOwan 48*.

Doubtful species.

Dothidea aloicola P. Henn.

Theissen & Sydow (1915) 336; Nel (1942) 11.

on Aloe mitriformis Mill., Stellenbosch, v. d. Byl 1164, 1677, Kew.

Dothidella Welwitschii A. L. Sm.

Lorrain Smith (1898) 179, (1901) 477; Sacc. Syll. Fung. XVI: 627; Theissen & Sydow (1915) 326.

on Welwitschia Bainesii (Hook. f.) Carr., near Cabo Negro, Mossamedes, Welwitsch 206, Type.

Doubtful species.

Elmerococcum Peglerae (Pole Evans) Doidge

Doidge (1921 c) 20; Simpson & Talbot (1946) 133.

Montagnella Peglerae Pole Evans (1918 c) 110.

on Rapanea melanophleos Mez., Kentani, Pegler 1892, 2206, Type, 6620, Kew; Hogsback, K. M. Putterill, 30070; Montagu Pass, Doidge, 17106; Woodbush, Doidge, 1755; Qudeni Forest, Simpson & Talbot, 35004.

Erikssonia Carissae Doidge

Doidge (1948a) 837.

on Carissa bispinosa (Linn.) Desf., on leaves, Mtunzini, Laughton, 33545, Type.

Leveillina Arduinae (Kalchbr. & Cooke) Theiss. & Syd.

Theissen & Sydow (1915) 286.

Dothidea arduina Kalchbrenner & Cooke (1880) 31; Sacc. Syll. Fung. II: 642. on Carissa bispinosa (Linn.) Desf., Somerset East. MacOwan 1354, Kew, Type.

Microcyclus kentaniensis Doidge

Doidge (1948a) 837.

on Asparagus plumosus Bkr., stems, Kentani, Pegler, 8885, Type.

Perischizon oleifolium (Kalchbr. & Cooke) Syd.

H. & P. Sydow (1914 b) 265; Theissen & Sydow (1915) 269; Doidge (1921 c) 22; Doidge & Bottomley (1931) 31; Nel (1942) 11. Dothidea oleifolia Kalchbrenner & Cooke (1880) 31: Sacc. Syll. Fung. II: 642.

on Olea capensis Linn., St. James, Pole Evans, 5574; Kirstenbosch, Peurson, 7374; Knysna J. Phillips. 20395, v. d. Byl 2305: Montagu Pass, Doidge, 17132; Storms River, Doidge, 17174; Assegai Bush, Doidge, 17240.

Olea laurifolia Lam., Knysna, Pienaar, 2421: Deepwalls, Doidge, 17197: Woodbush, Pole Evans, 769: Malelane, Hall, 9749: Orange Kloof, Table Mt., Wolley Dod 866, Kew; Skeleton Ravine, Table Mt., Wolley Dod 3641, Kew; near Grahamstown, F. A. Rogers 29931, 29932, Kew: Table Mt., Marloth, 33977.

Olea macrocarpa C. H. Wright, Woodbush, D. F. O., Kew.

Olea Woodiana Knobl., East London, Doidge, 10904.

Parodiella perisporioides (Berk. & Curt.) Speg.

Sacc. Syll. Fung. I: 717; Doidge (1917) 721; Theissen & Sydow (1917 a) 127 Hansford (1926 a) 13.

Dothidea perisporioides Berk. & Curt., Cooke (1879) 72: Cooke & Kalchbrenner (1881) 27: Kalchbrenner (1882 a) 146.

Parodiella grammodes (G. Kunze) Cooke, P. Hennings (1903) 165.

as Parodiella paraguayensis Speg., Hopkins (1939 a) 4.

on Aeschynomene nyassana Taub., Marandellas, Hopkins.

Crotalaria dura Wood & Evans, Highflats, Dyer, 32398.

Desmodium hirtum G. & P., Inanda, Medley Wood 541, 9490, 10438, Kew.

Eriosema cordatum E. Mey., Inanda, Medley Wood 664, 9467, 10434, Kew. Eriosema Englerianum Harms., Salisbury, Banket, Inyanga, Hopkins.

Eriosema salignum E. Mey., Inanda, Medley Wood 471, 10432, Kew: Mooi River, Mogg 10074.

Psoralea decumbens Ait., Newlands, Lounsbury, 1005.

Sphenostylis angustifolia Sond., Inanda. Medley Wood 115, 9515, 9486, 10439, 13081, Kew: Garstfontein, Pienaar, 1201, 1958; Pretoria, Pole Evans, 6694, Pont, 24947; Derdepoort, Doidge & Bottomley, 33929.

Tephrosia sp., between Quiriri and Kampuluvu, Baum 733.

Var. microspora Theiss. & Syd.

Theissen & Sydow (1917 a) 129.

on Indigofera hilaris E. & Z., Belfast, Doidge, 576.

Indigofera malacostachys Benth., Rietvlei, Pretoria, Acocks, 31079.

Indigofera neglecta N.E. Br., Pretoria, Mogg, 11511: Nelspruit, Wager, 26114.

Indigofera tristis E. Mey., Leribe Mts., Dieterlen, 24338.

Indigofera sp., Inanda, Medley Wood 684, Kew.

Phragmodothella nervisequens Doidge

Doidge (1921 c) 22.

on Burchellia bubalina (Linn. f.) Sims, van Stadens Pass, *Pole Evans*, 11446, Type: Keurkloof Forest, *Doidge*, 17120; Deepwalls, *Doidge*, 17203; Storms River, *Doidge*, 17161

Phragmodothis asperata Syd.

Theissen & Sydow (1915) 345; Doidge (1921 c) 23; Sacc. Syll. Fung. XXIV 551.

Montagnella asperata Syd., H. & P. Sydow (1912 c) 442.

on Euphorbia Schinzii Pax, Wapadsnek, Pienaar 2159, Type. 7353: Pretoria, Impi, 8759, C. A. Smith, 25929; Meintjes Kop, R. A. Dyer, 34146.

Doubtful genus; see Petrak (1929) 339.

Stichodothis disciformis (Wint.) Petrak.

Petrak (1927) 193.

Auerswaldia disciformis Winter (1884 b) 170; Sacc. Syll. Fung. IX: 1033.

Dothidina disciformis (Wint.) Theissen & Sydow (1915) 304; Doidge (1921 c) 21; Doidge & Bottomley (1931) 66; Hansford (1946 a) 10.

Bagnisiopsis disciformis (Wint.) Nel (1942) 11.

on Myrica conifera Burm. f., Krantzkloof, v. d. Byl, 8396; Bains Kloof, Acocks (E. L. Stephens 344) 34464.

Myrica cordifolia Linn., Cape Town, MacOwan, Type (Rabenh. Wint. Fung. Eur. 3063) 3403, 21945, Kew; False Bay, Mitchell, 17267; Port Elizabeth, L. Britten, 33574; Cape Flats, R. Marloth, 33575; Mossel River, Hermanus, Pole Evans, 33576; Witzand, J. C. Smuts, 33577; Fishhoek, Peers, 33578.

Myrica linearis DC., Stellenbosch, Levyns, 21107.

Myrica quercifolia Linn., Bredasdorp, Acocks, 27284.

Myrica spp., Uniondale, Verwoerd (v. d. Byl 2189); Nattevlei, Klapmuts, v. d. Byl 1054; Stilbaai, Grosskopf (v. d. Byl 2180); Hawston, v. d. Byl 574; Tulbagh, Dippenaar (v. d. Byl 2428); Stellenbosch, v. d. Byl 1036; Wemmershoek, Dippenaar (Stell. 1883); Frenchhoek, Dippenaar (Stell. 539); Stellenbosch, Verwoerd (Stell. 111).

MONTAGNELLACEAE.

Diplochorella amphimelaena (Mont.) Theiss. & Syd.

Theissen & Sydow (1914) 277, (1915) 621; Doidge (1921 c) 18; van der By^l (1925 b) 192; J. Phillips (1931) 159; Nel (1942) 11.

Dothidea amphimelaena Montagne (1843 a) 372.

Homostegia amphimelaena (Mont.) Saccardo, Syll. Fung. II: 650.

Phyllachora Osyrydis Cooke (1885 a) 64.

Dothidella Osyridis (Cooke) Berl. & Vogl., Sacc. Syll. Fung. IX: 1038.

Dothidella Osyridis var. Tassiana Saccardo (1896) 69, Syll. Fung. XIV: 676.

Microcyclus Ösyridis Sacc., H. & P. Sydow (1904 b) 165. Microcyclus Tassianus Syd., H. & P. Sydow (1904 b) 165.

on Osyris abyssinica Hochst., Cape, Boivin, Ecklon, Kew (ex Herb. Berk.); Muizenberg MacOwan (Rabenh. Wint. Fung. Eur. 3562) 3902, Kew; Muizenberg, Beardmore 2292; Kloof Nek, Doidge, 2155; St. James, Pole Evans (Syd. Fung. exot. 188) 1982 1791, Kew; Kalk Bay, Polts, 11302; Kögel Bay, eastern shores of False Bay, Mitchell 15452; Knysna, J. Phillips, 20397, Bottomley, 32238, 32262; Bredasdorp, Acocks, 27285; Belmont Valley, Doidge, 10954; Port Elizabeth, Doidge, 1243; Gordon's Bay, du Plessis (Stell. 590); Storms River, Keet & Laughton, 34321.

Diplochorella Burchelliae Syd.

H. & P. Sydow (1920 a) 158; Sacc. Syll. Fung. XXIV: 632.

on Burchellia bubalina (Linn. f.) Sims, "probably collected in South Africa."

Montagnella maxima Mass.

Massee (1899) 291; Sacc. Syll. Fung. XVI: 630; Theissen & Sydow (1915) 638; Doidge (1921 c) 20; van der Byl (1925 b) 192; Verwoerd (1929 b) 5; Doidge & Bottomley (1931) 5; Nel (1942) 18; Hansford (1946 a) 15.

on Aloe africana Mill., Bot. Garden, Grahamstown, Archibald, 35279.

Aloe cryptopoda Bkr., Chunespoort, K. M. Putterill, 32757. Aloe dolomitica Groen., Naboomspruit, Galpin, 30986.

Aloe ferox Mill., Graaff Reinet, Burtt Davy, 5156; Uitenhage, Pienaar, 2496; Amanzi, Doidge, 22337; Port Elizabeth, Doidge, 2274; Mossel Bay, v. d. Byl 1343.

Aloe platylepis Bkr., Cape, Rogers, Kew; Port Elizabeth, Doidge, 1312.

Aloe spp., Potgietersrust, Melle, 15500: without locality, E. L. Stephens, 25862: Arcturus, Hopkins (Rh. 4782).

Rosenscheldia horridula Doidge

Doidge (1921 c) 20.

on Olea capensis Linn., Umgeni, Pole Erans, 5149: East London, Doidge, 12411. Olea Woodiana Knobl., East London, Doidge, 10903.

Teratosphaeria fibrillosa Syd.

H. & P. Sydow (1912 a) 40: Theissen & Sydow (1915) 631; Doidge (1922 a) 71; Sacc. Syll. Fung. XXIV: 635: Doidge & Bottomley (1931) 53.

on Protea abyssinica Willd., Fairy Glen. Pretoria. *Doidge* (Syd. Fung. exot. 938) 23372, 29414, Kew: Boekenhout Kloof, Pretoria, Mogg. 26365.

Protea caffra Meisn., Waterkloof, Pretoria, Mogg. 23454.

Protea grandiflora Thunb., Bains Kloof, Doidge (Syd. Fung. exot. 31) 1029, 1217, Type, 2059, 5224, Kew, Stoneman, 2232; Assegai Bush, Doidge, 17239.

PARODIELLINACEAE.

PARODIELLINEAE.

Parodiellinopsis transvaalensis Hansf.

Hansford (1946 a) 16, (1946 b) 141.

on Helichrysum? acutatum DC., Hendricksdal, Pilgrims Rest. Pole Evans, 14693, Type.

PARODIOPSIDINEAE.

Meliolina arborescens Syd.

Hansford (1946 b) 151.

as Meliolina cladotricha (Lev.) Syd., Doidge & Sydow (1928) 427: Doidge & Bottomley (1931) 66.

as Meliola cladotricha Lév., Nel (1942) 19.

on Syzygium Gerrardi (Harv.) Hochst., Woodbush, Gray, 888, Doidge, 1759, 17754, 28337, K. M. Putterill, 32751, v. d. Byl 1530, 1660; Entabeni, Bosman, 26112, 33297 b Laughton, 33911.

Syzygium Legati Burtt Davy & Greenway, Zoutpansberg, Bosman, 33056.

Nematostigma obducens Syd.

H. & P. Sydow (1913) 262; Doidge (1927 b) 230; Sacc. Syll. Fung. XXIV: 973; Hansford (1946 a) 20, (1946 b) 144.

on Scutia myrtina (Burm.) Kurz., Port Elizabeth. Doidge. 1242: Bonza Bay, East London, Bottomley, 26682.

Parodiopsis Brachystegias (P. Henn.) Arnaud

Arnaud (1921) 68; Hansford (1946 a) 18.

Parodiella Brachystegiae P. Hennings (1900 b) 325; Sacc. Syll. Fung. XVI: 412.

Dimerosporium erysiphinum P. Hennings (1903) 164.

Dimerium erysiphinum (P. Henn.) Saccardo, Syll. Fung. XVII: 537.

Dictothrix erysiphina (P. Henn.) Theissen (1912 a) 60.

Chrysomyces Brachystegiae (P. Henn.) Theissen & Sydow (1917 a) 139. Schistodes erysiphina (P. Henn.) Theiss., Theissen & Sydow (1917 b) 456.

on Brachystegia sp., Moçambique, de Cavalho.

Copaifera Baumiana Harms., on the Kusisi River, near Likisi, Baum 781, Kew.

ERYSIPHACEAE.

Erysiphe Aquilegiae DC.

as Oidium sp., Verwoerd (1929 b) 10; Hopkins (1943) 179.

? on Aquilegia sp., Stellenbosch, Wynberg, Verwoerd; M'sineddi, Hopkins (Rh. 4086), (Oidium only).

Erysiphe Brachystegiae Doidge

Doidge (1948a) 838.

as Uncinula sp., Hopkins (1939 a) 7.

on Brachystegia Randii Bak. f., Salisbury, Hopkins 1647, 25946, 26621.

Erysiphe cichoracearum DC.

Burtt Davy (1904) 296; Doidge (1915 a) 242; Doidge & Bottomley (1931) 22 38, 54, 66; Hopkins (1938 a) 100, (1939 a) 6, 15, 24; Cardoso (1937) 152, (1938) 76, (1939) 45, (1945) 156.

as Oidium sp., Verwoerd (1929 b) 11, 16, 17, 24, (1931 a) 299.

Oidium only; the perithecial stage has not been found in South Africa.

on Aster spp. (Michaelmas Daisy), Bulawayo (Rh. 1356); Pretoria, Bottomley, 25427; Durban, McClean, 30764.

Citrullus vulgaris Schrad., Worcester, du Plessis (Stell. 586).

Cucumis Melo Linn., French Hoek, Ladismith, Verwoerd.

Cucumis sativus Linn., Pretoria, Bottomley, 7373; Salisbury (Rh. 1117); Stellenbosch, Diep Rivier, Verwoerd.

Cucurbita maxima Duch., Pretoria, Bottomley, 15669.

Cucurbita Pepo Linn., Pretoria, Burtt Davy, 100, 150, Pole Evans, 268, 270, Bottomley. 27360; Pretoria North, Mogg, 32660, 32691; Bloemfontein, Potts, 11316, Verwoerd; Kentani, Pegler, 6581; Durban, McClean, 22088, Wager, 32420; Stellenbosch, v. d. Byl, Verwoerd; Kuils Rivier, Diep Rivier, Wynberg Flats, Bellville, Paarl, George Verwoerd; Riversdale, du Plessis, (Stell. 515); Shangani (Rh. 1937); Salisbury, Eyles 2067, 14004; Theydon (Rh. 3120); Sul do Save, Cardoso.

Cuourbita sp., Umbeluzi, Guimarāis; Durban, v. d. Byl, 31925.

Lagenaria leucantha Rusby, south-western Cape, Dippenaar; Nelspruit, Liebenberg, 26017.

Luffa cylindrica Roem., Banket (Rh. 2724).

Momordica clematidea Sond., Warmbaths, 617.

Viola tricolor, Linn., Pretoria, Hean, 32799.

According to Blumer (1933: 411) an Oidium on Cucurbitaceae in Europe may belong to Erysiphe cichoracearum DC., or to Sphaerotheca fuliginea (Schlecht) Salm.: as no perithecial form has been found on Cucurbitaceae in South Africa, the identification of this very common and widespread fungus must be regarded as tentative.

Erysiphe communis (Wallr.) Link

Doidge (1948a) 839.

as Erysiphe Polygoni DC., Doidge (1915) 241.

on Triumfetta Sonderi Ficalho & Hiern, Sunnyside, Pretoria, Doidge, 2291, v. d. Byl 8880. Oidium only:

?onBrassica rapa Linn., Salisbury, Hopkins (Rh. 4963).

Corchorus trilocularis Linn., Louis Trichardt, Fitzgerald, 26851.

Papaver nudicaule Linn., south-western Cape, Dippenaar.

Papaver Rhoeas Linn., Durban, McClean, 30470; Stellenbosch, Dippenaar (Stell. 1009)

11101-4

Erysiphe graminis DC.

MacOwan (1893) 463; Pole Evans (1906) 133; Doidge (1915) 242; Verwoerd (1929 b) 7, (1931 a) 299; Doidge & Bottomley (1931) 11, 67; Hopkins (1938 a) 100, (1939 a) 23, 46; Nel (1942) 14.

on Avena sativa Linn., Pretoria, Pole Evans, 214.

Hordeum vulgare Linn., Wonderboom, Pole Evans, 37; Pretoria, Pole Evans, 215, 243; Bloemfontein, Verwoerd; Salisbury (Rh. 3056, 3057); Matopos (Rh. 985)
Umtali, Hopkins: Rusapi (Rh. 3518); Louis Trichardt, Sellschop, 28321; Stellenbosch, Verwoerd (Stell. 2); Elgin, Paarl, Bredasdorp, Knysna, Caledon, Verwoerd; Stellenbosch, v. d. Byl 924, Dippenaar (Stell. 857; v. d. Byl 2581); Alexandria, Erasmus, 33153; Bellville, du Plessis.

Triticum aestivum Linn., Durbanville, MacOwan; Modderfontein, Naude, 7365: Buffelsvlei, Naudé, 8374: Lydenburg, Neethling, 9152; Schoemansrust, Schoeman, 11001; Pretoria, Bottomley, 12457; Rusapi, Hopkins; Stellenbosch, Dippenaar (Stell. 898).

Erysiphe Jatrophae Doidge

Doidge (1948a) 839.

sub Erysiphe Polygoni DC., Doidge (1915) 24; Nel (1942) 14; Hopkins (1943) 178.

on Acalypha angustata Sond., Garstfontein, Erasmus, 1266.

?on Acalypha sp., Salisbury, Eyles 2071 (v. d. Byl 1973).

on Jatropha Zeyheri Sond., Pietersburg, Thomsen, 1286, Type.

Jatropha natalensis Müll. Arg., Ehlanzeni, Doidge, 8248 (Oidium only). Jatropha Woodii O. Ktze., Ladysmith, Pole Evans, 2030 (Oidium only).

Erysiphe Martii Lév.

sub Erysiphe Polygoni D.C.? Hopkins (1939 a) 24; Cardoso (1945) 156.

Oidium only:

on Melilotus indicus All., Pyramids, Mogg, 32693.

Lathyrus odoratus Linn., common throughout South Africa: Somerset West. Stellenbosch, Wynberg, Verwoerd; M'Soneddi (Rh. 1346); Umtali (Rh. 1417) Kew; Salisbury (Rh. 2756); Durban, Platt, 31964; Lourenço Marques, Mota.

Erysiphe nitida (Wallr.) Rabenh.

Doidge (1948a) 840

sub Erysiphe Polygoni DC., Hopkins (1938 a) 100, (1939 a) 7.

as Oidium sp., Verwoerd (1929 b) 11.

on Delphinium Ajacis Linn., Johannesburg, Sieling, 14123; Pretoria, Bottomley, 23624

Imvani, Bisset, 26598; Windhoek, G.V.O., 34159.

Delphinium cultorum Voss., New England Rail, Lawrence, 25928; Salisbury, Hopkins, 25947; Durban, McClean, 24897; White River, Wager, 27694; Pretoria, Doidge, 28510, 28957; Maritzburg, Schmutz, 30120; Salisbury (Rh. 141, 1597, 1650, 2425, 2757, 2764) Kew; Bulawayo, Umtali, Hopkins; Wynberg, Stellenbosch, Elgin, Verwoerd; Windhoek, G.V.O. 34159; Johannesburg, Bottomley, 34057.

?onKnowltonia glabricarpellata Huth., The Heads, Knysna, Bottomley, 32261 (Oidium only).

Erysiphe Pisi DC.

sub Erysiphe Polygoni DC. emend. Salmon, Doidge (1915) 241; van der Byl (1922 d) 283: Verwoerd (1931 a) 299; Eyles (1926) 638; Hopkins (1938 a) 100, (1939 a) 24, 34; Cardoso (1939) 45, (1945) 157; Nel (1942) 14.

Oidium only:

on **Pisum sativum** Linn., Potchefstroom, v. d. Byl, 2259; Stellenbosch, v. d. Byl 94; Pre toria Pole Evans, 269; Zeerust, Donovan, 23635; Glenside, Slemert, 23394; Karino, Wager 22382; Cavendish, Umhlanga, Verulam, Wager; Avondale (Rh. 826, 873) Kew; Rusapi (Rh. 2400); Bubi, Eyles; Marandellas (Rh. 3041); Salisbury (Rh. 3412, 3413), Eyles (v. d. Byl 1295); Umbeluzi, Guimarāis.

?onMedicago hispida Gaertn., Constantia, 736.
Lupinus sp., Rhodesia, Hopkins (Rh. 3523).

Vicia Faba Linn., Ofcalaco, Wager, 27806; Mocambique, Cardoso.

Erysiphe umbelliferarum de Bary

Doidge (1948a) 840.

on Trachymene caerulea Graham, Utrecht, v. d. Spuy, 30929.

Leveillula taurica (Lév.) Arn.

Doidge & Bottomley (1931) 40.

sub Phyllactinia corylea (Pers.) Karst., Hopkins (1938 a) 100, (1939 a) 42, 47.
Oidiopsis taurica Lév., v. d. Byl (1922 b) 287; Nel (1942) 101.

Oidiopsis only:

on Capsicum frutescens Linn., White River, Hart, 25894; Nelspruit, Wager, 27589; Malagazi, Wager, 32712.

Tropaeolum majus Linn., Pretoria, Pole Evans, 473, 638, 945, Wager, 21578, Hean, 32742; Muckleneuk, Pretoria, King, 27288; Kentani, Pegler, 5668; Durban, Wager, 32419; Stellenbosch, v. d. Byl 469; George, Verwoerd (Stell. 600); Salisbury (Rh. 1534), Hopkins (Rh. 866) Kew.

Solanum incanum Linn., Melsetter, Hopkins.

Microsphaera polonica Siemaszko.

See Oidium Hortensiae Jorstad; the perithecial stage of this fungus has not been found in South Africa.

Phyllactinia Acaciae Syd.

H. Sydow (1935) 233; Doidge (1948a) 840.

on Acacia robusta Burch., Klapperkop, Mogg, 23428, Type.

Phyllactinia Combreti Doidge

Doidge (1948a) 841.

sub *Phyllactinia corylea* (Pers.) Karst., Doidge (1915) 242; van der Byl (1926 c) 285. on **Combretum Zeyheri** Sond., Pretoria, *Doidge*, 1506 Type, *Pole Evans*, 9743; Letaba Drift, *Doidge*, 1806.

Phyllactinia Erythrinae Doidge

Doidge (1948a) 841.

on Erythrina caffra Thunb., Greytown, Doidge, 15418 Type; Nelspruit, Wager, 23398; Durban, 25895; Harden Heights, Pole Evans, 1394; Nelspruit, Liebenberg, 25991.

Phyllactinia Evansii Doidge

Doidge (1948a) 842.

on Burkea africana Hook., Wonderboom, Pole Evans, 9758, Type.

Phyllactinia rhoina Doidge

Doidge (1948a) 842.

sub Phyllactinia corylea (Pers.) Karst., Doidge (1915) 242.

on Rhus pyroides Burch, var. transvaalensis Schon., Garstfontein, Pienaar, 6662 Type, 1533; Brits, Moore, 23235.

Rhus discolor E. Mey., Grootfontein near Harrismith, v. d. Byl, 2317.

Phyllactinia Sphenostylidis Doidge

Doidge (1948a) 843.

sub Phyllactinia corylea (Pers.) Karst., Doidge (1915) 243.

on Sphenostylis angustifolia Sond., Groenkloof, Bottomley, 17024 Type: Sunnyside, Pretoria, Pole Evans, 1413, 1510, 6693: Garstfontein, Pienaar, 2252; Waterkloof, Pretoria, Wager, 23357: Donkerpoort, Doidge & Bottomley, 29730: Debbe's Ravine, Bosman, 35164.

Podosphaera leucotricha (Ell. & Everh.) Salm.

Pole Evans (1906 a) 132; Doidge (1905) 239; van der Byl (1922 d) 284: Doidge & Bottomley (1931) 7: Blumer (1933) 148; Hopkins & Bacon (1938) 457; Hopkins (1938 a) 100, (1939 a) 39; Vel (1942) 14.

Oidium farinosum Cooke in Rabenh. Wint. Fung. Eur. 4498.

as Oidium sp., Verwoerd (1929 b) 6.

on Pyrus malus Linn., Clocolan, Harper, 1079, 9531; Johannesburg, 430, 448, 1077; Pretoria, Cairneross, 256; Bethal, 1291; Stellenbosch, v. d. Byl 93; Piquetberg, George, Verwoord; Wynberg, MacOwan (Rabenh, Wint, Fung, Eur. 4498) Kew; near Victoria West, MacOwan (S.A.M. 35167); Villiersdorp, v. d. Byl 69; Umtali (Rh. 908, 1022, 1451, 2368, 3092, 3438); Salisbury, (Rh. 2130, 3499); Cashel (Rh. 3437); Misoneddi (Rh. 3488); Marandellas (Rh. 3506, 3531).

Sphaerotheca fuliginea (Schlecht.) Salmon

Sphaerotheca Humuli (DC.) Burr. var. fuliginea (Schlecht.) Salm., Doidge (1915) 239; Doidge & Bottomley (1931) 13, 20; Hopkins (1939 a) 8.

as Oidium sp., Verwoerd (1929 b) 11.

on Bidens pilosa Linn.. Pretoria. Doidge, 895, 6603; Potchefstroom, v. d. Byl, 2257.

Cosmos bipinnatus Cav., Pretoria, Pole Evans, 1301; Stellenbosch, Verwoerd, (Stell. 314); Wellington, Elgin, Verwoerd; Bloemfontein, Verwoerd.

Coreopsis sp., Durban, McClean, 30452, 30673: Stellenbosch, du Plessis (Stell. 845); Salisbury, Hopkins (Rh. 1229) Kew.

Sphaerotheca Humuli (DC.) Burr.

as Oidium sp., Verwoerd (1929 b) 12.

? on Humulus Lupulus Linn., George, Verwoord (Oidium only).

Sphaerotheca macularis (Wallr.) Jacz.

sub Sphaerotheca Humuli Burr., Hopkins (1938 a) 120, (1939 a) 19.

on Fragaria sp., Umtali (Rh. 2445, 3105); Marandellas (Rh. 2773); Mazoe, Salisbury, Hopkins (Oidium only).

Sphaerotheca pannosa (Wallr.) Lév.

Pole Evans (1906 a) 141; Doidge (1915) 239; van der Byl (1922 d) 284; Doidge & Bottomley (1931) 55; Hopkins (1938 a) 100, (1939 a) 41, (1943) 188; Cardoso (1937) 152, (1938) 74, (1939) 45, (1945) 162.

as Oidium sp., Verwoerd (1929 b) 20, 25, (1931 a) 299; Nel (1942) 14.

Oidium only:

on Rosa canina Linn., Diep Rivier, Marloth, 9434; Deepwalls, J. Phillips, 18162; Wellington, Doidge, 2063; Brooklyn, Pretoria, Doidge.

Rosa laevigata, Diep Rivier, Marloth.

Rosa spp. cult., Pretoria. Pole Evans, 110; Piet Retief, 120; Rustenburg, Haarhoff, 238, 449; Silverton, 436; The Downs, Murray, 30884; Deepwalls, J. Phillips, 18162; Stellenbosch, Verwoerd (Stell. 159, 395), v. d. Byl 12; Somerset West, Rondebosch,

Rosebank, Cape Town, Elgin, Verwoord; Bloemfontoin, Verwoord; Umtali, Hopkins (Rh. 1017) Kew; Mt. Pleasant, Gwelo, Theydon, Hopkins; Umbeluzi, Howard; Salisbury, Inyazura, Selukwe, Marandellas, Hopkins; Lourenço Marques, Botelho & Rebêlo; Matola, Cardoso.

Var. Persicae Woronich

Doidge & Bottomley (1931) 47.

Oidium leucoconium Desm., Louw (1946) 94.

on Prunus armeniaca Linn., Brits, Pentz, 34442.

Prunus persica Sieb. & Zucc., Rosebank, 30454; Simondium, Pickstone, 2250; of general occurrence in the winter rainfall area, Louw; Ceres, Montagu, Ladismith, Laingsburg, Clanwilliam, Elgin, Somerset West, Stellenbosch, Louw; Louterwater, Rademeyer, 34349; Pretoria District, Zondagh, 34423; Pretoria, Bottomley, 32699; Cedara, Staples, 15434; Constable, Esterhuyse, 33893; The Willows, Brink, 34097; Hartebeestepoort, Sieling, 34175; Liuden, Johannesburg, Christensen, 34171; Johannesburg, v. Niekerk, 34167; Ficksburg, v. d. Vyver, 34351.

Prunus persica var. nucipersica Schneid., South-western Cape. Louw.

Uncinula aspera Doidge

Doidge (1915) 240, (1948a) 843; Blumer (1933) 356; Sacc. Syll. Fung. XXIV: 224. on Ficus Petersii Warb., Wonderboom, Burtt Davy, 1838, Type.

Uncinula circinata Cooke & Peck

Hopkins (1938 a) 101, (1939 a) 18. as Oidium sp., Hopkins (1930) 524.

Oidium only:

on Dodonaea viscosa Linn., Salisbury (Rh. 542).

Uncinula combreticola Doidge

Doidge (1948a) 844.

on Combretum Zeyheri Sond., Nelspruit, Doidge, 22377 Type; Ledzen, Doidge, 1793.

Uncinula Eylesii Doidge

Doidge (1948a) 844.

on Acalypha ciliata Forsk., Salisbury, Eyles 2071, 13992, Type.

Uncinula incrassata Salm.

Salmon (1908) 525; Sacc. Syll. Fung. XXII: 22; Hopkins (1943) 188; Doidge (1948a) 845.

Uncinula Pterocarpi Doidge (1915) 240; van der Byl (1926 c) 285; Sacc. Syll. Fung. XXIV: 224.

on Pterocarpus rotundifolius (Sond.) Druce, northern Transvaal, Doidge, 1805; Mazoe, Hopkins (Rh. 4122) 34271; Zona River, Jihu, Swynnerton.

Uncinula necator (Schw.) Burr.

Doidge (1915) 240; van der Byl (1922 d) 284; Hopkins (1938 a) 101, (1939 a) 49; Cardoso (1937) 152, (1938) 74.

Oidium Tuckeri Berk., Verwoerd (1929 b) 13, (1931 a) 299; Doidge & Bottomley, (1931) 28; Hopkins (1938 a) 120; Cardoso (1939) 45, (1945) 155.

Oidium only:

on Vitis vinifera Linn., Rondebosch, 273: Pretoria, 282; Johannesburg, 306; Stellenbosch, Buller, 6608, Verwoerd (Stell. 396), v. d. Byl; Bloemfontein, Verwoerd; Salisbury

(Rh. 407, 486, 1187, 2177, 2102, 2105, 2549, 2553); Selukwe, *Hopkins* (Rh. 2118); Sul do Save, *Cardoso*: Lourenço Marques, *Meirim*; very common throughout South Africa.

Uncinula polychaeta (Berk. & Curt.) ex Ellis

Doidge (1915) 240, (1948 a) 845 ; van der Byl (1926 c) 285 ; Doidge & Bottomley (1931) 67.

on Celtis Kraussiana Bernh., Fountains, v. d. Byl, 2096, 2202, Pole Evans, 2336, 2361; Garstfontein, Pienaar, 1260; Zoutpansberg, Burtt Davy, 181: Irene, Pole Evans, 32739; Fountains Valley, Bottomley, 34418.

MELIOLACEAE.

Amazonia asterinoides (Wint.) Theiss.

Doid, e & Sydow (1928) 427; Doidge (1942 a) 325.

Meliolaster Mackenzii Doidge (1920 d) 123.

on Piper capensis Linn. f., Buccleuch, Doidge, 11570; Woodbush, Doidge, 17731, 28347.

Balladyna leonensis Syd.

on Oxyanthus Gerrardi Sond., Woodbush, Doidge, 1758 a.

Balladyna tenuis Hansf.

Hansford (1946 b) 154

on Canthium Gueinzii Sond., Woodbush, Doidge, 17740 a.

Balladyna ugandensis Syd.

Hansford (1946 b) 154.

on Canthium ciliatum O. Kze., Komgha, E. P. Phillips, 14150; Pirie Forest, Doidge, 22428; Alexandria, Doidge, 22355; Isipingo, Wager, 33104; Stella Bush, Bottomley, 11375; Howieson's Poort, Doidge, 10968; Kentani, Pegler, 9127: Xumeni Forest, Doidge, 33501.

Canthium spinosum O. Kze., Durban, Wager, 32167; Stella Bush, Doidge, 1675; Bluff, Durban, Morgan & Doidge, 32167; Woodville Forest, Doidge, 10956 a.

Canthium sp., Stella Bush, Schilz, 14701.

Oxyanthus Gerrardi Sond., Woodbush, *Doidge*, 17723. Randia rudis E. Mey., Pirie Forest, *Doidge*, 12271.

Balladyna velutina (Berk. & Curt.) v. Höhn.

Theissen (1912 b) 16; Doidge (1917) 715; van der Byl (1926 c) 286; Nel (1942) 10: Hansford (1946 b) 154.

Asterina phaeostroma Cooke (1882 a) 130.

Asterella phaeostroma (Cooke) Sacc. Syll. Fung. IX: 396.

Meliola Psilostomae Thuem., von Thuemen (1877) 408.

Dimerosporium Psilostomatis (Thuem.) Sacc. Syll. Fung. I: 54.

Dimerium Psilostomatis (Theum.) Sacc. Syll. Fung. XVII: 537; Doidge (1917) 719.

Phaeodimeriella Psilostomatis (Theum.) Theissen (1912) a 46.

on Canthium ciliatum O. Kze., Boschberg, MacOwan 1291 (Thuem. Myc. Univ. 775; Rabenh. Fung. Eur. 2753; S.A.M. 33498) 20772, 20773; near Mont-aux-Sources, Doidge, 23403 b; Howieson's Poort, Doidge, 12385; Kentani, Pegler 2326, Kew.

Canthium Gueinzii Sond., Haenertsburg, Doidge, 17773; Woodbush, Doidge, 1744,

28327; Claridge, Doidge, 8991.

Canthium spinosum O. Kze., Woodbush, Doidge, 28465.

Canthium sp., Woodbush, Doidge, 28330.

Kraussia floribunda Sond., Umgeni, Doidge, 8981.

Pavetta Bowkeri Harv., East London, Doidge, 12426; Isipingo, Doidge, 6634.

Pavetta capensis (Houtt.) Bremek., Grahamstown, Britten, 14214, 14215.

Pavetta lanceolata Eckl., Woodville Forest, Doidge, 10966; Alexandria, Doidge, 22364; Amanzimtoti, Doidge, 1637 a; Stutterheim, Laughton, 33518.

Pavetta natalensis Sond., Inanda, Medley Wood 656, 9511, Kew; Table Mt., Natal. Doidge, 14948.

Pavetta revoluta Hochst., Isipingo, Doidge, 6627; Port Alfred, Britten, 21008; Durban, v. d. Byl 743.

Pavetta suluensis Bremek., Cavendish, Wager, 33317.

Pavetta spp., Rikatli, Junod, 11612; Natal, Medley Wood 589, 823; Woodbush, Doidge, 1768; Kentani, Pegler, 8895.

Tarenna sp., St. Lucia Lake, Gerstner, 35299.

Tricalysia lanceolata (Sond.) Burtt Davy, Umhlanga, Medley Wood 652, 331, 10190, Kew; Umgeni, Doidge, 8981; Stella Bush, Doidge, 2523.

Tricalysia sp., False Bay, Zululand, Gerstner, 35289. Rubiaceae undet., Van Stadens Pass, Doidge, 10886.

Balladynastrum glabrum Hansf.

Hansford (1946 b) 157.

on Canthium ciliatum O. Kze., near Mont-aux-Sources, Doidge, 23403 a.

Canthium Gueinzii Sond., Lemana, Doidge, 1744 a; Claridge, Doidge, 8991 a; Buccleuch, Doidge, 11573; Winters Kloof, Doidge, 12446; Woodbush, Doidge, 17740 b. Pavetta lanceolata Ecklon, Amanzimtoti, Doidge, 1637 b.

Irene atra Doidge

Doidge (1920 e) 40; Doidge & Sydow (1928) 434.

Meliola atra Doidge (1920 f) 137.

Irenina atra (Doidge) Stevens (1927) 466.

on Eugenia zuluensis Dümmer, Zwartkop, Doidge, 11594, 12436 Type; Xumeni Forest, Morgan & Doidge 29839, 32234; Gala Bush, Doidge, 33166.

Irene calostroma (Desm.) v. Höhn.

Doidge & Sydow (1928) 429; Doidge & Bottomley (1931) 13, 54; Nel (1942) 18; Stevens (1927) 423.

Meliola Puiggarii Speg., Doidge (1919 a) 195--197; van der Byl (1926 c) 286.

Irene Puiggarii (Speg.) Doidge (1920 e) 39.

Appendiculella calostroma (Desm.) v. Höhn., van der Byl (1926 c) 287.

as Meliola manca Ell. & Mart., Doidge (1917) 723, (1919 a) 196; J. Phillips (1931) 58.

on Cliffortia ferruginea Linn. f., van Staden's Pass, Doidge, 10861.

Cliffortia strobilifera Murr., Van Staden's Pass, Doidge, 10859, Pole Evans, 11442. Leucosidea sericea E. & Z., Nottingham Road, v. d. Byl 342, 11357; Tugela Valley near Mont-aux-Sources, Doidge, 14130; Xumeni Forest, Doidge, 27746; Marwaga Forest, Doidge, 30902; Durban, McClean, 31023, 32302. Pygeum africanum Hk. f., Woodbush, Doidge, 1761.

Rubus pinnatus Willd., Woodbush, Doidge, 1771; Knysna, Pienaar, 2425, v. d. Byl, 2277; Buccleuch, Sim, 10150; Pirie Forest, Doidge, 12278; Deepwalls, Bottomley, 32225; Storms River, Doidge, 17185; Xumeni Forest, Morgan & Doidge, 30376.

Rubus rigidus Sm., Inanda, Medley Wood 566, 9503, 10360, Kew.

Rubus rosaefolius Sm., Northern Transvaal, v. d. Byl.

Rubus transvaalensis C. E. Gust, Woodbush, Doidge, 17735.

Irene ditricha (Kalchbr. & Cooke) Doidge

Doidge (1920 e) 41; Doidge & Sydow (1928) 433; Doidge & Bottomly (1931) 19. Asterina ditricha Kalchbrenner & Cooke (1880) 32; Sacc. Syll. Fung. I: 50; Theissen (1912 b) 15.

Meliola ditricha (Kalchbr. & Cooke) Doidge (1917) 728, (1920 f) 138.

Irenina ditricha (Doidge) Stevens (1927) 467.

on Gymnosporia spp., Inanda, Medley Wood 3, Type, 11518; Buccleuch, Doidge, 11579. Pleurostylia capensis Oliv., Van Staden's Pass, Doidge, 10883.

Irene Ekebergiae Doidge

Doidge (1941 b) 193.

on Ekebergia pterophylla Hofmeyr, Lydenburg, Keet, 25909, Type.

Irene glabra (Berk. & Curt.) Doidge

Doidge (1920 e) 41 : Doidge & Sydow (1928) 436.

Meliola glabra Berk. & Curt., Doidge (1917) 729 : van der Byl (1926 c) 286. Irenina glabra (Berk. & Curt.) Stevens (1927) 461.

on Canthium sp., Woodbush, Doidge, 1780.

Pavetta sp., Woodbush, Doidge, 1834.

Tricalysia lanceolata (Sond.) Burtt Davy, Van Staden's Pass, Doidge, 10871.

Rubiaceae undet., Langholm Estates, Doidge, 12367.

Irene gloriosa Doidge

Doidge (1920 e) 40 : Stevens (1927) 422 : Doidge & Sydow (1928) 430. Meliola aloriosa Doidge (1920 f) 139.

on Gymnosporia cordata Sm., Buccleuch, Doidge, 11565, Type.

Irene implicata Doidge

Doidge (1924 a) 206: Doidge & Sydow (1928) 434.

Irenina implicata (Doidge) Stevens (1927) 465.

on Chilianthus arboreus A. D.C., Van Staden's Pass, *Doidge*, 17251 Type: Deepwalls, J. Phillips, 20345: Pirie Forest, *Doidge*, 22403: Gala Bush, *Doidge*, 33162.

Irene inermis (Kalchbr. & Cooke) Theiss. & Svd.

Theissen & Sydow (1917 b) 461; Doidge & Sydow (1928) 432: Nel (1942) 18.

Meliola quinquespora Thuem., von Thuemen (1876 b) 568; Sacc. Syll. Fung. 69.

Meliola inermis Kalchbrenner & Cooke (1880) 34: Gaillard (1892) 64; Sacc. Syll.

Fung. I: 64: Doidge (1916) 730; van der Byl (1926 c) 286.

on **Buddleia auriculata** Benth., Boschberg, *MacOwan 1251*, Type (Thuem. Myc. Univ. 657; Rabenh. Wint. Fung. Eur. 2752; S.A.M. 33495) 20776, 21961. Kew; Nottingham Road, v. d. Byl 38, 598, 11358, 31845; Pirie Forest, *Doidge*, 12327; Langholm Estates,

Doidge, 12354; Woodbush, Doidge, 17764; Bulwer, Haygarth, 7790, Doidge, 30901; Xumeni Forest, Doidge, 27745.

Buddleia pulchella N.E. Br., Inanda, Medley Wood 570, 9501, 10355, Kew; Amanzimtoti, Doidge, 1571; Buccleuch, Doidge, 11568; Zwartkop, Doidge, 11602.

Buddleia salvifolia Lam., Woodbush. Doidge, 1742. 17765, 28332: Buccleuch, Sim, 10146; Nottingham Road, v. d. Byl 1531, 11356. 31838: Mont-aux-Sources, Doidge, 14127: Deepwalls, Doidge, 17211, Bottomley. 32224: Long Ridge. Doidge, 17229.

Chilianthus dysophyllus Benth., Buccleuch, Doidge, 11583.

Irene natalensis Doidge

Doidge (1920 e) 40; Stevens (1927) 422; Doidge & Sydow (1928) 429.

Meliola natalensis Doidge (1917) 724; Sacc. Syll. Fung. XXIV: 358.

Meliola natalensis vars. laxa and conferta Doidge (1917) 724.

Irene natalensis vars. laxa and conferta (Doidge) Stevens (1927) 422.

Meliola conferta Doidge (1917) 724; Sacc. Syll. Fung. XXIV: 355.

sub Meliola Sapindacearum Speg., P. Sydow (1899 a) (132).

on Dovyalis rhamnoides Harv., near Durban, Medley Wood, 345, 9509, 9523, v. d. Byl 36; Umgeni Beach, Pole Evans, 2412, Doidge, 8980, Type; Hilton Road, Doidge, 11608; Langholm Estates, Doidge, 12347; Karkloof, Doidge, 14950; The Wilderness, Doidge, 17118; Van Staden's Pass, Doidge, 17256; East London, Doidge, 12429; Alexandria, Doidge, 22365; Xumeni Forest, Doidge, 32219; Caradoc's Bush, Knysna, Laughton, 32266; Knysna, Laughton, 32249; Isipingo, Doidge, 32412, Wager, 33101; Umhlanga Rocks, Wager, 32779.

Dovyalis rotundifolia Harv., Kowie, Doidge, 12363, Britten, 14222.

Scolopia Mundtii Warb., Louis Trichardt, V. A. Putterill, 11827; Haenertsburg, Doidge, 17772; Woodbush, Doidge, 17758.

Irene Nuxiae Syd.

Doidge & Sydow (1928) 433, 463; Doidge & Bottomley (1931) 65; Nel (1942) 19. sub *Meliola Heudeloti* Gaill., Doidge (1917) 728; van der Byl (1925 b) 19, (1926 c) 286; J. Phillips (1931) 158.

sub Irene Heudeloti (Gaill.) Doidge (1920 e) 40. sub Irenina Heudeloti (Gaill.) Stevens (1927) 459.

on Lachnopylis floribunda (Benth.) C. A. Sm., Woodbush, Doidge, 1776, 17745, v. d. Byl 1518; Van Staden's Pass, Bottomley, 9554, Doidge, 10874, 17261, Pole Evans, 11441; Woodville Forest, Doidge, 10942; Louis Trichardt, V. A. Putterill, 11837; Buccleuch, Doidge, 11571; Pirie Forest, Doidge, 12284, 22402; Karkloof, Doidge, 14944; Storms River, Doidge, 17181; Keurkloof Forest, Doidge, 17107; Deepwalls, Doidge, 17212, Bottomley, 32120, 32227; Entabene, Wager, 26373, Bosman, 26139; Knysna, v. d. Byl 401, 1338, Verwoerd (Stell, 158); The Downs, Renny, 33156.

Lachnopylis tomentosa (Sond.) C. A. Sm., Woodbush, Doidge, 1746, 17743.

Irene Peddieae Doidge

Doidge (1927 b) 235; Doidge & Sydow (1928) 431.

on Peddiea africana Harv., Louis Trichardt, V. A. Putterill, 11840; Woodbush, Doidge, 17777, Type, K. M. Putterill, 32465; Xumeni Forest, Doidge, 27744.

Irene Peglerae Doidge

Doidge (1920 e) 40; Doidge & Sydow (1928) 434; Stevens (1927) 427.

Meliola Peglerae D idge (1917) 730; Pole Evans & Bottomley (1918) 186; Sacc. Syll. Fung. XXIV: 345.

on Anastrabe integerrima E. Mey., Kentani, Pegler 1883, Type, 2363, Kew; Umgeni, Medley Wood, 9036; Nkwaleni Valley, McClean, 33090.

Bowkeria cymosa MacOwan, Rooiwal, Bosman, 30288.

Bowkeria triphylla Harv., Buccleuch, Doidge, 11572. Halleria elliptica Linn., Woodville Forest, Doidge, 10932.

Halleria lucida Linn., Keurkloof Forest, *Doidge*, 17116; Storms River, *Doidge*, 17182; Deepwalls, *Doidge*, 17200, *Bottomley*, 32118, 32226.

Irene Podocarpi Doidge

Doidge (1920 e) 40 : Doidge & Sydow (1928) 431 : Doidge & Bottomley (1931) 69. Meliola Podocarpi Doidge (1917) 725: van der Byl (1926 c) 286; Sacc. Syll. Fung. XXIV: 278.

on Podocarpus falcatus R. Br., Fort Cunynghame, D.F.O., 8897: Pirie Forest, Doidge, 12322, 22424; Storms River, Doidge, 17166; Deepwalls, Doidge, 17217; Karkloof, Doidge, 14967; Buccleuch, Doidge, 11561.

Podocarpus gracilior Pilg., Woodbush, Doidge, 1822.

Podocarpus Henkelii Stapf, Buccleuch, Doidge, 11552; Xumeni Forest, Morgan &

Doidge, 29842, 32216, 33108.

Podocarpus latifolius R.Br., Woodbush, Gray, 889, Doidge, 1748, Type, Morgan & Doidge, 30466; Tabankulu, Fraser, 8889, D.F.O., 9102; Duncairn, Doidge, 14960, 14968; Mariepskop, Scott, 34037.

Irene Rinoreae Doidge

Doidge (1922 a) 80; Doidge & Sydow (1928) 432.

Irenina Rinoreae (Doidge) Stevens (1927) 468.

on Rinorea natalensis Engl., Winter's Kloof, Doidge, 12445; Karkloof, Doidge, 14961, Type, 14969; Buccleuch, Doidge, 9704.

Irene scabra Doidge

Doidge (1920 e) 40; Doidge & Sydow (1928) 435; Nel (1942) 19.

Meliola scabra Doidge (1919 a) 194.

Irenina scabra (Doidge) Stevens (1927) 464.

on Trichocladus crinitus Pers., Woodville Forest, Doidge, 10939; Izelini Forest, Emmettl 9064 and 11611; Deepwalls, J. Phillips, 20382, Bottomley, 32210; Knysna, v. d. By, 2222, 2286.

Trichocladus ellipticus E. & Z., Tabankulu, Fraser, 8891; Brander's High Forest, v. d. Byl, 9462; Hogsback, Henderson, 11338, K. M. Putterill, 30086; Pirie Forest, Doidge. 12298; Langholm Estates, Doidge, 12343; Stutterheim, Laughton, 33542.

Irene speciosa Doidge

Doidge (1920 e) 40; Doidge & Sydow (1928) 428.

Meliola speciosa Doidge (1917) 726; van der Byl (1926 c) 286; Sacc. Syll. Fung. XXIV: 276.

on Gymnosporia sp., Woodbush, Doidge, 1740, Type.

Irene Strophanthi Doidge

Doidge (1920 e) 41; Doidge & Sydow (1928) 436.

Meliola Strophanthi Doidge (1917) 729, 745; Sacc. Syll. Fung. XXIV: 267; van der Byl (1926 c) 286.

Irenina Strophanthi (Doidge) Stevens (1927) 460.

on Strophanthus speciosus Reber, Woodbush, Doidge, 1781, Type, 17717, 28334; Buccleuch, Doidge 9702; Xumeni Forest, Morgan & Doidge, 29827, 32215, 33169; Hlinza Forest, D.F.O., 30294.

Irene Zeyheri Doidge

Doidge (1922 a) 75; Doidge & Sydow (1928) 435.

Irenina Zeyheri (Doidge) Stevens (1927) 467.

on Eugenia Zeyheri Harv., Kentani, Pegler 2327, 9126, Kew; van Staden's Pass, Doidge, 10878, 17264; Pirie Forest, Doidge, 12272, 22401; Howieson's Poort, Doidge, 12377, 12388, Type; Fern Kloof, Grahamstown, Britten, 14211; Mtunzini, Laughton, 33548.

Meliola acanthacearum Hansf.

Hansford (1946 b) 183.

sub Meliola Psychotriae Earle, Doidge & Sydow (1928) 459. on Rhinacanthus communis Nees, Town Bush Valley, Doidge, 9721.

Meliola Acridocarpi Doidge

Doidge (1941 b) 194.

on Acridocarpus natalitius Juss., Oribi Gorge, McClean, 31054.

Meliola Allophyli Doidge

Doidge & Sydow (1928) 443, 463 (erronee M. Allophylli).

on Allophylus erosus Radlk., East London, Doidge, 12404; Kowie, Britten, 21009, Type; Isipingo, Wager, 33083.

Meliola Apodytis v. d. Byl

van der Byl (1928 b) 185; Nel (1942) 19.

on Apodytes dimidiata E. Mey., Knysna, v. d. Byl 2491, Type.

Meliola arcuata Doidge

Doidge (1917) 737; Pole Evans & Bottomley (1918) 186; Sacc. Syll. XXIV: 311; Doidge & Sydow (1928) 446; Stevens (1928) 217.

on Viscum anceps E. Mey., Kentani, Pegler 1881, 1949, 2364, Type, 8389.

Meliola argentina Speg.

Doidge & Sydow (1928) 441.

on Cladium Mariscus R.Br., Knysna, J. Phillips, 20399.

Meliola Atalayae Doidge

Doidge (1948 a) 846.

on Atalaya natalensis R. A. Dyer, Ngomi Forest, Joubert, 33912, Type.

Meliola Azimae Doidge

Doidge & Sydow (1928) 450, 464,

on Azima tetracantha Lam., East London, Doidge, 22387, Type.

Meliola Behniae Syd.

Doidge & Sydow (1928) 444, 464.

sub Meliola dracaenicola Pat. & Har., Doidge (1922 a) 72; Stevens (1928) 184.

on Behnia reticulata F. Didrichs, Northern Transvaal, Doidge, 1779; Louis Trichardt, V. A. Putterill, 11848, Type; Duncairn, Doidge, 14955; Woodbush, Doidge, 28466; Entabene, Laughton, 33599.

Meliola bifida Cooke.

Cooke (1880 b) 15; Doidge (1917) 738; Doidge & Sydow (1928) 444; Stevens

(1928) 178; Sacc. Syll. Fung. I: 62.

on Osyridicarpos natalensis A.D.C., Springfield, Medley Wood, 9020, Type, Kew; Pirie Forest, Doidge, 12326; Winters Kloof, Doidge, 12443; Karkloof, Doidge, 14956; Kentani, Pegler 1945, Kew; Highbury, Doidge, 33168.

Meliola Bosciae Doidge.

Doidge (1917) 731, 745; Doidge & Sydow (1928) 439; Nel (1942) 19. Sacc. Syll. Fung. XXIV: 275.

Meliola kentaniensis Doidge (1920 b) 113.

Irenopsis Bosciae (Doidge) Stevens (1927) 435.

on Capparis tomentosa Lam., Rikatli, Junod, 11730.

Maerua racemulosa (A.P.D.C.) Gilg. & Ben., Winkle Spruit, Doidge, 2510, Type; Durban, Lansdell, 9016, v. d. Byl 39, 11350, Bottomley, 11373, Morgan & Doidge, 32158; Umgeni, Medley Wood, 9024; Stella Bush, v. d. Byl, 31923; Umkomaas, Bottomley, 11880; Pirie Forest, Doidge, 12321, 22392; Howieson's Poort, Doidge, 12389; East London, Doidge, 12406, 22394; The Wilderness, Doidge, 17124; Kentani, Pegler 2392, 9539; Amabele, Mogg, 31002.

? Maerua sp., Kentani, Pegler, 9130.

Meliola buxicola Doidge

Doidge & Sydow (1928) 452, 465 ; Doidge & Bottomley (1931) 16. on Buxus MacOwani Oliv., East London, *Doidge*, 12400, 22388.

Meliola campylotricha Syd.

H. Sydow (1924 c) 420; Doidge & Sydow (1928) 438; Doidge & Bottomley (1931) 68; Stevens (1928) 167; van der Byl (1926 c) 286; Nel (1942) 19; Doidge (1948 a) 847.

on Apodytes dimidiata E. Mey., Woodbush, v. d. Byl 1515, Type. Cassinopsis tinifolia Harv., Eshowe, Laughton, 33511.

Meliola capensis (Kalchbr. & Cooke) Theiss.

Theissen (1912 b) 19; Doidge (1917) 731, (1922 a) 71; Doidge & Sydow (1928) 442; Stevens (1928) 205; Nel (1942) 19.

Asterina capensis Kalchbrenner & Cooke (1880) 32; Sacc. Syll. Fung. I: 41.

sub Meliola amphritricha Fr., Kalchbrenner (1882 a) 147.

on Hippotromus pauciflorus (L.) Radlk., Boschberg, MacOwan 1328, Type, 20854, Kew; Durban, Medley Wood 57, 9519, Kew; Winkle Spruit, Pole Evans, 1402, Doidge, 2499; Inanda, Medley Wood 57, 10354, Kew; Verulam, 6805; Tongaat, v. d. Byl, 6953: Umgeni, Medley Wood, 9034; Stella Bush, v. d. Byl 349, 11355, 31962, Schilz, 14700; near Mont-aux-Sources, Bottomley, 23407; Umkomaas, Bottomley, 11888; Kentani, Pegler 1956, 8391, 8849, Kew; Van Staden's Pass, Doidge, 10882; Howieson's Poort, Doidge, 10969, 12378; Langholm Estates, Doidge, 12342; Elands Hoek, Bottomley, 15525; Sidbury, Daly, 21994; Nkwaleni Valley, McClean, 33087.

Meliola capnodioides Thuem.

von Thuemen (1876 b) 568; Sacc. Syll. Fung. I: 61; Doidge (1948 a) 847. sub Meliola amphitricha Fr., Kalchbrenner (1882 a) 147; Gaillard (1892) 77. Meliola microspora Pat. et Gaill. var. africana Doidge (1917) 732.

sub Meliola Psychotriae Earle, Doidge & Sydow (1928) 459; Stevens (1928) 246. on Plectranthus ciliatus E. Mey., Grahamstown, MacOwan 1259, Type, 20799; Inanda,

Medley Wood 604, 10350, Kew; Umzinto Bush, Wager, 32697.

Plectranthus spp., Buccleuch, Doidge, 11576; Inanda, Medley Wood, 10353; Woodbush, Doidge, 1766.

Stachys aethiopica Linn., Xumeni Forest, Morgan & Doidge, 29895.

Stachys spp., Kat River Valley, Moore, 21027; Xumeni Forest, Doidge, 33110.

Labiatae undet., Woodbush, Doidge, 17768.

Meliola Carissae Doidge

Doidge (1922 a) 72; Doidge & Sydow (1928) 456.

on Carissa bispinosa (L.) Desf., Kentani, Pegler, 9129; Van Staden's Pass, Doidge, 10870; Pirie Forest, Doidge, 12296, 22397; Langholm Estates, Doidge, 12341; Kowie, Doidge, 12361; East London, Doidge, 12408; Storms River, Doidge, 17189; Alexandria, Doidge, 22352; Caradoc's Bush, Knysna, Bottomley, 32264; Knysna, Bottomley, 32240; Stella Bush, Schilz, 14702.

Meliola Choristylidis Doidge

Doidge (1927 b) 236; Doidge & Sydow (1928) 445; Stevens (1928) 178. on Choristylis rhamnoides Harv., Woodbush, *Doidge*, 17733, Type; Northern Ravine, Rooiwal, *Bosman*, 30287.

Meliola cladophila Syd.

H. Sydow (1924 c) 421; Doidge & Sydow (1928) 447; Stevens (1928) 214; van der Byl (1926 c) 286; Doidge & Bottomley (1931) 68; Nel (1942) 19. on **Apodytes dimidiata** E. Mey., Woodbush, v. d. Byl 1661, Type.

Meliola claviculata Doidge

Doidge (1920 b) 113; Doidge & Sydow (1928) 440. Irenopsis claviculata (Doidge) Stevens (1927) 440. on Oncoba sp., Quelimane, Pole Evans, 7388, Type.

Meliola Cluytiae v. d. Byl

van der Byl (1926 c) 283 ; Nel (1942) 19. on Cluytia pulchella Linn., Knysna, $v.\ d.\ Byl\ 2317$, Type.

Meliola Cnestidis Doidge

Doidge & Sydow (1928) 453, 465.

on Cnestis natalensis Planch. & Sond., Kentani, Pegler, 9076, 9527, Type; Springfield, Medley Wood 620, 9035, Kew.

Meliola comata Doidge

Doidge (1920 b) 111, (1924 a) 208, 215 ; Doidge & Sydow (1928) 440 ; J. Phillips (1931) 158, Nel (1942) 108.

Meliola Zehneriae van der Byl (1926 b) 283; Nel (1942) 20.

Irenopsis comata (Doidge) Stevens (1927) 437. Irenopsis Zehneriae (v. d. Byl) Stevens (1927) 436.

on Pyrenacantha scandens Planch., Woodville Forest, Doidge, 11020, Type; Deepwalls, Doidge, 17208, J. Phillips, 21003, v. d. Byl 2238; Storms River, Doidge 17192; Bluff, Durban, Morgan & Doidge, 32159; Knysna, v. d. Byl 2307.

Meliola Cryptocaryae Doidge

Doidge (1920) 112 ; Doidge & Sydow (1928) 456 ; Stevens (1928) 284 ; Doidge & Bottomley (1931) 69 ; Nel (1942) 19.

Meliola celtidicola van der Byl (1926 b) 283; Stevens (1928) 258.

on **Cryptocarya latifolia** Sond., Umbilo, v. d. Byl 343, 346, 517, 11016, Type, 31791; Stella Bush, v. d. Byl 518, 11352, 31792.

Cryptocarya transvaalensis Burtt Davy, Haenertsburg, Doidge, 17775; Woodbush, Doidge, 28325.

Cryptocarya Woodii Engl., Mayville, Medley Wood, 9025; Zwartkop, Doidge, 11603; East London, Doidge, 12410; Winter's Kloof, Doidge, 12442; Table Mt., Natal, Doidge, 14949; Pirie Forest, Doidge 22430.

Cryptocarya sp., Durban, v. d. Byl 910, 23371; Xumeni Forest, Doidge, 33157.

Meliola cylindripoda Doidge

Doidge (1920 f) 138; Doidge & Sydow (1928) 461; Stevens (1928) 279.
on Eugenia zuluensis Dummer, Zwartkop, Doidge, 11596, Type, 12437; Karkloof, Doidge, 14943; Xumeni Forest, Morgan & Doidge, 28960, 29836, 32233; Gala Bush, Doidge, 33165; Umzinto, Wager, 32682.

Meliola dactylipoda Syd.

Doidge & Sydow (1928) 460, 465; Hopkins (1938 a) 101, (1939 a) 15. on Cryptocarya transvaalensis Burtt Davy, Inyanza, Eyles, 15518. Cryptocarya Woodii Engl., Duncairn, Doidge, 14953, Type,

Meliola Doidgeae Syd.

Doidge & Sydow (1928) 457, 465; Nel (1942) 19. sub *Meliola amphitricha* Fr., Doidge (1917) 733. Deinbollia oblongifolia Radlk., Stella Bush, *Doidge*, 1572, Type, 2520, *Franks*, 9. v. d. Bul. 31929 32452, 32453; Durban Franks, 8404, v. d. Bul. 341; Umko

on **Deinbollia oblongifolia** Radlk., Stella Bush, *Doidge*, 1572, Type, 2520, *Franks*, 9504; v. d. Byl, 31929, 32452, 32453; Durban, *Franks*, 8404, v. d. Byl 341; Umkomaas, Bottomley, 11896; Bluff, Durban, Schilz, 14703, Morgan & Doidge, 32160; Isipingo, Wager, 33082; Rikatli, Junod, 11727.

Meliola Dummeri Hansf. var. brachyodonta Hansf.

Hansford (1946 b) 181.

Meliola geniculata Syd. & Butler var. macrospora Doidge (1920 a) 109. Meliola brachyodonta Syd., Doidge & Sydow (1928) 442.

on Rhus tomentosa Linn., van Staden's Pass, Doidge, 10879.

Meliola Evansii Doidge

Doidge (1920 b) 112; Doidge & Sydow (1928) 438; Stevens (1928) 168; J. Phillips (1931) 158; Nel (1942) 19.

on Cassine capensis Linn., Knysna, J. Phillips. Cassine croceum O. Ktze., Knysna, J. Phillips.

Cassine eucleaeformis O. Ktze., Woodbush, O'Connor (10222, in phanerogamic Herb.); Knysna, Keet, 32790.

Cassine papillosa O. Ktze., Deepwalls, Doidge, 17216.

Gymnosporia acuminata Szysz., Knysna, v. d. Byl, 2299, 2303, 2493.

Gymnosporia albata Sim., Kentani, Pegler, 8392.

Pterocelastrus tricuspidatus Sond., Qudeni Forest, Davis, 11237; Deepwalls, Doidge, 17206; Knysna, J. Phillips, 20346.

Meliola Excoecariae Doidge

Doidge (1920 f) 139 ; Doidge & Sydow (1928) 453 ; Stevens (1928) 284. on Sapium Simii O. Ktze., Buccleuch, Doidge, 11566.

Meliola furcillata Doidge

Doidge (1917) 736, (1920 f) 139; Doidge & Sydow (1928) 443; Stevens (1928) 210; Sacc. Syll. Fung. XXIV: 325.

on Allophylus melanocarpa (Arn.) Radlk., Town Bush Valley, Doidge, 9716; Isipingo,

Wager, 32411.

Allophylus monophyllus Radlk., Haenertsburg, 404; Amanzimtoti, Doidge, 1573; Claridge, Doidge, 8993; Buccleuch, J. M. Sim, 10148, Doidge, 11577; Duncairn, Doidge, 14951; Eshowe, Laughton, 33532.

Meliola ganglifera Kalchbr.

Kalchbrenner & Cooke (1880) 34; Sacc. Syll. Fung. I: 70; Gaillard (1892) 40; Pole Evans (1906 a) 133; Doidge (1917) 727; Doidge & Sydow (1928) 439; Stevens (1928) 168; van der Byl (1925 b) 191, (1926 c) 286; Doidge

& Bottomley (1931) 10; J. Phillips (1931) 158; Nel (1942) 19.

on Curtisea faginea Ait., Somerset East, MacOwan 1349, Kew; Izelini Forest, Emmett, 9063, Doidge, 11609; Kentani, Pegler 2304, 9160, Kew; Hogsback, v. d. Byl, 9457; Pirie Forest, Doidge, 12292, 22399; Howieson's Poort, Doidge, 12380; Storms River, Doidge, 17180; Deepwalls, Doidge, 17213, Bottomley, 32121, 32229; Knysna, Laughton, 32414, Verwoerd (Stell. 160), v. d. Byl 1922, 2270, 2271, 1377; Woodville Forest, Sim, 11852, Doidge, 12292, 22399; Zwartkop, Doidge, 11601; Woodbush, Burtt Davy, 134, Doidge, 29927, v. d. Byl 1504; Entabene, Wager, 26370; Stutterheim, Laughton, 33530.

Meliola gemellipoda Doidge

Doidge (1922 a) 80; Doidge & Sydow (1928) 450; Doidge & Bottomley (1931) 69. on **Jasminum angulare** Vahl, Langholm Estates, *Doidge*, 12352, Type; Alexandria, *Doidge*, 22366.

Jasminum pubescens Willd., Bluff, Durban, Morgan & Doidge, 32161.

Meliola Goniomae Doidge

Doidge & Sydow (1928) 461; Doidge & Bottomley (1931) 32; Nel (1942) 20.

Amazonia Goniomae Doidge (1924 a) 204.

on Gonioma Camassi (E. & Z.) E. Mey., Van Staden's Pass, Bottomley, 9561; Woodville Forest, Doidge, 10938; Keurkloof Forest, Doidge, 17109; Deepwalls, Doidge, 17209 Type, Bottomley, 32122; Knysna, v. d. Byl 2268, 2293; Storms River, Doidge, 17230; Assegai Bush, Doidge, 17235; Caradoc's Bush, Bottomley & Laughton, 32208; Xumeni Forest, Doidge, 31075; East London, Wood, 20999; Blauwkrantz, Britten, 21010.

Meliola Hippocrateae Doidge

Doidge (1948 a) 849.

on Hippocratea Schlechteri Loes., Karkloof, Doidge, 14971, Type.

Meliola Impatientis Doidge

Doidge (1941 b) 196.

on Impatiens Duthieae L. Bolus, Woodbush, Morgan & Doidge, 28348.

Meliola Indigoferae Syd.

Doidge & Sydow (1928) 451, 466.

sub *Meliola malacotricha* Śpeg., Doidge (1920 a) 108; Stevens (1928) 227; Nel (1942) 20.

on Indigofera natalensis Bolus, Buccleuch, Doidge, 9703, 11560, Type, J. M. Sim, 10144. Leguminosae undet., Rikatli, Junod, 11733.

Meliola jasminicola P. Henn.

Doidge (1941 b) 197.

on Jasminum streptopus E. Mey., Springfield, Medley Wood, 31050.

Meliola Knowltoniae Doidge

Doidge (1924 a) 208; Doidge & Sydow (1928) 461; Stevens (1928) 260. on **Knowltonia vesicatoria** Sims., Storms River, *Doidge*, 17177.

Meliola Knysnae Doidge

Doidge (1948 a) 850.

on **llex mitis** (L.) Radlk.. Deepwalls, *Doidge*, 17210 a, Type ; Knysna, *Laughton*, 34289.

Meliola leptidea Svd.

H. & P. Sydow (1912 a) 38; Doidge (1917) 739; Sacc. Syll. Fung. XXIV: 270; Doidge & Sydow (1928) 445; Stevens (1928) 180; van der Byl (1926 c) 286: Doidge & Bottomley (1931) 15.

on Cussonia spicata Thunb., Woodbush, Legat, 405, Type, Kew, Doidge, 1774, 17759.

Meliola littoralis Syd.

Doidge & Sydow (1928) 462, 466; Doidge & Bottomley (1931) 15; Nel (1942) 20. sub *Meliola amphitricha* Fr., Doidge (1917) 733; van der Byl (1926 c) 286; J. Phillips (1931) 158; Nel (1942) 19.

on Burchellia bubalina (L. f.) Sims, Inanda, Medley Wood 653, 9502, 10352, Kew.

Canthium ciliatum O. Ktze., Grahamstown, Britten, 12188; Hogsback, Henderson, 11346, K. M. Putterill, 30074; Pirie Forest, Doidge, 22429; Hlabini Forest, Doidge, 20829

Canthium Gueinzii Sond., Buccleuch, Doidge, 11575.

Canthium Mundtianum Cham. & Schl., Knysna, Bottomley, 32228.

Canthium spinosum O. Ktze.. Howieson's Poort, *Doidge*, 10965; Woodbush, *Doidge*, 28329.

Canthium spp., Grahamstown, Britten, 14224; Keurkloof Forest, Doidge, 17108; Storms River, Doidge, 17178; Deepwalls, Doidge, 17196, Type; Van Staden's Pass, Doidge, 17255.

Gardenia globosa Hochst., Kentani, Pegler 1858, 2214, Kew; Winkle Spruit, Doidge, 9013, 9014; Umgeni, Medley Wood, 9038; Durban, v. d. Byl 40, 348.

Gardenia Neuberia E. & Z., East London, Doidge, 10907.

Gardenia Rothmannia Linn. f., Louis Trichardt, V. A. Putterill, 11830; Umkomaas, Bottomley, 11895; Haenertsburg, v. d. Byl 1509.

Pavetta Bowkeri Harv., Krantzkloof, v. d. Byl, 8377,

Psychotria capensis Vatke, Louis Trichardt, V. A. Putterill, 11826; Umkomaas, Bottomley, 11891; Bluff, Durban, Morgan & Doidge, 32162, 32163; Amanzimtoti, Doidge, 1575; Stella Bush, Doidge, 2521; Kentani, Pegler, 2366; Durban, v. d. Byl 345; Winkle Spruit, v. d. Byl, 31971.

Tricalysia capensis Meisn., Winter's Kloof, Doidge, 12441.

Meliola Loxostylidis Doidge

Doidge (1920 b) 114; Doidge & Sydow (1928) 456; Stevens (1928) 279. on **Loxostylis alata** Spreng., Paddock, v. d. Byl, 8376; Van Staden's Pass, Doidge, 10921, Type; Howieson's Poort, Doidge, 10970; Mayville, Medley Wood, 9026.

Meliola Merrillii Syd.

Doidge & Sydow (1928) 445; Stevens (1928) 181.

Meliola varia Doidge (1926) 738; v. d. Byl (1926 c) 286; Sacc. Syll. Fung. XXIV;

on Rhoicissus rhomboideus (E. Mey.) Planch., Winter's Kloof, Doidge, 1639; Buccleuch. J. M. Sim, 10145, Leighton, 11554; Pirie Forest, Doidge, 12319, 22393; Woodbush, Doidge, 17730, 28344, v. d. Byl 1659; Town Bush Valley, Doidge, 9717.

Meliola microthecia Thuem.

von Thuemen (1876 b) 569; Sacc. Syll. Fung, I: 68; Doidge (1917) 734.

Meliola Thuemeniana Stevens (1928) 259, 295.

on Barosma scoparia E. & Z., nr. Grahamstown, MacOwan 1260, Type (Thuem. Myc. Univ, 851) 20798, 21960, Kew; Dohne Peak, Galpin, 21001; Grahamstown, Duer, 21000.

Meliola Ochnae Doidge

Doidge (1920 f) 141; Doidge & Sydow (1928) 452; Stevens (1928) 277.

on Ochna natalitia Engl. & Gilg., Winters Kloof, Doidge, 8989; Buccleuch, J. M. Sim, 10143, Doidge, 11567, Type; Bluff, Durban, Morgan & Doidge, 32164. Ochna O'Connorii Phillips, Woodbush, Doidge, 17742.

Meliola oleicola Doidge

Doidge (1922 a) 73; Doidge & Sydow (1928) 458; Stevens (1928) 276; Doidge

& Bottomley (1931) 31; J. Phillips (1931) 158.

on Olea capensis Linn., Pirie Forest, Doidge, 12331, 12332; Storms River, Doidge, 17232. Olea foveolata E. Mey., Langholm Estates, Doidge, 12351; Kowie, Doidge, 12364, Britten, 14218; East London, Doidge, 22395; Caradoc's Bush, Bottomley, 32269. Olea laurifolia Lam., Woodbush, Doidge, 1767, 1835; Tabankulu, 9103; Woodville Forest, Doidge, 10937; Howieson's Poort, Doidge, 10967; Buccleuch, Doidge, 11557, Type; Assegai Bush. Doidge, 17236; Alexandria, Doidge, 22363; Stutterheim, Laughton, 33537; Mariepskop, Scott, 34043.

Olea Peglerae C. H. Wright, Kentani, Pegler 1948, 8382, 8785, Kew.

Olea sp., Alexandria, Doidge, 22390.

Var. Jasmini, Doidge

Doidge (1941 b) 198.

on Jasminum streptopus E. Mey., Durban, Bottomley, 11379, Type.

Meliola Oncinotidis Doidge

Doidge (1948 a) 851.

on Oncinotis inandensis Wood & Evans, Zululand, Gerstner, 33509, Type; Buccleuch, Doidge, 9722.

Meliola Osyridis Doidge

Hansford, 33480.

Doidge & Sydow (1928) 462, 466.

sub Meliola polytricha Kalchbrenner & Cooke (1880) 34; Gaillard (1892) 92.

on Osyris abyssinica Hochst., nr. Grahamstown, MacOwan 1256, 20771, Kew; Natal, Medley Wood 448, 10359; Grahamstown, Doidge, 10954, Type, Britten, 12187. Rhoiocarpus capensis A.DC., Van Staden's Pass, Doidge, 10866, 17253; Howieson's Poort, Doidge, 10962, 12374; Langholm Estates, Doidge, 12349; Grahamstown,

Meliola palmicola Wint.

Doidge & Sydow (1928) 443; Stevens (1928) 110: Doidge & Bottomley (1931) 45. on **Phoenix reclinata** Jacq., Port Shepstone, *Pole Evans*, 5607; Kentani, *Pegler 2372*, 9170, Kew; Umtentwini, *Porter*, 32681.

Meliola Panici Earle

Doidge (1922 a) 74; Doidge & Sydow (1928) 455; Stevens (1928) 261.

on Stipa Dregeana Steud. var. elongata, Langholm Estates, Doidge, 12358; Alexandria, Doidge, 22345; Xumeni Forest, Morgan & Doidge, 29828, 32212; Highbury, Doidge, 33167.

Meliola peddieicola Hansf.

Hansford (1946 b); Doidge (1948 a) 853.

on Peddiea africana Harv., Woodbush, K. M. Putterill, 32465 e.

Meliola peltata Doidge

Doidge (1917) 727; Sacc. Syll. Fung. XXIV: 277; Doidge & Sydow (1928) 437; Stevens (1928) 167; van der Byl (1925 b) 192; Doidge & Bottomley (1931) 69; J. Phillips (1931) 158; Nel (1943) 20

on Podocarpus falcatus R.Br., Deepwalls, Doidge, 17218.

Podocarpus Henkelii Stapf, Buccleuch, Doidge, 11551; Xumeni Forest, Morgan & Doidge, 32217.

Podocarpus latifolius R.Br., Knysna, Pienaar, 2436, v. d. Byl 408, 2295; Woodville Forest, Doidge, 10934; Woodbush, Morgan & Doidge, 30465.

Meliola perpusilla Syd. var. congoensis Beeli

Doidge (1941 b) 198.

on Secamone frutescens Decne., Karkloof, Doidge, 14958.

Meliola petiolaris Doidge

Doidge (1920 f) 142; Doidge & Sydow (1928) 447; Stevens (1928) 216; Doidge & Bottomley (1931) 31.

on Olea capensis Linn., Storms River, Doidge, 17173 a.
Olea laurifolia Lam., Buccleuch, Doidge, 11558, Type.

Meliola polytricha Kalchbr. & Cooke

Cooke (1879 b) 72; Sacc. Syll. Fung. I: 67; Doidge (1917) 735; Doidge & Sydow (1928) 458; Stevens (1928) 274.

on Pittosporum viridiflorum Sim., Inanda, Medley Wood 222, 10358; Claridge, Doidge, 8996, 14945; Pirie Forest, Doidge, 22400; Stutterheim, Laughton, 33531.

Meliola Popowiae Doidge

Doidge (1920 f) 142; Doidge & Stevens (1928) 460; Stevens (1928) 242. on **Popowia caffra** (Sond.) Hk. f. & Thoms., Kentani, Pegler, 8882; Winter's Kloof, Doidge, 8990, 12435; Buccleuch, Doidge, 11587; Hilton Road, Doidge, 11607.

Meliola Psychotriae Earle

Doidge & Sydow (1928) 459; Stevens (1928) 246; Doidge (194-). Meliola microspora Pat. & Gaill. var. africana Doidge (1917) 732.

on Galopina circaeoides Thunb., Woodbush, Doidge, 1760, 17752, 29926; Pirie Forest, Doidge, 12323; Deepwalls, Bottomley, 32214.

Meliola Ptaeroxyli Doidge

Doidge (1941 b) 199.

on Ptaeroxylon obliquum (Thunb.) Radlk., Marwaqa, Morgan & Doidge, 30899, Type.

Meliola rhoina Doidge

Doidge & Sydow (1928) 454, 466; Doidge (1941 b) 201; Nel (1942) 20.

sub *Meliola Rhois* P. Henn., Doidge (1917) 733; van der Byl (1925 b) 192; Stevens (1928) 284; J. Phillips (1931) 158.

Meliola Rhois var. tenuis Doidge (1917) 733.

on Harpephyllum caffrum Bernh., East London, Doidge, 10926; Howieson's Poort, Doidge 10958; Pirie Forest, Doidge, 12269, 22396; Eshowe, Laughton, 33529.

Rhus crenata Thunb., Verulam, Pole Evans, 6804; Mayville, Medley Wood, 9032.

Rhus Gueinzii Sond., East London, Doidge, 12428.

Rhus longispina E. & Z., Despatch, Doidge, 1239, Type; Langholm Estates, Doidge, 12348; Kowie, Doidge, 12360, Britten, 14217; Port Alfred, Britten, 14216.

Rhus Mac Owani Schonl., Alexandria, Doidge, 22372.

Rhus mucronata Thunb. var. villosa, Stella Bush, Doidge, 2519; Buccleuch, Doidge, 11590; Umkomaas, Bottomley, 11892.

Rhus natalensis Bernh., East London, Doidge, 22389; Isipingo, Wager, 33084.

Rhus refracta E. & Z., Langholm Estates, Doidge, 12371; Kowie, Britten, 14220; Van Staden's Pass, Doidge, 17250.

Rhus sp., Keurbooms River, v. d. Byl 1335.

Meliola rigida Doidge

Doidge (1917) 736, 747; Sacc. Syll. Fung. XXIV: 291; Doidge & Sydow (1928) 452; Stevens (1928) 230; van der Byl (1926 c) 286; Nel (1942) 20.

on Xymalos monospora Baill., Woodbush, Doidge, 1775, Type; Winter's Kloof, Doidge, 1667, 8988, 12444; Buccleuch, Doidge, 11578, Pole Evans, 8894; Zwartkop, Doidge, 11599; Tabankulu, Fraser, 8890; Louis Trichardt, V. A. Putterill, 11841; Haenertsburg, Doidge, 17720; Rikatli, Junod, 11614; Woodbush, v. d. Byl 1532, 1663.

Meliola Scolopiae Doidge

Doidge & Sydow (1928) 437, 467.

on Scolopia Zeyheri (Szysz.) Nees, Table Mt., Natal, Doidge, 14959; Pirie Forest, Doidge, 12277, 22421, Type; Mossel Bay, Pole Evans, 9067; Hogsback, K. M. Putterill, 30083; Kentani, Pegler, 8393.

Scolopia Mundtii Warb., Highbury, Doidge, 33158.

Scolopia sp., Entabene, Laughton, 33314.

Meliola sinuosa Doidge

Doidge (1917) 735, 746; Sacc. Syll. Fung. XXIV: 320; Doidge & Sydow (1928) 455; Stevens (1928) 283; van der Byl (1926 c) 286; Doidge & Bottomley (1931) 40; Nel (1942) 20.

on Trichilia emetica Vahl, Lemana, Doidge, 1783; Woodbush, Doidge, 17771, v. d. Byl 1542; Kentani, Pegler 1971, 8786, Kew.

Meliola Toddaliae Doidge

Doidge (1917) 732, (1942 a) 209; Sacc. Syll. Fung. XXIV: 340; Doidge & Sydow (1928) 449; Stevens (1928) 230; Doidge & Bottomley (1931) 33, 67; Nel (1942) 20.

on Fagara capensis Thunb., Pirie Forest, Doidge, 12275; Winter's Kloof, Doidge, 12440; Alexandria, Doidge, 22351.

Fagara Davyi Verdoorn, Knysna, Keet, 15531: Harkerville Forest, J. Phillips, 21002 30277; Xumeni Forest, Morgan & Doidge, 32213.

Fagara magalismontana Engl., Haenertsburg, Doidge, 17774.

Teclea natalensis Engl., Pirie Forest, Doidge, 12287: Alexandria, Doidge, 22353.

Vepris lanceolata G. Don., Kentani, Pegler 1960 a, 8788, Kew; Van Staden's Pass, Doidge, 10860, 17260; Pirie Forest, Doidge, 12324, 22391; East London, Doidge, 12418, Bartel (v. d. Byl 2432); Storms River, Keet & Laughton, 34293; The Wilderness, Doidge, 17113; Henley, Doidge, 8999; Stella Bush, v. d. Byl 34, 347, 11353, 31961, Bottomley, 11374, Moonsamy, 32010; Buccleuch, Doidge, 11564; Umkomaas, Bottomley, 11881; Karkloof, Doidge, 14954; Xumeni Forest, Doidge, 27742, 32279; Louis Trichardt, V. A. Putterill, 11842; Maritzburg, Verwoerd (Stell. 175).

Meliola torta Doidge

Doidge (1917) 726, 744, (1919 a) 193; Sacc. Syll. Fung. XXIV: 296; Doidge & Sydow (1928) 457; Stevens (1928) 283.

on **Trichocladus crinitus** Pers., Izelini Forest, *Emmett*, 9064, Type, *Doidge*, 11610; Woodville Forest. *Doidge*, 10939; Storms River, *Doidge*, 17170; Deepwalls, *Doidge*, 17195; Knysna, *Bottomley*, 32232.

Meliola transvaalensis Doidge

Doidge (1927 b) 238; Doidge & Sydow (1928) 451; Stevens (1928) 229.

on Myrsine africana Linn., Woodbush, Doidge, 17746, Type; Morgan & Doidge, 30485; Entabene, Bosman, 26138; Insikeni, Kotze, 22434.

Meliola Woodiana Sacc.

P. Sydow (1899) (132); Sacc. Syll. Fung. XVI: 415; Doidge (1917) 737; Doidge & Sydow (1928) 446; Stevens (1928) 258; Doidge & Bottomley (1931) 33.

Meliola falcata Syd., H. & P. Sydow (1912 a) 37; Sacc. Syll. Fung. XXIV: 334; Doidge (1916) 736; van der Byl (1925 b) 191; J. Phillips (1931) 158; Nel (1942) 19.

on Canthium ciliatum O. Kze., Woodville Forest, Doidge, 10936; Xumeni Forest, Doidge, 33500

Canthium Mundtianum Cham. & Schl., Umkomaas, Bottomley, 11883; Knysna, v. d. Byl 366.

Canthium spinosum O. Kze., Mayville, Medley Wood, 9030; Woodville Forest, Doidge, 10956; Grahamstown, Britten, 12189; Howieson's Poort, Doidge, 12390; Keurkloof

Forest, Doidge, 17119.

Canthium ventosum O. Kze., Durban, Medley Wood 6467, 9508, Type; ? Inanda, Medley Wood 637, Kew; Durban, Pole Evans, 1591; v. d. Byl 344, 11359, 31933, Bottomley, 11385; Bluff, Durban, Morgan & Doidge, 32165; Phoenix, Wager, 33098, 33102; Tongaat, v. d. Byl, 6952; Winkle Spruit, Doidge, 9005; Springfield, Medley Wood, 9017: Kentani, Pegler 2325, 9128, Kew; Van Staden's Pass, Doidge, 10881, 17257; Witklip, Port Elizabeth, v. d. Byl 2492; East London, Doidge, 10920; Umkomaas, Bottomley, 11882, 11890; Pirie Forest, Doidge, 12290, 22398; Keurkloof Forest; Doidge, 17110; Deepwalls, Doidge, 17219; Grootrivier, Knysna, v. d. Byl 2275, Amanzimtoti, Doidge, 1577; Stella Bush, Bottomley, 11383; Mariepskop, Scott, 34038.

Canthium spp., Woodbush, Doidge, 28333; nr. Suurbraak, Swellendam District, v. d. Byl,

Meliola xumenensis Doidge

Doidge (1941 b) 200.

on Jasminum streptopus E. Mey., Xumeni Forest, Morgan & Doidge, 29897.

Meliola sp. (near M. capnodioides Thuem.)

sub Meliola Psychotriae Earle, Doidge & Sydow (1928) 459; Stevens (1928) 246; Doidge (1948).

on Barleria obtusa Nees, Amanzimtoti, Doidge, 6623.

Dicliptera clinopodia Nees, Woodbush, Doidge, 28342.

Hypoestes verticillaris R.Br., Woodbush, Doidge, 17749.

Isoglossa Woodii C.B.Cl., Stella Bush, v. d. Byl, 11351, 31297, Bottomley, 11377, Wager, 33195; Amanzimtoti, Doidge 1578.

Isoglossa spp., Woodbush, Doidge, 28336; Durban, v. d. Byl 37.

Justicia anagalloides T. Anders., Natal, Medley Wood 22, 57, 241, Kew as M. amphitricha. Justicia Bowiei C.B.Cl., Alexandria, Doidge, 22368.

Meliola sp.

sub Meliola Indigoferae Syd., Doidge & Sydow (1928) 451.

on Baphia Goosensi de Wild., Durban, v. d. Byl 340, 11354; Sea View, v. d. Byl, 31960.

Meliola sp.

as Meliola polytricha Kalchbr. & Cooke (1880) 34; Gaillard (1892) 92. on Cunonia capensis Linn., near Grahamstown, MacOwan 1262, (S.A.M. 35202), 20771, Kew

Parenglerula Mac Owaniana (Thuem.) v. Höhn.

von Höhnel (1910 a) 465; Theissen & Sydow (1917) 470; Doidge (1924 a) 212, (1942) 326, 328; Petrak (1928) 404; J. Phillips (1931) 158; Nel (1942) 13; Hansford (1946 a) 26.

Meliola MacOwaniana Thuem., von Thuemen (1876 b) 569.

Asterina MacOwaniana Kalchbrenner & Cooke (1880) 33; Sacc. Syll. Fung. I: 41; P. Sydow (1899 a) 132.

Dimerosporium MacOwanianum (Thuem.) Sacc. Syll. Fung. I: 53.

Dimerosporium Gymnosporiae P. Hennings (1900 a) 3; Sacc. Syll. Fung. XVI: 408. Dimerium MacOwanianum (Thuem.) Doidge (1917) 718; van der Byl (1925 b) 191; Nel (1942) 18.

Dimerium Gymnosporiae (P. Henn.) Syd., H. & P. Sydow (1909) 546; Doidge (1917) 719. Englerulaster Gymnosporiae (P. Henn.) Theissen (1912 a) 51; Doidge (1920 g) 243; van der Byl (1925 b) 192; J. Phillips (1931) 159; Nel (1942) 17.

Englerulaster Mac Ovanianus (Thuem.) Arnaud (1918) 183.

Parenglerula Henningsii Petrak (1934) 404.

Parenglerula MacOwaniana (Thuem.) v. Höhn. var. Elaeodendri Werdemann (1923)

52; van der Byl (1925 b) 192.

on Gymnosporia buxifolia Szysz., Boschberg, MacOwan 1250 (Thuem. Myc. Univ. 568; Roum. Fung. Gall. Exsicc. 4567; Rehm Ascom. 395; S.A.M. 33494) 20774, Kew; Ashburton, Doidge, 9700; Isipingo, Doidge, 10154; Tugela Valley, near Mont aux Sources, Doidge, 14138; Zululand, v. d. Byl 321; Bedford, Doidge, 10892; Grahamstown, Britten, 14213; Belmont Valley, Doidge, 10949; Lovedale, Doidge, 10973; Hogsback, K. M. Putterill 30078; East London, Bartel (v. d. Byl 2430); Storms River, v. d. Byl 2498; Belvidere, Knysna, Duthie (Stell. 87; v. d. Byl 1176); Zuurbraak, Riversdale District, Zahlbruckner (Penther 2281).

Gymnosporia elliptica Davison, Assegai Bush, Doidge, 17246.

Gymnosporia nemorosa Szysz., Alexandria, Doidge, 22347.

Gymnosporia rubra Loes., Kentani, Pegler 2336, Kew.

Gymnosporia senegalensis Loes., Woodbush, Doidge, 17762; Umbelusi, Howard, 523, Kew.

Gymnosporia sp., Groot Rivier, Knysna, v. d. Byl 1392; Hopefield, v. d. Byl 1180, Kew.

Cassine capensis Linn., Assegai Bush, Doidge, 17245; van Staden's Pass, Doidge, 10890.

Cassine Kraussianum Bernh., Knysna, v. d. Byl 414, 2269, Bottomley, 32116; Storms River, Keet & Laughton, 34291.

Cassine papillosa O. Ktze., Knysna, v. d. Byl 2494.

Putterlickia sp., near George, v. d. Bul 417, Kew.

Schiffnerula Cissi Hansf.

Hansford (1946 a) 28, (1946 b) 160.

? on Rhoicissus cuneifolius (E. & Z.) Planch., Claridge, Doidge, 8994.

Schiffnerula compositarum (Theiss.) Petrak.

on Mikania capensis DC., Storms River, Doidge, 17163 (det. Hansford).

Schiffnerula Doidgeae Hansf.

Hansford (1946 a) 29 (1946 b) 161.

on Cynanchum ellipticum (Harv.) R. A. Dyer, van Staden's Pass, Doidge, 10876, Type. Secamone frutescens Decnc., Lemana, Doidge, 1804; Pirie Forest, Doidge, 12320. Tvlophora Flanagani Schlecht., Lemana, Doidge, 1804; Woodbush, Doidge 28345. Asclepiadaceae undet., Langholm Estates, Doidge, 12368.

Schiffnerula Gymnosporiae Hansf.

Hansford (1946 a) 28, (1946 b) 159.

on Gymnosporia buxifolia Szvsz., Tugela Valley near Mont-aux-Sources, Doidge, 14138, Type; Louis Trichardt, V. A. Putterill, 11851.

Gymnosporia nemorosa E. & Z., Forest Hall, Knysna, Doidge, 17228; van Staden's Pass, Doidge, 17262; Langholm Estates, Doidge, 12370.

Gymnosporia sp., Nottingham Road, v. d. Byl, 11365; Hogsback, v. d. Byl, 9459.

Schiffnerula Nuxiae Hansf.

Hansford (1946 a) 29, (1946 b) 161.

on Lachnopylis sp., Woodville Forest, Doidge, 10931, Type.

Schiffnerula radians (Syd.) Hansf.

Hansford (1946 a) 28.

Diathrypton radians Syd., H. Sydow (1924 c) 422; van der Byl (1925 b) 192; Doidge

& Bottomley (1931) 554; J. Phillips (1931) 155.

on Cunonia capensis Linn., near Grahamstown, MacOwan 1262, Kew; Knysna, v. d. Bul 1370, 32791, Type; Deepwalls, Doidge, 17220, Bottomley, 32252; Montagu Pass, Doidge, 17129: Storms River, Doidge, 17186; Pirie Forest, Doidge, 12273; Knysna, Bottomley, 32791.

Schniffnerula Whitfieldiae Hansf.

Hansford (1946 b) 162.

on Sclerochiton Harveyanus Nees, Hogsback, Henderson, 11340 b.

Schiffnerula sp.

Hansford (1946 a) 28, (1946 b) 163.

on Mimusops obovata Sond., Pirie Forest, Doidge, 12266; Berea, Durban, Morgan & Doidge, 32168.

Schiffnerula sp.

Hansford (1946 a) 27, (1946 b) 163.

on Peddiea africana Harv., Xumeni Forest, Doidge, 27444; Gala Bush, Doidge, 33163.

Schiffnerula ? spp.

on Pavetta Bowkeri Harv., Kentani, Pegler, 9119.

Pavetta sp., Woodbush, Doidge, 1834.

Zizyphus mucronata Willd., Tzaneen, Liebenberg, 32725.

EUROTIACEAE.

Eurotium herbariorum (Wigg.) Link

Medley Wood (1898) 12.

on Cephalanthus natalensis Oliv., dead leaves, Natal, Medley Wood 3920, Kew.

on dead leaves of plants, undet., Transvaal, 833; Dalton Bridge, Pentz. 30972; Weenen, Pentz. 30973.

on Parmelia hottentotta Ach., South Africa, without locality, Burchell, Kew.

Monascus ruber van Tiegh.

Young (1930) 227, (1931) 499.

isolated from maize starch and maize silage, Johannesburg, Young.

Thielavia basicola Zopf

on Nicotiana tabacum Linn., Waterkloof, Rustenburg District, Hean, 30666; Oudtshoorn, Naudé, 27296, 27297; Kroondal, Henning, 27695; Waterval, Rustenburg, Wager, 28902.

SPHAERIALES.

SORDARIACEAE.

Delitschia bisporula (Crouan) Hansen

Cheesman (1909) 415.

on dung, Matopo Hills, Cheesman.

Delitschia sp.

Gibbs in Cheesman (1909) 415. on dung of a large animal, Matopo Hills, Cheesman.

Pleurage Brassicae (Klotzsch) Kuntze.

on Crotalaria juncea Linn., dying stems, Brits, Hean, 32134.

Sordaria curvula de Bary

Cheesman (1909) 415.

on dung, Matopo Hills, Cheesman.

Sordaria pleiospora Wint.

Cheesman (1909) 415.

on dung, Matopo Hills, Cheesman.

Sordaria setosa Wint.

isolated from Citrus sinensis Osbeck, fruit, Fort Beaufort, Wager, 30784.

Sordaria sp. (Sordaria anserina Wint, affinis).

Cheesman (1909) 415.

on hippopotamus dung, Livingstone Island, Cheesman.

Sporormia ambigua Niessl.

Cheesman (1909) 416. on dung, Matopo Hills, Cheesman.

Sporormia intermedia Auersw.

Cheesman (1909) 416. on dung, Matopo Hills, Cheesman.

Sporormia minima Auersw.

isolated from Citrus sinensis Osbeck, from rind section from surface of sterilised orange. Bates 286, 34021: from "pit mark" lesion on young Valencia late orange, Bates 389, 34022.

Sporormia pascua Niessl.

Cheesman (1909) 416. on dung, Matopo Hills, Cheesman.

Sporormia transvaalensis Doidge

Doidge (1941 b) 210. on cow dung, Kromrivier, Doidge, 30235.

SPHAERIACEAE.

Balladynella confusa (Doidge) Hansf.

Hansford (1946 a) 70.

Rizalia confusa Doidge (1924 a) 211; Nel (1942) 20.

Piline africana Syd., H. Sydow (1924 c) 422 : J. Phillips (1931) 158 ; Nel (1942) 108.
on Olea capensis Linn., van Staden's Pass, Pole Evans, 11444 ; Storms River, Doidge, 17172 : Assegai Bush, Doidge, 17233 ; Knysna, J. Phillips, 20389, v. d. Byl 2218, 2292.
Olea exasperata Jacq., Keurboom Forest, v. d. Byl 1337, 33506 ; Knysna Otto (Stell. 340) ; Brenton, Knysna, Laughton, 34295.

Olea laurifolia Lam., Pirie Forest, Doidge, 22410: Tabankulu, D.F.O., 9103.

Olea Peglerae C. H. Wright, Kentani, Pegler, 9072.

Baumiella caespitosa P. Henn.

P. Hennings (1903) 165; Sacc. Syll. Fung. XVII: 708; von Höhnel, (1910 b) no. 618; Doidge (1941 b) 204.

Gibbera tinctoria Massee (1911) 226; Eyles (1915) 277, (1926) 642; Sacc. Syll. Fung XXIV: 923; Hopkins (1930) 528, (1938 a) 101.

on Monotes dasvanthus Gilg., Quiriri R., Baum 727, Kew.

Monotes glaber Sprague, Salisbury, Eyles 1967, 14006; Hunyani, Allen (Rh. 734) Kew.

Ceratosphaeria crinigera (Cooke) Sacc.

Doidge (1941 b) 208.

on rotting wood, Xumeni Forest, Morgan & Doidge, 30368.

Ceratostomella paradoxa Dade

see Thielaviopsis paradoxa (de Seynes) v. Höhn.; the perfect stage of this fungus has not been observed in South Africa.

Ceratostomella pilifera (Fr.) Wint.

Laughton (1936) 377.

on logs, eastern Transvaal, Laughton.

Chaetodimerina Schiffnerulae Hansf.

Hansford (1946 a) 47.

on Schiffnerula Gymnosporiae on Gymnospora nemorosa, van Stadens Pass, Doidge, 17262, Type.

Chaetomium chartarum (Berk.) Wint.

Ascotricha chartarum Berk., Medley Wood (1898) 17. on paper. Natal, Medley Wood.

Chaetomium elatum Kunze & Schum.

on underground mine timber, Durban Roodepoort Deep G.M. (T.R.L. 346, det. Baarn).

Chaetomium funicolum Cooke

isolated from mine timbers (chock mat) Durban Roodepoort Deep G.M. (T.R.L. 473 det. Baarn) 33292.

Chaetomium globosum Kunze

isolated from mine timbers (chock mat) Durban Roodepoort Deep G.M. (T.R.L. 255 det. Baarn) 33290.

Chaetomium indicum Corda

isolated from mine timbers (chock mat) Durban Roodepoort G. M. (T.R.L. 354, det. Baarn) 33291.

Chaetosphaeria insectivora Hansf.

on Coccidae undet., on Trichocladus ellipticus, Tabankulu, Fraser, 8891, det. Hansford.

Dimeriella annulata Syd.

H. & P. Sydow (1912 a) 36; Doidge (1917) 717; Sacc. Syll. Fung. XXIV: 247; Hansford (1946 a) 42.

on Gymnosporia sp., Bandolier Kop, Doidge, 1832.

Dimeriella claviseta Doidge

Doidge (1917) 717, 742; Sacc. Syll. Fung. XXIV: 248; Nel (1942) 18; Hansford (1946 a) 43.

on Vernonia angulifolia DC., Winkle Spruit, Doidge, 2511, 9011; Congella, v. d. Byl 198, 11368.

Dimeriella Woodii Hansf.

Hansford (1946 a) 42, (1946 b) 187.

on Loxostylis alata Spreng., Mayville, Medley Wood, 9026 a.

Dimerina Osyridis (Wint.) Theiss.

Theissen (1912 a) 65.

Dimerosporium Osyridis Winter (1884 c) 265; Sacc. Syll. Fung. IX: 401; Doidge (1917) 716.

on Osyris abyssinica Hochst., Somerset East, MacOwan 1256.

Dimerina parasitica (Sacc.) Hansf.

Hansford (1946 a) 55.

Melanopsamma parasitica Sacc., P. Sydow (1899 a) (133): Sacc. Syll. Fung. XVI: 488. on Meliola Woodiana Sacc. on Canthium ventosum, Durban, Medley Wood 6467, 9474. Irene Rinoreae Doidge on Rinoria natalensis, Karkloof, Doidge, 14969 b.

Dimerina verrucicola (Wint.) Theis.

Theissen (1912 a) 65.

Dimerosporium verrucicolum Winter (1885 b) 24; Sacc. Syll. Fung. IX: 402. on Olea africana Mill., Boschberg, MacOwan (Rabenh. Wint. Fung. Eur. 3652) Kew.

Dimerium africanum Hansf.

Hansford (1946 a) 80.

on Asterina gerbericola Doidge on Gerbera cordata, Knysna, Bottomley, 32137 b.

Irene calostroma (Desm.) v. Höhn. on Leucosidea sericea. Marwaqa Forest, Doidge, 30902 a.

Irene glabra (Berk. & Curt.) Doidge on Pavetta sp., Woodbush, Doidge, 1834.

Irene natalensis Doidge on Dovyalis rhamnoides, van Stadens Pass, Doidge, 17256 b.

Irene Nuxiae Syd. on Lachnopylis floribunda. Entabene, Wager, 26373 a.

Irene Peddieae Doidge on Peddiea africana, Woodbush, K. M. Putterill, 32465 d.

Meliola Bosciae Doidge on ? Maerua sp., Kentani, Pegler, 9130 a.

Meliola capensis (Kalchbr. & Cooke) Theiss. on Hippobronus panciflorus, Winkle Spruit, Pole Evans, 1402 b.

Meliola comata Doidge on Pyrenacantha scandens, Woodville Forest, Doidge, 11020 c.

Meliola Goniomae Doidge on Gonioma Camassi, Deepwalls, Bottomley, 32122 c.

Meliola oleicola Doidge on Olea foveolata, Kowie, Doidge, 12364 b; on Olea laurifolia

Buccleuch, Doidge, 11557 a.

Meliola Osyridis Doidge on Rhoiocarpus capensis, Langholm Estates, Doidge, 12349 e. Meliola rhoina Doidge on Harpephyllum caffrum, East London, Doidge, 10926 a; Pirie Forest, Doidge, 12269 a; on Rhus MacOwani, Alexandria, Doidge, 22372a; on Rhus mucronata var. villosa, Umkomaas, Bottomley, 11892 a; Buccleuch, Doidge, 11590 a.

Meliola Toddaliae Doidge on Teclea natalensis, Buccleuch, Doidge, 11564 c; Alexandria, Doidge, 22353 c.

Meliola Woodiana Sacc., on Canthium ventosum, Winkle Spruit, Doidge, 9005 a.

Dimerium baccharidicolum (P. Henn.) Sacc.

Hansford (1946 a) 76.

Phaeostique circumsedens Doidge (1924 a) 210.

on Meliola peltata Doidge on Podocarpus falcatus, Deepwalls, Doidge, 17218 c.
Schiffnerula compositarum (Theiss.) Petrak on Mikania capensis, Storms River, Doidge, 17163.

Dimerium Langloisii (Ell. & Everh.) Theiss.

Hansford (1946 a) 75.

on Irene inermis (Kalchbr. & Cooke) Theiss. & S7d. on Buddleia salvifolia, Buccleuch, J. M. Sim, 10146 a.

Dimerium leonense Hansf.

Hansford (1946 a) 79.

on Meliola Merrillii Syd. on Rhoicissus rhomboidea, Pirie Forest, Doidge, 22393 b. Meliola Osyridis Doidge on Rhoiccarpus capensis, Howieson's Poort, Doidge, 12374 b.

Dimerium Lepidagathis (P. Henn.) Sacc.

Saccardo, Syll. Fung. XVII: 540.

Dimerosporium Lepidagathis P. Hennings (1903) 164; Theissen (1912 a) 57. on Lepidagathis microchila Lind., between Longa River and Lazingua River, Baum 831.

Doubtful species.

Dimerium leptosporum Speg.

Hansford (1946 a) 76.

on Asterina Hendersoni Doidge on Ilex mitis, Woodbush, Doidge, 1753 a.

Meliola Popowiae Doidge on Popowia caffra, Winters Kloof, Doidge, 8990 a.

Dimerium minutum (Pat.) Sacc.

Hansford (1946 a) 73.

Dimerium intermedium Syd., H. & P. Sydow (1912 a) 37; Doidge (1917) 718; Sacc. Syll. Fung. XXIV: 253.
on Meliola sp. on Isoglossa Woodii, Amanzimtoti, Doidge, 1578.

Dimerium piceum (Berk. & Curt.) Theiss.

Hansford (1946 a) 74.

Dimerium myriadeum (Cooke) Theissen (1912 c) 193, (1912 a) 62. Asterina myriadea Cooke (1882 a) 130; Sacc. Syll. Fung. IX: 389.

Dimerosporium sp., Cooke (1882 b) 37.

on Asterina tertia var. africana Doidge on Hypoestes verticillaris, van Staden's Pass, Doidge 10857.

Irene inermis (Kalchbr. & Cooke) Theiss. & Syd. on Buddleia auriculata, Marwaqa Forest, Doidge, 30901 b.

Irene Peglerae Doidge on Halleria lucida, Deepwalls, Doidge, 17200 d.

Meliola capnodioides Thuem., on Stachys sp., Kat River Valley, Moore, 21027 a.

Meliola Cryptocaryae Doidge on Cryptocarya transvaalensis, Woodbush, Doidge, 28325 b. Meliola ganglifera Kalchbr. on Curtisea faginea, Woodville Forest, Doidge, 10933 a; Storms River, Doidge, 17180 a; Deepwalls, Bottomley, 32229 a.

Meliola Hippocrateae Doidge on Hippocratea Schlechteri, Karkloof, Doidge, 14971 a.

Meliola littoralis Syd., on Gardenia globosa, Umgeni, Medley Wood, 9038 b.

Meliola oleicola Doidge on Olea foveolata, Kowie, Doidge, 12364 a; East London, Doidge, 22395 a.

Meliola Osyridis Doidge on Rhoiocarpus capensis, Howiesons Poort, Doidge, 10962 a, 12374 a; Langholm Estates, Doidge, 12349 a; van Staden's Pass, Doidge, 17253 a. Meliola peltata Doidge on Podocarpus falcatus, Deepwalls, Doidge, 17218 a; on Podo-

carpus latifolius, Knysna, Pienaar, 2436 a.

Meliola rhoina Doidge on Harpephyllum caffrum, Kentani, Pegler, 8851 a. Meliola torta Doidge on Trichocladus crinitus, Deepwalls, Doidge, 17195 d.

Meliola Woodiana Sacc., on Canthium spinosum, Howiesons Poort, Doidge, 12390 a; Keurkloof Forest, Doidge, 17119 a; on Canthium ventosum, Keurkloof Forest, Doidge, 17110 b; Deepwalls, Doidge, 17219 b; van Staden's Pass, Doidge, 10881 a; Durban, Bottomley, 11385 a.

Meliola sp. on Isoglossa sp., Woodbush, Doidge, 28336 a.

? Asterina sp. on Royena villosa. Inanda, Medley Wood 601, 11517, Kew.

Dimerium pulveraceum (Speg.) Theiss.

Hansford (1946 a) 74.

as Dimerium intermedium Svd., J. Phillips (1931) 158.

on Asterina Streptocarpi Doidge on Streptocarpus Rexii, Deepwalls, Doidge, 17223 b. Irene Peglerae Doidge on Halleria lucida, Storms River, Doidge, 17182 b.

Dimerium subferrugineum Syd.

Hansford (1946 a) 79.

on Meliola comata Doidge on Pyrenacantha scandens, Deepwalls, Doidge, 17208 a. Meliola Goniomae Doidge on Gonioma camassi, Xumeni Forest, Doidge, 31075 a.

Dimerosporiopsis Engleriana P. Henn.

Pazschke (1901) (173); Doidge (1941 b) 206; Hansford (1946 a) 63.

Dimerosporium Englerianum P. Hennings (1895 b) 327. (1895 c) 31, (1898) 295; Theissen (1912 a) 57.

Dimerium Englerianum Saccardo & D. Saccardo, Syll. Fung. XVII: 537.

Aloysiella ruwenzorensis Mattir. & Sacc., Mattirolo (1908) 143.

Otthia deformans Patouillard (1918) 90; H. & P. Sydow (1920 b) 181.

Gibbera Engleriana (P. Henn.) van der Byl (1928 a) 182; Nel (1942) 23.

? Antennaria (Coleroa) Engleriana (P. Henn.) von Höhnel (1910 b) No. 613, (1909) Nos. 356, 379; Rehm (1911) 5.

on Erica Brownleeae Bolus, Hogsback, K. M. Putterill, 34317.

Erica cristaefiora Salisb., Tulbagh, Dippenaar (Stell. 324, v. d. Byl 2486). Erica holosericea Salisb., Swellendam, Schlechter.

Erica imbricata Linn., Klapmuts, Acocks, 27668.

Erica leucopelta Tausch., Knysna, Bottomley, 30729.

Erica obliqua Thunb., Koude Rivier, western Cape, Schlechter, 18326, Kew.

Erica peltata Andr., Knysna, Bottomley, 30730.

Erica spp., undet., Cape, MacOwan (Rabenh. Fung. Eur. 4260) Kew; Hermanus, Pole Evans 27697, 27704; Tulbach, Dippenaar, (Stell.) 1325; Knysna, Laughton,

Kew, Verwoerd (Stell. 335); Pniel, Dippenaar (Stell. 984).

Scyphogyne inconspicua Brogn., Hermanus, Pole Evans, 27703, Louwrens, 30731, 34318.

Englerula Macarangae P. Henn.

Hansford (1946 a) 83; Doidge (1948 a) 858.

on Macaranga capensis Sim, Eshowe, Laughton, 34112, 34207.

Eudarluca australis Speg.

Doidge (1941 b) 208; see also the conidial stage, Darluca filum (Biv.) Cast., the

perfect stage is rare in South Africa.

on Puccinia Eragrostidis-superbae Doidge on Eragrostis happula var. divaricata, Derdepoort, Doidge & Bottomley, 29813; on Eragrostis superba, without locality, 14124.

Eudimeriolum Gymnosporiae Hansf.

Hansford (1946 a) 50.

on Gymnosporia fasciculata Loes., Nelspruit, Doidge, 32396, Type. Gymnosporia sp., Nelspruit, v. d. Byl, 7077.

Fracchiaea heterogenea Sacc.

Hopkins (1938 a) 101, (1939 a) 38, (1939 c) 592.

on Pyrus communis Linn., branch, Umtali (Rh. 3431).

Pyrus malus Linn., branch, Inyanga (Rh. 3606).

Lasiosphaeria hispida (Tode) Fuck.

Doidge (1941 b) 209.

Lasiosphaeria capensis Kalchbrenner & Cooke (1880) 28; Sacc. Syll. Fung. II: 195. on bark, Somerset East, MacOwan 1397, 20817, Kew.

Neopeckia Caesalpiniae Doidge

Doidge (1948 a) 857.

on Caesalpinia sepiaria Roxb., fallen branches, Town Bush Valley, Doidge, 34480.

Neopeckia rhodostoma Syd.

H. Sydow (1924 c) 435.

on dry wood, Woodbush, v. d. Byl 1491.

Phaeodimeriella Asterinarum (Speg.) Theiss.

Hansford (1946 a) 65.

Phaeodimeriella capensis Doidge (1917) 719; Sacc. Syll. Fung. XXIV: 258.

Chaetostigmella capensis Doidge (1924 a) 210.

on Asterina Bottomleyae Doidge on Ilex mitis, Buccleuch, Doidge, 11563 b.

Asterina Hendersoni Doidge on Ilex mitis, Knysna, Pienaar, 2426, Kew; Buccleuch, Doidge, 11563 a.

Asterina Scolopiae Doidge on Scolopia Zeyheri, Hogsback, K. M. Putterill, 30084 b.

Phaeodimeriella Grewiae (Theiss.) Hansf.

Hansford (1946 a) 64.

Dimeriella Grewiae Theissen (1912 c) 189.

on Asterina Grewiae Cooke on Trimeria grandifolia, Inanda, Medley Wood 639, 12333.

Phaeodimeriella parvula (Cooke) Hansf.

Hansford (1946 a) 64.

Phaeodimeriella asterinicola Doidge (1920 b) 115.

Chaetostigmella asterinicola Doidge (1924 a) 210.

on Asterina peraffinis Speg. on Tylophora Flanagani, Branders High Forest, v. d. Byl, 9458 a.

Phaeodimeriella plumbea Doidge

Doidge (1924 a) 211; Hansford (1946 a) 67.

on Asterina gerbericola Doidge on Gerbera cordata, Storms River, Doidge, 17176; Deepwalls, Bottomley, 32123 a, 32127 a; on Gerbera piloselloides, Deepwalls, J. Phillips, 20381 a.

Asterina africana (v. d. Byl) Doidge var. Kiggelariae Doidge on Kiggelaria africana, Storms River, Doidge, 17191 a.

Asterina tertia Rac. var. africana Doidge on Hypoestes verticillaris, van Stadens Pass, Doidge, 10857 a.

Phaeophragmeriella irenicola (Doidge) Hansf.

Hansford (1946 a) 95.

Perisporium irenicolum Doidge (1924 a) 209.

Meliolina irenicolum (Doidge) Stevens (1927) 416.

on Irene Peglerae Doidge on Halleria lucida, Deepwalls, Doidge, 17201, Type.

Phaeophragmeriella Meliolae (Stevens) Hansf.

Hansford (1946 a) 96.

? Perisporium meliolicola Doidge (1919 a) 195.

? on Irene scabra Doidge and Meliola torta Doidge on Trichocladus crinitus, Izelini Forest, 9064.

Phaeophragmeriella transvaalensis (Doidge) Hansf.

Hansford (1946 a) 97.

Zukalia transvaalensis Doidge (1917) 721.

Limacinia transvaalensis Doidge (1927 b) 240.

Chaetothyrium transvaalensis (Doidge) van der Byl (1926 c) 286.

on Asterina Syzygii Doidge on Syzygiron Gerrardi, Woodbush, Doidge, 1759 a, 17756 a, 17757.

Philonectria ugandensis Hansf.

Hansford (1946 a) 102.

on Meliola comata Doidge on Pyrenacantha scandens, Storms River, Doidge, 17192 b. Meliola Popowiae Doidge on Popowia caffra, Winters Kloof, Doidge, 12435 a.

Pilula straminea Mass.

Massee (1910 b) 252.

on cotton wool, Zomba,

Theissenula Woodiana Doidge

Doidge (1924 a) 212; H. Sydow (1926) 268; Hansford (1946 a) 92.

Zukalia Woodiana Doidge (1920 b) 114.

on Gymnosporia albata Linn.. Winkle Spruit, Doidge, 9008; Durban. Medley Wood, 9061.

Trichosphaeria Vandae Verw. & du Pless.

Verwoerd & du Plessis (1933) 232.

on Vanda tricolor Lindl., Univ. Bot. Garden, Stellenbosch, du Plessis, (Stell. 610).

Tympanopsis euomphala (Berk. & Curt.) Starb.

Miller (1942) 259.

on Hypoxylon rubiginosum Pers. ex Fr. on Mimusops Zeyheri, Boschfontein, Doidge & Bottomley, 31069.

HYPOCREACEAE.

Allantonectria miltina (Mont.) Weese.

on Agave americana Linn., dying leaves, The Willows, Doidge, 33884.

Balansia Cynodontis Syd.

H. Sydow (1935) 234; Hopkins (1941) 1.

as Balansia sp., King (1918) 670; Hopkins (1943) 183.

on Cynodon Dactylon Linn., Hartebeestpoort, Bottomley, 23473: Donkerpoort, Doidge & Bottomley, 29993; Claremont, Pretoria, Kresfelder, 30489; Pretoria, King, 11007, Bottomley, 11329, 12833, 18158, Mogg, 15055, 24890; Aapies River nr. Prinshof, Scott, 34069; Buffelspoort, Doidge, 32787, Turner, 30488, Doidge & Turner, 29970, Doidge & Bottomley, 29988; Heidelberg, Transvaal, Mogg, 24349; Salisbury, Bulawayo, Hopkins.

Cynodon plectostachyum Pilg., Salisbury, Hopkins.

Cynodon transvaalensis Burtt Davy, Pretoria, Bottomley, 28618; Pyramids, Mogg, 28617.

Balansia Trachypogonis Doidge

Doidge (1948 a) 854.

on Trachypogon plumosus Nees, Kaalfontein, Pole Evans, 9543 b, 9435, 10082, 28581; Johannesburg, Bottomley, 26607.

Urelytrum squarrosum Hack., near old Standerton Road, Pole Evans, 8825.

?onAndropogon amplectens Nees, Meintjes Kop, Mogg, 25349.

Calonectria capensis Doidge

Doidge (1924 a) 218; Hansford (1946 a) 123.

on Irene Podocarpi Doidge on Podocarpus falcatus, Deepwalls, Doidge, 17217 b; Storms River, Doidge, 17167, Type; Pirie Forest, Doidge, 22425; on Podocarpus gracilior, Woodbush, Doidge, 1822 a.

Calonectria Cephalosporii Hansf.

Hansford (1946 a) 117; the conidial stage is a Cephalosporium sp. on Irene calostroma (Desm.) v. Höhn., on Rubus pinnatus, Xumeni Forest, Morgan & Doidge,

30376 a

Irene Nuxiae Syd., on Lachnopylis floribunda, Storms River, Doidge, 17181.

Irene Peglerae Doidge on Halleria lucida, Storms River, Doidge, 17182 a.

Irene Podocarpi on Podocarpus falcatus, Storms River, Doidge, 17166.

Irene Strophanthi Doidge on Strophanthus speciosus, Woodbush, Doidge, 1781 a.

Meliola buxicola Doidge on Buxus MacOwani, East London, Doidge, 22388 a.

Meliola Hippocrateae Doidge on Hippocratea Schlechteri, Karkloof, Doidge, 14971.

Meliola littoralis Syd., on Gardenia globosa, Umgeni, Medley Wood, 9038.

Meliola Osyridis Doidge on Rhoiocarpus capensis, Woodville Forest, Doidge, 10962 b; Langholm Estates, Doidge, 12349 d; Van Staden's Pass, Doidge, 17253 c.

Meliola sp. on Isoglossa Woodii, Stella Bush, Wager, 33196 a and b.

Calonectria decora (Wallr.) Sacc.

See Fusarium ciliatum Link; the perfect stage of this fungus has not been observed in South Africa.

Calonectria leucorrhodina (Mont.) Speg.

P. Sydow (1899 a) (133); Medley Wood (1898) 11; Hansford (1946 a) 118. on Eugenia sp., Natal, Medley Wood 587, 799, 10185.

Calonectria Meliolae Hansf.

Hansford (1941) 33.

See the conidial stage, *Eriomycopsis Meliolae* Hansf.; the perfect stage of this fungus has not been seen in South Africa.

Calonectria rigidiuscula (Berk. & Br.) Sacc.

Doidge (1938) 341; see also the conidial form, Fusarium decemcellulare Brick isolated from the mycelial mat surrounding the stroma of Epichloe cinerea on Sporobolus capensis, cult. Wollenweber, 25897 b.

Calonectria Ugandae Hansf.

Hansford (1941) 35, (1946 a) 121; see also the conidial form, *Eriomycopsis Bomplandi* Speg.

 on Irene scabra Doidge on Trichocladus ellipticus, Hogsback, Henderson, 11338; Pirie Forest, Doidge, 12298.

Claviceps Digitariae Hansf.

as Claviceps sp., Hopkins (1943) 184.

on Digitaria Brazzae (Tranch.) Stapf., Donkerpoort, Doidge & Bottomley, 32786.

Digitaria eriantha Steud., Prinshof, Pentz, 22102, Bottomley, 23378, 23878, 23877, 25324, 25325, 25326, 25327, 25328, 25329, 26368, 25369, 25370: Town Bush Valley, Doidge, 1614; Grahamstown, Liebenberg, 27516: Pienaars River, Thomson, 15059.

Digitaria glauca Stent, Donkerpoort, Doidge & Bottomley, 29767.

Digitaria Milanjiana Stapf, Salisbury, Hopkins.

Digitaria monodactyla Stapf, Groenkloof, Pole Evans, 11873.

Digitaria Pentzii Stent, Prinshof, Bottomley, 23379: Makokskraal, Frean, 23367; Potchefstroom, Liebenberg, 23368: Donkerpoort, Doidge & Bottomley, 29764; Bathurst, 26160.

Digitaria Smutsii Stent, Salisbury, Rattray (Rh. 4421) 33472.

Digitaria ternata Stapf, Butterworth, Pegler, 7741.

Digitaria spp., Estcourt, West, 29974; Kloof, Robertson, 23228; germinated sclerotia from Prinshof, Scott, 34000.

Claviceps Paspali Stev. & Hall

Mitchell (1918 b) 440, (1919) 391; van der Byl (1922 d) 284; Eyles (1926) 640; Verwoerd (1929 b) 13, (1931 a) 299; Doidge & Bottomley (1931) 46; Watt & Breijer-Brandwyk (1932) 213; Steyn (1934) 168; Hopkins (1938 a) 102, (1939 a) 30.

Sclerotium Paspali Hennings (1895 b) 327.

on Paspalum dilatatum Poir, Prinshof, Bottomley, 23376; Daspoort, Wager, 25346; Pyramids, Mogg, 32438; Groenkloof, Pole Evans 9055, Bottomley, 33470; Derdepoort, Doidge & Bottomley, 33935: Mocklands, G.V.O., 28648; Ermelo, Henrici, 21212; Lake Chrissie, Parry, 11372; Nylstroom, Prance, 11321; Brereton, Lea, 13022; Heidelberg, Mogg, 24350, 24358: Langlaagte, Fry, 25338; Gamtoos River Valley, Galpin, 26843; between Stellenbosch and Paarl, Lounsbury, 11389; East London, Palmer, 9439; Mooi River, Mogg, 10072: Lidgetton, Mogg, 11636: Tweedie, Mogg, 11647; Durban, Kent, 21110, v. d. Byl, 9431; Donnybrook, Webb, 8948; Mid-Illovo, Power (v. d. Byl 501) 31784; Swaziland, Burtt Davy, 10027; Bloemfontein, Verwoord; Salisbury, Eules 1594, 11860.

Paspalum distichum Linn., Wonderboompoort, Mogg, 23393, 23405: Pyramids, Mogg, 29843, 32441; Daspoort, Wager, 25344; Ermelo, Henrici, 21243; Grahamstown, G.V.O., 30251; Maritzburg, G.V.O., 30766, 30767; Durban, Kent, 21106.

Paspalum scrobiculatum Linn. var. Commersonii Stapf, Groenkloof, Mellé, 11320;
 Lidgetton, Mogg, 11641; Tugela Valley near Mont-aux-Sources, Bottomley, 14159.
 Paspalum urvillei Steud. Prinshof, Bottomley, 23377; Skinners Court, Bottomley, 23404.
 Paspalum spp., Natal, Schlechter; Stellenbosch, v. d. Byl 2072, Dippenaar (Stell. 838);
 Somerset West, Paarl, George, Verwoerd; Cedara, v. d. Byl 387; Maritzburg, 30766;
 Rusapi (Rh. 1204, 1337); Mazoe, Eyles.

Claviceps purpurea (Fr.) Tul.

H. & P. Sydow (1909) 546; Pole Evans (1913 b) 175.

Claviceps sp., van der Byl (1922 d) 284.

on Festuca elatior Linn., Maritzburg, Carter, 21206; Potchefstroom, Bell 2078, 2165. Festuca scabra Vahl, Kokstad, G.V.O., 11696; Lion's Head, Thompson, 14365.

Lolium multiflorum Lam., Taylerville, G.V.O., 28870; Nottingham Road, McClean, 31025.

Pennisetum macrourum Trin., Elsenburg, 5600; Cape Town, Curson, 9791; Stellenbosch, Thompson, 15060, Verwoerd (Stell. 22) 32494. Pennisetum sphacelatum Dur. et Schinz, Orange Free State, v. d. Merwe, 910; Kokstad, Paine, 10037.

Pennisetum sp., Elsenburg, Peringuey, 680, Baker, 28894.

on Cenchrus ciliaris Linn., Prinshof, Liebenberg, 33401; Rietondale, Liebenberg, 33473.

Clavicens sp.

on Andropogoneae.

on Anthephora pubescens Nees, Groenkloof, Pole Evans, 11503, 14122.
Sorghum caffrorum Beauv., Natal, Sellschop, 28658.
Themeda triandra Forsk., Kroonstad, Pont, 26667.

Claviceps sp.

on Cyperaceae.

on Scirpus? costatus Bock, Singisi, D.F.O., 23198.

Cyperus esculentus L., Hartebeestpoort, Liebenberg, 32388; Pretoria, Liebenberg, 32130;
 Kempton Park, v. d. Plank, 34100; Univ. Exp. Farm, Pretoria, E. J. Scott, 34101.
 Cyperus rotundus Linn., Univ. Exp. Farm, Pretoria, E. J. Scott, 34102; Brits, Sellschop, 34212.

Claviceps sp.

Nel (1942) 15.

as Claviceps microcephala (Wallr.) Tul., United States Dept. Agric. (1942) 42. on Chlorideae.

on Cynodon Dactylon Pers., Pretoria, Kresfelder, 10059; Skinners Court, Mogg, 11674; Daspoort, Wager, 25345; Donkerpoort, Doidge & Bottomley, 29774; Nylstroom, Pole Evans, 10060; Vereeniging, L. C. Turner, 10035; Bellville, Buller 11800; Potchefstroom, Radloff (v. d. Byl 2099).

Cynodon plectostachyum Pilg., on material sent from S. Africa to the United States of America.

Claviceps sp.

on Festucene

on Brachypodium flexum Nees., Xumeni Forest, Morgan & Doidge, 32222, 32770, Doidge, 34119; Indumeni Forest, Cathedral Peak area, Schelpe, 34132.

Claviceps sp.

on Paniceae

on Brachiaria brizantha Stapf, Rosehaugh, T. R. Sim, 7411; Nelspruit, Pienaar, 10100; White River, Liebenberg, 26673, Loest, 28598; Moodie's Estates, Wager, 26149; Cedara, Fisher, 30467; Mtambanana, Salberg; 15442; Salisbury, Walters, 8867, Eyles 1543, 11859 and (Rh. 4515) 33471.

Brachiaria dictyoneura Stapf (Hopkins 1943: 180) Salisbury (Rh. 4505).

Brachiaria nigropedata Stapf, Prinshof, Pentz, 23227.

Panicum deustum Thunb., Xumeni Forest, Doidge, 34117. Panicum obscurans Stapf, Xumeni Forest, Doidge, 32221.

Panicum maximum Jacq., Kentani, Pegler, 6650, 6920; Butterworth, Pegler, 7740; Moodie's Estates, 26151; Haakdoorn, Blair White, 27384; Arcturus, Hopkins (Hopkins 1943: 187) (Rh. 5329).

11101-5

Claviceps sp.

on Paniceae (Setaria)

on Setaria flabellata Stapf, Pretoria, Pole Evans, 10119, 10015; Koedoespoort, Pienaar, 10016.

Setaria perennis Hack., Groenkloof, E. P. Phillips, 11877.

Setaria sphacelata Stapf et Hubb., Garstfontein, Pienaar, 8907; Prinshof, Liebenberg.

Setaria sp., Frankenwald, Johannesburg, Cohen, 34211.

Claviceps sp.

Nel (1942) 15.

on Phalaridae

on Ehrharta bulbosa Sm., Stellenbosch, Duthie (v. d. Byl 2067).

Ehrharta calycina Sm., Kirstenbosch, Compton, 14267, Pole Evans, 14249; Lion's Head, Thompson, 14266.

Ehrharta capensis Thunb., Lion's Head, Thompson, 14264.

Phalaris arundinacea L., without locality.

Phalaris tuberosa L., Amsterdam, Buchanan, 781; Ermelo District, 1869; Prinshof, Pentz, 15421, Codd, 32473.

Cordvceps flabella Berk. & Curt.

Winter (1885 b) 34.

on host undet., Boschberg, MacOwan.

Cordvceps velutipes Mass.

Massee (1895) 21; Sacc. Svll. Fung. XIV: 661. on Elateridae, larvae, Klerksdorp, Alston (comm. MacOwan) Kew.

Cordyceps sp.

Nel (1942) 15.

on unidentified insect, Bethlehem, v. d. Merwe (v. d. Byl 2537).

Epichloe cinerea Berk. & Br.

Medley Wood (1898) 12; Hopkins (1939 a) 18, (1943) 184; Doidge (1948 a) 855. ? Epichloe Zahlbruckneriana P. Hennings (1900 a) 1; Doidge & Bottomley (1931) 26; Sacc. Syll. Fung. XVI: 607; Nel (1942) 15.

Epichloe Eragrostis Pole Evans (1918 c) 110; Pole Evans & Bottomley (1918) 187;

Hopkins (1938 a) 102.

on Bewsia biflora Goossens, Rietvlei, Pretoria District, Murray & Acocks, 30249; Fountains Valley, Mogg, 11334; Kaalfontein, Pole Evans, 9543 a.

Ctenium concinnum Nees, Himeville, Storey, 32495.

Digitaria Brazzae Stapf, Marandellas, Rattray (Rh. 1855) 30111.

Digitaria diagonalis Stapf, Groenkloof, Pole Evans, 11871.

Eragrostis chloromelas Steud., Pretoria, Pole Evans, 9159.

Eragrostis curvula Nees, Umzimkulu, Browne, 9688.

Eragrostis plana Nees, Kentani, Pegler 1855, 2076, 2139, 2190, Kew; Tabamhlope, West, 30519; Mooi River, Mogg, 10063, 10076; Botanical Gardens, Durban, Kent, 15455; Moedig Siding, Mainprize, 28538; Tweedie, Mogg, 10066; Athol Research Sta., Ermelo, Norval, 34325.

Eragrostis? robusta Stent, Hopevale, Morgan, 27749.

Eragrostis sclerantha Nees, Donkerpoort, Doidge & Bottomley, 29761.

Eragrostis spp., Durban, Baker, 32016, v. d. Byl 71; Vereeniging, L. C. Turner, 8977; Tabamhlope, West, 30519.

Microchloa caffra Nees, Groenkloof, Pole Evans, 11872.

Panicum natalense Hochst., Robert's Heights, Mogg, 33431.

Setaria nigrirostris Dur. & Schinz., Groenkloof, E. P. Phillips, 14248.

Sporobolus capensis Kunth, Acton Homes, L. A. Doidge, 25897; Eshowe, Gerstner, 28580; Lidgetton, Mogg, 11637; Thorneville Junction, Doidge, 865; Durban, Medley Wood 825, Kew; Pirie, near Maden Dam, Archibald, 34223.

Tristachya Rehmanni Hack, Kaalfontein, Pole Evans, 9542.

on grasses undet., ? Mt. Insizwa, Krook (R. Penther 2205); Natal, Medley Wood 3959; Donnybrook, Gordon, 30790; Cramond, Pole Evans, 1369, 1395; Lidgetton, Mogg, 11639; Fairy Glen, Lounsbury, 17051; Skinners Court, Pole Evans, 745; Fountains Valley, Mogg, 11335; Orange Free State, Nobbs, 20910; Basutoland, Dieterlen, 11715, 18025; Sonderwater, Mogg, 33961.

Gibberella acuminata Wollenw.

See Fusarium Scirpi Lamb. & Fautr. var. acuminatum (Ell. & Everh.) Wollenw; the perfect stage of this fungus has not been found in South Africa.

Gibberella baccata (Wallr.) Sacc.

See Fusarium lateritium Nees; the perfect stage of this fungus has not been observed in South Africa.

Gibberella Fujikuroi (Sawada) Wollenw.

Hopkins (1939 a) 49.

See also the conidial stage, Fusarium moniliforme Sheld.

on Zea Mays Linn., cobs, Chakari, Salisbury, Hopkins.

Var. subglutinans Edwards

Hopkins (1939 a) 49.

See also Fusarium moniliforme var. subglutinans Wollenw.

on Crotalaria juncea Linn., stems, Brits, Hean.

Zea Mays Linn., Chakari, Salisbury, Hopkins.

Gibberella intricans Wollenw.

See Fusarium Equiseti (Corda) Sacc. var. bullatum (Sherb.) Wollenw.; the perfect stage of this fungus has not been recorded in South Africa.

Gibberella pulicaris (Fr.) Sacc.

See also the conidial stage, Fusarium sambucinum Fuck.

on Solanum auriculatum Ait., dead stems, Xumeni Forest, Morgan & Doidge, 33475.

Gibberella Saubinetii (Mont.) Sacc. pr. p.

Doidge & Bottomley (1931) 36; Eyles (1926) 642; Watt & Breijer-Brandwyk (1932) 213; Wickens (1937) 691; Doidge (1938) 384; Hopkins (1938 a) 103, (1939 a) 50.

See also Fusarium graminearum Schwabe, the conidial stage.

on Triticum aestivum Linn., Bredasdorp, Gorter (Stell. 1060).

Zea Mays Linn., Hopevale, *Doidge*, 27723; Potchefstroom, *Sellschop*, 28664; Salisbury, *Eyles*, *Wickens*; Glendale, Salisbury, Trelawney, Marandellas, *Hopkins*; Mazoe, *Hopkins* (Rh. 1247) Kew.

Hypocrea carnea Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 26. on bark, Somerset East, MacOwan 20.

Hypocrea chrysostigma Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 26; Sacc. Syll. Fung. II: 525. on bark, Somerset East, MacOwan 1301, Kew.

Hypocrea citrina (Pers.) Fr.

Lloyd (1920) 960.

on decayed log, Forest Hall. Knysna, Duthie 225, 31412.

Hypocrea Inandae Cooke

? nom. nud.

on bark, Inanda, Medley Wood 547, Kew.

Hypocrea Lycogalae Kalchbr. & Cooke

Cooke (1879 b) 72; Kalchbrenner & Cooke (1880) 26.

on rotten wood, Boschberg, MacOwan (Rabenh. Fung. Eur. 3253) 3593, 21958, Kew; Inanda, Medley Wood 399, 10391, Kew.

Hypocrea rufa (Pers.) Fr.

Lloyd (1916 d) L. 63: 4.

on bark, Knysna, Duthie 129, 31360.

Hypocrea subcitrina Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 26 ; Sacc. Syll. Fung. II : 524 ; Lloyd (1923) 1257 on Acacia mollissima Willd., Maritzburg, Rump~66, 28274.

on bark of tree undet., Somerset East, MacOwan 184, 202, 205, Kew.

Hypocrea sulphurella Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 26; Medley Wood (1898) 18; Sacc. Syll. Fung. II: 525.

on Eucalyptus sp., bark, Natal, Medley Wood 178, Kew.

Hypocrea trachycarpa Syd.

on Solanum auriculatum Ait, dead wood, Xumeni Forest, Morgan & Doidge, 27732, 28909 33076.

Hypocrea sp.

Medley Wood (1898) 18. on bark, Natal, Medley Wood 547, 10634, 11187.

Hypomyces chrysospermus Tul.

on Boletus sp., Pretoria, Bottomley, 34571.

Hypomyces Ipomoeae (Halst.) Wollenw.

Hopkins (1933) 505; Bates (1937 b) 206.

on Citrus maxima Merr., fruit, Mazoe, Bates.

Malacaria meliolicola Syd.

Hansford (1946 a) 126.

on Meliola Woodiana Sacc. on Canthium spinosum, Keurkloof Forest, Doidge, 17119 c; on Canthium ventosum, Durban, Bottomley, 11385 e; Keurkloof Forest, Doidge, 17110 d.

Megalonectria nigrescens (Kalchbr. & Cooke) Sacc.

Saccardo, Syll. Fung. II: 561.

Sphaerostilbe nigrescens Kalchbrenner & Cooke (1880) 26.

on bark, Somerset East, MacOwan 1039 (S.A.M. 35205, as Isaria Nectriae Kalchbr.) Kew.

Megalonectria pseudotrichia (Schw.) Speg.

Simpson & Talbot (1946) 133.

on Acacia mollissima Willd., dead branches, Chase Valley, Rump, 34070; Qudeni Forest, Simpson & Talbot, 34947.

Melanospora parasitica Tul.

Pole Evans (1912 b) 67; Skaife (1920) 298.

on Isaria Psychidae Pole Evans on Acanthopsyche Junodi, Cedara, Skaife; Cramond, Ripley, 33981.

Nectria cinnabarina (Tode) Fr.

on Pyrus malus Linn., twigs, Parys, 14106.

Nectria coccinea (Pers.) Fr.

von Thuemen (1877) 408; Medley Wood (1898) 18; Sacc. Syll. Fung. II: 481.

on Acacia decurrens Willd., dead branches, Cramond, Pole Evans, 1328.

Kiggelaria sp., Groote Schuur, J. Acocks (E. L. Stephens 238) 34526.

on dead branches, Boschberg, MacOwan 1064 (S.A.M. 33595) 20822; Inanda, Medley Wood 517, 11188, Kew.

Nectria coccophila (Tul.) Wollenw. & Reinking

See Fusarium coccophilum (Desm.) Wollenw. & Reinking; the perfect stage of this fungus has not been observed in South Africa.

Nectria ditissima Tul.

MacOwan (1894) 127.

on Pyrus malus Linn., branches, Cape MacOwan.

Nectria episphaeria Tode ex Fr.

on Hypoxylon sp., on dead wood, near Rhodes Memorial, Table Mountain, J. Acocks, (E. L. Stephens 511) 34524.

Nectria eximia Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 27.

on bark, Somerset East, MacOwan, Kew.

Nectria furfuracea Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 27; Sacc. Syll. Fung. II: 504. on bark, Natal, ? Medley Wood 186, Kew.

Nectria galligena Bres.

Doidge & Bottomley (1931) 6, 48.

?onPyrus malus Linn., Zoutpansberg, 6821; Cedara, v. d. Byl 678, 31890; of minor importance in Natal, Orange Free State and Transvaal.
on Pyrus communis Linn., Kimberley.

Nectria heterosperma Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 27: Sacc. Syll. Fung. II: 485. on dead branches, Somerset East, MacOwan 1064, Kew.

Nectria leocarpoides Kalchbr. & Cooke Kalchbrenner & Cooke (1880) 27. on Sarcophyte sanguinea Sparm., Somerset East, MacOwan 5.

Nectria martialis Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 27 : Sacc. Syll. Fung. II : 497. on dead wood, Somerset East, MacOwan 1161.

Nectria meliolopsicola P. Henn.

on Meliola Excoecariae Doidge on Sapium Simii, Buccleuch, Doidge, 11566 c.

Nectria perpusilla Sacc.

Hansford (1946 a) 111, 114. on Meliola Goniomae Doidge on Gonioma Camassi, Xumeni Forest, Doidge, 31075.

Nectria Peziza (Tode) Fr.

van der Byl (1925 b) 192 : J. Phillips (1931) 160 : Nel (1942) 15. on old wood, Knysna, Duthie (v. d. Byl 428) : Winterhoekberg, Rothmann (v. d. Byl 1471).

Nectria sp.

 $\begin{array}{c} \text{Doidge \& Bottomley (1931) 51.} \\ \text{on $\textbf{Populus}$ sp., south-western Cape.} \end{array}$

Neocosmospora vasinfecta E. F. Sm.

Wollenweber (1935) No. 1101. isolated from Carica Papaya Linn., Nelspruit, Wager, 28409.

Var. tracheiphila Erw. F. Sm.

Wollenweber (1935) No. 1102. isolated from **Medicago sativa** Linn., crown, Pietersburg, *Doidge*, 28455.

Paranectria minuta Hansf.

Hansford (1946 a) 131.

on Irene natalensis Doidge on Dovyalis rhamnoides, Inanda, Medley Wood 6454, 9509.

Meliola Carissae Doidge on Carissa bispinosa, Pirie Forest, Doidge, 22397 c.

Meliola Osyridis Doidge on Rhoiocarpus capensis, Langholm Estates, Doidge, 12349 c.

Paranectria parasitica Wint.

Winter (1884 c) 263; Sacc. Syll. Fung. IX: 987. on Osyris abyssinica Hochst., near Cape Town, MacOwan; Boschberg, MacOwan 1256.

Physalosporina Sutherlandiae (Kalchbr. & Cooke) Petrak

Petrak (1934) 411; Doidge (1941 b) 202.

Stigmatea Sutherlandiae Kalchbrenner & Cooke (1880) 32; Sacc. Syll. Fung. I: 543. Stigmatula Sutherlandiae (Kalchbr. & Cooke) Syd., H. & P. Sydow (1901 b) 78.

Hyponectria Sutherlandiae (Kalchbr. & Cooke) Theissen (1919) 23.

on Sutherlandia frutescens R. Br., Boschberg, *MacOwan 1415* (Rabenh. Fung. Eur. 3344) 3684, 20846, 21978, Kew.

Pleonectria pseudotrichia (Schw.) Wollenw.

Sphaerostilbe pseudotrichia Berk. & Br., Medley Wood (1898) 19; see also the conidial form, Stilbum cinnabarinum Mont. on dry wood, Inanda, Medley Wood 488, 9484, 10656.

Podocrea Transvaalii Lloyd

Lloyd (1920) 1010, 1032; Stevenson & Cash (1936) 22. on ground, Durban, Lansdell (Lloyd. Myc. Coll. 6050) 12793.

Podonectria coccicola (Ell. & Everh.) Petch

Petch (1922) 146.

on Lepidosaphes Gloveri Pack on Citrus sp., Zululand, F. W. South, Kew.

Sphaerostilbe hypocreoides Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 26; Sacc. Syll. Fung. II: 515. on bark, Somerset East, MacOwan 36.

Sphaerostilbe Mac Owani (Koerb.) Cooke

Cooke (1891 c) 16.

Coniocybe MacOwanii Koerber (1877) 357; Sacc. Syll. Fung. XI: 360. Gassicourtia silicea Fée, Stizenberger (1890) p. 21 not.; Zahlbruckner, Cat. Lich. I: 649. on bark, Cape.

Ustilaginoidea mossambicensis P. Henn.

P. Hennings (1897 b) 539; Sacc. Syll. Fung. XIV: 431. on Arundinella sp., ovaries, Moçambique, Peters 185.

Ustilaginoidea Setariae Bref.

on Setaria Chevalieri Stapf, Maritzburg, D.V.O., 11370.

Setaria sphacelata Stapf & Hubb., Groenkloof, Pole Evans, 9054.

MYCOSPHAERELLACEAE.

Cryptodidymosphaeria Clandestina Syd.

H. Sydow (1939 a) 196.

Phaeodothis Tristachyae Syd., H. & P. Sydow (1912 a) 4; Doidge (1922 a) 67, (1942 b) 460; Sacc. Syll. Fung. XXIV: 618.

sub Phaeodoihis stenostoma (Ell. & Tracy) Theiss. & Syd., Doidge (1922 a) 66, (1942 b)460:
Doidge & Bottomley (1931) 28.

on Phyllachora Cynodontis (Sacc.) Niessl., on Cynodon Dactylon, Donkerpoort, Doidge & Bottomley, 29749.

Phyllachora Doidgeae Syd. on Cymbopogon marginatus, Donkerpoort, Doidge & Bottom ley, 29744, 29800.

Phyllachora Evansii Syd. on Setaria Chevalieri, Umtentweni, Wager, 32673.

Phyllachora heterospora P. Henn. on Panicum maximum, Bluff, Doidge, 1611.

Phyllachora Tricholaenae P. Henn. on Rhynchelytrum repens. Donkerpoort, Doidge & Bottomley. 29738.

Phyllachora spp. on Eragrostis sp., Donkerpoort, Doidge & Bottomley, 29746; on Tristachya hispida, Mooi River, Burtt Davy, 1470.

Didymella intercepta (Kalchbr. & Cooke) Sacc.

Saccardo, Svll. Fung. I: 556.

Sphaeria intercepta Kalchbrenner & Cooke (1880) 29.

on Senecio longifolius Linn., Somerset East, MacOwan 1398, Type, Kew.

Didymella Lycopersici Kleb.

Mycosphaerella citrullina (C. O. Smith) Gross., United States Dept. Agric. (1942) 44, (1941) 60.

on Cucurbita maxima Duchesne, intercepted in United States of America on material from South Africa.

Citrullus vulgaris Schrad., intercepted in the United States on material from South Africa.? on Telfairia pedata Hook., Melsetter, Hopkins (Rh. 5464).

Didymella zuluensis Doidge

Doidge (1948 a) 859.

on Eugenia zuluensis Dummer, Xumeni Forest, Morgan & Doidge, 29840, Type.

Didymellina Dianthi Burt

See Heterosporium echinulatum (Berk.) Cooke: the perfect stage of this fungus has not been recorded in South Africa.

Didymosphaeria clavata du Pless.

du Plessis (1933 f) 207; Nel (1942) 23.

on Aloe microstigma Salm., Stellenbosch, du Plessis (v. d. Byl 2717) Type.

Didymosphaeria opulenta (de Not.) Sacc.

on Opuntia sp., Wolmaransstad, Liebenberg, 26391; Nelspruit, Liebenberg, 26572.

Didymosphaeria populina Vuill.

on **Populus** sp., Evelyn Valley, D.F.O., 9727.

Didymosphaeria Rafniae Verw. & du Pless.

Verwoerd & du Plessis (1932) 313.

on Rafnia perfoliata E. Mey., Gordons Bay (Stell, 589).

Didymosphaeria spatharum Wint.

Winter (1885 b) 28; Sacc. Syll. Fung. IX: 735.

on Bobartia spathacea Ker., Table Mt., MacOwan, Type.

Guignardia Bidwellii Vi. & Rav.

Doidge & Bottomley (1931) 28; Cardoso (1937) 152, (1938) 75, (1939) 45.

on Vitis vinifera Linn., Maritzburg, Pole Evans, 1483: Grahamstown, Mally, 21985; Sul do Save, Cardoso; Lourenço Marques, Clemente.

Leptosphaeria anceps Sacc.

on Ribes nigrum Linn., imported cuttings, Pretoria, 926. Ribes rubrum Linn., imported cuttings, Pretoria, 927.

Leptosphaeria cervispora (Kalchbr. & Cooke) Sacc.

Saccardo, Syl. Fung. II: 44.

Sphaeria cervispora Kalchbrenner & Cooke (1880) 29.

on Artemisia afra Jacq., stems, Somerset East, MacOwan 1399 d, Type, Kew.

Leptosphaeria Cinnamomi Shirai & Hara

Verwoerd & du Plessis (1933) 226.

on Cinnamomum zeylanicum Nees, Univ. Bot. Gard., Stellenbosch, Verwoerd, (Stell. 410).

Leptosphaeria Coniothyrium (Fuck.) Sacc.

See also the conidial form Coniothyrium Fuckelii Sacc.; the perfect stage of this fungus has not been observed in the Union of South Africa.

on **Rosa** sp., Que Que, *Hopkins* (Rh. 5856); Salisbury (Rh. 5662); Mazoe, *Hopkins* (Rh. 5058).

Leptosphaeria Helichrysi (Cooke) Sacc.

Saccardo, Syll. Fung. IX: 783.

Leptosphaerella Helichrysi Cooke (1890 b) 7.

on Helichrysum spp., Natal, Medley Wood 683, Type, Kew; Garstfontein, Erasmus. 1255; Mac Mac Falls, Pole Evans, 28741.

Leptosphaeria Owaniae (Kalchbr. & Cooke) Sacc.

Saccardo, Syll. Fung. II: 33.

Sphaeria Owaniae Kalchbrenner & Cooke (1880) 29.

on Artemisia afra Jacq., stems, Somerset East, MacOwan 1399 b, Type, Kew.

Leptosphaeria Protearum Syd.

H. & P. Sydow (1912 c) 441; Doidge (1927 b) 231; Doidge & Bottomley (1931) 53; Hopkins (1939 a) 35; Nel (1942) 23.

on Protea abyssinica Willd., Stapleford, Hopkins.

Protea barbigera Meisn., Frenchhoek, Dippenaar (Stell. 977, 908, 909; v. d. Byl 2599).

Protea cynaroides Linn., St. James, Pole Evans, 5573.

Protea lepidocarpodendron Linn. var. villosa Pill., Wellington, Doidge, 2061, Type, 2062.

Protea mellifera Thunb., Stellenbosch, Dippenaar (Stell. 408, 910, 911).

Protea spp., Frenchhoek, Dippenaar (Stell. 422, 831); Stellenbosch, du Plessis (Stell. 616); Table Mt., Dippenaar (Stell. 864).

Leptosphaeria Pterocelastri Doidge

Doidge (1948 a) 859.

on Pterocelastrus tricuspidatus Sond., Knysna, Laughton, 35143, Type.

Leptosphaeria Sacchari van Breda

van der Byl (1921 h) 123; Doidge & Bottomley (1931) 59; Mc Martin (1938) 214; Stevenson & Rands (1938) 278; Hopkins (1938 a) 102, (1939 a) 45; Doidge (1941 b) 210.

on Saccharum officinarum Linn., Empangeni, r. d. Byl 680, 31891; Mt. Edgecombe³ McMartin, 31040, 31041; Durban, v. d. Byl 178 (Stell. 1). Sorghum spp., Umtali (Rh. 2955).

Leptosphaeria Salvinii Catt.

Cardoso (1938) 75, (1937) 152, (1939) 45, (1945) 150.

on Oryza sativa Linn., Massinga, Morrumbene, Gomes e Sousa; Umbeluzi, Oliveira.

Leptosphaeria Verwoerdiana du Pless.

du Plessis (1933 f) 207; Nel (1942) 23.

on Aloe affinis Berg., Stellenbosch, du Plessis (Stell. 811; v. d. Byl 2715), Type. Aloe striatula Haw., Stellenbosch, du Plessis (Stell. 817; v. d. Byl 2657).

Metasphaeria brachiata (Kalchbr. & Cooke) Sacc.

Saccardo, Svll. Fung. II: 160.

Sphaeria brachiata Kalchbrenner & Cooke (1880) 30.

on Clematis brachiata Thunb., twigs, Somerset East, MacOwan 1358, Type, Kew. Senecio quinquelobus Linn., without locality, MacOwan.

Metasphaeria caffra (Thuem.) ? Petrak

Petrak (1927) 262; Doidge (1942 a) 329.

Piggotia (?) filicina Thuem., von Thuemen (1875) 380.

Leptosphaeria caffra Thuem., von Thuemen (1876 b) 363, (1877 b) No. 351: Sacc. Syll. Fung. II: 82.

Sphaeria caffra Kalchbrenner & Cooke (1880) 30.

Micropeltis Marattiae P. Hennings (1895) 12; Sacc. Syll. Fung. XI: 382.

Phragmosperma Marattiae (P. Henn.) Theissen & Sydow (1916) 451: H. Sydow (1924 c) 435: Doidge (1924 a) 219; van der Byl (1926 c) 287; Nel (1942) 24.

on Marattia fraxinea Sm., Bazuja, Baur, Type (Thuem. Myc. Univ. 351; Rabenh. Wint. Fung. Eur. 3453; S.A. M. 33712) 20915, 3793, 21959, Kew; Winters Kloof, Doidge, 1632; Woodbush, v. d. Byl 1511.

Metasphaeria cumana (Sacc. & Speg.) Sacc.

Saccardo, Svll. Fung. II: 177.

Sphaeria cumana Sacc. & Speg., Kalchbrenner & Cooke (1880) 30.

on Carex petitiana A. Rich., leaves, Somerset East, MacOwan 1353, Type.

Metasphaeria metuloidea (Kalchbr. & Cooke) Sacc.

Saccardo, Svll. Fung. II: 159.

Sphaeria metuloidea Kalchbrenner & Cooke (1880) 29.

on Artemisia afra Jacq., Somerset East, MacOwan 1399 a, Kew, Type.

Mycosphaerella Agapanthi (Kalchbr. & Cooke) Lindau

Lindau (1897) 427: Doidge & Bottomley (1931) 4; Nel (1942) 24; Doidge (1948 a) 860.

Sphaerella Agapanthi Kalchbrenner & Cooke (1880) 31; Sacc. Syll. Fung. I: 524.

on Agapanthus africanus Hoffm., leaves, Kentani, Pegler 2366, 9167, Kew; Cape, MacOwan 1342, Type, 22016, Kew; Durban, v. d. Byl 329 a, 31954 a, Kew.

Mycosphaerella Aloes Syd.

H. Sydow (1939 a) 181; Doidge (1941 b) 203. on Aloe lineata Haw., Port Elizabeth, Doidge, 2293, Type.

Mycosphaerella areola Ehrlich & Wolf.

See Cercosporella Gossypii Speg.; the perfect stage of this fungus has not been found in South Africa.

Mycosphaerella brassicicola (de Bary) Lindau

Verwoerd (1929 b) 10, (1931 a) 299; Doidge & Bottomley (1931) 15; Nel (1942) 24. Sphaerella brassicicola de Bary, Pole Evans (1908 e) 122. See also the conidial stage, Phyllosticta Brassicae West.

on Brassica oleracea Linn., Bloemfontein, Verwoerd; Stellenbosch, v. d. Byl

Brassica oleracea var. botrytis Linn., Stellenbosch, Verwoerd (Stell. 54); Kuils River, Verwoerd.

Mycosphaerella Byliana Syd.

H. Sydow (1924 c) 423, (1926) 269; Nel (1942) 24.

on Olea capensis Linn., Genadendal, Verwoerd, Type (Stell. 138; v. d. Byl 1296); Knysna v. d. Byl 2310.

Mycosphaerella Dichrostachydis v. d. Byl

van der Byl (1928 b) 186; Hopkins (1938 a) 102; Nel (1942) 24. on Dichrostachys nyassana Taub., Umwindsi River, Henkel (v. d. Byl 2466) Type.

Mycosphaerella Fragariae (Tul.) Lindau

van der Byl (1922 d) 284; Verwoerd (1929 b) 26, (1931 a) 299; Doidge & Bottomley (1931) 58; Hopkins (1938 a) 102, (1939 a) 19; Nel (1942) 24; Cardoso (1945) 155.

on Fragaria vesca Linn., Bloemfontein, Verwoerd; Stellenbosch, v. d. Byl 97; Avontuur, Zondagh (Stell. 538); Umbeluzi, Howard.

Fragaria spp., Pretoria, *Doidge*, 688; Berryvale, Elandshoek, *Wager*, 22384; Grahamstown, *Mally*, 21989; Mossel Bay, *Somerville*, 20668; Stellenbosch, Wellington, *Verwoerd*; Umbelusi River, *Howard*, 517; Salisbury, *Eyles 2103* (Rh. 408, 753, 1220) 14008, Kew; Umtali (Rh. 2339, 2808); Selukwe (Rh. 1529).

Mycosphaerella gibelliana Passer.

Bates (1927 b) 202.

on Citrus Limonia Osbeck, fruits, Mazoe, Bates.

Mycosphaerella gossypina (Cooke) Atk.

Hopkins (1938 a) 102.

on Gossypium sp., Salisbury (Rh. 2093); Darwendale (Rh. 1394).

Mycosphaerella Loranthi Syd.

H. & P. Sydow (1914 b) 264.

on Loranthus Dregei E. & Z., Nelspruit, v. d. Byl, 7078, Type.

Mycosphaerella maculiformis (Pers.) Schroet.

See Cylindrosporium castanicolum (Desm.) Berl., the perfect stage of this fungus has not been recorded in South Africa.

Mycosphaerella Moelleriana (Thuem.) Lindau

Lindau (1897) 425; Verwoerd & du Plessis (1933) 227; Nel (1942) 24; Doidge (1948 a) 861.

on Eucalyptus corynocalyx F. Muell., Cedara, D.F.O., 26122.

Eucalyptus diversicolor F. Muell., Kruisfontein, Knysna, Laughton, 34301.

Eucalyptus gigantea Dehnh., Hogsback, D.F.O., 20620.

Eucalyptus globulus Lab., Cedara, D.F.O., 26116, 26117, 26118, 26131; Natal Native Trust Forests, D.F.O., 26125; Hilton Road, D.F.O., 26127, 26128; Merrivale, D.F.O., 26129, 26130; Krugersdorp, D.F.O., 32202.

Eucalyptus maculata Hook., Cedara, D.F.O., 26121.

Eucalyptus Maidenii F. Muell., Birnham Woods, Merrivale, D.F.O., 26126; Berlin, D.F.O., 23664; Cedara, D.F.O., 26119; Jessievale, D.F.O., 26107.

Eucalyptus saligna Sm., Natal Native Trust Forests, D.F.O., 26123. Eucalyptus Stuartiana F. Muell., Cedara, D.F.O., 26120.

Eucalyptus tereticornis Sm., Natal Native Trust Forests, D.F.O., 26124.

Eucalyptus spp., Harding, Wilding, 28787; Somerset West, du Plessis (Stell, 800; v. d. Byl 2692).

Mycosphaerella moricola (Fuck.) Linn.

See Septogloeum Mori (Lév.) Bri. & Cav.: the perfect stage of this fungus has not been recorded in South Africa.

Mycosphaerella Nemesiae Dipp.

Dippenaar (1931 c) 287.

on Nemesia sp., Stellenbosch, Dippenaar (Stell. 923) Type; Diep Rivier, Knowles (Stell. 445)

Mycosphaerella pinodes (Berk. & Br.) Stone

Verwoerd & Dippenaar (1930) 329; Hopkins (1938 a) 102, (1939 a) 15.

on Crotalaria juncea Linn., Salisbury (Rh. 1949).

Pisum sativum Linn., Stellenbosch, Verwoerd (Stell. 360), Dippenaar, (Stell. 832, 922, 892); Elsenburg, Dippenaar (Stell. 921); Elgin, Dippenaar, (Stell. 893).

Mycosphaerella Plectranthi Doidge

Doidge (1948 a) 862.

on Plectranthus fruticosus L'Herit., leaves, Knysna, Bottomley, 32253.

Mycosphaerella Rubi (West.) Roark.

See Septoria Rubi West.; the perfect stage of this fungus has not been recorded in South Africa.

Mycosphaerella Schoenoprasi (Rabenh.) Schroet.

United States Dept. Agric. (1944) 31.

on Allium Porrum Linn., intercepted in the United States of America on material from South Africa; not recorded locally.

Mycosphaerella sentina (Fr.) Schroet.

See Septoria pyricola Desm.; the perfect stage of this fungus has not been recorded in South Africa.

Mycosphaerella Theae Shaw

Hopkins (1939 a) 45, (1939 c) 592. on Thea sinensis Linn., Chipinga, Hopkins.

Oligostroma maculiformis (Wint.) Doidge

Doidge (1921 c) 31; Doidge & Bottomley (1931) 53.

Didymella maculiformis Winter (1884 b) 169; Sacc. Syll. Fung. IX: 669.

Oligostroma Proteae Syd., H. & P. Sydow (1914 b) 265; Theissen & Sydow (1915) 592; Petrak (1924) 116; Sacc. Syll. Fung. XXIV: 615.

Euryachora maculiformis Nel (1942) 11.

on Protea barbigera Meisn., Kirstenbosch, Eyles (Stell. 50; v. d. Byl 1146).

Protea caffra Meisn., Diepkloof, near Dullstroom, Doidge, 931; Waterkloof Ravine, Pretoria, Mogg, 23492; Klapperkop, Mogg, 23392; Silverton Ridge, Bottomley, 23389; Debbe's Ravine, Bottomley, 30424; Premier Mine, K. M. Putterill, 30433.

Protea cynaroides Linn., Montagu Pass., Doidge, 17130.

Protea Flanagani Phillips, Kentani, Pegler 1899, 5163, 5618, Kew.

Protea grandiflora Thunb., near Cape Town, MacOwan (Rabenh. Wint. Fung. Eur. 3056) Type, 3396, 21954, Kew.

Protea neriifolia R. Br., Bain's Kloof, Doidge, 1026, Stoneman, 2231.

Protea Roupelliae Meisn., near Mont-aux-Sources, Doidge, 23470. Bottomley, 23408.

Protea spp., Wellington, Mally, 1589; Lions Head, Thomson, 14678; Ceres, Anderson (Stell. 50: v. d. Byl 1146).

Phaeosphaerella congregata (Syd.) Doidge

Doidge (1941 b) 205.

Parodiella congregata Syd., H. & P. Sydow (1912 a) 37; Sacc. Syll. Fung. XXIV: 250. on Limuanthemum Thunbergianum Griseb., Belfast, Doidge, 765, Type

Pharcidia Psorae (Anzi) Winter

on Lecidea sp. (Sect. Psora) western slopes of Table Mt., Garside.

Physalospora Bylii du Pless.

du Plessis (1933 f) 209; Nel (1942) 24.

on Aloe spp., dead leaves, Stellenbosch, du Plessis (Stell. 810, 812, 814; v. d. Byl 2720).

Physalospora Cliviae Syd.

H. Sydow (1924 a) 237; Nel (1942) 24.

on Clivia miniata Regel, Hopefield, v. d. Byl 1273.

Physalospora obtusa (Schw.) Cooke

Hopkins (1938 a) 102, (1939 a) 37.

Physalospora Cydoniae Arnaud, Verwoerd (1929 b) 5; Hopkins (1930) 414; Doidge & Bottomley (1931) 6.

Physalospora malorum (Berk.) Shear, Nel (1942) 24.

See also Sphaeropsis malorum Peck; the Physalospora stage is rarely found in South

on Pyrus malus Linn., Villiersdorp, Pole Evans (Stell. 615) 26574; Misgund East, Bottomley, 34404.

Physalospora Sapii Doidge

Doidge (1948 a) 862.

on Sapium reticulatum (Hochst.) Pax. Eshowe, Laughton, 33543. Type.

Pleomassaria gigantea Syd.

H. & P. Sydow (1914 b) 265 : Doidge (1927 b) 229 : Sacc. Syll. Fung. XXIV : 1046.

on Euphorbia sp., Amanzimtoti, Doidge, 6625, 1660, Type.

Pleomassaria Peddieae Doidge

Doidge (1927 b) 230.

on Peddiea africana Harv., Woodbush, Doidge, 17741, Type.

Pleospora Bilbergiae Verw. & du Pless.

Verwoerd & du Plessis (1931) 293; Nel (1942) 24.

on Bilbergia sp., Hopefield, v. d. Byl 1293, Type.

Pleospora Camelliae Dipp.

Dippenaar (1931 c) 287.

on Camellia japonica Linn., Stellenbosch, Dippenaar (Stell. 400, 934), Type.

Pleospora Dianthi de Not.

Verwoerd (1929 b) 9; Verwoerd & Dippenaar (1930 a) 329; Nel (1942) 24. on Dianthus caryophyllus Linn., Stellenbosch, Verwoerd (Stell, 365), Dippenaar (Stell, 920); Somerset West, Frenchhoek, Riebeeck West, Verwoerd; Stikland, Dippenaar (Stell, 508).

Pleospora disrupta McAlp.

on Citrus sinensis Osbeck, leaf, Wellington, Dippenaar.

Pleospora Doidgeae Petrak

Petrak (1927) 293.

Dictyochorella Andropogonis Doidge (1922 a) 66.

on Phyllachora ? Doidgeae Syd. on Cymbopogon validus, Tugela Valley, near Mont-aux-Sources, 14104, Type.

Pleospora Dyeri Doidge

Doidge (1948 a) 863.

on Euphorbia triangularis Desf., near Grahamstown, Dyer, 23615, Type.

Pleospora Gerberae Dipp.

Dippenaar (1931 c) 288.

on Gerbera Burmanni Cass., Stellenbosch, Dippenaar (Stell. 914), Type.

Pleospora gramineum Died.

Hopkins (1938 a) 102.

on Cynodon transvaalensis Burtt Davy, Bulawayo (Rh. 2260).

Pleospora herbarum (Pers.) Rabenh.

Verwoerd & du Plessis (1931) 294; du Plessis (1933 f) 210; Doidge & van der Plank (1936) 22; Hopkins (1938 a) 102; Nel (1942) 24.

as Pleospora vulgatissima Speg., Doidge & Bottomley (1931) 36.

on Aloe sp., dead leaves, Stellenbosch, du Plessis (Stell. 807; v. d. Byl 2722).

Allium Cepa Linn., dry stems, Riversdale, du Plessis (Stell. 469; v. d. Byl 2709).

Brassica oleracea Linn., Umtali, Eules 4278.

Citrus sinensis Osbeck, isolated from rotting fruit from Rustenburg, Sundays River, Groot Drakenstein; on dry spots on leaves, Boven Vallei, Wellington, 2535, 15449; on dead twigs, Mazoe, Bates, 33582.

Medicago sativa Linn., Stellenbosch, du Plessis (Stell. 509); Haenertsburg, Parnell,

712; Cape, Lounsbury, 997.

Pleospora Kentiae Maubl.

Dippenaar (1931 c) 287.

on Caryota urens Linn., Stellenbosch, Verwoerd (Stell. 403).

Kentia sp., Bloemfontein, Verwoerd.

Palmae undet., Groot Drakenstein, Dippenaar 44; Frenchhoek, Dippenaar (Stell. 916).

Pleospora lanceolata (Kalchbr. & Cooke) Sacc.

Saccardo, Syll. Fung. II: 251.

Sphaeria (Pleospora) lanceolata Kalchbrenner & Cooke (1880) 30.

on Artemisia afra Jacq., Somerset East, MacOwan 1399 c, Kew, Type.

Pleospora Oryzae Catt.

Cardoso (1945) 150.

on Oryza sativa Linn., on leaves, Bilene, Oliveira; Umbeluzi, Frias.

Pleospora refracta (Kalchbr. & Cooke) Sacc.

Saccardo, Svll. Fung. II: 243.

Sphaeria refracta Kalchbrenner & Cooke (1880) 30.

on Artemisia afra Jacq., Somerset East, MacOwan 1399 b, Kew, Type.

Pleospora Tropaeoli Halst.

Hopkins (1938 a) 102, (1939 a) 46,

on Tropaeolum majus Linn., Mazoe (Rh. 2304).

Pyrenophora Avenae Ito

isolated from **Avena sativa** Linn., stubble, Elsenburg, *Gorter*, 33362; Riversdale, van Wyk (Stell. 1043).

Pyrenophora graminea Ito

See Helminthosporium gramineum Rabenh.; the perfect stage of this fungus has not been recorded from South Africa.

Pyrenophora horrida Syd.

H. Sydow (1924 c) 424; Nel (1942) 25.

on Gramineae undet., decaying glumes, Stellenbosch, du Pisani (v. d. Byl 1723), Verwoerd (Stell. 187).

Pyrenophora teres Drechsl.

See Helminthosporium teres Sacc.; the perfect stage of this fungus has not been recorded in South Africa.

Rhynchosphaeria Fagarae Doidge

Doidge (1941 b) 211.

on Fagara magalismontana Engl., Boschfontein, Doidge & Bottomley, 31067, Type.

Sphaerella Cassinopsidis Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 31 : Sacc. Svll. Fung. I: 498.

on Cassinopsis capensis Sond., near Somerset East, MacOwan 1341, Type (Rabenh. Wint, Fung. Eur. 3445) 3785, 21976, Kew.

Sphaerella geicola Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 30; Sacc. Svll. Fung. I: 505.

on Geum capense Thunb., Somerset East, MacOwan 1148, Type (as Depazea geicola Kalchbr. in S.A.M. 35086) Kew.

Sphaerella Mac Owaniana Wint.

Winter (1884 c) 267; Sacc. Syll. Fung. IX: 630.

on Melianthus major Linn, leaves, Boschberg, MacOwan 1266, Type [always associated with Phyllachora Melianthi (Thuem.) Sacc.].

Sphaerella maculicola Wint.

Winter (1885 b) 28; Sacc. Svll. Fung. IX: 620.

on **Helichrysum** sp., Somerset East, MacOwan, Type.

Sphaerella Myrsinis Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 30; Sacc. Syll. Fung. I: 491; Nel (1942) 25.

on Myrsine africana Linn., Niginya, Wylie (Medley Wood 11235) 788, 10670, 13077, 31824, Kew: Natal, v. d. Byl 112; Nottingham Road, v. d. Byl 599, 31846; Somerset East, MacOwan 1348, Type, Kew.

Sphaerulina Eucalypti Verw. & du Pless.

Verwoerd & du Plessis (1931) 296.

on Eucalyptus sp., Tulbagh, Dippenaar (Stell. 472) Type.

Sphaerulina oleifolia v. d. Byl

van der Byl (1928 b) 186; Nel (1942) 25.

on Olea capensis Linn., Knysna, v. d. Byl 2310, Type. Olea laurifolia Lam., Knysna, v. d. Byl 2497.

Sphaerulina Worsdelii Mass.

Massee (1910 b) 252.

on Welwitschia Bainesii (Hook f.) Carr., near Welwitsch, Worsdell, Type, Kew.

Titanella grandis Syd.

H. & P. Sydow (1919 a) 36; Doidge (1927 b) 230; Sacc. Syll. Fung. XXIV: 1047. Pleomassaria grandis Syd., H. & P. Sydow (1914 b) 264.

on Sideroxylon inerme Linn., bark, Amanzimtoti, Doidge, 6622, Type.

Venturia Cephalariae Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 31; Sacc. Syll. Fung. I: 593; Doidge (1941 b) 204. on Cephalaria attenuata (L. f.) R. & S., Somerset East, MacOwan 1338, Type 20813, Kew.

Venturia inaequalis (Cooke) Wint.

See Fusicladium dendriticum (Wallr.) Fuck.; the perfect stage of this fungus has not been recorded from South Africa.

Venturia pirina Aderh.

See also Fusicladium pirinum (Lib.) Fuck.; the perfect stage of this fungus is rarely found in South Africa.

on Pyrus communis Linn., Ida's Valley, Stellenbosch, V. A. Putterill, 15522.

Vestergrenia chaenostoma (Sacc.) Theiss.

Theissen (1918) 78; Doidge (1927 b) 229.

Physalospora chaenostoma Sacc., P. Sydow (1899 a) (132) ; Sacc. Syll. Fung. XVI: 460; Nel (1942) 24.

Haplodothis chaenostoma (Sacc.) Theissen (1916 b) 389.

Haplodothella chaenostoma (Sacc.) Werdemann (1923) 54; van der Byl (1926 c) 287.

as Haplodothella chaetostoma, Nel (1942) 108.

on Maesa rufescens A.D.C., Natal, Medley Wood 86, 835, 11136 (sub Auerswaldia scabies in Herb. Kew); Winter's Kloof, Doidge, 1621; Maritzburg, Doidge, 8397; Town Bush Valley, Doidge, 15415; Claridge, Doidge, 14946; Buccleuch, J. M. Sim, 10147; Windy Hill, v. d. Byl, 6955; Eston, v. d. Byl, 8372; between Nylstroom and Warmbaths, Pole Evans, 17041; Woodbush, Doidge, 17747; Louis Trichardt, V. A. Putterill, 11839; Botha's Hill, v. d. Byl 620; Zoutpansberg, Burtt Davy, 388, Kew; Entabene, Laughton, 33595.

GNOMONIACEAE.

Cochliobolus stenospilus (Carp.) Matsum. & Yam.

See *Helminthosporium stenospilum* Drechsl.; the perfect stage of this fungus has not been observed in South Africa.

Glomerella cingulata (Stonem.) Spauld. & v. Schrenk.

Doidge & Bottomley (1931) 6, 48, 54; Bates (1937 b) 176; Hopkins (1938 a) 101, (1939 a) 11, 19, 35, 37, 42; Hopkins & Bacon (1938) 453.

Glomerella rufomaculans (Berk.) Spauld, & v. Schrenk, Lounsbury (1910) 355. as Glomerella sp., Verwoerd (1929) b 7.

isolated from

Citrus Limonia Osbeck, from fruits and leaves of the Mazoe rough lemon, Mazoe, Bates. Citrus maxima Merr., from fruits and leaves of the Marsh Seedless variety, Mazoe, Bates.

Citrus sinensis Osbeck, from rind section from surface of sterilised fruit, Mazoe, Bates 66, 184, 34011; very frequently isolated from outer rind tissues of fruit, and from leaves of practically all well known varieties of the sweet orange, Mazoe, Bates.

Mangifera indica Linn., from fruits and leaves, Mazoe, Bates.

Musa paradisiaca Linn. var. sapientum Ktze., from fruits, Mazoe, Bates.

Passiflora edulis Sims, from leaves, Mazoe, Bates, 34012.

Persea americana Mill., from fruits, Mazoe, Bates.

See also Gloeosporium and Colletotrichum spp.; the perfect stage of these fungi was not found on host parts in situ but but developed in culture as indicated above.

Glomerella Glycines (Hori) Lehm. & Wolf

See Colletotrichum Glycines Hori; the perfect stage of this fungus has not been observed in South Africa.

Glomerella Gossypii (South.) Edgert.

See Colletotrichum Gossupii South.; the perfect stage of this fungus has not been recorded from South Africa.

Glomerella lindemuthianum (Sacc. & Magn.) Shear

See Colletotrichum lindemuthianum (Sacc. & Magn.) Bri. & Cav.; the perfect stage of this fungus has not been recorded from South Africa.

Glomerella phacidiomorpha (Ces.) Petrak

Hopkins (1938 a) 101, (1939 a) 33.

on Phormium tenax Forsk., Salisbury (Rh. 2340); Richards Bay, Wager, 33441; Umhlatuzi, Wager.

Glomerella Psidii (Del.) Sheld.

See Gloeosporium Psidii Del.; the perfect stage of this fungus has not been recorded in South Africa.

Gnomonia leptostyla (Fr.) Ces. & de Not.

See Marssonina Juglandis (Lib.) Magn.; the perfect stage of this fungus has not been recorded from South Africa.

Ophiobolus graminis Sacc.

Verwoerd (1929 b) 28; Doidge & Bottomley (1931) 12, 67; K. M. Putterill (1940) 220.

as Ophiobolus cariceti (Berk. & Br.) Sacc., V. A. Putterill (1924) 602. on **Triticum aestivum** Linn., Durbanville and Moorreesburg, Verwoerd; Riversdale, Dippenaar (Stell, 899); Middelburg (Cape), Oudtshoorn, Mossel Bay, George, Malmesbury and Elliott districts, V. A. Putterill; Durbanville, V. A. Putterill, 17787; Ida's Valley. Stellenbosch, V. A. Putterill, 17801; Dullstroom, Viljoen, 9303; Hartebeestpoort, Sellschop, 30874, 30875, 30989; Badfontein, Pons, 30920; Lydenburg District, Pons, 30863, 30919; Skeerpoort, Scrooby, 30992; Glen, Shuttleworth, 30993; Tamboers Kloof, Cape Town, V. A. Putterill, 17786.

Ophiobolus herpotrichus (Fr.) Sacc.

on Avena sativa Linn., Elsenburg, Gorter (Stell. 1050).

Ophiobolus Stipae Doidge

Doidge (1941 b) 212.

on Stipa Dregeana Steud. var. elongata Stapf, Xumeni Forest, Morgan & Doidge 29829.

Ophiobolus Urticae (Rabenh.) Sacc.

Saccardo, Syll. Fung. II: 338.

Sphaeria (Rhaphidospora) Urticae Rabenh., Kalchbrenner (1882 a) 146.

on Urtica lobulata E. Mey., Somerset East, MacOwan 1405.

LOPHIOSTO MATACEAE.

Lophodermium pinastri (Schrad. ex Fr.) Chev.

? on Pinus radiata Don., Stapleford Forest Reserve, Hopkins (Rh. 6171 a).

VALSACEAE.

DIAPORTHEAE.

Cryptosporella umbrina (Jenk.) Wehm.

Doidge (1941 a) 66.

See Phomopsis sp.; the perfect stage of this fungus has not been found in South Africa.

Diaporthe Citri (Fawc.) Wolf

See Phomopsis Citri Fawcett; the perfect stage of this fungus has not been found in South Africa.

Diaporthe perniciosa Marchal

Hopkins (1939 a) 39.

See Phomopsis perniciosa Grove; the perfect stage has not been found in South Africa.

Pseudovalsa longipes (Tul.) Sacc.

Doidge (1941 b) 211.

Coryneum Kunzei Corda, Doidge I.c.

Calospora arausiaca (Fabr.) Sacc., van der Byl (1922 d) 284; Verwoerd (1929 b) 18; Doidge & Bottomley (1931) 41; Nel (1942) 23.

sub Coryneum disciforme Kunze & Schm., Verwoerd (1929 b) 18; Doidge & Bottomley (1931) 41.

on Quercus sp., Wellington, Doidge, 987, 2161, 2162, 2163; Groote Schuur, Pole Evans, 32203; Klapmuts, v. d. Byl 736.

VALSEAE.

Calosphaeria princeps Tul.

Pole Evans (1913 b) 174; Doidge (1941 a) 48.

on Prunus armeniaca Linn., Swinburne, Petty, 2237; Dundee, Doidge, 15499.

Prunus persica Sieb. & Zucc., Marianthall, Pole Evans, 5609; Parys, Town Clerk, 14107. Pyrus communis Linn., without locality, Pole Evans, 35284.

Calospora Bottomleyae Doidge

Doidge (1941 a) 69.

on stems of plant undet., Trigaartspoort, Bottomley & Doidge, 31074; Swartdam, near Saltpan, Pretoria District, Schaefer, 34341.

Diatrype auristroma Doidge

Doidge (1941 a) 55, 70.

on **Xymalos monospora** Baill., Marwaqa Forest, *Morgan & Doidge*, 31073, Type ; Xumeni Forest, *Morgan & Doidge*, 28929.

Mimusops Zeyheri Sond., Boschfontein, Doidge & Bottomley, 31071.

Diatrype caminata Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 28; Berlese (1900) 92, T. CXIII f. 2: Doidge (1941 a) 58.

on Halleria lucida Linn., branches, Knysna, Bottomley, 31059.

on branches of tree undet. Cape, MacOwan 1263, Type, 21997, 22003, 32088, Kew (sub Sphaeronema pistillare Wallr. in S.A.M. 35100).

Diatrype caulina Syd.

Sydow (1939 a) 184; Doidge (1941 a) 56. on **Asparagus** sp., Dooley, near Mont-aux-Sources, *Doidge*, 13792, Type.

Diatrype conferta Doidge

Doidge (1941 a) 59, 71. on dead branches of tree undet., Xumeni Forest, Morgan & Doidge, 30420, Type.

Diatrype congesta Kalchbr. & Cooke

? Nom. nud. on branches, Cape (Kalchbrenner R. 23) 20951 b, Kew.

Diatrype Dovyalidis Doidge

Doidge (1941 a) 54, 71. on **Dovyalis rhamnoides** (Burch.) Harv., Knysna, *Bottomley*, 31060, Type.

Diatrype Leonotidis Doidge

Doidge (1941 a) 58, 71. on **Leonotis leonitis** R. Br., Hlabini, *Doidge*, 29821, Type.

Diatrype Mac Owaniana Thuem.

von Thuemen (1878 a) 356; Sacc. Syll. Fung. I: 196; Doidge (1941 a) 56.

Diatrype capensis Kalchbrenner & Cooke (1880) 28, not as figured by Berlese; Sacc. Syll. Fung. I: 195.

Diatrype Bona-spei Berlese (1900) 87, Tab. 106, f. 2. on Cassinopsis capensis Sond., twigs, Boschberg, MacOwan 1264, Type, 20951 a, Kew.

Diatrype xumenensis Doidge

Doidge (1941 a) 54, 71. on dead branches, Xumeni Forest, Morgan & Doidge, 28919.

Diatrypella Agaves Syd.

H. Sydow (1939 a) 186; Doidge (1941 a) 60. on Agave americana Linn., The Willows, Doidge & Bottomley, 28899, Type.

Diatrypella Morganae Doidge

Doidge (1941 a) 61, 72, (1948 a) 865.

on Citrus sinensis Osbeck, branches, Mazoe, Bates, 33586.

on dry branches of tree undet., Hlabini, Morgan & Doidge, 29820, Type.

Diatrypella natalensis Doidge

Doidge (1941 a) 60, 72, (1948 a) 865.

on Citrus nobilis Lour. var. deliciosa Sw., Glen Echo, Wayne, 21006, Type. Citrus sinensis Osbeck, Mazoe, Bates, 33581, 33583.

Diatrypella oligostroma Syd.

H. Sydow (1939 a) 187; Doidge (1941 a) 62.

on Halleria lucida Linn., Trigaartspoort, Doidge & Bottomley, 30379, Type; Boschfontein, Doidge & Bottomley, 30896.

Diatrypella pretoriensis Doidge

Doidge (1941 a) 61, 72.

on Cinnamomum Camphora Nees & Eberm., Salisbury, Bates (Rh. 6762) 35294. Populus sp., de Beers Rust, Doidge, 31072, Type.

Erostella quaternarioides (Berl.) Sacc.

Saccardo, Syll, Fung. XXII: 353; Doidge (1941 a) 49.

Togninia quaternarioides Berlese (1900) Tab. XIV f. 1; Sacc. Syll. Fung. XVI: 420. on branches, South Africa, associated with Peroneutypella cylindrica (Kalchbr. & Cooke) Berl.

Eutypella Acaciae Doidge

Doidge (1941 a) 50, 73.

on Acacia ataxacantha DC., Kromrivier, Doidge & Bottomley, 30476, Type; The Willows, Doidge, 33889.

Acacia mollissima Willd., Umfolozaan Plantation, Melmoth, Laughton, 33337.

Eutypella citricola Syd.

Doidge (1941 a) 52.

on Citrus sinensis Osbeck, Maritzburg, Ackerman (Rump 150) 28468 a.

Eutypella Doidgeae Syd.

H. Sydow (1939 a) 189; Doidge (1941 a) 53.

on Halleria lucida Linn., Trigaartspoort, Doidge & Bottomley, 30378; Type; Boschfontein, Doidge & Bottomley, 30897.
on twigs of tree undet. Town Bush Valley, Doidge, 33966.

Eutypella Lycii Doidge

Doidge (1941 a) 50, 73.

on Lycium echinatum Dun., Aliwal North, Pienaar, 2094, Type.

Eutypella Mac Owani Doidge

Doidge (1941 a) 51, 73.

sub Diatrype Durieui Mont, in Herb. Kew.

on branches of tree undet., ? Somerset East MacOwan 1334 b, Type, 22005, Kew.

Eutypella stellulata (Fr.) Sacc.

Saccardo, Syll. Fung. I: 149; Hopkins (1938 a) 101, (1939 a) 38, (1939 c) 592; Doidge (1941 a) 52.

Valsa stellulata Fr., Medley Wood (1898) 19.

on Pyrus malus Linn., Concession, Hopkins (Rh. 3646) 31037. on dry sticks, Inanda, Medley Wood 574, 9493, 11109, Kew.

Holstiella usambarensis P. Henn. forma

H. Sydow (1926) 271; Doidge (1941 a) 69. on bark, Lourenço Marques, *Junod*, 12206.

Peroneutypella cylindrica (Kalchbr. & Cooke) Berl.

Berlese (1900) 82, Pl. C; Doidge (1941 a) 63.

Ceratostoma cylindrica Kalchbrenner & Cooke (1880) 29.

Calosphaeria cylindrica (Kalchbr. & Cooke) Sacc. Syll. Fung. I 98.

on Solanum auriculatum Ait., dead branches, Xumeni Forest, Morgan & Doidge, 28918 31061, 31064, 34475; Woodbush, K. M. Putterill, 30753; Town Bush Valley, Doidge 33968.

on dead wood, Cape and Natal, comm. MacOwan, Kew.

Peroneutypella infinitissima (Kalchbr. & Cooke) Doidge

Doidge (1941 a) 64, (1948 a) 866.

Valsa infinitissima Kalchbrenner & Cooke (1880) 28; Sacc. Syll. Fung. I: 144.

on Citrus sinensis Osbeck, twigs, Mazoe, Bates, 33587.

on branches of tree undet., Somerset East, MacOwan 1344 a Type (Rabenh. Wint. Fung. Eur. 4359) 22006.

Pseudothis Pterocarpi Syd.

Theissen & Sydow (1915) 339 : Petrak (1929) 330 ; Doidge (1941 a) 68 ; Hansford (1946 a) 136.

Systremma Pterocarpi Doidge (1922 a) 70.

on Pterocarpus rotundifolius (Sond.) Druce, Khami Ruins, Bottomley, 14101.

Pseudothyridaria moroides Syd.

H. Sydow (1939 a) 182.

on Rubus pinnatus Willd., stems, Xumeni Forest, Morgan & Doidge, 30374, Type, 30797.

Valsa leucostoma (Pers.) Fr.

Doidge & Bottomley (1931) 7, 9, 51: Hopkins (1938 a) 102, (1939 a) 38; Doidge (1941 a) 64; Sacc. Syll. Fung. XXIV 714.

on Pyrus malus Linn., Salisbury (Rh. 973).

Prunus salicina Lindl., branches, Henley on Klip, Higginson, 21585.

See also Cytospora leucostoma Sacc.; conidial form common and widespread, perfect form rarely found in South Africa.

Valsa salicina (Pers.) Fr.

Kalchbrenner (1882 a) 146; Doidge (1941 a) 65.

as Cytospora xanthosperma Fr., von Thuemen (1877) 412; Sacc. Syll. Fung. III: 262. on Salix capensis Thunb., Somerset East, MacOwan 1283. Salix sp., Brakpan, Bottomley, 20469.

Valsa sordida Nitschke

Cytospora chrysosperma (Pers.) Fr., perfect stage rare.

on Populus balsamifera Linn., Cedara, D.F.O., 22436.

Populus canescens Sm., Lyndoch, D.F.O., 14477; Ingangwane Plantation, D.F.O., 20298.

Populus sp., Vereeniging, Brandmuller, 26133.

Valsaria Batesii Doidge

Doidge (1948 a) 866.

on Cinnamomum camphora Nees. & Eberm., twigs, Salisbury, Bates (Rh. 6762) 35296, Type.

Valsaria Eucalypti (Kalchbr. & Cooke) Sacc.

Saccardo, Syll. Fung. I 746; Doidge (1941 a) 66, (1948 a) 867.

Melogramma Eucalypti Kalchbrenner & Cooke (1880) 31.

on Citrus maxima Merr., Mazoe, Bates, 33588.

Eucalyptus globulus Lab., Somerset East, MacOwan 1179 (S.A.M. 33848) 31036, Kew.

Prunus armeniaca Linn., Pretoria, v. d. Merwe, 34120.

on bark of tree undet., Xumeni Forest, Morgan & Doidge, 34123.

Valsaria natalensis Doidge

Doidge (1941 a) 67.

on Solanum auriculatum Ait., Xumeni Forest, Morgan & Doidge, 28931, Type, 30373.

MELOGRAMMATACEAE.

Botryosphaeria Ribis (Tode ex Fr.) Gross. & Dugg.

Doidge & van der Plank (1936) 16.

isolated from Citrus sinensis Osbeck, fruit, Pretoria, Doidge.

Var. chromogena Shear, Stev. & Wilc.

Doidge & Bottomley (1931) 6; Hopkins (1938 a) 101, (1939 a) 31, 36, 38, (1939 c) 592; Hopkins & Bacon (1938) 454.

Botryosphaeria Mali V. A. Putterill (1919) 264; Sacc. Syll. Fung. XXIV 813.

Dothiorella Mali Ell. & Everh., Doidge & Bottomley (1931) 6.

on Pyrus malus Linn., Vereeniging, V. A. Putterill, 12448, 12449, 12450, Brandmuller, 23674; Lichtenburg, Terry, 12493; M'soneddi (Rh. 3673, 3755); Inyanga (Rh. 3802); Umtali Bulawayo, Salisbury, Hopkins.

Persea americana Mill., Salisbury, Penhalonga Hopkins.

Psidium Guajava Linn., Salisbury, Hopkins; Nelspruit, Loest, 34193, 34233.

? Rosa sp., twigs, Knysna, Laughton, 34180, 34221.

Botryosphaeria Vitis (Schulz.) Sacc.

du Plessis (1940) 39.

on Vitis vinifera Linn., Banhoek, Stellenbosch, Buller (Stell. 662).

Melanops Perseae (Doidge) Petrak

Petrak (1934) 399; Hopkins (1939 a) 31.

Physalospora Perseae Doidge (1922 b) 179; Hopkins (1930) 414, (1938 a) 102; Doidge

& Bottomley (1931) 10.

on Persea americana Mill., Schoonuitzicht, Louis Trichardt, Banks, 14649, 15426, Type; Penhalonga, Hopkins, 31051; Umtali (Rh. 551); Shamva (Rh. 1260); Salisbury (Rh. 2609).

XYLARIACEAE.

Daldinia Bakeri Lloyd

Stevenson & Cash (1936) 6. without locality, J. M. Sim & A. J. T. Janse (Lloyd Myc. Coll.)

Daldinia concentrica (Bolt. ex Fr.) Ces. & de Not.

Lloyd (1912 b) L. 42: 8; (1914) L. 49: 6, (1915 a) L. 60: 3, (1916 d) L. 63: 4, (1919 b) 24; van der Byl (1925 b) 192, (1926 c) 287, (1932 b) 5; J. Phillips (1931) 160; Hopkins (1938 a) 101; Miller (1942) 252; Nel (1942) 22, Simpson & Talbot (1946) 132.

Hypoxylon concentricum Fr., Kalchbrenner (1882 a) 146.

on Acacia decurrens Willd., Cramond, Pole Evans, 1335.

Acacia melanoxylon R. Br., Knysna, D.F.O., 12795.

Copaifera Gorskiana Benth., Inhambane, Kew.

Gymnosporia peduncularis L. Bolus, Deepwalls, J. Phillips, 18042.

Halleria lucida Linn., Glebe Forest, Knysna, J. Phillips, 17804.

Homalium sp., Qudeni Forest, Simpson & Talbot, 34942.

Olea foveolata E. Mey., Gxoqxowe Forest, D.F.O., 9136.

Olea laurifolia Lam., Knysna, J. Phillips, 18043.

Royena lucida Linn., Somerset East, D.F.O., 17790.

November and States and St. Schools, MacOwan 1081 (de Thuem. Myc. Univ. 696; S.A. M. 33842) 22048, 21951, Kew: Kaffraria, Baur 697; George, Verwoerd, (Stell. 230); Knysna, Duthie 86, 31342; Cape, without locality, v. d. Byl 767, 31949; Fishhoek, E. L. Stephens, 24836; Xumeni Forest, Morgan & Doidge, 27724, 28912, 30265; Hopevale, Morgan, 27750; nr. Mont-aux-Sources, Doidge, 13791, 23396; Caverns, nr. Mont-aux-Sources, Bottomley, 28890; Marwaqa Forest, Morgan & Doidge, 30836; Town Bush Valley, Rump 240, 28306; Maritzburg, H. A. Wager, Kew; Natal, without locality, J. M. Sim. 11626; Karkloof, Doidge, 14841, Platt, 32005; Bulwer, Landsdell, 12848; Woodbush, v. d. Byl 8975, Wager, 23231; Fountains Valley, Hean, 30713; Rikatli, Junod, 11681; Umtali, Eyles 4228; without locality, 11633.

Daldinia Eschscholzii (Ehr. ex Fr.) Rehm.

Miller (1942) 252.

Daldinia concentrica var. Eschscholzii Ehrenb, ex Fr., Torrend (1905) 221.

on Celtis Kraussiana Bernh., Lusikisiki, D.F.O., 6927.

Croton sp., Komatipoort, Pole Evans, 11013.

Heteromorpha trifoliata E. & Z., Potchefstroom, J. Phillips, 30717.

on wood, Moçambique (Torrend).

Hypoxylon argillaceum Fr. non Pers.

Kalchbrenner (1882 a) 146; Miller (1942) 259. Somerset East, MacOwan.

Hypoxylon deustum (Hoffm. ex Fr.) Grev.

van der Byl (1932 b) 8; Miller (1942) 255; Simpson & Talbot (1946) 132. on wood, usually old stumps, Kromrivier, Doidge & Bottomley, 32146: Eshowe, van der Byl 494, 501, 691, 704; Stella Bush, Durban, v. d. Byl 1065; Woodbush, v. d. Byl 1486; Garden of Eden, Knysna, E. L. Stephens 387, 34941; Qudeni Forest, Simpson & Talbot, 34941.

Hypoxylon exutans Cooke

Kalchbrenner (1882 a) 146; Miller (1942) 255; Simpson & Talbot, (1946) 132. as Hypoxylon punctulatum Berk. & Rav., van der Byl (1932 b) 9; Miller (1942) 259. as Nummularia punctulatum (Berk. & Rav.) Sacc., van der Byl (1925 b) 192; J. Phillips (1931) 160; Nel (1942)24.

on Acacia mollissima Willd., Town Bush Valley, Rump 119, 27765.

on wood of tree undet., Bazuja, Baur 704, Kew; Xumeni Forest, Morgan & Doidge, 27725, 28936; Knysna, v. d. Byl 713, 2233; Hogsback, Giffen, 34053; Qudeni Forest, Simpson & Talbot, 34938; Town Bush Valley, Rump, 27794.

Hypoxylon fuscum (Pers.) Fr.

von Thuemen (1876 b) 568; Sacc. Syll. Fung. I: 361; Lloyd (1916 d) L. 63: 4; van der Byl (1932 b) 6; Miller (1942) 259.

on wood, nr. Somerset East, MacOwan 1261 (S.A.M. 33847) Kew.

Knysna specimens quoted by Lloyd and van der Byl are H. truncatum (Miller l.c.).

Hypoxylon Gilletianum Sacc.

Miller (1942) 254.

Hypoxylon africanum van der Byl (1928 a) 185, (1932 b) 6; Nel (1942) 23.

as Hypoxylon multiforme Fr., Lloyd (1920) 960.

on bark and wood, Durban, v. d. Byl 598; Umgeni Bush, Rump 365, 379, 30173, 30185; Krantzkloof, Doidge, 9104; Forest Hall, Knysna, Duthie 221, 31409; Fern Kloof, Archibald, 33377.

Hypoxylon glomeratum Cooke

Miller (1942) 256; Simpson & Talbot (1946) 132.

on wood, Town Bush Valley, Rump 105, 27682, 27794; Xumeni Forest, Morgan & Doidge, 28935, 28921; Qudeni Forest, Simpson & Talbot, 34940.

Hypoxylon haematostroma Mont.

Miller (1942) 257.

on wood, Knysna, Bottomley, 30748, 31058.

Hypoxylon hypomiltum Mont.

Miller (1942) 257; Simpson & Talbot (1946) 132.

as Hypoxylon rubiginosum (Pers.) Fr., Cooke & Kalchbrenner (1881) 27.

on wood, Inanda, Medley Wood 523, 10390; Winter's Kloof, Rump, 27532; Caverns nr. Mont-aux-Sources, Bottomley, 28893; Xumeni Forest, Morgan & Doidge, 28920; Knysna, Bottomley, 30746; Bulwer, Rump, 33181; Qudeni Forest, Simpson & Talbot, 34936.

Hypoxylon malleolus Berk. & Rav.

Hopkins (1931 c) 664, (1938 a) 102; Miller (1942) 259.

? on Brachstegia sp., on stump, Shamva (Rh. 1254).

Berlinia sp., Rhodesia, Hopkins.

This is probably H. Gilletianum (Miller l.c.).

Hypoxylon mediterraneum (de Not.) Miller

Miller (1942) 254.

Nummularia clypeus Cooke (non Schw.) Wakefield (1936) 53; Nel (1942) 24.

as Hypoxylon clypeus (Schw.) van der Byl (1932 b) 8; Nel (1942) 108.

on Quercus sp., on wood, Stellenbosch, v. d. Byl 1303.

Salix sp., on dry wood, Lady Grey, R. Nel (v. d. Byl 1727); Dordrecht, Grobbelaar (v. d. Byl 2449); Mamathes, Hean, 33243. on wood of tree undet., Deepwalls, Hope 79.

Hypoxylon natalense Berk.

Lloyd (1923) 1254; Miller (1942) 259.

Port Natal, ex Herb. Berk. in Herb. Kew; no specimen cited by Lloyd.

Hypoxylon rubiginosum Pers. ex Fr.

Miller (1942) 258: Torrend (1905) 221.

on Mimusops Zeyheri Sond., Boschfontein nr. Wolhuter's Kop, Doidge & Bottomley, 31068, 31069.

on wood, Town Bush Valley, Rump 188, 28569: Boschfontein, Doidge & Bottomley, 32150: Inanda, Medley Wood 523, Kew: Randfontein Estates, Lurie, 28746; Moçambique (Torrend).

Hypoxylon serpens Pers. ex Fr.

Hypoxylon colliculosum Nitschke, Cheesman (1909) 412; Miller (1942) 259. Victoria Falls, Palm Kloof, Cheesman.

Hypoxylon Stygium (Lév) Sacc.

Miller (1942) 253.

on wood, Town Bush Valley, Rump 106, 27760.

Hypoxylon suborbiculare Welw. & Curr.

Welwitsch & Currey (1868) 281: Sacc. Syll. Fung. I: 399.

Nummularia suborbiculare Sacc. Syll. Fung. I: 399; Lorrain Smith (1901) 476. in woods, between Monimo and Lake Ivantâla, Welwitsch 137.

Hypoxylon truncatum (Schw. ex Fr.) Miller

Miller (1942) 254.

as *Hypoxylon annulatum* Mont., Cheesman (1909) 412; van der Byl (1932 b) 8; Nel (1942) 23.

as Hypoxylon fuscum Pers., ex Fr., Nel (1942) 23.

on bark and rotting wood, Victoria Falls, Cheesman; Knysna, Bottomley, 30745, v. d. Byl 1340, 2756: Forest Hall, Knysna, Duthie 148 (v. d. Byl 1701) 31372; Xumeni Forest, Doidge, 32148: Lundie's Hill, Morgan & Doidge, 34237; without locality, v. d. Byl 2238, 2247, Kew.

Kretzschmaria cetrarioides (Welw. & Curr.) Sacc.

Sacc. Syll. Fung. II: XIX; Miller (1942) 259.

Hypoxylon cetrarioides Welw. & Curr. (1868) 282.

Sphaeria lichenoides Berk., Nom. nud. in Herb. Kew.

on wood, Port Natal, Kew (as Sphaeria lichenoides); Xumeni Forest, Morgan & Doidge, 27726.

Kretzschmaria knysnana v. d. Byl

van der Byl (1932 b) 5; Miller (1942) 259; Nel (1942) 23.

on rotting wood, Knysna, v. d. Byl 2549, Kew.

Kretzschmaria micropus Fr.

van der Byl (1932 b) 4; Miller (1942) 260; Nel (1942) 23. on wood, Knysna, v. d. Byl 2249, Kew; Eshowe, v. d. Byl 500.

Nummularia Kalchbrenneri (Sacc.) Miller

Miller (1942) 260.

Hypoxylon placenta Kalchbr. (non Link & Fr.) Kalchbrenner & Cooke (1880) 28.

Hypoxylon Kalchbrenneri Sacc. Syll. Fung. I: 364.

Nummularia placenta Cooke (1883 a) 8.

Nummularia lepida Syd., H. Sydow (1924 c) 425 ; van der Byl (1925 b) 192 ; J. Phillips (1931) 160 ; Nel (1942) 24.

Hypoxylon lepidum v. d. Byl (1932 b) 7.

on Gonioma Camassi E. Mey., rotten trunk, Knysna, v. d. Byl 1341.

on wood, Somerset East, MacOwan 1304, Type (S.A. M. 33839) 20818, Kew.

Nummularia uni-apiculata Penz. & Sacc.

on wood, Xumeni Forest, Morgan & Doidge, 30256 (det. Miller).

Penzigia discolor (Berk. & Br.) Miller

Miller (1942) 261.

on dead wood, Xumeni Forest, Morgan & Doidge, 31062, ? 32149; Umtali, Eyles 4246 (v. d. Byl 2413).

Penzigia verrucosa Miller

Miller (1942) 261.

on fallen log, Woodbush, Doidge, 17793; ? Vumba Mts., Masseurs, 33950, 33951.

Poronia oedipus Mont.

Kalchbrenner (1882 a) 145; van der Byl (1932 b) 4; Miller (1942) 261. on cow dung, Boschberg, *MacOwan 1300*, (S.A. M. 33866, sub *P. macropus* Kalchbr.) Kew.

Poronia punctata Linn, ex Fr.

Cooke (1879 b) 72; Sacc. Syll. Fung. I: 348; Lloyd (1917 a) L. 66: 3; Miller (1942) 262.

on horse dung and sheep droppings, Inanda, Medley Wood 404, 11131, Kew; Mulder's Vlei, A. Acocks (E. L. Stephens 321) 27663; van Schoor's Drift, A. Acocks (E. L. Stephens 322, 325, 328) 27664; nr. Bettelary Road, J. Acocks (E. L. Stephens 323); Klapmuts, J. Acocks (E. L. Stephens 324) 27670; Brakenfel, A. Acocks (E. L. Stephens 326); Bellville, A. Acocks (E. L. Stephens 327); nr. Worcester, P. C. de Kock (E. L. Stephens 542); Imhoff's Gift, nr. Kommetje, E. L. Stephens 543; Zwartkip, Cape Flats, J. Acocks (E. L. Stephens 544); nr. Leopoldville, E. L. Stephens 545; Alpha, nr. Olifants Rivier Darr, E. L. Stephens 546; Hondjeskuil, J. Acocks, 28632; Knysna, Duthie 176, 31383; Silverton Road, Pole Evans, 8809.

Poronia ustorum Pat.

Torrend (1905) 221.

Moçambique (Torrend).

Rosellinia aquila (Fr.) de Not.

Cheesman (1909) 412; Miller (1942) 262.

as Rosellinia sp., Nel (1942) 25.

on Rubus pinnatus Willd., on old stem, Xumeni Forest, Morgan & Doidge, 31065.

on wood, Knysna, v. d. Byl 2226; Klip River, Ladysmith, Cheesman; Xumeni Forest, Morgan & Doidge, 31063; along Aapies River, nr. Zoo, Pretoria, Scott, 33910; Dombashawa, v. d. Bul 2548.

Rosellinia subiculata (Schw.) Sacc.

on dead wood, Kidd's Beach, Schaefer, 34106 (det. Miller).

Ustulina vulgaris Tul.

Lloyd (1922) 1122, (1924) 1294; van der Byl (1926 c) 287; Doidge & Bottomley (1931) 41; Nel (1942) 25.

on Quercus Robur Linn., Stellenbosch, Verwoerd (Stell. 140).

on decaying wood, Stella Bush, r. d. Byl 1065; Eshowe, v. d. Byl 494, 501, 691, 704; Woodbush, v. d. Byl 1486.

Xylaria allantoidea Berk.

Hopkins (1938 a) 102, (1939 a) 8; Miller (1942) 270. on Brachystegia Randii Bak., on stem, Umtali (Rh. 248, 1002) Kew.

Xylaria anisopleura Mont.

van der Byl (1921 a) 183; Miller (1942) 269; Nel (1942) 25.

on dead wood, Winter's Kloof, Doidge, 2551; Durban, v. d. Byl 212, 580, 601, 31853; Vumba Mts., Masseurs, 33949.

Xvlaria arbuscula Sacc.

Miller (1942) 265.

as Xylaria apiculata Cooke, van der Byl (1921 a) 182, (1925 b) 192; J. Phillips (1931)

160; ? Hopkins (1938 a) 102; Nel (1942) 25.

on wood and bark, Winter's Kloof, Doidge, 2166; Natal, Medley Wood 324, 11138; Rikatli, Juned, 11540; Xumeni Forest, Morgan & Doidge, 27729, 30475; Nottingham Road, v. d. Byl 541, 31806; Elim, Watson, 28484; Fountains Valley, Bottomley & Landsdell, 28621; Durban, v. d. Byl 581, 31985; Knysna, v. d. Byl 729; Salisbury, Eyles 1606 (v. d. Byl 2354) 12221 : Hogsback, Giffen, 33589.

on damp soil, Fountains Valley, Reinecke, 23170.

Xvlaria aristata Mont.

Miller (1942) 268.

on dead leaves, Fountains Valley, Parkes, 21199.

Xylaria bulbosa (Pers. ex Fr.) Berk. & Br.

Miller (1942) 266.

on wood, Pillansberg, Wager, 23613: Eshowe, Laughton, 33340; ! Hogsback, Giffen, 33591.

Xylaria capensis (Lév.) Sacc.

Sacc. Syll. Fung. II: xx, IX; 529; Miller (1942) 270.

Sphaeria (Cordyceps) capensis Léveillé (1848) 141.

on trunks, Cape of Good Hope.

Xylaria carpophila Pers. ex Fr.

P. Hennings (1892) 366; Miller (1942) 270. on fruit of **Strychnos** sp., in thick bush, near Tugela River.

Xvlaria castorea Berk.

Lloyd (1923) 1186; van der Byl (1924 a) 207; Hopkins (1938 a) 102; Miller (1942) 269; Nel (1942) 25.

on Millettia Sutherlandi Harv., St. John's, D.F.O., 6929.

on wood of trees undet., Eshowe, Rump 385 b, 30239; Durban, v. d. Byl 795, 899; Umtali, v. d. Byl 2355; Vumba Mts., Masseurs, 33948; Pirie Forest, Archibald, 34232.

on wood (sub X. corniformis in Herb. v. d. Byl) Knysna, Duthie (v. d. Byl 1103); Garden of Eden, Knysna, v. d. Byl 2224, Kew; Knysna, v. d. Byl 2254, 2260, Kew.

on rotten wood (sub X. hippoglossa in Herb. v. d. Byl) Knysna, v. d. Byl 1329 (Lloyd Myc. Coll. 11874).

on ground near Acacia mollissima Willd., without locality (T.R.L. 1684).

Xylaria corniformis Fr.

van der Byl (1924 a) 207, (1925 b) 192 ; J. Phillips (1931) 160 ; Miller (1942) 271 ; Nel (1942) 25. see $X.\ castorea.$

Xylaria cubensis Mont.

Miller (1942) 264. on wood, Eshowe, *Rump 385 a*, 30238; Hogsback, *Giffen*, 33590.

Xylaria digitata (Linn, ex Fr.) Grev.

Welwitsch & Currey (1868) 26; Lloyd (1920) 1010; Miller (1942) 271. on wood, Mossamedes, Welwitsch 136 b; Hennops River, v. d. Byl, 8976.

Xylaria Doumetii (Pat.) Miller

Miller (1942) 264.

Poronia Doumetii Pat., Lloyd (1923) 1186.
on soil, Armoedsvlakte, Mogg, 15422; Hondjieskuil, Acocks, 28631.
on dead roots in ploughed ground, Kuruman, Acocks, 28630, Kew.

Xylaria ensata Kalchbr.

in Herb. S. A. Museum, nom. nud. on decaying wood, Boschberg, *MacOwan 1204* (S.A.M. 33857).

Xylaria fistulosa (Lév.) Fr.

Lloyd (1915 a) L. 60 : 3 ; Miller (1942) 271. on rotting log, Knysna, $Duthie\ 51$.

Xylaria heloidea Penz. & Sacc.

Miller (1942) 268. on Strychnos sp., on rind of fruit, Rikatli, Junod, 11618.

Xylaria hippoglossa Speg.

Lloyd (1924) 1294; van der Byl (1925 b) 193; J. Phillips (1931) 160; Nel (1942) 25; Miller (1942) 271.

see X. castorea.

Xylaria Hypoxylon (Linn. ex Fr.) Grev.

Cooke (1879 b) 72; Medley Wood (1898) 19; Pole Evans & Bottomley (1918) 187; Lloyd (1922) 1124; Miller (1942) 267.

Hypoxylon cornutum Hoffm., Montagne (1847) 175: Miller (1942) 259.

Sphaeria Hypoxylon Linn., Thunberg (1800) 183, (1823) 756.

? on rotten wood. Cape, *Thunberg*; Inanda, *Medley Wood 342*, 11107, 11208, *Medley Wood 402*, 11108; Kentani, *Pegler 1372*, 8420; Town Bush Valley, *Rump 199*, 27777.

Xylaria ianthino-velutina Mont.

Miller (1942) 266.

as Xylaria multiplex (Kunze) Fr., Lloyd (1920) 952, 1010 : van der Byl (1921 a) 182 ; Nel (1942) 26.

on Strychnos Gerrardi N. E. Br., on fallen fruits, Stella Bush, Bottomley, 12315, v. d. Byl, 31990.

on ? bark (substrate unrecognizable) Xumeni Forest, Morgan & Doidge, 27727.

Xylaria multiplex (Kunze ex Fr.) Berk. & Curt.

Miller (1942) 265.

on bark and wood, Buccleuch. Leighton, 11694: Boschfontein, nr. Wolhuterskop, Doidge & Bottomley, 32151; Marwaqa Forest, Doidge, 32152.

Xvlaria Myosurus Mont.

Lloyd (1923) 1186 ; van der Byl (1924 a) 208 ; Miller (1942) 271 ; Nel (1942) 26. ? on wood, Eshowe, $v.\ d.\ Byl$ 798 (Lloyd Myc. Coll. 12773).

Xylaria nigripes (Klotzsch) Cooke

Lloyd (1920) 1010; Miller (1942) 269.

Sclerotium stipitatum Berk. & Curr., Welwitsch & Currey (1868) 292: Medley Wood (1898) 18.

amongst grass, Botanical Gardens, Durban, Medley Wood, 7766, 9498 (fertile).

on comb of **Odontotermes badius** Hav., Daspoort, Kresfelder, 20368; without locality, Fuller, 11327.

in old termite nests, Pretoria. Pole Evans, 8808, Lurcock, 20468; Wolhuter's Kop, Maynard, 15425; Standerton, Murray, 29712; Maritzburg, Fuller, 1900 (fertile); Toowoomba, Irvine, 28646 (fertile): Stegi, Way, 21029; Durban, McClean, 23623; Botha's Hill, Sparkes, 32040; Pyramids, Nourse, 20454; Utrecht, v. d. Spuy, 30930; Highflats, Waller, 18021; Natal, 2325 and Medley Wood 3526

near roots of dying trees, nr. Lopille, Welvitsch 138.

Xylaria Oxyacanthae Tul.

Miller (1942) 267.

on fruits, Fountains Valley, Bottomley, 20391; Pretoria, Dyer, 30253.

Xylaria polymorpha (Pers. ex Fr.) Grev.

Kalchbrenner (1882 a) 146; Torrend (1905) 221; Lloyd (1917 a) L. 66: 2; van der Byl (1921 a) 183; J. Phillips (1931) 160; Miller (1942) 270. Xularia pistillaris Nitzschke, Lloyd (1920) 1010.

on Ocotea bullata E. Mey., on stump, Knysna, Laughton (v. d. Byl 253) Kew.

Rovena lucida Linn., Amatola Mts., Keet, 9046.

on wood, Somerset East, MacOwan 1087 (S.A. M. 33864) 22078, Kew; Buccleuch, Leighton, 11695; Eshowe, Rump 385 b, 30239, Laughton, 33342, 33343; Bluff, Durban, Moonsamy (v. d. Byl 365) 31704; Durban, v. d. Byl 213, 310; ? Natal, Medley Wood 703, Kew; Xumeni Forest, Morgan & Doidge, 27730, 30796, 32510; Town Bush Valley, Rump 112, 27781; Woodbush, Hume, 28263; Malelane, Hall, 9745; Moçambique (Torrend).

Xylaria reticulata Lloyd

Lloyd (1924) 1318, (1925) 1354; van der Byl (1925 b) 193; J. Phillips (1931) 160; Stevenson & Cash (1936) 17; Miller (1942) 265; Nel (1942) 26. on rotten wood, Knysna, van der Byl 1350 (Lloyd Myc. Coll. 10369, Type).

Xylaria rhopaloides Mont.

Cooke (1879 b) 72; Kalchbrenner (1882 a) 145; Medley Wood (1898) 19; Lloyd (1917) a L. 67: 5, (1924) 1282, 1294; Miller (1942) 271. on stumps, Natal, Medley Wood 346, 11137, Kew; Stellenbosch, v. d. Byl, (Lloyd Myc. Coll. 11887).

Xylaria Schreuderiana v. d. Byl

van der Byl (1932 b) 3; Miller (1942) 268; Nel (1942) 26. on dead wood, Knysna, v. d. Byl 1365, Type, Kew.

Xylaria Schweinitzii Berk. & Curt.

Lloyd (1919 c) 892, (1922) 1162 ; van der Byl (1924 a) 208, (1925 b) 193 ; J. Phillips (1931) 160 ; Miller (1942) 271 ; Nel (1942) 26. ? on rotting wood, Knysna, $v.\ d.\ Byl.$

Xvlaria stilboidea Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 28 ; Sacc. Syll. Fung. I : 320 ; Miller (1942) 271. on wood, Somerset East, MacOwan~42, Kew.

Xylaria tabacina (Kickx) Berk.

van der Byl (1924 a) 208, (1925 b) 193; Lloyd (1918 c) 3, 4, (1922) 1162; J. Phillips (1931) 160; Miller (1942) 264; Nel (1942) 26.

on Olea sp., Knysna, J. Phillips (v. d. Byl 2335).

Podocarpus latifolius R. Br., Knysna, Duthie (v. d. Byl 1104).

on dead wood of trees undet., Knysna, Keet (v. d. Byl 710); Garden of Eden, Knysna, v. d. Byl 2256.

Xylaria vaporaria Berk. & Curr.

Miller (1942) 268.

as Xylaria sp., Doidge & Bottomley (1931) 22.

in Chrysanthemum beds, Krantzpoort, Ermelo, de Villiers, 2169, 5631.

in mushroom beds, Durban, African Mushroom Industries, 30922.

near Cupressus macrocarpa Hartw., Ermelo, de Villiers, 2168.

Xvlaria variabilis Welw. & Curr.

Welwitsch & Currey, (1868) 280 : Lloyd (1923) 1186 : van der Byl (1924 a) 208 ; Miller (1942) 265 : Nel (1942) 26.

on burnt stump, Durban, v. d. Byl 771.

PHYLLACHORACEAE.

Anthostomella africana (Kalchbr. & Cooke) Berl. & Vogl.

Saccarde, Svll. Fung. IX: 509.

Sphaeria africana Kalchbrenner & Cooke (1880) 29.

on herbaceous stems, Artemisia sp., etc., Somerset East, MacOwan 1399, 1400, Type, Kew.

Anthostomella capensis Doidge

Doidge (1948 a) 864.

on Phoenix dactilifera Linn., leaves, Port Elizabeth, Doidge, 1236, Type.

Anthostomella Cassinopsidis (Kalchbr. & Cooke) Rehm

Rehm (1906) 441 (1907) 545, erronee A. Cassionopsidis; Sacc. Syll. Fung. XXII: 95.
Diplodia Cassinopsidis Kalchbrenner & Cooke (1990) 19; Sacc. Syll. Fung. III: 333.
Sphaeropsis Cassinopsidis (Kalchbr. & Cooke) Pazschke (1905) (178).
Anthostomella Cassinopsidis (Kalchbr. & Cooke) Petrak & Sydow (1925) 216.

on Cassinopsis capensis Sond., stems, Somerset East, MacOwan 1264, Type (Rabenh. Wint. Fung, Eur. 4488) Kew.

Anthostomella nigro-annulata (Berk. & Curt.) Sacc.

Saccardo, Syll. Fung. I: 279.

Sphaeria nigro-annulata Berk. & Curt., Kalchbrenner & Cooke (1880) 30. on Aloe lineata Haw., Somerset East, MacOwan 1312.

Anthostomella Salaciae Doidge

Doidge (1948 a) 864.

on Salacia Gerrardi Harv., Eshowe, Laughton, 33546, Type.

Clypeosphaeria natalensis Doidge

Doidge (1922 a) 81.

on Viscum nervosum Hochst., Highflats, Bews, 14867, Type.

Diachora Lessertiae (Doidge) Petrak

Petrak (1934) 349; Doidge (1942 b) 459.

Phyllachora Lessertiae Doidge (1921 c) 30.

on Lessertia depressa Harv., Smitskraal, Burtt Davy, 1568.

Lessertia perennans DC., Mooi River, Mogg, 17038.

Lessertia stricta Bolus, Nottingham Road, McClean, 32285.

Endodothella Deightonii Syd.

H. Sydow (1938) 162: Doidge (1942 b) 457.

Phyllachora Albizziae Cooke, (1885) 65.

Dothidea viventis var. Albizziae Cooke (1885) 65.

Homostegia Albizziae (Cooke) Berl. & Vogl., Sacc. Syll. Fung. IX: 1049.

sub Phragmocauma viventis (Cooke) Theissen & Sydow (1915) 411; Doidge (1921 c) 27; Sacc. Syll. Fung. XXIV: 621; Doidge & Bottomley (1931) 24.

as Telimena viventis?, Nel (1942) 13.

on Albizzia gummifera (Gmel.) C. A. Smith, Inanda, Medley Wood 583, 9492, 10445, Kew; Winkle Spruit, Pole Evans, 1401, 1583; Stella Bush, Doidge, 1615, v. d. Byl, 31965; Verulam, Pole Evans, 6829; Umkomaas, Bottomley, 11889; Phoenix, Wager, 33097; Durban, v. d. Byl 209.

Endodothella natalensis Doidge

Doidge (1921 c) 30, (1942 b) 458.

on Dichrostachys glomerata (Forsk.) Chiov., Winkle Spruit, Doidge, 2513; Verulam, Pole Evans, 6833, Type.

Homostegia Piggotii (Berk. & Br.) Karst.

Zahlbruckner (1926 b) 522.

on Parmelia rudecta Ach., near Windhoek, Fincke.

Ophiodothella edax (Berk. & Br.) v. Höhn.

Doidge (1921 c) 32, (1942 b) 458.

on Tephrosia elongata E. Mey., Olifantsfontein, Pienaar, 12822.

Ophiodothella Liebenbergii Doidge

Doidge (1942 b) 459.

on Ochna pulchra Hook., Hartebeestpoort, Liebenberg, 30382, Type; The Willows, Doidge & Bottomley, 29735; Meintjes Kop, Hean, 32801; Rustenburg, Hean, 31084.

Phaeochorella Parinarii (P. Henn.) Theiss. & Syd.

Theissen & Sydow (1915) 405; Doidge (1921 c) 26, (1942 b) 456; van der Byl (1926 c) 287, Hopkins (1938 a) 103.

? as Sphaerodothis Parinarii Nel (1942) 13.

? as Phae sphaerella Parinarii (P. Henn.) Theiss. & Syd., Hopkins (1939 a) 30.

on Parinarium capense Harv., Pretoria, Doidge, 613, 1507, 2203, Erasmus, 1272, Verwoerd (Stell. 288), Janse (v. d. Byl 1307); Natal, Pole Evans, 10981; Buffelspoort, Pallister, 17825; Wonderboom, Schonland, 21983; Silverton Ridge, Doidge, 23409; Daspoort, Kresfelder, 30817; Donkerpoort, Doidge & Bottomley, 29729; Waterkloof Ridge, Doidge, 29855; Wolwekloof, Bottomley, 32885; Nelspruit, Wager, 23411, Liebenberg, 25497; Kuebe, Baum 313, Kew.

Parinarium curatellifolium Planch., Magoeba's Kloof, 9173.

Parinarium mobola Oliv., Rhodesia, *Howard*, 730; Letaba Drift, *Doidge*, 1809; Louis Trichardt, *Power*, 30113; Zoutpansberg, v. d. Byl 2741; Woodbush, K. M. Putterill, 32750, v. d. Byl 1526; Rua River, Eyles 1347 (v. d. Byl 2438) 23412; Mazoe, Eyles 5279 (v. d. Byl 2507): Trelawney, *Hopkins* (Rh. 154) Kew.

Phyllachora Aberiae P. Henn.

P. Hennings (1908) 272; Sacc. Syll. Fung. XXII: 411; Theissen & Sydow (1915) 534; Doidge (1921 c) 29, (1942 b) 452; van der Byl (1926 c) 287; Doidge & Bottomley (1931) 32; Hopkins (1938 a) 103.

on **Dovyalis caffra** Warb., Uitenhage, *Lounsbury*, 202, 224, Type, Kew, *Pienaar*, 2420; Driefontein, *Doidge*, 1813; Mbabane, *Smith* (Stell. 69; v. d. Byl 1280).

Dovyalis rhamnoides Harv., Umhlanga Rocks, Wager, 32778.

Dovyalis sp., Zimbabwe, v. d. Byl 2469.

Phyllachora amaniensis P. Henn.

Doidge (1921 c) 29, (1942 b) 440; Doidge & Bottomley (1931) 68.

on Ficus capensis Thunb., Amanzimtoti, Franks, 7812: Barberton, v. d. Byl. 7378: Wyebank, Doidge, 9537; Umhlali, Bosman, 29924; Schagen, Liebenberg, 26005.

Phyllachora anthistiriicola Syd.

Doidge (1924 a) 219, (1942 b) 427.

on Themeda triandra Forsk., Magaliesberg, v. d. Byl, 2196, Type: Birchleigh, Hean, 30069; Gordon's Bay, du Plessis (Stell. 553); ? Varkensvlei, Dippenaar (Stell. 1080).

Phyllachora Arundinellae Doidge

Doidge (1942 b) 427.

on Arundinella Ecklonii Nees., Nelspruit, Liebenberg, 26019, Type; Debbe's Ravine, Bottomley, 29866; Silverton Ridge, Doidge, 23422; Rooiwal, Bosman, 29857; Wolwekloof, Bottomley, 32775, 32873; Nottingham Road, McClean, 32293.

Phyllachora Baumii P. Henn.

P. Hennings (1903) 166; Sacc. Syll. Fung. XVII: 835; Theissen & Sydow (1915) 546; Doidge (1942 b) 455.

on Sideroxylon sp., Jau, Baum 1002, Kew, Type.

Phyllachora Bottomleyae Doidge

Doidge (1942 b) 425.

on Ischaemum arcuatum Stapf, Donkerpoort, Doidge & Bottomley, 29777, Type, 31010, 31017.

Phyllachora Brachypodii Roum.

Doidge (1942 b) 431.

? on Brachypodium flexum Nees, Xumeni Forest, Morgan & Doidge, 29824, 31020, 32223, 32772.

Phyllachora Brachystegiae Doidge

Doidge (1924 a) 220, (1942 b) 445 : Hopkins (1938 a) 103, (1939 a) 8 : Nel (1942) 11. on **Brachystegia Randii** Bak. f., Salisbury, *Eyles 5023, 5024, 5025* (v. d. Byl 2462, 2460, 2464.) **Brachystegia** sp., Salisbury, *Eyles* (Rh. 1822, 2055) 11680, Type ; Marandellas, (Rh. 2162, 1198) Kew; Dombashawa, v. d. Byl 2443.

Phyllachora Burgessiae Doidge

Doidge (1942 b) 450.

on **Dombeya Burgessiae** Gerr., Woodbush, *Doidge*, 17732 and ? 1762; Cloudlands, *Mogg*, 30149, Type. **Dombeya pulchra** N.E. Br., Nelspruit, *Liebenberg*, 29917.

Phyllachora caffra Svd.

Theissen & Sydow (1915) 456; Doidge (1921 c) 27, (1942 b) 456; Sacc. Syll. Fung. XXIV: 568.

Physalospora caffra Syd., H. & P. Sydow (1912 a) 39. on Cordia caffra Sond., Amanzimtoti, Doidge, 1631, Type.

Phyllachora capensis Doidge

Doidge (1942 b) 452.

Scolecodothis capensis Doidge (1921 c) 27.

on Eugenia Zeyheri Harv., Howieson's Poort, *Doidge*, 10963, Type, 12379; van Staden's Pass, *Doidge*, 10869.

Eugenia zuluensis Dümmer, Highbury, Doidge, 33151.

Phyllachora chloridicola Speg.

Verwoerd & du Plessis (1933) 229; Doidge (1942 b) 430. on **Chloris** sp., Victoria Falls, *Eyles* (v. d. Byl 658); Kandahar Is., v. d. Byl (Stell. 658).

Phyllachora Chrysopogonis Syd.

Doidge (1924 a) 219, (1942 b) 423.

on Chrysopogon montanus Trin. var. tremulus Stapf, Armoedsvlakte, Pole Evans, 9302, Type.

Phyllachora circinata (Kalchbr. & Cooke) Theiss. & Syd.

Theissen & Sydow (1917 a) 141; Doidge (1942 b) 448.

Dothidea circinata Kalchbrenner & Cooke (1880) 32.

Parodiella circinata (Kalchbr. & Cooke) Sacc. Syll. Fung. I: 718.

on Leguminosae undet. (? Phaseolus sp. or ? Dolichos sp.) Natal, Medley Wood 49, Kew, Type.

Phyllachora Crotonis (Cooke) Sacc.

Sacc. Syll. Fung. II: 599; Theissen & Sydow (1915) 523; Doidge (1922 a) 67, (1942 b) 448; Doidge & Bottomley (1931) 2.

Dothidea Crotonis Cooke (1882 a) 129.

on Croton sylvaticus Hochst., Inanda, Medley Wood 466, Type, 9489.

Phyllachora Cynodontis (Sacc.) Niessl.

Doidge (1922 a) 67, (1942 b) 429; van der Byl (1922 d) 284; Verwoerd (1929 b) 13, (1931 a) 299; Doidge & Bottomley (1931) 12, 58; Hopkins (1938 a) 103; Nel (1942) 12.

on Cynodon Dactylon Pers., Pretoria, Burtt Davy, 145, 170, Wager, 23423; Groenklool, Pretoria, Burtt Davy, 917; Vereeniging, Burtt Davy, 935; Cedara, Fisher, 1172; Bloemfontein, Potts, 11311; Brandfort, Verwoerd, (v. d. Byl 2366); Irene, S. Smuts, 17016; Skinner's Court, Bottomley, 23424; Rietvlei, Pretoria Distr., Acocks & Murray, 32140; Buffelspoort, Bottomley, 25938, Doidge, 27588; Jacksonstuin, Doidge, 32437; Schagen, Liebenberg, 26344; Donkerpoort, Doidge & Bottomley, 29749; Potchefstroom, Radloff (Stell. 237; v. d. Byl 2100); Tabamhlope, West, 29956; Nquta, West, 29957; Durban, v. d. Byl 225, 32455, McClean, 32294; Knysna, Bottomley, 31015; Stellenbosch, v. d. Byl 485; Salisbury, Eyles 5336 (v. d. Byl 2519; Rh. 1389, 1609) Kew; Umtali (Rh. 2943).

Cynodon hirsutus Stent, Rhebokkop, Goossens, 28816; Groenkloof, Pretoria, Stent, 24342.

Cynodon incompletus Nees, Pretoria, Pole Evans, 17, 1587.

Cynodon plectostachyum Pilg., Cedara, Staples, 17080.

Var. Chloridis P. Henn.

Doidge (1942 b) 430.

sub Phyllachora Cynodontis (Sacc.) Niessl, Nel (1942) 12.

on Chloris gayana Kunth, Durban, v. d. Byl., 31972, v. d. Byl. 226, Wager, 32416. Chloris pycnothrix Trin., Swaziland, Burtt Davy, 1602; without locality, 23467.

Phyllachora Digitariae Syd.

Doidge (1924 a) 220, (1942 b) 433.

on Digitaria eriantha Steud., Donkerpoort, Doidge & Bottomley, 29768.

Digitaria eriantha var. stolonifera Stapf, Prinshof, Bottomley, 23876.

Digitaria Pentzii Stent, Ashbury, Doidge & Bottomley, 29782.

Digitaria seriata Stapf, Donkerpoort, Doidge & Bottomley, 29770.

Digitaria Smutsii Stent, Irene, S. Smuts, 17017, Type.

Phyllachora digitaricola Doidge

Doidge (1942 b) 433.

'on Digitaria Brazzae Stapf, Donkerpoort, Doidge & Bottomley, 29776, Type

Digitaria longiflora Pers., Durban, McClean, 30093.

Digitaria monodactyla Stapf, Rietvlei, Pretoria Distr., Acocks & Murray, 32139.

Digitaria sanguinalis Scop., Westfalia, Doidge, 20329.

Phyllachora Doidgeae Syd.

Doidge (1924 a) 220, (1942 b) 423, 460.

on Cymbopogon excavatus Stapf, Derdepoort, Doidge & Bottomley, 29805; Schagen, Liebenberg, 29856; The Willows, Doidge & Bottomley, 29818.

Cymbopogon marginatus (Steud.) Stapf. Donkerpoort, Doidge & Bottomley, 29744: Derdepoort, Doidge & Bottomley, 29800.

Hyparrhenia cymbaria Stapf, Schagen, Liebenberg, 29869.

Hyparrhenia hirta Stapf, Debbe's Ravine, Mogg, 29852: Skinner's Court, Doidge, 23425; Derdepoort, Doidge & Bottomley, 29801; Mamathes, Hean, 32427; Taylor's, Doidge, 32785: Nottingham Road, McClean, 32291, 32305.

Monocymbium ceresiiforme Stapf, Durban, Doidge, 1612, Type: Edendale, Doidge, 1998; Nelspruit, Liebenberg, 26036; Godwan River, Liebenberg, 26055.

Phyllachora Dombeyae Syd.

Theissen & Sydow (1915) 532; Doidge (1921 c) 28, (1942 b) 451; Sacc. Syll. Fung. XXIV: 604.

Physalospora Dombeyae, Svd., H. & P. Svdow (1912 c) 441.

on Dombeya pulchra N.E. Br., Nelspruit, Liebenberg, 26003.

Dombeya rotundifolia (Hochst.) Ĥarv., Equeefa, Fuller, 1539, Type: Tzaneen, Liebenberg, 30962.

Phyllachora Elyonuri Doidge

Doidge (1942 b) 424.

on Elyonurus argenteus Nees, Donkerpoort, Doidge & Bottomley, 30076.

Elyonurus glaber Phill. var. villosus Phill., Donkerpoort, Doidge & Bottomley, 29748, Type.

Phyllachora Eragrostidicola, Doidge.

Doidge (1948 a) 865.

Phyllachora Eragrostidis Doidge (1942 b) 430, not Chandon.

as Phyllachora sp., Doidge & Bottomley (1931) 13.

on Eragrostis curvula Nees, Mamathes, Hean, 32428, Type; ? Brandfort, Verwoerd (Stell. 219).

Eragrostis gangetica Steud., Donkerpoort, Doidge & Bottomley, 30077.

Eragrostis Lehmanniana Nees, Toowoomba, 30437.

Eragrostis robusta Stent., Empangeni, McClean, 35154.

Eragrostis spp., Irene, S. Smuts, 17014; Jacksonstuin, K. M. Putterill, 32444.

Phyllachora Evansii Syd.

H. & P. Sydow (1912 a) 40; Theissen & Sydow (1915) 459; Doidge (1922 a) 67, (1942 b) 436; Sacc. Syll. Fung. XXIV, 586; van der Byl (1926 c) 287; Doidge & Bottomley (1931) 40.

on **Setaria Chevalieri** Stapf, Barberton, Burtt Davy 137, 138, Type, Pole Evans, 1280; Isipingo, Bottomley, 11659; Woodbush, Doidge, 17734, v. d. Byl 1654; Durban, Bottomley, 12231; Schagen, Liebenberg, 26025; Umtentweni, Wager, 32672; Umfolosi, McClean, 32307

Setaria Lindenbergiana Stapf, Wonderboom, Mogg, 23464.

Phyllachora ficuum Niessl.

H. & P. Sydow (1909) 546: Doidge (1942 b) 441.

Trabutia ficuum (Niessl.) Theiss. & Syd., Doidge (1921 c) 24, Doidge & Bottomley (1931) 68.

on Ficus mallatocarpus Warb., near Salisbury, Verdoorn, 33202.

Ficus Sycamorus Linn., Moçambique, Howard, 520, Kew; Lourenço Marques, Howard, 719; Nelspruit, Liebenberg, 25969.

Phyllachora goyazensis P. Henn.

Doidge (1942 b) 453.

Catacauma goyazense (P. Henn.) Theissen & Sydow (1915) 396; Doidge (1927 b) 231. on Eugenia natalitia Sond., Kentani, Pegler 2110, 9113.

Phyllachora grammica P. Henn.

Doidge (1942 b) 441, 443; van der Byl (1926 c) 287.

Catacauma grammicum (P. Henn.) Theissen & Sydow (1915) 382; Doidge (1921 c) 26. on Ficus capensis Thunb., Lemana, Doidge, 1829; Kentani, Pegler 1993, 8884, Kew; Storms River, Doidge, 17164; Brenton, Knysna, Laughton, 34316.

Phyllachora Grewiae (Kalchbr.) Theiss. & Syd.

Theissen & Sydow (1915) 530; Doidge (1942 b) 450.

Rhytisma Grewiae Kalchbr., Kalchbrenner & Cooke, (1880) 32; Sacc. Syll. Fung. VIII: 756.

on Grewia occidentalis Linn., ? Inanda, Medley Wood 106, Type, Kew.

Phyllachora Halsei Doidge

Doidge (1942 b) 444.

on Acacia Benthami Roxbr., Scottsburgh, Halse, 30380.

Acacia Gerrardi Benth., Verulam, *Halse*, 30128, Type; Nelspruit, *Doidge*, 32405; Nkwaleni Valley, *McClean*, 33088; Loskop, *Mogg*, 34204.

Acacia robusta Burch., Umzinto, McClean, 30116.

Phyllachora heterospora P. Henn.

Theissen & Sydow (1915) 453; Doidge (1922 a) 68, (1942 b) 434, 460; van der Byl (1926 c) 287; Verwoerd (1931 a) 299; Doidge & Bottomley (1931) 28; Nel (1942) 12.

sub Phyllachora graminis Pers, Kalchbrenner (1882 a) 146.

on Panicum maximum Jacq., Somerset East, MacChvan 1319 (S.A.M. 33616) 20823: Natal, Medley Wood 221; Maritzburg, Pole Evans, 1442; Durban, Doidge, 1611, McClean, 30136, Wager, 32720; Stella Bush, Wager, 32754; Barberton, Doidge, 2015, v. d. Byl, 5137; Umbelusi, Howard, 664: Nelspruit, Liebenberg, 26007; Moçambique, Howard, 1459; Tzaneen, Doidge, 20321, v. d. Byl 1493; Kentani, Pegler 1933, 7773, 9095, Kew; Cedara, Staples, (Stell. 40, v. d. Byl 1113) 17058: Buffelspoort, Bottomley, 25939, Jacot-Guillarmod, 30651; Derdepoort, Doidge & Bottomley, 29803, 33937; Umtwentweni, Porter, 32678; Bloemfontein, Verwoord.

Panicum deustum Thunb., Umfolosi, McClean, 31018: Ndwedwe, Halse, 30296: Amauzimtoti, Doidge, 30121: Hippo Pool, Pretorius Kop, Chippindall, 33148.

Phyllachora Hieronymi P. Henn.

Doidge (1921 b) 28, (1942 b) 423.

on Cyathea Dregei O. Kze., Winter's Kloof, Doidge, 1666: Rooiwal, Bosman, 34437.

Phyllachora Howardiana Petrak

Petrak (1929) 386; Doidge (1942 b) 441.

Trabutia Evansii Theissen & Sydow (1915) 352, not Phyllachora Evansii Syd.: Doidge (1921 c) 24; Sacc. Syll. Fung. XXIV: 557; Doidge & Bottomley (1931) 68. on Ficus carica Linn., Lourenco Marques, Howard, 668, Type; Eshowe, McClean, 33105.

Ficus capensis Thunb., Umhlali, Bosman, 29923; Tzaneen, Liebenberg, 30965.

Phyllachora Kniphofiae (Kalchbr. & Cooke) Sacc.

Sacc. Syll. Fung. II: 607; Theissen & Sydow (1915) 568; Doidge (1942 b) 461. Dothidea Kniphofiae Kalchbrenner & Cooke (1880) 31.

on Kniphofia aloides Monch., Boschberg, MacOwan 1311 (Rabenh. Wint. Fung. Eur. 3556)

3896, Kew: also MacOwan 1337, 1337a, Kew.

Not a true Phyllachora: has a Sphaerella-like perithecium without true clypeus (Theissen & Sydow, l.c.): fide Kalchbrenner & Cooke (l.c.) type specimen is MacOwan" Nos. 1011, 1337 b."

Phyllachora Leptocarydii Syd.

Doidge (1924 a) 220, (1942 b) 430.

on Leptocarydion Vulpiastrum Stapf, Sydenham, Franks, 7814, Type.

Phyllachora Loudetiae Doidge

Doidge (1942 b) 428.

on Loudetia simplex (Nees) Hubb., Donkerpoort, Doidge & Bottomley, 29775, Type, 29756

Phyllachora Melianthi (Thuem.) Sacc.

Sacc. Syll. Fung. II: LXIX and IX: 1013; Theissen & Sydow (1915) 528;
 Doidge (1921 c) 28, (1942 b) 449, 450; van der Byl (1922 d) 284; Doidge & Bottomley (1931) 13; Nel (1942) 12.

Rhytisma Melianthi Thuem., von Thuemen (1876 b) 569.

Dothidea lucens Cooke (1882 a) 128.

Dothidea Melianthi Kalchbrenner & Cooke, Kalchbrenner (1882 a) 146; Doidge 1922 a) 68.

Phyllachora lucens (Cooke) Sacc. Syll. Fung. II: 600; Theissen & Sydow (1915) 562; Cryptomyces Melianthi (Thuem.) Sacc. Syll. Fung. VIII: 707.

Physalospora Bersamae Syd., in Herb. Kew, ? nom. nud.

on Melianthus major Linn., Boschberg, MacOwan 1266, Type (Thuem. Myc. Univ. 1267) 20828, 21974; near Cape Town, MacOwan (Rabenh. Fung. Eur. 3557; S.A.M. 33459) 3897; Stellenbosch, v. d. Byl 228, Verwoord (Stell. 17).

Bersama lucens (Hochst.) Szysz., Kentani, Pegler 2323, 9077, Kew. Bersama Swynnyi Phill., Inanda, Medley Wood 581, 9487, 10443, Kew.

Bersama Tysoniana Oliver, West Wood, Haenertsburg, Doidge, 17776.

Phyllachora melinicola Syd.

H. Sydow (1924 c) 429; van der Byl (1926 c) 287; Doidge (1942 b) 434; Nel (1942) 12.

sub Phyllachora graminis Fuck., Massee (1901 b) 168.

on Melinis minutifiora Beauv., Umpumulo Hills, Buchanan 299.

Melinis minutiflora forma inermis Stapf. & Hubb., Tzaneen, v. d. Byl 1652, Type, 20446, ex Herb. Syd.

Melinis tenuinervis Stapf, Nelspruit, Liebenberg, 26037.

Melinis sp., Salisbury, *Eyles* (Rh. 2277) 15515, 33973; Dombashawa, *Hopkins* (Rh. 6009).

Phyllachora microstegia Syd.

H. Sydow (1924 c) 430; van der Byl (1926 c) 287; Doidge (1942 b) 452; Nel (1942) 12.

on Ochna Holstii Engl., Woodbush, v. d. Byl 1498, Type, 20448 ex Herb. Syd. Ochna O'Connorii Phillips, Nongoma Distr., Gerstner, 35300.

Phyllachora minuta P. Henn.

Doidge (1927 b) 231, (1942 b) 450; Nel (1942) 12.

on **Hibiscus Linn.**, Port Shepstone, Pole Evans, 5604; near Durban, v. d. Byl 227, 32450; Umkomaas, v. d. Byl 649, 31876.

Phyllachora Miscanthidii Doidge

Doidge (1942 b) 425.

on Miscanthidium capense Stapf, Verulam, James, 32675.

Miscanthidium sorghum (Nees) Stapf, Xumeni Forest, Doidge, 31011, Type; Kentani, Pegler, 8348, 9169; Gala Bush, Doidge, 31013.

Phyllachora Morganae Doidge

Doidge (1942 b) 438.

on **Sporobolus pyramidalis** Beauv., Xumeni Forest, *Morgan & Doidge*, 29833; Nottingham Road, *McClean*, 32292.

Sporobolus sp., Donkerpoort, Doidge & Bottomley, 29772.

Phyllachora myrsinicola Doidge

Doidge (1922 a) 81, (1942 b) 455; Doidge & Bottomley (1931) 16; Nel (1942) 12. on Rapanea melanophleos Mez., Duncairn, Doidge, 15015, Type; Greytown, Doidge, 15530; Howieson's Poort, Doidge, 12376; Woodbush, Doidge, 1756; Noetze, v. d. Byl 2287.

Phyllachora nervisequens (Lingelsh) Petrak

Doidge (1942 b) 442.

Trabutia nervisequens (Lingelsh) Theiss. & Syd., Doidge (1921 c) 25; Doidge & Bottomley (1931) 68; Nel (1942) 21, 108.

on Ficus Burtt-Davyi Hutch., Umgeni Lagoon, Doddge, 854; Port Shepstone, Pole Erans, 5608; Amanzimtoti, Franks, 7813.

Ficus natalensis Hochst., Malvern, Doidge, 1994; Winkle Spruit, Pole Evans, 2019; Port Elizabeth, D. Gunn, 12248; Escombe, Hean, 33109.

Ficus Burkei Miq., Eastern Transvaal, Liebenberg, 32884.

ConFicus capensis Thunb., Zimbabwe, r. d. Byl 274I: Durban, r. d. Byl 256.
Ficus sp., Durban, Verwoord (Stell, 155).

Phyllachora Peglerae Doidge

Doidge (1942 b) 453.

Catacauma Peglerae Doidge (1921 c) 25.

on Eugenia capensis Harv., Kentani, Peyler 2340, 9099, Type, Kew: Umbogintwini, Doidge, 6636: Scottsburgh, Pole Evans, 6841: Warner Beach, Bottomley, 11667; Mtunzini, Laughton, 33547.

Phyllachora Peltophori Syd.

H. & P. Sydow (1912 a) 40: Theissen & Sydow (1915) 507: Doidge (1921 c) 29, (1942 b) 446: van der Byl (1926 c) 287: Doidge & Bottomley (1931) 30: Sacc. Syl., Fung. XXIV: 593.

on Peltophorum africanum Sond., Ledzee, Doidge, 1810, Type: Nelspruit, Loest, 29888, Doidge, 32400.

Phyllachora Penniseti Syd.

Doidge (1922 a) 68, (1942 b) 435, 436; Nel (1942) 12.

on Pennisetum macrourum Trim., Hogsback, K. M. Patterill, 30071; Kirstenl osch, H. H. W. Pearson, 7401; Stellenbosch, v. d. Byl 1921, 2316, Verwoerd (Stell, 18).
Pennisetum sphacelatum D. & S., Tugela Valley nr. Mont-aux-Sources, Doidge, 14102.

Phyllachora permutata Petrak

Petrak (1927) 268-270. Doidge (1942 b) 428.

on Arundinaria tesselata Munro, Goodoo Bush, Doidge, 14103, Type.

Phyllachora Perotidis Doidge

Doidge (1942 b) 439.

on Perotis indica (Linn.) O. Ktze., Donkerpoort, Doidge & Bottomley, 29754, Type: Pretorius Kop, Kruger National Park, Chippindall 33147.

Phyllachora placida (Svd.) Theiss.

Theissen (1916 a) 424; Petrak & Sydow (1925) 222; Doidge (1942 b) 455.

Physalospora placida Syd., H. & P. Sydow (1909) 544; Sacc. Syll. Fung. XXII: 84.

Minuscope of France, Manager Manager Howard 649. Type of Manager Landston

on Mimusops caffra E. Mey., Lourenço Marques. Howard, 669, Type: Mtunzini, Laughton, 33512.

Phyllachora Pretoriae Doidge

Doidge (1942 b) 442.

on Ficus Pretoriae Burtt Davy, Rustenburg, Kresfelder, 23676, Type.

Phyllachora Proteae Wakef.

Wakefield (1922) 164; Doidge (1942 b) 443; Doidge & Bottomley (1931) 53; Nel (1942) 12.

on Protea acaulis Thunb., Cape Town, Marloth (Stell. 235).

Protea mellifera Thunb., Klapmuts, v. d. Byl 357, Type, 32915, Kew; Stellenbosch, v. d. Byl 1037, Verwoerd (Stell. 16).

Phyllachora Pterocarpi Svd.

H. & P. Sydow (1912 a) 40; van der Byl (1926 c) 287; Doidge (1942 b) 446; Nel (1942) 12.

Catacauma Pterocarpi Syd., Theissen & Sydow (1915) 387; Doidge (1921 c) 25; Sacc. Syll, Fung, XXIV: 560; Hopkins (1932) 466, (1938 a) 103, (1939 a) 37.

on **Pterocarpus angolensis** D.C., Letaba Drift, *Doidge*, 1807, Type; Barberton, v. d. Byl, 1922, 5132; Schagen, *Liebenberg*, 26354; Pretorius Kop, Kruger National Park, *Lansdell*, 29954.

Pterocarpus erinaceus Lam., Nelspruit, Loest, 29891; Salisbury, Eyles 5020, (v. d. Byl 2461); Mazoe, v. d. Byl 2459; Matopos, Eyles 5019 (v. d. Byl 2463).

Pterocarpus rotundifolius (Sond.) Druce, Nelspruit, Wager, 23413, Doidge, 32402; Schagen, Liebenberg, 26014; Khami Ruins, v. d. Byl 204, Kew; Tzaneen, v. d. Byl 1502. Pterocarpus sp., Rhodesia, v. d. Byl 65; Salisbury, Eyles (Stell. 5).

Phyllachora puncta (Cooke) Doidge

Doidge (1942 b) 445, 446.

Dothidea puncta Cooke (1882 a) 128.

Parodiella puncta (Cooke) Sacc. Syll. Fung. I: 718.

Catacauma puncta (Cooke) Theissen & Sydow (1917 a) 141.

on Dalbergia armata E. Mey., Inanda, Medley Wood 605, 607, Type, 9488, 10441, Kew; Barberton, Pole Evans, 588; Umgeni Lagoon, Doidge, 881; Stella Bush, Doidge, 1662; Verulam, Pole Evans, 6809; Schagen, Liebenberg, 29908, 29880; Amanzimtoti, Doidge, 30289; Umbcgintwini, Wager, 32718.

Phyllachora ? repens (Corda) Sacc.

Lorrain Smith (1901) 477; Sacc. Syll. Fung. II: 597; Doidge (1942 b) 443.

Isothea rhytismoides Fr., Welwitsch & Currey (1868) 285.

Dothidea repens Berk., Kalchbrenner (1882 a) 146; Cooke (1879 b) 72; Cooke & Kalchbrenner (1881) 27.

on Ficus gnaphalocarpa A. Rich., in woods at Monimo, Huilla, Welwitsch 141; near Lopollo, Welwitsch 6374.

Ficus ingens Miq., Inanda, Medley Wood 228, 543, 9466, 10435, Kew.

Phyllachora rikatliensis (Doidge) Petrak

Petrak (1927) 291--293; Doidge (1942 b) 445.

Phyllachorella rikatliensis Doidge (1921 c) 30.

on Dialium Schlechteri Harms, Rikatli, Junod, 11726, Type.

Phyllachora sanguinolenta Theiss. & Syd.

Theissen & Sydow (1915) 455; Doidge (1942 b) 432.

as Phyllachora sanguinolenta var. microspora Syd., Hopkins (1938 a) 103, (1939 a) 7.

as Phyllachora graminis (Pers.) Fuck., Hopkins (1939 a) 47.

on Brachiaria brizantha Stapf, Tzaneen, *Doidge*, 20332; Barberton, *Wager*, 26150; Salisbury (Rh. 1908, 2145, 2158).

Brachiara serrata Stapf., Debbe's Ravine, Bosman, 31007.

Urochloa helopus Stapf, Irene, S. Smuts, 17015; Barberton, Mogg, 7806.

Urochloa mosambicensis (Hack) Dandy, Mazoe, Eyles 3403.

Var. microspora Syd.

Theissen & Sydow (1915) 455; Doidge (1924 a) 221, (1942 b) 433.

on Panicum Stapfianum Faure, Bloemfontein, Potts, 11307.

Urochloa? pullulans Stapf, Tawoomba, 30436.

Phyllachora Schizachyrii Doidge

Doidge (1942 b) 426.

on Schizachyrium semiberbe Nees, Donkerpoort, Doidge & Bottomley, 29747, Type, 29778.

Phyllachora Schotiae Doidge

Doidge (1942 b) 447.

Catacauma Schotiae Doidge (1922 a) 65.

on Schotia speciosa Jacq., Humewood, Doidge, 2294, Type.

Phyllachora Strelitziae (Cooke) Sacc. emend. Doidge

Sacc. Syll. Fung. II: 606: Doidge (1942 b) 439; Nel (1942) 12.

Dothidea Strelitziae Cooke (1882 a) 129.

Endodothella Strelitziae (Cooke) Theissen & Sydow (1915) 587; Doidge (1921 c) 31.

on Strelitzia augusta Thunb., Inanda, Medley Wood 580, Type, 9468, 10442, Kew: Isipingo, Doidge, 6639, Wager, 32423: Scottsburgh, Pole Evans, 6831, Barnard, 33996: Inanda, v. d. Byl, 6958: Kentani, Pegler 2384, 9422, Kew: Durban, v. d. Byl 295, 498, 32448; Amanzimtoti, Curson, 30774.

Phyllachora striatula Theiss. & Syd.

Theissen & Sydow (1915) 441; Sacc. Syll. Fung. XXIV: 575; Doidge (1942b) 432. on Alloteropsis semialata Hitch., Carolina, Burtt Davy. 483, Type: Garstfontein, Bosman, 29863; Hopevale, Doidge, 32282.

Phyllachora superba Doidge

Doidge (1942 b) 431, 444.

on Eragrostis superba Peyr., Schagen. Liebenberg, 29864, Type: Pelindaba, Doidge & Bottomley, 29846, 29872; Nelspruit, Liebenberg, 26018.

Phyllachora Tecleae Doidge

Doidge (1922 a) 68, (1942 b) 448.

on Teclea natalensis Engl., Kentani, Pegler 2324, Type, 9079.

Phyllachora Tephrosiae Syd.

H. Sydow (1924 c) 430; van der Byl (1926 c) 287; Doidge (1942 b) 447; Nel (1942) 13.

on Tephrosia Nyasae Bkr., f., Tzaneen, v. d. Byl 1662, Type, 20447, ex Herb. Syd.

Phyllachora transvaalensis Doidge

Doidge (1942 b) 436.

sub Phyllachora Evansii Syd., Doidge & Bottomley (1931) 26.

on Setaria flabellata Stapf, Donkerpoort, Doidge & Bottomley, 30090, Type: Birchleigh, Hean, 30091; Riet Vlei, Pretoria Distr., Acocks & Murray, 32138.

Setaria nigrirostris Dur. & Schinz, Vereeniging, Burtt Davy, 10021.
Setaria sphacelata Stapf & Hubb., Garstfontein, Pienaar, 1265; Barberton, Doidge, 2012; Donkerpoort, Doidge & Bottomley, 30092.

Phyllachora Tricholaenae P. Henn.

Doidge (1922 a) 69, (1942 b) 437; van der Byl (1926 c) 287; Doidge & Bottomley (1931) 40; Hopkins (1938 a) 103, (1939 a) 40; Nel (1942) 40.

on Rhynchelytrum repens (Willd.) Hubb., Godwan River, Liebenberg, 26053; Nelspruit, Liebenberg, 26672; Irene, S. Smuts, 17013; Sonderwater, Mogg, 34083; Winkle Spruit, Pole Evans, 5641; Ashbury, Doidge & Bottomley, 29781; Donkerpoort, Doidge & Bottomley, 29738; Schagen, Liebenberg, 30139; Tzaneen, v. d. Byl 1657; Durban, v. d. Byl, 32454; Cavendish, Wager, 32784; Salisbury (Rh. 1990). Rhynchelytrum setifolium Chiov., Derdepoort, Doidge & Bottomley, 33938.

Tricholaena monachme Trin., Beira, Hitchcock 34384, 33107; Derdepoort, Doidge & Bottomley, 29796.

Phyllachora Winkleri Syd.

H. & P. Sydow (1912 b) 80; Doidge (1924 a) 220, (1942 b) 435.

on Paspalum scrobiculatum L., var. Commersonii Stapf, Quelimane, Howard, 648; Nelspruit, Liebenberg, 25998, 26062; Ndwedwe, Halse, 30291; Stellenbosch, Dippenaar.

Phyllachora Woodiana Doidge

Doidge (1942 b) 454. sub *Phyllachora gentilis* Speg., P. Sydow (1899 a) (133). on **Eugenia capensis** Harv., near Durban, *Medley Wood 6462*, 328, 9477, Type.

? Phyllachora sp.

Sphaeria graminis Pers. var. Ehrhartae Berk. on Ehrharta sp., Uitenhage, Drège 83.

Phyllachora spp.

as Phyllachora graminis (Pers.) Fuck., Verwoerd (1929 b) 13. on Eragrostis curvula Nees, Stellenbosch, Verwoerd.
Eragrostis sp., Bloemfontein, Verwoerd.
Briza maxima Linn., without locality, Verwoerd.

? Telimena corticicola Doidge

Doidge (1922 a) 70, (1942 b) 461. on **Helichrysum** sp., bark, Alice, *Doidge*, 10975, Type. Probably not a *Telimena*.

CAPNODIACEAE.

Capnodium australe Mont.

Berkeley (1876 a) 176. Cape, Eaton.

Capnodium fuligo Berk. & Desm.

Berkeley (1876 a) 176. on Brabejum stellatifolium Linn., foot of Table Mt., Monsel.

Capnodium salicinum Mont.

Hopkins (1938 a) 101, (1939 a) 11.

as Capnodium Citri Berk. & Desm., Hopkins (1930 a) 417; Bates (1937 b) 207.

as Capnodium citricolum McAlp., Doidge (1924 a) 213; Cardoso (1937) 152, (1938) 74, (1945) 151, 152, 153.

on Citrus Limonia Osbeck, Rhodesia, Hopkins; Mazoe, Bates; Umbeluzi, Cardoso; Maotas, Guimarāis.

Citrus maxima Merr., Mazoe. Bates; Salisbury, Marandellas, Hopkins; Umbeluzi, Cardoso.

Citrus nobilis Lour. var. deliciosa Sw., Mazoe, Bates; Maotas, Guimarāis.

Citrus sinensis Osbeck, Iron Hill Mine (Rh. 3477); Que Que, Marandellas, Hopkins; Mazoe, Bates; Karreekloof, Lydenburg Distr., 12313; Umbeluzi, Cardoso; Maotas, Guimarāis.

Citrus spp., Umbeluzi, Lourenço Marques, Cardoso; Mahotas, Guimarāis: Uniondale, Verwoerd (Stell. 223); George, Verwoerd (Stell. 443): Lemana, Doidge, 504, 1790.

Scorias sp.

on Trichocladus crinitus Pers., Izelini Forest, Doidge, 11611 d.

Treubiomyces Celastri Doidge

Doidge (1927 b) 239.

on Gymnosporia sp., Woodbush, Doidge, 17769.

CHAETOTHYRIACEAE.

Chaetothyrium capense (Doidge) Hansf. nov. comb.

Aithaloderma capense Doidge (1927 b) 239.

on Schotia latifolia Jacq., East London, Doidge, 12422, Type.

Chaetothyrium Syzygii Hansf.

Hansford (1946 a) 141.

on Syzygium cordatum Hochst., Eshowe, McClean, 33103 a, Type.

Microcallis Nuxiae (Doidge) Hansf.

Hansford (1946 a) 142.

Limacinia Nuxiae Doidge (1927 b) 240.

on Lachnopylis tomentosa (Sond.) C. A. Sm., Woodbush, Doidge, 17744, Type.

Microcallis Oleae Hansf.

Hansford (1946 a) 141, (1946 b) 191.

on Olea capensis Linn., Knysna, Bottomley, 32281, Type.

CORYNELIACEAE.

Corynelia uberata Fries ex Acharius.

Fries (1818) Pl. 8, f. 1, (1823) 535; von Thuemen (1878 a) 357; Winter (1884 a) 122; Kalchbrenner (1882 a) 146; Sacc. Syll. Fung. IX: 1073; Fitzpatrick (1920) 247, (1942) 468; Doidge (1924 a) 218; van der Byl (1925 b) 192; Doidge & Bottomley (1931) 69; Arnaud (1931) 271; J. Phillips (1931) 159; Wakefield (1936) 53; Hopkins (1938 a) 101, (1943) 188; Nel (1942) 10; Hansford (1946 a) 159; Simpson & Talbot (1946) 132.

? Mucor clavatus Linn. f. (1781) 453.

? Lichen (Calicium) helopherus Acharius (1798) 86; Thunberg (1800) 176, (1823) 743; Juel (1918) 50.

? Sphaeria turbinata Persoon (1801) 85.

Corynelia clavata (Linn.) Sacc., Pirotta (1889) 313, 314; Sacc. Syll. Fung. IX: 1073,
 XVI: 650; Marloth (1913) 28.

Corunelia clavata f. fructicola Rehm (1900) 192.

on **Podocarpus elongatus** L'Hérit., leaves, twigs and fruit, near Somerset East, *MacOwan* (Rabenh. Wint. Fung. Eur. 3149) 3489, Kew; Wellington, *Doidge*, 986, Kew; Keiskama Hoek, *Keet*, 14141; Klapmuts Hill, *Baker*, 18180; Knysna, *Keet*, 32015; Stellenbosch, *Worsdell*, Kew; Knysna, *Verwoerd* (Stell. 127).

Podocarpus falcatus R. Br., Keiskama Hoek, D.F.O., 8971; East London, Doidge, 12413; Storms River, Doidge, 17165; Kingwilliamstown, D.F.O., 8258; Pirie Forest,

D.F.O., 7354, Doidge, 22423; Mquanduli, Walker, 27655.

Podocarpus Henkelii Stapf, Xumeni Forest, Doidge, 32218; without locality, D.F.O., 14685.

Podocarpus gracilior Pilg., Woodbush, Gray, 885, Doidge, 1743, Kotze, 12250, D.F.O., 26630.

Podocarpus latifolius R. Br., Cape, without locality, Thunberg, Swartz: Grahamstown, MacOwan 1253 (Thuem. Myc. Univ. 776) 21948, Kew; Kaffraria, Mansel-Weale; Grahamstown, 492, Burtt-Davy, 5580; Kubusie, Woodcock, 20591; Kentani, Pegler 1917, 6900; Ngome, Foster, 7410; Kingwilliamstown, J. M. Sim, 7815; Keiskama Hoek, D.F.O., 8970; Umtata, Pegler 2399, 9739; St. Jameš, Pole Evans, 5572; Knysna, Keet, 32014, Bottomley, 32265, Doidge, 17204, Verwoerd (Stell. 129); Deepwalls, J. Phillips, 17294, Keet (v. d. Byl 91), v. d. Byl 2294; Stellenbosch, near Eerste Rivier, Garside, Kew; Natal, Medley Wood 3203, 11206, Kew; near Maritzburg, 33934; Marwaqa Forest, Morgan & Doidge, 30903; Eshowe, Pole Evans, 2027; Qudeni Forest, Simpson & Talbot, 34933; Woodbush, Doidge (Syd. Fung. Exot. 185) 1770, 17739, 17908, Kew.

Podocarpus milanjianus Rendl., eastern border, S. Rhodesia, *Eyles 7443*, Kew; Salisbury, *Hopkins*.

Coryneliospora fructicola (Pat.) Fitzpatrick

Fitzpatrick (1942) 485; Simpson & Talbot (1946) 132.

Corynelia carpophila Syd., H. & P. Sydow (1910) 264; Sacc. Syll. Fung. XXII: 513.
 Corynelia fracticola (Pat.) von Höhnel (1911) 450; Fitzpatrick (1920) 240; Doidge (1924 a) 217; Doidge & Bottomley (1931) 16; J. Phillips (1931) 169; Nel (1942) 10.

Lagenula fructicola (Pat.) Arnaud (1931) 269.

on Rapanea melanophles Mez., fruits, Haenertsburg, Lane Poole; Woodbush, Doidge, 1736, v. d. Byl 2219; Kentani, Pegler 1861, 5617, 6621, 7795, Kew; Tugela Valley near Mont-aux-Sources, Doidge, 14121, 14865; Greytown, Doidge, 15410; Qudeni Forest, Simpson & Talbot, 34936; Schagen, Liebenberg, 29893; Zinca Forest, Mount Frere, D.F.O., 19849; Deepwalls, J. Phillips, 18038.

Tripospora tripos (Cooke) Lindau

Lindau (1897) 413; Fitzpatrick (1920) 232, (1942) 482; Doidge (1924 a) 216;
Marloth (1913) 28; van der Byl (1925 b) 192; Doidge & Bottomley (1931)
69; J. Phillips (1931) 159; Nel (1942) 11.

Corynelia tripos Cooke (1879 a) 34; Winter (1884 a) 122; Kalchbrenner (1882 a) 146.

Tripospora Cookei (Cooke) Saccardo, Syll. Fung. IX: 1074.

on Podocarpus elongatus L'Hérit., Knysna, v. d. Byl 666, 2272, Verwoerd (Stell. 193).

Podocarpus falcatus R.Br., near Somerset East, $MacOwan\ 1253$ (Rabenh. Wint. Fung. Eur. 3450) 3490, 20983: Pirie Forest, D.F.O., 7355: Kingwilliamstown, $J.\ M.\ Sim$, 7816; near Uitenhage, Paterson, 9047; near Maritzburg, $T.\ R.\ Sim$, 14274.

Podocarpus latifolius R.Br., near Somerset East, MacOwan 1253 b. (Rabenh. Wint. Fung. Eur. 3150) Kew; Van Stadens Pass, Doidge, 10867.

MICROTHYRIALES.

(HEMISPHAERIALES.)

STIG MATEACEAE.

Aphysa Lebeckiae (Verw. & Dipp.) Doidge

Doidge (1942 b) 460.

Coccochora Lebeckiae Verwoerd & Dippenaar (1930 a) 328.

? as Phaeodothis Lebeckiae (Verw. & Dipp.) Nel (1942) 11.

on Lebeckia Candeolleana Walp., Gordon's Bay, Loseby, Type (Stell, 985; v. d. Byl 2590) 33211; Stellenbosch, Verwoerd (Stell, 389).

Aphysa Rhynchosiae (Kalchbr. & Cooke) Theiss. & Syd.

Theissen & Sydow (1917 a) 134, (1917 b) 402; Doidge (1922 a) 65; Nel (1942) 15: Hansford (1946 a) 165.

Stigmatea Rhynchosiae Kalchbrenner & Cooke (1880) 32: Sacc. Syll. Fung. I: 543. Parodiella Schimperi P. Henn., P. Sydow (1899 a) (133): Doidge (1917) 720. Stigmatula Rhynchosiae (Kalchbr. & Cooke) H. & P. Sydow (1901 b) 78.

on Rhynchosia caribaea D.C., Inanda, Medley Wood 55, Type, 356, 9478: Umgeni, Doidge, 907, 908: Umkomaas, Bottomley, 11884; Van Staden's Pass, Doidge, 10864: Howieson's Poort, Doidge, 12381: Durban, Lansdell, 9015: Amanzimtoti, Doidge, 30286; near Mont-aux-Sources, Doidge, 14128; Duivelskloof, Doidge, 20338.

Rhynchosia komatiensis Harms., Rooiwal, Bosman, 29883.

Rhynchosia picta Burtt Davy, Inanda, Medley Wood 55, 10651, Kew: Kentani, Pegler 2357, 9116, Kew: Kowie, Doidge, 12362.

Rhynchosia sp., Durban, v. d. Byl 397.

Aphysa senniana (Sacc.) Doidge

Doidge (1941 b) 213, (1942 b) 461.

Phaeosphaerella senniana Sacc., Doidge (1920 c) 118; H. Sydow (1926) 270; Doidge & Bottomley (1931) 53.

Thyriopsis Proteae van der Byl (1929 a) 318; Doidge & Bottomley (1931) 53; Nel (1942) 13.

on Pro ea acaulis Thunb., Wellington, Doidge, 1022; Klapmuts, v. d. Byl. 6845.

Protea caffra Meisn., Fairy Glen, Doidge, 23421; The Willows, v. d. Byl. 5590.

Protea Flanagani Phill., Umtenta eni, Porter, 32684.

Protea lepidocarpodendron Linn., Wellington, Doidge, 1034, 2062.

Protea mellifera Thunb., Ceres, Dippenaar (Stell. 912; v. d. Byl 2615); Stellenbosch, Dippenaar (Stell. 902).

Protea pulchella Andr., Stellenbosch, Dippenaar (Stell. 901).

Protea scabra R. Br., Caledon, v. d. Byl 2511, 33212; Dippenaar (v. d. Byl 2582); Elgin, Dippenaar (Stell. 904); Stellenbosch, Loseby (Stell. 903).

Protea sp., near Mont-aux-Sources, *Doidge*, 23420; Gordon's Bay, *Loseby* (Stell, 390); Groot Drakenstein, *Dippenaar* (Stell, 537).

Leucadendron sp., Stellenbosch, *Dippenaar* (Stell. 409).

Diplocarpon earliana (Ell. & Ev.) Wolf

See Marssonina Fragariae (Sacc.) Kleb.; the perfect stage of this fungus has not been found in South Africa.

Diplocarpon Rosae Wolf

Doidge & Bottomlev (1931) 55.

See Actinonema Rosae Fr. : the perfect stage of this fungus has not been found in South Africa.

Entopeltis interrupta (Wint.) V. Höhn.

von Höhnel (1910 a) no. 489; Theissen & Sydow (1917 b) 401; Doidge (1927 b) 233; Doidge & Bottomley (1931) 53.

Asterina interrupta Winter (1884 c) 264; Sacc. Syll. Fung. IX: 381. on Leucadendron sp., Muizenberg, MacOwan, Type (Rabenh. Wint. Fung. Eur. 3952) 4292, 21943, Kew; Gordon's Bay, Loseby (Stell. 906).

Leucospermum conocarpum R. Br., Hottentots Holland, MacOwan (Rabenh. Fung. Eur. 3951) 4291, 21942, Kew: Hout Bay, Bottomley, 8918; Kirstenbosch, Bottomley, 32760.

Protea cynaroides Linn., Bain's Kloof, Doidge, 9782. Protea lepidocarpodendron Phill., Lion's Head, 1028.

Parastigmatea nervisita Doidge

Doidge (1921 c) 22.

on Stephania abyssinica (Dill. & Rich.) Walp., Maritzburg, Doidge, 1656, 8252, Type; Town Bush Valley, Doidge, 15416; Piesanghoek, Bosman, 29867; Entumeni, Haygarth, 14180 ; Chase Valley, Wager, 32462.

Stigmatea Grewiae P. Henn.

P. Hennings (1903) 165: Sacc. Svll. Fung. XVII: 650.

on Grewia caffra Meisn., between Kutue and Sobi, Baum 759, Type, Kew; Stella Bush, Doidge, 2522; Amanzimtoti, Doidge, 1654; Isipingo, Doidge, 6643.

Stigmatea Platylophi Verw. & du Pless.

Verwoerd & du Plessis (1932) 316; Nel (1942) 22. on Platylophus trifoliatus Don., Knysna, v. d. Byl 2627, Type.

Stigmatopeltis Rovenae Doidge

Doidge (1927 b) 232.

on Royena lucida Linn., Haenertsburg, Doidge, 17727, Type.

MICROTHYRIA CEAE.

PROTOTHYRIAE.

Protothyrium Tricalysiae Doidge

Doidge (1948 a) 868.

on Tricalysia lanceolata Schum., Umtentweni, Wager, 32676, Type; Louis Trichardt, V. A. Putterill, 11825; Woodbush, Doidge, 1782; Eshowe, Laughton, 33554.

HE MIHYSTERIAE.

Cocconia capensis Doidge

Doidge (1921 c) 8.

on **Ochna arborea** Burch., Howieson's Poort. *Doidge*, 12373, Type: Van Staden's Pass, *Doidge*, 17248; Pirie Forest, *Doidge*, 22416; Storms River, *Doidge*, 17168; Knysna, *Bottomley*, 32256.

Cocconia concentrica Syd.

Theissen & Sydow (1915) 215: Doidge (1921 c) 7; Dippenaar (1930) 13; Nel (1942) 22: Hansford (1946 a) 170.

Hysterostomella concentrica Syd., H. & P. Sydow (1909) 544; Sacc. Syll. Fung. XXII: 556.

on Trichilia Dregeana E. Mey., Zululand, r. d. Byl 229: La Mercy, r. d. Byl 772, 31952. Trichilia emetica Vaill., Umbelusi Riv., Howard, 1019, Type; Lourenço Marques, T. R. Sim, 508, Kew; Rikatli, Junod, 11728.

Cocconia porrigo (Cooke) Sacc.

Sacc. Syll. Fung. VIII: 738: Theissen & Sydow (1915) 214, (1917 b) 408; Doidge (1921 c) 7; Dippenaar (1930) 12; Nel (1942) 22.

Rhytisma porrigo Cooke (1882 a) 129.

on Olea capensis Linn., Inanda, Medley Wood 660, Type, 10702, Kew: Van Staden's Pass. Doidge, 10888: without locality, Keet (v. d. Byl 102): Genadendal, Verwoerd (v. d. Byl 1297).

Olea laurifolia Lam., near Mont-aux-Sources, Doidge, 14105.

Cycloschizon Brachylaenae (Rehm) P. Henn,

P. Hennings (1902) 39 : Sacc. Syll. Fung. XVII : 896 ; Theissen & Sydow (1915) 207, (1917 b) 407 ; Doidge (1921 c) 6 ; Dippenaar (1930) 286 : van der Byl (1926 c) 286.

Schneepia Brachylaenae Rehm., Pazschke (1901) (173).

on Brachylaena discolor D.C., Lemana, Doidge, 1789; Port Shepstone, Pole Evans, 5605; Duikerfontein, Moon, 1887; Umgeni, v. d. Byl 563, 10088; Woodbush, Doidge, 17729.

Brachylaena elliptica (Thunb.) Less., East London, Doidge, 10912.

Brachylaena glabra (Linn. f.) Druce, Port Elizabeth, West, 716; Van Staden's Pass, Bottomley, 9562, Pole Evans, 11445, Doidge, 17249; Assegai Bush, Doidge, 17243; Storms River, Laughton, 34303.

Brachylama neriifolia (Linn.) R.Br.. Cape. *MacOwan* (Rabenh. Fung. Eur. 4264); Bain's Kloof. *Doidge*, 981, v. d. Byl 2077: Montagu Pass, *Doidge*, 17131: Jonkershoek, v. d. Byl 2198: Knysna, v. d. Byl 2278; Genadendal, *Verwoerd* (v. d. Byl 1289); Stellenbosch, *Nel* (v. d. Byl 1443); Somerset West, *Mally*, (Stell. 848): Stellenbosch, *Verwoerd* (Stell. 339): Joubertshoek, Stellenbosch, du Plessis (Stell. 861).

Brachylaena sp., Rikatli, Junod, 11724; Stellenbosch, Loseby (Stell. 560); Caledon, Verwoerd (Stell. 130).

Cycloschizon fimbriatum Doidge

Doidge (1921 c) 6; Hopkins (1938 a) 103, (1943) 182.

? as Parasterina sp., Nel (1942) 18.

on Catha edulis Forsk., Letaba Drift, Doidge, 1797, Type, 1833; Louis Trichardt, V. A. Putterill, 11835; Tzaneen, Liebenberg, 30963, 32723; Rikatli, Junod, 11682; Mazoe, Eyles 7148, Kew; ? Rhodesia, Eyles (v. d. Byl 2631).

Echidnodes Acokantherae Doidge

Doidge (1942 a) 322; Hansford (1946 a) 172.

Asterinella Acokantherae Doidge (1920 g) 266, 278; Nel (1942) 16.

Prillieuxina Acokantherae (Doidge) Ryan, Stevens & Ryan (1939) 77.

sub Dimerosporium Acocantherae P. Henn., P. Sydow (1899 a) (132); Medley Wood (1898) 11.

on Acokanthera spectabilis Hk., f., Durban, Medley Wood 6450, 333, 9510, Medley Wood 6461, 341, 9521; Tongaat, v. d. Byl, 6951, Type; Bonza Bay, Bottomley, 26683; Ebb and Flow, Wilderness, Doidge, 17112.

Acokanthera venenata G. Don., East London, Doidge, 10915, 12393; Alexandria, Doidge, 22348; Bracken Hill, Knysna, v. d. Bul 2315.

Carissa bispinosa (Linn.) Desf., Assegai Bush, Doidge, 17238; Louis Trichardt, V. A. Putterill, 11849; Mtunzini, Laughton, 33533; Highbury, Doidge, 33159.

Echidnodes africana Doidge

Doidge (1942 a) 324.

Morenoina africana Doidge (1920 g) 242, 281.

on Dryopteris inaequalis (Schl.) O. Ktze., Zwartkop, Doidge, 11605, Type.

Echidnodes Curtisiae Doidge

Doidge (1948 a) 872.

on Curtisia faginea Ait., Deepwalls, Bottomley, 32121 a, Type.

Echidnodes durbana (v. d. Byl) Hansf.

Hansford (1946 a) 175, (1948) 819.

Lembosia durbana van der Byl (1929 a) 319; Doidge (1942 a) 321; Nel (1942) 17. on Cassine? laurifolium (Harv.) Davison, Durban, Forbes (v. d. Byl 2526) Type, 33161.

Echidnodes Hypolepidis Doidge

Doidge (1942 a) 324.

Echidnodella Hypolepidis Doidge (1920 g) 270, 281.

on Hypolepis sparsisora (Schrad.) Kuhn., Woodville Forest, Doidge, 10930, Type.

Echidnodes lembosioides Doidge

Doidge (1942 a) 321.

Asterinella lembosioides Doidge (1920 g) 267, 279.

on Balladyna velutina (Berk. & Burt.) v. Höhn. and Meliola littoralis Syd. on leaves of Canthium Gueinzii Engl., Buccleuch, Doidge, 11574, Type.

Echidnodes natalensis Doidge

Doidge (1942 a) 323; Hansford (1946 a) 173.

Lembosia natalensis Doidge (1920 g) 268, 279.

on Eugenia zuluensis Dümmer, Krantzkloof, Doidge, 8984, Type.

Echidnodes rhoina Doidge

Doidge (1920 g) 269, 280, (1942 a) 323; Nel (1942) 17; Hansford, (1946 a) 173.

on Rhus lucida Linn., Van Staden's Pass, Doidge, 10887, Type, 17263; Howieson's Poort, Doidge, 10957; Assegai Bush, Doidge, 17244; Grahamstown, Britten, 14212.

Rhus mucronata Thunb., Knoetze, v. d. Byl 2300.

Rhus Schlechteri Diels, Humewood, Doidge, 2295.

Echidnodes transvaalensis Doidge

Doidge (1948 a) 873.

on Eugenia natalitia Sond., Mariepskop, Scott, 34027, Type

Hysterostomella Bosciae Doidge

Doidge (1948 a) 869.

Cyclotheca Bosciae Doidge (1924 a) 196.

on Maerua racemulosa (A. P. DC.) Gilg. & Ben., The Wilderness, *Doidge*, 17125, Type: Knysna, *Laughton*, 32389.

Maerua Legatii Burtt Davy, near Olifants Rivier on road from Tzancen, Scott, 34028.

Hysterostomella opaca (Svd.) Doidge

Doidge (1948 a) 870.

Hysterostomina opaca Syd., H. Sydow (1924 c) 429; Dippenaar (1930) 16; Nel (1942) 22.

on Olea foveolata E. Mev., Knysna, v. d. Byl 1397, Type, 2280, Otto (Stell. 342).

Hysterostomella Oxyanthae Doidge

Doidge (1948 a) 870.

Hysterostomina Oxyanthae Doidge (1927 b) 232.

Morenoella Oxyanthae Doidge (1920 g) 270, 281 : van der Bvl (1926 c) 286.

on Oxyanthus Gerrardi Sond., Woodbush, Doidge, 1758, 17725, 28340; Louis Trichardt, V. A. Putterill, 11850; Town Bush Valley, Doidge, 9719; Table Mt., Natal, Doidge, 14970; Kentani, Pegler 2321, Type 9073, Kew; Mariepskop, Scott, 34040.

Hysterostomella tenella Svd.

H. & P. Sydow (1912 c) 442; Pole Evans & Bottomley (1918) 185; Doidge (1948 a) 870.

Hysteromina tenella Syd., Theissen & Sydow (1915) 228, (1917 b) 409; Doidge (1921 c) 9; Sacc. Syll. Fung. XXIV: 410.

on Asparagus striatus Thunb.. Despatch, Doidge, 1241, Type: Grahamstown, Britten, 22339.

Asparagus subulatus Thunb., Kentani, Pegler 1866, 2240, 2369.

Lembosiopsis eucalyptina Petrak & Syd.

Petrak & Sydow (1924) 372; Doidge & Bottomley (1931) 23; Doidge (1942 a) 318.

on Eucalyptus coriacea A. Cunn., Jessievale, D.F.O., 17285.

Eucalyptus gigantea Dehnh., Jessievale, D.F.O., 17096, 17266, Type, 20458; Insizwa, D.F.O., 20453; Ingeli, D.F.O., 20455; Kubusi, D.F.O., 20476, 20457; Evelyn Valley, D.F.O., 20619.

Eucalyptus globulus Lab., Woodbush, Doidge, 17753.

Eucalyptus hemiphloia F. v. M., Jessievale, D.F.O., 17287.

Eucalyptus obliqua L'Hér., Jessievale, D.F.O., 17286.

Eucalyptus regnens F. v. M., Jessievale, D.F.O., 17265.

Eucalyptus sp., Rosetta, Sim, 12494.

Macowaniella congesta (Wint.) Doidge

Doidge (1921 c) 9; Dippenaar (1930) 18; Doidge & Bottomley (1931) 5; Nel (1942) 22.

Lembosia congesta Winter (1884 c) 266; Sacc. Syll. Fung. IX: 1105; Doidge (1920 g)

sub Meliola amphitricha Fr. in Herb. Kew.

on Carissa bispinosa (L.) Desf., Cape, MacOwan 1292, Type (S.A. M. 33497) Kew; Isipingo, Doidge, 10155; Stella Bush, Bottomley, 11381; Hogsback, Henderson, 11345; Lovedale, Doidge, 10979; Howieson's Poort, Doidge, 10960; Knysna, Bottomley, 32239, 32263, Verwoord (Stell. 344), v. d. Byl 365, 2290; Woodville Forest, Doidge; 10929; Lemana, Doidge, 1786; Woodbush, Doidge, 17763; Hamanskraal, Mogg, 23465.

Carissa grandiflora A.D.C., Eshowe, McClean, 33091; Isipingo, Wager, 33085; Krantzkloof, Doidge, 8983.

Carissa haematocarpa (E. & Z.) DC., Cango Valley, Doidge, 10898; Grahamstown, Gane, 11369.

Macowaniella myrsinicola Doidge

Doidge (1924 a) 196; van der Byl (1925 b) 192; Dippenaar (1930) 19; Doidge & Bottomley (1931) 16.

on Rapanea melanophleos Mez., Greytown, Doidge, 15529, Type; Claridge, Doidge, 8995; East London, Doidge, 10908; Montagu Pass, Doidge, 17105; Knysna, Otto, (Stell. 343; v. d. Byl 1367); Woodbush, Doidge, 1757.

Morenoina Dracaenae Doidge

Doidge (1948 a) 874.

on Dracaena Hookeriana K. Koch, on leaves, Durban, v. d. Byl 328, 34481, Type.

Palawania Dovyalidis (Doidge) Nel

Nel (1942) 22; Doidge (1948 a) 871.

Palawaniella Dovyalidis Doidge (1924 a) 198; Dippenaar (1930) 29.

on Dovyalis rhamnoides Harv., The Wilderness, Doidge, 17117, Type; Bathurst Distr., Doidge, 12347; Knysna, Laughton, 32267, v. d. Byl 2297; George, Verwoerd (Stell. 347).

Palawania Halleriae (Dipp.) Doidge

Doidge (1948 a) 871.

Byliana Halleriae Dippenaar (1930) 31.

on Halleria lucida Linn., Bloukransrivier, v. d. Byl 2496, Type, 33592; Knysna, Verwoerd (Stell. 345).

Palawania orbiculata (Syd.) Doidge

Doidge (1948 a) 870.

Seynesia orbiculata Syd., H. & P. Sydow (1912 a) 39; Doidge (1920 g) 242; Sacc. Syll. Fung. XXIV: 428.

Palawaniella Eucleae Doidge (1921 c) 16; Dippenaar (1930) 30; Hansford.

Palawania Eucleae (Doidge) Nel (1942) 22.

Palawaniella orbiculata (Syd.) Doidge (1942 a) 329.

as Hysterostomina Eucleae (Doidge) van der Byl (1925 b) 192; J. Phillips (1931) 159.

on Euclea lanceolata E. Mey., Piesanghoek, Bosman, 25868; Rooiwal, Bosman, 29922.

Euclea macrophylla E. Mey., Howieson's Pocrt, Doidge, 12375.

Euclea natalensis A.DC., Letaba Drift, *Doidge*, 1808, Type; New Agatha, 11384; Nelspruit, *Liebenberg*, 29910; Magoeba's Kloof, 35165.

Euclea racemosa Murr., Cape Flats, Dippenaar, 33885.

Euclea sp., Knysna, Bottomley & Laughton, 32248; Grahamstown, Otto (Stell. 348); Rooiwal, Bosman, 35168.

Schneepia radiata Doidge

Doidge (1921 c) 5. Lembosia radiata Doidge (1920 z) 269.

on **Leguminosae** undet., Rikatli, Junod. 11729.

MICROTHYRIAE.

Asterinella contorta (Doidge) Hansf.

Hansford (1946 a) 186.

Dothidasteromella contorta Doidge (1920 c) 118.

Isipinga contorta Doidge (1921 c) 15.

on Trichocladus ellipticus E. & Z., Brander's High Forest, v. i. Bv., 24-2, Type. P.rie. Forest, Doidge, 12300, 22427; Hogsback, K. M. Patterill, 30095.

Asterinella dissiliens Syd.

H. Sydow (1924 c) 424 : van der Byl (1925 b) 192 : J. Phillips (1931) 159 : Nel (1942) 17 : Hansford (1946 a) 190, (1948) 812.

Parasterina reticulata Doidge (1924 a) 200 : Nel (1942) 18 : Doidge & Botto lev (1931) 19 : not Asterina reticulata (Kalchbr. & Cooke) Doidge.

Asterima dissiliens (Svd.) Doidge (1942 a) 287.

con Cassine capensis Linn., Langholm Estates, Doidge, 12353; Grahamstown, Burtt Dury, 2070; Lovedale, Doidge, 10976; Pirie Forest, Doidge, 12295; Knysna, v. d. Byl 2311.
Cassine croceum O. Ktze., Belmont Valley, Britten, 22341; Strowan, Grahamstown, Hansford, 33477; Kowie, Britten, 21007; Kentani, Pegler, 2533; Pirie Forest, Doidge, 12288; Storms River, Laughton, 32488.

Cassine Kraussiana Bernh., East London, Doidge, 12425.

Cassine sp., George, v. d. Bul 362.

Gymnosporia buxifolia Szysz., near Durban, Medley Wood 6452, 337, 9500, 9518: East London, Doidge, 10913: Empangeni, r. d. Byl. 11367: Alexandria, Doidge, 22404: Knysna, Bottomley, 31014, 32115, 32242: Umhlanga Rocks, Wager, 32782: East London, Bartel (v. d. Byl 2430): Zululand, r. d. Byl 321: Groot Rivier, r. d. Byl 2296: Cavendish, Wager, 33318.

Gymnosporia Harveyana Loes., Claridge, Doidge, 8997; Karkloof, Doidge, 14947;

Woodbush, Doidge, 17761; Entabene, Laughton, 33313.

Gymnosporia nemorosa Szysz., Knysna, Pienaar, 2429; Umgeni, nr. Durban, Medley Wood, 9023; Kentani, Pegler 2336, 9069; Port Elizabeth, Bottomley, 9558; Lovedale, Doidge, 10974; Langholm Estates, Doidge, 12370; Howieson's Poort, Doidge, 12386; Pirie Forest, Doidge, 12293; van Staden's Pass, Doidge, 17262; Empangeni, McClean, 31077; Knysna, v. d. Byl 2394.

Gymnosporia peduncularis L. Bolus, nr. Grahamstown, Britten, 14219.

Gymnosporia procumbens Loes., Mtunzini, Laughton, 33535.

Gymnosporia spp., Groot Rivier, v. d. Byl 1392: Caradoc's Bush. Bottomley. 32924.

Lauridia reticulata E. & Z., Woolridge, Begha River Valley, O. West, 34029.

Pleurostylia capensis Oliv., Kentani, Pegler, 2532.

Pseudocassine transvaalensis (Burtt Davy) Bredell, Mahlabatini, *Gerstner*, 32194: Tugela River, near Krantzkop, *Dyer*, 33997.

Putterlickia pyracantha Endl., Amanzi, Doidge, 22406; Komgha, E. P. Phillips, 14151.

Putterlickia verrucosa Szysz., Kentani, Pegler, 8782; Winkle Spruit, Doidge, 9007; Umgeni, nr. Durban, Medley Wood, 9033; Pirie Forest, Doidge, 12286, 12330; East London, Doidge, 12407; Alexandria, Doidge, 22405.

Var. senegalensis Doidge.

Asterina dissiliens var. senegalensis Doidge (1942 a) 288, 334.

on **Gymnosporia senegalensis** Loes., Nelspruit, v. d. Byl, 7076; Rikatli, Junod, 11725, Type; Nelspruit, Liebenberg, 29907; Sabie, Wager, 32413.

Asterinella inconspicua (Doidge) Hansf.

Hansford (1948) 814.

Asteromyxa inconspicua Doidge (1924 a) 199.

Asterina inconspicua Doidge (1942 a) 287.

on Chilianthus arboreus A.D.C., Van Staden's Pass, *Doidge*, 17252, Type; Belmont Valley, *Britten*, 22342; Brenton, Knysna, *Laughton*, 34290.

Asterinella Mimusopsidis Doidge

Doidge (1922 a) 80, (1942 a) 317; Hansford (1946 a) 182.

Prillieuxina Mimusopsidis (Doidge) Ryan, Stevens & Ryan (1939) 81.

on Mimusops obovata Sind., Pirie Forest, Doidge, 12267, Type; East London, Doidge, 12409; Alexandria, Doidge, 22369.

Asterinella Pterocelastri Doidge

Doidge (1924 a) 198, (1942 a) 317; J. Phillips (1931) 159; Hansford (1946 a) 183.

Prillieuxina Pterocelastri (Doidge) Stevens, Stevens & Ryan (1939) 80.

on Pterocelastrus tricuspidatus Sond., Storms River, Doidge, 17190, Type; Deepwalls, Doidge, 17222.

Pterocelastrus Galpini Loes., Entabene, Laughton, 33312.

Asterinella Tecleae Doidge

Doidge (1942 a) 316; Hansford (1946 a) 184.

on Teclea natalensis Engl., West Wood, Haenertsburg, Doidge, 17783, Type.

Asterodothis solaris (Kalchbr. & Cooke) Theiss.

Theissen (1912 c) 179; Theissen & Sydow (1915) 232, (1917) 410; Doidge (1921 c) 10, (1948 a) 871; Dippenaar (1930) 20; van der Byl (1926 c) 286; J. Phillips (1923) 215, (1931) 159; Nel (1942) 21.

Asterina solaris Kalchbrenner & Cooke (1880) 33; Sacc. Syll. Fung. I: 42.

on Olea africana Mill., Cape, MacOwan 1307, Type (Rabenh. Wint. Fung. Eur. 3651) 3991, Kew; Wellington, Doidge, 1033; Langholm Estates, Doidge, 12346; Barberton, Thorncroft, 8826; Brackenfel, J. Acocks (E. L. Stephens 460) 34462.

Olea capensis Linn., van Stadens Pass, *Pole Evans*, 11444; Hogsback, *Henderson*, 11339; Paddock, v. d. Byl, 8375; Caradoc's Bush, Bottomley, 32254; Storms River, Doidge,

17173; Steelpoort Bosch, Keet, 23213.

Olea exasperata Jacq., Belmont Valley, Doidge, 10955; Uitvlugt Plantations, Marloth,

34485; Kowie, Britten, 14223.

Olea foveolata E. Mey., Assegai Bush, Doidge, 17234; Storms River, Laughton, 34297.
Olea laurifolia Lam., Hogsback, Henderson, 11343; Kirstenbosch, Glover, 10043;
Deepwalls, Doidge, 17198; Knysna, Bottomley, 32246; Howiesons Poort, Doidge, 12387; Fort Cunynghame, 8896; Schwarzwald Forest, v. d. Byl, 9464; Oribi Flats, Thode (v. d. Byl 1); Stutterheim, Laughton, 33536; Amabele, Liebenberg, 32893; entabene, Laughton, 33316; Mariepskop, Scott, 34042.

Olea Woodiana Knobl., East London, Doidge, 10902.

Calopeltis Jasmini Doidge

Doidge (1942 a) 277, 339; Hansford (1946 a) 188.

on Jasminum streptopus E. Mey., Durban, Medley Wood, 9516, Type.

Eupelte amicta Syd.

H. Sydow (1924 c) 426 : van der Byl (1926 c) 286 ; Doidge (1942 a) 328 ; Hansford (1946 a).

Pycnocarpon amicta (Svd.) Nel (1942) 18.

on Olea laurifolia Lam., Haenertsburg, r. d. Byl 1510, Type: Pirie Forest, Doidge, 12325.

Ferrarisia Jasmini Doidge.

Doidge (1942 a) 278, 339; Hansford (1946 a) 179.

on Jasminum angulare Vahl, Kentani, Pegler, 2288, Type.

Hysterostoma Acocantherae (P. Henn.) Theiss. & Syd.

Doidge (1941 b) 213: Hansford (1946 a) 177. on **Acokanthera** sp., Schagen, *Liebenberg*, 29906.

Hysterostoma capense Syd.

H. Sydow (1924 c) 428: van der Byl (1925 b) 192: Dippenaar (1930) 22; J. Phillips (1931) 159; Nel (1942) 22.

on Olea exasperata Jacq., Keurboomsrivier, r. d. Byl 1337, Type: Knysna, Otto (Stell. 341.).

Hysterostoma Colae Hansf.

Hansford (1946 a) 177, (1946 b) 196.

on Cola natalensis Oliv. Amanzimtoti, Doidge, 1636, Type: Mt. Edgecombe, Medley Wood 11558, 33310.

Hysterostoma Faureae Doidge

Doidge (1924 a) 197; Dippenaar (1930) 23; Doidge & Bottomley (1931) 62; Nel (1942) 22.

on Faurea McNaughtonii Phill., Gouna Forest, J. Phillips (v. d. Byl 2217) 17293, Type.

Hysterostoma microspora Doidge

Deidge (1927 b) 231.

on Cassipourea Gerrardi Alst., Haenertsburg, Doidge, 17726, Type: Woodbush, Doidge, 17781,

Hysterostoma orbiculata Syd.

Theissen & Sydow (1915) 239; Doidge (1921 c) 13; Sacc. Syll. Fung. XXIV: 413: Doidge & Bottomley (1931) 69.

Dothidasteromella orbiculata Syd., H. & P. Sydow (1912 a) 41.

on **Olea africana** Mill., Wellington, *Doidge*, 1031, Type: Port Elizabeth, West, 1870. East London, *Doidge*, 22408.

Olea capensis Linn., Table Mt., Cape, Mitchell, 15038.

Microthyrium maculicolum Doidge

Doidge (1920 g) 241, (1942 a) 278.

sub Microthyrium annuliforme Syd., Stevens & Ryan (1939) 20.

on Capparis citrifolia Lam., Durban, Bottomley, 11668, Type.

Microthyrium ranulisporum Doidge

Doidge (1927 b) 235, (1942 a) 277.

on Scolopia Mundtii Presl., Komgha, E. P. Phillips, 14152, Type.

Placoasterella Rehmii (P. Henn.) Theiss. & Syd.

Theissen & Sydow (1915) 237; Doidge (1912 c) 12, (1942 a) 325; Dippenaar (1930) 27; Doidge & Bottomley (1931) 5; Nel (1942) 108.

Asterella Rehmii P. Henn., Hopkins (1938 a) 103.

as Parasterella gen. nov., Nel (1942) 17.

on Aloe arborescens Mill., Stutterheim, Bell Edmonds, 8899.

Aloe arborescens var. natalensis, Maritzburg, Pole Evans, 1440.

Aloe mitriformis Mill., Montagu Baths, Pole Evans, 9417, Verwoerd (Stell. 346); Langebaan, v. d. Byl 1667, 33172.

Aloe spp., New Hanover, v. d. Byl, 8892; Salisbury (Rh. 1375).

Pleiostomella Halleriae Doidge

Doidge (1921 c) 17; Dippenaar (1930) 31.

on Halleria elliptica Linn., Kentani, Pegler 2348, Type, 9163; Bloukransrivier, v. d. Byl

2796; Knysna, Verwoerd.

Halleria lucida Linn., Louis Trichardt, V. A. Putterill, 11847; Van Staden's Pass, Doidge, 10872; Howieson's Poort, Doidge, 10959, 12384; Buccleuch, Doidge, 11585; Storms River, Doidge, 17183; Woodbush, Doidge, 17750; Stella Bush, Wager, 33192; Knysna, Verwoerd (Stell. 345).

Polyrhizon Bewsii Doidge

Doidge (1921 c) 12.

on Cassine aethiopica Thunb., Bisley, Bews, 10087, Type, Doidge, 11592.

Cassine sphaerophylla O. Ktze., Bloukransrivier, du Preez, 34507; Brenton, Knysna, Laughton, 35162.

Polyrhizon Celastri Doidge

Doidge (1924 a) 197.

on Gymnosporia acuminata Szysz., Deepwalls, Doidge, 17207, Type.

Polyrhizon Pterocelastri Doidge

Doidge (1948 a) 871.

on Pterocelastrus Galpini Loes., Kromrivier, Doidge & Bottomley, 32776, Type.

Polystomella caulicola Doidge

Doidge (1921 c) 16.

on Asparagus sp., Aliwal North, Pienaar, 2098, Type.

ASTERINACEAE.

Asterina africana (v. d. Byl) Doidge

Doidge (1942 a) 310, 333.

Asterina celtidicola P. Henn, var. microspora Doidge (1920 g) 260.

Parasterina africana van der Byl (1929 a) 319; Nel (1942) 17.

as Asterina celtidicola in Nel (1942) 16.

on **Xylotheca Kraussiana** Hochst., Durban, Forbes (van der Byl 2527), Type; Stella Bush, Bottomley, 11376, 11378, 11382, v. d. Byl 742, 11361, Schilz, 14706; Durban, Bottomley, 11897, 11898, Pole Evans, 11899, Franks, 8405, Forbes, 33160, v. d. Byl 110, 742; Winkle Spruit, Doidge, 9004, 9012; Amanzimtoti, Doidge, 1683; Berea, Durban, Morgan & Doidge, 32157.

Oncoba sp., Rikatli, Junod, 11732.

Var. Kiggelariae Doidge

Doidge (1942 a) 310.

as Asterina celtidicola, J. Phillips (1931) 159,

on Kiggelaria africana Linn., Keurkloof Forest, *Doidge*, 17111, Type; Storms River, *Doidge*, 17191; Deepwalls, *Doidge*, 17221; Woodbush, *Doidge*, 17748; Montagu Pass Road, *Doidge*, 17104.

Asterina aulica Syd.

H. Sydow (1938) 185.

Parasterina rigida Doidge (1920 g) 246, 277, not Asterina rigida Doidge.

Asterina Oncinotidis Doidge (1942 a) 282.

on Oncinotis inandensis Wood & Evans, Buccleuch, Doidge, 9722, Type; Inanda, Medley Wood 1009, 32173.

Asterina Bosmanae Doidge

Doidge (1942 a) 291, 333.

on Chrysophyllum magaliesmontanum Sond., Rooiwal, Bosman, 32808.

Asterina Bottomleyae Doidge

Doidge (1942 a) 286, 333.

on Ilex mitis (L.) Radkf., Mont-aux-Sources, Bottomley, 23406, Type: Woodbush, Doidge, 1753, 17780: Brander's High Forest, v. d. Byl, 9461: Buccleuch, Doidge, 11563; Woodville Forest, Doidge, 10943 a: Klein Kruis Rivier, Muir 3452, 32375; between Vryheid and Nongomo, Pole Evans, 32373; Graskop, Galpin, 32370; Knysna, Laughton, 32468, v. d. Byl 2283, 33144.

Asterina capparidicola Doidge

Doidge (1942 a) 311, 333.

as Asterina celtidicola in Nel (1942) 16.

on Capparis citrifolia Lam., Ebb and Flow, Wilderness, Doidge, 17123; East London, Doidge, 12416.

Capparis? Volkameriae DC., Witklip, Port Elizabeth, v. d. Byl 2492.

Capparis Zeyheri Turcz., Alexandria, Doidge, 22358, 22360, 22361, Type; Van Staden's Pass, Doidge, 17254.

Asterina clausenicola Doidge

Doidge (1920 g) 263, 273, (1942 a) 303; van der Byl (1926 c) 286.

on Clausena anisata (Willd.) Hk. f., Hilton Road, Doidge, 11606, Type; Buccleuch, Sim, 10149; Woodbush, Doidge, 1754, 17760, 28328.

Asterina Combreti Syd.

Doidge (1920 g) 249, (1942 a) 301.

Hyphaster kutuensis P. Hennings (1903) 169; Sacc. Syll. Fung. XVIII: 685.

Asterina (Dimerosporium) Combreti var. kutuensis (P. Henn.) v. Höhnel (1910 b) no. 599.

on Combretum Baumii Engl. & Gilg., Kutue, Baum 751.

Combretum glomeruliferum Sond., Woodbush, Doidge, 17719, 28343; Entabeni, Wager, 26371.

Combretum Kraussii Hochst., Louis Trichardt, V. A. Putterill, 11829; Woodbush, Doidge, 1773; Buccleuch, Sim. 10152; Springfield, Medley Wood, 9021; Mariepskop, Scott, 34041.

Asterina confluens Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 33; Sacc. Syll. Fung. I: 49; von Höhnel (1910 a) nr. 490; Doidge (1942 a) 325.

on **Canthium ciliatum** O. Kze., Boschberg, *MacOwan 1259*, 1331, Type (Thuem. Myc. univ. 775, sub *Meliola Psilostomae* Thuem.) 12253 Kew.

Doubtful species; according to von Höhnel (l.c.), this is? *Melasmia confluens* (Kalchbr. & Cooke) v. Höhn.

Asterina crotoniensis (Doidge) Ryan

Stevens & Ryan (1939) 52; Doidge (1942 a) 293.

Asterina crotonicola Doidge (1922 a) 76, non Pat.

on **Croton rivularis** Muell., East London, *Doidge*, 12427, Type, 22412; Langholm Estates, *Doidge*, 12355; Donkerbosch, *Britten*, 22340; Alexandria, *Doidge*, 22359; Woodville Forest, *Doidge*, 11018.

Asterina delicata Doidge

Doidge (1920 g) 253, 274, (1942 a) 292.

as Asterina Grewiae Cooke, J. Phillips (1931) 159.

on Grewia lasiocarpa E. Mey., Mayville, Medley Wood, 9062, Type; Kentani, Pegler 2436, 10993

Grewia occidentalis Linn., Pirie Forest, Doidge, 12297.

Asterina diplocarpa Cooke

Cooke (1882 a) 129; Sacc. Syll. Fung. IX: 381; Theissen (1912 b) 14, (1913 a) 106; Doidge (1920 g) 263, (1942 a) 305; Nel (1942) 16.

Asterina similis Cooke (1882 a) 130; Sacc. Syll. Fung. IX: 381.

Seynesia Balansae Speg. var. africana Sacc., P. Sydow (1899 a) (133); Sacc. Syll. Fung. XVI: 640.

Asterina Balansae (Speg.) Theiss. var. africana (Sacc.) Theissen (1913 a) 88; Doidge (1920 g) 257.

on Sida rhombifolia Linn., Inanda, Medley Wood 544, 9505, 10192, Kew.

Sida cordifolia Linn., Inanda, Medley Wood 601, Type, 9506, 10194, Kew: Van Staden's Pass, Doidge, 10858; Natal, Medley Wood 6464, 9507; Durban, v. d. Byl 7, 739.

Var. Hibisci Doidge

Doidge (1942 a) 306, 334.

on **Hibiscus pedunculatus** Cav., Town Bush Valley, *Doidge*, 9710; East London, *Doidge*, 10927; Duncairn, *Doidge*, 14952; Van Staden's Pass, *Doidge*, 17258, Type; Deepwalls, *Bottomley*, 32126.

Asterina elegans Doidge

Doidge (1942 a) 311, 334.

sub Asterina sphaerasca Thuem., Doidge (1920 g) 262.

on Capparis citrifolia Lam., Winkle Spruit, Doidge, 9010, Type.

Capparis Gueinzii Sond., Bluff, Durban, Morgan & Doidge, 32155.

Asterina erysiphoides Kalchbr. & Cooke emend. Doidge

Kalchbrenner & Cooke (1880) 32 : Sacc. Syll. Fung. I : 47 ; Doidge (1920 g) 256, (1942 a) 304 : Theissen (1912 b) 16, (1913 a) 25.

on Jasminum angulare Vahl, Kentani, Pegler 1868, 9161, Kew: East London, Doidge, 12405: Pirie Forest, Doidge, 12265: Langholm Estates, Doidge, 12352: Alexandria, Doidge, 22367.

Jasminum multipartitum Hochst., Alice, Doidge, 10978: Springfield, Medley Wood, 9018; East London, Doidge, 12432; Tongaat, v. d. Byl, 6954.

Jasminum tortuosum Willd., Cape, MacOwan 1139, Type, Kew.

Asterina Excoecariae Doidge

Doidge (1920 g) 258, 274, (1942 a) 306.

on Drypetes arguta Hutch., Winkle Spruit, Doidge, 9009, Type.

Asterina ferruginosa Doidge

Doidge (1920 g) 254, (1942 a) 291; van der Byl (1926 c) 286; Nel (1942) 16. on Cussonia spicata Thunb., Sea View, Durban, $r.\ d.\ Byl\ 67,\ 11360$; Woodbush, $r.\ d.\ Byl\ 1521$; Durban, $v.\ d.\ Byl\ 49$. Cussonia umbellifera Sond., Woodbush, $Doidge,\ 1774$, Type.

Asterina fimbriata Kalchbr. & Cooke.

Kalchbrenner & Cooke (1880) 33; Sacc. Syll. Fung. I: 41; Doidge (1920 g) 251, (1942 a) 300.

Meliola Sclerochitonis Kalchbr., Herb. Mac Owan, Crypt. Austro-afric. 1290.

Asterina punctiformis Lév. var. fimbriata Theissen (1913 a) 67. on Hypoestes aristata R. Br., Inanda, Medley Wood 608, 10189, Kew.

Sclerochiton Harveyanus Nees. on leaves. Boschberg, MacOwan 1290. Type (S.A.M. 33496) Kew; East London, Doidge, 10900, 10910: Pirie Forest, Doidge, 12329. Thunbergia sp., East London, Doidge, 12268: Buccleuch, Doidge, 11584.

Asterina Fleuryae Doidge

Doidge (1942 a) 307, 334.

on Fleurya sp., Woodbush, Doidge, 28349, Type.

Asterina gerbericola Doidge

Doidge (1924 a) 202, (1942 a) 297; Nel (1942) 16.

on Gerbera cordata Less.. Storms River, *Doidge*, 17175. Type: Caradoc's Bush. *Bottomley*, 32127; Deepwalls, *Bottomley*, 32123; Storms River, *Keet & Laughton*, 34292. Gerbera piloselloides Cass., Deepwalls, *J. Phillips* (v. d. Byl 2223) 20381.

Asterina Grewiae Cooke

Kalchbrenner (1882 a) 130 : Sacc. Syll. Fung. IX : 382 ; Theissen (1912 c) 189, (1913 a) 76 : Doidge (1920 g) 253, (1942 a) 292.

as Asterina delicata in Nel (1942) 16; J. Phillips (1931) 159.

on Trimeria grandifolia (Hochst.) Warb.. Inanda, Medley Wood 639, Type, 12333. Kew; Pirie Forest, Doidge, 12289: Goodoo Bush, Doidge, 14131: Tugela Valley nr. Montaux-Sources, Doidge, 14133: Keurkloof Forest, Doidge, 17128; Storms River, Doidge, 17184: Woodbush, Doidge, 17779; Lundie's Hill, Doidge, 30478; Knysna, Bottomley, 32245, v. d. Byl 418; Bloukrantz, v. d. Byl 1394.

Var. zonata Doidge

Doidge (1942 a) 293, 335.

on Trimeria trinervis Harv., Howieson's Poort, Doidge, 12382, Type.

Asterina Hendersoni Doidge

Doidge (1920 g) 255, 275, (1942 a) 290.

as Englerulaster orbicularis (Berk. & Curt.) v. Höhn., van der Byl (1926 c) 286; Doidge

& Bottomley (1931) 16, J. Phillips (1931) 159.

on Ilex mitis (L.) Radlk., Hogsback, Henderson, 11341, 11342, Type, Rattray, 32372; Brander's High Forest, v. d. Byl, 9461; Van Staden's Pass, Pole Evans, 11443, Doidge, 10884; Woodville Forest, Doidge, 10943, Ballenden, 32471; Storms River, Doidge, 17187; Assegai Bush, Doidge, 17242; Alexandria, Doidge, 22418; Deepwalls, Doidge, 17210; Caradoc's Bush, Bottomley, 32119: Bracken Hill, v. d. Byl 2314; Knysna, v. d. Byl 2266, 2289, Laughton, 32469; Keiskama Hoek, Stayner, 32377; Jonkershoek, v. d. Byl 2199; Zwartkop nr. Maritzburg, T. R. Sim, 10574; Buccleuch, Doidge, 11563; Woodbush, Doidge, 1753, K. M. Putterill, 32470, v. d. Byl 1516; Duivelskantoor, Pole Evans, 32376; Ncaga Mt., Galpin 9869, 32374.

Asterina infuscans Wint.

Winter (1885 b) 24; Theissen (1913 a) 28; Doidge (1942 a) 325.

Asterella infuscans (Wint.) Sacc. Syll. Fung. IX: 394.
on Euclea undulata Thunb., Boschberg, MacOwan.

Doubtful species.

Asterina Knysnae Doidge

Doidge (1942 a) 285, 335.

on Canthium ciliatum O. Kze., Deepwalls, Doidge, 17226, Type.

Asterina loranthicola Svd.

H. & P. Sydow (1914 b) 266; Doidge (1920 g) 263, (1942 a) 302; Sacc. Syll. Fung. XXIV: 457.

on Loranthus Dregei Eckl. & Zeyh., Kentani, Pegler 2302, 8863; Bluff, Durban, Morgan & Doidge, 32156.

Loranthus sp., Quelimane, Pole Evans, 7385, Type.

Asterina natalitia Doidge

Doidge (1942 a) 283, 335.

on Eugenia natalitia Sond., Woodbush, Doidge, 17751, Type; Mariepskop, Scott, 34030. Eugenia zuluensis Dummer, Xumeni Forest, Doidge, 28958, 29837, 29899, 32235; Zwartkop, nr. Maritzburg, Doidge, 11597, 12438; Krantzkloof, Doidge, 8984; Umzinto Bush, Wager, 32683; Gala Bush, Doidge, 33164.

Asterina nodosa Doidge

Doidge (1942 a) 285, 335.

on **Ilex mitis** (L.) Radlk., Woodville Forest, Doidge, 10943, Type.

Asterina opaca Syd.

H. & P. Sydow (1912 a) 38; Theissen (1913 a) 113; Doidge (1920 g) 255, (1942 a,) 289; Sacc. Syll. Fung. XXIV: 471.

on Chrysophyllum natalense Sond., Amanzimtoti, Doidge, 1663, Type; Buccleuch, Doidge 11555.

Asterina Oxyanthi Doidge

Doidge (1942 a) 284.

Parasterina brachystoma (Rehm) Theiss, var. laxa Doidge (1920 g) 245, Nel (1942) 16. Parasterina laxa Doidge (1924 a) 201, not Asterina laxa Wint., van der Byl (1926 c) 286 : Nel (1942) 17.

on Oxyanthus Gerrardi Sond., Woodbush, Doidge, 1758, Type, 28326, v. d. Byl 1534; Berea, Durban, v. d. Byl 111, 741, 11017, 11366.

Asterina Pavoniae Werd.

Werdemann (1923) 50 : Doidge (1942 a) 295 : Nel (1942) 16.

on Sida Hislopii Burtt Davy & Gr., Durban, r. d. Byl 396, Type, 33145; Umkomaas, Bottomley, 11894.

Asterina Peglerae Doidge

Doidge (1920 g) 250, 276, (1942 a) 301.

on Maerua racemulosa (A.P.DC.) Gilg. & Ben., Stella Bush, Schilz, 14705 : The Wilderness, Doidge, 17124 a.

Maerua sp., Kentani, Pegler 2354, 9130, Type.

Asterina pemphidioides Cooke

Doidge (1942 a) 282.

on Syzygium Gerrardi (Harv.) Hochst., Woodbush, Doidge, 17755, 28338.

Asterina peraffinis Speg.

Doidge (1920 g) 259, (1942 a) 308 : van der Byl (1926 c) 286 : Nel (1942) 16.

on Tylophora Flanagani Schlecht., Lemana, Doidge, 1804: Brander's High Forest, v. d. Byl., 9458: Pirie Forest, Doidge, 12304: Hoek van Helbosch, Burtt Davy, 15498: West Wood, Haenertsburg, Doidge, 17721: Woodbush, Doidge, 28345, v. d. Byl 1653; Stutterheim, Laughton, 33534.

Asterina polythyria Doidge

Doidge (1920 g) 258, 276, (1942) 303.

on Osyridicarpus natalensis A.D.C., Tongaat, r. d. Byl. 6949, Type: Langholm Estates, Doidge, 12345; Pirie Forest, Doidge, 12326 a, 22420.

Asterina radio-fissilis (Sacc.) Theiss.

Theissen (1912 b) 22, (1913 a) 97: Doidge (1942 a) 309.

Dimerium radio-fissilis Saccardo (1904) no. 21. Asterina natalensis Doidge (1920 g) 248, 275.

sub Asterina tenuis Wint., Doidge (1920 g) 250.

on Erythrococca berberidea Prain, nr. Durban, Medley Wood 6458 b, 9524 b.

Ctenomeria capensis (Thunb.) Harv., Winkle Spruit. Doidge, 9001: Van Staden's Pass. Doidge, 17259.

Dalechampia capensis Spreng. f., Amanzimtoti, Doidge, 1638: Winkle Spruit, Doidge, 9003.

Acalypha decumbens Thunb., Van Staden's Pass, Doidge, 10862.

Asterina raripoda Doidge

Doidge (1920 g) 254, 276 : (1942 a) 294.

on Ansellia africana Lindl., Zululand, Franks, 6687, Type.

Asterina reticulata Kalchbr. & Cooke emend. Doidge

Kalchbrenner & Cooke (1880) 33; Sacc. Syll. Fung. I: 40; Doidge (1920 g) 252, (1942 a) 296; Nel (1942) 16.

Meliola Oliniae Kalchbr. in Herb. Mac Owanianum.

Asterostomella reticulata (Kalchbr. & Cooke) v. Höhnel (1910) no. 493; Theissen (1913 a) 34.

on Olinia cymosa Thumb., Boschberg, MacOwan 1336, Type (Rabenh. Wint. Fung. Eur. 3337; Rehm. Ascom. 896) 3677, 20800, 21944, Kew; Goodoo Bush, Doidge, 14136; Deepwalls, Doidge, 17199; Knysna, v. d. Byl 2282, 2284; Addo Bush, J. Phillips, 21012; Storms River, Laughton, 34294.

Olinia emarginata Burtt Davy, Mont-aux-Sources, Doidge, 23402; Schurink's Kloof,

Obermeyer & Verdoorn, 30477.

Olinia radiata Hofmeyr & Phill., Ingeli Forest, Chilvers, 30462.

Olinia sp., Barberton, Galpin 1275, 15497.

Asterina Rinoreae Doidge

Doidge (1942 a) 312, 335.

sub Asterina ? vagans Speg., Doidge (1920 g) 261.

sub Asterina vagans Speg. var. subreticulata Theiss., Stevens & Ryan (1939) 69.

on Rinorea natalensis Engl., Buccleuch, Doidge, 9704, Type, 11581.

Asterina robusta Doidge

Doidge (1920 g) 256, 277, (1942 a) 288.

Parasterina implicata Doidge (1920 g) 244, 275.

on **Sideroxylon inerme** Linn., Mossel Bay, *Pole Evans*, 9066, Type; East London, *Doidge*, 10922; Langholm Estates, *Doidge*, 12357; Kowie, *Britten*, 14221.

Asterina Saniculae Doidge

Doidge (1942 a) 300, 336.

on Sanicula europaea Linn., Woodbush, Doidge, 28331, Type.

Asterina Scolopiae Doidge

Doidge (1922 a) 77, (1942 a) 299.

on Scolopia Zeyheri (Szysz.) Nees, East London, Doidge, 12414, Type; Hogsback, K. M. Putterill, 30084; Alexandria, Doidge, 22422; Kentani, Pegler, 8393 a.

Scolopia Zeyheri var. spinosa, Mossel Bay, Pole Evans, 9067 b.

Scolopia Mundtii Presl., Long Ridge, Knysna, Doidge, 17227.

Asterina secamonicola Doidge

Doidge (1927 b) 233, (1942 a) 286; Hansford (1946 a) 191, (1948) 815.

on **Secamone alpini** Schultes, Woodbush, *Doidge*, 17716, Type; Mariepskop, *Scott*, 34027.

Asterina sphaerasca Thuem.

von Thuemen (1878 a) 356; Sacc. Syll. Fung. I: 40; Doidge (1942 a) 326.

on Capparis Gueinzii Sond., Olifants Hoek, *Holland*, (MacOwan 1273), Type. Doubtful species.

Asterina Streptocarpi Doidge

Doidge (1924 a) 203, (1942 a) 296; Nel (1942) 16.

on Streptocarpus Rexii Lindl., Deepwalls, Doidge, 17223, Type, Laughton, 30985, v. d. Byl 2301.

Streptocarpus sp., Knysna, Laughton, 32078.

Asterina Syzygii Doidge

Doidge (1942 a) 284, 336.

as Parasterina brachystoma (Rehm) Theiss., Doidge (1920 g) 245 : van der Byl (1926 c) 286 : Nel (1942) 17.

on **Syzygium Gerrardi** (Harv.) Hochst., Woodbush, *Gray*, 888, *Doidge*, 1759, 17755, Type, 28337, v. d. *Byl 1514*, *1523*; Buccleuch, *Doidge*, 9723, *Sim*, 10141; Entabeni, *Bosman*, 26113; Winter's Kloof, *Doidge*, 12439; Mariepskop, *Scott*, 34034.

Asterina tertia Rac. var. africana Doidge

Doidge (1920 g) 264, 277, (1942 a) 305.

on Barleria obtusa Nees, Winkle Spruit, Franks, 9538.

Dicliptera clinopodia Nees, Lemana, Doudge, 1791, Type: Pirie Forest, Doidge, 12270.

Dicliptera heterostegia Nees, Mayville, Medley Wood, 9028.

Hypoestes aristata R. Br., Inanda, Medley Wood 608, 9512; East London, Doidge, 10923.

Hypoestes verticillaris R. Br., Claridge, Doidge, 8998; Kentani, Pegler 2317, 9074, Kew; Van Staden's Pass, Doidge, 10856; Langholm Estates, Doidge, 12356; Entumeni, Haygarth, 14149; Caradoc's Bush, Bottomley, 32207.

Asterina toruligena Cooke

Cooke (1882 a) 129 : Sacc. Syll. Fung. IX : 389 : Theissen (1912 a) 19 : Doidge (1942 a) 327.

on living leaves, Inanda, Medley Wood 559, 635, Type, Kew. Doubtful species.

Asterina Trichiliae Doidge

Doidge (1920 g) 253, (1942 a) 293.

on Trichilia emetica Vahl, Winkle Spruit, Doidge, 9006, Type: Louis Trichardt, V. A. Putterill, 11833.

Asterina Trichocladi Doidge

Doidge (1942 a) 294, 336.

on **Trichocladus crinitus** Pers., Knysna, *Bottomley*, 32231, Type : Deepwalls, *Bottomley*, 32211.

Asterina uncinata Doidge

Doidge (1920 g) 252, 278, (1942 a) 298.

on **Scolopia Mundtii** Presl., Brander's High Forest, r. d. Byl. 9463 b. Type: Goodoo Bush, Doidge, 14134: Hogsback, K. M. Putterill, 30073.

Asterina undulata Doidge

Doidge (1920 g) 258, 278, (1942 a) 296; van der Byl (1926 c) 286.

on Viola abyssinica Steud., Woodbush, Doidge, 1769, Type.

Asterina van der Bylii Werd.

Werdermann (1933) 49; Doidge (1942 a) 307: Nel (1942) 16.

on Heteropyxis natalensis Harv., Krantzkloof, v. d. Byl 398, Type: Umzimkulu Gorge, Oribi Flats, McClean, 31288: Springfield, Medley Wood, 9022; Krantzkloof, Doidge, 8254; Barclayvale, Liebenberg, 30459; Sabie River, Mogg, 32230; Zimbabwe, v. d. Byl 2470, 33146.

Asterina Vepridis Doidge

Doidge (1942 a) 289, 337.

on Vepris lanceolata Don., Xumeni Forest, Doidge, 27742, Type.

Asterina Woodiana Doidge

Doidge (1942 a) 297.

Asterinella Woodiana Doidge (1920 g) 266.

Prillieuxina Woodiana (Doidge) Ryan, Stevens & Ryan (1939) 78.

on Cryptocarya Woodii Engl., Mayville, Medley Wood, 9025, Type; Durban, v. d. Byl, 11362.

Asterina Woodii Doidge

Doidge (1942 a) 312, 337.

on Capparis Gueinzii Sond., Natal, Medley Wood 6458, Type, 9524 a.

Asterina xumenensis Doidge

Doidge (1942 a) 295, 337.

on Lobelia stellarioides Benth. & Hk., Xumeni Forest, Morgan & Doidge, 30483, Type, Doidge, 32236.

Asterina Zeyheri Doidge

Doidge (1942 a) 283, 337.

on Eugenia Zeyheri Harv., Van Staden's Pass, *Doidge*, 10873; Howieson's Poort, *Doidge*, 12377; Alexandria, *Doidge*, 22357, Type.

Asterolibertia Burchelliae Doidge

Doidge (1942 a) 315.

Asterinella Burchelliae Doidge (1920 g) 267, 278; J. Phillips (1931) 159; Nel (1942) 17.

Prillieuxina Burchelliae (Doidge) Ryan, Stevens & Ryan (1939) 77.

on **Burchellia bubalina** (Linn. f.) Sims, Woodville Forest, *Doidge*, 10940, Type; Keurkloof Forest, *Doidge*, 17121; Storms River, *Doidge*, 17162; Deepwalls, *Doidge*, 17202; Knysna, v. d. Byl 2285, 2495.

Tarenna pavettoides Benth. & Hk., Umtentweni, Wager, 32674.

Asterolibertia megathyria Doidge

Doidge (1942 a) 314.

Asterina qibbosa Gaill, var. megathyria Doidge (1920 g) 248.

on Tricalysia lanceolata (Sond.) Burtt Davy, Amanzimtoti, Doidge, 1576; Winter's Kloof, Doidge, 1624, 8987; Kentani, Pegler 1970, 8787, Kew; Claridge, Doidge, 8992; Durban, Medley Wood, 9027; Town Bush Valley, Doidge, 9707; Buccleuch, Doidge, 9708, Type, Sim, 10151; Umkomaas, Bottomley, 11887; Duncairn, Doidge, 14957.

Tricalysia Sonderiana Hiern., Natal, Medley Wood 6452, 334, 9522; Krantzkloof, Doidge, 8985.

Tricalysia? capensis (Meisn.) Sim, Entabene, Laughton, 33315.

Var. Randiae Doidge

Doidge (1942 a) 315, 338.

on Randia dumetorum Lam., Durban, Medley Wood, 9029; Amanzimtoti, Doidge, 1682; Umgeni, Medley Wood, 9031; Lemana, Doidge, 1792, Type.

Canthium capensis Sond., Hogsback, Henderson, 11348.

Canthium Gueinzii Sond., Hogsback, Henderson, 11347.

Clypeolella Psychotriae Doidge

Doidge (1942 a) 313.

Calothyrium Psychotriae Doidge (1922 a) 76, not Ryan.

on Psychotria capensis Vatke, Amanzimtoti, Doidge, 1575, Type.

Clypeolella rhamnicola Doidge

Doidge (1942 a) 314.

Asterina rhamnicola Doidge (1920 g) 255, 277 : van der Byl (1925 b) 192 : J. Phillips (1931) 159 : Nel (1942) 16.

on Rhamnus princides L'Hérit., Woodbush. Doidge, 1752, Type, 17737, 28341; Kentani. Pegler 2315, 2287, 9068, Kew: Pirie Forest, Doidge, 12294; Brander's High Forest, v. d. Byl, 9463 a: Deepwalls, Doidge, 17214; Keurkloof Forest, Doidge, 17115; Storms River, Doidge, 17179; nr. Mont-aux-Sources, Doidge, 14135; Lundie's Hill, Doidge, 30509; Marwaqa Forest, Morgan & Doidge, 30900; Knysna, v. d. Byl 400, 2274, 2281.

Isipinga areolata Doidge

Doidge (1921 c) 15: Dippenaar (1930) 25: Hansford (1946 a) 193.

Hysterostoma areolata (Doidge) Nel (1942) 22.

on Euclea natalensis A.D.C., Isipingo, Doidge, 6647, 10153, Type; Durban, Medley Wood, 347, 9520; Umgeni, Doidge, 8986; Doonside, v. d. Byl. 11363, 32456; Pirie Forest, Doidge, 22414; Alexandria, Doidge, 22362; Natal coast, v. d. Byl 122; Mtunzini, Laughton, 33526.

Lembosia Phillipsii Doidge

Doidge (1942 a) 319: Hansford (1946 a) 194.

Morenoella Phillipsii Doidge (1924 a) 205 : Doidge & Bottomley (1931) 58 ; J. Phillips (1924) 288, (1931) 159 : Nel (1942) 17.

on Ocotea bullata E. Mey., Montagu Pass, Doidge, 17127: Deepwalls, Doidge, 17205, Type, J. Phillips (v. d. Byl 2257): Knysna, v. d. Byl 2279.

Lembosia piriensis Doidge

Doidge (1922 a) 78, (1942 a) 320: Hansford (1946 a) 194, (1948) 817.

on Trichoeladus ellipticus Eckl. & Zeyh., Pirie Forest, *Doidge*, 12301; Type, Alexandria, *Doidge*, 22426.

Lembosia Wageri Doidge

Doidge (1942 a) 320: Hansford (1946 a) 194.

on Teclea natalensis Engl., Umhlanga Rocks, Wager, 32472, Type: Phoenix, Wager, 33099.

Lembosina Rawsoniae Doidge

Doidge (1942 a) 279, 339.

on Rawsonia lucida Harv. & Sond., Hlinza Forest, Gerstner, 32662.

Trichasterina Popowiae Doidge

Doidge (1942 a) 279: Hansford (1946 a) 191.

Englerulaster Popowiae Doidge (1920 g) 243.

Englera Popowiae (Doidge) Stevens, Stevens & Ryan (1939) 45.

on **Popowia caffra** (Sond.) Hk. f. & Thoms, Buccleuch, *Doidge*, 9714, Type: East London, *Doidge*, 10917: Stella Bush, v. d. Byl 322, 541, 11364, 32133, Schilz, 14704; Bluff, Durban, Morgan & Doidge, 32166: Winters Kloof, Doidge, 12434.

TRICHOTHYRIACEAE.

Mycolangloisia nitida (Doidge) Hansf.

Hansford (1946 b) 207.

Actinopeltella nitida Doidge (1924 a) 216; Hansford (1946 a) 195.

on Asterina gerbericola Doidge on Gerbera cordata, Storms River, Doidge, 17175.

Asterina Streptocarpi Doidge on Streptocarpus Rexii, Deepwalls, Doidge 17225, Type.

Trichothyrium dubiosum (Bomm. & Rouss.) Theiss.

H. Sydow (1924 c) 435 ; van der Byl (1926 c) 286 ; Doidge & Sydow (1928) 441 ; Nel (1942) 26.

Trichothyrium robustum Doidge (1924 a) 215.

on Irene scabra Doidge on Trichocladus ellipticus, Hogsback, K. M. Putterill, 30094.

Meliola Behniae Syd. on Behnia reticulata, Woodbush, v. d. Byl 1536, Doidge, 1779, 17766, 28466.

Meliola comata Doidge on Pyrenacantha scandens Deepwalls, Doidge, 17208 b; Woodville Forest, Doidge, 11020; Storms River, Doidge, 17192.

Trichothyrium elegans Doidge

Doidge (1924 a) 213.

on Asterinella Pterocelastri Doidge on Pterocelastrus tricuspidatus, Storms River, Doidge, 17190 a.

Schiffnerula Gymnosporiae Hansf., on Gymnosporia nemorosa, Forest Hall, Knysna, Doidge, 17228.

Schiffnerula radians (Syd.) Hansf. on Cunonia capensis, Montagu Pass, Doidge, 17129, Type; Storms River, Doidge, 17186; Deepwalls, Doidge, 17220.

TRICHOPELTACEAE.

Trichopeltula Carissae Doidge

Doidge (1922 a) 78.

on Carissa bispinosa (L.) Desf., East London, *Doidge*, 10914, Type, 12424; Storms River, Laughton, 34300.

Trichopeltula kentaniensis Doidge

Doidge (1922 a) 79.

on Allophylus monophyllus Radlk., Kentani, Pegler 2300, 8865.

Xynalos monospora Baill., Kentani, Pegler 1999, Type, 8866; Zwartkop, Natal, Doidge, 11589.

HEMISPHAERIACEAE.

Chaetopeltopsis sp.

on Mangifera indica Linn., leaves, twigs and fruit, Natal and eastern Transvaal (det. Bates).

Micropeltis stigma Cooke

Cooke (1882 a) 128 : Sacc. Svll. Fung. II : 670.

on Conopharyngia ventricosa Stapf, Inanda, Medley Wood 612 pro parte, Type, Kew.

Micropeltis Trichomanis P. Henn.

P. Hennings (1900 b) 326; Sacc. Syll. Fung. XVI: 645; Doidge (1942 a) 329. *Phragmothyrium Trichomanis* (P. Henn.) v. Höhnel (1912) 347; Stevens & Ryan (1939) 28].

on Trichomanes pyxidiferum Linn., Natal, Medley Wood; Horo Bush, Wager, 33435.

11101 - 7

Microthyriella transvaalensis Doidge

Doidge (1927 b) 240.

on Gymnosporia sp., Woodbush, Doidge, 17770, Type.

Phragmothyriella parenchymatica Doidge

Doidge (1924 a) 206.

Zukalia parenchymatica Doidge (1920 b) 114.

on Scutia myrtina (Burm.) Kze., Xumeni Forest, Morgan & Doidge, 29844. **Xymalos monospora** Baill., Kentani, *Pegler*, 8864, Type.

Scolecopeltis Cassipoureae Doidge

Doidge (1922 a) 79.

on Cassipourea verticillata N.E.Br., Buccleuch, Doidge, 11586, Type.

Scolecopeltis Eugeniae Doidge

Doidge (1941 b) 215.

on Eugenia Zeyheri Harv., Alexandria, Doidge, 22349, Type.

Scolecopeltis Morganae Doidge

Doidge (1941 b) 216.

on Myrsine africana Linn., Woodbush, Morgan & Doidge, 30487, Type.

Scolecopeltis Myrsinis Doidge

Doidge (1941 b) 216.

on Myrsine africana Linn., Woodbush, Morgan & Doidge, 30486; Entabene, Laughton, 33598.

Scolecopeltis Strauchii Doidge

Doidge (1941 b) 217.

on Pleurostylia capensis Oliv., Alexandria, Doidge, 22371, Type.

Stomiopeltella africana Doidge

Doidge (1927 b) 241.

on Peddiea africana Harv., Woodbush, Doidge, 17778, Type.

Stomiopeltella petiolaris Doidge

Doidge (1927 b) 241.

on Cussonia spicata Thunb., Woodbush, Doidge, 17718, Type.

Stomiopeltis Citri Bitanc.

Bates in litt.

sub Gloeodes pomigena (Schw.) Colby, Doidge & van der Plank (1931) 173; van der Plank (1933) 1; Bates (1937 b) 207 Fawcett; (1936) 555.

sub Leptothyrium Pomi (Mont. & Fr.) Sacc., Doidge & Bottomley (1931) 45; Doidge &

v. d. Plank (1931) 173; Doidge (1929 b) 323; van der Plank (1933) 3; Hopkins (1938 a) 118.

on Citrus maxima Merr., Mazoe, Bates; Umtali (Rh. 241).

Citrus sinensis Osbeck, Mazoe, Bates (Rh. 298); Riversdale, S. Rhodesia, (Rh. 1064, 1380); White River, v. d. Plank; Westfalia Estates, 20613; Politsi, Lancefield, 26374; Nelspruit, Loest, 33482.

HYSTERIALES.

HYSTERIACEAE.

Bulliardella capensis Doidge

Doidge (1948 a) 875.

on Gymnosporia procumbens Loes., twigs, Qolora, M. Gunn, 34136, Type.

Gloniella natalensis Doidge

Doidge (1941 b) 214.

Gloniella multiseptata Doidge (1920 c) 119, not Spegazzini.

on Euphorbia triangularis Desf., stems, Amanzimtoti, Doidge, 6624, Type.

Hysterographium Acaciae Doidge

Doidge (1924 a) 196; Doidge & Bottomley (1931) 15.

on Acacia Giraffae Burch., Smitskraal, Burtt Davy, 1904, Type; Zwartdam, near Saltpan, Pretoria Distr., Schaefer, 33939.

Hysterographium Fraxini (Pers.) de Not., var. Oleastri Desm.

Doidge (1924 a) 195; Doidge & Bottomley (1931) 69.

on Olea africana Mill., twigs, Wellington, Doidge, 990; Paarl, Dippenaar.

Hysterographium spinicolum Doidge

Doidge (1924 a) 195.

on Acacia litakunensis Burch., Weenen, 2542, Type.

Pseudographis Chrysophylli Doidge

Doidge (1941 b) 214.

on Chrysophyllum magalismontanum Sond., Boschfontein, Doidge & Bottomley, 31066, Type.

PHACIDIALES.

PHACIDIACEAE.

Cryptomyces eugeniacearum (Corda) Sacc.

Saccardo, Syll. Fung. VIII: 708.

Rhytisma eugeniacearum Corda (1840) 45.

sub? Phyllachora goyazensis P. Henn., Doidge (1942 b) 453.

on Eugenia apiculata DC., South Africa, Pöppig.

Eugenia natalitia Sond., Inanda, Medley Wood 599, 10701, Kew.

Eugenia sp., South Africa, Pöppiq.

Cryptomyces Myricae (Mont.) Sacc.

Saccardo, Svll. Fung. VIII: 708.

Rhytisma Myricae Montagne (1843) no. 96.

on Myrica cordifolia Linn., Cape, Boivin, Kew (ex Herb Montagne).

Phacidium nitidum Welw. & Curr.

Welwitsch & Currey (1868) 279.

on Parinarium sp., leaves, Morro de Lopollo, Welwitsch.

PEZIZALES.

PEZIZACEAE.

Ascobolus stercorarius (Bull.) Schroet.

van der Byl (1929 b) 103; Nel (1942) 10.

Ascobolus furfuraceus Pers., Kalchbrenner (1882 a) 145.

on cow dung, Boschberg, MacOwan 1267 (S.A.M. 33418) Kew; Gordon's Bay, Verwoerd (Stell, 89; v. d. Byl 1161) Kew.

Ascophanus durbanensis v. d. Byl

van der Byl (1925 a) 169 : Nel (1942) 10. on dung, Durban, v. d. Byl 590, Type.

Ascophanus granulatus (Bull.) Speg.

on cow dung, Boschberg, MacOwan 1403 (S.A. M. 33397) 20809.

Ascophanus granuliformis (Crouan) Boud, affinis,

Gibbs (1909) 416.

on dung, Matopo Hills, Cheesman.

Ascophanus sp.

Nel (1942) 10.

on horse dung, Stellenbosch, Verwoerd (v. d. Byl 1171).

Cheilymenia pulcherrima (Crouan) Boud.

on horse manure, Stellenbosch, Verwoerd, Kew.

Cookeina Colensoi (Berk.) Seaver

Peziza (Hymenoscypha) aluticolor Berk., Kalchbrenner (1882 a) 144; v. d. Byl (1929 a) 319.

Geopyxis aluticolor Berk., Sacc. Syll. Fung. VII: 65. on wood and bark, Inanda, Medley Wood 678, 11045; Boschberg, MacOwan 1101; Nottingham Road, v. d. Byl 543, 12491; Buccleuch, Leighton, 11689; Town Bush Valley, Rump 309, 28706; ? on wood, Teyatevaneng, Hean, 33504.

Discina (?) submembranacea P. Henn.

Hennings (1895 b) 327 : Sacc. Svll. Fung. XIV : 747. on sandy ground, Woodbush, Schlechter.

Geopyxis ammophila Dur. & Mont.

van der Byl (1929 b) 103; Nel (1942) 20.

on sandy soil, around Hopefield, v. d. Byl 1181, 1918; Langewens, Malmesbury, v. d. Byl 2727.

Geopyxis cupularis (Linn. ex Fr.) Sacc.

Peziza cupularis Linn., Thunberg (1800) 182. Cape, Thunberg.

Humaria epitricha Berk.

Sacc. Syll. Fung. VIII: 121. Peziza epitricha Berk. (1843 b) 103.

on charred wood, Uitenhage, Zeuher 58.

Humarina leucoloma (Hedw.) Seaver

on humus and on charred wood, Fountains Valley, Bottomley, 28578.

Humarina sp.

on damp soil in greenhouse, Prinshof, Liebenberg, 28579.

Lachnea capensis v. d. Byl

van der Byl (1925 a) 169.

Lachnea capensis Lloyd (1922) 1123; Stevenson & Cash (1936) 26.

as Scutellinia capensis Nel (1942) 21.

on horse dung, Stellenbosch, Verwoerd (Stell. 91; v. d. Byl 1170); Hoha Forest, Insikeni Forest Reserve, Kauffman, Type (Lloyd Myc. Coll. 28045) 14483.

Fide Stevenson & Cash (l.c.) the type specimen appears to be a Bulgaria, close to Bulgaria (Sarcosoma) Moelleriana P. Henn., or possibly identical with that species.

Lamprospora leiocarpa (Curr.) Seaver

as Plicaria leiocarpa Curr., Lloyd (1922) 1160. on ground, Stellenbosch Flats, Duthie 313, 31480.

Lasiobolus equinus Karst.

Sacc. Syll. Fung. VIII: 537.

Ascobolus ciliatus Schum. (?- A. ciliatus Berk.) Kalchbrenner (1882 a) 145.

on cow dung, Somerset East, MacOwan 1403; on horse manure, Stellenbosch, Verwoerd, Kew.

Melastiza Charteri (Smith) Boud.

on dead wood, Cathedral Peak, Lawrence, 33913.

Patella albida (Schaeff.) Seaver

Lachnea hemispherica (Wigg. ex Fr.) Gill., Lloyd (1916 d) L. 63:4; van der Byl (1922 d)

? as Scutellinia hemispherica, Nel (1942) 21.

on soil, Stellenbosch, Krige (Duthie 427), Verwoerd (Stell. 94; v. d. Byl 1144)].

Patella coprinaria (Cooke) Seaver

Cheilymenia coprinaria Boud., van der Byl (1929 b) 103.

as Scutellinia coprinaria, Nel (1942) 21.

on dung, Gordon's Bay, Verwoerd (Stell. 92; v. d. Byl 1162).

Patella Lusatiae (Cooke) Seaver

Peziza (Scutellinia) Lusatiae Cooke, Kalchbrenner (1882 a) 144.

Lachnea Lusatiae Cooke, Sacc., Syll. Fung. VIII: 178.

on rotten wood, Boschberg, MacOwan 1130, Kew.

Patella scutellata (Linn.) Morgan

Simpson & Talbot (1946) 132.

on rotten wood amongst moss, Xumeni Forest, Doidge, 28317; ? Boschberg, MacOwan 1130 (S.A.M. 33404); on fallen Olea, Qudeni Forest, Simpson & Talbot, 34943.

Peziza abietina Pers.

? on timber, Jubilee Mine, Pilgrim's Rest, Lurie 28, 28760.

Peziza africana v. d. Byl

on ground in old stable, Stellenbosch, Verwoerd (v. d. Byl 1706).

Peziza Cyphellum Kalchbr.

in Herb. ? nom. nud.

on old trunks in bush, Boschberg, Tuck, MacOwan 1101 (S.A.M. 33392) 20838.

Peziza nilgherrensis Cooke

in Herb. ? nom. nud.

on bark, Inanda, Medley Wood 549, 9471, 11048; ? Nottingham Road, v. d. Byl 544 12490.

Peziza repanda Pers.

on rotten wood, Xumeni Forest, *Doidge*, 28318; on damp soil, Kingwilliamstown, *Leighton*, 28956.

Peziza vesiculosa Bull.

Berkeley (1876 a) 176.

on damp, clayey soil, Lion's Head, above Kloof Road, Eaton, Kew; ? on paper buried in soil, Prinshof, Storey, 30987.

Phillipsia domingensis Berk.

Helotium purpuratum Kalchbr., von Thuemen (1880) no. 1614; Sacc, Syll. Fung. X: 7.
 Phillipsia kermesina Kalchbrenner & Cooke (1880) 25: Kalchbrenner (1882 a)
 144; Sacc, Syll. Fung. VIII: 151.

on fallen, decaying branches, Boschberg, MacOwan 1102 (Thuem. Myc. univ. 1614: Roum. Fung. Sel. Exsict. 4634; S.A. M. 33418) 21957, Kew: Natal, Medley Wood 411, Kew.

Plectania coccinea (Scop.) Fuck.

Peziza coccinea Jacq., Kalchbrenner (1882 a) 144.

Sarcoscypha coccinea Jacq., Sacc. Syll. Fung. VIII: 154.

on dead twigs, Somerset East, MacOwan 1126 b; Fountains Valley, Bottomley, 14497; Reinecke, 21214, Bottomley & Louwrens, 28586; ? Haenertsburg, (T.R.L. 271).

Plectania occidentalis (Schw.) Seaver

on dead twigs, Cathedral Peak, Lawrence, 33915.

Pyronema omphaloides (Bull.) Fuck.

Hopkins (1938 a) 104.

Pyronema confluens (Pers.) Tul., Eyles (1924 b) 748; (1926) 649; Verwoerd (1929 b) 27.

as Pyronema sp., Nel (1942) 21.

on soil, Eldorado (Rh. 1); Salisbury (Rh. 1398); on soil in tobacco seed beds, Eyles (v. d. Byl 206); Stellenbosch, Verwoerd; on burnt ground, Grahamstown, Archibald, 33432; Mamagalieskraal, Venter, 33507.

Rhizina inflata (Schaeff.) Karst.

on wood, Knysna, Laughton, 34391.

Rhizina resupinata Lloyd

Lloyd (1923) 1179; Stevenson & Cash (1936) 26.

on surface of clayey soil, Papegaaisberg, *Duthie 306* (Lloyd Myc. Coll. 32508) 31474.

Doubtful species.

Saccobolus depauperatus (Berk. & Br.) Phill.

Gibbs (1909) 416.

on dung, Matopo Hills, Cheesman.

HELVELLACEAE.

Helvella mitra Linn.

on damp soil, Rosebank, Bottomley, 24355; in pine woods, off Newlands Av., Bottomley, 24386.

Morchella conica Pers.

Marloth (1913) 23, Pl. IV; van der Byl (1922 d) 283, (1929 b) 103.

on ground, Stellenbosch, Duthie; near water's edge, Debbe's Ravine, Bottomley, 24345; Cape Town, v. d. Byl; Cape, Kew (ex Herb. Cooke); on bed of wattle tan, Kingwilliamstown, Leighton, 28955; on ground, Knapdaar, Gideon Joubert, 14639; Zoutpansberg, 407; Retreat, Marloth, 11818.

Morchella esculenta (Linn.) Pers.

Berkeley (1876 a) 176.

on Ground, Groote Schuur, Eaton, Kew; in woods near Cape Town, MacOwan (S.A. M. 33381) Kew.

It seems probable that these two specimens are Morchella conica; the latter species is common at the Cape, and there is no recent record of M. esculenta.

HELOTIALES.

DER MATEACEAE.

Angelina nigro-cinnabarina Berk. & Curt.

von Thuemen (1878 a) 356.

on bark of living trees, Somerset East, MacOwan 1265.

Belonidium capense (Kalchbr. & Cooke) Sacc.

Saccardo, Syll. Fung., VIII: 503.

Helotium capense Kalchbrenner & Cooke (1880) 25; Kalchbrenner (1882 a) 144.
on decaying wood, Inanda, Medley Wood 180, 520, 531, 9469, 10403, 10404, 11142, Kew;
Somerset East, MacOwan.

Bulgariastrum africanum Syd.

H. & P. Sydow (1915 b) 42; Doidge (1948 a) 875.

on Capparis Rudatisii Gilg. & Ben., Friedenau, Natal, Rudatus 1388, Type; Somerset East, MacOwan 1273 b, 20814; East London, Doidge, 12395.

See also the conidial form of this fungus, Oncospora viridans Kalchbr. & Cooke.

Bulgariastrum bullatum Doidge

Doidge (1948 a) 875.

on Capparis citrifolia Lam., Langholm Estates, Doidge, 12350, Type.

See also the conidial form of this fungus, Oncospora bullata Kalchbr. & Cooke.

Dermatea rufa Cooke

Cooke (1879 b) 72: Kalchbrenner & Cooke (1880) 25: Sacc. Syll. Fung. VIII:

on bark, Natal, Medley Wood 400, Type, Kew.

Fabraea litigiosa (Desm.) Sacc.

Saccardo, Svll. Fung. VIII: 735.

Phacidium litigiosum Desm., Kalchbrenner & Cooke (1880) 26; Kalchbrenner (1882 a) 145.

Pseudopeziza Ranunculi Fuck. f. Ranunculi-pinnati von Thuemen (1877) 409.

on Ranunculus pubescens Thunb., Boschberg, MacOwan 1281 (Thuem. Myc. Univ. 916; S.A. M. 33420) 20835, 21973.

Fabraea maculata Atks.

Doidge & Bottomley (1931) 35, 54.

See Entomosporium maculatum Lév., the perfect stage of this fungus has not been found in South Africa.

Mollisia aquosa Phill.

on dead wood, Kenilworth, H. H. W. Pearson.

Mollisia cinerea (Batsch ex Fr.) Karst.

Sacc. Svll. Fung. VIII: 336: Llovd (1917 a) L. 66: 3.

Peziza (Mollisia) cinerea Batsch. ex Fr., Kalchbrenner (1882 a) 144.

on dead leaves under shrubs, Boschberg, MacOwan 1098, 20803.

Mollisia subgilva Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 25: Kalchbrenner (1882 a) 144: Sacc.

Svll. Fung. VIII: 338.

on rotten wood, Somerset East, MacOwan R 22A, Type, Kew

Naevia rotundata Wain.

Wainio (1901) 450; Zahlbruckner, Cat. Lich. II: 107.

on **Zygophyllum orbiculatum** Welw., on stems, near Mossamedes, Welwitsch 423.

Pseudopeziza Medicaginis (Lib.) Sacc.

Burtt Davy (1904) 296 : Eyles (1926) 641 : Verwoerd (1929 b) 16, (1931 a) 299 ;

Doidge & Bottomley (1931) 35; Hopkins (1938 a) 104, (1939 a) 26.

on Medicago sativa Linn. Pretoria. L. Turner, 6934, Pole Evans, 263. Bottomley. 25465; Skinner's Court, 32; Groenkloof, Pole Evans, 8937; Pyramids, Mogg, 32695; Hennops River. Doidge. 2037; Warmbaths, 168: Potchefstroom, 156; Grahamstown, Mally, 21988; Tulbagh, 1877. Verwoerd (Stell. 119): Robertson. Lounsbury, 689: Baakens River Valley, K. M. Putterill, 28531; Oudtshoorn, Stellenbosch, Verwoerd; Lidgetton, Fannin, 31947; Bloemfontein, Potts. 11309. Verwoerd; Salisbury, Eyles, (Rh. 637).

Pseudopeziza Trifolii (Biv.-Bern.) Fuck.

Doidge & Bottomley (1931) 19. ? on **Trifolium** sp., Lydenburg, *Pons*, 32385.

ORBILIACEAE.

Hyalinia crystallina (Quél.) Boud.

? on rotting pine cone, near Rhodes Memorial, Groot Schuur, Stephens, 27279.

Calloriopsis gelatinosa (Ell. & Mart.) Syd.

on Meliola rhoina Doidge on Rhus longispina, Grahamstown, Hansford, 33488.

Orbilia rubella (Pers.) Karst.

Peziza (Mollisia) rubella Pers., Kalchbrenner (1882 a) 144. Somerset East, MacOwan 1414, Kew.

Orbilia xanthostigma Fr.

on fallen trunks of trees in forest, Boschberg, MacOwan 1161 (S.A. M. 35256).

HYALOSCYPHACEAE.

Solenopezia columbina (Kalchbr. & Cooke) Sacc.

Saccardo, Syll. Fung. VIII: 478.

Peziza (Dasyscypha) columbina Kalchbr. & Cooke, Kalchbrenner (1882 a) 144. on bark, Somerset East, MacOwan.

HELOTIACEAE.

Cenangium pelidnum (Kalchbr. & Cooke) Sacc.

Saccardo, Svll. Fung. VIII: 562.

Dermatea pelidna Kalchbrenner & Cooke (1880) 25; Kalchbrenner (1882 a) 145. on decorticated branches, Boschberg, MacOwan 16, Kew.

Chlorociboria aeruginosa (Oed.) Seaver

Chlorosplenium aeruginosum de Not., von Thuemen (1876 b) 363; Kalchbrenner, (1882 a) 145; Sacc. Syll. Fung. VIII: 315.

Helotium aeruginosum Fr., von Thuemen l.c.

on fallen branches, Boschberg, MacOwan 1016 (S.A.M. 33385) 20839, Kew; Juanasberg, Saxton, 27662; Insekeni, D.F.O., 6959; Town Bush Valley, Rump 99, 28479; Town Bush, Rump, 28671; Xumeni Forest, Morgan & Doidge, 30271; Woodbush, Doidge, 28820, Wager, 23614; Eshowe, Laughton, 33348; Haenertsburg (T.R.L. 279).

Dasyscypha calyculaeformis (Schum.) Rehm.

Sacc. Syll. Fung., VIII: 454.

Peziza calyculaeformis Schum., Kalchbrenner (1882 a) 144.

on old wood, Somerset East, MacOwan 1126 c.

Dasyscypha lachnoderma (Berk.) Rehm

Sacc. Svll. Fung. VIII: 433.

Peziza (Dasyscupha) Lachnoderma Berk., Kalchbrenner (1882 a) 144.

on bark, Somerset East, MacOwan 1126, Kew, Tuck 112 b; ? Natal, Medley Wood 156, 194, Kew.

Eubelonis Ocoteae v. d. Byl

van der Byl (1926 b) 284; Nel (1942) 14.

on Ocotea bullata E. Mey., on bark, Main Forest, Knysna, J. Phillips (v. d. Byl 2243) 18150.

Gorgoniceps kuitoënsis P. Henn.

P. Hennings (1903) 167; Sacc. Syll. Fung. XVIII: 112.

on Monotes africanus A.D.C., on the Kuito River, between Kutue and Sobi, Baum 769, Kew.

Helotium claro-flavum (Grev.) Berk.

Kalchbrenner (1882 a) 145: Medley Wood (1898) 17; Sacc. Syll. Fung. VIII: 225. on bark, Natal, Medley Wood 178.

Helotium conformatum Karst.

Kalchbrenner (1882 a) 145; Sacc. Syll. Fung. VIII: 211. on dry leaves, Somerset East, MacOwan 1098, ? 1126, Kew.

Helotium epiphyllum (Pers.) Fr.

Kalchbrenner (1882 a) 145 : Sacc. Syll. Fung. VIII : 227. on decaying leaves, Somerset East, MacOwan.

Helotium ferrugineum (Schum.) Fr.

Sacc. Syll. Fung. VIII: 233.

Peziza ferruginea (Schum.) Fr., Kalchbrenner & Cooke (1880) 25: Kalchbrenner (1882 a) 145.

on twigs, Somerset East, MacOwan 22, 1126 b.

Helotium scutellatum Kalchbr. & Cooke

Cooke (1891 a) 72; Sacc. Syll. Fung. X: 8. on dead coriaceous leaves, Cape, MacOwan 1098, Kew.

Ombrophila nigrescens P. Henn.

Lloyd (1917 a) L. 66: 13.

Knysna, Duthie 197.

Sclerotinia fructicola (Wint.) Rehm

(?) Monilia form only.

on Prunus persica Sieb. & Zucc., on fruit, Pretoria, *Doidge*, 8870; Krugersdorp, 31038. Prunus salicina Lindl., Brooklyn, Pretoria, *Doidge*.

Sclerotinia sclerotiorum (Lib.) de Bary

du Plessis (1935) 238; Dippenaar (1931 a) 3.

? as Sclerotium sp., Verwoerd (1929 b) 6.

isolated from

Brassica oleracea Linn. var. botrytis Linn., Mossel Bay, Jordaan, 33984.

Citrus Limonia Osbeck, fruit, Cape Town, 30369.

Citrus maxima Merr., fruit from Sundays River.

Lactuca sativa Linn., south-western Cape, Dippenaar.

Lupinus angustifolius Linn., stems, Stellenbosch, Dippenaar (Stell. 540) 33917.

Matthiola incana R.Br., Stellenbosch, Dippenaar.

Prunus Armeniaca Linn., twigs and fruit, south-western Cape, du Plessis; Stellenbosch, Astor, 21046; Tulbagh, Banhoek, Elsenburg, Verwoerd.

Salvia splendens Ker., south-western Cape, Dippenaar.

Naemacyclus niveus (Pers. ex Fr.) Sacc.

van der Byl (1929 b) 103; Doidge & Bottomley (1931) 50; Nel (1942) 26.

on Pinus Thunbergii Parl., Irene, Doidge, 2262.

Pinus spp., Cape Town, Stellenbosch, v. d. Byl 878, Verwoerd (Stell. 25).

Stictis bella Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 25 ; Kalchbrenner (1882 a) 145 ; Sacc.

Syll. Fung. VIII: 684.

on branches, Boschberg, MacOwan 1288a, 1090, Kew.

Stictis radiata Pers. ex Fr.

Kalchbrenner & Cooke (1880) 26; Kalchbrenner (1882 a) 145; Sacc.

Syll. Fung. VIII: 682.

on Citrus sinensis Osbeck, dead twigs, Mazoe, Bates, 33584; Maritzburg, Wager, 33766. on fallen branches, Boschberg, MacOwan 1288, 1040, 1356 (S.A.M. 33442).

Stictis thelotremoides Phill.

Kalchbrenner & Cooke (1880) 25; Kalchbrenner (1882 a) 145; Sacc.

Syll. Fung. VIII: 687.

on branches, Boschberg, MacOwan 76, 1356, Kew.

GEOGLOSSACEAE.

Leotia elegantula Kalchbr.

Kalchbrenner (1882 a) 143; Sacc. Syll. Fung. VIII: 611.

on ground, Somerset East, MacOwan 1310.

Trichoglossum hirsutum (Pers.) Boud.

amongst grass in marsh, Sabie, J. M. Sim, 8827; Woodbush (T.R.L. 280 a).

PATELLARIACEAE.

Abrothallus Parmeliarum (Sommerf.) Nyl.

Nylander (1889 a) 12; Vouaux (1913) 464.

Lecidea Parmeliarum Sommerf., Stizenberger (1891) no. 1204.

on Sticta aurata (Sm. & Sow.) Ach., Durban, Armstrong.

Celidium Stictarum (de Not.) Tul.

Vouaux (1914) 168.

on Lobaria pulmonaria Hoffm. f. pleurocarpa Crombie, on tree trunks, Boschberg, MacOwan (Lichen 150).

Mycobilimbia acerbata (Stiz.) Vouaux

Vouaux (1913) 439; Sacc. Syll. Fung. XXIV: 1289.

Lecidea acervata Stizenberger (1891) no. 1208.

on Parmelia subcaperatula Nyl, on thallus, Krügerspost, nr. Lydenburg, Wilms.

Mycobilimbia quaternella (Nyl.) Vouauxs forma

Vouaux (1913) 440; Sacc. Syll. Fung. XXIV: 1289.

Opegrapha quaternella Nyl. f. congesta Stiz.

on Pertusaria sp., on thallus, on rocks near Muizenberg, MacOwan.

Nesolechia perforans (Stiz.) Vouaux

Vouaux (1913) 406; Sacc. Syll. Fung. XXIV: 1274.

Lecidea perforans Stizenberger (1891) no. 1202.

on Parmelia perforata (Wulf) Ach., on thallus, near Lydenburg, MacLea.

Patellaria atrata (Hedw.) Fr.

on Acacia Karroo Hayne, on living bark, Boschberg, MacOwan 1058 (S.A.M. 33426).

Phycopsis africana Syd.

H. Sydow (1926) 265; van der Byl (1929 b) 104; Nel (1942) 10.

on Pterocelastrus tricuspidatus Sond., Plettenberg Bay, v. d. Byl 2298; The Heads, Knysna, v. d. Byl 2490.

Tryblidaria Breutelii Rehm

Rehm (1903) (173); Sacc. Syll. Fung. XVIII: 186. on Sterculia sp., on bark, Bethany Mission, S. Jau, Breutel.

Tryblidaria capensis (Stiz.) Vouaux

Vouaux (1914) 138; Sacc. Syll. Fung. XXIV: 1293.

Arthonia capensis Stizenberger (1891) no. 1396.

on Lecidea callaina Stiz., on thallus, near Cape Town, Lion's Head, MacOwan.

Tryblidiella rufula (Spreng. ex Fr.) Sacc.

Saccardo, Syll. Fung. II: 757; Wakefield (1936) 53; Doidge (1941 b) 215.

Tryblidium rufulum Spreng., Kalchbrenner & Cooke (1880) 26; Kalchbrenner, (1882 a) 145

on dead branches, Somerset East, MacOwan 1262, 1264, 1265, 1339, Kew; Witte Rivier, at Dunbrody, Hpeg 97; Belfast, Doidge, 995; Woodbush, K. M. Putterill, 31035.

Woodiella natalensis Sacc. & Syd.

P. Sydow (1899 a) (133); Medley Wood (1898) 15; Sacc. Syll. Fung. XVI: 794. on Pavetta revoluta Hochst., on dying leaves, near Durban, Medley Wood 6451, 339, 9475.

TUBERALES.

TUBERACEAE.

Pseudobalsamea microspora Diehl & Lamb.

on mushroom beds, Pretoria, Winckworth, 32914, 33387.

Terfezia Boudieri Chat.

Pole Evans (1918 a) 117.

in ground, Kalahari and Windhoek.

Terfezia Clavervi Chat.

Marloth (1913) 26; Pole Evans (1918a) 117; Ed. Fischer (1938) 37; Nel (1942) 26. in ground, near shrubs of Acacia hebeelada, Windhoek, Marloth; Floradora, Hunter; Dunmurray, v. d. Byl 1448.

Terfezia Pfeilii P. Henn.

P. Hennings (1897) 75.

on ground, Damaraland, Pfeil.

LICHENES

ASCOLICHENES.

PYRENOCARPEAE.

VERRUCARIACEAE.

Staurothele clopima (Wahlbg.) Th. Fr.

Zahlbruckner, Cat. Lich. I: 164.

Verrucaria clopima Wahlbg., Stizenberger (1891) no. 1448. on rocks, near Muizenberg, MacOwan.

Verrucaria erodens Müll-Arg.

J. Müller-Arg. (1888) 208; Stizenberger (1891) no. 1457; Zahlbruckner, Cat. Lich. I: 39.

on non-calcareous rocks, near Lydenburg, Wilms,

Verrucaria microlepidea Zahlbr.

Zahlbruckner (1932) 198.

on schistose rocks, on neck near town, Worcester, Brunnthaler, Type.

Var. hilarior Zahlbr.

Zahlbruckner (1932) 198.

on rocks, Smitswinkel, v. d. Byl 1001, Type.

Verrucaria nigrescens Pers.

Drège (1843) 85; Zahlbruckner, Cat. Lich, I: 71.

on rocks, Paarlberg, Drège.

Verrucaria rebellans Zahlbr.

Zahlbruckner (1936) 159.

on silicate rocks, The Heads, Knysna, v. d. Byl 921, Type.

Verrucaria viridula Ach.

Zahlbruckner, Cat. Lich. I: 104.

Pyrenula tesselata Ach., Drège (1843) 80.

on rocks, du Toits Kloof, Drège.

DERMATOCARPACEAE.

Dermatocarpon deserti Zahlbr.

Zahlbruckner (1926 b) 468, Cat. Lich. VIII: 69.

on sandstone rocks, in bed of dry stream, Laingsburg, Brunnthaler, Type.

Dermatocarpon Finckei Zahlbr.

Zahlbruckner (1921) 224, (1926 b) 469, Cat. Lich, VIII: 69. on mica flakes, Haifischinsel, off Lüderitzbucht, *Fincke*, Type.

Dermatocarpon hepaticum (Lam.) Th. Fr.

Zahlbruckner, Cat, Lich. I: 214.

Endocarpon hepaticum Ach., Crombie (1876 a) 180; Stizenberger (1891) no. 1433. on ground, Cape, Zeyher; Table Mt., Eaton.

Dermatocarpon peltatum (Tayl.) Zahlbr.

Zahlbruckner, Cat. Lich. I: 232.

Endocarpon peltatum Taylor (1847) 155: Nylander (1858 b) 16; Stizenberger (1891) no. 1442: Hue (1892) 105.

Endopyrenium peltatum (Tayl.) Müll. Arg., J. Müller-Arg. (1888) 546. on ground, nr. Zwartkops River, nr. Uitenhage, Zeyher, Type.

Endocarpon pusillum Hedw.

Zahlbruckner, Cat. Lich. I: 246; van der Byl (1931) 6. on sandstone rock, Durban, v. d. Byl 79 (det. A. I., Sm.).

Endocarpon vitellinum Sprengl.

Drège (1843) 52 ; Zahlbruckner, Cat. Lich. I : 251. on stones, Witberg, Drège.

Normandina pulchella (Borr.) Nyl.

Nylander (1869 a) 14; Crombie (1876 a) 180; Stizenberger (1891) no. 1426; Zahlbruckner, Cat. Lich, I.: 198.

on old Physcia and Jungermannia, Durban, Armstrong.

amongst mosses, associated with Sticta crocata (L.) Ach. and Pannaria rubiginosa (Thunb.) Del., Table Mt., Eaton, MacOwan.

PYRENULACEAE.

Anthracothecium biferum Zahlbr.

Zahlbruckner (1932) 203.

on smooth bark of trees, nr. Grootrivier, Knysna, v. d. Byl 840, Type.

Anthracothecium duplicans (Nyl.) Müll.Arg.

Zahlbruckner, Cat. Lich. I: 460. on bark, East London, H. A. Wager 7, 748.

Anthracothecium pyrenuloides (Mont.) Müll.Arg.

Zahlbruckner, Cat. Lich. I: 467.

Verrucaria pyrenuloides Nylander (1869 a) 15 : Stizenberger (1891) no. 1513

Bottaria pyrenuloides Trevis., van der Byl (1931) 6.

on bark, Durban, Armstrong; on bark of Calodendron capensis Thunb., Keurboomsrivier, v. d. Byl 283 (det. Vain.).

Anthracothecium thelemorphum (Wain.) Zahlbr.

Zahlbruckner, Cat. Lich. I: 469.

Bottaria thelemorpha Wainio (1901) 452.

on branches of trees in mountains, Serra de Lopollo, Welwitsch 462.

Anthracothecium Thwaitesii (Leight.) Müll. Arg.

Zahlbruckner, Cat. Lich. I: 469.

Bottaria Thuaitesii (Leight.) Vain., van der Byl (1931) 6.

on tree trunk, Woodbush, v. d. Byl 506 (det. Vain.).

Anthracothecium variolosum (Pers. apud Gaudich.) Müll. Arg.

Zahlbruckner, Cat. Lich. I: 469.

Verrucaria variolosa Mont., Stizenberger (1891) no. 1517. on bark, near Maritzburg, Rehmann; near Durban, Wilms.

Arthopyrenia alboatra (Krempelh.) Müll. Arg.

J. Müller- Arg. (1883) 306; Zahlbruckner, Cat. Lich. I: 318.

Verrucaria alboatra Krempelh., van der Byl (1931) 6.

on bark of Celtis Kraussiana Bernh., Durban, v. d. Byl 169 (det. Vain.); on Chaetacme aristata Planch., Bot. Gard., Durban, v. d. Byl 73 pr. p., (det. A. L. Sm.); on Xylotheca Kraussiana Hochst., Durban, v. d. Byl 172 (det. Vain); on trunk of tree undet., Stella Bush, v. d. Byl 177 (det. Vain.).

Arthopyrenia capensis Zahlbr.

Zahlbruckner (1921) 224, (1926 b) 470, Cat. Lich. VIII: 83. on hard rocks, near high tide level, Camps Bay, *Brunnthaler*, Type.

Arthopyrenia Cinchonae (Ach.) Müll. Arg.

J. Müller- Arg. (1883) 287; Zahlbruckner, Cat. Lich. I: 302. Verrucaria Cinchonae Acharius (1814) 90; Stizenberger (1891) no. 1545. on bark, Cape, Drège; Transvaal, Wilms.

Var. fumida (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. I: 303.

Verrucaria Cinchonae Ach. var. fumida Stizenberger (1891) 216, no. 1545. on bark, Table Mt., MacOwan, $Type_{\uparrow}$

Arthopyrenia fallax (Nyl.) Arn.

Zahlbruckner, Cat. Lich. I: 304. Verrucaria fallax Nyl., Stizenberger (1891) no. 1547. on bark of trees, Table Mt., Wilms.

Arthopyrenia knysnana Zahlbr.

Zahlbruckner (1932) 200. on bark of **Acacia melanoxylon** R. Br., nr. Knysna, v. d. Byl 916.

Arthopyrenia (?) leucanthes Zahlbr.

Zahlbruckner, Cat. Lich. I: 324. Verrucaria leucanthes Stirton (1877) 220. on bark, Boschberg, MacOwan, Type.

Arthopyrenia norata Massal.

Massalongo (1861) 90; Zahlbruckner, Cat. Lich. I: 285. on branches of trees, Cape, Wawra, Type.

Arthopyrenia paraphysata Zahlbr.

Zahlbruckner (1932) 200. on bark of **Podocarpus** sp., Grootrivier, Knysna, v. d. Byl 900, Type.

Arthopyrenia pruinoso-grisea (Knight) Müll. Arg.

van der Byl (1931) 6; Zahlbruckner, Cat. Lich, I: 311. on trunk of **Chaetachme aristata** Planch., Stella Bush, v. d. Byl 63 (det. A. L. Sm.).

Arthopyrenia recepta Müll. Arg.

J. Müller- Arg. (1883) 306; Zahlbruckner, Cat. Lich. I: 325. Sagedia alboatra Müll. Arg., J. Müller-Arg. (1880 a) 42 (Exclus. synom.). Verrucaria albo-atra Krempelh. var. recepta Stizenberger (1891) 211. no. 1492. on dead and balf decayed bark of palms, near Durban, Wilms.

Arthopyrenia simulans Müll. Arg.

J. Müller-Arg. (1887 a) 79; Zahlbruckner, Cat. Lich. I: 311. Verrucaria simulans Stizenberger (1891) 217, no. 1551. on bark, nr. Lydenburg, Wilms.

Clathroporina (?) locuples (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. I: 418. Verrucaria locuples Stizenberger (1891) 210, no. 1485. on bark of a tree of the family Malvaceae, near Durban, Wilms.

Microthelia confluens Müll. Arg.

J. Müller-Arg. (1885) 333; Zahlbruckner, Cat. Lich. I: 258. Verrucaria confluxa Stizenberger (1891) 217, no. 1555. on bark, Cape.

Microthelia macrocarpoides Zahlbr.

Zahlbruckner (1932) 199. on smooth bark of **Olea** sp., The Heads, Knysna, v. d. Byl 661, Type.

Microthelia micula Körb.

van der Byl (1931) 6; Zahlbruckner, Cat. Lich. I: 261. on **Euphorbia pulcherrima** Willd., Berea, Durban v. d. Byl 4 (det. A. L. Sm.).

Microthelia uniserialis Zahlbr.

Zahlbruckner, (1932) 199. on smooth bark, Garden of Eden, Knysna, v. d. Byl 869, Type.

Polyblastiopsis alba (Müll. Arg.) Zahlbr.

Zahlbruckner, Cat. Lich. I: 347.

Polyblastia alba Müll. Arg., J. Müller-Arg. (1886) 318.

Verrucaria alba (Müll. Arg.) Stizenberger (1891) 209, no. 1475.
on bark, nr. Lydenburg, Wilms (Lojka Lichenoth. Univ. 99), Type.

Polyblastiopsis transvaalensis (Müll. Arg.) Zahlbr.

Zahlbruckner, Cat. Lich. I: 353.

Polyblastia transvaalensis Müll. Arg., J. Müller-Arg. (1887) 79.

Verrucaria transvaalensis Stizenberger (1891) 209, no. 1476.
on bark, nr. Lydenburg, Wilms, Type.

Porina albella Müll. Arg.

J. Müller-Arg. (1887) 78; Zahlbruckner, Cat. Lich. I: 364. Verrucaria albella Stizenberger (1891) 216, no. 1544. on branches, near Lydenburg, Wilms.

Porina euryspermum Zahlbr.

Zahlbruckner, Cat. Lich. I: 380.

Verrucaria eurysperma Stizenberger (1891) 210, no. 1480.
on quartzite rocks, associated with Caloplaca ferruginea Th. Fr., near Muizenberg, MayOwan.

Porina ferruginosa Müll. Arg.

J. Müller-Arg. (1886) 317; Zahlbruckner, Cat. Lich. I: 381.

Verrucaria ferruginosa Stizenberger (1891) 212, no. 1504. on bark, nr. Lydenburg, Wilms (Lojka Lichenoth. univ. 98) Type.

Porina knysnana Zahlbr.

Zahlbruckner (1932) 201; van der Byl (1931) 6. on quartzite rocks, Knoetze, Knysna, v. d. Byl 637, Type.

Porina Tetracerae (Afz.) Müll. Arg.

Zahlbruckner, Cat. Lich. I: 407.

Verrucaria Tetracerae Afz., Nylander (1869 a) 15; Stizenberger (1891) no. 1502. on bark, Durban, Armstrong.

Porina variegata Fée.

Zahlbruckner, Cat. Lich. I: 409.

Verrucaria dissipans Nylander (1869 a) 15; Stizenberger (1891) no. 1503.

? as Porina dissipans Nyl., v. d. Byl (1931) 6.

on bark, Durban, Armstrong; ? on tree trunk, Stella Bush, v. d. Byl 66 (det. A. L. Sm).

Pseudopyrenula papulosa (Nyl.) Müll. Arg.

J. Müller-Arg. (1883) 248; Zahlbruckner, Cat. Lich. I: 357.

Verrucaria papulosa Nyl., Stizenberger (1891) no. 1539.

on bark of a tree of the family Malvaceae, near. Durban, Wilms.

Pyrenula aspistea (Afz.) Ach.

Zahlbruckner (1932) 201, Cat. Lich. I: 423.

Verrucaria aspistea Afz., Nylander (1869 a) 15; Stizenberger (1891) no. 1527.
on bark, Durban, Armstrong; Hoofbos, Knysna, v. d. Byl 883; Grootrivier, Knysna, v. d. Byl 835.

Pyrenula cerina Eschw. f. expallens Zahlbr.

Zahlbruckner (1932) 201.

on bark, Palm Kloof, Victoria Falls, Brunnthaler, Type.

Fyrenula cinerea Zahlbr.

Zahlbruckner (1932) 202.

on bark of Ocotea bullata E. Mey., Garden of Eden, Knysna, v. d. Byl 867, Type.

Pyrenula emergens (Müll. Arg.) Vain.

van der Byl (1931) 7 (not in Zahlbr. Cat. Lich.). on tree trunk, Woodbush, v. d. Byl 523, (det. Vain.).

Pyrenula Knightiana Müll. Arg.

Zahlbruckner, Cat. Lich. I: 433; van der Byl (1931) 6. on tree trunk, Stella Bush, v. d. Byl 65 pr. p. (det. A. L. Sm.).

Pyrenula laevigata (Pers.) Arn. var. incusa (Flotow) Zahlbr.

Zahlbruckner, Cat. Lich. I: 436.

Verrucaria glabrata Ach. var. incusa Flotow (1843) 22: Krauss (1846) 200. Cape of Good Hope, without locality, Krauss, Type.

Pyrenula mamillana (Ach.) Trevis.

Zahlbruckner, Cat. Lich, I: 436.

Verrucaria santensis Nyl., Stizenberger (1891) no. 1523. on bark, Boschberg, MacOwan.

Pyrenula marginata Hook.

Zahlbruckner, Cat. Lich. I: 438; van der Byl (1931) 6.

on trunk of **Albizzia gummifera** (Gmel.) C.A.Sm., Winkle Spruit, v. d. Byl 55 (det. A.L.Sm.); on tree trunk, Stella Bush, v. d. Byl 115 (det. Merrill).

Pyrenula mastophora (Nyl.) Müll. Arg.

Zahlbruckner, Cat. Lich. I: 438; van der Byl (1931) 6. on tree trunk, Woodbush, v. d. Byl 482 (det. Vain.).

Pyrenula nitida (Schrad.) Ach.

Zahlbruckner, Cat. Lich, I: 441.

Verrucaria nitida Schrad., Nylander (1869 a) 15; Stizenberger (1891) no. 1531. on bark, Durban, Armstrong.

Pyrenula nitidella (Floerke) Müll. Arg.

Zahlbruckner (1932) 201, Cat. Lich. 1: 455; van der Byl (1931) 6.

Verrucaria nitida Ach. var. nitidella Floerke, v. Flotow (1843) 22: Krauss (1846) 200; Stizenberger (1891) no. 1531.

on bark, Cape, without locality, Krauss; Transvaal, Wilms; Conney Glen, Knysna, v. d. Byl 660; on branches of Gymnosporia sp., The Heads, Knysna, v. d. Byl 934; on Xylotheca Kraussiana Hochst., Durban, v. d. Byl 175 (det. Vain.).

Pyrenula obtecta Merrill

van der Byl (1931) 6, nom nud.

on trunk of **Strychnos** sp., Bot. Gard., Durban, v. d. Byl 112 (det. Merrill).

Pyrenula pleiomeriza (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. I: 450.

Verrucaria pleiomeriza Nylander (1895) 105. on bark, Moçambique.

•

Pyrenula subducta (Nyl.) Müll. Arg.

Zahlbruckner, Cat. Lich. I: 453.

Verrucaria subducta Nylander (1869 a) 15; Stizenberger (1891) no. 1529. on bark, Durban, Armstrong.

Pyrenula subglabriuscula Vain. var. natalensis Vain.

van der Byl (1931) 6 (? Variety undescribed : for species, see Zahlbruckner, Cat. Lich. VIII : 120.)

on tree trunk, Stella Bush, v. d. Byl 179 (det. Vain.)

Pyrenula transparens Zahlbr.

Zahlbruckner (1932) 202. on smooth bark, Hoofbos, Knysna, v.~d.~Byl~880, Type.

Pyrenula Wilmsiana Müll. Arg.

J. Müller-Arg. (1887) 70; Zahlbruckner, Cat. Lich. I: 456. Verrucaria Wilmsiana Stizenberger (1891) 214, no. 1526. on bark, nr Lydenburg, Wilms.

TRYPETHELIACEAE.

Melanotheca oculea Stiz.

Stizenberger (1891) 219, no. 1566; Zahlbruckner, Cat. Lich. I: 482. on bark of a tree of the family Malvaceae, near Durban, Wilms.

Tomasellia africana Zahlbr.

 $Z{\rm ahlbruckner}$ (1932) 203. on decorticated wood, Knysna, v. d. Byl 749, Type.

Trypethelium austro-africanum Zahlbr.

Zahlbruckner (1932) 205. on bark of **Podocarpus** sp., near Knysna, v. d. Byl 918, Type.

Trypethelium eluteriae Spreng.

J. Müller-Arg. (1893 b) 299; Schinz (1905) 396; Zahlbruckner, Cat. Lich. I: 490. Trypethelium Sprengelii Ach., Stizenberger (1891 & 1895) no. 1572. on bark, near Lydenburg, Wilms; near Boroma, Menyharth 470.

Trypethelium Phlyctaena Fée

Zahlbruckner, Cat. Lich. I: 498. Trypethelium bicolor Taylor (1847) 157. on bark, Howieson's Poort, near Grahamstown, Zeyher (Herb. Hook.).

PARATHELIACEAE.

Pleurotrema trichosporum Müll. Arg.

J. Müller-Arg. (1887 a) 78; Zahlbruckner, Cat. Lich. I: 510.

Parathelium trichosporum Stizenberger (1891) 217, No. 1555.

Trichotrema trichosporum Clements (1909) 173; Clements & Shear (1931) 289.
on bark, Lydenburg, Wilms.

ASTROTHELIACEAE.

Parmentaria capensis Zahlbr.

Zahlbruckner (1932) 205 ; van der Byl (1931) 6. on bark of trees undet., Knoetze, Knysna, v. d. Byl 674, Type ; Kidd's Beach, Schaefer, 1748.

STRIGULACEAE.

Strigula actinoplacoides Vain.

Vainio (1926) 32; van der Byl (1931) 6; Zahlbruckner, Cat. Lich. VIII: 602. on leaves of evergreen tree, near Barberton, Thorncroft (v. d. Byl 333), Type.

Strigula africana Wain.

Wainio (1901) 537; Zahlbruckner, Cat. Lich. I: 537, VIII: 143.

Var. namensis Vain (? nom. nud.) van der Byl (1931) 6.

on leaves of Cryptocarya sp., Howick, v. d. Byl 214.

Strigula argyronema Müll. Arg.

Zahlbruckner, Cat. Lich. I: 537.

Strigula nemathora Mont., in Herb. van der Byl. on leaves, Barberton, Thorncroft (v. d. Byl 233, det. Vain.).

Strigula complanata (Fée) Nyl.

Nylander (1858 b) 65; Stizenberger (1891) No. 1562; Zahlbruckner, Cat. Lich. I: 537.

on living leaves of tree, Cape, Gueinzius, MacOwan; on leaves of Scutia myrtina (Burm.) Kurz., Durban, Medley Wood (Herb. Kalchbr.); on leaves of Magnolia grandiflora L., without locality, MacOwan (Herb. Kalchbr.); on Schmidelia sp., Kentani, Pegler 2419, (S.A. M. 46952).

Var. virescens (Kunze) Nyl.

Zahlbruckner, Cat. Lich. I: 538.

Strigula virescens (Kunze) Trevis., Stizenberger (1891) 218, No. 1563.

on leaves of **Thea sinensis** var. **viridis** Pierre and other plants, Natal, Medley Wood (Herb. Kalchbr. as MacOwan 4); Inanda, Medley Wood, (MacOwan 12, in Herb. Kalchbr.).

Strigula elegans (Fée) Müll. Arg.

van der Byl (1931) 6; Zahlbruckner, Cat. Lich, I; 538.

on leaves of Chaetachme aristata Planch., Maritzburg, v. d. Byl 60 (det. A.L.Sm.); Cola natalensis Oliv., Bluff, Durban, v. d. Byl 38 (det. A.L.Sm.); Persea americana Mill., Berea, Durban, v. d. Byl 30 (det. A.L.Sm.); on leaves of tree undet., Durban, v. d. Byl 61 (det. A.L.Sm.).

Strigula (?) pallida Kalchbr.

in Herb. Lojka; Stizenberger (1891) No. 1564.

on leaves of **Cynodon** sp., Cape, *MacOwan 1329* ('Hymenium vetustate depravatum' Nyl in litt.; Herb., Kalchbr.).

PYRENIDIACEAE.

Placothelium staurothelioides Müll. Arg.

J. Müller-Arg. (1893 b) 299; Zahlbruckner, Cat. Lich. I: 544; Stizenberger (1895) No. 1447bis; Schinz (1995) 396.

on non-calcareous rocks, near Boroma, Menyharth.

MYCOPORACEAE.

Dermatina pyrenocarpa (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. I: 550.

Mycoporum pycnocarpum Nyl., J. Müller-Arg. (1893 b) 299, (1894) 290; Stizenberger (1895) No. 1589bis; Schinz (1905) 396.
on bark, near Boroma, Menyharth.

Mycoporellum Lahmii Müll. Arg.

J. Müller-Arg. (1887 a) 78; Zahlbruckner, Cat. Lich. I: 555.

Mycoporum Lahmii Stizenberger (1891) 221, No. 1592.

Chlorodothis Lahmii Clements (1909) 173; Clements & Shear (1931) 296. on bark, near Lydenburg, Wilms.

GYMNOCARPEAE.

CALICIACEAE.

Sphinctrina fuscescens Nyl.

Nylander (1860 a) 143; Lindsay (1869) 145; Hue(1890) 238; Stizenberger (1890) No. 87; Zahlbruckner, Cat. Lich. I: 654.

on thallus of Pertusaria sp., Cape of Good Hope, Drège (ex Herb. Sonder).

Sphinctrina gelasinata (Wither) Zahlbr.

Zahlbruckner, Cat. Lich. I: 654.

Calicium turbinatum Pers., Drège (1843) 141.

Sphinctrina turbinata de Not., Stizenberger (1895) No. 85.

on ? thallus of Pertusaria sp., Cape.

Sphinctrina meridionalis Stizenb.

Stizenberger (1890) 124, No. 86; Zahlbruckner, Cat. Lich. I: 657.

on thallus of Lecidea crassa Stizenb., Hottentots' Holland Mts., near Sir Lowry Pass, MacOwan' Type.

Sphinctrina microcephala (J.E.Sm.) Nyl.

Stizenberger (1890 & 1895) No. 88; Zahlbruckner (1926 b) 475, (1932) 206, Cat. Lich. I: 658.

on the thallus of a **Pertusaria** sp., Zwartkops, near Port Elizabeth, Brunnthaler; Brenton, Knysna, v. d. Byl 678; Transvaal, Wilms.

CYPHELIACEAE.

Tylophoron Africanum Vain.

Vainio (1926) 30 ; van der Byl (1931) 6 ; Zahlbruckner, Cat. Lich. VIII : 603. on bark of **Thespesia** sp., Eshowe, $v.\ d.\ Byl\ 187$, Type.

Tylophoron Bylii Merrill.

van der Byl (1931) 7, nom, nud. on trunk of **Erythrina caffra** Thunb., Stella Bush, v. d. Byl 119 (det. Merrill).

SPHAEROPHORACEAE.

Sphaerophorus melanocarpus (Sw.) DC.

Zahlbruckner, Cat. Lich. I: 693.

Lichen fragilis Wither., Thunberg (1800) 180, (1823) 750, non Linn.

Sphaerophoron compressum Ach., Stizenberger (1890) No. 89; Nylander (1860 a) 170. on rocks and amongst moss, Cape, Thunberg.

ARTHONIACEAE

Allarthothelium minimum Vain.

 Vainio (1926) 29 ; van der Byl (1931) 7 ; Zahlbruckner, Cat. Lich. VIII : 603. on bark of tree, Onrust, $v.\ d.\ Byl\ 319,$ Type.

Arthonia angulata Fée

Zahlbruckner (1926 b) 476, Cat. Lich, II: 9. on branches of tree undet., Baakens River Valley, Port Elizabeth, Brunnthaler.

Arthonia angulosa Müll. Arg.

J. Müller-Arg. (1887 a) 75; Willey (1890) 13; Stizenberger (1891) No. 1356; Zahlbruckner, Cat. Lich. II: 9. on bark, nr. Lydenburg, Wilms, Type.

Arthonia antillarum Nyl.

Stizenberger (1895) No. 1348; Zahlbruckner, Cat. Lich. II: 9. on bark, Zambesi River.

Arthonia calospora Müll. Arg.

Stizenberger (1891) 199, No. 1384; van der Byl (1931) 7; Zahlbruckner Cat. Lich. II: 17.

on branches of tree undet., Durban, Wilms: on trunk of **Gymnosporia** sp., Durban, v.d.Byl 139 (det. Vain.).

Arthonia cinnabarina (DC.) Wallr.

Zahlbruckner, Cat. Lich, II: 21.

Arthonia gregaria Korb., van der Byl (1931) 7.

on trunk of Chaetacme aristata Planch., Bot. Gard., Durban, v. d. Byl 73 pr.p. (det. A.L.Sm.).

Arthonia circumscissa Merrill.

van der Byl (1931) 7, (nom. nud.) not Wain. on trunk of **Strychnos** sp., Bot. Gard., Durban, v. d. Byl 114 (det. Merrill).

Arthonia dispersa (Schrad.) Nyl.

J. Müller-Arg. (1893 b) 299 : Stizenberger (1895) No. 1364bis; Schinz (1905) 396; Zahlbruckner, Cat. Lich. II : 39. on bark, near Boroma, Menyharth 491.

Arthonia hormidiella Stirt.

Stirton (1877) 219; Zahlbruckner, Cat. Lich. II: 53. on bark, Boschberg, MacOwan, Type.

Arthonia lecideicarpa Zahlbr.

Zahlbruckner (1932) 207.

on bark of trees, Hoofbos, Knysna, v. d. Byl 886, Type.

Arthonia nana Stizenb.

Stizenberger (1891) 195, No. 1347; Zahlbruckner, Cat. Lich. II: 70. on woody parts of **Phoenix dactylifera** Linn., in bush near Durban, *Wilms*, Type.

Arthonia oblongula Müll. Arg.

Stizenberger (1891) No. 1378 ; Zahlbruckner, Cat. Lich. II : 71. on bark, near Lydenburg, Wilms.

Arthonia palmicola Ach.

van der Byl (1931) 7; Zahlbruckner, Cat. Lich. II: 72. on trunk of **Eucalyptus** sp., Mossel Bay, $v.\ d.\ Byl\ 375$ (det. Vain.).

Arthonia platygraphidea Nyl.

Wainio (1901) 447; Zahlbruckner, Cat. Lich. II: 75. on branches of trees in mountains, Serra de Lopollo, Welwitsch 462 pr. p.

Arthonia polymorpha Ach.

Stizenberger (1895) No. 1373 ; Zahlbruckner, Cat. Lich. II : 76. on bark, Transvaal.

Arthonia propinqua Nyl.

Stizenberger (1891) No. 1374 ; Zahlbruckner, Cat. Lich. II : 78. on bark, Table Mt., MacOwan.

Arthonia pyrenuloides Müll. Arg.

J. Müller-Arg. (1887 a) 75; Willey (1890)39; Stizenberger (1891) No. 1371; (1890)39; Zahlbruckner, Cat. Lich. II: 83. on bark, near Lydenburg, Wilms, Type.

Arthonia rubrofuscescens Vain.

Vainio (1926) 29; van der Byl (1931) 7; Zahlbruckner, Cat. Lich. VIII: 603. on bark of tree, Durban, v. d. Byl 181, Type; on Celtis Kraussiana Bernh., Durban, v. d. Byl 170 (det. Vain.).

Arthonia variabilis Müll. Arg.

J. Müller-Arg. (1887 a) 75; Willey (1890) 13; Stizenberger (1891) No. 1355; Zahlbruckner, Cat. Lich. II: 106. on bark, near Lydenburg, Wilms, Type.

Arthonia Wilmsiana Müll. Arg.

J. Müller-Arg. (1886) 315; Willey (1890) 7; Stizenberger (1891) No. 1350; Zahlbruckner, Cat. Lich. II: 106. on bark, near Lydenburg, Wilms, Type.

Arthothelium abnorme (Ach.) Müll. Arg.

van der Byl (1931) 7; Zahlbruckner, Catl. Lich. II: 118. on bark of **Eriobotrya japonica** Lindl., Stellenbosch, v. d. Byl 350 (det. Vain.); on **Punica** granatum Linn., Hopefield, v. d. Byl 396 (det. Vain.).

Arthothelium albidum Müll. Arg.

J. Müller-Arg. (1887 a) 76; Zahlbruckner, Cat. Lich. II: 119. Arthonia albida Willey (1890) 56; Stizenberger (1891) 201, No. 1398. on bark, near Lydenburg, Wilms, Type, (Lojka, Lichenoth. univ. 243).

Arthothelium album Zahlbr.

Zahlbruckner (1932) 207 : van der Byl (1931) 7. on bark, Knoetze, Knysna, $v.\ d.\ Byl\ 671$, Type.

Arthothelium argenteum (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. II: 121. Arthonia argentea Stizenberger (1891) 199, No. 1388. on bark, Table Mt., Wilms, Type.

Arthothelium consanguineum Müll. Arg.

J. Müller-Arg. (1888) 207; Žahlbruckner, Cat. Lich. II: 123. Arthonia consanguinea Willey (1890) 56: Stizenberger (1891) 200, No. 1393. on bark, Table Mt., Wilms, Type.

Arthothelium fusco-nigrum (Nyl.) Müll. Arg.

Zahlbruckner, Cat. Lich. II: 126. Arthonia fusco-nigra Nyl., Stizenberger (1891) No. 1392. on bark, Cape.

Arthothelium melanopsis (Stirt.) Zahlbr.

Zahlbruckner, Cat. Lich. II: 129. Arthonia melanopsis Stirton (1877) 219. on bark, Boschberg, Macowan, Type'

Arthothelium michylum Vain.

Vainio (1926) 28; van der Byl (1931) 7; Zahlbruckner, Cat. Lich. VIII: 603. on bark of Quercus sp., Elsenburg, v. d. Byl 245, Type.

Arthothelium obvelatum Müll. Arg.

J. Müller-Arg. (1887 a) 76; Zahlbruckner, Cat. Lich. II: 130. Arthonia obvelata Willey (1890) 56; Stizenberger (1891) 200, No. 1395. on bark, near Lydenburg, Wilms, Type.

Arthothelium phaeosporum Zahlbr.

Zahlbruckner (1936) 160. on bark of **Ocotea bullata** E. Mey., Grootrivier, Knysna, v. d. Byl 837.

Arthothelium psyllodes Zahlbr.

Zahlbruckner (1936) 161. on bark, Garies, v. d. Byl 1181, Type.

Var. precursum Zahlbr.

Zahlbruckner (1936) 161. on **Aloe dichotoma** Linn., f., Garies, v. d. Byl 1180, Type.

Arthothelium violascens (Flotow) Zahlbr.

Zahlbruckner, Cat. Lich. II: 137.

Arthonia violascens Flotow (1843) 23; Krauss (1846) 199; Hue (1891) 183; Stizenberger (1891) No. 1387.
on bark of trees, in woods near Constantia, Krauss.

CRYPTOTHECIACEAE.

Cryptothecia subnidulans Stirt.

A. L. Smith (1926) 189; van der Byl (1931) 7; Zahlbruckner, Cat. Lich. II: 143, VIII: 148.

on bark of **Albizzia gumnifera** (Gmel.) C. A. Sm., Berea, v. d. Byl; on bark of **Chaetacme aristata** Planch., Winkle Spruit, v. d. Byl 56 (det. A. L. Sm.).

GRAPHIDACEAE.

Graphina Acharii (Fée) Müll. Arg.

Steiner (1907) 646 ; Zahlbruckner (1932) 211, Cat. Lich. II : 391. Graphis Acharii Fée, Stizenberg (1891) No. 1236 ; Nylander (1869 a) 14.

on bark, Durban, Armstrong; Mt. Mamotsuiri, Junod 994; on trunks of trees, Woodbush, v. d. Byl 524.

Graphina analoga (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. II: 395.

Graphis analoga Nylander (1869 a) 14.

Graphis analoga f. tetraspora (Nyl.) Stizenberger (1891) No. 1233.

on bark, Durban, Armstrong.

Graphina atrofusca Müll. Arg.

J. Müller-Arg. (1887a) 74; Zahlbruckner, Cat. Lich. II: 398, Graphis atrofusca Stizenburger (1891) 186, No. 1255. on bark, near Lydenburg, Wilms.

Graphina Bylii (Vain.) Zahlbr.

Zahlbruckner, Cat. Lich. VIII: 604.

Graphis Bylii Vainio (1926) 27.

on bark of Ocotea bullata E. Mey., Knysna, v. d. Byl 265, Type.

Var. lividula (Vain.) Zahlbr.

Zahlbruckner, Cat. Lich. VIII: 604 (as var. livida).

Graphis Bylii var. lividula Vainio (1926) 28; van der Byl (1931) 7.

on bark of Ficus elastica Roxb., Knysna, v. d. Byl 277, Type; v. d. Byl 275, det. Vain

Graphina obtrita (Fée) Müll. Arg.

Zahlbruckner, Cat. Lich. II: 416.

Lecanactis diversa Nyl., Stizenberger (1891) No. 1279.

on bark of a tree of the family Malvaceae, near Durban, Wilms.

Graphina pergracilis Zahlbr.

Zahlbruckner (1932) 210.

on bark of Acacia melanoxylon R. Br., Knysna, v. d. Byl 912, Type.

Graphina platycarpa (Eschw.) Zahlbr.

Zahlbruckner, Cat. Lich. II: 418.

Graphis sophistica Nyl., Stizenberger (1891) No. 1229.

Graphina sophistica (Nyl.) Müll. Arg., van der Byl (1931) 7.

on bark, near Lydenburg, Wilms (Lojka, Lichenoth. univ. 90); on trunk of Ailanthus altissima Sw., Bot. Gard., Durban, v. d. Byl 13 (det. A. L. Sm.); on trunk of Pandanus variegatus Miq., Bot. Gard., Durban, v. d. Byl 12, (det. A. L. Sm.).

Graphina polycarpa Müll. Arg.

J. Müller-Arg. (1887 a) 63: Zahlbruckner, Cat. Lich. II: 420.

Graphis polycarpa Stizenberger (1891) 184, No. 1227. on bark, Lydenburg, Wilms, Type.

Graphis denudans Vain.

Vainio (1926) 28: van der Byl (1931) 7: Zahlbruckner, Cat. Lich. VIII: 603. on bark of tree, near Durban, v. d. Byl 126, Type.

Graphis devestiens Nyl.

apud Stizenburger (1891) 183, No. 1222; Hue (1891) 151; Zahlbruckner, Cat. 302, Lich, II;

on bark of tree of the family Malvaceae, near Durban, Wilms, Type.

Graphis diaphoroides Müll. Arg.

J. Müller-Arg. (1886) 312: Steiner (1897) 229; Stizenberger (1891) No. 1217; Zahlbruckner, Cat. Lich. II: 302. on bark, near Lydenburg, Wilms (Lojka, Lichenoth, univ. 91).

Graphis intexta Nyl.

Nylander (1869 a) 14: Hue (1891) 160: Stizenberger (1891) No. 1223: Zahlbruckner, Cat. Lich. II: 313. on bark, Durban, Armstrong, Type.

Graphis intricata Fée

Stizenberger (1891) No. 1226: Zahlbruckner (1932) 210, Cat. Lich. II: 313. on bark, near Durban, Wilms: on bark of Canthium sp., Brenton, Knysna, v. d. Byl 653.

Graphis scripta (Linn.) Ach.

Acharius (1810) 265 ; Stizenberger (1891) No. 1221 ; van der Byl (1931) 7 ; Zahlbruckner, Cat. Lich. II : 324.

Lichen scriptus Linn., Thunberg (1800) 176, (1823) 742.

Opegrapha scripta Ach., Thunberg (1823) 742: v. Flotow (1843) 18: Krauss (1846) 200.

on bark, South Africa, without locality, Thunberg, MacOwan, Breutel: nr. Constantia, Krauss: on trunk of Gymnosporia sp., Durban, v. d. Byl 137 (det. Vain.): on trunk of Pandanus sp., Durban., v. d. Byl 8 (det. A. L. Sm.): on trunk of tree undet., Pinetown, v. d. Byl 174 (det. Vain.): Stella Bush, v. d. Byl 178 (det. Vain); Eshowe, v. d. Byl 193 (det. Vain.).

Graphis striatula (Ach.) Spreng.

Nylander (1869 a) 13 ; Stizenberger (1891) No. 1241 ; Zahlbruckner, Cat. Lich. II : 354.

on bark, Durban, Armstrong.

Graphis subolivacea Zahlbr.

Zahlbruckner (1926 b) 479, Cat. Lich. VIII: 207. on bark, Skeleton Ravine, Table Mt., Brunnthaler, Type.

Helminthocarpon natalense Vain.

Vainio (1926) 27 ; van der Byl (1931) 7 ; Zahlbruckner, Cat. Lich. VIII : 604. on bark of tree, near Durban, v. d. Byl 182, Type.

Lithographa cerealis Stizenb.

Stizenberger (1891) 182, No. 1212; Zahlbruckner, Cat. Lich. II: 146. on rocks, in Warm Bokkeveld Mts., near Ceres, Andr. Smith, Type.

Lithographa fumida Nvl.

Stizenberger (1891) 182, No. 1211; Hue (1891) 149; Zahlbruckner, Cat. Lich. II: 149.
on rocks. Table Mt., MacOwan (ass. Siphula tabularis) Type.

Melaspilea gemella Nyl.

Stizenberger (1891) No. 1404; Zahlbruckner, Cat. Lich. II: 275. on bark of a tree of the family Malvaceae, near Durban, Wilms.

Opegrapha adpicta Zahlbr.

Zahlbruckner (1932) 209 ; van der Byl (1931) 7. on quartz rocks, Conney Glen, Knysna,
 $v.\ d.\ Byl\ 631,$ Type.

Opegrapha agelaea Fée

Stizenberger (1891) No. 1308; Zahlbruckner, Cat. Lich. II: 165. parasitic on the thallus of other lichens, Cape, without locality.

Opegrapha atra Pers.

von Flotow (1843) 23; Krauss (1846) 199; van der Byl (1931) 7; Zahlbruckner, Cat. Lich. II: 167.

on trunk of Albizzia gummifera (Gmel.) C. A. Sm., Winkle Spruit, v. d. Byl, 51, (det. A. L. Sm.); on old trees, near Constantia, Krauss.

Opegrapha bacillosa Zahlbr.

Zahlbruckner (1936) 163. on silicate rocks, The Heads, Knysna, v. d. Byl 920, 922, Type.

Opegrapha Bonplandi Fée

Zahlbruckner (1932) 208, Cat. Lich. II: 178. on bark, Knoetze, Knysna, $v.\ d.\ Byl\ 669,\ 672.$

Opegrapha capensis Müll. Arg.

J. Müller-Arg. (1888) 207; Stizenberger (1891) No. 1310; Zahlbruckner, Cat. Lich. II: 181.
on smooth bark, Table Mt.,; on stem of Phoenix dactilifera Linn., near Durban, Wilms.

Opegrapha diagraphoides Nyl.

Nylander (1869 a) 13; Hue (1891) 169; Stizenberger (1891) No. 1288; Zahlbruckner, Cat. Lich, II: 188.
on bark, Durban, Armstrong, Type.

Opegrapha diaphorella Stizenb.

Stizenberger (1891) 190, No. 1294: Zahlbruckner, Cat. Lich. II: 195. on sandstone rocks, near Muizenberg, MacOwan, Type.

Opegrapha exiguella Zahlbr.

Zahlbruckner (1936) 162. on bark of **Gymnosporia** sp., The Heads, Knysna, v. d. Byl 933, Type.

Opegrapha exornata Zahlbr.

Zahlbruckner (1921) 226, (1926 b) 476, Cat. Lich. II: 198, VIII: 192, on limestone, in the neighbourhood of Windhoek, Fincke, Type.

Opegrapha interalbata Nyl.

Nylander (1869 a) 13: Hue (1891) 171; Stizenberger (1891) No. 1289; Zahlbruckner, Cat. Lich. II: 211. on bark, Durban, Armstrong.

Opegrapha lactifera Zahlbr.

Zahlbruckner (1936) 161. on bar' of **Podocarpus** sp., Grootrivier, Knysna, $v.\ d.\ Byl\ 850$, Type.

Opegrapha lyncea (J. E. Sm.) Borr.

Zahlbruckner (1932) 208, Cat. Lich. II: 220. on branches of Sideroxylon inerme Linn., Brenton, Knysna, v. d. Byl 682.

Opegrapha medusulina Nvl.

Nylander (1895) 104; Zahlbruckner, Cat. Lich. II: 223. on bark, Mogambique.

Opegrapha Menyharthii Müll. Arg.

J. Müller-Arg. (1893 a) 299; Stizenberger (1895) No. 1307bis; Zahlbruckner Cat. Lich. II: 224.
on bark, near Boroma, Menyharth 467, Type.

Opegrapha parvula Nyl.

Crombie (1867 a) 179 ; Hue (1891) 170 ; Stizenberger (1891) No. 1323 ; Zahlbruckner, Cat. Lich. Π : 228. on under side of stones, Table Mt., Eaton, Type.

Opegrapha prosodea Ach. var. microcarpella Zahlbr.

Zahlbruckner (1936) 162. on bark, Hoofbos, Knysna, v. d. Byl 887, Type.

Opegrapha semiatra Müll. Arg.

J. Müller-Arg. (1886) 312; Stizenberger (1891) No. 1287; Zahlbruckner, Cat. Lich. II: 246.
on bark, near Lydenburg, Wilms, Type (Lojka, Lichenoth. Univ. 93; S.A. M. 46940).

Opegrapha signatella Vain.

Vainio (1926) 30; van der Byl (1931) 7; Zahlbruckner, Cat. Lich. VIII: 603. on branches of **Royena** sp., Howick, v. d. Byl 211, Type.

Opegrapha tapetica Zahlbr.

Zahlbruckner (1932) 209 ; van der Byl (1931) 7. on quartz rocks, The Heads, Knysna, $v.\ d.\ Byl\ 641$, Type.

Opegrapha Zanei Massal.

Massalongo (1861) 80; Stizenberger (1891) No. 1319; van der Byl (1931) 7; Zahlbruckner (1932) 208, Cat. Lich. II: 261. on limestone, Cape, Wawra, Type; on quartz rocks, The Heads, Knysna, v. d. Byl 643.

Phaeographina caesiopruinosa (Fée) Müll. Arg.

Zahlbruckner, Cat. Lich. II: 434. Graphis caesiopruinosa (Fée) Krempelh., Herb. van der Byl. on tree trunk, Stella Bush, v. d. Byl 176 (det. Vain.).

Phaeographina limbata Müll. Arg.

J. Müller-Arg. (1895) 461 ; Zahlbruckner, Cat. Lich. II : 440. on bark, Cape, MacOwan, Type.

Phaeographina subfarinacea (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. II: 446.

Graphis subfarinacea Nylander apud Hue (1891) 153; Stizenberger (1891) No. 1231. on bark, Cape, Drège, Type.

Phaeographis conjungens Zahlbr.

Zahlbruckner (1932) 211.

on bark, Garden of Eden, Knysna, v. d. Byl, 868, Type.

Phaeographis cryptica Zahlbr.

Zahlbruckner (1932) 212.

on bark of Acácia melanoxylon R. Br., near Knysna, v. d. Byl 913, Type.

Phaeographis inusta (Ach.) Müll. Arg.

Zahlbruckner (1926 b) 479 ; Cat. Lich. II : 374, VIII : 209. on branches of trees, Baakens River Valley, Brunnthaler.

(? Var. emergens Vain.)

Graphis inusta var. emergens Vain., van der Byl (1931) 7, nom. nud. on tree trunk, Onrust, v. d. Byl 325 (det. Vain.).

Phaeographis mesographa Müll. Arg.

Zahlbruckner, Cat. Lich. II: 441.

Graphis mesographa Nyl., Stizenberger (1891) No. 1251. on bark, Somerset West, MacOwan.

CHIODECTONACEAE.

Chiodecton capense (Massal.) Zahlbr.

Zahlbruckner, Cat. Lich. II: 474.

Enterographa capensis Massalongo (1861) 81; Redinger (1938) 68.

Stigmatidium capense Stizenberger (1891) 195, no. 1344.

on volcanic rocks, Cape, Waura, Type.

Chiodecton galactinum Zahlbr.

Zahlbruckner (1932) 212 : van der Byl (1931) 8.

Enterographa galactina Redinger (1938) 57.

on rocks, The Heads, Knysna, v. d. Byl 644, Type.

Chiodecton natalense Nyl.

Nylander (1869 a) 14: Hue (1891) 192; Stizenberger (1891) No. 1415; Zahlbruckner, Cat. Lich, II: 497.

on bark, Durban, Armstrong.

Chiodecton sanguineum (Sw.) Wain. f. rosaceotinctum (Fr.) Wain.

van der Byl (1931) 8 ; Zahlbruckner, Cat. Lich. III : 498, without locality, v, d, Byl.

Chiodecton subnanum Vain.

Vainio (1929) 25.

on bark, Mocambique (Vainio).

Chiodecton van der Bylii Zahlbr.

Zahlbruckner (1932) 213 ; van der Byl (1931) 8.

Enterographa van der Bylii Redinger (1839) 56.

on bark, Knoetze, Knysna, v. d. Byl 668, Type.

Chiodecton venosum (Pers.) Zahlbr.

Zahlbruckner, Cat. Lich. II: 483.

Enterographa venosa Massalongo (1860) 315.

Stigmatidium venosum Nylander (1869 a) 14; Stizenberger (1891) No. 1340.

on bark, Durban, Armstrong ("Form with pale apothecia and poorly developed thallus" Stizenb. l.c.).

Enterostigma compunctum (Ach.) Müll. Arg.

van der Byl (1931) 8; Zahlbruckner, Cat. Lich. II: 501.

on trunk of Erythrina caffra Thunb., Durban, v. d. Byl 120 (det. Merrill).

Glyphis cicatricosa Ach.

Zahlbruckner, Cat. Lich. II: 454.

Graphis cicatricosa Wain., van der Byl (1931) 7

on trunk of Acacia mollissima Willd., Howick, v. d. Byl 199 (det. Vain.)

Var. confluens (Zenk.) Zahlbr.

Zahlbruckner, Cat. Lich. II: 455.

Graphis cicatricosa var. confluens Wain., van der Byl (1931) 7.

Glyphis confluens Zenk., Stizenberger (1891) No. 1419: Nylander (1869 a) 15; van der Byl (1931) 8.

on bark, Durban, Armstrong; Sarnia, Hean (v. d. Byl); Eshowe, v. d. Byl 192 (det. Vain.); on trunk of Ailanthus altissima Sw., Durban, v. d. Byl 16 (det. A. L. Sm.); on Croton sp., Durban, v. d. Byl 17 (det. A. L. Sm.); on Euphorbia pulcherrima Willd., Berea, Durban, v. d. Byl 5 (det. A. L. Sm.).

Var. simplicior (Wain.) Zahlbr.

Zahlbruckner, Cat. Lich. II: 456.

Graphis cicatricosa var. simplicior Wain., van der Byl (193) 7. on rock, Sarnia, Hean (v. d. Byl 306, det. Vain.).

Sarcographa disjectans (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. II: 460.

Medusula disjectans Nylander (1890) 87, not.; Hue (1891) 166; Stizenberger (1891) 189. No. 1282.

on bark of a tree of the family Malvaceae, near Durban, Wilms.

DIRINACEAE.

Dirina capensis Fée

apud Nylander (1857) 116, nom. nud.; Stizenberger (1890) 240, no. 841; Hue (1891) 80; van der Byl (1931) 8; Zahlbruckner (1932) 214, Cat. Lich. II: 506. Urceolaria capitata Nees apud Stizenberger, l.c.

on rocks, Cape, Zeyher; The Heads, Knysna, v. d. Byl 636, 684; Langbaan, v. d. Byl 536; Poole's Bay, v. d. Byl 791.

ROCCELLACEAE.

Combea mollusca Nyl.

Nylander (1860 a) 257; Hue (1890) 268; Darbyshire (1897) 9, (1898 b) 57; Stizenberger (1890) No. 212; van der Byl (1931) 8, (1933 a) 2; Schultze (1907)706; Zahlbruckner (1926 a) 126, (1926 b) 483, (1932) 214, Cat. Lich. I: 525

Parmelia mollusca Acharius (1803) 253 : Sprengel (1827) 278.

Dufourea mollusca Acharius (1810) 524, (1814) 247

Lichen squarrosus *Dufourea mollusca Lamarck (1813) 419.

Roccella mollusca Nylander (1857) 97; Lindsay (1895) 141.

Combea pruinosa de Notaris (1846) 223; Massalongo (1853) 70.

Dactylina mollusca Tuckerman (1872) 7.

on maritime rocks, Cape, Osbeck, Ecklon, Zeyher, MacOwan; Bloubergstrand, v. d. Byl 1039; on mountain behind Muizenberg, MacOwan, 27; Poole's Bay, Hermanus, v. d. Byl 803; Saldanha Bay, Zeyher; Cape Peninsula, Ecklon; on calcareous rock, Swakopmund, F. & R. Wettstein; on granite and on thorny shrubs, Haifischinsel off Lüderitzbucht, Fincke; on granite, slopes of Table Mt., Brunnthaler; on dead plants, Possession Is., Schulze 21.

Roccella fuciformis (Linn.) Lam. & DC.

Drège (1843) 159; Darbyshire (1898 a) 9; van der Byl (1933 a) 4; Zahlbruckner, Cat. Lich. II: 516.

on tree trunk, Amatongoland, J. McKen (S.A.M. 46894); Port Natal, near the Bay, Drège.

Roccella fucoides (Dicks.) Wain.

Wainio (1901) 433: van der Byl (1933 a) 3: Zahlbruckner, Cat. Lich.II: 518.

Roccella phycopsis Ach., Stizenberger (1890) No. 216: Massalongo (1861) 47: Darbyshire (1897) 4, (1898 a) 10, (1898 b) 34.

on maritime rocks, Cape Peninsula, Wawra, Zeyher, Ecklon, Wright.

Var. Arnoldi Zahlbr.

Zahlbruckner, Cat. Lich. II: 519. Roccella Arnoldi Wainio (1901) 433.

on limestone rocks, between Saco and the mouth of the river Giraul, Welvitsch 417 pr. p.

Roccella hereroensis Wain.

Wainio (1900 b) 4; Zahlbruckner, Cat. Lich. II: 520. on calcareous rocks, Hereroland, *Dinter 93*, Type.

Roccella hypomecha (Ach.) Bory.

Nylander (1868) 509, (1886) 200: Hue (1890) 268: Stizenberger (1890) No. 39: Darbyshire (1897) 5, (1898 a) 10, (1898 b) 37; van der Byl (1931) 8, (1933 a) 4: Zahlbruckner (1932) 214, Cat. Lich. II: 520.

Parmelia Roccella var. hypomecha Acharius (1803) 274.

Parmelia tinctoria var. hypomecha Acharius (1810) 439, (1814) 243: Thunberg (1832)

750; Nylander (1959) 252, (1860) 258.

on maritime rocks, Cape, Breutel, Mac Owan, Thunberg; False Bay, MacOwan, 356; on mountains behind Muizenberg, MacOwan (Lojka, Lichenoth, universalis 56; S.A.M. 46978) 145; Poole's Bay, Champion (v. d. Byl 439, det. Vain.), v. d. Byl 795; Hermanus, du Preez, (v. d. Byl 564); without locality, Ecklon 24 (S.A.M. 46864), Pappe (S.A.M. 46865): Kommetje (S.A.M. 25247): Brandfontein, Bredasdorp, C. A. Smith, 740.

Var. benguellensis (Welw.) Wain.

Wainio (1901) 432; Zahlbruckner, Cat. Lich. II: 520.

Lecanora benquellensis Nylander (1868) 514.

on rocks, shores of Atlantic Ocean, near Cabo Negro, Welwitsch 403, Type: Hermanus, Louwrens, 1733.

Var. isabellina Wain.

Wainio (1901) 432; Zahlbruckner, Cat. Lich. II: 520.

on maritime rocks, between Mossamedes and Porta Pinda, Welwitsch 404, Type.

Roccella linearis Wain.

Var. guineensis Wain.

Wainio (1901) 434; van der Byl (1931) 8, (1933 a) 3; Zahlbruckner (1932) 214, Cat. Lich. II: 520.

on maritime rocks, The Heads, Knysna, v. d. Byl; on trunks of trees, Knoetze, Knysna, v. d. Byl 667.

Var. primaria Wain.

Wainio (1901) 434; Zahlbruckner, Cat. Lich. II: 521.

on Euphorbia bella, Mossamedes, Welwisch 420.

Roccella Montagnei Bél.

Massalongo (1861) 15; Stizenberger (1890) No. 218; Darbishire (1897 a) 4, (1898 a) 10, (1898 b) 24; van der Byl (1931) 8, (1933 a) 3; Zahlbruckner (1926 b) 484, Cat. Lich. II: 521.

on maritime rocks and bark, Durban, Gueinzius; Transvaal, Rehmann; Cape, Wawra; on bark of trees, Knysna, Duthie (v. d. Byl 405); Durban, Wager, 1743; Catembe, Borle 35, 281; Port Alfred, Penfield, 205; Natal, Cooper, 144; Mangrove Region, Moçambique, Junod 572, 725; Moçambique, Brunnthaler.

Roccella mossamedana Wain.

Wainio (1901) 433; Zahlbruckner, Cat. Lich. II: 521. on rocks, at top of neck, Serra de Montes Negros, Welwitsch 419, Type.

Roccella podocarpa (Welw.) Wain.

Wainio (1901) 435; Zahlbruckner, Cat. Lich. II: 521.

on branches of Tamarix and Acacia, on banks of river Maiombo, near Páo, Welwitsch 416.

Roccella tinctoria DC.

von Flotow (1843) 27; Krauss (1846) 201; Nylander (1860a) 258; Massalongo (1861) 47; Stizenberger (1890) No. 214; Darbishire (1897) 4, (1898 a) 32; Zahlbruckner Cat. Lich. II: 522.

Lichen Roccella Linn., Thunberg (1800) 180, (1823) 750. on rocks, Cape, Wawra, Thunberg; Muizenberg, Krauss.

f. complanata Wain.

Wainio (1901) 432; Zahlbruckner, Cat. Lich. II: 524. on rocks, shores of Atlantic Ocean, nr. Cazimba, Welwitsch 406 pr. p.

Var. subpodicellata Wain.

Wainio (1901) 431; Zahlbruckner, Cat. Lich. II: 525. on maritime rocks, shores of Atlantic Ocean, near Cazimba, Welwitsch 406 pr. p.

LECANACTIDACEAE.

Lecanactis bullata Zahlbr.

Zahlbruckner (1932) 214; van der Byl (1931) 8. on quartz rocks, Poole's Bay, v. d. Byl 796, Type.

Lecanactis develans Nyl.

Nylander (1890) 87; Hue (1891) 157; Stizenberger (1891) No. 1280; Zahlbruckner, Cat. Lich. II: 535. on bark of a tree of the family Malvaceae, near Durban, Wilms.

Lecanactis emersa (Müll. Arg.) Stizenb.

Stizenberger (1891) 188, No. 1275; Zahlbruckner, Cat. Lich. II: 537. Opegrapha emersa Müll. Arg., J. Müller-Arg. (1887 a) 63. on bark, near Lydenburg, Wilms, Type; near Kooksbosch, Breutel.

Lecanactis ulcerata (Müll. Arg.) Zahlbr.

Zahlbruckner, Cat. Lich. II: 547. Opegrapha ulcerata Müll. Arg., J. Müller-Arg. (1895) 456. on bark, Cape, MacOwan, Type.

Melampydium metabolum Müll. Arg., subsp. africanum Zahlbr.

Zahlbruckner (1932) 215.

on branches of Sideroxylon inerme Linn., Brenton, Knysna, v. d. Byl 683. Type.

Schismatomma paradoxum (Fée) Zahlbr.

Zahlbruckner, Cat. Lich. II: 561.

Platygrapha dirinea Nyl., Stizenberger (1891) No. 1332.

? as Chiodecton direnium Nyl. in van der Byl (1931) 8.

Cape, without locality; ? on trunk of Erythrina caffra Thunb., Stella Bush, v. d. Byl 113 (det. Vain.).

11101-8

Schismatomma septenarium (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. II: 564.

Platygrapha septenaria Stizenberger (1891) 194, No. 1334. on sandstone rocks, near Muizenberg, MacOwan, Type; on Lion's Head, MacOwan.

PILOCARPACEAE.

Byssoloma tricholomum (Mont.) Zahlbr.

f. confluens Vain., van der Byl (1931) 8, ? nom, nud. (for species see Zahlbruckner, Cat. Lich, H: 569).

Pilocarpon leucoblepharum (Nyl.) Wain. f. confluens Vain. in Herb. v. d. Byl. on Ocotea bullata E. Mey, Knysna, v. d. Byl 260 (det. Vain.).

CHRYSOTHRICACEAE.

Crocynia membranacea (Dicks.) Zahlbr.

Zahlbruckner, Cat. Lich. II: 575.

Leproloma lanuginosum Nyl., Stizenberger (1895) No. 521. on moss and stones, Mt. Kanduliri, Zambesi region, Menyharth.

THELOTRE MACEAE.

Gyrostomum scyphuliferum (Ach.) Nyl.

van der Byl (1931) 8; Zahlbruckner, Cat. Lich. II: 644.

on trunk of **Pandanus** sp., Durban, v. d. Byl 3, 10 (det. A. L. Sm.) : on **Croton** sp., Durban, v. d. Byl 7 (det. A. L. Sm.) : on tree undet., Stella Bush, v. d. Byl 70 (det. A. L. Sm.).

Leptotrema endoxanthellum Zahlbr.

Zahlbruckner (1936) 164. on bark, Knysna, v. d. Byl 871, Type.

Leptotrema microglaenoides (Wain.) Zahlbr.

Zahlbruckner, Cat. Lich. II: 637.

Thelotrema microglaenoides Vainio (1926) 32 ; van der Byl (1931) 8 : Zahlbruckner, Cat. Lich. VIII : 604.

on granite rock, Matopos, v. d. Byl 157 pr. p., 159 (det. Vain:).

Ocellularia capensis Zahlbr.

Var. feracior Zahlbruckner (1932) 217.

on bark, Hoofbos, Knysna, v. d. Byl 882, Type.

Var. leiothallina Zahlbr.

Zahlbruckner (1932) 217.

on bark, Hoofbos, Knysna, v. d. Byl 659, Type.

Ocellularia cavata (Ac.) Müll. Arg.

Zahlbruckner, Cat. Lich. II: 585.

Thelotrema cavatum Ach., von Flotow (1843) 24; Krauss (1846) 200. on bark, Cape, Krauss.

Ocellularia diplochistoides Zahlbr.

Zahlbruckner (1932) 216.

on branches of trees, Brenton, Knysna, v. d. Byl 685, Type.

Ocellularia galactina Zahlbr.

Zahlbruckner (1932) 216; van der Byl (1931) 8. on bark of trees, Knoetze, Knysna, v. d. Bul 673, Type.

Ocellularia henatomma (Ach.) Müll. Arg.

Zahlbruckner, Cat. Lich, II: 592.

Lichen pertusus Thunberg (1823) 176, (1932) 741, not Linn.

Pyrenula henatomma Acharius (1810) 316.

Thelotrema henatomma Acharius (1814) 114; Drege (1843) 85; Stizenberger (1890)

No. 906; Juel (1918) 50.

on bark, Cape, Thunberg; Paarlberg, Drège.

Thelotrema capense Zahlbr.

Zahlbruckner (1932) 218; van der Byl (1931) 8. on bark of Cassine croceum O. Ktze., Hoofbos, Knysna, v. d. Bul 695, 696, Type.

Thelotrema diplochistoides Vain.

Vainio (1926) 31; van der Byl (1931) 8; Zahlbruckner, Cat. Lich. VIII; 604. on granite rocks, Matopos, v. d. Byl 157 pr. p., Type.

Thelotrema leioplacoides Nyl.

Nylander (1857) 118, nom. nud.; Hue (1891) 93; Zahlbruckner, Cat. Lich. II:

Cape of Good Hope without locality.

Thelotrema lepadinum Ach.

Drège (1843) 80; Stizenberger (1890 & 1895) No. 903; J. Müller-Arg. (1893 c)

510; Zahlbruckner (1932) 219, Cat. Lich. II: 620.

on branches, under a growth of Usnea sp., Pondoland, Buchmann; du Toits Kloof, Drège; on bark, Garden of Eden, Knysna, v. d. Byl 864; Kaaimansrivier, v. d. Byl 853.

Thelotrema muscigenum Stizenb.

Stizenberger (1890) 247, no. 902; Zahlbruckner, Cat. Lich. II 626. on mosses on trees, Table Mt., MacOwan, Type.

DIPLOSCHISTACEAE.

Conotrema volvarioides (Fée) Müll. Arg.

Zahlbruckner, Cat. Lich. II 648. Lecidea volvarioides Stizenberger (1891) 180, no. 1201. on bark, nr. Lydenburg, Wilms.

Diploschistella urceolata Vain.

605. Vainio (1926) 26; van der Byl (1931) 8; Zahlbruckner, Cat. Lich. VIII on rather sandy ground, Stellenbosch, Eyles (v. d. Byl 416), Type.

Diploschistes actinostomus (Pers. ex Ach.) Zahlbr.

Zahlbruckner (1932) 220, Cat. Lich. II: 651; van der Byl (1931) 8.

Urceolaria actinostoma Pers. ex Ach., Stizenberger (1890) no. 829.

on sandstone rocks, near Lydenburg, Wilms: on quartz rocks, Poole's Bay, v. d. Byl 797, 801, 802; on rocks, near Hermanus, v. d. Byl 776.

Var. aeneus (Müll. Arg.) Steiner

Zahlbruckner, Cat. Lich. II: 563.

Urceolaria actinostoma var. aenea Müll. Arg., Stizenberger (1890) no. 829. on rocks, Cape, without locality.

Var. caesioplumbeus (Nyl.) Steiner

Zahlbruckner (1926 b) 484, Cat.Lich, II: 653.

Urceolaria actinostoma var. caesioplumbea Nyl. Stizenberger (1890) no. 829. on sandstone and granite, Lion's Head and Table Mt., MacOwan: slopes of Table Mt.

opposite Camps Bay, Brunnthaler: van Reenen's Pass, Brunnthaler.

Diploschistes anactinus (Nyl.) Zahlbr.

Zahlbruckner (1932) 220, Cat. Lich. II . 657.

on quartz rocks, Hermanus, v. d. Byl 779; Botany Bay, v. d. Byl 991, 995.

Diploschistes bellus Zahlbr.

Zahlbruckner (1936) 163.

on sandstone rocks, between Calvinia and Middelpos, v. d. Byl 1107, Type, and v. d. Byl 111.

Diploschistes cinereocaesius (Sw.) Wain.

van der Byl (1931) 8; Zahlbruckner, Cat. Lich. II: 660.

Urceolaria cinereocaesius Ach., Stizenberger (1890) no. 838.

on ground amongst mosses, Boschberg, MacOwan; on ground, Howick, v. d. Byl 213 (det. Vain.).

Diploschistes deuterius (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. II: 662.

Urceolaria deuteria Nyl., Crombie (1876 a) 175 : Stizenberger (1890) no. 830. on ground, Table Mt., Eaton.

Diploschistes isabellinus Zahlbr.

Zahlbruckner (1932) 219.

on friable sandstone rock, Grey's Pass, Citrusdal, v. d. Byl 755.

Diploschistes ochroniger Zahlbr.

Zahlbruckner (1936) 164.

on the ground, Wolseley, v. d. Byl 1142, 1143, Type.

Diploschistes perispicillatus Zahlbr.

Zahlbruckner (1932) 219.

on non-calcareous rocks, World's View, van Reenen's Pass, Brunnthaler, Type.

Diploschistes scruposus (Schreb.) Norm.

Zahlbruckner, Cat. Lich. II: 665.

f. iridatus (Mass.) Zahlbr.

Zahlbruckner (1932) 220, Cat. Lich. II: 670; van der Byl (1931) 8. on ground near Stellenbosch, v. d. Byl 747.

Var. arenarius (Schaer.) Müll. Arg.

Zahlbruckner (1932) 220, Cat. Lich. II: 671.

Urceolaria scruposa Ach. f. arenaria Ach., Stizenberger (1890) no. 832.
Urceolaria scruposa β arenaria Schaer., von Flotow (1843) 24; Krauss (1846) 200.
on sandstone rocks, top of Lion's Head, MacOwan; on ground, Grootrivier, Knysna, v. d. Byl 883; on clayey soil, Tygerberg, Krauss.

Diploschistes subcupreus (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. II: 674.

Urceolaria subcuprea Nyl. apud Crombie (1876 a) 175, (1876 b) 20; Hue (1891) 99. on rocks, Table Mt., Eaton.

GYALECTACEAE.

Gyalecta Thunbergiana Ach.

Acharius (1810) 152. (1814) 10; Juel (1918) 49; Zahlbruckner, Cat. Lich. II: 728.

Lichen excavatus Thunberg (1800) 176, (1823) 742, not Hoffmann.

Urceolaria excavata Ach. (1798) 35, (1803) 148.

Lichen opegraphus* Gyalecta Thunbergiana Lamarck (1813) 409. on clavey ground, Leeuwestaart, Thunberg.

Microphiale lutea (Dicks.) Zahlbr.

Zahlbruckner, Cat. Lich. II: 697.

Lecidea lutea Tayl., Stizenberger (1891) no. 913; Nylander (1869 a) 8.

? as Catillaria lutea Arn., van der Byl (1931) 10.

on bark, Durban, Armstrong; ? on trunk of Gardenia globosa Hochst., Winkle Spruit, v. d. Byl 49 (det. A. L. Sm.)

Pachyphiale cornea Poetsch

Zahlbruckner, Cat. Lich. II: 729. Lecidea carneola Ach., Drège (1843) 80, 85. on bark, du Toits Kloof, Drège; Paarlberg, Drège.

COENOGONIACEAE.

Coenogonium afrum Massal.

Massalongo (1861) tab. II f.1-4; Zahlbruckner, Cat. Lich. II: 736.

Chroolepus afrum Massalongo (1861) 43.

Cape of Good Hope, Wawra.

Coenogonium interplexum Nyl.

Stizenberger (1890) no. 910; Zahlbruckner, Cat. Lich. II: 737. on bark of trees, near Baziya, Baur (Mac Owan 705).

EPHEBACEAE.

Ephebe lanata (Linn.) Wain.

Zahlbruckner, Cat. Lich. II: 750. Ephebe pubescens (Ach.) Fr., Stizenberger (1890) no. 6.

Ephebe pubescens (Ach.) Fr., Stizenberger (1890) no. 6 on wet rocks, top of Lion's Head, Mac Owan.

PYRENOPSIDACEAE.

Psorotichia cataractae Zahlbr.

Zahlbruckner (1926 b) 485, Cat. Lich. VIII: 269. on basalt rocks, Palm Kloof, Victoria Falls, Brunnthaler.

Psorotichia fuliginella (Nyl.) Wain.

Wainio (1901) 418; Zahlbruckner, Cat. Lich. II: 790. Collema fuliginellum Nylander (1868) 509; Hue (1890) 229. on micaceous-schistose rocks, near Pomangula, Mossamedes, Welwitsch 57, 58.

Pyrenopsis Mackenziei, T. A. Jones

apud Nylander (1869 a) 4; Stizenberger (1890) no. 5; Hue (1890) 226; Zahlbruckner, Cat. Lich. II: 771. on quartzite rocks. Natal, Armstrong, Type.

Pyrenopsis robustula Müll. Arg.

J. Müller-Arg. (1893 b) 295: Zahlbruckner, Cat. Lich. II: 776. on rocks, near Boroma, *Menyharth 1215*, Type.

Synalissa austro-africana Zahlbr.

Zahlbruckner (1936) 165. on sandstone, between Bitterfontein and Garies, v. d. Byl 1175, Type.

Peccania minuscula (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. II: 814.

Synalissa minuscula Nylander (1868) 508; Forssel (1885) 56; Hue (1890) 228; Zahlbruckner, Cat. Lich. II: 778.

Omphalaria minuscula (Nyl.) Wainio (1901) 417.

on limestone rocks, on mountain top, Serra de Montes Negros, Welwitsch 2 pr. p., 15 pr.p.

COLLE MACEAE.

Arctomia muscicola A. L. Sm.

A. L. Smith (1932) 48; Zahlbruckner, Cat. Lich. VIII: 608. on bark or old wood amongst mosses and Hymenophyllum, below Duivel's Kantoor, Kaapsche Hoop, G. Taylor, Type.

Collema aggregatum (Ach.) Röhl.

van der Byl (1931) 9, (1935 b) 3; Zahlbruckner, Cat. Lich. III: 32. on trees, Salisbury, Eyles 4277 (v. d. Byl 574, det. A. L. Sm.); Zululand, R. H. Harris (v. d. Byl 230, det. Vain.); Elim, Doidge, 274; Highbury, Doidge, 1555.

Collema crispum (Linn.) Wigg.

Juel (1818) 49; Zahlbruckner, Cat. Lich. III: 72. Lichen crispus Linn., Thunberg (1800) 177, (1823) 744. Cape, Thunberg.

Collema furvum (Ach.) DC.

J. Müller-Arg. (1893 b) 295; Stizenberger (1895) no. 21; Schinz (1905) 393;
Zahlbruckner, Cat. Lich. III: 78.
near Boroma, Menyharth 250.

Collema nigrescens (Huds.) DC.

Drège (1843) 80, 85 ; van der Byl (1931) 9, (1935 b) 4 ; Zahlbruckner, Cat. Lich. III : 51.

on trunks of trees, Salisbury, Eyles 650 (v. d. Byl 556) 1445; on bark of Ficus sp., Enterprise, Eyles 1644, 160; on bark, Zululand, Harris; du Toits Kloof, Drège; Paarlberg, Drège.

Collema redundans Nyl.

Nylander (1869 a) 5; Stizenberger (1890) no. 34; Hue (1890) 232; van der Byl (1935 b) 4; Zahlbruckner, Cat. Lich. III: 46.

Synechoblastus redundans Müll. Arg., J. Müller-Arg. (1880 b) 259.
on bark, Durban, Armstrong.

Collema tenax (Sw.) Ach.

Stizenberger (1890) no. 29; van der Byl (1935 b) 3; Zahlbruckner, Cat. Lich. III: 10.

Collema pulposum Ach. var. tenax Nylander (1858) 110; Crombie (1876 a) 166. on the bare ground, Table Mt., Eaton.

Collema thysaneum Ach.

Nylander (1869 a), 5 not., ; Stizenberger (1890) no. 38 ; van der Byl (1935 b) 4 ; Zahlbruckner, Cat. Lich. III : 47. on bark, Cape, Breutel.

Leptogium adpressum Nyl.

Stirton (1877) 212; Stizenberger (1890) no. 61; Wainio (1901) 417; van der Byl (1935 b) 8; Zahlbruckner, Cat. Lich. III: 126.

on trees, Boschberg, MacOwan; on trunks of living Parinarium sp., in high mountain forest, Morro de Lopollo, Welwitsch 1.

Leptogium africanum Zahlbr.

Zahlbruckner (1926 b) 488, Cat. Lich. VIII: 287; van der Byl (1935 b) 10. amongst mosses, Winterhoekberg, near Uitenhage, Zeyher (in Herb. Naturhist. Hofmus. as Leptogium Brébissonii, det. Nylander).

Léptogium Brébissonii Mont.

Zahlbruckner, Cat. Lich. III: 126. Leptogiopsis Brébissonii Müll. Arg., J. Müller-Arg (1893 b) 295; Schinz (1905) 303. on bark, Boroma, Menyharth 266, 267.

Leptogium bullatum (Sw.) Mont.

Zahlbruckner, Cat. Lich. III: 128.

Collema bullatum Ach., Drège (1843) 132, 141.

on bark, Samteesvlakte, near Enon, Drège; "Glenfilling", Drège.

Var. dactylinoideum Nyl.

Stirton (1877) 211 : Stizenberger (1890) no. 60 ; van der Byl (1935 b) 7 ; Zahlbruckner, Cat. Lich, III : 129.

on bark, Boschberg, MacOwan.

Leptogium Burgesii (Linn.) Mont.

Steiner (1907) 637; Zahlbruckner, Cat. Lich. III: 175.

on bark, Mt. Mamotsuiri, Junod 981 pr.p.

Leptogium chloromeloides Nvl.

Nylander (1869 a) 5; Hue (1890) 236; van der Byl (1935 b) 10; Zahlbruckner, Cat. Lich. III: 126.

Leptogiopsis chloromeloides Müll. Arg., J. Müller-Arg. (1882) 292. on bark, Durban, Armstrong.

Leptogium chloromelum (Ach.) Nyl.

Zahlbruckner (1926 b) 487, (1932) 221, Cat. Lich. HI : 131 ; van der Byl (1931) 9, (1935 b) 9.

on bark of trees, Table Mt. and Oranjezicht, Brunnthaler; Knysna, r. d. Byl; Umtali, Eyles 4847; Salisbury, Eyles (v. d. Byl 627).

Var. caespitosum (Tayl.) Zahlbr.

Stizenberger (1890) no. 57; Zahlbruckner, Cat. Lich. III: 132.

Collema caespitosum Taylor (1847) 196; J. Müller-Arg. (1887 a) 269. in mountain forests, near Uitenhage, Zeuher.

Var. crassius Nvl.

Nylander (1869 a) 5; Hue (1890) 236; Stizenberger (1890) no. 57; van der Byl (1935 b) 9; Zahlbruckner, Cat. Lich. III: 132. on bark, Durban, Armstrong.

Leptogium daedaleum Nvl.

Zahlbruckner, Cat. Lich. III: 134.

Leptogium phyllocarpum Mont. var. daedaleum Nylander (1858) 130; Stirton (1877) 212; van der Byl (1931) 9, (1935 b) 9.

Stephanophoron phyllocarpum var. daedaleum Stizenberger (1890) 123, no. 67, (1895) no. 67.

on tree trunks, Boschberg, MacOwan; Transvaal, Rehmann; Knysna, v. d. Byl 288, (det. Vain.); Table Mt.

Leptogium Hildenbrandii (Garov.) Nyl.

Nylander (1869 a) 5 ; Stirton (1877) 211 ; Stizenberger (1890) no. 55 ; van der Byl (1935 b) 6 ; Zahlbruckner, Cat. Lich. III : 176.

on bark, Natal, Armstrong, Rehmann; Transvaal, Wilms; Boschberg, MacOwan, 70, 688

Leptogium Kraussii (Flotow) Zahlbr.

Zahlbruckner, Cat. Lich. III: 136.

Stephanophorus Kraussii Flotow (1843) 29; Krauss (1846) 200. abundant on bark of Quercus around Constantia, Krauss.

Leptogium marginellum (Sw.) S. F. Grav.

Stizenberger (1890) no. 52; van der Byl (1935 b) 6; Zahlbruckner, Cat. Lich. III:

Collema marginella Raeuschel, Drège (1843) 155.

Cape, Gueinzius; between "Ontendo" and "Omsamculo", Drège.

Leptogium Menziesii (Sw.) Mont.

Nylander (1858 a) 128; Stirton (1877) 211; Stizenberger (1890) no. 56; van der Byl (1935 b) 7; Zahlbruckner, Cat. Lich. III: 177.

on bark and amongst mosses, Cape, Drège; Durban, Gueinzius; Kaffraria, Baur.

f. fuliginosum Müll. Arg.

Stizenberger (1890) no. 56; Steiner (1907) 637; (van der Byl 1935 b) 7; Zahlbruckner, Cat. Lich. III: 178.

on bark, Cape, MacOwan; Mt. Mamotsuiri, Junod 981 pr.p.

Leptogium moluccanum (Pers.) Wain.

Zahlbruckner (1926 b) 487, Cat. Lich. III: 145.

on Podocarpus sp., van Reenen's Pass, Brunnthaler.

Var. simplicata Vain.

van der Byl (1931) 9, (1935 b) 7, ? nom. nud. on tree trunk, Stella Bush, v. d. Byl 108 (det. Vain.)

Leptogium phyllocarpum (Pers.) Mont.

Nylander (1858 a) 130, (1869 a) 5; Crombie (1876 a) 166; Stirton (1877) 212; van der Byl (1935 a) 8; Zahlbruckner, Cat. Lich. III: 149.

on trunks of trees, Table Mt., Eaton; Boschberg, MacOwan; Kamberg, Crass, 1589; Highbury, Doidge, 1553; Xumeni Forest, Doidge, 1622 b; Kentani, Pegler 2464, Durban, Armstrong; on bark of Figure 50., Enterprise, Eyles 1644 a, 160 a.

Var. coralloideum (Mey. & Flot.) Hue.

van der Byl (1935 a) 9; Zahlbruckner, Cat. Lich. III: 149. Leptogium phyllocarpum var. isidiosum Nyl.., Stirton (1877) 212.

Stephanophoron phyllocarpum var. isidiosum Stizenberger (1890) 123. no. 67.

on bark, Boschberg, MacOwan, 67.

Var. macrocarpum Nyl.

Stirton (1877) 212; van der Byl (1935 a) 9; Zahlbruckner, Cat. Lich. III: 150. on bark, Boschberg, MacOwan.

Leptogium saturninum Nyl.

Zahlbruckner, Cat. Lich. III: 178. Collema saturninum DC., Drège (1843) 134. Hoffmanskloof, between Enon and Zuurbergen, Drège.

Leptogium tremelloides (Linn. f.) S. F. Gray.

Nylander (1858 a) 124; Crombie (1876 a) 166; Stirton (1877) 211; Stizenberger (1890) no. 49; Steiner (1907) 637; van der Byl (1931) 9, (1935 a) 10; Zahlbruckner, Cat. Lich. III: 155.

Lichen tremelloides Linn, f. (1781) 450; Thunberg (1800) 177, (1823) 745.

Collema tremelloides Ach., Drège (1843) 80, 85, 123, 146.

amongst mosses on rocks and on branches and trunks of trees, Table Mt., Eaton; Cape, Zeyher; du Toits Kloof, Drège; Paarlberg, Drège; in a valley in the forest between 'Buffelsrivier' and 'Key', Drège; between 'Key' and 'Basche', Drège; Kaymansgat, Drège; Boschberg, MacOwan (S.A. M. 46966) 70.71: Blue Lilies Valley, Humansdorp, Woodcock (S.A. M. 46929); Kentani, Pegler 1238, 72: Empangeni, R. H. Harris; Highbury, Doidge, 1552; Nottingham Road, v. d. Byl 36 (det. A. L. Sm.); Mt. Mamotsuiri, Junod 983 pr.p.; Izotsha, Rump, 1566; Kamberg, Crass, 1588; Mont aux Sources, Bottomley, 738; Xumeni Forest, Doidge, 1584: near Boroma, Menyharth; on Chaetacme aristata Planch. Winklespruit, v. d. Byl 53 (det. A. L. Sm.).

Var. azureum Nyl.

Nylander (1858 a) 125; Zahlbruckner (1932) 221, Cat. Lich. III: 158.

Leptogium azureum (Sw.) Mont., von Flotow (1843) 20; Krauss (1846) 200; Stizen-

berger (1890) no. 51.

on mossy stones in moist places. Boschberg. MacOwan 520 (?S.A. M. 47023) 68, 71; on bark and on mossy stones, Woodbush. Doidge, 66 (det. Lindau): in woods near river, Knysna, Krauss: Hoofbos. Knysna, v. d. Byl 699; Stellenbosch, Slabbert; Umtali, Eyles 4294 (v. d. Byl 573, det. A. L. Sm.); Stutterheim, Sr. de Victoria, 1480; Kirstenbosch, Bottomley, 779; on Eugenia zulueusis Dummer, Xumeni Forest, Morgan & Doidge, 1695.

Physma byrsinum (Ach.) Müll. Arg.

van der Byl (1935 a) 2; Zahlbruckner, Cat. Lich. III: 25. Dichodium byrsinum Nyl., Stizenberger (1890) no. 41. Collema byrsinum Ach., Nylander (1869 a) 5. on bark and mosses, Durban, Armstrong.

Physma callicarpum Hue

van der Byl (1935 a) 2 ; Zahlbruckner (1932) 221, Cat. Lich. III : 26. on trunks of trees, Plettenberg Bay, v. d. Byl 874.

HEPPIACEAE.

Heppia azurea Vain.

apud Lynge (1937) 81. on granite rocks, Matopos, v. d. Byl 151, Type.

Heppia Guepini (Del.) Nyl.

Zahlbruckner, Cat. Lich. III: 197.

Endocarpiscum Guepini Nyl., J. Müller-Arg. (1893 b) 296; Stizenberger (1895) no. 519: Schinz (1905) 394.

on rocks, Mt. Kanduliri, Menyharth 1, 214.

Var. nigrolimbata Nyl.

Zahlbruckner, Cat. Lich. III: 198. Heppia nigrolimbata Nyl., van der Byl (1931) 9. on rocks, Hysberge, v. d. Byl 372.

Heppia mossamedana Wain.

Wainio (1901) 417 ; Zahlbruckner, Cat. Lich. III : 192. on limestone rocks, Serra de Montes Negros, Welwitsch 483 pr.p.

PANNARIACEAE.

Coecocarpia pellita (Ach.) Müll. Arg. var. parmelioides Müll. Arg. van der Byl (1931) 9; Zahlbruckner, Cat. Lich. III: 287.

on rock, Mayville, v. d. Byl 72 (det. A. L. Sm.).

Pannaria capensis Steiner

Steiner (1907) 643; Zahlbruckner, Cat. Lich. III: 240. on bark, Mt. Mamotsuiri, Junod 1000 pr.p., Type.

Pannaria Hookeri (Borr.) Nyl. var. leucolepis Th. Fr.

Zahlbruckner, Cat. Lich. III: 243.

Pannaria leucolepis Nyl., Stizenberger (1890) no. 497. on rocks, Table Mt., MacOwan.

Pannaria leucosticta Tuckerm. var. isidiopsis Nyl.

apud Crombie (1876 a) 171; Hue (1891) 39; Zahlbruckner, Cat. Lich. III: 245.

Pannularia leucosticta Stizenb. var. isidiopsis Nyl., Stizenberger (1890) no. 498.

on bark, Table Mt., Eaton, Type.

Pannaria lurida Nyl.

Zahlbruckner, Cat. Lich. III: 245.

Dichodium subluridium Nyl., Stizenberger (1890) no. 42. on bark, Cape, Breutel.

Pannaria rubiginosa (Thunb.) Del.

Crombie (1876 a) 171; Steiner (1907) 643; Juel (1918) 51; van der Byl (1931) 9; Zahlbruckner, Cat. Lich. III: 256.

Lichen rubiginosus Thunb. ex Acharius (1798) 99; Thunberg (1800) 176, (1823) 743.

Parmelia rubiginosa Ach., Drège (1843) 80, 85.

on bark and mossy stones, Cape, Thunberg; Table Mt., Eaton; Mt. Mamotsuiri, Junod 1000 pr.p.; Caledon, v. d. Byl 364 (det. Vain.); Umtali, Eyles 4287 (v. d. Byl 570, det. A. L. Sm.); du Toits Kloof, Drège; Paarlberg, Drège.

Var. lanuginosa (Hoffm.) Zahlbr.

Zahlbruckner, Cat. Lich. III: 258.

Pannaria coerulobadia Massalongo (1861) 49.

Pannaria rubiginosa var. conoplea Körb., Stizenberger (1890) no. 494. amongst mosses, Cape, Wawra, MacOwan.

Var. phloeodes Stizenb.

Stizenberger (1890) 188, no. 494; Zahlbruckner, Cat. Lich. III: 260. Pannaria phleodes Stirton (1877) 215. on bark of old and dying trees, Boschberg, MacOwan (S.A.M. 46976) 81, Type.

Parmeliella coelestina Zahlbr.

Zahlbruckner (1932) 223. on bark, Hoofbos, Knysna, v. d. Byl 877, Type.

Parmeliella corallinoides (Hoffm.) Zahlbr.

Zahlbruckner, Cat. Lich. III: 205.

Biatora triptophylla Fr. β corrallinoides Floerke, v. Flotow (1843) 20; Krauss (1846) 200.

Pannaria triptophylla (Ach.) Massal, Stizenberger (1890) no. 500. on bark of tree, Cape, Gueinzius; hills near Green Point, Krauss.

Parmeliella plumbea Müll. Arg.

Zahlbruckner, Cat. Lich. III: 20.
Parmelia plumbea Ach., Drège (1843) 132.
on bark, Samteesvlakte, near Enon, Drège.

Placynthiopsis africana Zahlbr.

Zahlbruckner (1932) 221. on quartz rocks, Baakens River Valley, Brunnthaler, Type.

Psoroma asperellum Nyl.

Nylander (1863) 24; Hue (1891) 44; Zahlbruckner, Cat. Lich. III: 266. Lecanora asperella Nyl., Stizenberger (1890) no. 523. on bark among mosses, Cape of Good Hope.

Psoroma sphinctrina Nyl.

Merrill).

van der Byl (1931) 9; Zahlbruckner, Cat. Lich. III: 275.

Lecanora sphinctrina Nyl., Stizenberger (1890) no. 524.
on bark, Cape of Good Hope; on trunk of Quercus sp., Klapmuts, v. d. Byl 102 (det.

STICTACEAE.

Lobaria interversans Wain.

van der Byl (1931) 9; Zahlbruckner, Cat. Lich. III: 302. on bark, Barberton, *Thorncroft* (v. d. Byl 234, det. Vain.); The Wilderness, v. d. Byl 292 (det. Vain.).

Lobaria isidiosa Wain.

Zahlbruckner (1926 b) 490, Cat. Lich. III: 321. Lobarina retigera Nyl. f. isidiosa Stizenberger (1895) no. 367.

on **Podocarpus** sp., van Reenen's Pass, Brunnthaler; on bark of trees undet., Stutterheim, Sr. de Victoria, 1481; Fuller's Bush, T. R. Sim, 1455; Insikeni Forest, Henkel, 1466; Zwartkop, near Maritzburg, T. R. Sim, 1449; in bush, Highbury, Doidge, 1538; Estcourt, West, 1629; Entabene, Watson, 1504; near Haenertsburg, Kapp, 1761; near Tzaneen, Kapp, 1762.

Lobaria meridionalis Wain.

van der Byl (1931) 9 ; Zahlbruckner, Cat. Lich. III : 307. on bark, Knysna, v.~d.~Byl~295~pr.p. (det. Vain.).

Lobaria patinifera (Tayl.) Hue.

Zahlbruckner (1926 b) 490, (1932) 224, Cat. Lich. III : 308 ; van der Byl (1931) 9. Ricasolia patinifera Müll. Arg., Steiner (1907) 642.

Ricasolia sublaevis Nylander (1869 a) 6; Stizenberger (1890) no. 389.

on moss covered tree trunks and on bark, Skeleton Ravine, Table Mt., Brunnthaler; Cape, Ecklor: Durban, Armstrong; Transvaal, Wilms; Hoofbos, Knysna, v. d. Byl 698 pr.p.; Brenton, Knysna, v. d. Byl 686; Garden of Eden, Knysna, v. d. Byl 866; Mt. Mamotsuiri, and 975 pr.p., 980; Xumeni Forest, Doidge, 1578, 1582, 1585; Highbury, Doidge, 1557 a.

Lobaria pulmonaria (Linn.) Hoffm.

van der Byl (1931) 9; Zahlbruckner (1932) 242, Cat. Lich. III: 309.

Lichen pulmonarius Linn., Thunberg (1800) 178, (1823) 745.

Sticta pulmonacea Ach., Drège (1843) 80, 125, 144, Nylander (1860 a) 351.

Lobaria pulmonacea (Ach.) Shirley, Stizenberger (1890) no. 369.

on tree trunks, South Africa, without locality, Gueinzius, Breutel, Rehmann, Maclea, Thunberg; du Toits Kloof, Drège; in forest 'Koratra', Drège; in forest in a valley between 'Buffelrivier' and 'Key', Drège; Home Rule, Natal, T. R. Sim, 1454; Pirie Forest, H. A. Wager, 761; near Brits, Fouché, 1471; Hoofbos, Knysna, v. d. Byl 698, pr.p.; Devils Peak, Barnard (S.A.M. 28822); on rock, Caledon, Purcell (S.A.M. 46276); Kentani, Pegler 2433 (S.A.M. 46955, 46896).

f. hypomela Cromb.

Zahlbruckner, Cat. Lich. III: 315.

Sticta pulmonaria Birola var. hypomela (Del.) Duby, Crombie (1876 a) 167.

Lobaria pulmonacea var. hypomela Stizenberger (1890) 169, no. 369.

on trunks of trees, Table Mt., Eaton; Transvaal, Wilms.

f. papillaris (Del.) Hue.

Zahlbruckner (1932) 224, Cat. Lich. III: 316.

on trunks of trees, Kaffraria, Cooper (no. 1814 in Herb. Vindob.); Boschberg, MacOwan 686.

f. pleurocarpa Crombie

Zahlbruckner, Cat. Lich. III: 316,

Lobaria pulmonacea var. pleurocarpa Ach., von Flotow (1843) 26; Krauss (1846) 201. on tree trunks, Boschberg, MacOwan, 150; on old trees, slopes of Table Mt., Krauss.

Lobaria quercizans (Ach.) Michx.

Zahlbruckner (1932) 224, Cat. Lich. III: 317.

Sticta quercizans Ach., Drège (1843) 134, 144; Crombie (1876 a) 167.

Ricasolia crenulata Nyl. var. stenospora Nylander (1860 a) 373.

Ricasolia erosa Nylander (1860 a) 371; Stizenberger (1890) no. 388.

Ricasolia Ravenelii Nyl., Stirton (1877) 212.

Stictina quercizans (Ach.) Stizenberger (1890) no. 358.

on tree trunks and mossy rocks, in forest in a valley between 'Buffelrivier' and 'Key', Drège; Hoffmans Kloof, between Enon and Zuureberge, Drège; Table Mt., Eaton; Cape and northern Natal, Rehmann; Transvaal, McLea, Rehmann; Buccleuch, J. M. Sim, 1447; Champagne Castle, Bayer, 1740; Highbury, Doidge, 1557; Xumeni Forest, Doidge, 1578; Knysna, v. d. Byl 878. 879, 892 c, 896; Grootrivier, v. d. Byl 845, 846; Storms River, v. d. Byl 875; Boschberg, MacOwan (S.A. M. 46895) 141; Blue Lilies Bush, Humansdorp, Woodcock (S.A. M. 46927).

Lobaria retigera (Bory) Trevis.

Zahlbruckner, Cat. Lich. III: 321.

Sticta retigera Ach., Nylander (1860 a) 351.

Lobarina retigera Nyl., Stizenberger (1890) no. 367.

on mossy tree trunks, South Africa, Rehmann; ? Boschberg, MacOwan (S.A. M. 46983).

Lobaria verrucosa (Scop.) Hoffm.

Zahlbruckner, Cat. Lich. III: 322.

Lobarina scrobiculata Nyl., Stizenberger (1890) no. 366.

on trunks and mossy stones, near Kooksbosch, Breutel, Zeyher.

Sticta ambavillaria Ach.

Nylander (1860 a) 346 : van der Byl (1931) 10 ; Zahlbruckner, Cat. Lich. III : 369. on bark, Cape. Drège : Boschberg, MacOwan (S.A. M. 46981) ; Keurboomsrivier, v. d. Byl 286 (det. Vain.).

Sticta argyracea (Borv) Del.

Zahlbruckner, Cat. Lich. III: 370.

Stictina argyracea Nylander (1860 a) 334; Stizenberger (1890) no. 348. on bark, Cape.

f. rigidula Zahlbr.

Zahlbruckner, Cat. Lich. III: 371.

 $Stictina\ argyracea$ var, rigidula Nylander (1869 a) 6 ; Stizenberger (1890) no. 348, on bark, Durban, Armstrong

Var. aspera Krempelh.

Zahlbruckner, Cat. Lich. III: 371.

Sticta aspera Laur., Drège (1843) 144.

on bark, in forest in a valley between 'Buffelrivier' and 'Key', Drège.

Var. flavescens Zahlbr.

Zahlbruckner, Cat. Lich. III: 372.

Stictina argyracea var. flavescens Nyl., Stizenberger (1890) no. 348. on bark, Cape, Wilms.

Sticta aurata (J. E. Sm. & Sow.) Ach.

Drège (1843) 124, 125, 134, 144; von Flotow (1843) 27; Krauss (1846) 201;
Nylander (1860 a) 361, (1869 a) 6; Crombie (1876 a) 167; Stizenberger (1890, 1895) no. 379; J. Müller-Arg. (1893 a) 509; van der Byl (1931) 9;
Zahlbruckner (1926 b) 492, Cat. Lich. III: 330, VIII: 606.

Stictina aurata Ach., Steiner (1907) 643.

Pseudocyphellaria aurata Wain., Gyelnik (1931 d) 295.

on Portulacaria afra Jacq., Despatch, Brunnthaler; on bark of Acacia and Gymnosporia, Swellendam, Krauss; on mossy rocks and on trunks of trees undet., in forest 'Koratra', Drège; in forest in valley between 'Bufelrivier' and 'Key', Drège; between 'Omtata' and 'Omsamwubo', Drège; Hoffmans Kloof, between Enon and Zuureberge, Drège; 'Hoogekraalsrivier', Drège; Durban, Armstrong; Table Mt., Eaton; Transvaal, Wilms; Pondoland, Bachmann; Barberton, v. d. Byl 235 (Det. Vain.); Knysna, Hean. (v. d. Byl 293, det. Vain.), Duthie (v. d. Byl 417), Pienaar. 109; Stutterheim. Sr. de Victoria, 1484; Entabene, Watson. 1376; without locality, T. R. Sim. 1458: Mt. Mamotsuiri, Junod 977; Unitali, Eyles 4239 (v. d. Byl 567, det. A. L. Sm.); Nongoma, Gerstner, 1592; Kidds Beach, Schaefer, 1747; Blue Lilies Bush, Humansdorp, Woodcock (S.A. M. 46928); Kentani, Pegler (S.A. M. 46897); Garcia's Pass, Thorne (S.A. M. 38829).

Var. pallens Nyl.

Stirt on (1877) 212; Zahlbruckner, Cat. Lich. III: 333. on bark, Boschberg, MacOwan (S.A. M. 46985).

Sticta carpoloma Del. var. albocyphellata Nyl.

Zahlbruckner, Cat. Lich. III: 374.

Stictina carpoloma var. albocyphellata Nylander (1869 a) 6. on bark, Durban, Armstrong.

Sticta clathrata (Trevis.) deNot.

Zahlbruckner, Cat. Lich. III: 336.

on dead branches in bush, Highbury, Doidge, 1557 b.

Var. subhirsuta.

van der Byl (1931) 10, ? nom. nud. on tree trunks, Woodbush, v. d. Byl 532 (det. Vain.).

Sticta crocata (Linn.) Ach.

Acharius (1803) 277, (1810) 447, (1814) 232; Drège (1843) 80, 84, 88, 105, 114; Massalongo (1861) 49; Crombie (1876 a) 167; Juel (1918) 49; Zahlbruckner (1926 b) 491, Cat. Lich. III: 376, VIII; 606.

Lichen crocatus Linn., Thunberg (1800) 178, (1823) 747.

Stictina crocata Nylander (1860 a) 338; Stizenberger (1890) no. 353.

Cyanisticta crocata Gyelnik (1931 a) 7, (1931 d) 295.

on bark of trees, Table Mt., and Devils Peak, at foot of mountains, Drège; Table Mt., Eaton; Devils Peak, Ecklon 25 (S.A.M. 46862); in krantzes, Table Mt., Drège; on trunks, Skeleton Ravine, Table Mt., Brunnthaler; 'Gnadenthal', Drège; du Toits Kloof, Drège; Simonsberg, Drège; Cape, without locality, Thunberg, Wawra; Transvaal, Rehmann; Inanda, Medley Wood 501, 151; Nottingham Road, v. d. Byl 37 (det. A. L. Sm.); Kentani, Pegler (S.A. M. 46956).

Var. isidalia Gyeln.

Zahlbruckner, Cat. Lich. VIII: 309.

Cyanisticta crocata var. isidialia Gyelnik (1931 a) 7.

Pseudocyphellaria crocata (L.) Wain., var. isidialia Gyeln., Magnusson (1940) 15. on bark, South Africa, without locality, Drège (sub Sticta crocata var. gilva in Herb. Mus. nat. Hist. Wien, pr.p.).

Sticta damaecornis (Sw.) Ach.

Nylander (1860 a) 356; Stirton (1877) 212; Stizenberger (1890) no. 370; Zahlbruckner (1926 a) 183, Cat. Lich. III: 337.

on bark, Cape of Good Hope; near Kimberley, Shaw.

Sticta endochrysea Del.

von Flotow (1843) 26; Krauss (1846) 201; Stizenberger (1890 & 1895) no. 377; Zahlbruckner, Cat. Lich. III: 342.

? near Lydenburg, Wilms; ? on old trees, slopes of Table Mt., Krauss.

Doubtful record.

Sticta fuliginosa (Dicks.) Ach.

Zahlbruckner (1926 b) 491, (1932) 225, Cat. Lich. III: 383, VIII: 310, 606; van der Byl (1931) 10.

Stictina fuliginosa Nyl., Stirton (1877) 212; Stizenberger (1890) no. 363; Gyelnik (1931 d) 294.

on bark and mossy stones, Van Reenens Pass, Brunnthaler; Knysna, Duthie (v. d. Byl 406, 418); near Knysna, v. d. Byl 817; Woodbush, v. d. Byl 534 (det. Vain.); Umtali, Eyles 4273 (v. d. Byl 566, det. A. L. Sm.); Pirie Forest, Doidge, 223; near Haenertsburg, Kapp, 1767; Boschberg, MacOwan (S.A. M. 46982).

Sticta gilva Ach.

Acharius (1803) 278, (1810) 448; Crombie (1876 a) 167; Stizenberger (1890 & 1895) no. 354; Juel (1918) 50; Zahlbruckner (1926 b) 491, (1932) 224, Cat. Lich. III: 386, VIII: 310, 606; van der Byl (1931) 10.

Lichen gilvus Acharius (1798) 157; Thunberg (1800) 178, (1823) 746.

Sticta crocata var. gilva Acharius (1814) 238.

Sticta Ecklonii Sprengel (1827) 330.

Sticting gilva (Ach.) Nylander (1860 a) 339; Stizenberger (1890) no. 354; J. Müller-Arg. (1893 a) 509.

Cyanisticta gilva Gyelnik (1931 a) 5, (1931 d) 295.

Pseudocyphellaria gilva (Ach.) Malme, Magnusson (1940) 33.

on bark and on mossy stones, Cape, Thunberg; Table Mt., Ecklon 323, Marloth 102, 104, Eaton, Wilms, Wawra; Cape, Wahlberg, Zeyher; Durban, Gueinzius 6, 10; Pondoland, Bachmann; Skeleton Ravine, Table Mt., Brunnthaler; Stellenbosch, Hofmeyr (v. d. Byl 445, det. Vain.); Devils Peak, on rocks, Pappe 26 (S.A. M. 46863), Gueinzius; Table Mt., Dippenaar & du Plessis.

Var. angustilobata Gveln.

Zahlbruckner, Cat. Lich. VIII: 310.

Cyanisticta gilva var. angustilobata Gyelnik (1931 a) 5.

Cape, Feé (sub Sticta gilva in Herb. Mus. Berlin Dahlem).

Var. lanata Gyeln.

Zahlbruckner, Cat. Lich. VIII: 311.

Cyanisticta gilva var. lanata Gyelnik (1931 a) 5.

Collema lanatum Pers., Zahlbruckner, Cat. Lich. III: 386.

South Africa, Drège (Berlin-Dahlem); Cape, without locality (Berlin-Dahlem); Cape, Gueinzius (Berlin-Dahlem).

Var. pseudogilva Gveln.

Zahlbruckner, Cat. Lich. VIII: 311.

Cyanisticta gilva var. pseudogilva Gyelnik (1931 a) 5.

Cape, Gueinzius (sub Sticta gilva in Herb. Mus. Berlin-Dahlem).

Sticta Hornemanni Fr.

Fries (1820) 43: Zahlbruckner, Cat. Lich. III: 349.

Cape of Good Hope: "Exactius non cognita a recentioribus neglecta" Zahlbr, l.c.

Sticta intricata (Nvl.) Del.

Zahlbruckner, Cat. Lich. III: 389.

Stictina intricata Nylander (1860 a) 334, (1869 a) 6: Hue (1890) 295; Stizenberger

(1890) no. 349; Steiner (1907) 643.

on trunks of trees. Mt. Mamotsuiri, Junod 984 pr.p.; Durban, Armstrong; Inanda, Medley Wood 501, 151 a.

Var. Hesseana Zahlbr.

Zahlbruckner, Cat. Lich. III: 390.

Stictina Hesseana Krempell., Stizenberger (1890) no. 350.

on bark, Cape of Good Hope, Hesse.

Sticta limbata Ach.

Zahlbruckner, Cat. Lich. III: 391, VIII: 311, 606.

Stictina limbata Nvl., Stizenberger (1890) no. 361; Gvelnik (1931 a) 3, (1931 d) 294. on mossy trunks, Natal, Rehmann; Transvaal, Wilms.

Sticta Mougeotiana (Nyl.) Del.

von Flotow (1843) 26; Krauss (1846) 201; Zahlbruckner, Cat. Lich. III: 395. Sticta erythroscypha Taylor (1847) 181.

Cape, Zeyher; Inanda, Medley Wood 501, 151; on old trees, slopes of Table Mt., Krauss.

Var. aurigera Nvl.

Zahlbruckner, Cat. Lich. III: 396.

Stictina Mougeotiana var. aurigera Nyl., J. Müller-Arg. (1893 a) 509; Stizenberger (1895) no. 356. on tree trunks, Pondoland, Bachmann.

Sticta subcrocata Gyeln.

Zahlbruckner, Cat. Lich. VIII: 312.

Cyanistica subcrocata Gyelnik (1931 a) 7.

South Africa Drège (sub Sticta crocata var. gilva pr. p., Wien.).

Sticta sylvatica Ach.

Drège (1843) 144; Zahlbruckner, Cat. Lich. III: 399, VIII: 606.

Stictina sylvatica Nyl., Stizenberger (1890) no. 363; Gyelnik (1931 d) 295.

on tree trunks and branches, Table Mt., Rehmann; Pirie Forest, Doidge, 223; in forest, in a valley between 'Buffelrivier' and 'Key', Drège.

Sticta Thouarsii Del.

Zahlbruckner, Cat. Lich. VIII: 607.

Stictina intricata var. Thouarsii Nylander (1869 a) 6; Stizenberger (1890) no. 349. Cyanisticta Thouarsii Gyelnik (1931 d) 298.

on bark, Durban, Armstrong.

Sticta tomentosa (Sw.) Ach.

Acharius (1803) 279, (1810) 450, (1814) 234; Drège (1843) 125; Juel (1918) 51; Zahlbruckner, Cat. Lich. III: 403.

Lichen tomentosus Sw., Thunberg (1800) 178, (1823) 746.

Stictina tomentosa Nylander (1869 a) 6; Stizenberger (1890) no. 352. on bark, Cape, Thunberg; Durban, Armstrong; in forest, 'Koratra', Drège.

Sticta variabilis (Bory) Ach.

Nylander (1869 a) 6 ; Stizenberger, (1890) no. 376 ; Zahlbruckner, Cat. Lich. III : 366, VIII : 313.

on bark, Durban, Armstrong.

Sticta Weigelii Ach.

Zahlbruckner (1932) 224, Cat. Lich. III: 404; van der Byl (1931) 10.

Stictina quercizans Nyl., Stizenberger (1890) no. 358.

on bark, Orange Free State, Cooper 1046 pr.p.; Nottingham Road, v. d. Byl 35 (det. A. L. Sm.); Woodbush, v. d. Byl 533 (det. Vain.); near Tzaneen, Kapp, 1762 a.

Var. sublimbata Steiner

Steiner (1907) 642; Zahlbruckner, Cat. Lich. III: 406.

on bark, Mt. Mamotsuiri, Junod 981 pr.p., 983; on rocks in streams, Champagne Castle, Buyer, 1740.

PELTIGERACEAE.

Nephroma africanum Gyeln.

Gyelnik (1931 c) 135.

South Africa, without locality, Drège.

Nephroma capense Massal.

Massalongo (1861) 85; Zahlbruckner (1926 c) Pl. 5, f. 1-4, Cat. Lich. III: 442. on ground and on trunks of trees, Cape, without locality (ex Herb. Hampe).

Nephroma cellulosum Ach.

Drège (1843) 85 ; Zahlbruckner, Cat. Lich. III : 427. on bark, Paarlberg, Drège.

Nephroma flavireagens Gyeln.

Gyelnik (1931 c) 135. Cape, without locality, Gueinzius.

Nephroma laevigatum Ach.

Zahlbruckner, Cat. Lich. III: 427.

Nephromium laevigatum Nylander (1860 a) 320.

on trunks of trees and on mossy rocks, Cape of Good Hope: Boschberg, MacOwan, (S.A. M. 46965).

Nephroma resupinatum Ach. f. helveticum Rabenh.

Zahlbruckner, Cat. Lich. III: 439.

Nephroma helveticum Ach., Drège (1843) 80.

Nephromium helveticum Nyl., Stizenberger (1890) no. 392.

on trunks of trees and on mossy rocks, South Africa, Gueinzius, Breutel, Rehmann: du Toits Kloof, Drège; Boschberg, MacOwan (S.A.M. 46967).

Nephroma tropicum (Müll. Arg.) Zahlbr.

Zahlbruckner, Cat. Lich. III: 442.

Nephromium tropicum Müll.-Arg., J. Müller-Arg. (1883) 21, (1894) 250.

Stictina membranacea Müll. Arg., J. Müller-Arg. (1893 a) 514; Stizenberger (1895) no. 348bis.

on mossy tree trunks, Baziya, Baur 715, Kew.

Peltigera canina (Linn.) Willd.

Crombie (1876 a) 170; Stizenberger (1890) no. 396; Zahlbruckner, Cat. Lich. III:

amongst mosses on ground and on tree trunks, South Africa; on trees, Table Mt., Eaton.

f. leucorrhiza Floerke

Zahlbruckner, Cat. Lich. III: 462.

on ground and on rocks in bush, Lundie's Hill, Morgan & Doidge.

f. membranacea Duby

Zahlbruckner, Cat. Lich. III: 463.

Peltigera membranacea (Ach.) Nyl., Stizenberger (1890) no. 397. Boschberg, MacOwan; Natal, Rehmann; Transvaal, Maclea, Wilms.

Peltigera malacea (Ach.) Funck.

Massalongo (1861) 49; Stizenberger (1890) no. 395; Zahlbruckner, Cat. Lich. III: 472 ? on ground, Cape, Wawra.

Peltigera polydactyla (Neck.) Hoffm.

Nylander (1860 a) 326 ; Stizenberger (1890) no. 402 ; Zahlbruckner, Cat. Lich. III : 475.

amongst mosses on ground around tree trunks, Africa, extending to Cape of Good Hope.

f. hymenina (Ach.) Flotow.

Stizenberger (1890) no. 402 ; Zahlbruckner, Cat. Lich. III : 479. on ground amongst mosses, near Kooksbosch, Breutel.

Solorina sorediifera Nyl.

Nylander (1860 a) 331; Hue (1890) 312; Zahlbruckner, Cat. Lich. III: 420. Solorinina sorediifera (Nyl.) Stizenberger (1890) no. 407. Cape of Good Hope.

LECIDEACEAE.

Bacidia aemula (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 168. Lecidea aemula Stizenberger (1891) no. 991. on bark, Boschberg, MacOwan (Zwackh. Lich. exsic. 822).

Bacidia amylothelia Vain.

Vainio (1926) 18; van der Byl (1931) 10; Zahlbruckner, Cat. Lich. VIII: 397. Bacidia laurocerasi Wain. var. amylothelia (Wain.) Zahlbruckner, Cat. Lich. IV: 124. Lecidea laurocerasi Nyl. var. amylothelia Wainio (1901) 420. on bark of tree, Onrust, v. d. Byl 328 (det. Vain.); also in tropical Angola.

Bacidia Beckhausii (Stizenb.) Körb.

Zahlbruckner, Cat. Lich. IV: 180.

Bacidia bacillifera Branth. & Rostr., van der Byl (1931) 10. on trunk of **Quercus** sp., v. d. Byl 86 (det. Merrill).

Var. stenospora Arn. f. acutata Zahlbr.

Zahlbruckner, Cat. Lich. IV: 182.

Lecidea stenospora (Hepp.) Nyl. var. acutata Stizenberger (1891) 145, no. 1009. on branches in bush, Karkloof, Rehmann.

Bacidia capreolina (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 184.

Lecidea capreolina Stizenberger (1891) 143, no. 994. on branches of trees, Spitzkop, near Lydenburg, Wilms.

Bacidia caruncula (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 104. Lecidea caruncula Stizenberger (1891) 141, no. 979. on branches in bush. Karkloof, Rehmann.

Bacidia chlorophaeata (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 185.

Lecidea chlorophaeata Nyl. apud Crombie (1876 a) 176, (1876 b) 20 : Stizenberger (1891) no. 1002 : Hue (1891) 122. on rocks, Table Mt., Eaton.

Bacidia cyrtocheila (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 109.

Lecidea cyrtocheila Stizenberger (1891) 140, no. 975. on bark of trees, Boschberg, MacOwan (Herb. Lojka) Type.

Bacidia effusa (J. E. Sm.) Trevis, var. intermedia Zahlbr.

Zahlbruckner, Cat. Lich. IV: 191. Lecidea intermedia Nyl., Stizenberger (1891) no. 998. on bark, Boschberg, MacOwan,

Bacidia endoleuca (Nyl.) Kickx.

Zahlbruckner (1932) 237, Cat. Lich. IV: 192; van der Byl (1931) 10.

Lecidea endoleuca Nylander (1869 a) 11; Stizenberger (1891) no. 984.

on bark, Durban, Armstrong: Boschberg, MacOwan 1072: near Lydenburg, Wilms: on bark of Cassine croceum P. Ktze., Hoofbos, Knysna, v. d. Byl 697, 904, 909; on branches of Canthium sp., Brenton, Knysna, v. d. Byl 668; on Populus sp., Zwart Brug, George, v. d. Byl 930.

Bacidia endoleucella (Stizenb.) Zahlbr.

Zahlbruckner (1932) 237, Cat. Lich. IV: 193.

Lecidea endoleucella Stizenberger (1891) 142, no. 988.

on bark. Cape. MacOwan (Herb. Lojka) Type; on branches of Rapanea melanophleos Mez., The Heads, Knysna, v. d. Byl 675.

Bacidea epicyanea Vain.

Vainio (1926) 17 ; van der Byl (1931) 10 ; Zahlbruckner, Cat. Lich. VIII : 401. on bark of Curtisia faginea Ait., near Knysna, $v.\ d.\ Byl$ 259, Type.

Bacidia Friesiana (Hepp.) Anzi var. Norrlinii Vain.

Zahlbruckner, Cat. Lich. IV: 199.

Lecidea Norrlinii Lamy, Stizenberger (1891) no. 1000.

on bark, Durban, Wilms.

Bacidia fuscorubella (Hoffm.) Bausch

Zahlbruckner (1932) 240, Cat. Lich. IV: 200.

Lecidea fuscorubella (Hoffm.) Röhl., Stizenberger (1891) no. 993.

on bark of a pomiferous tree, near Lydenburg. Wilms; on bark. Hoofbos. Knysna, v. d. Byl 890; on bark of Fagara capensis Thunb.. Winkle Spruit, v. d. Byl 54 (det. A. L. Sm.).

Bacidia heteroloma (Wain.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 204.

f. firmior Vain., van der Byl (1931) 10, ? nom. nud.

on bark, Hopefield, v. d. Byl 148 (det. Vain.).

Bacidia inconsequens (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 115.

Lecidea inconsequens Nylander (1869 a) 10; Hue (1891) 106; Stizenberger (1891) no. 980.

on bark, Durban, Armstrong, Type.

Bacidia inconveniens (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 208.

Lecidea inconveniens Nylander (1869 a) 11; Stizenberger (1891) no. 1006. on bark, Durban, Armstrong, Type.

Bacidia intermedia Hampe

apud Massalongo (1861) 89 ; Zahlbruckner, Cat. Lich. IV : 252.
on bark, Cape of Good Hope.

Bacidia leucostephana (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich, IV: 214.

Lecidea leucostephana Stizenberger (1891) 142, no. 987. on bark, Boschberg, MacOwan 516, 52, Type.

Bacidia lugubris (Norm.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 163.

Lecidea caudata Nyl., Stizenberger (1891) no. 1110.

Rhopalospora caffra Massalongo (1861) 73.

on sandstone rocks, Cape, Wawra.

Bacidia luteola (Schrad.) Mudd

Zahlbruckner, Cat. Lich. IV: 215.

Lecidea luteola Ach., Stirton (1877) 218; Stizenberger (1891) no. 981. on bark, Durban, Medley Wood (MacOwan 204) Boschberg, MacOwan 510, 53.

f. chlorotica Zahlbr.

Zahlbruckner, Cat. Lich. IV: 218.

? Lecidea chlorotica (Ach.) Nyl., Stizenberger (1891) no. 999.

Lecidea luteola var. chloroticà Ach., Stirton (1877) 218.

on trunks of trees, Boschberg, MacOwan 513, 54.

f. conspondens Zahlbr.

Zahlbruckner, Cat. Lich. VI: 219.

Lecidea luteola f. conspondens Nyl., Stirton (1877) 218. on trunks of trees, Boschberg, MacOwan.

Bacidia medialis (Tuckerm.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 221.

Lecidea medialis Tuckerm., Stizenberger (1891) no. 1003.

on bark, Boschberg, MacOwan 510, 56.

Bacidia millegrana (Tayl.) Zahlbr.

Zahlbruckner (1932) 237, Cat. Lich. IV: 222.

Lecidea millegrana Nylander (1869 a) 11; Stirton (1877) 218; Stizenberger (1891) no. 983.

on bark, Durban, Armstrong; Boschberg, MacOwan 510, 56; Hoofbos, Knysna, v. d. Byl 893.

Bacidia proposita (Nvl.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 234.

Lecidea proposita Nyl., Stirton (1877) 219; Stizenberger (1891) no. 991. on rocks, South Africa.

Bacidia rufata (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 239.

Lecidea rufata Stizenberger (1891) 144, no. 995.

on bark of tree of the family Malvaceae, near Durban, Wilms, Type.

? Bacidia sabuletorum Lettau

Zahlbruckner, Cat. Lich. IV: 140.

Lecidea sabuletorum (? author) Drège (1843) 52. on ground, Witberg, Drège.

Bacidia stupposa (Massal.) Zahlbr.

Zahlbruckner (1905) 135, Cat. Lich. IV: 241.

Byssospora stupposa Massalongo (1861) 89.

on trunks of trees, Cape of Good Hope, Drège (Herb. Hampe).

Bacidia subluteola (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 243.

Lecidea subluteola Nyl., Stirton (1877) 219.

on bark, South Africa, without locality.

Bacidia subpadicea (Müll. Arg.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 244.

Lecidea subspadicea Stizenberger (1891) 145, no. 1008, on bark, near Lydenburg, Wilms.

Bacidia trifaria (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 246.

Lecidea trifaria Stizenberger (1891) 142, no. 985.

on bark of trees in bush, near Karkloof, Rehmann, Type.

Catillaria chalybeia (Borr.) Massal.

Zahlbruckner, Cat. Lich. IV: 13.

Lecidea chalybeia Borr., Crombie (1876 a) 178; Stizenberger (1891) no. 1193. on rocks, Table Mt., Eaton; Lions Head, MacOwan.

Catillaria Finckei Zahlbr.

Zahlbruckner (1921) 238, (1926 b) 494, Cat. Lich. IV: 17, VIII: 389. on sandstone, Windhoek, Fincke, Type.

Catillaria intermixta (Nvl.) Arn.

Zahlbruckner (1932) 237, Cat. Lich. IV: 47. on bark, Garden of Eden, Knysna, v. d. Byl 865; Grootrivier, v. d. Byl 834.

f. cvanocentra Zahlbr.

Zahlbruckner, Cat. Lich. IV: 48. Lecidea intermixta f. cyanocentra Nylander (1869 a) 48. on bark, Durban, Armstrong.

Catillaria lenticularis (Ach.) Th. Fr.

Zahlbruckner (1932) 237, Cat. Lich. IV: 49; van der Byl (1931) 10. on schistose rocks, Hermanus, v. d. Byl 780; on rocks, Glencairn, v. d. Byl 1003.

f. chloropoliza Boist.

Zahlbruckner, Cat. Lich. IV: 52. Lecidea chloropoliza Nyl., Stizenberger (1891) no. 1199. on rocks, Table Mt., Eaton.

Catillaria melampepla (Tuckerm.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 21.

Lecidea melampepla Tuckerman (1860) 419; Stizenberger (1891) no. 969.

Biatora melampepla Tuckerman (1888) 157.
on bark of shrubs, Simonstown, Wright, Type.

Catillaria mollescens Zahlbr.

Zahlbruckner (1936) 169. on bark of **Acacia melanoxylon** R. Br., Knysna, v. d. Byl 919, Type.

Catillaria mortualis (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 21. Lecidea mortualis Stizenberger (1891) 180, no. 1198. on rocks, Table Mt., MacOwan, Type.

Catillaria nigroclavata (Nyl.) Schuler

Zahlbruckner, Cat. Lich. IV: 60. Lecidea lenticularia var. nigroclavata (Nyl.) Stizenberger (1891) no. 1192. on bark of **Pinus** sp., Table Mt., MacOwan.

Catillaria opacata (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 63. Lecidea opacata Stizenberger (1891) 179, no. 1196. on sandstone rocks, Cape, MacOwan, Type.

Catillaria rhyparoleuca Massal.

Massalongo (1861) 70 as *C. ryparolemca*; Zahlbruckner, Cat. Lich. IV: 68. *Lecidea rhypharoleuca* Stizenberger (1891) 179, no. 1197 on quartzite rocks, Devil's Peak, *Wawra*, Type.

Catillaria stictella (Stirt.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 73. Lecidea stictella Stirton (1877) 218. on bark, Cape, MacOwan, Type.

Catillaria subfuscata (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 73.

Lecidea subfuscata Nylander (1859) 243; Hue (1891) 111; Stizenberger (1891) no. 964. Cape, without locality.

Lecidea achristella Vain.

apud Lynge (1937) 84. on bark of **Acacia mollissima W**illd., Howick, v. d. Byl 198, Type.

Lecidea aeneola (Arn.) Wain, var. fuscoatrata (Nvl.) Zahlbr.

Zahlbruckner, Cat. Lich. III: 501.

Lecidea fuscoatrata Nyl., Stizenberger (1891) no. 1108. on sandstone rocks, summit of Lion's Head and Table Mt., MacOwan,

Lecidea affine Merrill.

van der Byl (1931) 11, ? nom. nud. on stone, Klapmuts, v. d. Byl (det. Merrill.)

Lecidea albocoerulescens (Wulf) Ach.

Stizenberger (1891) no. 1080 ; Zahlbruckner, Cat. Lich. III : 504. on rocks, Lion's Head, MacOwan.

Var. flavocoerulescens (Hornem.) Schaer.

Stizenberger (1891) no. 1080. on rocks, Hottentot's Holland Mts., MacOwan.

Lecidea angolensis Müll. Arg.

J. Müller-Arg. (1880 a) 35; Stizenberger (1891) 158, no. 1093; Schultze (1907) 706; Zahlbruckner (1926 b) 492, Cat. Lich. III: 513.

on rocks, Lydenburg, Wilms; Lebombo Mts., Wilms; Boschberg, MacOwan; Kooa, Kalahari, Schultze 51 b; on sandstone, Genadendal, near Caledon, Brunnthaler.

Lecidea anteposita Nyl.

Nylander (1869 a) 9: Hue (1891) 107; Stizenberger (1891) no. 932; Zahlbruckner, Cat. Lich. III: 733. on bark, Durban, Armstrong, Type.

Lecidea aporetica Stizenb.

Stizenberger (1891) 138, no. 957; Zahlbruckner, Cat. Lich. III: 734. on trunks of trees, Boschberg, MacOwan, Type.

Lecidea Bruguierae Vain.

Vainio (1926) 19; Zahlbruckner, Cat. Lich. VIII: 367. on bark of **Bruguiera gymnorhiza** Lam., near Durban, v. d. Byl 140, Type.

Lecidea buxea Stizenb.

Stizenberger (1891) 155, no. 1077; Zahlbruckner, Cat. Lich. III: 530. on rocks, "Duivels Knokler", near Lydenburg, Wilms, Type.

Lecidea caledonica Zahlbr.

Zahlbruckner (1932) 228. on sandstone rocks, Genadendal Mt., Brunnthaler, Type.

Lecidea capensis Zahlbr.

Zahlbruckner, Cat. Lich. III: 532. Lecidea ochroidea Stizenberger (1891) 159, no. 1100. on sandstone rocks, summit of Lion's Head, MacOwan, Type.

Lecidea cinnamomea Stizenb.

Stizenberger (1891) 138, no. 954 ; Zahlbruckner, Cat. Lich. III : 748. on bark of pomiferous trees, near Lydenburg, Wilms, Type.

Lecidea crassa Stizenb.

Stizenberger (1891) 134, no. 928; Zahlbruckner, Cat. Lich. III: 866. Lepraria crassa Nees apud Stizenberger, l.c. on ground, Cape, Zeyher, Type; near Sir Lowry Pass, MacOwan.

Lecidea crenata (Tayl.) Stizenb.

Stizenberger (1891) 149, no. 1042; Zahlbruckner, Cat. Lich. III: 866. Endocarpon crenatum Taylor (1847) 156.

on the ground, near the Saltpan of the Zwartskops River, Uitenhage, Zeyher, (Herb. Hook.) Type; Worcester and Matjesfontein, Brunnthaler; Namaqualand, R. Marloth; in dry watercourses, Kalahari Desert, Schinz; Aughrabies Falls, Barnard (S.A.M. 28815); between Montagu and Triangle, Barnard (S.A.M. 28646).

Var. coroniformis (Krempelh.) Zahlbr.

Zahlbruckner (1932) 236, Cat. Lich. III: 866.

Lecidea coroniformis Krempelh., van der Byl (1931) 10.

on ground, Jansenville, v. d. Byl 702; near Douglas, Grosskopf (v. d. Byl 1043); Karroo, v. d. Byl 1044; Steinkopf, Namaqualand, Meyer (v. d. Byl 947).

Var. speirea (Tayl) Zahlbr.

Zahlbruckner, Cat. Lich. III: 866.

Endocarpon speireum Taylor (1948) 156.

on the ground, Bushman's country, Zeyher, Type (Herb. Hook.).

Lecidea crustulata (Ach.) Floerke.

Drège (1843) 86; Zahlbruckner, Cat. Lich. III: 549. Lecidea nitidula Fries, von Flotow (1843) 21; Krauss (1846) 200. on rocks, Paarlberg, Drège; slopes of Lions Head, Krauss.

Lecidea cyanocentra Nyl.

Nylander (1869 a) 9; Stizenberger (1891) no. 963; not in Zahlbr. Cat. Lich. on bark, Durban, Armstromg, Type.

Lecidea deceptoria Nyl.

Zahlbruckner (1932) 236, Cat. Lich. III: 867; van der Byl (1931) 10. on decomposed rocks, Stellenbosch, *Duthie* (v. d. Byl 784).

Lecidea decipiens Ach.

Drege (1843) 52, 67, 92, 108 : Stizenberger (1891) no. 1040 : Zahlbruckner, Cat. Lich. III : 867.

Lichen incarnatus Thunberg (1800) 176, (1823) 742.

Biotora decipiens Fr., von Flotow (1843) 21; Krauss (1846) 200.

Patellaria incarnata Ach., Juel (1918) 50.

on calcareous soil and on crumbling rock. Cape, Thunberg: Witberg. Drège: Boschberg, MacOwan, 50: Haifischinsel, Fincke: in the Karroo below the Bokkeveld, Thunberg: near Koega River, Krauss; between Droogeheuvels and Jakhalsfontein, Drège; between Natvoet and Garip, Drège; on dry, stony hills, Ebenezar, Drège.

Lecidea decrustulata Vain.

Vainio (1926) 25: van der Byl (1931) 10: Zahlbruckner, Cat. Lich. VIII; 339. on sandstone rock, Stellenbosch, v. d. Byl 252. Type and v. d. Byl 258 pr.p.

Lecidea elaeochroma Ach.

Drège (1843) 86 : Zahlbruckner (1932) 225, Cat. Lich. III : 567.

Lecidea parasema Ach. var. elaeochroma Ach., Crombie (1876 a) 177; Stizenberger (1891) no. 1062.

Lecidea olivacea Massal., van der Byl (1931) 10.

on bark, near Cape Town, MacOwan; Table Mt., Eaton; The Heads, Knysna, v. d. Byl 681; on bark of Quercus sp., Elsenburg, v. d. Byl 241 (det. Vain.); Genadendal, Brunnthaler; Paarlberg, Drège.

f. flavicans (Ach.) Th. Fr.

Zahlbruckner (1932) 226, Cat. Lich. III: 570.

on bark of Fraxinus excelsior Linn., Stellenbosch, v. d. Byl 816.

f. geographica (Bagl.) Zahlbr.

Zahlbruckner, Cat. Lich. III: 571.

Lecidea enteroleuca Ach. var. geographica Bagl., Stizenberger (1891) no. 1066. on bark. Table Mt., Wilms; Lydenburg, Wilms.

Var. hvalina (Martius) Zahlbr.

Zahlbruckner, Cat. Lich. III: 571.

Lecidea olivacea Massal, var. ambigua Lettau, van der Byl (1931) 10.

on trunk of **Quercus** sp., Klapmuts, v. d. Byl 141 (det. Vain.): Cape Town, Eyles (v. d. Byl 386): Elsenburg, v. d. Byl: on **Rapanea melanophleos** Mez., The Heads, Knysna, v. d. Byl.

Lecidea elginensis Zahlbr.

Zahlbruckner (1936) 166.

on quartz rock, Viljoensdorp near Elgin, v. d. Byl 1012, Type.

Lecidea epichromatica Zahlbr.

Zahlbruckner (1932) 227.

on quartz rocks, Cape Point, v. d. Byl 1006, Type.

Lecidea esuriens Zahlbr.

Zahlbruckner (1936) 168.

on sandstone, Botany Bay, v. d. Byl 999, Type.

Lecidea exigua Chaub.

Zahlbruckner, Cat. Lich. III: 758.

Lecidea parasema Ach. var. exigua Nyl., Stizenberger (1891) no. 1062.

on bark, near Lydenburg, Wilms.

Lecidea exiguella Vain.

Vainio (1926) 21 ; van der Byl (1931) 10 ; Zahlbruckner, Cat. Lich. VIII : 369. on bark of **Pinus** sp., Stellenbosch, $v.\ d.\ Byl\ 344$, Type.

Lecidea Finckei Zahlbr.

Zahlbruckner (1921) 237, (1926 b) 493, Cat. Lich. III: 760, VIII: 369. on granite, Haifischinsel, off Lüderitzbucht, Fincke Type.

Lecidea fucina Stizenb.

Stizenberger (1891) 154, no. 1074; Zahlbruckner, Cat. Lich. III: 578. on rocks in Warm Bokkeveld Mts., near Ceres, MacOwan, Type.

Lecidea fuscoatra Ach.

Zahlbruckner, Cat. Lich. III: 579. Lecidea fumosa Ach., Drège (1843) 80, 85. on rocks, du Toits Kloof, Drège; Paarlberg, Drège.

Lecidea fuscotabulata Stizenb.

Stizenberger (1891) 162, no. 1109; Zahlbruckner, Cat. Lich. III: 587. on hard rock, near Lydenburg, Wilms, Type.

Lecidea gëina Stizenb.

Stizenberger (1891) 154, no. 1075; Zahlbruckner, Cat. Lich. III: 587. on ground, Lion's Head, MacOwan, Type.

Lecidea glebaria Stizenb.

Stizenberger (1891) 137, no. 953; Zahlbruckner, Cat. Lich. III: 768. on ground, Spitzkop, near Lydenburg, Wilms, Type.

Lecidea glencairnensis Zahlbr.

Zahlbruckner (1932) 226. on sandstone rocks, 'Glencairn, v. d. Byl 1002, Type.

Lecidea glomerulosa (DC) Steud.

van der Byl (1931) 10; Zahlbruckner, Cat. Lich. III: 588. on trunk of **Quercus** sp., Stellenbosch, v. d. Byl 237 (det. Vain.).

Lecidea gouritzensis Vain.

Vainio (1926) 25; van der Byl (1931) 10; Zahlbruckner, Cat. Lich. VIII: 342. on rock, Gouritz River, v. d. Byl 374, Type.

Lecidea granifera (Ach.) Wain.

Wainio (1901) 424; Stizenberger, Cat. Lich. III: 768.

Lecidea aurigera Fée, Nylander (1869 a) 9; Hue (1891) 105; Stizenberger (1891) no. 940.

on bark, Durban, Armstrong.

Lecidea granulosula Nyl.

apud Crombie (1876 a) 177, (1876 b) 21 ; Hue (1891) 127 as $L.\ granulosa$; Stizenberger (1891) no. 1069 ; Zahlbruckner, Cat. Lich. III : 592. on rocks, Table Mt., Eaton, Type ; Lion's Head, MacOwan.

Lecidea grisella Floerke var. Mosigii Zahlbr.

Zahlbruckner, Cat. Lich. III: 594. Lecidea fumosa var. Mosigii von Flotow (1843) 29; Krauss (1846) 200. on decomposed granite, Camps Bay, Krauss.

Lecidea griseofusciuscula Vain.

apud Lynge (1937) 84; van der Byl (1931) 10. on trunk of tree, Eshowe, v. d. Byl 185, 186, 199, 194 (number of type not quoted by Lynge).

Lecidea guamensis Vain.

van der Byl (1931) 10. on trunk of tree, Pinetown, v. d. Byl 173 det. Vain.

Lecidea hereroënsis Zahlbr.

Zahlbruckner (1926 b) 492, Cat. Lich. VIII: 371.

f. genuina Zahlbr.

Zahlbruckner, l.c. on primitive rocks, Windhoek, Fincke, Type.

f. depauperata Zahlbr.

Zahlbruckner, l.c.

on primitive rocks, Haifischinsel, on Lüderitzbucht, Fincke, Type.

Lecidea howickensis Vain.

 Vainio (1926) 24 ; van der Byl (1931) 10 ; Zahlbruckner, Cat. Lich. VIII : 343- on rock, Howick,
 $v.\ d.\ Byl\ 223,$ Type.

Lecidea hysbergensis Vain.

Vainio (1926) 24 ; van der Byl (1931) 10 ; Zahlbruckner, Cat. Lich. VIII : 343. on rock, Hysberge, between Callitzdorp and Ladismith, $v.d.\ Byl\ 373$, Type.

Lecidea inscripta Stizenb.

Stizenberger (1891) 154, no. 1072; Zahlbruckner, Cat. Lich. III: 599. on rocks, near Lydenburg, Wilms, Type.

Lecidea insculpta Flotow

von Flotow (1843) 20 ; Krauss (1846) 200 ; Zahlbruckner, Cat. Lich. III : 599. on rocks, Tygerberg, Krauss, Type.

f. oxydata Flotow.

von Flotow, l.c. on rocks, Cape of Good Hope.

Lecidea lactaria Stizenb.

Stizenberger (1891) 158, no. 1094; Zahlbruckner (1932) 225, Cat. Lich. III: 604. on red sandstone rocks, Lion's Head, MacOwan, Type; on schistose rocks, Van Reenen's Pass, Brunnthaler.

Lecidea lactens Stizenb.

Stizenberger (1891) no. 1076. on sandstone rocks, Lion's Head, MacOwan, Type,

Lecidea langbaanensis Vain.

 Vainio (1926) 23 ; van der Byl (1931) 10 ; Zahlbruckner, Cat. Lich. VIII : 345. on granite rocks, Langebaan, $v.\ d.\ Byl\ 357,$ Type.

Lecidea leptobola Nyl.

Nylander (1868) 515; Hue (1891) 130; Stizenberger (1891) no. 1097; Wainio (1901) 426; Zahlbruckner, Cat. Lich. III: 615. on sandstone rocks, Serra de Lopollo, near Huilla, Welwitsch.

Lecidea (?) lithagogo Wain.

Wainio (1901) 425; Zahlbruckner, Cat. Lich, III: 68. Lecanora lithagogo Nylander (1868) 512; Hue (1891) 79; Stizenberger (1890) no. 828. on calcareous rocks, Serra de Montes Negros, near Mossamedes, Welwitsch 16, 51 pr.p.

Lecidea meiospora Nyl.

Crombie (1876 a) 177; Stizenberger (1891) no. 1082; Zahlbruckner, Cat. Lich. III: 634. on schistose rocks, Table Mt., Eaton.

Lecidea mossamedana Wain.

Wainio (1901) 424; Zahlbruckner, Cat. Lich. III: 803. on limestone rocks, Serra de Montes Negros, Welwitsch 13, 15 pr. p., Type.

Lecidea mutabilis Fée

Nylander (1869 a) 9; Stizenberger (1891) no. 930; J. Müller-Arg. (1893 b) 298; Schinz (1905) 395; Zahlbruckner, Cat. Lich, III: 803. on bark, Durban, Armstrong; near Boroma, Menyharth.

Lecidea natalensis Nvl.

Crombie (1877) 215; Stizenberger (1891) no. 945; Hue (1891) 109; Zahlbruckner, Cat. Lich. III: 804.

Lecidea fuscorubescens Nylander (1869 a) 9 (not L. fuscorubescens Nyl. in Lich. Andam. 1873).

on bark, Durban, Armstrong, Type.

Lecidea nigropallida Nyl.

Nylander (1857) 124; Stizenberger (1891) no. 1055. Cape of Good Hope, *Drège*.

Lecidea obumbrata Nvl.

apud Crombie (1876 a) 177; Hue (1891) 129; Stizenberger (1891) no. 1111; Zahlbruckner, Cat. Lich. III: 643. on rocks, Table Mt., Eaton. Type, Jelinek.

Lecidea ochroplaca Zahlbr.

Var. intermedia Zahlbr.

Zahlbruckner (1936) 167.

on sandstone, Sutherland Distr., v. d. Byl 1078, Type ; Calvinia, v. d. Byl 1129 ; Namaqualand, v. d. Byl 1205.

Var. leprosa

Zahlbruckner (1936) 166.

on sandstone, between Calvinia and Middelpos, v. d. Byl 1093, Type, 1114.

Var. polita Zahlbr.

Zahlbruckner (1936) 167.

on sandstone, van Rhynsdorp, v. d. Byl 1182, Type.

Lecidea ochroxantha Nvl. f. aethiopica Stizenb.

Stizenberger (1891) 134, no. 922; Zahlbruckner, Cat. Lich. III: 884. on bark, Boschberg, MacOwan 511, 58.

Lecidea oligocheila Zahlbr.

Zahlbruckner (1936) 167.

on sandstone rocks, Stellenbosch, v. d. Byl 971, Type.

Lecidea opalina Stizenb.

Stizenberger (1891) 138, no. 955 ; Zahlbruckner, Cat. Lich. III : 808. on bark, near Lydenburg, Wilms, Type.

Lecidea orbiculata Stizenb.

Stizenberger (1891) 157, no. 1092 : Zahlbruckner, Cat. Lich. III : 644. on rocks, near Lydenburg, Wilms, Type.

Lecidea Owaniana Müll. Arg.

J. Müller-Arg. (1893 d) 127; Stizenberger (1895) no. 1083bis; Zahlbruckner, Lich. III: 645.
on hard clay ground, South Africa, MacOwan 531, Type, Kew.

Lecidea pallidonigra Ach.

Acharius (1803) 43, (1810) 172, (1814) 23; Sprengel (1827) 257: Stizenberger (1891) no. 1071; Juel (1918) 50; Zahlbruckner, Cat. Lich. III: 645.

Lichen pallidoniger Acharius (1798) 80; Thunberg (1800) 80, (1823) 742.

Lichen peltatus *Lecidea pallidonigra Lamarck (1813) 387.

on clay soil, near Cape Town, Thunberg.

Lecidea pantherina (Hoffm.) Ach.

Zahlbruckner, Cat. Lich, III: 647.

Lecidea lactea Floerke, Drège (1843) 86, 94; Nylander (1869 a) 12; Stizenberger (1891) no. 1090.

on rocks, Durban, Armstrong; Garip, near mouth of Orange River, Drège; Paarlberg, Drège.

Lecidea parasema Ach.

von Flotow (1843) 21; Drège (1843) 80; Krauss (1846) 200; Zahlbruckner, Cat. Lich. III: 651.

Lecidea enteroleuca Ach., Stizenberger (1891) no. 1066.

on sandstone rocks, Lion's Head, MacOwan; Cape, Wilms; du Toits Kloof, Drège; on bark of Gymnosporia, near Uitenhage, Krauss.

Var. areolata Merrill

van der Byl (1931) 10 ? nom nud. (? not var. **areolata** Duf.). on trunk of **Ficus** sp., Klapmuts, $v.\ d.\ Byl\ 9\theta$ (det. Merrill.).

Var. (?) atropurpurea Flotow.

von Flotow (1843) 21; Krauss (1846) 200; Zahlbruckner, Cat. Lich. III: 660 on bark of trees, near Constantia, Krauss.

Lecidea paraspeirea Stizenb.

Stizenberger (1891) 156, no. 1085 ; Zahlbruckner, Cat. Lich. III : 665. on sandstone rocks, near Muizenberg, $Mac\,Owan$, Type.

Lecidea peltasta Stirt.

Stirton (1877) 218; Zahlbruckner, Cat. Lich. III: 888. on ground, Boschberg, MacOwan, Type.

Lecidea peltoloma Müll. Arg.

J. Müller-Arg. (1886) 287; Stizenberger (1891) 157, no. 1091. Zahlbruckner, Cat. Lich. III: 665.
on red sandstone rocks, near Lydenburg, Wilms; Boschberg, MacOwan.

Lecidea peltulidea Stirt.

Stirton (1876) 160; Zahlbruckner, Cat. Lich. III: 888. on the ground, South Africa, ? MacOwan.

Lecidea phalerata Stizenb.

Stizenberger (1891) 133, no. 917; Zahlbruckner, Cat. Lich. III: 889. on crumbling granite rocks, Lion's Head, MacOwan, Type.

Lecidea placodina Nyl.

Nylander (1868) 514; Hue (1891) 128; Stizenberger (1891) no. 1064; Wainio (1901) 422; Zahlbruckner, Cat. Lich. III: 889. on quartzite rocks, between Caroca and Cazimba, nr. Mossamedes, Welwitsch 49.

Lecidea promontorii Zahlbr.

Zahlbruckner (1932) 232.

on non-calcareous rocks, slopes of Table Mt. opposite Camps Bay, Brunnthaler.

Lecidea quartzina Stizenb.

Stizenberger (1891) 160, no. 1102; Zahlbruckner, Cat. Lich. III: 682. on pieces of quartzite and crumbling granite rock, Lion's Head, MacOwan, Type.

Lecidea remota Vain

van der Byl (1931) 10, ? nom. nud. on tree trunks, Woodwush, v. d. Byl 527 (det. Vain.)

Lecidea rhynsdorpensis Zahlbr.

Zahlbruckner (1932) 230. on friable quartz rocks, Van Rhyn's Pass, van Rhynsdorp, v. d. Byl 764, Type.

Lecidea rivulosa Ach.

Zahlbruckner (1932) 236, Cat. Lich. III: 818. on granite rocks, Caledon, Brunnthaler.

Lecidea russula Ach.

Stizenberger (1891 & 1895) no. 927 : J. Müller-Arg. (1893 b) 298 : Wainio (1901 422 ; Zahlbruckner (1932) 236, Cat. Lich. III : 823.

on hard rocks, near Lydenburg and Krugerspost, Wilms.

on branches and trunks of trees and shrubs, near Boroma, Menyharth 255; in high forest, Morro de Lopollo, Welwitsch 37, 39, 40; near Salisbury, v. d. Byl 601; Onrust, v. d. Byl 326 pr. p. (det. Vain.).

Lecidea speirea Ach.

Drège (1843) 92; Zahlbruckner, Cat. Lich. III: 692.

Lecidea crenata (Tayl.) Stiz. var. speirea Stizenberger (1891) 149, no. 1042. (See also Lecidea crenata var. speirea Zahlbr.).
on rocks, Cape, Zeyher; between Natvoet and Garip, Drège.

Lecidea squamifera Stizenb.

Stizenberger (1891) 160, no. 1101; Zahlbruckner, Cat. Lich. III: 696. on rocks and clay, Lion's Head, MacOwan, Type.

Var. Bylii Zahlbr.

Zahlbruckner (1932) 231. on non-calcareous rocks, Calvinia, $v.\ d.\ Byl$ 772, Type.

Lecidea stellans Stizenb.

Stizenberger (1891) 158, no. 1095 ; Zahlbruckner, Cat. Lich. III : 696. on cliffs near Lydenburg, $Wilms,\,{\rm Type}.$

Lecidea stellenboschiana Vain.

Vainio (1926) 23 ; van der Byl (1931) 10 ; Zahlbruckner, Cat. Lich. VIII : 359. on bark of leafy tree, near Stellenbosch, $v.\ d.\ Byl\ 385$, Type.

Lecidea stupparia Stizenb.

Stizenberger (1891) 136, no. 937; Zahlbruckner, Cat. Lich. III: 831. on bark, Boschberg, MacOwan, Type (Herb. Lojka).

Lecidea subalbicans Nyl.

apud Crombie (1876 a) 176, (1876 b) 21; Hue (1891) 109; Stizenberger (1891) no. 948; Zahlbruckner, Cat. Lich. III: 831. on rocks, Table Mt., Eaton, Type

Lecidea subattingens Merrill.

van der Byl (1931) 11, ? nom. nud. on **Hakea** sp., Klapmuts, v. d. Byl (det. Merrill.).

Lecidea subceresina Zahlbr.

Zahlbruckner (1932) 229. on non-calcareous rocks, World's Veiw, van Reenen Pass, *Brunnthaler*, Type.

Lecidea subexigua Vain.

Vainio (1926) 22; van der Byl (1931) 10; Zahlbruckner, Cat. Lich. VIII: 379. on bark of **Ficus elastica** Roxb., near Knysna, v. d. Byl 271, Type.

Lecidea subexiguella Vain.

Vainio (1926) 21; van der Byl (1931) 11; Zahlbruckner, Cat. Lich. VIII: 379. on bark of **Ficus elastica** Roxb., near Knysna, v. d. Byl 279, Type.

Lecidea subinquinans Nyl.

Nylander (1869 a) 11; Stizenberger (1891) no. 1203: Vouaux (1914) 189. on thallus of ?Parmelia crinita, Durban, Armstrong.

Not mentioned in Zahlbruckner, Cat. Lich.; the specific name suggests close relationship with *Lecidea inquinans* Nyl., which is a fungus, *Nesolechia inquinans* (Tyl.) Mass., see Vouaux (1913) 411, (1914) 189; Vouaux did not study *Lecidea subinquinans*.

Lecidea sublucida Stizenb.

Stizenberger (1891) 135, no. 929; Zahlbruckner, Cat. Lich. III: 833. on branches of tree, Spitzkop near Lydenburg, Wilms, Type.

Lecidea subsquamifera Zahlbr.

Zahlbruckner, (1932) 231. on sandstone rocks, Gouritzrivier, v. d. Byl 828, Type.

Lecidea subrussula Steiner

Steiner (1907) 644; Zahlbruckner, Cat. Lich. III: 834. on bark, Mt. Mamotsuiri, *Junod 992 pr. p.* (Type in Herb. Barbey-Boissier).

Lecidea substylosa Zahlbr.

Zahlbruckner (1932) 228. on granite rocks, Lüderitzbucht, F. & R. von Wettstein, Type.

Lecidea sulfurosula Stizenb.

Stizenberger (1891) 153, no. 1070; Zahlbruckner, Cat. Lich. III: 705. on granite rocks, Lion's Head, *MacOwan*, Type (ass. *Biatorella lugens* Zahlbr.).

Lecidea tenebricosa (Ach.) Nvl.

Stizenberger (1891) no. 958: Zahlbruckner, Cat. Lich. III: 836. on bark, near Lydenburg, Wilms,

Lecidea terrena Nyl.

apud Crombie (1876 a) 177: Hue (1891) 131: Stizenberger (1891) no. 1083; Zahlbruckner, Cat. Lich. III: 709. on ground amongst quartz detritus, Table Mt., Eaton, Type.

Lecidea thaleriza Stirt.

Stirton (1877) 217: Stizenberger (1891) no. 936, nota: Zahlbruckner, Cat. Lich. III: 895. on bark, Boschberg, MacOwan, Type,

Lecidea theichroa Vain.

Vainio (1926) 20 : van der Byl (1931) 11 : Zahlbruckner, Cat. Lich. VIII : 380. on bark of tree, Onrust, r. d. Bul 330, Type.

Lecidea theiphoroides Vain.

apud Lynge (1937) 85. on bark of Thespesia sp., Eshowe, v. d. Byl 190, Type.

Lecidea tragorum Zahlbr.

Zahlbruckner (1936) 168. on granite rock, Springbok, Namaqualand, r. d. Byl 1147, Type.

Lecidea Trichiliae Zahlbr.

Zahlbruckner (1936) 169. on bark of Trichilia emetica Vahl. Woodbush, v. d. Byl 488.

Lecidea valida Stizenb.

Stizenberger (1891) 161, no. 1104: Zahlbruckner, Cat. Lich. III: 715. on rocks, near Lydenburg, Wilms, Type.

Lecidea vernalis Ach.

Drège (1843) 85, 90, 132, 134; Zahlbruckner, Cat. Lich. III; 852. on bark, Paarlberg. Drège: Silverfontein, Drège; Samteesvlakte near Enon, Drège; du Toits Kloof, Drège: Hofmanskraal between Enon and Zuureberg. Drège. Lecidea vernalis is recorded by Drège without the name of the author of the species;

these collections might therefore be L. rernalis S. Grav, which is a synonum for Bacidia luteola Mudd.

Lecidea vestita (Mont.) Nvl.

Nvlander (1869 a) 11; Stizenberger (1891) no. 1004. on bark, Durban, Armstrong.

Lecidea viridans Lamy var. nigrella (Massal.) Steiner

Steiner (1897) 225: Zahlbruckner, Cat. Lich, III: 717.

Lecidella nigrella Massalongo (1861) 71.

Lecidea nigrella Stizenberger (1891) 153, no. 1068.

on rocks, Table Mt., Wawra,

Lecidea vorticosa (Floerke) Körb.

Stizenberger (1891) no. 1072; van der Byl (1931) 11; Zahlbruckner, (1932) 225, Cat. Lich. III: 717.

on sandstone rocks, near Muizenberg, MacOwan; on non-calcareous rocks, Bloukrans-rivier, v. d. Byl 665.

Lecidea vulgata Zahlbr.

Zahlbruckner, Cat. Lich. III: 718.

Lecidea goniophila Floerke, Drège (1843) 92; van der Byl (1931) 10. on stone, Klapmuts, v. d. Byl 98 (det. Merrill.); between Natvoet and Garip, Drège.

Lecidea Zevheri (Massal.) Zahlbr.

Zahlbruckner (1926 c) Pl. 6, f. 1-4. Cat. Lich. III: 860. Biatora Zeyheri Massalongo (1861) 88. on trunks of trees, Cape, Ecklon & Zeyher.

Lopadium fuscoluteum Mudd.

 $\begin{array}{c} {\rm Zahlbruckner,\ Cat.\ Lich.\ IV:\ 302.} \\ {\it Lecidea\ fuscolutea\ Ach.,\ Drège\ (1843)\ 80.} \\ {\rm on\ rocks,\ du\ Toits\ Kloof,\ } {\it Drège.} \end{array}$

Lopadium leucoxanthum (Spreng.) Zahlbr.

Zahlbruckner (1932) 241, Cat. Lich. IV: 306.

Lecidea leucoxantha Spreng., Crombie (1876 a) 177; Nylander (1869 a) 10; Stizenberger (1891) no. 1029.

Megalospora lutea Flotow, von Flotow (1843) 21; Krauss (1846) 201.

Sporopodium leucoxanthum Vain., van der Byl (1931) 9.

on bark, Table Mt., Eaton; Durban, Armstrong; near Bazuja, Baur; Hoofbos, Knysna, v. d. Byl 891; The Heads, Knysna, v. d. Byl 906; ? Lydenburg, Wilms 2730, 2732 (sub Mellitosporiopsis in Herb. Kew); near Constantia, Krauss; on Calodendron capense Thunb., Keurboomsrivier, v. d. Byl 284, (det. Vain.).

Lopadium Mariae (Trevis.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 307.

Brigantiaea Mariae Trevisan (1853 b) 9, (1856) 285.

Heterothecium Mariae Müll. Arg., J. Müller-Arg. (1886) 126. on bark, Cape of Good Hope.

Lopadium vulpinum (Tuckerm.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 316.

Lecidea vulpina Tuck., Stizenberger (1891) no. 1030.

Lecanora vulpina Nylander (1869 a) 6.

on bark, Durban, Armstrong.

Lopadium Woodii (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 317. Lecidea Woodii Stizenberger (1891) 148, no. 1035. on leaves, Durban, Medley Wood, Type (Herb. Lojka).

Mega lospora Stellenboschiana (Vain.) Zahlbr.

Zahlbruckner, Cat. Lich. VIII: 395.

Catillaria Stellenboschiana Vainio (1926) 19; van der Byl (1931) 10. on stones, Stellenbosch, Verwoerd (v. d. Byl 402) Type.

Megalospora versicolor (Fée) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 91.

Lecidea versicolor Nylander (1869 a) 10; Hue (1891) 112; Stizenberger (1891) no. 1015. on bark, Durban, Armstrong.

Rhizocarpon affine Merrill

in Herb, van der Byl, ? nom, nud, on rock, Klapmuts, v. d. Byl 100 pr. p. (det. Merrill).

Rhizocarpon badio-atrum Th. Fr. var. alboatrum Malme

Zahlbruckner, Cat. Lich. IV: 324.

Lecidea atroalba Ach., Drège (1843) 86. on rocks, Paarlberg. Drège.

Rhizocarpon capense Zahlbr.

Zahlbruckner (1936) 170.

on sandstone, Glencairn, v. d. Byl 1005, Type.

Rhizocarpon disporum Müll.-Arg. var. Montagnei (Flotow) Zahlbr.

Zahlbruckner (1932) 241, Cat. Lich. IV: 355.

Rhizocarpon Montagnei Körb., Zahlbruckner (1926 b) 497.

Lecidea Montagnei Flotow, Stizenberger (1891) no. 1116.

on sandstone rocks, Lion's Head, MacOwan; on granite rocks, Kloof Neck, Brunnthaler.

Rhizocarpon geographicum (Linn.) DC.

Zahlbruckner, Cat. Lich. IV: 359.

Lecidea geographica Rebent., Drège (1843) 53; Crombie (1876 a) 179; Stizenberger (1891) no. 1185.

on rocks, summit of table Mt., Eaton; Boschberg, MacOwen: near Lydenberg, Wilms; Witberg, Drège.

f. atrovirens Massal.

Zahlbruckner, Cat. Lich, IV: 363.

Lichen atrovirens Linn., Thunberg (1800) 176.

Lecidea atrovirens Ach., Thunberg (1823) 742.

on rocks, Table Mt., Thunberg.

f. intermedium (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 368.

Lecidea geographica Rebent. f. intermedia Stizenberger (1891) 177, no. 1185. on crumbling granite rock, near Muizenberg, and on Lion's Head, MacOwan.

Rhizocarpon patellarium (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 382.

Lecidea patellaria Stizenberger (1891) 163, no. 1119.

on rocks, Lion's Head, MacOwan, Type.

Rhizocarpon viridiatrum Körb.

Zahlbruckner (1926 b) 498, Cat. Lich. IV: 394. on shale, van Reenen's Pass, Brunnthaler.

Toninia bumamma (Nyl.) Zahlbr.

Zahlbruckner (1926 b) 495, (1932) 240, Cat. Lich. IV: 263; van der Byl (1931) 11. Lecidia bumamma Nyl. apud Crombie (1876 a) 177; Hue (1891) 125. Lecidea styloumena Stirton (1877) 217.

on soil in crevices of rocks, Table Mt., Eaton, MacOwan; near Klein Vis Rivier, MacOwan 524, 62; Lydenburg, McLea (Herb. Rehmann); Matjesfontein, Brunnthaler; Jansenville, P. Slabbert (v. d. Byl 707).

Toninia caeruleonigricans Th. Fr.

Zahlbruckner, Cat. Lich. IV: 266. Lecidea vesicularis Ach., Drège (1843) 92. on soil, between Natvoer and Garip, Drège.

Toninia caesiopallida (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 263.

Lecidea caesiopallida Nylander apud Hue (1891) 124; Stizenberger (1891) no. 1054. on rocks, Cape, Zeyher.

Toninia flava Zahlbr.

Zahlbruckner (1932) 240. on quartz rocks, Langbaan, $v.\ d.\ Byl\ 540$, Type.

Toninia incretata (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. IV: 274.

Lecidea incretata, Stizenberger (1891) 150, no. 1051.
on soft sandstone rocks, summit of Lion's Head, MacOwan, Type.

Toninia verrucosa Flagey

Zahlbruckner (1926 b) 497. on crumbling stone, Haifischinsel off Lüderitzbucht, *Fincke*.

PHYLLOPSORACEAE.

Phyllopsora breviuscula (Nyl.) Müll. Arg.

Zahlbruckner, Cat. Lich. IV: 396.

Lecidea breviuscula Nylander (1869 a) 9; Stizenberger (1891) no. 925. on bark, Durban, Armstrong.

Phyllopsora corallina (Eschw.) Müll. Arg.

Zahlbruckner, Cat. Lich. IV: 397.

Lecidea santensis Tuckerm, Nylander (1869 a) 9; Stizenberger (1891) no. 926. on bark, Durban, Armstrong.

Phyllopsora parvifolia (Pers.) Müll. Arg.

Zahlbruckner, Cat. Lich. IV: 399.

Lecidea parvifolia Pers., Nylander (1869 a) 8; Stizenberger (1891) no. 923. on bark, Durban, Armstrong; ? Boschberg, Mac Owan 517, 60.

Var. fibrillifera (Nvl.) Müll. Arg.

Zahlbruckner, Cat. Lich, IV: 399.

Lecidea parrifolia var. fibrillifera Xyl., Stirton (1877) 217; Stizenberger (1891) no. 923. South Africa, without locality.

Var. pulvinata Steiner.

Steiner (1907) 644; Zahlbruckner, Cat. Lich. IV: 400. on bark. Mt. Mamotsuiri, Junod 993 pr. p., 999.

Phyllopsora parvifoliella (Nvl.) Müll. Arg.

Zahlbruckner, Cat. Lich. IV: 400.

Lecidea parvifoliella Nylander (1869 a) 8: Stizenberger (1891) no. 924. on bark, Durban, Armstrong.

CLADONIACEAE

Baeomyces roseus Pers.

Stizenberger (1890) no. 93 : van der Byl (1933 b) 2 ; Zahlbruckner, Cat. Lich. IV : 415.

on ground, Spitzkop, near Lydenburg, Wilms; Buccleuch, Leighton, 7.

Cladonia aggregata (Sw.) Ach.

Nylander (1860 a) 218: Drège (1843) 89: Wainio (1887) 224, (1894) 447, (1897) 223: van der Byl (1933 b) 7: Zahlbruckner, Cat. Lich, IV: 437.

Cladia aggregata (Sw.) Nyl., Crombie (1876 a) 166: Stizenberger (1890) no. 158. on ground, Table Mt., Drège: Baviaanskloof, Breutel; Table Mt., Eaton.

Cladonia bacillaris (Del.) Nyl.

Stizenberger (1890) no. 144: Wainio (1887) 68, (1894) 441, (1897) 226: Steiner (1907) 644: Zahlbruckner, (1932) 242, Cat. Lich. IV: 444: van der Byl (1931) 11, (1933 b) 8: des Abbaves (1938) 348.

on dead branches and rotten stumps of trees. Knysna, v. d. Byl 645; Woodbush, Doidge, 12 (det. Lindau): Kirstenbosch, Bottomley, 781; on decomposed vegetable detritus, Deepwalls, Phillips (Br. Mus.): on ground or amongst moss, Mt. Mamotsuiri, Junod 986: Montagu Pass Road, Doidge, 249; Deepwalls, Bottomley, 1620; Umtali, Eyles 1739, 248.

f. pityropoda Nvl.

Zahlbruckner, Cat. Lich. IV: 447; des Abbayes (1938) 348. on damp turf, Mt. Nuza. S. Rhodesia, Gilliland (Br. Mus.).

Cladonia caespiticia (Pers.) Floerke

Stizenberger (1890) no. 139; Wainio (1887) 458, (1894) 460, (1897) 244; Zahlbruckner, Cat. Lich. IV: 452. on ground, top of Table Mt., Rehmann.

Cladonia centrophora Müll. Arg.

Stizenberger (1890) no. 124 : Wainio (1894) 171, (1897) 260 ; Zahlbruckner, Cat. Lich. IV : 460.

Table Mt., Wilms.

Cladonia didyma (Fée) Wain. var. muscigena (Exchw.) Wain.

Wainio (1887) 141, (1894 443, (1897) 225; Zahlbruckner, Cat. Lich. IV: 489; des Abbayes (1938) 347.

on a piece of putrid wood, Deepwalls, Phillips (Br. Mus.).

f. subulata Sandst.

des Abbayes (1938) 347.

on decomposed mosses, Deepwalls, Phillips (Br. Mus.).

Cladonia fimbriata (Linn.) Fr.

Crombie (1876 a) 166; Stizenberger (1890) no. 119; Wainio (1894) 246, (1897) 253; van der Byl (1931) 11, (1933 b) 11; Zahlbruckner, Cat. Lich. IV: 494. Lichen fimbriatus Linn., Thunberg (1800) 179, (1823) 749.

on the ground, Table Mt., Eaton, Thunberg; Somerset East, MacOwan (S.A. M. 46969); Riviersonderend, Thorne (S.A. M. 45843); on rotten stump, Knysna, v. d. Byl 429; Woodbush, v. d. Byl.

Var. Balfourii (Cromb.) Wain.

Wainio (1894) 339, (1897) 255; Zahlbruckner, Cat. Lich. IV: 496.

Cladonia fimbriata var. chondroidea Wain. f. Balfourii (Cromb.) Wain., des Abbayes (1938) 348.

Transvaal, H. Wager (Br. Mus.); Imleezane, T. R. Sim (Br. Mus.).

Var. chlorophaeoides Wain.

Stizenberger (1890) no. 119; Wainio (1894) 336, (1897) 254; Zahlbruckner, Cat. Lich. IV: 497.

Cladonia fimbriata var. chondroidea f. chlorophaeoides Wain., des Abbayes (1938) 348 on ground, near Elim, Breutel; Edgehill, Mooi River, T. R. Sim (Br. Mus.).

Var. chondroidea Wain.

Stizenberger (1890) no. 119; Wainio (1894) 334, (1897) 254; van der Byl (1933 b) 12; Zahlbruckner, Cat. Lich. IV: 497.

Transvaal, Wilms.

Var. coniocrea (Floerke) Wain.

Wainio (1894) 308, (1897) 254; Steiner (1907) 644; Zahlbruckner, Cat. Lich. IV: 497.

on ground, Stellenbosch, Duthie 5.

Var. **nemoxyna** (Ach.) Coem.

Wainio (1894) 295, (1897) 253 ; van der Byl (1933 b) 12 ; Zahlbruckner, Cat. Lich, IV : 500.

Cladonia fimbriata var. radiata (Schreb.) Coem. f. nemoxyna Flotow, Stizenberger (1890) no. 119.

amongst heath, Table Mt., Jelinek; on tree trunk, Garcia Pass, Riversdale, Muir 4885.

f. fibula (Ach.) Wain.

Wainio (1894) 301, (1897) 253; van der Byl (1933 b) 12; Zahlbruckner, Cat. Lich. IV: 500.

Cladonia fimbriata var. fibula (Ach.) Stizenberger (1890) no. 119. on bark of trees, near Baziya (MacOwan 802).

Var. ochrochlora (Floerke) Wain.

Wainio (1894) 319, (1897) 254; Zahlbruckner, Cat. Lich. IV: 502. Cladonia ochrochlora Floerke, van der Byl (1931) 11, (1933 b) 12.

on rotten stump, Knysna, v. d. Byl: Garcia's Pass, Riversdale, Thorne (S.A.M. 38825).

Var. radiata (Schreb.) Coem.

Stizenberger (1890) no. 119 : Wainio (1894) 227, (1897) 253 : van der Byl (1933 b) 12 : Zahlbruckner, Cat. Lich. IV : 505.

on soil and on old wood, South Africa, Breutel; Boschberg, MacOwan 50, 501, 14.

Var. simplex (Weiss.) Flotow.

Wainio (1894) 256, (1897) 253 : van der Byl (1931) 11, (1933 b) 12 : Zahlbruckner, Cat. Lich, IV: 507.

Cladonia fimbriata var. lubaeformis Ach., Stirton (1877) 212: Stizenberger (1890) no. 119.

on an ant heap, Klapmuts, v. d. Byl 103 (det. Merrill): South Africa, without locality (Stirton l.c.).

Var. subradiata Wain.

Wainio (1894) 282, (1897) 253: Zahlbruckner, Cat. Lich. IV: 510. Cladonia fimbriata var. chondroidea f. subdradiata Wain., des Abbayes (1938) 348. Mid-Illovo, T. R. Sim (Br. Mus.).

Var. subulata (Linn.) Wain.

Wainio (1894) 282, (1897) 253.

f. abortiva Harm.

van der Byl (1933 b) 13 : Zahlbruckner, Cat. Lich. IV : 511. Cladonia fimbriata f. abortiva Floerke, Stizenberger (1890) no. 119. Transvaal. Rehmann.

f. chordalis Ach.

van der Byl (1933 b) 13 : Zahlbruckner, Cat. Lich. IV : 512. Cladonia chordalis Ach., Stizenberger (1890) no. 120. Top of Table Mt., MacOwan 195.

f. subcornuta Zahlbr.

Zahlbruckner, Cat. Lich, IV: 513.

Cladonia fimbriata var. subcornuta Nyl., Crombie (1876 a) 166.

Cladonia subcornuta (Nyl.) Stizenberger (1890 & 1895) no. 122.
on ground, Table Mt., Eaton.

Cladonia flabelliformis (Floerke) Wain. f. tenella Zahlbr.

van der Byl (1933 b) 8 ; Zahlbruckner, Cat. Lich. IV : 514. Cladonia flabelliformis var. tenella Müll. Arg., Stizenberger (1893) no. 144bis. on dead wood, Table Mt., Wilms.

Cladonia Floerkiana (Fr.) Sommerf.

Wainio (1887) 72, (1894) 440, (1897) 225; van der Byl (1931) 11, (1933 b) 8; Zahlbruckner, Cat. Lich. IV: 516.

on rotting wood, Woodbush, v. d. Byl 425, 535 (det. Vain.): on ground, Hermanus, v. d. Byl; Knysna, v. d. Byl.

Cladonia furcata (Huds.) Schrad.

Crombie (1876 a) 166; Wainio (1887) 316, (1894) 450, (1897) 239; Stizenberger (1890) no. 133; van der Byl (1933 b) 9; Zahlbruckner, Cat. Lich. IV: 525. on ground, among mosses, Table Mt., Eaton; on bare rocks, Garcia's Pass, Riversdale, Muir 3767, 1395.

Cladonia gorgonina (Bory) Wain. var. subrangiferina (Nyl.) Wain.

Wainio (1887) 309, (1897) 237; Zahlbruckner, Cat. Lich. IV: 539; des Abbayes (1938) 348.

Nyasaland, Burtt Davy (Br. Mus.).

Cladonia macilenta Hoffm.

Wainio (1887) 98, (1894) 442, (1897) 227; Stizenberger (1890) no. 145; van der Byl (1933 b) 7; Zahlbruckner, Cat. Lich. IV: 555.

South Africa, without locality, Breutel, MacOwan; Garcia's Pass, Riversdale, Thorne (S.A. M. 38830), Muir 4884; Langeberg, Barnard (S.A. M. 32676); Table Mt., MacOwan

Var. corticata Wain.

Wainio (1887) 112, (1894) 442, (1897) 227; Stizenberger (1890) no. 145; van der Byl (1933 b) 7; Zahlbruckner, Cat. Lich. IV: 556. on ground, Kooksbosch, *Breutel*.

Cladonia multiformis Merrill f. subascypha (Wain.) Evans

Zahlbruckner, Cat. Lich. VIII: 463; des Abbayes (1938) 348.

on earth and on a rotten trunk, Deepwalls, Phillips (Br. Mus.); Mt. Nuza, S. Rhodesia, Gilliland (Br. Mus.).

Cladonia pityrea (Floerke) Fr.

Wainio (1894) 349, (1897) 255; Stizenberger (1890) no. 117; van der Byl (1933 b) 11; Zahlbruckner, Cat. Lich. IV: 566. on dry ground, Table Mt., Jelinek.

Var. subareolata Wain.

Zahlbruckner, Cat. Lich. IV: 567; des Abbayes (1938) 348. Ihluku, Harding, T. R. Sim (Br. Mus.).

Var. Zwackhii Wain, f. scyphifera (Del.) Wain.

Wainio (1894) 354, (1897) 255; Zahlbruckner, Cat. Lich. IV: 569.

Cladonia pityrea f. scyphifera Del., Stizenberger (1890) no. 117; van der Byl (1933 b) 11. Kooksbosch, Breutel.

Cladonia pycnoclada (Gaudich) Nyl.

Stizenberger (1890) no. 150; Wainio (1894) 209, (1897) 252; van der Byl (1933 b) 6; Zahlbruckner, Cat. Lich. IV: 573; des Abbayes (1938) 347.

Table Mt., MacOwan; South Africa, without locality, Milne; Hankey, T. R. Sim (Brit. (Mus.): East Pondoland, T. R. Sim (Br. Mus.).

f. exalbescens Wain.

Zahlbruckner, Cat. Lich. IV: 573; des Abbayes (1938) 347. Maritzburg, T. R. Sim (Br. Mus.).

Cladonia pyxidata (Linn.) Fr.

Stizenberger (1890) no. 116; Wainio (1894) 209, (1897) 252; van der Byl (1933 d) 10; Zahlbruckner, Cat. Lich. IV: 573.

Lichen pyxidatus Linn., Thunberg (1800) 179, (1823) 748.

? Cladonia neglecta (? author) Drège (1843) 80, 82, 85.

Cape of Good Hope, Breutel; on slopes of Table Mt., and Lion's Head,

Thurberg; amongst moss, Bain's Kloof, Doidge, 20: ? Paarlberg, Drège; ? du Toits Kloof, Drège.

Var. chlorophaea Floerke

Wainio (1894) 232, (1897) 252; van der Byl (1933 b) 10; Zahlbruckner, Cat. Lich. IV: 575.

Cladonia chlorophaea Spreng., van der Byl (1931) 11. on a stone on the ground, Umtali, Eyles 5855.

f. staphylea (Ach.) Harm.

Zahlbruckner, Cat. Lich. IV: 579.

Cladonia pyxidata f. staphylea (Ach.) Nyl., Stizenberger (1890) no. 116. Cape of Good Hope, Breutel.

Var. pocillum (Ach.) Flotow.

Stizenberger (1890) no. 116: Wainio (1894) 241, (1897) 252; van der Byl (1933 b) 10: Zahlbruckner, Cat. Lich. IV: 582. Cape of Good Hope, Jelinek.

Cladonia rangiferina (Linn.) Web.

Wainio (1887) 9, (1894) 439, (1897) 222; Juel (1918) 51; Zahlbruckner, Cat. Lich, IV: 583.

Lichen rangiferinus Linn., Thunberg (1800) 180, (1823) 749, on ground, top of Table Mt., Thunberg.

Cladonia rangiformis Hoffm.

Var. foliosa Floerke.

Wainio (1887) 366 : van der Byl (1933 b) ; Zahlbruckner, Cat. Lich. IV : 589. Cladonia pungens Floerke f. foliolosa Nyl., Stizenberger (1890) no. 135. Cape of Good Hope, MacOwan.

Var. pungens (Ach.) Wain.

Wainio (1887) 361, (1894) 451, (1897) 236 : Zahlbruckner, Cat. Lich. IV : 590. Cladonia pungens Floerke. Stizenberger (1890) no. 135. on damp places on Table ${\rm Mt.}.Jelinek$.

Cladonia squamosa (Scop.) Hoffm.

Drège (1843) 116, 124; Wainio (1887) 411, (1894) 455, (1897) 242; Stizenberger (1890) no. 138; van der Byl (1933 b) 9; Zahlbruckner, Cat. Lich. IV: 594. on the ground, Cape of Good Hope, Milne; on rocks, with mosses, Garcia's Pass, Riversdale, Muir 3702, 1396; Gnadenthal, Drège; Hoogekraalsrivier, Drège.

Cladonia sylvatica (Linn.) Hoffm.

Wainio (1887) 18, (1894) 439, (1897) 222; Stizenberger (1890) no. 149; Zahlbruckner (1926 b) 498, Cat. Lich. IV: 609; van der Byl (1933 b) 6. on ground, Cape of Good Hope, MacOwan, Jelinek; plateau above Baakens River Valley, Port Elizabeth, Brunnthaler.

Cladonia verticillata Hoffm.

 Drège (1843) 89 ; Zahlbruckner, Cat. Lich. IV : 621.
n damp places, Table Mt., $Dr\`ege$.

(?) Cladonia sp.

Scyphophorum monocarpum Acharius (1798) 196; Stizenberger (1890) no. 145, Footnote; Wainio (1887) 103.

Lichen monocarpus Thunb., Acharius (1798) 196; Thunberg (1800) 180, (1823) 749.

Baeomuces monocarpus Acharius (1803) 331.

Cape, Thunbera.

The genus Scyphophorum has been sunk under Cladonia (Zahlbruckner 1926 a: 205) but this species is not mentioned in the Cat. Lich. under any of the synonyms given above. Wainio's Monographia Cladoniarum universalis (1887, l.c.) has not been available for reference.

Pilophoron aciculare (Ach.) Nyl.

Nylander (1860 a) 229; Stizenberger (1890) no. 111; Zahlbruckner, Cat. Lich.
IV: 431.

on earth and on rocks, Cape of Good Hope (Herb. Hook.).

Stereocaulon proximum Nyl.

Nylander (1860 a) 237; Zahlbruckner, Cat. Lich. IV: 660. South Africa, without locality (Nylander).

GYROPHORACEAE.

Dermatiscum viride (Linn. f.) Zahlbr.

Zahlbruckner (1932) 243, Cat. Lich. IV: 754; van der Byl (1931) 11.

Lichen viridis Linn, f. (1781) 451.

Lichen Thunbergii Acharius (1798) 143; Thunberg (1800) 177, (1823) 745.

Endocarpon Thunbergii Acharius (1803) 129, (1810) 301, (1814) 101; Sprengel (1827) 239; von Flotow (1843) 26; Krauss (1846) 200; Juel (1918) 51.

Lichen hepaticus *Endocarpon Thunbergii Lamarck (1813) 426.

Dermatiscum Thunbergii Nylander (1857) 116, (1867) 133; Hue (1891) 37.

Umbilicaria Thunbergii Reinke (1895) 412.

Umbilicaria flavovirescens Leighton (1869) 34.

on rocks, Cape of Good Hope, Thunberg; Table Mt., MacOwan 52 (Lichenoth, univ. 44; S.A.M. 46965) 317; Tulbagh, v. d. Byl 775; Dombashawa, Eyles 4845 (v. d. Byl 600); Matopos, v. d. Byl 164 (det. Vain.); Salisbury, Eyles 2425 (S.A.M. 46936); slopes of Table Mt., Krauss.

Umbilicaria glauca Stizenb.

Stizenberger (1890) 186, no. 478; Minks (1900 b) 27; van der Byl (1931) 11; Zahlbruckner (1932) 243, Cat. Lich. IV: 745. on rocks, Table Mt., MacOwan; near Ceres, Leslie (v. d. Byl 609); Stellenbosch, Haddad.

Umbilicaria membranacea Laur.

apud Nylander (1863) 5; Drège (1843) 80, 85; Hue (1891) 34; Stizenberger (1890) 186, no. 476; Minks (1900 b) 26; Zahlbruckner, Cat. Lich. IV: 746. on rocks, du Toits Kloof, *Drège*.

Umbilicaria pustulata (Linn.) Hoffm.

f. minor Crombie.

Crombie (1876 a) 171; Hue (1891) 34; Stizenberger (1890) no. 475; Zahlbruckner, Cat. Lich. IV: 752. on rocks, Table Mt., Eaton; Garcia's Pass, Riversdale, J. Muir 3699, 1405.

Var. papulosa (Ach.) Tuck.

Zahlbruckner, Cat. Lich. IV: 752.

Umbilicaria papulosa (Ach.) Nyl., von Flotow (1843) 26: Krauss (1846) 200; Stizenberger (1890) no. 477.

on rocks, Cape of Good Hope; slopes of Table Mt., Krauss.

Var. papillata Hampe

Stizenberger (1890) no. 475; Tuckermann (1882) 82. Cape of God Hope.

Umbilicaria rusiginosa Pers.

apud Gaudich. (182c) 202; Nylander (1860 b) 417, (1863) 6; Crombie (1876 a) 171; Stizenberger (1890) no. 479; Hue (1891) 34, (1900) 14; Minks (1900 b); 26; van der Byl (1931) 11; Zahlbruckner, (1932) 243, Cat. Lich. IV: 752.

Lecidea porphyrea Meyer (1825) 54, 99; Sprengel (1827) 327.

Umbilicaria hottentotta Fée (1827) 194.

Umbilicaria lecanorocarpa Krempelhuber (1876) 440.

on rocks, near summit of Table Mt., Eaton; Table Mt., Breutel, Jelinek, Wawra, Wilms; Table Mt., MacOwan 50, 316: Stellenbosch, Haddad & Slabbert (v. d. Byl 710), Hofmeyr (v. d. Byl 446, det. Vain.); Ceres, Leslie (v. d. Byl 610, 452, det. Vain.); Table Mt., Eyles (v. d. Byl 383); Genadendal and Caledon, Brunnthaler; without locality, Pappe (S.A.M. 46885).

ACAROSPORACEAE.

Acarospora angolensis H. Magn.

Magnusson (1929) 111, (1933) 16; Zahlbruckner, Cat. Lich. VIII: 500.

Lecanora xanthophana Nylander (1868) 513, (non loco alio).

Placodium thaeodes Müll. Arg. (1879) 290.

Lecanora thaeodes Stizenberger (1890) 234, no. 803.

Acarospora tersa var. thaeodes Wainio (1901) 426; (?) van der Byl (1931) 11.

on rocks, Serra de Montes Negros, Mossamedes, Welwitsch 19, 44.

(?) on granite rocks, Matopos, v. d. Byl 153 (det. Vain.).

Acarospora austroafricana (Zahlbr.) H. Magn.

Magnusson (1933) 31.

Acarospora sulphurata Arn., var. austroafricana Zahlbruckner (1926 b) 502, Cat. Lich. V: 97, VIII: 516; Magnusson (1929) 95.

on schistose rock, Haifischinsel, off Lüderitzbucht, Fincke.

(?) Acarospora bella (Nyl.) Jatta

Acarospora tersa var. bella (Nyl.) Vain. van der Byl (1931) 11.

on rock, Ceres, Leslie (v. d. Byl 236, det. Vain.).

This seems to be a doubtful record; fide Magnusson (1929) 61, this is a South American species.

Acarospora Bylii H. Magn.

Magnusson (1933) 36.

on hard, grey sandstone, ass. with Parmelia sp., between Calvinia and Middelpos, $v.\ d.\ Byl$ 1113, Type.

Acarospora calviniensis H. Magn.

Magnusson (1933) 33.

on non-calciferous sandstone, between Calvinia and Middelpos, v. d. Byl 1098, Type.

Acarospora capensis Zahlbr.

Zahlbruckner (1926 b) 500, Cat. Lich. B: 56, VIII: 502; Magnusson (1929) 206, (1933) 34.

on sandstone, Matjesfontein, Brunnthaler, Type.

Acarospora cervina Mass.

Zahlbruckner, Cat. Lich. V: 56. Lecanora cervina Ach., Drège (1843) 52. on rocks, Witberg, Drège.

Acarospora deserticola Zahlbr.

Zahlbruckner (1926 b) 500, Cat. Lich. V: 61, VIII: 503; Magnusson (1929) 57, (1933) 24.
on mica schist, Matjesfontein, Brunnthaler, Type.

Acarospora Finckei Zahlbr.

Zahlbruckner (1926 b) 502, Cat. Lich. V: 104, VIII: 504; Magnusson (1929) 96, (1933) 32.
on schistose rock, Haifischinsel off Lüderitzbucht, Fincke, Type.

Acarospora fuscata (Nyl.) Arn.

Wainio (1901) 426; Zahlbruckner (1926 b) 499, Cat. Lich. V: 64, VIII: 505; Magnusson (1929) 294--298.

on schistose rocks, between Maiombo and Cazimba, Welwitsch 160 pr. p.; on sandstone, near Windhoek, Fincke.

fide Magnusson, l.c., A. fuscata is undoubtedly the commonest species in the genus and widely distributed in the northern temperate zone. The specimens recorded from the southern hemisphere certainly do not belong here.

Acarospora immixta H. Magn.

Magnusson (1929) 82, (1933) 30; Zahlbruckner, Cat. Lich. VIII: 507.

on non-calciferous stone, upon thallus of *Lecidea* sp (?), Wasserberg, near Windhoek, *Fincke* (called *Ac. xanthophana* by Zahlbruckner); upon thallus of *Lecidea* sp., Haifisschinsel, off Lüderitzbucht, *Fincke*.

Acarospora initialis H. Magn.

Magnusson (1929) 48, (1933) 17; Zahlbruckner, Cat. Lich. VIII: 508.

Acarospora tersa Zahlbruckner (1926 b) 501. on smooth, non-calcareous mica-schist, Haifischinsel, off Lüderitzbucht, Fincke, Type.

Var. perfectior H. Magn.

Magnusson (1933) 18.

on a stone with granular surface, Klein Karas, Örtendahl 37, Type.

Acarospora insculpta H. Magn.

Magnusson (1933) 20.

on granite rocks, Uitenhage, Marloth 116, Type.

Acarospora intermixta H. Magn.

Magnusson (1933) 42.

on granitic stone, intermingled with yellow squamules of Ac. Luderitzensis, Lüderitzbucht, comm. Hillman, Type.

Acarospora intrusa H. Magn.

Magnusson (1933) 37.

amongst areolae of Ac. laerigata, apparently destroying them, Cape Province, without locality. Marloth 132, Type.

Acarospora laeta H. Magn.

Magnusson (1933) 22.

Acarospora Finckei var. lobulata Zahlbruckner (1932) 243. on granitic, granular stone, Lüderitzbucht, F. & R. Wettstein, Type.

Var. annularis H. Magn.

Magnusson (1933) 23.

on very hard, reddish, granitic stone, Klein Karas, Örtendahl 24, Type.

Acarospora laevigata H. Magn.

Magnusson (1933) 17.

on non-calcareous, schistose, reddish sandstone with smooth surface, (invaded by Ac. intrusa) Cape Town Marloth 132, Type.

Acarospora longispora H. Magn.

Magnusson (1933) 34.

on calcareous rocks. Laingsberg, v. d. Byl 1088, Type.

Acarospora lucida H. Magn.

Magnusson (1929) 70, (1933) 29; Zahlbruckner, Cat. Lich, VIII: 509.

on dark granitic stone, Great Namaqualand, Schinz (A. Schenck 544, Type: called Placodium xanthophanum by Müll. Arg.).

Acarospora lüderitzensis H. Magn.

Magnusson (1933) 26.

on granitic stone (associated with Ac. intermixta) Lüderitzbucht, comm. J. Hillman; between Khamiskron and Springbok, v. d. Byl 1171, Type.

Acarospora macrospora (Hepp.) Bagl.

Magnusson (1929) 333.

Lecanora smaragdula Nyl., Stizenberger (1890) no. 812; Crombie (1876 a) 174.

on rocks, Table Mt., Eaton, Jelinek.

Doubtful record: fide Magnusson, l.c., this species has its principal area of distribution in the mountainous regions of central and southern Europe. He quotes no records from the southern hemisphere.

Acarospora meridionalis H. Magn.

Magnusson (1933) 27; Zahlbruckner (1932) 244.

on non-calcareous, schistose, sandy or ganitic stone, Steinkopf, Meyer, Type (v. d. Byl 949, 951: nos. 948, 953 in Zahlbr. l.c.); Klein Karas, Örtendahl 13; between Bitterfontein and Garies, v. d. Byl 1176; near Kenhardt, v. d. Byl 1116.

Acarospora negligens H. Magn.

Magnusson (1933) 18.

on schistose, reddish sandstone, Narubis, Örtendahl 96, 97; Airas, Klein Karas, Örtendahl 105; near Laingsburg, v. d. Byl 1090.

Acarospora ochrophaea H. Magn.

H. Magnusson (1933) 38.

on non-calciferous stone, Van Rhynsdorp, v. d. Byl 1183, Type.

Acarospora Örtendahlii H. Magn.

Magnusson (1933) 28.

on reddish brown, hard granitic stone, on road between Aiais and Klein Karas. Örtendahl 102, 108, Type; Klein Karas, Örtendahl 2.

Acarospora perexigua (Müll. Arg.) Hue.

Hue (1909) 162; Magnusson (1929) 374; Zahlbruckner, Cat. Lich. V: 83.

Placodium perexiguum Müll. Arg., J. Müller-Arg. (1893 b) 297.

Lecanora perexigua Stizenberger (1895) no. 242.

on quartzite rocks, near Boroma, Menyharth 297: not an Acarospora, fide Magnusson l.c.

Acarospora porinoides (Stizenb.) Zahlbr.

Magnusson (1929) 374; Zahlbruckner, Cat. Lich. V: 84.

Lecanora porinoides Stizenberger (1890) 234, no. 807.

on rocks, Taaiboschkranz, near Rhenoster-rivier, O.F.S., Rehmann: "seems to be an Aspicilia sp.", Magnusson l.c.

Acarospora Rhodesiae H. Magn.

Magnusson (1933) 21.

on granitic stone, Bullawayo, Brunnthaler, Type.

Acarospora socialis H. Magn.

Magnusson (1933) 30.

near Calvinia, v. d. Byl 1131, Type.

Acarospora Steineri H. Magn.

Magnusson (1933) 24.

on schistose, rather hard stone, Haifischinsel, Fincke, Type (Vienna sub Ac. sulphurata var. austro-africana, but not the authentic specimen).

Acarospora subbadia H. Magn.

Magnusson (1933) 40; Zahlbruckner (1932) 244.

on non-calcareous rock, Steinkopf, Meyer (v. d. Byl 951, Type, 949), associated with Ac. meridionalis and Caloplaca sp.

Acarospora subochracea H. Magn.

Magnusson (1933) 39; Zahlbruckner (1932) 244.

on non-calciferous, closely granular rock, Calvinia, v. d. Byl 768, Type.

Acarospora subtersa H. Magn.

Magnusson (1929) 54, (1933) 25: Zahlbruckner (1932) 243, Cat. Lich. VIII: 516, sub *Acarospora citrina* Zahlbruckner (1926 b) 501; see Magnusson (1929) 50.

Acarospora tersa Zahlbruckner (1926 b) 501, pr. p.

on non-calciferous, schistose stone, Haifischinsel, off Lüderitzbucht, Fincke Waterberg, near Windhoek, Fincke; on sandstone rocks, Mossel Bay, v. d. Byl 746.

Acarospora tenuis (Wain.) H. Magn.

Magnusson (1929) 50, (1933) 16; Zahlbruckner, Cat. Lich. VIII: 517.

Acarospora tersa (Fr.) Steiner var. tenuis Wainio (1901) 426 : Hue (1909) 120 ; van der Byl (1931) 11 ; Zahlbruckner, Cat. Lich. V : 98.

Lecanora tersa Nylander (1868) 513 (see Wainio l.c.).

on perpendicular rocks, between Maiombo and Cazimba, on the road to Huilla, Welwitsch 17 pr. p., 18, 160 pr. p.: on schistose rocks, Serra de Cazimba, between Maiombo and Pomangula, Welwitsch 485 pr. p.: on rocks, Hanover, Cape, v. d. Merwe (v. d. Byl 432, det. Vain.).

Acarospora thaeodes Massal.

Massalongo (1861) 87 : Zahlbruckner (1926 c) Pl. 8, f. 6-10 ; Magnusson (1929) 112.

Acarospora tersa var. thaeodes Zahlbruckner, Cat. Lich. V: 98 pr. p. on volcanic rocks. Cape. Wawra: doubtful species, fide Magnusson l.c.

Acarospora xanthophana (Nvl.) Jatta

Magnusson (1933) 31.

on granitic stone, Klein Karas, Örtendahl 19, 55; Upington, v. d. Byl 1158.

Biatorella Armstrongiae (Jones) Zahlbr.

Zahlbruckner, Cat. Lich. V: 34.

Lecidea Armstrongiae Jones apud Nylander (1869 a) 12: Hue (1891) 128. (1892) 147. Lecanora Armstrongiae Stizenberger (1890) 222, no. 729. on bark, Durban, Armstrong.

Biatorella austroafricana Zahlbr.

Zahlbruckner (1926 b) 499, Cat. Lich. V: 10.

Sarcogyne austroafricana (Zahlbr.) H. Magnusson (1937) 103. on sandstone, Haifischinsel, off Lüderitzbucht, and near Windhoek, Fincke, Type.

Biatorella clavulus (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. V: 10.

Lecanora clavulus Stizenberger (1890) 237, no. 822.

Sarcogyne clavulus (Stizenb.) H. Magnusson (1937) 98. on sandstone rocks, Muizenberg, MacOwan, Type.

Biatorella lugens (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. V: 14.

Lecanora lugens Stizenberger (1890) 236, no. 818.

Sarcogyne lugens (Stizenb.) H. Magnusson (1937) 102.

on granite, Lion's Head, MacOwan, Type.

Biatorella palmeti (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. V: 44.

Lecidea palmeti Stizenberger (1891) 149, no. 1037.

on woody parts of **Phoenix dactylifera** Linn., in bush, near Durban, Wilms, Type.

Biatorella robiginans (Stizenb.) Zahlbr

Zahlbruckner, Cat. Lich. V: 21.

Lecanora robiginans Stizenberger (1890) 237, no. 821.

Sarcogyne robiginans (Stizenb.) H. Magnusson (1937) 101.

on sandstone rocks, near Muizenberg, MacOwan, Type.

Maronea constans (Nyl.) Hepp

Zahlbruckner, Cat. Lich. V: 48; Magnusson (1934) 55.

Lecanora constans Nylander (1869 a) 8; Stizenberger (1890) no. 745. on bark, Durban, Armstrong.

Maronea crassilabra (Müll. Arg.) H. Magn.

Magnusson (1929) 326, (1934) 60.

Acarospora crassilabra (Müll. Arg.) Zahlbruckner, Cat. Lich. V: 60.

Lecanora crassilabra Müll. Arg., J. Müller (Arg.) 1888: 205; Stizenberger (1890) no. 746.

on bark, near Lydenburg, Wilms.

Maronea horizoides (Müll. Arg.) Wain.

Wainio (1901) 404; Zahlbruckner, Cat. Lich. V: 49; Magnusson (1934) 62. on trunk of **Parinarium**, Morro de Lopollo, Welwitsch.

PERTUSARIACEAE.

Pertusaria alpina Hepp

Zahlbruckner, Cat. Lich. V: 120.

Pertusaria leioplaca (Ach.) DC. var. octospora Nyl., Crombie (1876 a) 175; Stizenberger (1890) no. 859; Nylander (1869 a) 8.

on bark, Table Mt., Eaton; Durban, Armstrong.

Pertusaria amara (Ach.) Nyl.

apud Crombie (1876 a) 174; Stizenberger (1890) no. 850; Zahlbruckner, Cat. Lich. V: 121.

on rocks, Table Mt., Eaton; near Lydenburg, MacLea.

Var. capensis Steiner

Steiner (1907) 646.

on bark, Mt. Mamotsuiri, Junod 998 pr. p.

Pertusaria ambigens (Nyl.) Tuck.

Tuckerman (1877) 176, (1882) 213; Stizenberger (1890) no. 882; Zahlbruckner, Cat. Lich. V: 123.

on bark and rocks, Boschberg, MacOwan 526, 115; without locality, Zeyher, Wright.

Pertusaria aperta Stizenb.

Stizenberger (1890) 241, no. 849 : Zahlbruckner, Cat. Lich. V : 233. on rocks, Muizenberg, MacOwan.

Pertusaria casta Zahlbr.

 ${\it Zahlbruckner} \ (1936) \ 172.$ on bark, Knysna, $r.\ d.\ Byl \ 861.$ Type.

Pertusaria coccodes Nvl.

Zahlbruckner, Cat. Lich. V: 130.

Pertusaria ceuthocarpa Fr., Stizenberger (1890) no. 856.
on bark, Table Mt., Wilms.

Pertusaria commutans Vain.

Vainio (1926) 4 : van der Byl (1931) 11 : Zahlbruckner, Cat. Lich. VIII : 520, on bark of **Ochna** sp., Knysna, v, d, Byl 282, Type.

Pertusaria coriacea Th., Fr. var. obducens Zahlbr.

Zahlbruckner, Cat. Lich. V: 139. Pertusaria obducens Nyl., van der Byl (1931) 12. on tree. Umtali, Eyles 4257 (v. d. Byl 575, det. A. L. Sm.).

Pertusaria cryptostoma Müll. Arg.

J. Müller-Arg. (1888) 206: Stizenberger (1890) no. 868; Wainio (1900 a) 9; Zahlbruckner, Cat. Lich. V: 142. on bark, near Lydenburg. Wilms, Type.

Pertusaria Diaziana Massal.

Massalongo (1861) 77 : Stizenberger (1890) no. 861 ; Zahlbruckner, Cat. Lich V : 145. on sandstone rocks, top of Table Mt., Wawra, MacOwan.

Pertusaria dispersa Vain.

Vainio (1926) 4 ; van der Byl (1931) II : Zahlbruckner, Cat. Lich. VIII : 521. on bark of **Ocotea bullata** E. Mey., Knysna, v. d. Byl 266, Type.

Pertusaria duplicata Wain.

Wainio (1900 a) 11; Zahlbruckner, Cat. Lich. V: 146.

Pertusaria variolosa Müll. Arg. J. Müller-Arg. (1893 d) 126, (non Wainio ex anno 1890); Stizenberger (1895) no. 877bis. on bark. South Africa, without locality, MacOwan, Kew.

Pertusaria elatior Stirt.

Stirton (1877) 216 ; Stizenberger (1890) no. 883 ; Zahlbruckner, Cat. Lich. V : 147 on bark, Boschberg, MacOwan, Type.

Pertusaria enterostigmoides Zahlbr.

Zahlbruckner (1936) 171. on ? bark, between Calvinia and Middelpos (v. d. Byl 1104.) Type,

Pertusaria euglypta Tuckerm.

Tuckerman (1877) 177, (1888) 149 ; Stizenberger (1890) no. 865 ; Zahlbruckner Cat. Lich. V : 148. on granite rocks, Cape, Wright.

Pertusaria eyelpistia Massal.

Massalongo (1861) 79 ; Zahlbruckner, Cat. Lich. V : 148. on rocks, Cape of Good Hope, Wawra.

Pertusaria flavens Nyl.

van der Byl (1931) 11; Zahlbruckner, Cat. Lich. V: 151. on bark, Klapmuts, v. d. Byl 95 (det. Vain.); Zululand, Harris (v. d. Byl 232 pr. p., det. Vain.

Pertusaria flavicunda Tuckerm.

Stizenberger (1890) no. 862; Zahlbruckner, Cat. Lich. V: 238. on calcareous and granite rocks, Warm Bokkeveld, near Ceres, MacOwan.

Pertusaria granulata (Ach.) Müll. Arg.

Zahlbruckner, Cat. Lich. V: 157.

Trupethelium verrucosum Fée, von Flotow (1843) 22.

Pertusaria verrucosa Fée f. oligopyrena Wallr., von Flotow l.c.; Krauss (1846) 200. on bark of trees, near Constantia, Krauss.

Var. variolarioides Flotow.

von Flotow (1843) 23 ; Krauss (1846) 200 ; Zahlbruckner, Cat. Lich. V : 157. on bark of tree, near Constantia, Krauss.

Pertusaria inquinata (Ach.) Th. Fr.

Stizenberger (1890) no. 884 ; Zhalbruckner, Cat. Lich. V : 239. on sandstone rocks, Table Mt., MacOwen.

Pertusaria laevigata Arn.

Zahlbruckner, Cat. Lich. V: 163.

Pertusaria laevigata var. laevigata Steiner (1907) 646. on bark, Mt. Mamotsuiri, Junod 998 pr. p.

Pertusaria leioplaca (Ach.) DC.

Nylander (1869 a) 8 ; Stizenberger (1890) no. 859 ; Zahlbruckner, Cat. Lich. V : 164.

on bark, Durban, Armstrong; Cape, without locality.

Var. pycnocarpa Nyl.

Stizenberger (1890) no. 859 ; Zahlbruckner, Cat. Lich. V : 169. on bark, near Lydenburg.

Pertusaria leioplacella Nyl.

Stizenberger (1890) no. 881; Zahlbruckner, Cat. Lich. V: 170. on bark of a pomiferous tree, near Lydenburg, Wilms.

Pertusaria leonina Stizenb.

Stizenberger (1890) 242, no. 857; van der Byl (1931) 11; Zahlbruckner, (1932) 244, Cat. Lich. V: 170.

on granite and on sandstone rocks, Lion's Head and Table Mt., MacOwan; on rocks, Grey's Pass, Citrusdal, v. d. Byl 767; Botany Bay, v. d. Byl 987; Glencairn, v. d. Byl 981; van Rhyn's Pass, v. d. Byl.

Pertusaria leucosoroides Nyl.

van der Byl (1931) 11: Zahlbruckner, Cat. Lich. V: 172. on stone, Sarnia, Hean, (v. d. Byl 298, 299, 303, 304, 305, 308, 312, 314, 316 pr. p. det. Vain.).

Pertusaria limosa Zahlbr.

Zahlbruckner (1936) 171. on bark of **Fraxinus** sp., Stellenbosch, v. d. Byl 822, Type.

Pertusaria mamillana Müll. Arg.

J. Müller-Arg. (1893 b) 298; Wainio (1900 a) 9; Zahlbruckner, Cat. Lich. V; 175, on bark, near Boroma, Menyharth 474, Type.

Pertusaria melaleuca (Turn. & Borr.) Duby.

Stizenberger (1890) no. 871 : Zahlbruckner (1926 b) 503, (1932) 244, Cat. Lich. V : 176.

on bark, Cape, Zeyher: on **Portulacaria afra** Jacq., Zwartkops, near Port Elizabeth, Erunnthaler

Pertusaria melanospora Nyl.

Stizenberger (1890) no. 886 : Zahlbruckner, Cat. Lich. V : 179. on sandstone rocks, Table Mt., MacOwan.

Pertusaria microthelia Wain.

Wainio (1901) 405: Zahlbruckner, Cat. Lich. V: 180.

on rocks, near cataract of Lopollo. Welwitsch 5; near cataract, near Fazendo do Ferrao, Welwitsch 47.

Pertusaria multiplicans Vain.

Vainio (1926) 6 : van der Byl (1931) 11 : Zahlbruckner, Cat. Lich. VIII : 523. on bark of **Quercus** sp., Cape Town, Eyles, Type (v. d. Byl 388, det. Vain.).

Pertusaria nivea Merrill

van der Bvl (1931) 11, non Fries, nom. nud.

on trunk of **Quercus** sp., Klapmuts, v. d. Byl 1914 (det. Merrill): on trunk of **Ficus** sp., Klapmuts, v. d. Byl 89 (det. Merrill).

Pertusaria orbiculata (Schreb.) Zahlbr.

Zahlbruckner, Cat. Lich. V: 187.

Variolaria discoidea Pers., Drège (1843) 80, 134.

on ? bark, du Toits Kloof. Drège: Hofmanskloof, between Enon and Zuureberge. Drège.

Pertusaria pustulata (Ach.) Duby

Stizenberger (1890) no. 370; van der Byl (1931) 12; Zahlbruckner, Cat. Lich. V: 207.

on bark, Cape, Zeyher, Breutel; on bark of **Pandanus** sp., Berea, Durban, v. d. Byl 22 (det. A. L. Sm.).

Pertusaria rhodesica Vain.

Vainio (1926) 5 ; van der Byl (1931) 12 ; Zahlbruckner, Cat. Lich. VIII : 524. on granite rock, Matopos, $v.\ d.\ Byl\ 155$, Type.

Pertusaria spaniostoma Vain.

Vainio (1926) 5 ; van der Byl (1931) 12 ; Zahlbruckner, Cat. Lich. VIII : 524. on bark of leafy tree, Elsenburg, $v.\ d.\ Byl\ 242$, Type.

Pertusaria subdealbata Nyl.

Crombie (1876 a) 175, (1876 b) 20; Hue (1891) 83; Stizenberger (1890) no. 858; Zahlbruckner, Cat. Lich. V: 215. on rocks, Table Mt., Eaton, Type.

Pertusaria subvelatula Vain.

Vainio (1926) 3; van der Byl (1931) 12; Zahlbruckner, Cat. Lich. VIII: 525. on bark of **Acacia mollissima** Willd., near Howick, v. d. Byl 203, Type.

Pertusaria thiostoma Nyl.

Nylander (1890) 54; Stizenberger (1890) 244, no. 872; Hue (1891) 85; Zahlbruckner, Cat. Lich. V: 222.

on bark of a tree of the family Malvaceae, near Durban, Wilms, Type.

Pertusaria tropica Wain.

Wainio (1901) 404; Zahlbruckner, Cat. Lich. V: 245. on bark of **Tarchonanthus** sp., at top of mountain, Serra de Xella, Welwitsch 7.

Pertusaria trypetheliiformis Nyl.

Zahlbruckner, Cat. Lich. V: 223.

Pertusaria leioplaca var. trypetheliiformis Nylander (1869 a) 7; Stizenberger (1890) no. 859.

on bark, Durban, Armstrong; Table Mt., MacOwan.

Pertusaria velata (Turn.) Nyl.

Stizenberger (1890) no. 851 ; J. Müller-Arg. (1893 b) 298 ; van der Byl (1931) 12 ; Zahlbruckner (1932) 24, Cat. Lich. V. : 246.

on bark, Cape of Good Hope, Sieber, Wilms; Boroma, Menyharth 262; on bark of Trichocladus crinitus Pers., Hoofbos, Knysna, v. d. Bul 654.

Pertusaria vepallida Nyl.

apud Crombie (1876 a) 175, (1876 b) 20; Hue (1891) 87; Stizenberger (1890) no. 887; Zahlbruckner, Cat. Lich. V: 224. on rocks, Table Mt., Eaton, Type.

Pertusaria Wawreana Massal.

Massalongo (1861) 78 : Stizenberger (1890) no. 855 ; Zahlbruckner, Cat. Lich. V : 249.

on quartzite rocks, Cape of Good Hope, Wawra, MacOwan.

Pertusaria Wawreanoides Nyl.

apud Crombie (1876 a) 174, (1876 b) 20; Stizenberger (1890) no. 855; Hue (1891) 83: Zahlbruckner (1932) 244, Cat. Lich. V: 249.

on rocks. Table Mt., Eaton, Jelinek, MacOwan; Lion's Head, MacOwan; Muizenberg, MacOwan; on quartz rocks, Bloukransrivier, v. d. Byl 663.

Pertusaria Wilmsii Stizenb.

Stizenberger (1890) 244, no. 869; Nylander (1890) 51; Hue (1891) 82; van der Byl (1931) 12; Zahlbruckner, Cat. Lich. V: 225.

on bark of a tree of the family Malvaceae, Durban, Wilms, Type: on trunk of Quercus sp., Klapmuts, r. d. Byl 132, 144 (det. Vain.); Stellenbosch, v. d. Byl 238 (det. Vain.); Elsenburg, v. d. Byl 244 (det. Vain.): on trunk of Ficus sp., Klapmuts, v. d. Byl 127 (det. Vain.): on trunk of Strychnos sp., Matopos, v. d. Byl 183; (det. Vain.).

Pertusaria xanthomelaena Müll. Arg.

J. Müller-Arg. (1888) 207 : Stizenberger (1890) no. 867 ; Wainio (1900 a) 10 ; Zahlbruckner, Cat. Lich, V : 231.
on bark, Table Mt., Wilms, Type.

Pertusaria xanthothelia Müll. Arg.

J. Müller-Arg. (1890) 343, (1893 b) 298; Wainio (1900 a) 9; Zahlbruckner Cat. Lich. V: 232. on bark. Boroma, Menyharth 261.

LECANORACEAE.

Candelariella elaeophaea (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. V: 794.

Lecanora elaeophaea Nyl. ex Crombie (1876 a). 173, (1876 b) 20; Hue (1891) 58 Stizenberger (1890) no. 641. on rocks, Table Mt., Eaton, Type.

Candelariella glaucolivescens (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. V: 795.

Lecanora glaucolivescens Nyl. apud Crombie (1876 a) 173, (1876 b) 20; Hue (1891) 58; Stizenberger (1890) no. 642. on rocks, Table Mt., Eaton.

Candelariella vitellina (Ehrht.) Müll. Arg.

Zahlbruckner, Cat. Lich. V: 803.

Lecanora vitellina Ach., Stizenberger (1890) no. 636; Nylander (1868) 6; Wainio (1901) 402.
on calcareous rocks near cataract, ? Ferrao da Sola, Huilla, Welwitsch.

f. athallina (Wedd.) Zahlbr.

Zahlbruckner (1932) 251, Cat. Lich. V: 808. van Rhyn's Pass, van Rhynsdorp, v. d. Byl 765 pr. p.

Haematomma coccineum (Dicks.) Körb. var. porphyricum (Pers.) Th. FL

van der Byl (1931) 12 ; Zahlbruckner, Cat. Lich. V : 763. on rock, Salisbury, $Eyles\ 4819.$

Haematomma Fenzlianum Massal.

Massalongo (1861) 58; Zahlbruckner, Cat. Lich. V: 767.

Lecanora Fenzzlianza Stizenberger (1890) 229, no. 770.

on rocks, (?) Cape, Wawra.

It is not clear whether this species was found at the Cape, or only on Ascension Is.

Var. pulvinare Zahlbr.

Zahlbruckner (1932) 250.

on quartz rocks, Lüderitzbucht, F. & R. Wettstein.

Haematomma puniceum (Sw.) Massal.

Zahlbruckner (1926 b) 505, (1932) 250, Cat. Lich. V: 768; van der Byl (1931) 12. Lecanora punicea Ach., Drège (1843) 85, 132, 134, 141; von Flotow (1843) 21; Krauss (1846) 201, Stizenberger (1890 & 1895) no. 771.

Lecania punicea Müll. Arg., J. Müller-Arg. (1891 b) 297; Schinz (1901) 394.

on bark of Acacia sp., near Knysna, v. d. Byl 915; on Bruguiera gymnorhiza Lam., Durban, v. d. Byl 143 (det. Vain.); on Erythrina caffra Thunb., Mayville, v. d. Byl 77 pr. p. (det. A. L. Sm.): on Euphrobia Ledienii Berger, Zwartkops, Brunnthaler; on Portulacaria afra Jacq., Zwartkops, Brunnthaler; on Quercus sp., Elsenburg, v. d. Byl 243 (det. Vain.); on bark of trees undet., near Boroma, Menyharth 254, 255, 468; Lydenburg, Neethling (v. d. Byl 1052, 1054); Salisbury, v. d. Byl 606; Onrust, v. d. Byl 326 pr p., 327 (det. Vain.); near Constantia, Krauss; Paarlberg, Drège; Saamteesvlakte, nr. Enon, Drège; Glenfilling', Drège; Hoffmanskloof, between Enon and Zuureberg Drège.

Var. africanum Steiner

Steiner (1907) 641; Zahlbruckner, Cat. Lich. V: 770. on bark, Mt. Mamotsuiri, Junod 993 pr. p., Type.

Var. breviculum (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. V: 770.

Lecanora punicea Ach, var. brevicula Stizenberger (1890) 229, no. 771; van der Byl (1931) 12, as var. brevicule Stizenb.

on bark of trees on hills round Maritzburg, Rehmann, Type; on trunk of **Pandanus** sp. Durban, v. d. Byl 32 (det. A. L. Sm.)

Var. collatum (Stirt.) Zahlbr.

Zahlbruckner, Cat. Lich. V: 770.

Lecanora punicea var. collata Stirton (1877) 216.

on bark, Boschberg, MacOwan, 49, Type.

Var. rufidulum Zahlbr.

Zahlbruckner (1932) 250, Cat. Lich. V: 771.

Haematomma puniceum f. rufo-pallens Wain., van der Byl (1931) 12.

on bark of Canthium sp., Brenton, Knysna, v. d. Byl 651; on Rapanea melanophleos Mez. Knysna, v. d. Byl.

Var. subarthonioideum Zahlbr.

Zahlbruckner (1932) 250.

on quartzite rocks, Caledon, Brunnthaler, Type.

Icmadophila ericetorum Zahlbr.

Zahlbruckner, Cat. Lich. V: 705.

Lecidea icmadophila Ach., Drège (1843) 80, 85, 88.

on soil and old wood, du Toits Kloof, Drège; Paarlberg, Drège; in krantzes, Table Mt., Drège.

Lecania arenaria (Anzi) Flagev

Zahlbruckner, Cat. Lich. V: 715.

Lecanora arenaria Nyl., Stizenberger (1890) no. 663.

on crumbling granite rocks, northern slopes of Lion's Head, MacOwan.

Lecania cyrtella Th. Fr.

Zahlbruckner, Cat. Lich. V: 719.

Lecidea anomala Ach., Drége (1843) 134.

on trees, Hoffmanskloof, between Enon and Zuureberge, Drège.

Lecania fructuosa (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. V: 732.

Lecanora fructuosa Stizenberger (1890) 226, no. 755.

on hard rocks, granite and sandstone, top of Lion's Head, MacOwan, Type.

Lecanora albospersa Stizenb.

Stizenberger (1890) 228, no. 761; Zahlbruckner, Cat. Lich. V: 371. on quartzite rocks, Warm Bokkeveld near Ceres, MacOwan, Type.

Lecanora allophana (Ach.) Röhl.

van der Byl (1931) 12; Zahlbruckner, Cat. Lich. V: 371.

Lecanora subfusca (L.) Ach. var. allophana Ach., J. Müller-Arg. (1893 b) 297.

on bark, near Boroma, Menyharth 270; on Erythrina caffra Jacq., Mayville, v. d. Byl 77 pr.p. (det. A. L. Sm.).

Var. glabrata (Ach.) Steiner

Zahlbruckner (1932) 246, Cat. Lich. V: 373.

Lecanora subfusca var. glabrata Ach., J. Müller-Arg. (1893 b) 297.

on bark, near Boroma, Menyharth 254, 262, 264, 272; on bark of Quercus sp., Genadendal near Caledon, Brunnthaler.

Lecanora aspera Stizenb.

Stizenberger (1890) 213, no. 674; Zahlbruckner, Cat. Lich. V: 607. on granite rocks, Lion's Head and Table Mt., MacOwan, Type.

Lecanora atra (Hudson) Ach.

Drège (1843) 85, 134; von Flotow (1843) 23; Krauss (1846) 201; Stizenberger (1890) no. 758; Zahlbruckner (1932) 245, Cat. Lich. V: 378.

on bark and rocks, Cape, Zeyher; on sandstone rocks, Matjesfontein, Brunnthaler; on quartzite rocks, Glencairn, v. d. Byl 1004; Lion's Head, Drège; Paarlberg, Drège; Hoffmanskloof, between Enon and Zuureberg, Drège.

Var. americana Fée

Wainio (1901) 403; Zahlbruckner, Cat. Lich. V: 384. on trunks of **Parinarium** sp., in high mountains, Morro de Lopollo, Welwitsch 38.

Lecanora atraeformis Vain.

apud Lynge (1937) 82.

on bark of Acacia mollissima Willd., Howick, van der Byl 201, Type.

Lecanora atrorimata Nyl.

apud Crombie (1876 a) 174 ; Hue (1891) 70 ; Stizenberger (1890) no. 759 ; Zahlbruckner, Cat. Lich. V:388 on rocks, Table Mt., Eaton, Type.

Lecanora atrosulphurea Ach.

Stizenberger (1890) no. 730; Zahlbruckner, Cat. Lich. V: 388.

Lecideola flavescens Massalongo (1861) 90.

rerumbling granite rocks, Lion's Head, MacOwan; Cape of Good Hope, Drège 9244.

f. leptococca Stizenb.

Stizenberger (1890) 222, no. 730 ; Zahlbruckner, Cat. Lich. V : 389. on rocks, Muizenberg, MacOwan.

f. livens Stizenb.

Stizenberger (1890) 222, no. 730 ; Zahlbruckner, Cat. Lich. V : 389. on rocks, summit of Lion's Head, MacOwan.

Lecanora badia Ach. var. cinerascens Flotow

Zahlbruckner, (1932) 246, Cat. Lich. V: 396. on gneiss rocks, Table Mt., opposite Camps Bay, Brunnthaler.

Lecanora bicineta Ram.

Stizenberger (1895) no. 713 bis; Zahlbruckner, Cat. Lich. V: 398. South Africa, without locality.

Lecanora blanda Nyl.

Zahlbruckner (1932) 245, Cat. Lich. V: 399. on rocks, Waterfall, Knysna, v. d. Byl 927; Gouritzrivier, v. d. Byl 831.

Lecanora bogotana Nyl.

Stizenberger (1890) no. 701; van der Byl (1931) 12; Zahlbruckner, Cat. Lich. V: 399.

as Lecanora chlarona var. bogotana (Nyl.) Vain, in Herb, van der Byl.

on rocks, Lebombo Mts., Wilms; near Durban, Wilms; on bark of Quercus sp., Klapmuts, v. d. Byl 135; Stellenbosch, v. d. Byl 239 (det. Vain.); om Ficus elastica Roxb., Knysna v. d. Byl 273, 274 (det. Vain.);

Lecanora Breuteliana Massal.

Massalongo (1861) 88; Zahlbruckner, Cat. Lich. V: 400. on branches of trees. Cape of Good Hope, Breutel (Type ex Herb. Hampe).

Lecanora Bylii Vain.

Vainio (1926) 2: van der Byl (1931) 12: Zahlbruckner, Cat. Lich. VIII: 526. on stones, Sarnia, *Hean* (v. d. Byl 316 pr. p., 318, Type).

Lecanora Bylii Zahlbr.

Zahlbruckner, (1932) 248, non Vainio, on quartz rocks, Poole's Bay, v. d. Byl 799, 800.

Lecanora caesiopallens Vain.

apud Lynge (1937) 82. on bark of Ocotea bullata E. Mey., Knysna, v. d. Byl 262, Type.

Lecanora cancriformis (Hoffm.) Wain.

Zahlbruckner, Cat. Lich. V: 401.

Lecanora caesiorubella Ach., Stizenberger (1890) no. 707 : J. Müller-Arg. (1893) 297. on bark, near Lydenburg. Wilms (Lojka Lichenoth, 78) : near Boroma, Menyharth 259.

Lecanora candidata Stizenb.

Stizenberger (1890) 214, no. 678 ; Zahlbruckner, Cat. Lich, V : 608, on rocks, Lion's Head, MacOwan, Type,

Lecanora carneoflava Müll. Arg.

J. Müller-Arg. (1888) 205; Stizenberger (1890) no. 743; Zahlbruckner, Cat. Lich. V: 402.
on bark, near Lydenburg, Wilms, Type.

Lecanora carpinea (Linn.) Wain.

Zahlbruckner, Cat. Lich. V: 402. Lecanora angulosa Ach., Stizenberger (1890) no. 706. Lecanora albella f. angulosa (Ach.) Nylander (1869 a) 8. on bark, Durban, Armstrong.

Lecanora catelloides Vain.

Vainio (1926) 2 : van der Byl (1931) 12 : Zahlbruckner, Cat. Lich, VIII : 533, on tree trunk, near Howick, $v,\,d,\,Byl$ 218, Type.

Lecanora chlarona (Ach.) Nvl.

Stizenberger (1890) no. 693 : van der Byl (1931) 12 : Zahlbruckner, (1926 b) 503, (1932) 246, Cat. Lich. V : 413.

on trunks of trees. Cape of Good Hope; Natal, Rehmann; near Lydenburg, Wilms; Klapmuts, v. d. Byl 97 (det. Merrill.): Maritzburg, v. d. Byl 59 (det. A. L. Sm.); Tradouw's Pass, Ladismith, v. d. Byl 360 (det. Vain.): Howick, v. d. Byl; on Portulacaria afra Jacq.. Zwartkops near Port Elizabeth, Brunthaler: Prunus salicina Lindl., Hopefield, v. d. Byl 145 (det. Vain.); on Quercus sp., Paarl Distr., v. d. Byl 87 (det. Merrill).

f. geographica Nvl.

Stizenberger (1890) no. 693 ; Zahlbruckner, Cat. Lich. V : 415. on bark, Cape, $\mathit{Breutel}$.

f. pinastri Cromb.

Stizenberger (1890) no. 693; Zahlbruckner, Cat. Lich. V: 416. on bark of **Thuja orientalis** Linn., Botanical Gardens, Cape Town, MacOwan.

Lecanora chlarotera Nyl.

Stizenberger (1891) no. 694bis; Zahlbruckner, Cat. Lich. V: 418. on bark of Quercus sp., near Muizenberg, MacOwan (in Herb. Stizenb.).

Lecanora chondroplaca Zahlbr.

Zahlbruckner (1932) 244. on sandstone rocks, near Matjesfontein, Brunnthaler.

Lecanora cinefacta Stizenb.

Stizenberger (1890) 223, no. 731 ; Zahlbruckner, Cat. Lich. V : 419. on granite rocks, Lebombo Mts., Wilms, Type.

Lecanora cinerea Röhl.

Zahlbruckner, Cat. Lich. V: 278. Urceolaria cinerea Ach., Drège (1843) 86. on rocks, Paarlberg, Drège.

Lecanora coarctata Ach.

Stizenberger (1890) no. 794; Zahlbruckner, Cat. Lich. V: 419. on ground, near Lydenburg, Wilms.

f. cotaria Ach.

Stizenberger (1890) no. 794 ; Zahlbruckner, Cat. Lich. V : 422. on sandstone rocks, Lion's Head, MacOwan.

f. fulgiana Zahlbr.

Zahlbruckner, Cat. Lich. V: 422.

Lecanora coarctata f. argilliseda Duf., Stizenberger (1890) no. 794. on clay soil, Spitzkop near Lydenburg, Wilms.

var. fossulans Stizenb.

Stizenberger (1890) 233, no. 794; Zahlbruckner, Cat. Lich. V: 425. on sandstone rocks, Spitzkop, near Lydenburg, Wilms, Type.

Lecanora coilocarpa Nyl.

Stizenberger (1890) no. 694; Zahlbruckner, Cat. Lich. V: 428. on wood, in Bot. Gard., Cape Town, MacOwan; on rocks, near Lydenburg, Wilms.

Lecanora cruda Stizenb.

Stizenberger (1890) 222, no. 728; Zahlbruckner, Cat. Lich. V: 439. on bark of pomiferous trees, Lydenburg, Wilms, Type.

Lecanora deminuta (Müll. Arg.) Stizenb.

Stizenberger (1890) no. 535; Zahlbruckner, Cat. Lich. V: 619. Placodium deminutum Müll. Arg., J. Müller-Arg. (1888) 204. on rocks, near Lydenburg, Wilms, Type.

Lecanora diffusilis Nyl.

apud Crombie (1876 a) 174, (1876 b) 20; Hue (1891) 70; Stizenberger (1890) no. 760 (ex errore *L. diffusibilis*); Zahlbruckner, (1932) 245, Cat. Lich. V: 440. on rocks, Table Mt., *Eaton*, Type; Botany Bay, v. d. Byl 922; Gouritzrivier, v, d. Byl 825, 832.

Lecanora dispersa (Pers.) Röhl.

 $Z ahlbruckner, \ Cat. \ Lich. \ V: 440.$ f. **nana** Vain., van der Byl (1931) 12, ? nom. nud. on stone, Stellenbosch, v. d. Byl 254 (det. Vain.).

f. testacea Vain. in Herb. van der Byl., ? nom. nud. on old wood, Hopefield, v. d. Byl 339 (det. Vain.).

Lecanora elapheia Stizenb.

Stizenberger (1890) 220, no. 712 ; Zahlbruckner, Cat. Lich. V : 447. on bark, Cape of Good Hope, $Mac\,Owan$, Type.

Lecanora epichlora Vain.

Vainio (1926) 3; van der Byl (1931) 12; Zahlbruckner, Cat. Lich. VIII: 528. on granite rocks, Matopos, v. d. Byl 162, Type.

Lecanora expallens (DC.) Ach.

Stizenberger (1890) no. 736; Zahlbruckner, Cat. Lich. V: 449.

Lecanora expallens var. lutescens Stizenberger l.c.
on bark of trees, near Durban, Wilms; on bark of Quercus sp., Talbe Mt., MacOwan.

Lecanora flavovirens Fée.

Nylander (1869 a) 8; Stizenberger (1890) no. 714; Zahlbruckner, Cat. Lich. V: 453. on bark, Durban, *Armstrong*; on rocks, near Saldanha Bay, *Osbeck*.

Lecanora flexuosa Stizenb.

Stizenberger (1890) 219, no. 709 ; Zahlbruckner, Cat. Lich. V : 454. on hard rocks, ' Duivels Knockler', near Lydenburg, Wilms, Type.

Lecanora frustulosa Ach.

Drège (1843) 53, 75 ; Zahlbruckner, Cat. Lich. V : 454. on stones, Witberg $Dr\`ege$; Piquetberg, $Dr\`ege$.

Lecanora galactiniza Nyl.

apud Crombie (1876 a) 173, (1876 b) 20; Hue (1891) 62; Stizenberger (1890) no. 679; van der Byl (1931) 12; Zahlbruckner (1932) 246, Cat. Lich. V: 459. on quartzite rocks, Table Mt., Eaton, Type; on rocks near river, Salisbury, Eyles 4822 (v. d. Byl 589).

Lecanora helva Stizenb.

Stizenberger (1890) 218, no. 704; van der Byl (1931) 12; Zahlbruckner, Cat. Lich. V: 472.

on bark of pomiferous trees, near Lydenburg, Wilms, Type; on bark of Ficus elastica Roxb., Knysna, v. d. Byl 270 (det. Vain.); on bark of Ocotea bullata E. Mey., Knysna, v. d. Byl 267, 268 (det. Vain.); on bark of Xylotheca Kraussiana Hochst. Mayville, v. d. Byl (det. A. L. Sm.).

Lecanora hypocrocina Nyl.

J. Müller-Arg. (1890) 342, (1893 b) 297; Hue (1891) 63; Stizenberger (1895) no. 692bis; Schinz (1905) 394; Zahlbruckner, Cat.: Lich. V: 472 on bark, near Boroma, Menyharth 469, 470.

Lecanora impressa (Krempleh.) Zahlbr.

Zahlbruckner, Cat. Lich. V: 319.

Lecidea impressa Krempleh., J. Müller-Arg. (1893 b) 298; Schinz (1905) 395. on rocks, near Boroma, Menyharth 1, 216.

Lecanora labiosa Stizenb.

Stizenberger (1890) 215, no. 686; Zahlbruckner, Cat. Lich. V: 479. on bark of tree, Spitzkop near Lydenburg, Wilms, Type.

Lecanora leprosa Fée

Zahlbruckner, Cat. Lich. V: 480.

Lecanora subfusca Ach. var. cinereocarnea Müll. Arg., J. Müller-Arg. (1893 b) 297; Schinz (1905) 394.

Lecanora cinereocarnea Stizenberger (1890) 218, no. 703; van der Byl (1931) 12.

on bark, Boroma, Menyharth 251, 265, 272, 274; near Lydenburg, Wilms; Keurboomsrivier, Knysna, v. d. Byl 285 (det. Vain.); Woodbush, v. d. Byl 526 (det. Vain.); on trunk of Acacia mollissima Willd., Howick, v. d. Byl 200 (det. Vain.); Woodbush, v. d. Byl 492 (det. Vain.); on trunk of Ficus elastica Roxb., Knysna, v. d. Byl 285 (det. Vain.).

Lecanora leptoplaca Zahlbr.

Zahlbruckner (1932) 249. on sandstone rocks, Laingsberg, Brunnthaler, Type.

Lecanora leucoxantha Müll. Arg.

J. Müller-Arg. (1888) 205; Zahlbruckner, Cat. Lich. V: 483. Lecanora leucoxanthella Stizenberger (1890) 225, no. 742. on bark, near Lydenburg, Wilms, Type.

Lecanora nidulans Stizenb.

Stizenberger (1890) 192, no. 531 ; Zahlbruckner, Cat. Lich. V : 644. on Mastenberg, near Saldanha Bay, Zeyher, Type.

Lecanora nubila Stizenb.

Stizenberger (1890) 231, no. 783; Zahlbruckner, Cat. Lich. V: 335. Aspicilia nubila Hue (1912) 114. on dolomite rocks, Spitzkop, near Lydenburg, Wilms, Type.

Lecanora obvirescens Stizenb.

Stizenberger (1890) 224, no. 740 : Zahlbruckner, Cat. Lich, V : 491, on woody parts of Phoenix dactylifera Linn., Durban, Wilms, Type,

Lecanora ostracoderma Ach.

Acharius (1810) 347, (1814) 147; Zahlbruckner, Cat. Lich. V: 495.

Parmelia ostracoderma Acharius (1803) 157.

Lichen peltatus *Lecanora ostracoderma Lamarek (1913) 392. on rocks, South Africa.

Lecanora pallida (Schreb.) Rabenh.

Zahlbruckner, Cat. Lich. V: 496.

Lecanora albella Ach., Stizenberger (1890) no. 708.

on bark of trees. Cape of Good Hope, Gueinzius, Breutel: near Lydenburg, Wilms.

Lecanora placodina Zahlbr.

Zahlbruckner, (1921) 240, (1926 b) 503, Cat. Lich. V: 509, on schistose rocks, Wasserberg, near Windhoek, Fincke, Type.

Lecanora polytypa Vain.

in Herb, van der Byl, nom, nud, on ironstone, Howick, v. d. Byl 219 (det. Vain.).

Lecanora prosecha Ach. var. homaloplaca (Nyl.) Vain.

Vainio (1901) 404: Zahlbruckner, Cat. Lich. V: 519. Lecanora homaloplaca Xylander (1868) 512: Hue (1891) 65. on hard rocks, Howick, v. d. Byl.

Lecanora psaromela Nyl.

apud Crombie (1876 a) 174, (1876 b) 20 : Hue (1891) 58 : Stizenberger (1890) no. 765 : Zahlbruckner, Cat. Lich. V : 520, on rocks, Table Mt., Eaton, Type.

Lecanora Rehmannii Stizenb.

Stizenberger (1890) 227, no. 757 : Zahlbruckner, Cat. Lich. V : 522, on bark in northern Natal. Rehmann, Type.

Lecanora rupicola (Linn.) Zahlbr.

Zahlbruckner, Cat. Lich, V: 525.

Lecanora glaucoma Ach., Drège (1843) 53, 80, 86, on rocks, Witberg, Drège: Piquetberg, Drège; du Toits Kloof, Drège: Paarlberg, Drège

Lecanora subcarnea (8w.) Ach.

Zahlbruckner, Cat. Lich. V: 547.

(?) as Lecanora subcarnosa (Sw.) Ach., van der Byl (1931) 13.

(?) on stone. Zimbabwe Ruins, v. d. Byl.

Lecanora subdepressa Nyl.

Zahlbruckner, Cat. Lich. V: 351.

Lecanora gibbosa (Ach.) Nyl. var. subdepressa Nyl., Herb. v. d. Byl. on stones, Stellenbosch, v. d. Byl. 257 (det. Vain.).

Lecanora subfusca (Linn.) Ach.

von Flotow (1843) 20; Drège (1843) 66, 132, 134, 146; Krauss (1846) 201. Stizenberger (1890) no. 682; van der Byl (1931) 13; Zahlbruckner, Cat. Lich. V: 551.

on bark, Cape of Good Hope and near Lydenburg, Wilms; Maritzburg, v. d. Byl 57 (c et. A. L. Sm.); Boschberg, MacOwan 528, 74; on Quercus, Klapmuts, v. d. Byl 96, 105 (det. Merrill); on bark of Gymnosporia, Swellendam, Krauss; Witpoortberg, Drège Samteesvlakte, Drège; between 'Key' and 'Basche', Drège; Hoffmanskloof, Drège;

Var. campestris Rabenh.

Stizenberger (1890) no. 682 ; Zahlbruckner, Cat. Lich. V : 560. on granite rocks, Orange Free State, Rehmann.

Var. subcrenulata Nyl.

van der Byl (1931) 13 ; Zahlbruckner, Cat. Lich. V : 567. on bark of **Ficus** sp., Klapmuts, $v.\ d.\ Byl\ 134$ (det. Vain.) ; on **Quercus** sp., Elsenburg, $v.\ d.\ Byl$.

Var. subgranulata Nyl.

Zahlbruckner, Cat. Lich. V: 567.

Lecanora subgranulata Nyl., Stizenberger (1890) no. 699. on bark of pomiferous trees, near Lydenburg, Wilms.

Lecanora sylvestris (Nyl.) Stizenb.

Stizenberger (1890) no. 692 ; Zahlbruckner, Cat. Lich. V : 579. on bark of **Rhamnus** sp., near Uitenhage, Krauss.

Lecanora thiocheila Stizenb.

Stizenberger (1890) 219, no. 711 ; Zahlbruckner, Cat. Lich. V : 5888. on bark, near Lydenburg, Wilms.

Lecanora varia (Ehrht.) Ach.

von Flotow (1843) 22; Krauss (1846) 201; Stizenberger (1890) no. 745; Zahbruckner, Cat. Lich. V: 592. on cortex of **Opuntia,** around Cape Town, Krauss.

Lecanora vincentina Nyl.

van der Byl (1931) 13 ; Zahlbruckner, Cat. Lich. V : 599. on rock, Sarnia, Hean (v.d. Byl 300, 301, 313, det. $Vain_{\phi}$).

Ochrolechia africana Vain.

Vainio (1926) 3; van der Byl (1931) 12; Zahlbruckner, Cat. Lich. VIII: 548. on trunk of tree, Durban, $v.\ d.\ Byl\ 136$, Type.

Ochrolechia africana Zahlbr.

Zahlbruckner (1926 b) 504, Cat. Lich. V: 676, not Vain. on stem of **Portulacaria afra** Jacq., Zwartkops, near Port Elizabeth, *Brunnthaler*.

Ochrolechia pallescens (Linn.) Massal.

Zahlbruckner (1932) 250, Cat. Lich. V: 682; van der Byl (1931) 12.

Lecanora pallescens Röhl., J. Müller-Arg. (1893) b 297: Drège (1843) 134: Stizen-

berger (1895) no. 774; Schinz (1905) 394.

on bark, near Boroma, Menyharth 259 pr. p.: Salisbury, r. d. Byl 602: The Wilderness, v. d. Byl 293: Onrust, v. d. Riet (v. d. Byl 323, det. Vain.): Tradouw's Pass, v. d. Byl 358 (det. Vain.): on trunk of Acacia mollissima Willd., Howick, v. d. Byl 202 (det. Vain.): on bark of Canthium sp., Brenton, Knysna, r. d. Byl 689: Hoffmans Kloof, between Enon and Zuureberge, Drège.

Ochrolechia parella (Linn.) Massal.

Massalongo (1861) 56: Zahlbruckner (1932) 249. Cat. Lich. V: 686.

Lecanora parella Ach., Drège (1843) 80; Nylander (1869 a) 8; Stizenberger (1890) no. 775; van der Byl (1931) 13.

Variolaria lactea Wahlbg., Drège (1843) 80.

on branches and trunks of trees. The Heads, Knysna, r. d. Byl 937: Stella Bush, r. d. Byl 71 (det. A. L. Sm.): du Toits Kloof, Drège: on trunk of Erythrina caffra Thunb., Durban, r. d. Byl 76 (det. A. L. Sm.): on trunk of Gymnosporia sp. Stil Bay, r. d. Byl 944 (det. (det. A. L. Sm.): on Pandanus sp., Durban, r. d. Byl 14, (det. A. L. Sm.): on stem of Portulacaria afra Jacq., Zwartkops, Brunnthaler.

on volcanic rocks, Cape, Wawra: on sandstone rocks, Durban. Armstrong;

The Heads, Knysna, v. d. Byl 635.

Phlyctella andensis Nyl.

Stizenberger (1890) no. 845 : Zahlbruckner, Cat. Lich. V : 785. on tree trunks, Boschberg, MacOwan.

Phlyctella capillaris (Stirt.) Stizenb.

Stizenberger (1890) 241, no. 846: Zahlbruckner, Cat. Lich. V: 786. Phlyctis capillaris Stirton (1877) 217. on bark, Boschberg, MacOwan.

Phlyctidia boliviensis (Nyl.) Müll. Arg.

Zahlbruckner, Cat. Lich. V: 789.

Phlyctis boliviensis Nylander (1869 a) 8; Stirton (1877) 217; Stizenberger (1890) no. 847.

on bark, Durban, Armstrong; Boschberg, MacOwan, 118.

Phlyctis argena Flotow

Zahlbruckner, Cat. Lich. V: 782.

Thelotrema variolarioides Ach., Drège (1843) 132, 141, 146.

on trees, Samteesvlakte, nr. Enon, $Dr\`ege$; 'Glenfilling', $Dr\`ege$; between 'Key' and 'Basche', $Dr\`ege$.

Phlyctis candida Zahlbr.

Zahlbruckner (1932) 250.

on bark of trees, Hoofbos, Knysna, v. d. Byl 881, Type.

PAR MELIACEAE.

Candelaria concolor (Dicks.) Arn.

Steiner (1907) 641; van der Byl (1931) 13; Zahlbruckner, Cat. Lich. VI: 4. Lecanora laciniosa Nyl., Stizenberger (1890) no. 647.

on bark, Somerset East, MacOwan 502 (? S.A.M. 46964); near Lydenburg, Wilms; Stellenbosch, Duthie 9; on Schinus molle Linn., Durbanville, v. d. Btl 442 (det. Vain.).

Candelaria fibrosa (Fr.) Müll. Arg.

Zahlbruckner, Cat. Lich. VI: 9.

Physica fibrosa Nylander (1860 a) 413; Stirton (1877) 215. Lecanora fibrosa Stizenberger (1890 & 1895) 208, no. 638.

on bark, Cape, MacOwan; Spitzkop, near Lydenburg, Wilms; Piesanghoek, Watson, 774; Zambesi Region, Menyharth.

Candelaria stellata Müll. Arg.

J. Müller-Arg. (1887) 319, (1893 b) 296; Zahlbruckner, Cat. Lich. VI: 9. on bark, Boroma, Menyharth 262, 264.

Parmelia abessinica Nyl.

Krempelhüber (1877) 140 ; J. Müller-Arg. (1890) 339 ; Zahlbruckner, Cat. Lich. VI : 223.

Parmelia abyssinica Nylander (1885) 608; Hue (1890) 282; Stizenberger (1890) no. 286.

on bark, near Lydenburg, Wilms.

Var. sorediosa Müll. Arg.

J. Müller-Arg. (1885) 501; Zahlbruckner, Cat. Lich. VI: 223.

Parmelia abyssinica var. sorediosa Müll. Arg., Stizenberger (1890) no. 286.

Parmelia hababiana Gyelnik (1931) 288.

on branches, Transvaal, Wilms.

Parmelia adhaerens Nyl.

apud Crombie (1876 a) 168, (1876 b) 19; Stizenberger (1890) no. 272; Hue (1890) 290; Zahlbruckner, Cat. Lich. VI: 120. on quartzite rocks, Table Mt., Eaton, Type.

Parmelia aleuriza Vain.

apud Lynge (1937) 86.

on bark of Quercus sp., Hopefield, v. d. Byl, Type.

Parmelia amphixanthoides Steiner & Zahlbr.

Zahlbruckner (1926 b) 505, Cat. Lich. VI: 121. on sandstone rocks, Laingsburg, Brunnthaler, Type.

Parmelia amplexa Stirt.

Stirton (1877) 212; Zahlbruckner, Cat. Lich. VI: 121. on bark, Boschberg, MacOwan, Type.

Parmelia atrichoides Nyl.

apud Crombie (1876 a) 167; Stizenberger (1890) no. 305; Hue (1890) 284; Jatta (1910) 192; Zahlbruckner, Cat. Lich. VI: 152. on rocks, Table Mt., Eaton.

11101-10

Parmelia Bijlii Vain.

Vainio (1926) 1: Lynge (1937) 86; van der Byl (1931) 13; Zahlbruckner, Cat. Lich. VIII: 554.

on bark of Quercus sp., Klapmuts, v. d. Byl 128, Type and 149.

Parmelia Borreri Turn.

Drège (1843) 85, 141, 144, 146; Nylander (1860 a) 389, (1869 b) 289; Stizenberger (1890) no. 320; van der Byl (1931) 13; Zahlbruckner, Cat. Lich. VI: 153, Parmelia dubia Schaer., Massalongo (1861) 50; Steiner (1907) 641; van der Byl (1931) 13.

on bark, Cape, Wawra; Natal, Rehmann; Transvaal, MacLea; on Punica granatum L., Hopefield, r. d. Byl 389 (det. Vain.); on Quercus sp., Klapmuts, v. d. Byl 80 (det. Merrill); on bark, Paarlberg, Drège; Glenfilling; Drège; in a valley in the forest, between 'Buffelrivier' and 'Key' Drège; in a damp place in the forest, between 'Gekau' and 'Basche', Drège.

Var. stictica Duby

Zahlbruckner (1932) 254, Cat. Lich. VI: 156. on bark, Woodbush, v. d. Byl 520.

Var. ulophylla Nyl.

Zahlbruckner (1926 b) 512, Cat. Lich. VI: 156. on bark, Haifischinsel off Lüderitzbucht, Fincke.

Parmelia brachyphylla Müll. Arg.

J. Müller-Arg. (1886) 256 : Stizenberger (1890) no. 304 ; Wainio (1900) 4 ; Zahlbruckner (1926 b) 512, Cat. Lich. VI : 157.
n rocks, near Lydenburg, Wilms, Type.

Parmelia Brunnthaleri Steiner & Zahlbr.

Zahlbruckner (1926 b) 505, Cat. Lich. VI: 122, Gyelnik (1938) 270. A sandstone rocks. Matjesfontein, Brunnthaler, Type; near Kakamas, v. d. Byl 1146.

f. irregularis Gyeln.

Gyelnik (1938) 270. on stone, Rooidam, Calvinia, v. d. Byl 1122.

Parmelia caffrorum Zahlbr.

Zahlbruckner, Cat. Lich. VIII: 555.

Parmelia austroafricana Zahlbruckner, Cat. Lich. VI: 152, non Stirton 1877 Parmelia capensis Nylander (1885) 613, non Ach.; Hue (1890) 285; Stizenberger (1890) no. 315.

Cape of Good Hope, Drège.

Parmelia caperata (Linn.) Ach.

Drège (1843) 141; (1860 a) 376; Stirton (1877) 212; Stizenberger (1890) no. 254; van der Byl (1931) 13; Zahlbruckner (1926 b) 506, Cat. Lich. VI: 226. on bark and old wood, 'Glenfilling', Drège; Rhodesia, Eyles 822 (v. d. Byl 557); on Podocarpus sp., van Reenen's Pass, Brunnthaler; on Quercus sp., Genadendal, near Caledon, Brunnthaler.

Parmelia centrifuga (Linn.) Ach.

Stizenberger (1890) no. 270 ; Zahlbruckner, Cat. Lich. VI : 122. on rocks, Cape, Zeyher.

Parmelia ceresina Vain.

apud Lynge (1937) 87; van der Byl (1931) 13. on rocks, Ceres, *Leslie* (v. d. Byl 474), Type.

Parmelia cetrarioides Del.

Stizenberger (1890) no. 296; Zahlbruckner, Cat. Lich. VI: 233. on bark, South Africa, without locality, Drège, Zeyher, Rehmann, Wilms.

Parmelia cetrata Ach.

Zahlbruckner, Cat. Lich. VI: 160.

Parmelia perforata Ach. var. cetrata Fr., Nylander (1860 a) 378; Hue (1890) 280; Stizenberger (1890 & 1895) no. 280.

on bark, Natal, Rehmann; Pondoland, Bachmann.

f. ciliosa Viaud. Gr. Marais

Steiner (1907) 641; Zahlbruckner (1926 b) 514, Cat. Lich. VI: 160. on bark, Mt. Mamotsuiri, *Junod 975*; on **Portulacaria afra** Jacq., Despatch, near Uitenhage, *Brunnthaler*; on the ground, near Caledon, *Brunnthaler*.

Parmelia chlorea Stizenb.

Stizenberger (1890) 151, no. 257; Zahlbruckner, Cat. Lich. VI: 124. on stones, Orange Free State, Orpen.

Parmelia citrinireagens Gyeln.

Gyelnik (1931 b) 282; Zahlbruckner, Cat. Lich. VIII: 555.

Parmelia digitulata Nyl. var. citrinireagens Gyelnik (1934) 154.

Enon, Breutel (sub Parmelia conspersa flavic. in Herb. Bouly de Lesdain, Dunkerque); Montagu Pass, Breutel (sub Parmelia conspersa var. E. in Herb. B. de Lesdain).

Var. angustior Gyeln.

Gyelnik (1931 b) 282 ; Zahlbruckner, Cat. Lich. VIII : 555. Table Mt., Wilms (sub Parmelia conspersa var. laxa in Herb. Bouly de Lesdain).

Parmelia colorata Gyeln.

Gyelnik (1938) 272.

on stone, Bitterfontein, Namaqualand, v. d. Byl 1192, Type; without locality, de Boers (v. d. Byl 1087).

Parmelia concolor Spreng.

Sprengel (1827) 328; Zahlbruckner (1932) 252, Cat. Lich. VI: 125.

Parmelia leonora Sprengel apud Massalongo (1861) 51; Stizenberger (1890) 152, no. 260; van der Byl (1931) 14.

Parmelia conspersa Ach. var. leonora Lindsay (1859) 233.

Parmelia phaeophana (1877) Stirton 214.

on rocks, South Africa, without locality, Drège 64, Breutel, Baur, Wawra, McLea; Boschberg, MacOwan; Brandfort, Verwoerd (v. d. Byl 382, det. Vain.): Gouritz Rivier,

v. d. Byl 826: Miuzenberg, r. d. Byl 984, 986: on sandstone rocks, Stellenbosch, v. d. Byl 975: Lion's Head, Pappe (S.A. M. 46868): without locality, Pappe 12 (S.A. M. 46876).

Var. multifida (Flotow) Zahlbr.

Zahlbruckner, Cat. Lich. VI: 125.

Parmelia leonora Spreng, var. multifida von Flotow (1843) 29: Massalongo (1861) 51. Parmelia conspersa var. multifida (Flotow) Stizenberger (1890) no. 259. on rocks, Cape, Wawra, Krauss, Wilms.

Var. platyphylla (Massal.) Zahlbr.

Zahlbruckner, Cat. Lich. VI: 125.

Parmelia leonora var. platyphylla Massalongo (1861) 51; ? von Flotow (1843) 29, nom. nud.; Krauss (1846) 201. on rocks, Cape of Good Hope, Wawra; slopes of Table Mt., Krauss.

Parmelia concrescens Wain.

Wainio (1901) 400; Zahlbruckner, Cat. Lich. VI: 162. on trunk of tree, in high mountain region of Serra da Xella, Welwitsch 30 pr. p.

Parmelia conspersa Ach.

Acharius (1803) 205, (1810) 486, (1814) 209; Drège (1843) 52, 80, 114, 125, 132, 133, 138, 141; Nylander (1860 a) 391; Massalongo (1861) 50; Crombie (1876 a) 167; Stizenberger (1890) no. 259; Wainio (1901) 401; Steiner (1907) 639; Schultze (1907) 706; van der Byl (1931) 13; Zahlbruckner (1926 a) 506, Cat. Lich. VI: 125; Watt. & Breijer-Brandwyk (1932) 215.

amongst mosses on rocks, Table Mt., Eaton; on rocks, Cape, Wawra; Witberg, Drège; du Toits Kloof, Drège; Olyfhout Kloof, Drège; Paarlberg, Drège; between Groene-kloof and Dassenberg. Drège; near Klein and Groot Vischrivier, Drège; Glenfilling, Drège; in forest Koratra, Drège; Samteesvlakte, Drège; Swellendam, Marloth 12102; Klein Vis Rivier, MacOwan 507, 507 b, 85, 86; Matopos, Borle 54 c, 87; Stellenbosch, Duthie 5; Paarl, v. d. Byl; Wellington, Doidge, 89; Klapmuts, v. d. Byl 99 (det. Merrill); Kentani, Pegler 1229, 88; Bandolier Kop, Doidge, 90; Kooa, Kalahari, Schultze 116; on sandstone rocks in high mountain region of Morro de Lopollo, Welwitsch 53, 54 pr. p.

f. isidiata Anzi.

Zahlbruckner (1926 b) 506, Cat. Lich. VI: 130; van der Byl (1931) 13. on schistose rocks, Haufischinsel, *Fincke*; on primitive rocks, Wasserberg, near Windhoek, *Fincke*; on stones, Ceres, Leslie (v. d. Byl 477).

Var. austro-africana (Stirt.) Stizenb.

Stizenberger (1890) 152, no. 259; Zahlbruckner, Cat. Lich. VI: 131. Parmelia austro-africana Stirton (1877) 212. on rocks, near Kimberley, Shaw, Type; near Klein Vis Rivier, MacOvan, 84.

Var. benguellensis Wain.

Zahlbruckner, Cat. Lich. VI: 131.

Parmelia subconspersa Nyl. var. benguellensis (Welw.) Wainio (1901) 401. on trunks of evergreen trees, in forest region of Morro de Lopollo Mts., Welwitsch 31 pr. maj. p.; in high mountain region of Serra da Zella, Welwitsch 30 pr. p.

on rocks, Ceres, Leslie (v. d. Byl 454 det. Vain.); Makoni, Eyles 825 (v. d. Byl 561, det. Vain.).

Var. constrictans (Nyl.) Müll. Arg.

J. Müller-Arg. (1883) 48; Zahlbruckner (1932) 253, Cat. Lich. VI: 131.

Parmelia constrictans Nyl. apud Crombie (1876 a) 168, (1876 b) 19; Stizenberger (1890) no. 264; Hue (1890) 289; van der Byl (1931) 13.

on ground, towards summit of Table Mt., Eaton, Type and MacOwan; near Lydenburg, McLea; Knysna, v. d. Byl.

on rocks, Bloukransrivier, v. d. Byl 662; near Ceres, Leslie (v. d. Byl 475, det. Vain, v. d. Byl 612).

Var. endomiltodes (Nyl.) Müll. Arg.

J. Müller-Arg. (1891) 378; Zahlbruckner (1932) 253, Cat. Lich. VI: 131.

Parmelia endomiltodes Nyl. apud Crombie (1876 a) 168; Hue (1890) 289; Stizenberger (1890) no. 263; van der Byl (1931) 13.

on rocks, Table Mt., Eaton, Type; on crumbling granite rocks, Lion's Head, MacOwan; on rocks, Stellenbosch, v. d. Byl 973; Grey's Pass, Citrusdal, v. d. Byl 758.

Var. eradicata (Nyl.) Müll. Arg.

J. Müller-Arg. (1883) 48; Zahlbruckner, Cat. Lich. VI: 131.

Parmelia constrictans var. eradicata Nyl. apud Crombie (1876 a) 168, (1876 b) 19; Hue (1890) 289; Stizenberger (1890) no. 264; Zahlbruckner, (1926 b) 507 amongst mosses, summit of Table Mt., Eaton, Type; on rocks, near Caledon, Brunnthaler.

Var. hypoclista Nyl.

Nylander (1860 a) 391; Crombie (1876 a) 168; Hue (1890) 289, (1899) 142,; van der Byl (1931) 13; Zahlbruckner (1926 b) 507, (1932) 253, Cat. Lich. VI: 132.

on rocks and on ground, Table Mt., Eaton; Caledon, Brunnthaler; Kloof Neck, Brunnthaler; near Swakopmund, F. & R. Wettstein; Marandellas, Eyles 3898 (van der Byl 547, det. Vain.).

Var. hypoclistoides Müll. Arg.

J. Müller-Arg. (1883) 201; Zahlbruckner, Cat. Lich. VI: 132.

Parmelia scabrosa Taylor (1847) 162.

Cape of Good Hope (Herb. Hooker).

Var. hypomelaena Vain.

van der Byl (1931) 13, ? nom. nud. on rock, Ceres, *Leslie* (v. d. Byl 476, det. Vain.).

Var. incisa (Tayl.) Zahlbr.

Zahlbruckner, Cat. Lich. VI: 132. Parmelia incisa Taylor (1847) 162, non Fr.

Parmelia subconspersa var. incisa Stizenberger (1890) 153.

on Table Mt. and Lion's Head, MacOwan, Wilms; Transvaal, Wilms.

Var. lacinulata Gyeln.

Gyelnik (1938) 272.

between Calvinia and Middelpos, v. d. Byl 1108, Type.

Var. polyphylla Müll. Arg.

Zahlbruckner, Cat. Lich. VI: 133.

Parmelia conspersa f. polita, polyphylla Mey. & Flotow (?) as P. conspersa var. polita Flotow in van der Byl (1931) 13.

(?) on shrubs, Robertson, Bruwer (v. d. Byl 407, det. Vain.).

?) on stones, Stellenbosch, v. d. Byl 250 (det. Vain.), Eyles (v. d. Byl 384); Paarl, van Velden (v. d. Byl 335, det. Vain.); Riversdale, v. d. Byl 371 (det. Vain.).

Var. thamnidiella (Stirt.) Stizenb.

Zahlbruckner, Cat. Lich. VI: 135.

Parmelia thamnidiella Stirton (1877) 213; Byelnik (1938) 293.

Parmelia subconspersa var. thamnidiela (Stirt.) Stizenberger (1890) 153, no. 265. on basalt rocks, summit of Boschberg, MacOwan, Type, 106; on ground, Cave Mt., Graaff

Reinet, McLea.

Parmelia conspersula Nyl.

apud Crombie (1876 a) 168, (1876 b) 19: Hue (1890) 289, (1899) 142; Stizenberger (1890) no. 261: Zahlbruckner, Cat. Lich. VI: 135. on rocks, Table Mt., Eaton, Type.

Parmelia conturbata Müll, Arg.

J. Müller-Arg. (1888) 44: Stizenberger (1890) no. 334; Zahlbruckner (1926 b) 507, (1932) 251, Cat. Lich. VI: 81.

on quartzite rocks, Namaqualand, Marloth 6548; Great Namaqualand, Schinz; Lüderitzbucht, F. & R. Wettstein; in mountains, near Sendelingsdrift, F. & R. Wettstein.

Var. exornata Zahlbr.

Zahlbruckner (1932) 251.

on non-calcareous rocks, Steinkopf, Namaqualand, Meyer (v. d. Byl 950) Type.

Parmelia Cooperi Steiner & Zahlbr

Zahlbruckner (1926 b) 528, Cat. Lich. VI: 235.

Kaffraria, Cooper, S. Afric. Plants 1813, Type.

Parmelia coronata Fée var. denudata Wain.

Wainio (1901) 401; Zahlbruckner, Cat. Lich. VI: 163.

on trunks of Apodyte dimidiata E. Mey., in high forest, Morro de Lopollo Mts., Welwitsch 33, Type.

Parmelia cristifera Tayl.

van der Byl (1931) 13; Zahlbruckner, Cat. Lich. VI: 237. on trunk of **Oreodoxa regia** H. B. & K., Durban, v. d. Byl 26 (det. A. L. Sm.).

Parmelia cuprea Pers.

apud Gaudich. (1826) 196 ; Zahlbruckner, Cat. Lich. VI : 274. on rocks, Cape of Good Hope.

Parmelia digitulata Nyl.

Zahlbruckner, Cat. Lich. VI: 136, VIII: 558; Gyelnik (1931 b) 279.

Var. esaxicola Gyeln.

Gyelnik (1938) 276.

on ground, Wolseley, v. d. Byl 1144, Type.

f. mitrovicensis Gyeln.

Gyelnik l.c.

Bitterfontein, Namaqualand, v. d. Byl 1187.

Parmelia Domokosii Gyeln.

Gyelnik (1938) 277.

on stone, Laingsburg, v. d. Byl 1091, Type.

Parmelia Dregeana Hampe

apud Nylander (1860 a) 398 ; (1890) 291, (1899) 139 ; Stizenberger (1890) no. 340 ; Zahlbruckner, Cat. Lich. VI : 83.

on quartzite rocks, Cape of Good Hope, Drège, Type.

Parmelia ecaperata Müll. Arg.

J. Müller-Arg. (1891) 378; Wainio (1900 a) 5; Stizenberger (1893) no. 254bis; Zahlbruckner, Cat. Lich. VI: 136.

on trunks of palms, along the Shire River, between Lake Nyassa and the Zambesi River, Kirk.

Parmelia euneta Stirt.

Stirton (1878) 298; Zahlbruckner, Cat. Lich. VI: 238.

on bark, near (?) Victoria, South Africa, G. Thomson.

Parmelia fissurina Zahlbr.

Zahlbruckner (1936) 172.

on granite, between Brandylei and Tontelboskolk, Calvinia Distr., v.d. Byl 1136, Type; near Upington, v. d. Byl 1159.

Parmelia fuliginosa Nyl.

Crombie (1876 a) 169; Stizenberger (1890) no. 335; Zahlbruckner, Cat. Lich.

on rocks, Table Mt., Eaton; on crumbling granite rocks, Lion's Head, MacOwan.

Parmelia glabra Nyl.

Stizenberger (1890) no. 336; Zahlbruckner, Cat. Lich. VI: 90. on rocks, near Lydenburg, McLea.

Parmelia gracilescens Wain., var. angolensis Wain.

Wainio (1901) 401; Zahlbruckner, Cat. Lich. VI: 168.

Parmelia angolensis Wain., van der Byl (1931) 13.

on tree trunks, in high mountain region of Serra da Xella, Welwitsch 30 pr. p.; Morro de Lopollo, Welwitsch 31 pr. p, Type; on trunk of Acacia mollisima Willd., Woodbush, v. d. Byl 495 (det. Vain.); on tree trunk Woodbush, v. d. Byl 504, 528 (det. Vain.). on rock, Hanover, Cape, v. d. Merwe (v. d. Byl 435, det. Vain.).

Parmelia granatensis Nyl.

van der Byl (1931) 13; Zahlbruckner, Cat. Lich. VI: 168. on tree trunk, Cango Caves, Oudtshoorn, v. d. Byl.

Parmelia Hildebrandtii Kremplelh.

Var. nuda Müll. Arg.

J. Müller-Arg. (1891) 376, (1893 b) 296; Zahlbruckner, Cat. Lich. VI: 240. Parmelia Hildenbrandtii f. nuda Stizenberger (1893) no. 294. on bark, near Boroma, Menuharth 464, 475.

Var. sorediosa Müll. Arg.

J. Müller-Arg. (1891) 376, (1893 b) 296 : Zahlbruckner, Cat. Lich. VI : 240. Parmelia Hildebrandtii f. sorediosa Stizenberger (1893) no. 294. on bark, near Boroma, Menyharth 464; Zambesi region, Kirk.

Parmelia hottentotta Ach.

Acharius (1803) 219, (1810) 456: Nylander (1860 a) 399, (1869 b) 321, not.; Lindsay (1859) 235; Stirton (1877) 215; Crombie (1876 a) 170: Hue (1890) 291; Stizenberger (1890) 165, no. 343; Reinke (1895) 385, f. 102: Glück (1899) 171: Schultze (1907) 706: Lettau (1914) 48; Juel (1918) 50: van der Byl (1931) 13: Zahlbruckner (1926 b) 539, (1936 c) Pl. 5, f. 5-6, (1932) 254, Cat. Lich. VI: 272.

Lichen ceranoides Lamarch (1789) 487.

Lichen hottentottus Acharius (1798) 155; Thunberg (1800) 187, (1823) 746.

Sticta hottentotta Acharius (1814) 231 : Delise (1822) 134 : Drège (1843) 68, 64, 85, 92. Sticta hottentotta var. umbilicata Delise (1822) 135, Tab. XV. f. 58.

Peltigera ceranoides Sprengel (1827) 304.

Omphalodium hottentoitum Flotow, von Flotow (1843) 27; Krauss (1846) 201; Hue (1900) 109; Minks (1900) 85.

Parmelia stictella Massalongo (1861) 52.

Imbricaria hottentottum Schwendener (1863) 159.

on rocks, rarely on trunks of trees, Cape, Thunberg; Table Mt., Eaton; east side of Table Mt., Krauss; top of Winterhoekberg, Krauss; Uitenhage, Krauss; Bokpoort, Nieuweveld, Drège; nr. Klaarstroom, Zwartebergen, Drège; Paarlberg, Drège; between Natvoet and Garip, Drège; Boschberg, MacOwan 509 (S.A. M. 46971; Arn. Exsicc. 1097; Lojka Lichenoth, univ. 64); Klein Vis Rivier, MacOwan 92, 93; Bazuja, Baur (MacOwan 70 a); on rocks, Matjesfontein, Brunnthaler; near Lydenburg, McLea; Steinkopf, Meyer (v. d. Byl 964); Kloof Neck, Brunnthaler; near Laingsburg, Marloth 12101; Clanwilliam, b. d. Byl 770; Steenbras Rivier, v. d. Byl 460; Ceres, Leslie (v. d. Byl 461, det. Vain.); Stellenbosch, de Vries (v. d. Byl 563); near Cape Cross, Schultze 28, 29, 53 b; Montagu, v. Huysteen (Stell. 568); Simonsberg, Barnard (S. A. M. 39220); Paarlberg (S.A. M. 46861).

Var. diachrosta Stirt.

Stirton (1877) 215: Zahlbruckner, Cat. Lich. VI: 273. on rocks, ? Boschberg, MacOwan.

Var. pachythalla Nvl.

apud Hue (1890) 292; Zahlbruckner, Cat. Lich. VI: 273.

Parmelia pachythalla Spreng. apud Nylander (1860 a) 399.

on rocks, without locality, Pappe 11 (S.A.M. 46873): Devils Peak, Pappe (S.A.M. 46874); on trunks of trees, without locality, Pappe 15 (S.A.M. 46875).

Var. phalacra Zahlbr.

Zahlbruckner, Cat. Lich. VI: 273.

Omphalodium hottentottum Flotow, var. phalacrum Hue (1900) 110. on rocks, South Africa, without locality.

Parmelia hypocraea Wain.

Wainio (1901) 400; Zahlbruckner, Cat. Lich. VI: 169.

on bark of Leguminous tree, in dense forest, near Monino River, Huila, Welwitsch 32 pr.p. Type.

Parmelia hypoleia Nyl.

Nylander (1860) 393, (1869 b) 293; Stizenberger (1890) no. 278; Hue (1890) 290. (1899) 143; Zahlbruckner, Cat. Lich. VI; 138.

Parmelia mutabilis Taylor (1847) 171, non Fries; Lindsay (1859) 219; Nylander (1860 a) 387, (1869 b) 293; J. Müller-Arg, (1880) 200; Hue (1890) 288.

Parmelia phaeophana Stirt. var. stenotera Stirton (1877) 215.

Omphalodium mutabile Minks (1900) 86.

on rocks, Cape of Good Hope, Wawra; Orange Free State, Rehmann; (?) Boschberg, MacOwan, 94, 95; Uitenhage, Zeyher (Herb. Hook.); Cape, without locality, (Lichenoth. univ. 65; S.A.M. 46972).

Var. crenata Nvl.

Nylander (1860 a) 393; Hue (1890) 290; Zahlbruckner, Cat. Lich. VI; 138. Parmelia hypoleia f. crenata Nyl., Stizenberger (1890) no. 278. on rocks, Cape, Gueinzius.

Var. tenuifida Nvl.

Nylander (1860 a) 393; Stizenberger (1890) no. 278; Hue (1890) 280; Zahlbruckner, Cat. Lich. VI: 138. on rocks, Cape of Good Hope, Gueinzius.

Parmelia hypoleioides Vain.

Vainio (1926) 1; van der Byl (1931) 13; Zahlbruckner, Cat. Lich. VIII: 560. on rock, Paarl Rock, v. Velden (v. d. Byl 334) Type.

Parmelia hyporysalea Vain.

Vainio (1921) 47; Zahlbruckner, (1926 b) 533, 534, Cat. Lich. VI: 240.

Parmelia olivetorum Nyl, var. hyporysalea Wainio (1901) 399.

on branches of shrubs, in high mountain region, Morro de Lopollo, Welwitsch 6, 27; on old trunks of trees in dense forest, Great Hippopotamus Lake, Invantâla, Welwitsch 26 on branches of trees, on rock summit of Serra da Xella Mts., Welwitsch 28

Parmelia imitans (Müll. Arg.) Gyeln. f. protoimbricatoides Gyeln.

Gyelnik (1934) 156.

Montagu Pass, Breutel (sub P. conspersa var., Herb. Bouly de Lesdain), Type.

Parmelia insignata Stizenb.

Stizenberger (1860) 162, no. 324; Zahlbruckner, Cat. Lich. VI: 169. on ground, summit of Lion's Head, MacOwan, Type.

Parmelia interrupta Stizenb.

Stizenberger (1890) 154, no. 273; Zahlbruckner, Cat. Lich. VI: 140. on rocks, near Ceres, in Warm Bokkeveld, MacOwan, Type.

Parmelia isidiza Nyl.

Nylander (1884) 130, (1885) 612; Hue (1890) 286; van der Byl (1931) 14; Zahlbruckner, Cat. Lich. VI: 170.

on branches of Strychnos sp., Matopos, v. d. Byl 166 (det. Vain.); on Euphorbia sp., Bot Gard., Durban, v. d. Byl 15 (det. A. L. Sm.).

Parmelia Junodii Steiner

Steiner (1907) 640; Zahlbruckner, Cat. Lich. VI: 170. on bark, Mt. Mamotsuiri, Junod 978 (Herb. Barbey Boissier).

Parmelia laevigata (J. E. Sm.) Ach.

Nylander (1869 a) 6; Stizenberger (1890) no. 307; Zahlbruckner, Cat. Lich. VI: 171. on tree trunks, Transvaal; Natal, Armstrong.

Parmelia latissima Fée

Zahlbruckner, Cat. Lich. VI: 241. on Acacia Karroo Haynes, Kentani, Pegler 1231, 97.

Parmelia laxa (Müll. Arg.) Gyeln. f. lacinulata Gyeln.

Gyelnik (1934) 159.

Outeniqua, Breutel (sub. P. conspersa in Herb. Bouly de Lesdain).

Parmelia lecanoracea Müll. Arg.

J. Müller-Arg. (1888) 529; Stizenberger (1890) no. 319; Wainio (1900) 4 Zahlbruckner, Cat. Lich. VI: 173. on rocks, near Aris Drift, Orange River, Schenck.

Parmelia lichinoidea Nyl.

Crombie (1876 a) 169, (1876 b) 19; Stizenberger (1890) no. 341; Hue (1890 291; Zahlbruckner, Cat. Lich. VI: 95. amongst mosses on ground, top of Table Mt., Eaton, Type.

Parmelia lugubris Pers.

Stizenberger (1890) no. 346 ; Zahlbruckner, Cat. Lich. VI : 243. Table Mt., Rehmann.

Parmelia Macleyana Müll. Arg.

J. Müller-Arg. (1891) 376; Wainio (1900) 2; Stizenberger (1893) 292bis; Zahlbruckner, Cat. Lich. VI: 243.
on bark, South Africa (Kew); "In Africa meridionali capricornica".

Parmelia majoris Wain.

Wainio (1901) 401; Zahlbruckner, Car. Lich. VI: 174. on branches of trees, on rocky heights of Serra da Xella, Welwitsch 29.

Parmelia melancholica Steiner & Zahlbr.

 $Z{\rm ahlbruckner}$ (1926 b) 507, Cat. Lich. VI : 95. on sandstone rocks, Matjesfontein, Brunnthaler, Type.

Parmelia molliuscula Ach.

Acharius (1810) 492; Nylander (1860 a) 393; Crombie (1876 a) 169; Stizenberger (1890) no. 277; Juel (1918) 51; Zahlbruckner (1926 b) 507, Cat. Lich. VI: 71. Parmelia conspersa var. stenophylla Ach., Stizenberger (1890) no. 259.

on rocks and on ground. Masterberg, near Saldanha Bay, Drège 16; Cape, Thunberg; Table Mt. Eaton; Klein Vis Rivier, MacOwan, 98.

Parmelia molybdiza Nyl.

apud Crombie (1876 a) 167, (1876 b) 19; Stizenberger (1890) no. 306; Hue (1890) 284; Zahlbruckner (1932) 254, Cat. Lich. VI: 176. on rocks, Table Mt., Eaton, Type; Gouritz River, v. d. Byl 289.

Parmelia Mougeotii Schaer.

Nylander (1860 a) 392, (1868) 4, (1869 a) 6; Massalongo (1861) 50; Stizenberger (1890) no. 271; Zahlbruckner, Cat. Lich. VI: 142. on rocks, Cape, Wawra; Durban, Armstrong.

Var. dealbata Massal.

Massalongo (1861) 50; Zahlbruckner, Cat. Lich. VI: 144. on quartzite and volcanic rocks, Cape, Wawra.

Var. obscurata Müll. Arg.

Zahlbruckner, Cat. Lich. VI: 144.

Parmelia Mougeotina Nyl., Wainio (1901) 401.
on sandstone rocks, in high mountain region, Morro de Lopollo, Welwitsch 53, 54 pr. p.

Parmelia namaënsis Steiner & Zahlbr.

Zahlbruckner (1926 b) 508, Cat. Lich. VI: 96. on granite, Haifischinsel off Lüderitzbucht, Fincke, Type.

Parmelia natalensis Steiner & Zahlbr.

Zahlbruckner (1926 b) 515, Cat. Lich. VI: 245. on **Podocarpus** sp., van Reenen's Pass, *Brunnthaler*, Type.

Parmelia nilgherrensis Nyl.

Stizenberger (1890) no. 297 ; Zahlbruckner, Cat. Lich. VI : 246. on bark, Natal, Rehmann.

Parmelia nitens Müll. Arg.

J. Müller-Arg. (1894) 255; Wainio (1900) 3, (1901) 399; Zahlbruckner, Cat. Lich. VI: 246.
 on schistose-sandstone rocks, in high forest, Morro de Lopollo, Welwitsch 25.

Parmelia oleagina Stizenb.

Stizenberger (1890) 163, no. 333; Zahlbruckner, Cat. Lich. VI: 96. on ground, near Lydenburg, *MacLea*, Type (Herb. Rehmann).

Parmelia olivacea Nyl.

Zahlbruckner, Cat. Lich. VI: 96. ? Parmelia olivacea Ach., Drège (1843) 86. ? Paarlberg, Drège.

Parmelia olivaria (Ach.) Th. Fr.

Steiner (1907) 640; Zahlbruckner, Cat. Lich. VI: 247. Parmelia olivetorum (Ach.) Nylander (1869 a) 6. on bark, Stellenbosch, Duthie 10; Durban, Armstrong.

Parmelia omphalodes Ach. var. panniformis Ach.

Zahlbruckner, Cat. Lich. VI: 181.

Parmelia omphalodes var. panniformis Ach. f. crinalis Hepp., Stizenbrger (1890) no. on rocks, top of Table Mt.

Parmelia Owaniana Stirt.

Stirton (1877) 213; Zahlbruckner, Cat. Lich. VI: 273. Boschberg. MacOwan, Type.

Parmelia perfissa Steiner & Zahlbr.

Zahlbruckner (1926 b) 519; Cat. Lich. VI: 183. on red sandstone, on a hill east of Port Elizabeth, Brunnthaler,

Parmelia perforata (Wulf) Ach.

Acharius (1803) 270; Drège (1843) 80, 85, 89, 130, 132, 146, 159; Nylander (1860 a) 377, (1869 a) 6; Crombie (1876 a) 167: Stirton (1877) 212; Stizenberger (1890) no. 280; Juel (1918) 50; Zahlbruckner, Cat. Lich. VI: 249. Lichen perforatus Wulf, Thunberg (1800) 178, (1823) 746.

Parmotrema perforata Massalongo (1861) 54.

on trunks of trees. Čape, Thunberg; Table Mt., Drège, Eaton; Klein Vis Rivier, MacOwan 505 (S.A.M. 46945) 99, 100; in hills above Maritzburg, Rehmann; Durban, Armstrong; amongst mosses, Bazuja, Baur (MacOwan 1125); Kentani, Pegler (S.A.M. 46945); du Toits Kloof, Drège; Paarlberg, Drège; Zwartkopsrivier, Drège; Samteesvlakte, Drège; between 'Key' and 'Basche', Drège; in bush 'auf der Höhe Omblas', Drège.

Var. ciliata Nyl.

Nylander (1860 a) 377; Stizenberger (1890) no. 280; Zahlbruckner, Cat. Lich, VI: 252.

? Parmelia perforata f. ciliata Flotow, von Flotow (1843) 29; Krauss (1846) 201. on granite rocks, Lion's Head, MacOwan; Transvaal, Wilms; ? on bark of Gymnosporia. Swellendam, Krauss.

Parmelia perisidiosa Nyl.

apud Stizenberger (1890) 153, no. 266, nom. nud.; Hue (1890) 289, nom. nud.; Zahlbruckner, Cat. Lich. VI: 144.

Cape of Good Hope, Drège.

Parmelia perlata (Hudson) Ach.

Nylander (1860 a) 379; van der Byl (1931) 14; Zahlbruckner, Cat. Lich. VI: 253. on dead wood, Makoni Eyles 823 (v. d. Byl 558); Matopos, Borle 54 a. 102; Kentani, Pegler (S.A. M. 46944); Uitenhage, Pappe 16 (S.A. M. 46876).

Var. ciliata Duby f. sorediifera Müll. Arg.

J. Müller-Arg. (1893 a) 510, (1891) 382; Zahlbruckner, Cat. Lich. VI: 259. Parmelia perlata f. sorediifera Stizenberger (1890) 382, o. 282. on rocks, Pondoland, Bachmann.

Parmelia perplexa Stizenb.

Stizenberger (1890) no. 331; Zahlbruckner, Cat. Lich. VI: 144. on sandstone rocks, Warm Bokkeveld Mts., near Ceres, MacOwan, Type.

Parmelia perrugata Nyl.

Stizenberger (1890) no. 331; Zahlbruckner, Cat. Lich. VI: 102.

(?) on rocks, Brakfontein, Ecklon; (identification somewhat doubtful, Stizenberger, l.c.).

Parmelia perspersa Stizenb.

Stizenberger (1890) 152, no. 262; Zahlbruckner, Cat. Lich. VI: 144. on sandstone rocks, Lion's Head, MacOwan, Type.

Parmelia persulphurata Nyl.

Stizenberger (1890) no. 256; Zahlbruckner, Cat. Lich. VI: 261. on branches of trees, between Komati and Sand Rivers, Wilms.

Parmelia physodes (Linn.) Ach.

Juel (1918) 50; Zahlbruckner, Cat. Lich. VI: 36. Lichen physodes Linn., Thunberg (1800) 177, (1923) 744. on bark, Cape, Thunberg.

Parmelia pilosa Stizenb.

Stizenberger (1890) 165, no. 342; Zahlbruckner, Cat. Lich. VI: 184. on rocks, Taaiboschkrantz, near Rhenoster River, Orange Free State, Rehmann, Type.

Parmelia pilosella Hue

Steiner (1907) 641; Zahlbruckner, Cat. Lich. VI: 184, on bark, Mt. Mamotsuiri, Junod 979 pr. p., 985 pr. p.

Parmelia proboscidea Tayl.

van der Byl (1931) 14; Zahlbruckner, Cat. Lich. VI: 262. on rock, Marandellas, Eyles 3882 (v. d. Byl 551, det. Vain.); Garcia's Pass, J. Muir 3767, 1395.

Var. sorediifera Müll. Arg.

Steiner (1907) 641; Zahlbruckner, Cat. Lich. VI: 263. on bark, Mt. Mamotsuiri, Junod 976, 979 pr. p., 984 pr. p.

Parmelia prolixa (Ach.) Röhl.

Stizenberger (1890) no. 330; Zahlbruckner, Cat. Lich. VI: 103. on rocks, Cape, Ecklon.

f. dendritica Nvl.

Nylander (1868) 4; Wainio (1901) 402; Stizenberger (1890) no. 330; Zahlbruckner, Cat. Lich. VI: 105.
on quartzite rocks, on high tableland between Caraca and Cazimba, Welwitsch 48. 49.

Var. applicata Stizenb.

Stizenberger (1890) 163, no. 330; Zahlbruckner, Cat. Lich. VI: 106. on sandstone rocks, in mountains, around Cape Town, MacOwan, Type.

Parmelia prolixula Nyl.

apud Crombie (1876 a) 169, (1876 b) 19 : Stizenberger (1890) no. 338 : Hue (1890) 291 ; van der Byl (1931) 14; Zahlbruckner, Cat. Lich. VI : 107. on rocks, Table Mt., Eaton, Type; Ceres, Leslie (v. d. Byl 467, 472, det. Vain.).

Parmelia pseudoconspersa Gyeln.

Gvelnik (1934) 162.

Montagu Pass, Breutel (Herb. Bouly de Lesdain, sub Parmelia, Imbricaria conspersa var. degenerante isidiofera).

Parmelia quercina Wain.

Zahlbruckner, Cat. Lich. VI: 186.

Parmelia tiliacea Ach., Nylander (1869 a) 6; Stizenberger (1890 & 1895) no. 301. on bark, Durban, Armstrong.

f. cupiseda Vain.

van der Byl (1931) 14, ? nom. nud. on rock, Caledon, $v.\ d.\ Byl\ 366,\ 368$ (det. Vain.).

Var. rimulosa Zahlbr.

Zahlbruckner, Cat. Lich. VI: 191.

Parmelia tiliacea var. rimulosa Müll. Arg., J. Müller-Arg. (1893) 296; Schinz (1905) 393.

near Boroma, Menyharth 458.

Parmelia resupina Stirt

Stirton (1878) 298; Zahlbruckner, Cat. Lich. VI: 264. on branches, near Knysna, J. B. Knobel, Type.

Parmelia reterimulosa Steiner & Zahlbr.

Zahlbruckner (1926 b) 520, Cat. Lich. VI : 192. on rocks, van Reenen's Pass, Brunnthaler, Type.

Parmelia reticulata Tavl.

Zahlbruckner, Cat. Lich. VI: 192.

Parmelia cetrata Ach. f. sorediifera Wain., J. Müller-Arg. (1893 a) 510. Stizenberger (1895) no. 280. on tree trunks, Pondoland, Bachmann.

Parmelia revoluta Floerke.

Stirton (1877) 212; Stizenberger (1890) no. 302; Zahlbruckner, Cat. Lich. VI: 193.

Parmelia tiliacea var. revoluta Krempelh., Nylander (1869 a) 6. on bark, Durban, Armstrong; (?) Cape, MacOwan.

Parmelia rudecta Ach.

Stizenberger (1890) 161, no. 321; Hue (1890) 286, (1899) 152; Zahlbruckner, Cat. Lich. VI: 197.

Parmelia laceratula Nyl. f. phricoides Stirton (1877) 213.

on bark, Cape, *Drège, Breutel, Rehmann*; Natal, *Rehmann*; on trunks of trees, Boschberg *MacOwan & Tuck* (MacOwan 500) 105, and *MacOwan*, 96; on ground, Devils Peak, *Pappe 17* (S.A.M. 46882).

var. microphyllina Nyl.

Zahlbruckner, (1926 b) 522, Cat. Lich. VI: 198. on schistose rocks, Wasserberg near Windhoek, Fincke.

Parmelia saxatilis (Linn.) Ach.

Drège (1843) 80; Nylander (1860 a) 388, (1869 a) 6; Stizenberger (1890) no. 325; Zahlbruckner, Cat. Lich, VI: 198.

on bark and on rocks, du Toits Kloof, *Drège*; Durban, *Armstrong*; Paarl, *Pappe* (S.A.M. 46877).

Parmelia saxeti Stizenb.

Stizenberger (1890) 153, no. 268 ; Zahlbruckner, Cat. Lich. VI : 146. on basalt rocks, Lebombo Mts., Wilms, Type.

Parmelia Schenckiana Müll. Arg.

J. Müller-Arg. (1888) 529; Stizenberger (1890) 151, no. 258; Zahlbruckner (1926 b) 509, (1932) 253, Cat. Lich. VI: 146; Gyelnik (1938) 288.

Parmelia Schenckiana f. perfecta Gyelnik l.c.

on quartzite rocks, near Obib, Orange River, Schenck, Type; Steinkopf Mt., Meyer (v. d. Byl 956); on rocks, Masterberg, near Saldanha Bay, Drège 19 (Herb. Palat. Vindob.); on sandstone Matjesfontein, Brunnthaler; on schistose rocks, Haifischinsel Lüderitzbucht, Fincke; near Windhoek, Fincke.

f. imperfecta Gyeln.

Gyelnik (1938) 289.

on stone, between Brandvlei and Tontelboskook, Calvinia, v. d. Byl 1127; Sutherland Distr., v. d. Byl 1071.

Var. chalybaeizana Steiner & Zahlbr.

Zahlbruckner (1926 b) 510, (1932) 253, Cat. Lich. VI; 146.

on sandstone rocks, Matjesfontein, Brunnthaler, Type; South West Africa, F. & R. Wettstein; Rooidam, Calvinia, v. d. Byl 1121; between Calvinia and Middelpos, v. d. Byl 1099; Laingsburg, v. d. Byl 1092; without locality, de Boers (v. d. Byl 0186).

Parmelia Schreuderiana Gyeln.

Gyelnik (1938) 270.

Parmelia Bylii Gyelnik in Herb., non Vain.

on stone, Lokenburg, Calvinia, v. d. Byl 1197, Type; Namaqualand, v. d. Byl 1208; Piquetberg, du Plessis (v. d. Byl 1034); nr. Barrydale, Steyn (v. d. Byl 1213).

Parmelia scortea Ach.

Drège (1843) 89; Zahlbruckner, Cat. Lich. VI: 207. Parmelia tiliacea var. scortea Duby, J. Müller-Arg. (1893 b) 296. near Boroma, Menyharth 474; Table Mt., in damp places, Drège.

Parmelia sinuosa Ach.

Massalongo (1861) 50; Nylander (1869 b) 292; Stizenberger (1890) no. 311; Zahlbruckner, Cat. Lich. VI: 211. amongst mosses and liverworths, Cape, Wawra.

Parmelia soredians Nyl.

Zahlbruckner, Cat. Lich. VI: 146. on trunk of **Pinus** sp., Klapmuts, r. d. Byl 130 (det. Vain.); on trunk of **Quercus** sp., Klapmuts, v. d. Byl 133 (det. Vain.).

Parmelia sphaerospora Nyl.

Nylander (1859) 254, (1860 a) 376 ; Hue (1890) 279 ; Stizenberger (1890) no. 253 ; Zahlbruckner, Cat. Lich. VI : 147. on bark of trees, Cape of Good Hope.

Parmelia squamans Stizenb.

Stizenberger (1890) 164, no. 339 ; Zahlbruckner, Cat. Lich. VI : 113. on ground, near Lydenburg. McLea, Type (Herb. Rehmann).

Parmelia squamariata Nyl.

apud Crombie (1876 a) 168, (1876 b) 19; Stizenberger (1890) no. 274; Hue (1890) 290; Zahlbruckner, Cat. Lich. VI: 147. on rocks, Table Mt., Eaton, Type.

f. cinerascens Nyl.

apud Crombie (1876 a) 169; Stizenberger (1890) no. 274; Hue (1890) 290; Zahlbruckner, Cat. Lich. VI: 147. on rocks, Table Mt., Eaton, Type.

Parmelia Standaertii Gyeln. var. africana Gyeln.

Gyelnik (1934) 164. near Adelaide, Miss Ringon, Type (sub P. conspersa, ? Herb. Bouly de Lesdain 859).

Parmelia Steineri Gveln.

Gyelnik (1938) 289. on the ground, Wolseley, v. d. Byl 1141, Type.

Parmelia stenophylla (Ach.) du Rietz f. hypomelaena Vain.

apud Lynge (1937) 89. on rocks, Ceres, Leslie, Type.

Parmelia stenophylloides (Müll. Arg.) Wain.

Zahlbruckner (1932) 253, Cat. Lich. VI: 148. on quartz rocks, Muizenberg, v. d. Byl 1007.

Parmelia subaequans Nyl.

apud Crombie (1876 a) 167, (1876 b) 19; Stirton (1877) 213: Hue (1890) 287; Stizenberger (1890) no. 323; Zahlbruckner, Cat. Lich. VI: 148. amongst mosses, on trunks of trees, Table Mt., Eaton, Type, Drège.

Parmelia subcaperatula Nyl.

Stizenberger (1890) no. 255 ; Zahlbruckner, Cat. Lich. VI : 266. on branches of trees, Krugerspost near Lydenburg, Wilms.

Parmelia subconspersa Nyl.

Crombie (1876 a) 168 ; Stizenberger (1890) no. 265 ; van der Byl (1931) 14 ; Gyelnik (1934) 164.

Parmelia conspersa var. subconspersa Steiner, Zahlbruckner (1926 b) 507; (1932) 253, 253, Cat. Lich. VI: 134.

on rocks, Cape, Natal, Transvaal; Haifischinsel off Lüderitzbucht, Fincke; near Windhoek, Fincke; near Worcester, Brunnthaler; Salisbury, Eyles (v. d. Byl 627); Waterfall, Knysna, v. d. Byl 928; Karata River, v. d. Byl 856; Bloukrans River, v. d. Byl; Table Mt., Eaton; Makoni, Eyles (v. d. Byl 562, det. Vain.)

f. lobulifera Gyeln.

Gyelnik (1938) 290.

between Bitterfontein and Garies, v. d. Byl 1178, Type.

Var. africana Gyeln.

Gyelnik (1934) 164. near Adelaide, *Miss Ringon*, Type.

Parmelia subcrustacea Gyeln.

Gyelnik (1938) 291. on stone, Jau, *de Boers* (v. d. Byl 1083), Type.

Parmelia subdecipiens Vain.

apud Lynge (1937) 89. on rocks, Klapmuts, v. d. Byl 125, Type.

Parmelia subflabellata Steiner.

Steiner (1907) 639; Zahlbruckner, Cat. Lich. VI: 266. on ground, Stellenbosch, Duthie 7 (Herb. Barbey-Boissier), Type.

Parmelia sublaevigata Nvl.

Nylander (1869 a) 6, (1869 b) 292, (1885) 611 ; J. Müller-Arg. (1888) 198 ; Stizenberger (1890) no. 308 ; Hue (1890) 284, (1899) 169 ; Zahlbruckner, Cat. Lich. VI : 213.

on bark, Durban, Armstrong.

Parmelia subquercina Müll. Arg.

J. Müller-Arg. (1891) 377; Stizenberger (1893) no. 303bis; Zahlbruckner, Cat. Lich. VI: 215.
on rocks, South Africa, MacOwan.

Parmelia subrudecta Nyl.

Stizenberger (1890) no. 322; Zahlbruckner, Cat. Lich. VI: 215. on trunks of trees, in mountains near Krakakama, Ecklon, Breutel.

Parmelia subschenckiana Gyeln.

Gyelnik (1938) 291. on stone, Lokenburg, Calvinia, $v.\ d.\ Byl\ 1140$, Type.

Parmelia subsinuosa Nvl.

Stizenberger (1890) no. 313 ; Zahlbruckner, Cat. Lich. VI : 215. on mosses, near Lydenburg, Wilms.

Parmelia suffixa Stirt.

Stirton (1878) 299 ; Zahlbruckner, Cat. Lich. VI : 216. on bark, near Knysna, Knobel, Type.

Parmelia synestia Stirt.

Stirton (1877) 214; Zahlbruckner, Cat. Lich. VI: 148. on mossy rocks. Cave Mountain, Graaff Reinet, McLea, Type.

Parmelia terricola Steiner & Zahlbr.

Zahlbruckner (1926 b) 510, Cat. Lich. VI: 148.
on ground, on a hill near Port Elizabeth. Brunnthaler. Type: Cape, without locality,
v. d. Byl 1222.

Parmelia texana Tuckerm.

Stirton (1877) 212 ; Stizenberger (1890) no. 309 ; Zahlbruckner, Cat. Lich. VI : 220. South Africa, without locality.

Parmelia tinctorum Despr.

Stizenberger (1895) no. 300 ; Steiner (1907) 640 ; Zahlbruckner (1932) 254, Cat. Lich. VI : 268.

Parmelia praetervisa Müll. Arg., J. Müller-Arg. (1893 b) 295; Schinz (1905) 393. on bark of trees. Mt. Mamotsuiri, Junod 984 pr. p., 979 pr. p., 975 pr. p.; near Boroma, Menyharth 268: near Lydenburg, Neethling (v. d. Byl 1048); on rocks, Groot Rivier, Knysna, v. d. Byl 842.

Parmelia toxodes Stirt.

Stirton (1878) 253 ; Zahlbruckner, Cat. Lich. VI : 220. on mosses, South Africa, without locality.

Parmelia van der Bylii Zahlbr.

Zahlbruckner (1932) 252. on non-calcareous rocks, van Rhyn's Pass, v. d. Byl 760, Type.

Parmelia verruculifera Nyl.

Steiner (1907) 641; Zahlbruckner, Cat. Lich. VI: 119. on rocks, Stellenbosch, Duthie 3.

Parmelia Worcesteri Steiner & Zahlbr.

Zahlbruckner (1926 b) 511, Cat. Lich. VI: 149. on schistose rock, on a hill north of the town, Worcester, Brunnthaler, Type.

Parmelia xanthotropa Stirt.

Stirton (1878) 202; Zahlbruckner, Cat. Lich. VI: 149. (?) on rocks, near Somerset East, MacOvan, Type.

Parmelia zambesica Müll. Arg.

J. Müller-Arg. (1893 b) 296; Zahlbruckner, Cat. Lich. VI: 271. Stizenberger (1895) 285 ter; Schinz (1905) 393.
on bark, near Boroma, Menyharth 268, 269, 475.

Parmelia zollingeri Hepp.

J. Müller-Arg. (1893 b) 296; Zahlbruckner, Cat. Lich. VI: 271. on bark, near Boroma, Menyharth 268, 269, 475.

USNEACEAE.

Alectoria chalybeiformis (Linn.) Röhl. f. terrestris Stizenb.

Stizenberger (1890) 149, no. 244; Zahlbruckner, Cat. Lich. VI: 383. on clayey ground, Franskraal, near Smithfield, Orpen (S.A. M. 46939) 1.

Alectoria jubata Ach.

Zahlbruckner, Cat. Lich. VI: 389. on bark, Smithfield, Orpen (S.A.M. 46938).

Cornicularia tenuissima (Linn.) Zahlbr.

Zahlbruckner, Cat. Lich. VI: 420. Cetraria aculeata (Schreb.) Fr., Stizenberger (1890) no. 238. on ground, Cape, Breutel; Lion's Head, MacOwan, 73.

Dufourea physcioides Massal.

Massalongo (1861) 83; Zahlbruckner, Cat. Lich. VI: 370. on branches of a tree, Cape, Breutel.

Ramalina angulosa Laur.

apud Th. Fries (1861) 411; Drège (1843) 94; Nylander (1870) 115; Hue (1890) 261; Stizenberger (1890) no. 169; van der Byl (1935 a) 6; Zahlbruckner, Cat. Lich. VI: 436.

Ramalina capensis var. angulosa Th., Fries (1861) 411. Cape of Good Hope, Ecklon; Garip, near mouth of Orange River, Drège.

Ramalina arabum (Ach.) Mey. & Flotow

Nylander (1870) 113; Hue (1890) 261; Stizenberger (1890) no. 166; van der Byl (1935 a) 5; Zahlbruckner, Cat. Lich. VI: 438. on tree trunks and rocks, Cape of Good Hope.

Ramalina arbuscula Stizenb.

Stizenberger (1890) 141, no. 202; van der Byl (1935 a) 6; Zahlbruckner, Cat. Lich. VI: 438. on rocks, Muizenberg, MacOwan.

Ramalina Bourgeana Nyl.

Zahlbruckner, Cat. Lich. VI: 441.

Ramalina Webbii Mont. var. capensis Massalongo (1861) 46.
on rocks, Cape of Good Hope, Wawra.

Ramalina calicaris (Linn.) Röhl.

Nylander (1869 a) 6 : Stizenberger (1890) no. 177 : van der Byl (1931) 14, (1935 a) 11 ; Zahlbruckner, (1932) 254, Cat. Lich. VI : 442.

on branches, Durban, Armstrong; Brenton, Knysna, r. d. Byl 687; Umtali, Eyles 1727 (v. d. Byl 555) 134; on branches of **Canthium** sp., Knysna, v. d. Byl.

Ramalina complanata (Sw.) Ach.

Drège (1843) 85, 94, 95, 108, 132; Stizenberger (1890) no. 175; J. Müller-Arg. (1893 b) 295; Schinz (1905) 393; van der Byl (1935 a) 8; Zahlbruckner (1932) 254, Cat. Lich. VI: 542.

on branches, Transvaal, Wilms: Cape, Ecklon, Rehmann: near Boroma, Menyharth 464; Kaaimansrivier, v. d. Byl 851; The Heads, Knysa, v. d. Byl 910 pr. p.; Paarlberg, Drège; Garip, near mouth of Orange River, Drège; on dry stony hills, Ebenezar, Drège; Samteesvlakte, Drège.

Ramalina cuspidata (Ach.) Nyl.

Nylander (1870) 158; Crombie (1876 a) 167; Stizenberger (1890) no. 201 van der Byl (1935 a) 9; Zahlbruckner, Cat. Lich. VI: 455. on rocks, Table Mt., Eaton.

f. implexa Oliv.

Zahlbruckner, Cat. Lich. VI: 456.

Ramalina scopulorum Ach. var. implexa Nylander (1860 a) 293.

sa Ramalina implexa Laur., Stizenberger (1890) no. 181.
on maritime rocks, Cape of Good Hope, ? Drège.

Ramalia dendriscoides Nvl.

Wainio (1901) 397 : Zahlbruckner, Cat. Lich. VI : 459. on calcareous rocks, on sea shore near Saco de Giraul, Mossamedes. Welwitsch 24.

Ramalina denticulata (Eschw.) Nyl.

Stizenberger (1890) no. 174 ; van der Byl (1935 a) 8 : Zahlbruckner, Cat. Lich. VI : 459. on bark, Table Mt., MacOwan.

Ramalina Duriaei Jatta

Zahlbruckner, Cat. Lich. VI: 462.

Ramalina evernoides Nyl., Stizenberger (1890) no. 193; van der Byl (1935 a) 7. on trunks, near Lydenburg, Wilms.

Ramalina Euphorbiae Wain.

Wainio (1901) 398; Zahlbruckner, Cat. Lich. VI: 463. on fleshy stems of **Euphorbia decumbens** Welw., on coastal hills near Mossamedes, Welwitsch 23.

Ramalina farinacea (Linn.) Ach.

Drège (1843) 132 ; Stizenberger (1890) no. 178 ; van der Byl (1935 a) 7 ; Zahlbruckner, Cat. Lich. VI : 464.

on tree trunks, South Africa, Baur, Wilms; eastern Cape, Rand (v. d. Byl); Samtees-vlakte, near Enon, Drège.

Var. squarrosa Müll. Arg.

Stizenberger (1890) no. 178; van der Byl (1935 a) 7; Zahlbruckner, Cat. Lich. VI: 472

on bark, Transvaal, Wilms.

Ramalina fastigiata Ach.

van der Byl (1935 a) 11; Zahlbruckner, Cat. Lich. VI: 472.

Lichen fastigiatus Pers., Thunberg (1800) 179, (1823) 747.

Parmelia fastigiata Ach., van der Byl (1931) 13.

Ramalina fraxinea Ach. var. fastigiata Fr., Juel (1918) 49.

on branches of trees, Cape, Thunberg; Kentani, Pegler (S.A.M. 46946); Humansdorp, Woodcock (S.A.M. 46931); Umtali, Eyles 4293 (v. d. Byl 572, det. A. L. Sm.).

Ramalina fraxinea (Linn.) Ach.

Acharius (1810) 602, (1814) 296; Stizenberger (1890) no. 183; van der Byl (1935 a) 11; Zahlbruckner, Cat. Lich. VI: 478.

Lichen fraxineus Linn., Thunberg (1800) 179, (1823) 747.

Parmelia fraxinea Acharius (1803) 258.

on branches, Cape, Thunberg, Wawra.

Ramalina geniculata Hook. f. & Tayl.

van der Byl (1931) 14, (1935 a) 4; Zahlbruckner, Cat. Lich. VI: 490.

on trunk of Acacia mollissima Willd., Woodbush, v, d. Byl 512 (det. Vain.); on trunk of Ocotea bullata E. Mey., Knysna, v, d. Byl 261 (det. Vain.); on trunk of tree undet., Onrust, van der Riet (v. d. Byl 324, det. Vain.).

Var. olivacea Müll. Arg.

Zahlbruckner (1932) 255, Cat. Lich. VI: 490.

? as Ramalina geniculata f. tenuis Hue, van der Byl (1935 a) 4.

on bark of Rhus glauca Desf., Platbos near Stilbaai, Muir (v. d. Byl 965).

Ramalina gracilis (Pers.) Nyl.

Nylander (1860 a) 296; van der Byl (1931) 14, (1935 a) Zahlbruckner (1932) 254, Cat. Lich. VI: 490.

on branches of **Canthium** sp., Brenton, Knysna, v. d. Byl 691; on branches of tree undet., The Heads, Knysna, v. d. Byl 910 pr. p.

Ramalina intermedia Del.

Stizenberger (1890) no. 207; van der Byl (1935 a) 5; Zahlbruckner, Cat. Lich. VI: 493.

? on branches of trees, Cape of Good Hope: rather doubtful record, Stizenb. l.c.

Ramalina lanceolata Nyl.

Stizenberger (1890) no. 187; van der Byl (1935 a) 13; Zahlbruckner, Cat. Lich. VI · 495

? as Ramalina yemensis var. lanceolata Nyl., van der Byl (1931) 14.

on branches of trees, South Africa, without locality, Drège, Breutel, Wilms; on Quercus sp., Klapmuts, v. d. Byl 142.

Ramalina linearis Ach.

von Flotow (1843) 26 ; Krauss (1846) 202 ; Zahlbruckner, Cat. Lich. VI : 497. on trees, Swellendam, Krauss.

Ramalina melanothrix Laur.

apud Nylander (1860 a) 290, (1870) 110 : Drège (1843) 94 : Stizenberger, (1890) no. 162 : Hue (1890) 261 ; van der Byl (1935 a)5 ; Zahlbruckner, Cat. Lich. VI : 499.

Ramalina capensis var. melanothrix Th. Fries (1861) 411.

Cape of Good Hope, Schenck; Garip, near mouth of the Orange River, Drège.

Ramalina pollinaria Ach.

Drège (1843) 94, 109; Zahlbruckner, Cat. Lich. VI: 502. on dry stony hills, Garip, near mouth of the Orange River, Drège; Ebenezar, Drège.

f. cariosa Laur.

apud Nylander (1870) 150 : Hue (1890) 266 : Stizenberger (1890) no. 190 ; van der Byl (1935 a) 7 ; Zahlbruckner, Cat. Lich. VI : 505.

Cape of Good Hope.

Ramalina pusilla Le Prév.

Stizenberger (1890) no. 204, van der Byl (1931) 14, (1935 a) 4; Zahlbruckner, Cat. Lich. VI: 512.

on branches of trees. South Africa, without locality, *Drège, Wawra. Rehmann, Wilms, Breutel. MacOwan*: on tree trunk, Zululand, *Harris* (v. d. Byl (232); on **Acacia mollissima** Willd., Howick, v. d. Byl 206 (det. Vain.).

Ramalina scopulorum Ach.

Drège (1843) 88 : Nylander (1860 a) 292 ; Zahlbruckner, Cat. Lich. VI : 515. on maritime rocks, Cape of Good Hope ; in krantzes, Table Mt., Drège.

Var. cornuta Ach.

Zahlbruckner, Cat. Lich. VI: 518.

Parmelia capensis Acharius (1803) 269.

Parmelia scopulorum f. cornuata Ach., Stizenberger (1890) no. 197; van der Byl (1935 a) 10.

Cape of Good Hope, Drège; Löwenberg, Pappe 8 (S.A. M. 46866).

Var. humilis Schaer.

Massalongo (1861) 46; Zahlbruckner, Cat. Lich. VI: 518. on rocks, amongst mosses, Cape of Good Hope, Waura.

Ramalina subfraxinea Nyl.

Nylander (1870) 139; Stizenberger (1890) no. 185; van der Byl (1935 a) 9; Zahlbruckner, Cat. Lich. VI: 523. on rocks, near Muizenberg, MacOwan; near Lydenburg, Wilms.

Ramalina Usnea (Linn.) Howe jr.

Zahlbruckner, Cat. Lich. VI: 526.

Lichen Usnea Linn., Thunberg (1800) 179, (1823) 748.

Alectoria usneoides Ach., Drège (1843) 133.

Ramalina usneoides Mont., Juel (1918) 51.

on trees in woods, Cape, Thunberg; Enon, Drège; Enon, Pappe (S.A.M. 47013).

Var. capensis (Nyl.) Zahlbr.

van der Byl (1935 a) 10; Zahlbruckner, Cat. Lich. VI: 527.

Ramalina usneoides Mont. var. capensis Nylander (1870) 123; Hue (1890) 262; Stizenberger (1890) no. 173.

on branches of trees, Cape of Good Hope, Drège; Gouritz Rivier, Breutel.

Var. contorta (Flotow) Zahlbr.

van der Byl (1935 a) 10; Zahlbruckner, Cat. Lich. VI: 527.

Ramalina usneoides var. contorta Flotow apud Stizenberger (1890) 136, no. 173.
on branches of trees, Gouritz Rivier, Breutel; Insiza, Eyles 2767 (S.A.M. 26545).

Ramalina yemensis (Ach.) Nyl.

Nylander (1870) 144; Crombie (1876 a) 167; Stirton (1877) 212; Stizenberger (1890) no. 186; Steiner (1907) 638; van der Byl (1931) 14, (1935 a) 12; Zahlbruckner (1926 b) 540, Cat. Lich. VI: 528.

on trunks and branches of trees, Table Mt., Eaton, Brunthaler; Stellenbosch, Duthie 1 pr. p.; Hottentot's Holland, MacOwan (Lichenoth, univ. 57; S.A.M. 47016); Piquetberg, v. d. Byl; Kentani, Pegler (S.A.M. 46947, 46948); Paarl, Cuff (v. d. Byl 440, 441, det. Vain.); Umtali, Eyles 4243, 4290 (v. d. Byl 568, 569, det. A. L. Sm.); Blue Lilies Bush, Humansdorp, Woodcock (S.A.M. 46932); on Acacia mollissima Willd., Howick, v. d. Byl; Woodbush, v. d. Byl 496, 511, (det. Vain.); on Podocarpus sp., van Reenen's Pass, Brunnthaler; on Quercus sp., Genadendal, near Caledon, Brunnthaler; Ceres, Leslie (v. d. Byl 456, det. Vain.); Klapmuts, v. d. Byl 81 (det. Merrill).

f. fenestralis Stizenb.

Stizenberger (1890) 139, no. 186; van der Byl (1935 a) 12; Zahlbruckner, Cat. Lich. VI: 528.

on bark, Lion's Head, MacOwan.

f. sublinearis Nyl.

Nylander (1870) 144 ; van der Byl (1931) 14, (1935 a) 12 ; Zahlbruckner, Cat. Lich. VI : 528.

on Gymnosporia buxifolia Szysz., Eteza, Zululand, v. d. Byl 124.

Var Ecklonii (Spreng.) Wain.

van der Byl (1935a) 12; Zahlbruckner, Cat. Lich. VI: 528. Ramalina Ecklonii Mey. & Flotow (1843) 26; Krauss (1846) 202 Ramalina calicaris f. Ecklonii Nylander (1860 a) 295, (1868) 51, (1869 a) 6.

on trees, Boschberg, MacOwan (S.A.M. 46979, 46980); Noordhoek, Cape Peninsula, Barnard (S.A.M. 46924); Durban, Armstrong; on rocks, Steenberg, Krauss; on bark, near Swellendam, Krauss.

Var. membranacea (Laur.) Nyl.

Stizenberger (1890) no. 186; van der Byl (1931) 14, (1935 a) 13; Zahlbruckner (1932) 255, Cat. Lich. VI: 529.

Ramalina membranacea Laur., von Flotow (1843) 26; Krauss (1846) 201.

on branches, Karkloof, Rehmann; in trunk of Acacia mollissima Willd., Howick, v. d. Byl 205 (det. Vain.); Swellendam, Krauss; on branches of Canthium sp., Brenton, Knysna, v. d. Byl 693.

Var. tenuissima (Mey. & Flotow) Zahlbr.

Zahlbruckner, Cat. Lich. VI: 529.

as Ramalina yemensis f. tenuissima Müll. Arg., van der Byl (1931) 14, (1935 a) 13. on bark, The Wilderness, v. d. Byl 289.

Siphula ceratites (Sommerf.) Fr.

Zahlbruckner (1932) 255, Cat. Lich, VI: 613. on rocks, Ceres, Leslie (v. d. Byl 615).

Siphula decumbens Nyl.

van der Byl (1931) 14: Zahlbruckner, Cat. Lich, VI: 614. amongst moss, Table Mt., Eyles (v. d. Byl 401, det. Vain.).

Siphula Dregei (? author)

Drège (1843) 84: ? nom. nud., not mentioned in Zahlbruckner, Cat. Lich. in the kranz near the waterfall, Simonsberg, Drège.

Siphula incrustans Vain.

Vainio (1926) 33; van der Byl (1931) 14; Zahlbruckner, Cat. Lich. VIII; 581. on rock, Stellenbosch, v. d. Bul 349.

Siphula minor Vain.

van der Byl (1931) 14, ? nom. nud. on rock, Ceres, Leslie (v. d. Byl 449, det. Vain.).

Siphula tabularis (Thunb.) Nvl.

Nylander (1857) 98, (1860 a) 263; Massalongo (1861) 74; Crombie (1876 a) 166: Müller-Arg. (1888) 130: Hue (1890) 244: Stizenberger (1890) no. 95: van der Byl (1931) 14: Garside (1929) 60; Zahlbruckner, Cat. Lich, VI: 617.

Lichen verrucosus Linn. f. (1781) 451 ("Thunb." non Linn.); Lamarck (1789) 505.

Lichen verruciger Gmelin (1791) 1377.

Lichen tabularis Thunberg apud Acharius (1798) 90: Thunberg (1800) 176, (1823) 743.

Isidium tabulare Acgarius (1798) 90; Thunberg, l.c.

Stereocaulon tabulare Acharius (1803) 316, (1810) 583, (1814) 286: Sprengel (1827) 275; Drège (1843) 82; Juel (1918) 51.

Dufourea plumbea Taylor (1847) 184.

on stones, top of Table Mt., side facing town, Thunberg; on stones, often wet with streams, top of Table Mt., Ecklon, Zeyher, Jelinek, Pappe 19 (S.A.M. 46883); on ground, near top of Table Mt., Eaton, du Toits Kloof, Drège; Bushman's country, Zeyher (Herb. Hook.): on sandstone, Ceres, v. d. Byl; on rocks in stream beds, Farmer Pecks Valley, Muizenberg, Garside; summit of Table Mt., Pillans 4211; saddle between Devil's Peak and Table Mt. Pillans 3252; head of Kasteel's Poort, Table Mt. Pillans 3550: between Wynberg upper reservoir and Disa Gorge, Pillans 3969: middle part of Silvermine Valley. Pillans 3831; plateau in the Muizenberg, Pillans 3168; west of Paulsberg, Pillans; summit of Noordhoek Mts., Pillans; Diepgat Kloof, above Somerset West, Pillans 4842: near waterfall on Swartberg, near Swellendam, MacOwan,

Siphula torulosa Nyl.

Nvlander (1857) 98, (1859) 236, (1860 a) 263; Stizenberger (1890) no. 96; Hue (1890) 244, (1899) 30.

Lichen torulosus Thunberg apud Acharius (1798) 100: Thunberg (1800) 177. (1823) 743.

Parmelia tortuosa Acharius (1803) 184; Juel (1918) 51.

Stereocaulon pulvinatum Acharius (1810) 584, (1814) 286 : Drège (1843) 82, 85, 116. on rocks in mountain, Cape of Good Hope, Thunberg; du Toits Kloof, Drège; Paarlberg, Drège; Gnadenthall, Drège.

Usnea acanthera Vain.

apud Motyka (1937) 358. Crocodile River, Bechuanaland, Klingsberg (Stockholm).

Usnea aequatoriana Motyka.

Motyka (1937) 476. in forest, Karkloof, *Rehmann*.

Usnea africana Motyka

Motyka (1937) 398. near Lydenburg, Wilms (Lojka Lichenoth. Univ. 58).

Usnea amplissima Stirt.

Stirton (1881) 106; Motyka (1937) 377; Zahlbruckner, Cat. Lich. VI: 534.

Usnea arthroclada Fée subsp., arthrocladodes Wainio (1901) 397; Zahlbruckner, Cat. Lich. VI: 587.

on trees, near Somerset East, MacOwan, Type; near Koningkroon, Elliot Distr., Høeg; near Enon, Drège; Baziya, Baur; Kaffraria, Cooper; Gouritz Rivier, Breutel; in indigenous forest, near Woodbush, Rehmann; Chimanimani Mts., Melsetter Dist., Swynnerton.

Usnea articulata (Linn.) Hoffm.

Stizenberger (1890 & 1895) no. 228 ; Stirton (1877) 212 ; J. Müller-Arg. (1893 a) 509 ; Steiner (1907) 638 ; Zahlbruckner, Cat. Lich. VI : 537.

Lichen divaricatus Thunberg (1800) 180, (1823) 750.

Usnea barbata var. articulata Ach., Nylander (1869 a) 6; Juel (1918) 49.

on branches of trees, Cape, Thunberg, Masson; Pondoland, Bachmann; Mt. Mamotsuiri, Junod 990 pr. p., Durban, Armstrong; on rocks, top of Table Mt., MacOwan (Herb. Kalchbr.).

Motyka (1936) states that this species occurs only in Europe and the Mediterranean region; Usnea praelonga Stirt. and U. flexilis Stirt. are the only two species of his section Articulatae said to occur in South Africa; several other species are known in tropical Africa.

f. minor Krempelh.

Steiner (1907) 638 ; Zahlbruckner, Cat. Lich. VI : 540. on bark, Stellenbosch, $Duthie\ 1\ pr.\ p.$

Usnea australis Fr.

von Flotow (1843) 27; Krauss (1846) 202; Zahlbruckner, Cat. Lich. VI: 541.

(?) Usnea barbata var. australis Müll. Arg., J. Müller-Arg. (1893 a) 509.

Usnea barbata var. florida f. australis Wainio (1901) 396.

(?) Usnea florida var. australis Stizenberger (1895) no. 222.

on branches of trees, Pondoland, Bachmann; summit of Serra da Xella Mts., Welwitsch

21 pr. p., on old trees, near Constantia, Krauss.

According to Motyka (1937) 536, *U. australis* occurs in Hawaii and possibly in southern California; European specimens and those from other localities recorded by Wainio do not seem to belong here.

Usnea capensis Motyka

Motyka (1937) 321.

Taaiboschkrantz, Rehmann; Woodbush, Rehmann; on rocks, Kaapsche Hoop, $H\phi eg.$

Usnea cartilaginea Laur.

Motyka (1937) 493.

Table Mt., Drège: on Acacia sp., about 6 mis, west of Heidelberg, Cape, $H\phi eg$; Heidelberg commonage, $H\phi eg$; on rocks, valley of Bloukrantz Riv., $H\phi eg$; on sandstone rocks, Dordrecht Distr., $H\phi eg$; on branches of indigenous trees, The Aloes', Kirstenbosch, Garside: near Karkloof Rehmann: near Lydenburg, Wilms; in indigenous forest above Woodbush village, Rehmann; on trees near river, Harrismith, $H\phi eg$.

Usnea comosa (Ach.) Röhl.

Motyka (1936) 264.

Usnea barbata (Linn.) Ach.* Usnea florida var. comosa Wainio (1901) 396.

Usnea florida var. comosa Biroli, Steiner (1907) 637: Zahlbruckner, Cat. Lich. VI: 571.

on tree trunks, Mt. Mamotsuiri, Junod 988; summit of Serra da Xella Mts., Welwitsch 21 pr. p.: Woodbush, v. d. Byl 505 (det. Vain.).

Motyka, l.c., says that *U. comosa* occurs mostly on Piceae in northern and subalpine regions of Europe; it is known in North America, but not in the southern hemisphere.

Usnea contorta Jatta

Motyka (1937) 414 : Zahlbruckner, Cat. Lich. VI : 549. on trees near Grahamstown, $H\phi eg$; Gouritz Rivier, Breutel.

Usnea cornuta Körb.

Stizenberger (1890) no. 231: Zahlbruckner, Cat. Lich. VI: 549. on trunks of trees, Orange Free State, Rehmann

Usnea dasypoga (Ach.) Röhl.

Stizenberger (1890) no. 225 ; Zahlbruckner, Cat. Lich. VI: 550, VIII: 578 ; Motyka (1936) 193.

(?) Lichen barbatus Linn., Thunberg (1800) 180, (1823) 750.

(?) as Usnea barbata (Linn.) Fr., Juel (1918) 49.

Cape of Good Hope, Rehmann, (?) Thunberg.

Motyka, l.c., states that U. dasypoga is widely distributed in the mountains of Europe, usually densely clothing branches of Piceae, less frequently in other trees. There is one record of its occurrence in California, but none in the southern hemisphere. No South African collection is assigned by him to this species or its varieties.

Usnea dasypogoides Nyl.

Stizenberger (1890) no. 226; Motyka (1937) 464.

Usnea dasypoga var. plicata Cromb. f. dasypogoides Hue, Zahlbruckner, Cat. Lich. VI: 561.

on branches, Table Mt., Wilms.

Motyka, l.c., does not record this species from Africa.

Usnea delicata Vain.

Vainio (1926) 1; van der Byl (1931) 4; Motyka (1937) 435; Zahlbruckner, Cat. Lich, VIII: 578.

on tree trunk, Onrust, v. d. Byl 128, Type; Table Mt., Rehmann, Wilms; on shrubs, Witsand, Wynberg, $H\phi eg$; near Grahamstown, Britten, $(H\phi eg)$; on Eucalyptus sp. near Town Bush, $H\phi eg$; Mquatsheni, near Burnera, $H\phi eg$; Karkloof, Rehmann; on trees, near Lydenburg, Wilms; on Acacia, ca. 6 mis. from Heidelberg, Cape, $H\phi eg$.

Usnea densirostra Tayl.

Steiner (1907) 638; Zahlbruckner, Cat. Lich. VI: 563; Motyka (1937) 316. Usnea ceratina Ach., Stirton (1877) 212; Stizenberger (1890) no. 230; Zahlbruckner, Cat. Lich. VI: 544.

Usnea barbata f. ceratina Ach., Nylander (1869 a) 6.

on rocks, Mt. Mamotsuiri, Junod 989; without locality, Ecklon. Zeyher, Wilms, Rehmann; Durban, Armstrong.

According to Motyka, l.c., this a South American species; it has often been confused with *U. pulvinata*.

Usnea diffracta Vain.

Motyka (1937) 389; Zahlbruckner, Cat. Lich. VI: 563.

Usnea dasypoga var. plicata f. annulata Hue, Steiner (1907) 638.

on bark, Mt. Mamoutsuiri, Juned 990 pr. p.

According to Motyka, l.c., this lichen is frequent in Japan, Korea and Formosa; it is not known elsewhere.

Usnea distensa Stirt.

Stirton (1882) 104; Motyka (1937) 376; Zahlbruckner, Cat. Lich. VI: 563, Diamond Fields, near Kimberley, Shaw, Type; Enon, Drège; near Koningskroon, Elliott Distr., H\$\phieg\$; on trees, Heidelberg, Cape, H\$\phieg\$; near Kruis Rivier, north of Heidelberg H\$\phieg\$; on **Acacia** sp., near Heidelberg, H\$\phieg\$; on **Quercus Robur** Linn., Blauwkrantz, Knysna, H\$\phieg\$; (?) Grahamstown, H\$\phieg\$; in indigenous forest, near Woodbush, Rehmann; Kaffraria, Cooper; on trees, Zimbabwe, H\$\phieg\$; Chirinda Forest, Swynnerton.

Usnea flaccida (Müll. Arg.) Motyka

Motyka (1937) 475.

Usnea angulata var. flaccida Müll. Arg., J. Müller-Arg. (1890) 337; Zahlbruckner Cat. Lich. VI: 535 (excl. synonyms).
on hills above Maritzburg, Rehmann.

Usnea flexilis Stirt.

Stirton (1881) 106; Motyka (1936) 126; Zahlbruckner, Cat. Lich. VI: 564. in bush, Karkloof, Rehmann; Drakensberg, Rehmann; in hills near Maritzburg, Rehmann; "Diamond Fields", Shaw.

Usnea florida Wigg.

Drège (1843) 85, 89, 95, 132, 138; Crombie (1876 a) 166; Stizenberger (1890) no. 222; Zahlbruckner, Cat. Lich. VI: 564; Motyka (1936) 242.

Usnea barbata f. florida (L) Fr., Nylander (1869 a) 6.

on tree trunks and branches and on rocks, South Africa, without locality; MacOwan 801 (Herb. Kalchbr); on rocks, Table Mt., Eaton, Drège; Durban, Armstrong; Paarlberg, Drège; Uitkomst, Drège; Devils Peak (S.A. M. 46859); Uitenhage (S.A. M. 46860); Samteesvlakte, Drège; near Klein and Groot Vischrivier, Drège.

Motyka, l.c., states that *U. florida* is frequent in central and north-west Europe; a few specimens have been seen from North America, none from the southern hemisphere.

Var. asperrima Müll. Arg.

Stizenberger (1895) no. 222. on branches of trees, Natal.

Var. scabrosa Wain.

Zahlbruckner, Cat. Lich. VI: 572.

Usnea barbata var. scabrosa (Ach.) Müll. Arg., J. Müller-Arg. (1893 a) 509.

Usnea ceratina var. scabrosa Ach., Stizenberger (1895) no. 230.

on branches, Pondoland, Bachmann,

Usnea Flotowii Zahlbr. var. subhispida Zahlbr.

Zahlbruckner (1926 b) 541, Cat. Lich. VI: 575, on bark, Skeleton Revine, Table Mt., Brunnthaler,

Usnea fusca Motyka

Motyka (1937) 473.

on branches of native trees, 'The Aloes', Kirstenbosch, Garside: Lydenburg, Wilms; Mquatsheni near Burnera, $H\phi eg$; near cataract in a remote place, Impendhle Distr., $H\phi eg$.

Usnea gonioides Stirt.

Stirton (1881) 108: Motyka (1937) 396.

Usnea angulata Ach. f. gonioides Hue (1899) 45; Zahlbruckner, Cat. Lich. VI: 535. on branches of native trees. The Aloes: Kirstenbosch. Garside: Cape. Bolus; Adelaide, Brugton; Gouritz Rivier, Breutel; Karkloof, Rehmann; near Lydenburg, Wilms; in indigenous forest, Woodbush, Rehmann.

Usnea Havaasii Motyka

Motyka (1937) 450.

Trappist Mission, Mariannhill, Lindauer.

Usnea hirta (Linn.) Wigg.

Stizenberger (1890) no. 223; Zahlbruckner, Cat. Lich. VI: 576.

South Africa, Drège, Krauss, Wawra, MacOwan, McLea, Wilms.

According to Motyka (1936-7). U. hirta is a common species in Europe and seems to be present in America, but it is not known elsewhere.

Usnea hispidula (Müll. Arg.) Zahlbr.

Zahlbruckner, Cat. Lich. VI: 581; Motyka (1937) 488. on trunk of trees, Umbovana, Zululand, Brylin.

Usnea horridula (Müll. Arg.) Motvka

Motvka (1937) 334.

Usnea longissima Ach. var. horridula Müll. Arg., J. Müller Arg. (1891) 372; Zahlbruckner, Cat. Lich. VI: 586, VIII: 580.

Usnea hirta var. horridula (Müll. Arg.) Stizenberger (1893) no. 233.

Mooi River, Natal; Helpmekaar, Woodbush, Eastwood; Port Natal, Plant.

Usnea implicita (Stirt.) Zahlbr.

Zahlbruckner, Cat. Lich. VI: 582; Motyka (1936) 60.

Eumitra implicita Stirton (1881) 100.

on stones and on branches, Pondoland, Bachmann; Great Escarpment, near Kaapsche. Hoop, $H\phi eg$; Solheim M.S., near Eshowe, $H\phi eg$; Blauwkrantz Valley, $H\phi eg$.

Usnea intercalaris Krempelh.

Stizenberger (1890) no. 229; Zahlbruckner, Cat. Lich. VI: 582. on bark, Cape.

Usnea laevis (Eschw.) Nyl.

Stizenberger (1890) no. 236 ; Zahlbruckner, Cat. Lich. VI : 583. Zululand, Schloemann.

Usnea leprosa Motyka

Motyka (1936) 106.

on trees and shrubs undet., Mazoe, Eyles; Zimbabwe, Høeg; Helpmekaar, Woodbush, Wilms; near Lydenburg, Wilms; Krugerspost, Wilms; Karkloof, Rehmann; Koningskroon, Elliott Distr., Høeg; Howieson's Poort, Høeg; Witsand, Wynberg, Høeg; 'The Aloes', Kirstenbosch, Garside; on Acacia sp., 6 mis. west of Heidelberg, Cape, Høeg; on Eucalyptus sp., Town Bush, Høeg; on old trunks of Euphorbia sp., Kingwilliamstown; on Syringa, Camperdown, Høeg; on trunks of Tarchonanthus and Xerapetalis spp., summit of Serra da Xella, Welwitsch.

Usnea longissima Ach.

Drège (1843) 133, 146; Crombie (1876 a) 166; Stizenberger (1890 & 1895) no. 233; J. Müller-Arg. (1893 a) 509; Gepp (1911) 244; Zahlbruckner, Cat. Lich. VI: 583.

on bark of trees, Cape, Breutel; Table Mt., Eaton on branches, Pondoland, Bachmann; Olyfhoutskloof, Drège; between 'Gekau' and 'Basche', Drège; Chirinda Forest, Swynnerton 430; Chimanimani Mts., Swynnerton 617; Madanda Forest, Swynnerton 801, 1804; Humansdorp, Woodcock (S.A.M. 46926).

Motyka (1937) 423-432, does not record this species from South Africa, only from the northern hemisphere. It closely resembles *Usnea pectinata* and *U. trichodeoides*.

Usnea maculata Stirt.

Stirton (1882) 293; Zahlbruckner, Cat. Lich. VI: 586; Motyka (1937) 337.

Usnea rubiginea Massalongo (1861) 45.

on trees, Somerset East, MacOwan & McLea (Zwackh. Lich. no. 820; Brit. Mus.); Table Mt., MacOwan, Rehmann. Jelinek, Wilms; in Acacia sp., on the Cape Flats, Rehmann; on Acacia sp., near Heidelberg. Cape, $H\phi eq$.

on rocks, Bain's Kloof, Wawra; Cape Town, Marloth; on sandstone, Kloof, Dordrecht, $H\phi eg$; Drakensberg, Rehmann; Mquatsheni Valley, $H\phi eg$; near Kaapsche Hoop,

 $H\phi eg$; Hashlosa Mt., near Ennersdale, $H\phi eg$.

Usnea malacea Zahlbr, var. subelegans Zahlbr.

Zahlbruckner, Cat. Lich. VI: 587. Usnea florida Wigg. var. subelegans Vainio (1901) 396. on branches of trees, summit of Serra da Xella, Welwitsch 21 pr. p.

Usnea moniliformis Motyka

Motyka (1937) 447.

on trees, on hills above Maritzburg, Rehmann; in indigenous forest, Woodbush, Rehmann; on Podocarpus elongatus L'Herit., Cape, Schott.

Usnea molliuscula Stirt.

Stirton (1883) 77; Zahlbruckner, Cat. Lich. VI: 587; Motyka (1937) 541. on trunks and branches of trees, Table Mt., Rehmann, Wilms, MacOwan; Inaccessible Gorge. Table Mt., Pillans; Hottentots Holland Mts., (Zwackh. Lich. no. 819); lower slopes of Mountains, Banhoek, Garside 4127; Heidelberg, Cape, Hφeg; Grahamstown, Britten (Hφeg): Pondoland, Bachmann; near Solheim M. S., Eshowe, Hφeg; near Burnera, Hφeg; Upper Umkomaas, Hφeg; Zimbabwe, Hφeg; Woodbush, Rehmann; on Quercus Robur Linn., Blauwkrantz, Knysna, Hφeg.

Usnea mutabilis Stirt.

Stirton (1881) 107 ; Zahlbruckner, Cat. Lich. VI : 588 ; Motyka (1937) 364. on shrubs, Woodbury, Alexandria Distr., $H\phi eg$.

Usnea ochrophora (Stizenb.) Motyka

Motyka (1936) 254.

Usnea florida var. ochrophora Stizenb, in Herb, Acad. Polytechn., Zurich.

on branches of trees and shrubs, Table Mt., MacOwan, Wilms; Soldaten Bosch, western slopes of Table Mt., Pillans; Brackels Kloof, Stellenbosch, Garside; 'The Aloes', Kirstenbosch, Garside.

Usnea perspinosa Motyka

Motvka (1937) 533.

on trees, Zimbabwe, H\phieg; Lourenço Marques, Quintas.

Usnea picta (Steiner) Motyka

Motyka (1937) 325.

Usnea ceratina Ach. var. picta Steiner (1897) 210; Zahlbruckner, Cat. Lich. VI: 547. on shrubs, Woodbury, Alexandria Distr., $H\phi eq$.

Usnea plicata (Linn.) Wigg.

Stizenberger (1890) no. 227.

Usnea dasypoga Röhl. var. plicata Crombie, Zahlbruckner, Cat. Lich. VI: 557. on branches, Transvaal, Rehmann.

Motyka (1936) 231, states that Usnea plicata is a very rare species, known only in Europe.

Usnea poliotrix Krempelh.

Motyka (1937) 311.

sub Usnea Baileyi Zahlbruckner, Cat. Lich. VI: 542.

in Eucalyptus plantation, near Town Bush, $H\phi eg$.

Usnea praelonga Stirt.

Stirton (1881) 107; Zahlbruckner, Cat. Lich. VI: 589; Motyka (1936) 112. without locality, McLea (Brit. Mus.) Type; beneath steep krantz, Mquatsheni Distr., $H\phi eg$.

Usnea primitiva Motyka

on Podocarpus sp., Tulbagh Valley, Barnard (S.A.M. 46440).

Usnea Promontorii Motyka

Motyka (1937) 386.

on shrubs and trees in indigenous forest, Cape, Rehmann; nr. Bezuidenhouts Rivier, Uitenhage Distr., $H\phi eg$; towards Kruis Rivier, Heidelberg, Cape, $H\phi eg$; in forest, Knysna, Rehmann; Claskoon, Zitzikamma; lower slopes of Table Mt., Pillans; in branches of native trees, 'The Aloes', -Kirstenbosch, Garside; Mquatsheni, Polela Distr., $H\phi eg$; Drakensberg, Rehmann; steep krantz near Burnera, Impendhle Distr., $H\phi eg$; on trees, Zimbabwe, $H\phi eg$.

Usnea pulverulenta (Müll. Arg.) Motyka

Motvka (1936) 107.

Usnea florida var. pulverulenta Müll. Arg., Stizenberger (1890) 145, no. 222; Zahlbruckner, Cat. Lich. VI: 572.

on branches, Transvaal, Rehmann.

Usnea pulvinata Fr.

Zahlbruckner, Cat. Lich. VI: 590; Motyka (1937) 319. Usnea florida var. densirostra Stizenberger (1890) 145, no. 222.

Usnea transvaalensis Vainio (1926) 1; van der Byl (1931) 14; Zahlbruckner, Cat. Lich. VIII: 581.

on rocks, summit of Table Mt., and Hottentot's Holland Mts., MacOwan (Zwackh. Lich. 819, 820); Devils Peak, MacOwan; Rietvlei, Elliott Distr., Høeg; Genadendal; west of Simonstown, Pillans; Bain's Kloof, Wawra; near Riet Vlei, Aliwal North, Høeg; Viljoen's Pass, Elgin, Garside; Maseru, Schroeter; Pondoland, Mt. Hoshlosa nr. Ennersdale, Høeg; upper Umkomaas, Impendhle Distr., Høeg; Barberton, Thorncroft (v. d. Byl 229); near Lydenburg, Wilms; Kaapsche Hoop, Høeg; Zambesia, Kirk; Natal, Baines; in indigenous forest above Woodbush village, Rehmann.

Usnea rubescens Stirt. var. rubrotincta (Stirt.) Motyka

Motyka (1937) 348.

Usnea rubrotincta Stirton (1881) 103; Stizenberger (1890) no. 222, nota; Zahlbruck-

ner, Cat. Lich. VI: 591.

on trees, Transvaal, Wilms; Gouritzrivier, Breutel; Mquatsheni, $H\phi eg$; in Eucalyptus plantation, Town Bush, $H\phi eg$; in bush, Karkloof, Rehmann; Grahamstown, $H\phi eg$; nr. Kruis Rivier, north of Heidelberg, Cape, $H\phi eg$; on Acacia sp., 6 mis. west of Heidelberg, Cape, $H\phi eg$; east of Bezuidenhouts Rivier, Uitenhage Distr., $H\phi eg$; lower slopes of Banhoek Valley, Garside; Woodbury, Alexandria Distr., $H\phi eg$.

Usnea rubicunda Stirt.

Stirton (1881) 102; Motyka (1937) 339; Zahlbruckner, Cat. Lich. VI: 590. Usnea florida var. rubiginea Michx., Stizenberger (1890) no. 222, nota; Hillmann (1929) 289.

? Usnea rubiginea Massalongo (1861) 45; Zahlbruckner, Cat. Lich. VI: 590. South Africa, without locality; ? Cape, Wawra.

Usnea sorediosula (Müll. Arg.) Motyka

Motyka (1937) 330.

on solitary trees of Erythrina sp., between Inyezana River and Mtunzini, Eshowe Distr., $H\phi eq$.

Usnea spilota Stirt.

Motyka (1937) 333; Zahlbruckner, Cat. Lich. VI: 592.

on Acacia sp., near Heidelberg, Cape, $H\phi eg$; on trees, Cape, without locality, Breutel; Humansdorp Distr., on border of Knysna Distr., $H\phi eg$.

Usnea Steineri Zahlbr.

Zahlbruckner (1932) 225; Cat. Lich. VI: 592; van der Byl (1931) 14. on branches of **Canthium** sp., Brenton, Knysna, r. d. Byl 690; on tree trunk, Stellenbosch, Slabbert (v. d. Byl 705).

Usnea strigosa (Ach.) Eaton

Motyka (1937) 359.

Usnea florida var. strigosa Ach., Stizenberger (1890) no. 222 : Zahlbruckner, Cat. Lich. VI: 573.

on bark, Transvaal, Rehmann; Table Mt., Wilms.

Motyka, l.c., states that this species is only known to occur in Southern California, Mexico and places in the south-eastern part of North America with a rather high altitude.

Usnea strigosella Steiner

Steiner (1907) 637; Zahlbruckner, Cat. Lich. VI: 592: Motyka (1937) 516. on branches. Mt. Mamotsuiri, Junod 990 (Herb. Barbey Boissier): Table Mt. Eaton; on trunks of indigenous trees, lower slopes of Banhoek, Garside; on Acacia sp., near Heidelberg. Cape, Høeg: Adelaide, Krugon; on shrubs and trees near road between Walmer and Schoenmakers Kop, Høeg; on shrubs near town, Woodbury, Høeg; Gouritzrivier, Breutel: Kaffraria, Adamson; Appelsbosch, Great Noodsberg, Ljungquist; Mquatsheni, Høeg; on trunk of Saphron tree, Umbovana, Zululand, Brylin; Helpmekaar, Woodbush, Eastwood; Lydenburg, Wilms.

Usnea sublurida Stirt.

Zahlbruckner, Cat. Lich. VI : 593 ; Motyka (1937) 349. on indigenous trees, 'The Aloes', Kirstenbosch, Garside.

Usnea submusciformis Vain.

van der Byl (1931) 14, ? nom. nud. Matopos, $Eyles\ 560,\ 1148$ (v. d. Byl 560).

Usnea sulcata Motyka

Motyka (1937) 478.

Usnea angulata Ach., Stizenberger (1890 & 1895) no. 237; J. Müller-Arg. (1893 a) 509; Zahlbruckner, Cat. Lich, VI: 534.

on trees and shrubs, south of Woodbury, $H\phi eg$; south of Bushman River, $H\phi eg$; Gouritz Rivier, Breutel; Pondoland, Bachmann; Natal, Rehmann; Transvaal, Rehmann, Wilms; Cape, Ecklon: near Lydenburg, Wilms (Lichenoth, univ. 48; S.A. M. 47015).

Usnea trichina Motyka

Motyka (1937) 391

Usnea gracilis var. subplicata Vain., Zahlbruckner, Cat. Lich. VI: 576. on trunk of tree, Umbovana, Zululand, Brylin.

Usnea trichodeoides Vain, emend. Motvka

Motyka (1937) 421.

Usnea trichodea Ach., Stizenberger (1890) no. 234; Zahlbruckner (1926 a) 543. Cat. Lich. VI: 595.

on trees and small shrubs, Bezuidenhouts River Valley, Uitenhage Distr., $H\phi eg$; Gouritz Rivier, Breutel: Port Elizabeth; Madanda Forst, Melsetter Distr., Swynnerton; on the borders of Kaffraria, Drège; near Guru, (?) Cape; Enon: Clyfhoutkloof. Drège; on Strychnos sp., in indigenous forest, Olifantshoek near Alexandria, Nightingale on Podocarpus sp., van Reenen's Pass, Brunnthaler; without locality, Wawra, Schott, Wilms; on trees and small shrubs, Bezuidenhouts River Valley Hoeg; Gouritz River, Breutel

Usnea undulata Stirt.

Stirton (1881) 104; Motyka (1937) 547.

Usnea foveolata Stirton (1883) 77; Zahlbruckner, Cat. Lich. VI: 575. Usnea barbata var. farinosa Müll. Arg., J. Müller-Arg. (1891) 373.

Usnea florida var. farinosa (Müll. Arg.) Stizenberger (1893) no. 222.

Usnea farinosa Zahlbruckner, Cat. Lich. VI: 564.

Usnea Steineri var, tincta f. sorediosa Zahlbruckner (1926 b) 541, Cat. Lich. VI: 592. on Acacia sp., Port Alfred, $H\phi eg$; near Heidelberg, Cape, $H\phi eg$; on Eucalyptus sp., Town Bush, $H\phi eq$; on Syringa, Camperdown, $H\phi eq$; on trees and shrubs undet., Huilla, Newton; Cape, Rehmann; Witsand, $H\phi eg$; near Koningskroon, Elliott Distr., $H\phi eg$; Howieson's Poort and Grahamstown, $H\phi eg$; near East London, $H\phi eg$; Dunbrody Mission, Uitenhage, $H\phi eq$; near Solheim M.S., Eshowe, $H\phi eq$; Mquatsheni, Hoeq; Burnera, Impendhle, Distr., Hoeq; Karkloof, Rehmann; Masiti Mt., Basutoland, Herwitt; Lydenburg, Wilms; Zimbabwe, Hogq; near Kimberley, Shaw (Brit. Mus.).

Usnea sp.

J. Phillips (1929) 101.

on crowns of Podocarpus spp., Apodytes dimidiata E. Mey., Canthium sp., and Ocotea bullata E. Mey., Knysna, J. Phillips.

CALOPLACACEAE.

Blastenia Acaciae (Vain.) Zahlbr.

Zahlbruckner, Cat. Lich. VIII: 582.

Placodium Acaciae Vainio (1926) 10; van der Byl (1931) 15.

on bark of Acacia mollissima Willd., near Maritzburg, v. d. Byl 226, Type.

Blastenia aspicilioidea Zahlbr.

Zahlbruckner (1936) 174.

on shale rock, Muwe, Namaqualand, v. d. Byl 1163, Type.

Blastenia Brunnthaleri Zahlbr.

Zahlbruckner (1932) 256.

on granite rocks, Table Mt., towards Camps Bay, Brunnthaler, Type.

11101 - 11

Blastenia confluens Müll. Arg.

J. Müller-Arg. (1888) 46; Zahlbruckner, Cat. Lich. VII: 27.

Lecanora confluens Stizenberger (1890) 207, no. 631.

Lecidea confluens Hue (1914) 11, non Ach.

on quartzite rocks at top of mountain, Nautilus Point, Angra Pequena, Schinz, Type.

Blastenia imponens (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 32.

Lecanora imponens Stizenberger (1890) 207, no. 632.

Lecidea imponens Hue (1914) 14.

on rocks, Orange Free State, Rehmann, Type.

Blastenia laingsburgensis Zahlbr.

Zahlbruckner (1936) 174.

on shale rock, Laingsburg, v. d. Byl 1089, Type.

Blastenia leptospora Zahlbr.

Zahlbruckner (1926 b) 543 ; Cat. Lich. VII : 33.

on limestone, near Windhoek, Fincke, Type.

Blastenia ochracea Trevis. var. parvula (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 48.

Lecanora ochracea (Schaer.) Nyl. var. parvula Stizenberger (1890) 200, no. 580. on basalt rocks, near Lydenburg, Wilms.

Blastenia poliotera (Nyl.) Müll. Arg.

J. Müller-Arg. (1880) 36, (1893) 298; Schinz (1905) 395; Zahlbruckner, Cat. Lich. VII: 39.

Lecanora poliotera Nyl., Stizenberger (1895) no. 594.

Caloplaca poliotera Steiner (1897) 219.

Placodium polioterum Vainio (1901) 408.

on rocks, Mt., Kanduliri, Zambesi Region, Menyharth.

Blastenia praemicans (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 40.

Lecanora praemicans Nyl. apud Crombie (1876 a) 172, (1876 b) 20; Hue (1891) 52; Stizenberger (1890) no. 584.

Placodium ferrugineum var. mineaceum Tuck. (1877) 171.

Lecidea praemicans Hue (1914) 17.

on bark, Table Mt., Eaton; near Camps Bay, MacOwan.

Blastenia psorothecioides (Vain.) Zahlbr.

Zahlbruckner, Cat. Lich, VIII: 583,

Placodium psorothecioides Vainio (1926) 9; van der Byl (1931) 15.

on bark of Ochna sp., near Keurboom, v. d. Byl 281, Type.

Blastenia Punicae (Vain.) Zahlbr.

Zahlbruckner, Cat. Lich. VIII: 583.

Placodium Punicae Vainio (1926) 8; van der Byl (1931) 15.

on bark of Punica Granatum Linn., near Hopefield, v. d. Byl 392, Type.

Blastenia punicea Müll. Arg.

J. Müller-Arg. (1888) 45; Zahlbruckner, Cat. Lich. VII: 40.

Lecanora subpunicea Stizenberger (1890) 201, no. 590.

Caloplaca punicea Jatta (1910) 202.

Lecidea punicea Hue (1914) 18.

on quartzite rocks at top of mountain, Nautilus Point, Angra Pequena, Schinz, Type,

Blastenia seductrix (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 40 (as Bl. sedutrix). Lecanora seductrix Stizenberger (1890) 207, no. 633. on sandstone rocks, summit of Lion's Head, MacOwan, Type.

Blastenia subsalicina Zahlbr.

Zahlbruckner (1932) 257.

on branches of shrubs, near Glencairn, v. d. Byl 983, Type.

Blastenia testaceorufa (Vain.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 43, VIII: 583.

Placodium testaceorufum Vainio (1926) 10; van der Byl (1931) 15. on bark of Acacia mollissima Willd., near Maritzburg, v, d. Byl 227, Type.

Blastenia vasquesia Massal.

Massalongo (1861) 72: Zahlbruckner, Cat. Lich. VII: 44.

Lecanora vascesia Stizenberger (1890) 202, no. 591.

Lecidea vasquesia Hue (1914) 20.

on volcanic rocks, Cape, Wawra.

Bombyliospora aureola (Tuck.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 49.

Lecidea aureola Tuck., Stizenberger (1891) no. 1028.

Lecanora aureola Stirton (1877) 216.

on bark, South Africa, without locality, MacOwan.

Bombyliospora domingensis (Pers.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 51; van der Byl (1931) 15.

Lecanora domingensis Ach., Drège (1843) 151; Nylander (1869 a) 7; Stirton (1877) 216. Lecidea domingensis Nyl., Stizenberger (1891 & 1895) no. 1026.

Placodium domingense Vain. in Herb. van der Byl.

on bark of trees undet., ? Boschberg, MacOwan 515, 44; Durban, Armstrong; Stella Bush, v. d. Byl 62, 67 (det. A. L. Sm.), v. d. Byl 116 (det. Merrill); on Gardenia globosa Hochst., Winkle Spruit, v. d. Byl 50, (det. A. L. Sm.); on Trichilia emetica Vahl, Woodbush, v. d. Byl 480, 483 (det. Vain.); 'Omsamwubo', near river, Drège.

Var. colorata Vain.

Zahlbruckner, Cat. Lich. VI: 52; van der Byl (1931) 15.

on trunk of tree undet., Stella Bush, v. d. Byl 180 (det. Vain.); on trunk of Celtis Kraussiana Bernh., Durban, v. d. Byl 196 (det. Vain.).

Var. flavocrocea Zahlbr.

Zahlbruckner, Cat. Lich. VII: 52.

Lecidea flavocrocea Nyl., Stizenberger (1891) no. 1027.

Lecanora flavocrocea Nylander (1869 a) 7; Hue (1891) 53. Bombyliospora flavocrocea Massalongo (1860) 262. on trunks of trees, Cape of Good Hope.

Var. glaucotropa Vain.

Zahlbruckner, Cat. Lich. 52: van der Byl (1931) 15. on tree trunk, Eshowe, v. d. Byl 188 (det. Vain.).

Var. inexplicata Malme

Zahlbruckner, Cat. Lich. VII: 52.

Lecidea domingensis var. inexplicata Nyl., Stizenberger (1895) no 1026. on bark, South Africa.

Var. inspersa Steiner

Steiner (1907) 645: Zahlbruckner, Cat. Lich. VI: 52. on bark, Mt. Mamotsuiri, Junod 995.

Bombyliospora flavidula (Tuck.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 53, VIII: 584. as Bombyliospora domingensis var. flavidula, van der Byl (1931) 15. Placodium flavidulum Vainio (1926) 9. on tree trunk, Stella Bush, v. d. Byl 107.

Bombyliospora incana A. L. Sm.

Zahlbruckner, Cat. Lich. VII: 53.

Lecidea pachycarpa Fr., Nylander (1869 a) 10; Stizenberger (1891) no. 1020. on bark, Durban, Armstrong.

Bombyliospora leprolyta (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 54.

Patellaria leprolyta Müll. Arg., J. Müller-Arg. (1893 b) 298. near Boroma, Lower Zambesi, Menyharth 264.

Bombyliospora tuberculosa (Fée) Massal.

Zahlbruckner, Cat. Lich. VII: 56.

Lecidea tuberculosa Fée., Stizenberger (1891) no. 1021; Nylander (1869 a) 11. on bark, Durban, Armstrong.

f. geotropa (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 56.

Lecidea tuberculosa f. geotropa Stizenberger (1891) no. 1021. on dry ground, Table Mt., Jelinek.

Bombyliospora zuluensis Vain.

Vainio (1926) 18 ; Zahlbruckner, Cat. Lich. VIII : 584 ; van der Byl (1931) 15. on bark of **Thespesia** sp., near Eshowe, $v.\ d.\ Byl\ 184$, Type.

Caloplaca amphidoxa (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 65.

Lecanora amphidoxa Stizenberger (1890) 200, no. 585. on bark of pomiferous trees, near Lydenburg, Wilms.

Caloplaca aurantiaca Th. F.

Zahlbruckner, Cat. Lich, VII: 69.

Lecanora aurantiaca Flotow, Drège (1843) 134.

Lecidea aurantiaca Ach., Drège (1843) 80.

on trees and rocks, Hoffmans Kloof, Drège; du Toits Kloof, Drège; Paarlberg, Drège.

f. fulva Zahlbr.

Zahlbruckner, Cat. Lich. VII: 75.

Lecanora aurantiaca Flotow var. fulva Nylander (1869 a) 7; Stizenberger (1890) 198, no. 574; Hue (1891) 49.

on trunks, Durban, Armstrong.

Caloplaca benguellensis (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 79.

Lecanora benguellensis Nylander (1868) 511; Hue (1891) 50; Stizenberger (1890) no. 614.

Placodium ferrugineum (Huds.) Hepp. var. benquellensis Wainio (1901) 408.

Placodium benquellense Wainio (1915) 53.

on perpendicular, schistose rocks, between Maiombo and Pomangala, in Serra de Caximba, Welwitsch 17 pr. p., 485 pr. p.

Caloplaca capensis (Massal.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 84. Callopisma capensis Massalongo (1861) 59. on rocks, Cape, Wawra.

Caloplaca calviniana Zahlbr.

Zahlbruckner (1932) 262. on schistose rocks, near Calvinia, v. d. Byl 769, Type.

Caloplaca cardinalis Zahlbr.

Zahlbruckner (1932) 267. on sandstone rocks, Steinkopf Mt., Namaqualand, Meyer (v. d. Byl 955) Type.

Caloplaca carphinea Jatta var. scoriophila Steiner.

Zahlbruckner, Cat. Lich. VII: 223.

Placodium scoriophilum Massalongo (1861) 55.

Lecanora scoriophila Stizenberger (1890) 194, no. 539.
on volcanic rocks, Cape, Wawra.

Caloplaca cataschista Zahlbr.

Zahlbruckner (1936) 176. on quartzite, near Upington, v. d. Byl 1155, Type.

Caloplaca cerina (Ach.) Th. Fr.

van der Byl (1931) 15; Zahlbruckner, Cat. Lich. VII: 84. on tree trunk, Bot. Gard., Durban, v. d. Byl 113 (det. Merrill).

Caloplaca cinnabarina (Ach.) Zahlbr.

van der Byl (1931) 15: Zahlbruckner, (1932) 265, Cat. Lich. VII: 101.

Lecanora cinnabarina Ach.. Drège (1843) 50, 75; Nylander (1868) 511, (1869 a) 7; Crombie (1876 a) 171; Stizenberger (1890 & 1895) no. 571.

Callopisma cinnabarium Müll, Arg., J. Müller-Arg. (1893 a) 510, (1893 b) 297 : Schinz (1905) 395.

Placodium cinnabarinum Nyl., Wainio (1901) 407, (1915) 45.

on rocks and stones, chiefly sandstone, but also on granite, Durban, Armstrong: Kraairivier, Drège; Piquetberg, Drège; Table Mt., Eaton; Table Mt., opposite Camps Bay, Brunnthaler: Hanover, Cape, v. d. Merwe (v. d. Byl 436 pr. p.); Matjesfontein, Marloth 107; near Ceres, Leslie (v. d. Byl 622)): Clanwilliam, v. d. Byl 773; Glencairn, v. d. Byl 978: Botany Bay, v. d. Byl 990; Calvinia, v. d. Byl 1132; Pondoland, Bachmann: near Boroma, Menyharth 1, 210; Matopos, v. d. Byl 150 (det. Vain.): near Salisbury, Eyles (v. d. Byl 605, 631): between Maiombo and Cazimba, Welwitsch 14; near cataract, Ferrão da Solo, Welwitsch 484 pr. p.: on high mountain. Morro de Lopollo, Welwitsch 53, 54 pr. p., 116 pr. p.

Var. opaca (Müll. Arg.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 102.

Callopisma cinnabarinum var. opacum Müll. Arg., J. Müller-Arg. (1893 b) 297; Schinz (1905) 395.

Lecanora cinnabarina var. opaca Stizenberger (1895) no. 571.

near Boroma, Lower Zambesi, Menyharth 5, 1210.

Caloplaca cinnabariza (Nvl.) Zahlbr.

Zahlbruckner (1932) 266, Cat. Lich. VII: 102.

Lecanora cinnabarica Nyl. apud Crombie (1876 a (172, (1876 b) 19; Stizenberger (1890) no. 572; Hue (1891) 48.

on rocks, Table Mt., Eaton, Type, Jelinek 305; on quartz rocks, Smitswinkel, v. d. Byl 997, 1000.

Caloplaca coccinella (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 108.

Lecanora coccinella Stizenberger (1890) 201, no. 589.

Lecidea coccinella Hue (1914) 10.

amongst other lichens, on crumbling granite rocks, Lion's Head, MacOwan, Type.

Caloplaca conchiliata Zahlbr.

Zahlbruckner (1932) 264.

on non-calcareous rocks, near Matjesfontein, Brunnthaler, Type.

Caloplaca crocodes (Massal.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 112, (1926 b) Pl. 8, f. 1-5.

Callopisma crocodes Massalongo (1861) 87.

on quartzite rocks, Cape. Ecklon.

Caloplaca delectans Zahlbr.

Zahlbruckner, (1932) 262.

on schistose rocks, Grootrivier, v. d. Byl 898, Type.

Caloplaca diploplaca Zahlbr.

Zahlbruckner (1932) 268; van der Byl (1931) 15. on rocks, south-west Africa, Kriege (v. d. Byl 709) Type.

Var. gracilior Zahlbr.

Zahlbruckner, (1932) 269.

on quartz rocks, Haifischbucht, Fincke, Type; on silicaceous stones, Rössing, near Swakopmund, Lebzetter.

Caloplaca discolorella Zahlbr.

Zahlbruckner (1932) 261; van der Byl (1931) 15.

on quartzite rocks, Knysna, v. d. Byl 683, Type; on granite rocks, Salisbury. Eyles (v. d. Byl 584).

Caloplaca Ecklonii (Massal.) Zahlbr.

Zahlbruckner (1926 c) pl. 7, f. 1-10 Cat. Lich. VII: 231.

Niopsora Ecklonii Massalongo (1861) 85.

on trunks of trees, Cape, Ecklon.

Caloplaca effusa Merrill.

van der Byl (1931) 15, nom. nud.

on rock, Klapmuts, v. d. Byl 100 pr. p.

Caloplaca elegans (Link.) Th. Fr.

Zahlbruckner, Cat. Lich, VII: 231.

Placodium elegans DC., Vainio (1901) 407.

Amphiloma elegans Koerb., Schultze (1907) 705.

on scattered, calcareous stones, Serra de Montes Negros, Mossamedes, Welwitsch 43, 483; on rocks, Angra Pequena, in the Namib, Schultze 51 a; Gordons Bay, Wells (v. d. Byl 961, det. A. L. Sm.); Riversdale, v. d. Byl 938 (det. A. L. Sm.).

Caloplaca elegantissima (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 238.

Lecanora elegantissima Nylander (1868) 510; Stizenberger (1890) no. 544; Hue (1891)

Amphiloma elegantissimum Müll, Arg., J. Müller-Arg. (1888) 529.

Placodium elegantissimum Wainio (1901) 407.

on quartzite rocks, between Caroca and Cazimba, near Cabo Negro, Mossamedes, Welwitsch 45, 48 pr. p., 49 pr. p.; near Obib, Orange River, Schenck.

Caloplaca eudoxa Zahlbr.

Zahlbruckner, Cat. Lich. VII: 238.

Amphiloma eudoxum Müll. Arg., J. Müller-Arg. (1888) 44.

Lecanora eudoxa Stizenberger (1890) 194, no. 545.

on quartzite rocks, at top of mountain, Nautilus Point, Angra Pequena, Schinz.

Caloplaca fecunda Zahlbr.

Zahlbruckner (1932) 260.

on sandstone rocks, Steinkopf Mt., Namaqualand, Meyer (v. d. Byl 952), Type.

Caloplaca ferruginea (Huds.) Th. Fr.

Zahlbruckner, Cat. Lich. VII: 118.

Lecanora ferruginea Link., Drège (1843) 134, 141 : Stizenberger (1890 & 1895) no. 581 ; Hue (1891) 51.

Blastenia ferruginea Massal., J. Müller-Arg. (1893 b) 298; Schinz (1905) 395; van der Byl (1931) 15.

on rocks, Cape and near Lydenburg, Wilms: near Boroma, Menyharth 255, 270, 272, 463: Glenfilling, Drège: Hoffmanskloof, Drège.

on tree trunk, Onrust, v. d. Byl 332 (det. Vain.).

f. erysibe Jatta

Zahlbruckner, Cat. Lich. VII: 122.

Lecanora ferruginea f. erysibe Stizenberger (1890) no. 581. on bark, near Lydenburg, Wilms.

Caloplaca ferrogineovirens (Vain.) Zahlbr.

Zahlbruckner, Cat. Lich. VIII: 586.

Placodium ferrugineovirens Vainio (1926) 7: van der Byl (1931) 15. on bark of **Royena** sp., near Howick, r. d. Byl 224, Type.

Caloplaca flava (Müll. Arg.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 131.

Callopisma flavum Müll. Arg., J. Müller-Arg. (1893 b) 297: Schinz (1905) 395. Lecanora flava Stizenberger (1895) no. 578ter.

on rocks, Mt. Nhasinde, Zambesi Region, Menyharth 1209,

Caloplaca flavorubens (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 239.

Placodium flavorubens Nylander (1868) 510.

Lecanora flavorubens Stizenberger (1890) no. 562.

on rocks, South West Africa, Welwitsch.

Precise locality not mentioned: this may be a tropical species, it was also collected by Welwitsch at Cape Verde (Vainio 1901: 407).

Caloplaca flavovirescens Dalla Torre & Sarnth.

Zahlbruckner, Cat. Lich. VII: 131.

Lecanora erythrella Ach., Stizenberger (1890) no. 577.

Lecanora aurantiaca var. erythrella Nyl., Crombie (1876 a) 172. on rocks, Table Mt., Eaton.

Caloplaca gracilescens Zahlbr.

Zahlbruckner (1932) 268; van der Byl (1931) 15. on quartz rocks, Conney Glen, Knysna, v. d. Byl 640.

Caloplaca granulosa Jatta.

Zahlbruckner, Cat. Lich. VII: 240.

Placodium subgranulosum Vain., van der Byl (1931) 13.

(?) Lecanora granulosa Wedd., Stizenberger (1890) no. 558. on stone, Langbaan, v.d. Byl 355 pr. p. (det. Vain.); ? on rocks, Table Mt., MacOwan.

Caloplaca haematodes (Massal,) Zahlbr.

Zahlbruckner (1926 c) Pl. 9, f. 7-11; (1932) 266, Cat. Lich. VII: 143.

Callopisma haematodes Massalongo (1861) 86; Malme (1926) 29.

Lecanora cinnabarina var. perminiata Nyl. apud Crombie (1876 a) 171; Hue (1891) 48.

Lecanora cinnabarina var. haematodes Stizenberger (1890) 198, no. 571

on rocks, Table Mt., Eaton, Balfour, MacOwan; near Simon's Bay, Jelinek; near Matjesfontein, Marloth 134; near Laingsburg, Brunnthaler; Hanover, Cape, v. d. Merwe (v. d. Byl 436 pr. p., det. Vain.); Ceres, Leslie (v. d. Byl 455, det. Vain, 458, 465, 468, 473).

Caloplaca Hampeana (Massal.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 144.

Pyrenodesmia Hampeana Massalongo (1856) 38. on bark, Cape of Good Hope.

Caloplaca lamprocheila Flagey

Zahlbruckner, Cat. Lich. VII: 153.

Lecanora lamprocheila (DC.) Nyl., Stizenberger (1890) no. 592. on rocks, top of Table Mt., MacOwan.

Caloplaca leptopisma (Nyl.) Zahlbr. forma.

Placodium leptopismum (Nyl.) Vain. f. discreta Vain. in Herb. van der Byl, ? nom. nud. on stones, Sarnia, Hean (v. d. Byl 296, 307, 309, 317); Langbaan, v. d. Byl 355 pr. p., Mossel Bay, v. d. Byl 379; Hanover, Cape, v. d. Merwe (v. d. Byl 433); all det. Vain.

Caloplaca leucoxantha (Müll. Arg.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 242.

Amphiloma leucoxanthum, Müll. Arg., J. Müller-Arg. (1888) 139.

Lecanora leucoxantha Stizenberger (1890) 195, no. 551.

on branches of Sarcocaulon sp., Angra Pequena, Schinz.

Caloplaca massula Zahlbr.

Zahlbruckner, Cat. Lich. VII: 156.

Lecanora massula Stizenberger (1890) 201, no. 586.

Lecidea massula Hue (1914) 15.

on bark of pomiferous trees, Lydenburg, Wilms, Type.

Caloplaca mastophora (Vain.) Zahlbr.

Zahlbruckner, Cat. Lich. VIII: 587.

Placodium (Callopisma) mastophorum Vainio (1926) 7: van der Byl (1931) 15. on bark of **Royena** sp., near Howick, v. d. Byl 210, Type.

Var. flavorubescens Vain.

in Herb, van der Byl, ? nom. nud.

on bark of Celtis Kraussiana Bernh., Salisbury, Eyles 3897 (v. d. Byl 548, det. Vain.).

Caloplaca murorum (Hoffm.) Th. Fr.

Zahlbruckner (1932) 269, Cat. Lich. VII: 248.

Lecanora murorum Ach., Drège (1843) 52, 53, 75, 85; Crombie (1876 a) 171; Stizenberger (1890) no. 553.

on rocks, Table Mt., Eaton: on quartz rocks, Hermanus, v. d. Byl 788 pr. p.; Witberg Drège; Piquetberg, Drège; Paarlberg, Drège.

Caloplaca Neethlingii Zahlbr.

Zahlbruckner (1936) 175. on quartzite, Lydenburg, Neethling (v. d. Byl 1216), Type.

Caloplaca Nideri Steiner var. pruinosula Zahlbr.

Zahlbruckner (1926 a) 543, Cat. Lich. VII: 261. on crumbling stone, Haifischinsel, off Lüderitzbucht, Fincke, Type.

Caloplaca nolens Zahlbr.

Zahlbruckner (1932) 260. on bark of tree, Victoria Falls, Brunnthaler, Type.

Caloplaca Odoardii (Bagl.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 160. Lecanora Odoardii Stizenberger (1890) 200, no. 582. on bark, near Lydenburg, Wilms.

Caloplaca orichalcea (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 161. Lecanora orichalcea Stizenberger (1890) 199, no. 576. Lecidea orichalcea Hue (1914) 16. on granite and basaltic rocks, Lebombo Mts., Wilms.

Caloplaca pallidior (Müll. Arg.) Zahlbr.

Zahlbruckner (1932) 266.

Lecanora subfulgescens Nyl., Stizenberger (1890) no. 556; (?) van der Byl (1931) 13, as L. subfulgens.

Caloplaca cinnabarina var. pallidior Jatta, van der Byl (1931) 15.

Caloplaca cinnabarina var. subfulgescens Zahlbruckner, Cat. Lich. VII: 102. on granite Transvaal. Wilms; on schistose rocks, near Bulawayo, Brunnthaler; on rocks, near Salisbury, Eyles (v. d. Byl 608); near Ceres, Leslie (v. d. Byl 614).

f. opaca (Müll. Arg.) Zahlbr.

Zahlbruckner (1932) 266. on sandstone rocks, near Laingsburg, Brunnthaler.

Caloplaca perexigua (Vain.) Zahlbr.

Zahlbruckner, Cat. Lich. VIII: 588. Placodium perexiguum Vainio (1926) 6; van der Byl (1931) 15. on rocks, Riversdale, v. d. Byl 370 pr. p., Type.

Caloplaca phlogina Flagey

Zahlbruckner, Cat. Lich. VII: 164. Lecanora phlogina Nyl., Stizenberger (1890) no. 610. on bark, near Lydenburg, Wilms.

Caloplaca placidia Steiner

Zahlbruckner, Cat. Lich. VII: 165.

Lecanora aurantiaca var. placidium Stizenberger (1890) no. 574. on rocks, near Lydenburg, Wilms.

Caloplaca platyna Zahlbr.

Zahlbruckner (1936) 175.

on shale rocks, Nuwe Rus, Namaqualand, v. d. Byl 1167, Type.

Caloplaca pyracea Th. Fr.

f. pyrithromoides Oliv.

Zahlbruckner, Cat. Lich. VII: 173.

Placodium ferrugineum (Huds.) Hepp. var. pyrithromoides Wainio (1901) 407. on top of rock in Montes Negros, Welwitsch 51 pr. p.; on perpendicular schistose rocks, between Maiombo and Cazimba, Welwitsch 17 pr. p.

f. subpicta Zahlbr.

Zahlbruckner, Cat. Lich. VII: 173.

Lecanora pyracea f. picta Nyl. apud Crombie (1876 a) 172.

Lecanora pyracea var. picta (Nyl.) Stizenberger (1890) no. 601. on rocks, Table Mt., Eaton.

Var, pyrithroma Flagey.

Zahlbruckner, Cat. Lich. VII: 177.

Lecanora pyracea Nyl. f. pyrithroma Nylander (1868) 511; Hue (1891) 50; Stizenberger (1890) no. 601. in desert regions, Mossamedes.

Caloplaca pyropoecila (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 178.

Lecanora pyropoecila Nyl. apud Crombie (1876 a) 172, (1876 b) 20; Stizenberger (1890) no. 609; Hue (1891) 51; van der Byl (1931) 13.

Placodium pyropeocilum Vainio (1921) 59.

on rocks, Table Mt., Eaton, Type; on ironstone, Howick, v. d. Byl 216 (det. Vain.).

Caloplaca pyropoeciloides Zahlbr.

Zahlbruckner (1932) 263.

on granite rocks, slopes of Table Mt., Brunnthaler, Type.

Caloplaca regalis (Vain.) Zahlbr.

Zahlbruckner (1932) 269, Cat. Lich. VII: 275. on non-calcareous rocks, Bloubergstrand, v. d. Byl 1041, 1042.

f. prostrata (Hue) Zahlbr.

Zahlbruckner, l.c.

associated with above, v. d. Byl 1040.

Caloplaca sophodes (Vain.) Zahlbr.

Zahlbruckner, Cat. Lich. VIII: 589.

Placodium sophodes Vainio (1926) 8; van der Byl (1931) 13.

on bark of Royena sp., near Howick, v. d. Byl 207 pr. p., Type.

Caloplaca subcerina (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 202.

Lecanora erythroleuca var. subcerina Nyl., Stizenberger (1890) no. 627: van der Byl (1931) 12.

Placodium subcerinum Vain.

on bark of trees, near Durban. Wilms; on bark of **Royena** sp., Howick, v. d. Byl 209 (det. Vain, as Placodium subcerinum).

Caloplaca subseptata Zahlbr.

Zahlbruckner (1932) 259.

on rocks, Gordon's Bay, Webb (v. d. Byl 959) Type.

Caloplaca subsoluta (Nvl) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 185.

Lecanora subsoluta Nyl., van der Byl (1931) 13.

on stone, Hanover, Cape, v. d. Merwe (v. d. Byl 430, 434, det. Vain.)

Caloplaca subunicolor (Nyl.) Zahlbr.

Zahlbruckner (1932) 265, Cat. Lich. VII: 185.

Lecanora subunicolor Nyl. apud Crombie (1876 a) 172, (1876 b) 19 : Stizenberger (1890) no. 578 : van der Byl (1931) 13.

Lecanora euclpis Stizenberger (1890) 169, no. 575.

Lecidea euelpis Hue (1914) 12.

Caloplaca euelpis Zahlbruckner, Cat. Lich. VII: 116.

on rocks, Table Mt., Eaton; Cape, MacOwan; Ceres, Leslie (v. d. Byl 470, det. Vain.); on hill near Port Elizabeth, Brunnthaler.

Caloplaca sympageella (Vain.) Zahlbr.

Zahlbruckner, Cat. Lich. VIII: 589.

Placodium sympageellum Vainio (1926) 6; van der Byl (1931) 15.

on rocks, Howick, v. d. Byl 220, Type, 217 pr. p. (det. Vain.).

Caloplaca tegularis Sandst.

Zahlbruckner, Cat. Lich. VII: 267.

Physcia pusilla Massalongo (1852 a) 567.

Lecanora murorum var. pusilla Wedd., Stizenberger (1890) no. 553. on rocks, near Saldanha Bay, Breutel.

Caloplaca teicophila (Massal.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 189.

Callopisma teicophilum Massalongo (1861) 86.

on schistose rocks, Cape, Waura.

Caloplaca theloschistoides Zahlbr.

Zahlbruckner, (1921) 241, (1926 b) 544, Cat. Lich. VII: 275. on non-calcareous rocks, Haifischinsel, off Lüderitzbucht, Fincke.

Caloplaca zambesica (Müll, Arg.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 201.

Callopisma zambesicum Müll. Arg., J. Müller-Arg. (1893 b) 297.

Lecanora zambesica (Müll. Arg.) Stizenberger (1895) no. 578bis.

on rocks, near Boroma, Menyharth 1210, 1213.

TELOSCHISTACEAE.

Teloschistes capensis Malme

Malme (1926) 47; Zahlbruckner (1926 c) Pl. 5, f. 7-8, Cat. Lich. VII: 311. Hillman (1930) 323.

Lichen capensis Linnaeus f. (1781) 451; Hoffman (1784) 94, Tab. XIX f. 2, XX f. 2;
 Lamarck (1789) 507; Gmelin (1791) 1379; Acharius (1798) 182; Thunberg (1800) 179, (1923) 748.

Usnea capensis Hoffman (1790) 48, Tab. X f. 1; Roumeguère, (1868) 35, Tab. VI, LVII.

Borrera capensis Acharius (1810) 503, Tab. IX f. 5.

Borrera pubera v. capensis Acharius (1814) 224.

Physcia capensis de Notaris (1847) 196, (1849) 386, f. 15; Massalongo (1852 a) 563, (1852 b) 34; Juel (1918) 49.

Tornabenia capensis Massalongo (1853) 42.

Blastenia capensis Trevisan (1853) 2.

Physica chrysophthalma var. capensis Nylander (1857) 106, (1860 a) 410; Stirton (1877)

215; Hue (1890) 315; Stizenberger (1890) no. 414.

on branches of shrubs, Tygerberg and die Swartland, Thunberg; on tree trunks, Cape, Breutel, Rehmann; on Lycium sp. and Cotyledon paniculata, Cape Point, C. A. Smith, 727.

f. puber Malme

Malme (1926) 47; van der Byl (1933 a) 15; Zahlbruckner, Cat. Lich. VII: 312. Borrera pubera Acharius (1810) 502; on bark, South Africa.

Teloschistes chrysocarpoides Wain.

Wainio (1900 b) 4 ; Zahlbruckner, Cat. Lich. VII : 318. on branches of trees, Hereroland, Dinter 50.

Teloschistes chrysophthalmus (Linn.) Beltr.

Steiner (1907) 641; Zahlbruckner (1926 c) Pl. 2. figs. 1-2, (1932) 269, Cat. Lich. VII: 269; van der Byl (1931) 15, (1933 a) 14.

Borrera chrysophthalma Ach., Drège (1843) 94, 105, 133.

Tornabenia africana Massalongo (1861) 84.

Evernia chrysophthalma Flotow, von Flotow (1843) 24; Krauss (1846) 202.

Teloschistes africanus Zahlbruckner (1926 c) Pl. 2, figs. 3-7.

Physcia chrysophthalma (Linn.) DC., Stirton (1877) 215; Crombie (1876 a) 170;

Stizenberger (1890) no. 414.

on bark and branches, near Gouritz River; Table Mt., Eaton, v. d. Byl; Table Mt. and Devils Peak, Drège; Garip, near the mouth of the Orange River, Drège; Enon, Drège; Robertson, Bruwer (v. d. Byl 408, det. Vain.); Piquetberg, v. d. Byl; Jansenville, Slabbert (v. d. Byl 701); Stellenbosch, Duthie 2; Transvaal, without locality, v. d. Byl; Cape, ?MacOwan; on Cydonia oblonga Mill., Umtali, Eyles 4287 (v. d. Byl 571, det. A. L. Sm.); on Prunus salicina Lindl., Klapmuts, v. d. Byl 984 (det. Merrill) on Acacia Karroo Hayne, near Berg River, Stellenbosch, Krauss.

f. armatus (Rabenh.) Hillm.

Hillman (1930) 312; van der Byl (1933 a) 14; Zahlbruckner, (1932) 270, Cat. Lich, VII: 270.

on branches of Rhus glauca Desf., near Still Bay, Muir (v. d. Byl 967).

f. cinereus Müll. Arg.

Zahlbruckner (1926 b) 548, Cat. Lich. VII: 316.

on bark of Quercus sp., Genadendal, near Caledon, Brunnthaler; on bark, Löwenberg, Zeyher no. 8 (as Parmelia capensis Ach.).

Var. dilatatus Hillm.

Hillman (1930) 312: van der Byl (1933 a) 15; Zahlbruckner, Cat. Lich. VII: 317. Physcia chrysophthalma var. dilatata Stizenberger (1890) 176, no. 414. on bark, Transvaal, McLea; Knorhoek, Sir Lowry Pass, Fischer, 1612.

Var. pulvinaris Zahlbr.

Zahlbruckner (1926 b) 549, Cat. Lich. VII: 318; Hillman (1930) 312; van der Byl (1933 a) 15.

on old Casuarina tree, Port Elizabeth, Brunnthaler.

Teloschistes costatus Hillm.

Hillman (1930) 327; van der Byl (1933 a) 15; Zahlbruckner, Cat. Lich. VII: 318. Teloschistes flavicans (Sw.) Norm. var. costatus Steiner (1897) 214; Zahlbruckner (1926 b) 548.

on thorn bushes, Despatch, Brunnthaler; on trees and shrubs, East London, Wager, 757; Jeffreys Bay, Kapp, 1765; Fort Beaufort, Schaefer, 2031.

Teloschistes exilis (Michx.) Vain.

Hillman (1930) 335; van der Byl (1931) 15.

Physcia exilis Michx., Stizenberger (1890) no. 409.

Physcia flavicans var. exilis Nylander (1860 a) 407.

Teloschistes flavicans var. exilis (Michx.) Müll. Arg., Zahlbruckner, (1926 b) 548, Cat. Lich. VII: 322; van der Byl (1933 a) 17.

on thorn bushes, Haifischinsel, off Lüderitzbucht, Fincke; on Cydonia oblonga Mill. Unttali, Eyles 4287; on branches of Acacia sp., Eteza, Zululand, v. d. Byl 123 (det. Vain.); on trunks, Woodbush, v. d. Byl 521 pr. p.; Cape Town, Eyles (v. d. Byl 403 and v. d. Byl; Kwaggakama, Christian, 742; Bushbuck Ridge, Wager, 1474; ? Kentani, Pegler (S.A.M. 46899); East London, Pegler (S.A.M. 46949); Blue Lilies Bush-Humansdorp, Woodcock (S.A.M. 46930).

Var. dealbatus Hillm.

Hillman (1930) 335.

Evernia flavicans var. dealbata von Flotow (1843) 24, : Krauss (1846) 202.

Teloschistes flavicans var. dealbatus Zahlbruckner, Cat. Lich. VII: 322.

on twigs in bush, Highbury, *Doidge*, 1540; Rosetta, *T. R. Sim*, 1441; on bark of **Acacia decurrens** Willd., Mountain Home Farm, Woodbush, *Mogg*, 1562; on **Gymnosporia** sp., near Uitenhage, *Krauss*.

Var. pulvinatus Hillman

Hillman (1930) 335.

Teloschistes flavicans var. pulvinatus Zahlbruckner, Cat. Lich. VII: 324.

on twigs of Acacia Karroo Hayne, Prunus persica Sieb. & Zucc., and other trees, Kentani, Pegler 1227, 156.

Teloschistes flavicans (Sw.) Norm.

Zahlbruckner (1926 b) 547, Cat. Lich. VII : 319 ; Hillman (1930) 329 ; van der Byl (1933 a) 16.

Lichen flavicans Sw., Thunberg (1800) 179, (1823) 748.

Evernia flavicans von Flotow (1843) 24; Krauss (1846) 202.

Tornabenia flavicans Massalongo (1861) 48.

Borrera flavicans Ach., Drège (1843) 133.

Physcia flavicans (Sw.) DC., Crombie (1876 a) 170; Stizenberger (1890 & 1895) no. 408. amongst moss and on rocks and tree trunks, Cape, Wawra; Muizenberg mountain, Mac-Owan (S.A.M. 46962); on branches of trees, Table Mt., Eaton; on thorn bushes, Despatch, Brunnthaler; Green Point, v. d. Byl; Saldanha Bay, Thunberg; Pondoland, Bachmann; Garcia's Pass, Riversdale, Thorne (S.A.M. 38881); on twigs, Kaaimansgat Forest, Mogg, 1972; Enon, Drège.

f. minor Cromb.

Hillman (1930) 335; Zahlbruckner, Cat. Lich. VII: 321; van der Byl (1933 a) 16. Physcia flavicans var. minor Crombie (1876 a) 170; Stizenberger (1890) no. 408; Gepp (1911) 244.

on branches, Table Mt., Eaton: on trees, near Chirinda, Swynnerton 883.

Var. croceus Müll. Arg.

J. Müller-Arg. (1893 c) 510; Hillman (1930) 333; Zahlbruckner, Cat. Lich. VII: 322; van der Byl (1933 a) 16.

Physica flavicans var. crocea Jatta, Stizenberger (1895) no. 408. on branches, Pondoland, Bachmann; Cape, Rehmann, Ecklon, Drège.

Var. intermedius Müll. Arg.

J. Müller-Arg. (1893 c) 510; Stizenberger (1895) no. 408; Hillman (1930) 333.
Teloschistes flavicans var. maximus Zahlbruckner, Cat. Lich. VII: 323.
on branches, Pondoland, Bachmann.

Var. puberus Müll. Arg.

Zahlbruckner, Cat. Lich. VII: 324.

Borrera pubera Acharius (1810) 502, (1814) 223; Drège (1843) 94, 108, 132.

Physcia chrysophthalma var. pubera Nylander (1860 a) 410.

Teloschistes flavicans var. puber Hillman (1930) 334.

on dry stony hills, Ebenezar, *Drège*; Garip, near the mouth of the Orange River, *Drège*; Samteesvlakte, *Drège*; Enon, *Drège*.

Teloschistes hypoglaucus (Nyl.) Zahlbr.

Hillman (1930) 338; van der Byl (1933 a) 17; Zahlbruckner, Cat. Lich. VII: 328.

Physcia hypoglauca Nylander (1860 a) 409, (1869 a) 6; Hue (1890) 314; Stizenberger (1890) no. 413.

Niorma derelicta Massalongo (1861) 84.

Teloschistes derelictus Zahlbruckner (1926 c) Pl. 2, figs 8-12.

on branches and twigs, Cape, Wawra, Ecklon, Zehler; Barberton, Burtt-Davy, 174; in bush, Highbury, Doidge, 1539; Giants Castle, Symons 1422; along Inanda Valley, between Krantzkop and Greytown, R. A. Dyer, 1828; on twigs of Pyrus malus Linn. Bethlehem, Saayman, 1590; Zomershoek, Wakkerstroom, Pienaar, 175; on twigs of Pyrus and Prunus spp., Pont & v. Elden; on twigs of Rhus refracta E. & Z., on hill west of Tidbury's Toll, Turner, 1863; on branch of Acacia Karroo, Hayne, Doornbosch, Somerset East, Turner, 1872.

Teloschistes perrugosus Müll. Arg.

J. Müller-Arg. (1891) 376; Hillman (1930) 317; Zahlbruckner, Cat. Lich., VII: 325.

Physcia perrugosa Stizenberger (1893) 90, no. 411 bis. near Lupata in the Zambesi region, Kirk.

Teloschistes scorigenus (Mont.) Wain.

Wainio (1901) 407; Zahlbruckner, Cat. Lich. VII: 325.

Lecanora scorigena (Mont. (Nylander (1868) 510; Hue (1891) 47; Stizenberger (1890) no. 543.

on calcareous rocks, near Cabo negro, Welwitsch 22.

Teloschistes validus (Müll. Arg.) Hillm.

Hillman (1930) 326.

Teloschistes flavicans (Sw.) Norm. var. validus Müll. Arg., Zahlbruckner, Cat. Lich. VII: 324.

on twigs, Inanda, Medley Wood 644, 1697; Port Alfred, Penfield, 178; Lourenço Marques, Junod, 185; Jeffrey's Bay, Kapp, 1764; Kaaimansgat Forest, Mogg, 1972; Kidds Beach, Schaefer, 2027.

Teloschistes verrucosus Hillm.

Hillman (1930) 325; van der Byl (1933 a) 13; Zahlbruckner, Cat. Lich. VII: 327 on bark, Duikervallei, Tygerberg, Lindley Exped.; Cape, Drège; without locality, Marlot 6406; 1517: Orange River Mouth, near Alexander Bay, Orpen, 736.

Teloschistes villosus Norm.

Zahlbruckner, Cat. Lich. VII: 325.

Physcia villosa Duby, Schultze (1907) 706.

on Marlothia africana Engl., Kwatsane, Kalahari, Schultze 23.

Xanthoria candelaria Kickx.

f. fibrillosa Hillm.

Hillman (1922) 201; Zahlbruckner (1926 b) 547, Cat. Ligh. VII: 282. on branches of a shrub, Namaqualand, Marloth 6405, ? 1516.

Var. semigranularis Zahlbr.

Zahlbruckner, Cat. Lich. VII: 287.

Physcia lychnea (Ach.) Nyl. var. semigranularis Stizenberger (1890) 177, no. 420. Teloschistes controversus var. semigranularis Müll. Arg., J. Müller-Arg. (1887 a) 319. on bark, near Lydenburg, Wilms.

Xanthoria ectaneoides (Nvl.) Zahlbr.

Zahlbruckner (1932) 269. Cat. Lich. VII: 287: van der Byl (1931) 15, (1933 (a) 12, *Physcia ectaneoides* Nyl., Stizenberger (1890) no. 419.

Xanthoria parietina (Linn.) Beltr. var. ectaneoides (Nyl.) Zahlbr., Hillman (1920, 4, 20, on rocks, Table Mt.. Jelinek: Onrust, v. d. Riet (v. d. Byl 804): Hermanus, Louwrens 1734.

Xanthoria flammea (Linn. f.) Hillm.

Hillman (1932) 192, 206; Zahlbruckner (1926 b) 545, (1926 c) Pl. 1, f. 11-1 (1932) 269, Cat. Lich. VII: 309; van der Byl (1931) 15, (1933 a) 10.

Lichen flammeus Linnaeus f. (1781) 451; Thunberg (1800) 179, (1823) 747.

Dufourea flammea Acharius (1810) 524, (1814) 246; Juel (1918) 49.

Parmelia flammea Ach., von Flotow (1843) 27; Krauss (1846) 201. Physcia flammea Nylander (1860 a) 412; Stizenberger (1890) no. 321.

Physica flammula Nyl., Schultze (1907) 706.

Physcia holoxantha Nylander (1869 a) 6, not.

on bark of shrubs and trees, neat Saldanha Bay, Thunberg; Lamberts Bay, Brauns; near Swellendam, Krauss; without locality, Pappe (S.A.M. 46881); near Swakopmund, F. & R. Wettstein; Table Mt., Eaton; South Africa, without locality, Breutel (Herb. Krempelhuber); on dead plants, Possession Is., Schultze 22; on thorn bush, Haifischinseln off Lüderitzbucht, Fincke; on Cassine sphaerophylla O. Ktze., Platbos near Stilbaai, Muir (v. d. Byl 970); on branches of Lycium horridum L., 'in insula Phocarum', near Table Bay.

Var. podetiifera Hillm.

Hillman (1922) 207; Zahlbruckner, Cat. Lich. VII: 309.

on Asparagus capensis and Lycium sp., Bozenfels, Dinter, 1502; on shrubs, Lamberts Bay, v. d. Merwe, 1720; Saldanha Bay, Marloth 106, 1519; Alexander Bay, Orpen, 735; on dead twigs of Lycium horridum L., MacOwan, 319.

Xanthoria Marlothii Zahlbr.

Zahlbruckner (1926 b) 544, Cat. Lich. VII: 288; van der Byl (1933 a) 10. on sandstone, Steinkopf Distr., Little Namaqualand, Marloth 6320.

Xanthoria parietina (Linn.) Beltr.

Zahlbruckner (1926 b) 547, (1932) 269, Cat. Lich. VII: 288; van der Byl (1931) 15, (1933 a) 11.

Parmelia parietina Ach., Drège (1843) 85, 94, 108, 133.

Physcia parietina (L.) de Not., Crombie (1876 a) 170; Stirton (1877) 215; Stizenberger (1890) no. 415.

on branches and twigs of trees undet., Table Mt., Eaton; Kloof Neck. Brunnthaler; Ceres, Leslie (v. d. Byl 611); near Stilbaai, v. d. Byl 968; Paarlberg, Drège; Enon, Drège; Garip, near the mouth of the Orange River, Drège; on dry stony hills, Ebenezar, Drège; Boschberg, MacOwan 525 (S.A.M. 46913); Robertson, Bruwer (v. d. Byl 414); Piquetberg, v. d. Byl; Woodbush, v. d. Byl 521 pr. p.; on Cassine sphaerophylla O. Ktze, near Stilbaai, J. Muir; on Myoporum acuminatum R. Br., near Stilbaai, J. Muir; on Nerium Oleander Linn., Hopefield, v. d. Byl 146 (det. Vain.); on Populus alba Linn., Liesbeck River MacOwan; Populus sp., Klapmuts, v. d. Byl 85 (det. Merrill); on Portulacaria afra Jacq., Zwartkops, Brunnthaler; on Prunus persica Sieb. & Zucc., Klapmuts, v. d. Byl 92; on Punica granatum Linn., Hopefield, v. d. Byl 395 (det. Vain.); on Quercus sp., Klapmuts, v. d. Byl 82 (det. Merrill); on Sideroxylon inerme Linn., near Stilbaai, J. Muir.

on rocks, Klapmuts, v. d. Byl 93; on stones, Onrust, v. d. Riet, Gouritz Rivier, v. d. Byl 321; on cement wall, Cape Town, Eyles (v. d. Byl 387).

f. albicans (Müll. Arg.) Hillm.

Hillman (1920) 2, 14; Zahlbruckner, Cat. Lich. VII: 295.

Physcia parietina f. albicans Müll. Arg., J. Müller-Arg. (1890) 338; Stizenberger (1893) no. 415.

South Africa, MacOwan, 337.

f. rutilans Th. Fr.

Zahlbruckner, Cat. Lich. VII: 297.

Physcia parietina var. rutilans Stizenberger (1890) 176, no. 415.

on branches of shrubs, Cape, Drège.

Var. aureola (Ach.) Th. Fr.

Steiner (1907) 641; Hillman (1920) 18; van der Byl (1933 a) 11.

Physcia parietina var. aureola Körb., Crombie (1876 a) 170; Stizenberger (1890) no. 415.

on bark of trees, Table Mt., Eaton; Stellenbosch, Duthie 6.

Var. ectanea (Ach.) Kickx.

Zahlbruckner (1926 b) 547, Cat. Lich. VII: 298; van der Byl (1933 a) 11.

Physica parietina var. ectanea (Ach.) Nylander (1860 a) 411; Hue (1890) 315; Stizenberger (1890) no. 418.

on branches of shrubs and on calcareous stones, Cape, Drège; on Quereus sp., Genadendal, Brunnthaler.

Var. macrophylla (Stizenb.) Hillm.

 Hillman (1920) 7, 16 : Zahlbruckner, Cat. Lich. VII : 302 : van der Byl (1933 a
) $12.\,$

Physcia macrophylla Stizenberger (1890) 177, no. 418; Zahlbruckner, Cat. Lich. VII: 646.

on cortex of Sparmannia sp., Table Mt., Jelinek.

Xanthoria turbinata Wain.

Wainio (1900 b) 4; van der Byl (1933 a) 12.

on branches of **Punica granatum** Linn., Hopefield, v. d. Byl 395 pr. p. (det. Vain.); on branches, Hereroland, Dinter 49, 49 b.

BUELLIACEAE.

Buellia abstracta Oliv.

Zahlbruckner, Cat. Lich. VII : 330 ; van der Byl (1931) 16. on stone, Hopefield, $v.\ d.\ Byl\ 341$ (det. Vain.).

Buellia aethalea (Ach.) Th. Fr.

Zahlbruckner (1926 b) 549, (1932) 272, Cat. Lich. VII: 331.

Lecidea aethalea Nyl., Stizenberger (1891) no. 1132.

Lecidea atroalbella Nyl., Stizenberger (1891) no. 1131.

Melanaspicilia aethalea Wain., Herb. v. d. Byl.

as Rinodina aethalea (Ach.), van der Byl (1931) 16.

on rocks, Kloof Neck, Cape Town, Brunnthaler; Table Mt., MacOwan, Jelinek; Caledon, v. d. Byl 365 (det. Vain.); Spitzkop, near Lydenburg, Wilms.

Buellia aethaloëssa (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 333.

Lecidea aethaloëssa Stizenberger (1891) 166, no. 1133. on quartzite rocks, near Muizenberg, MacOwan, Type.

Buellia afra Wain.

Wainio (1901) 415; Zahlbruckner, Cat. Lich. VII: 333.

Buellia africana Müll. Arg., J. Müller-Arg. (1879) 292, (1893) 292,

Lecidea afra Stizenberger (1891 & 1895) 163, no. 1120.

on rocks, near Boroma, Lower Zambesi, Menyharth 6.

Buellia africana Tuckerm.

Tuckerman (1888) 160; J. Müller-Arg. (1893 b) 298; Schinz (1905) 395; Zahlbruckner, Cat. Lich, VII: 433, 458.

Lecidea africana Tuckerman (1860) 406; Stizenberger (1891) no. 1184.

Catalechia africana Müll. Arg., J. Müller-Arg. (1881) 510.

on rocks, Saldanha Bay, Zeyher; on sandstone rocks, near Simonstown, Wright; Table Mt., MacOwan; near Boroma, Menyharth 6.

Buellia albinea Müll. Arg.

Zahlbruckner, Cat. Lich. VII: 334. Lecidea albinea Stizenberger (1891) 168, no. 1141. on quartzite rocks, Lebombo Mts., Wilms.

Buellia albula Müll. Arg.

Zahlbruckner, Cat. Lich. VII: 334. Lecidea albula Nyl., Stizenberger (1891) no. 1147. on wood, Saldanha Bay, Breutel.

Buellia ambusta Zahlbr.

Zahlbruckner, Cat. Lich. VII: 334, as B. ambuta. Lecidea ambusta Stizenberger (1891) 174, no. 1170. on bark of a tree of the family Malvaceae, near Durban, Wilms, Type.

Buellia anatolodia Massal.

Massalongo (1861) 67; Zahlbruckner, Cat. Lich. VII: 335. Lecidea anatolodia Krempelh., Stizenberger (1891) no. 1137. on rocks, Cape, Wawra.

Buellia Brugierae Vain,

Vainio (1926) 14; van der Byl (1931) 16; Zahlbruckner, Cat. Lich. VIII: 591 on bark of **Bruguiera gymnorhiza**, near Durban, v. d. Byl 138, Type.

Buellia Brunnthaleri Zahlbr.

Zahlbruckner, Cat. Lich. VII: 340. Buellia angulosa Steiner, apud Zahlbruckner (1926 b) 549, non. B. de Lesd. on quartzite rocks, above the baths, Caledon, Brunnthaler.

Buellia callaina (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 341. Lecidea callaina Stizenberger (1891) 172, no. 1166. on sandstone rocks, Lions Head, MacOwan, Type.

Buellia callispora var. tetrapla Steiner

Steiner (1907) 645; Zahlbruckner (1926 b) 551, (1932) 272, Cat. Lich. VII: 341. on bark, Mt. Mamotsuiri, Junod 997 pr. p., Type; on rind of Portulacaria afra Jacq., Zwartkops near Port Elizabeth, Brunnthaler.

Buellia callisporoides Vain.

Lynge (1937) 78 (not *B. callisporoides* Steiner, see Zahlbruckner, Cat. Lich. VII: 341).
on rocks, Riversdale, v. d. Byl, Type.

Buellia cangoensis Vain.

Vainio (1926) 15; van der Byl (1931) 16; Zahlbruckner, Cat. Lich. VIII: 591. on bark of leafy tree, near Cango Caves, Oudtshoorn, v. d. Byl 381.

Buellia coeruleata (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 343.

Lecidea coeruleata Stizenberger (1891) 168, no. 1142. on quartzite rocks, Cape, MacOvan, Type.

Buellia contingens Zahlbr.

Zahlbruckner, Cat. Lich. VII: 346.

Lecidea contingens Nyl. apud Crombie (1876 a) 178; Hue (1891) 144; Stizenberger (1891) no. 1176.
on rocks, Table Mt., Eaton, Type.

Buellia dialytella Vain.

Vainio (1926) 15; van der Byl (1931) 16; Zahlbruckner, Cat. Lich. VIII: 591. on bark of Royena sp., near Howick, v. d. Byl 207 pr. p., Type.

Buellia diorista (Nvl.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 349; van der Byl (1931) 16.

on tree trunk, Stella Bush, Verwoerd (v. d. Byl 399, det. Vain.): on stem of shrub, Robertson, Bruwer (v. d. Byl 412, det. Vain.).

Buellia disciformis (Fr.) Mudd.

Zahlbruckner (1932) 270, Cat. Lich. VII: 349.

Lecidea disciformis Nylander (1869 a) 12; Stizenberger (1891 & 1895) no. 1160.

Buellia parasema var. disciformis Th., Fr., J. Müller-Arg. (1893 b) 298: Schinz (1905) 395.

on bark, near Lydenburg and in Schiffberg Mt., Wilms (Lojka, Licheboth. univ. 84); Natal; Salisbury, v. d. Byl 602; near Boroma, Menyharth 262; Durban, Armstrong.

f. vulgata Oliv.

Zahlbruckner, Cat. Lich. VII: 352.

Buellia parasema var. vulgata Th., Fr., J. Müller-Arg. (1893 b) 298; Schinz (1905) 395. on bark, near Boroma, Menyharth 463, 466, 470.

Var. cinereopruinosa Vain.

van der Byl (1931) 16, ? nom. nud. on trunk of tree, Eshowe, v. d. Byl 186.

Var. lecanactina Steiner

Steiner (1907) 645; Zahlbruckner, Cat. Lich. VII: 353.

on bark, Mt. Mamotsuiri, Junod 997 pr. p., Type, 998 pr. p.

Var. sanguinea (Müll. Arg.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 354.

Buellia parasema var. sanguinea Müll. Arg., J. Müller-Arg. (1888) 207.

Lecidea disciformis var. sanguinea Stizenberger (1891) 171, no. 1160. on bark, Lydenburg, Wilms.

Buellia discolorans (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 356.

Lecidea discolor Stizenberger (1891) 173, no. 1168 (as L. discors).

on bark of Rhamnus sp., near Uitenhage, Breutel, Type.

Buellia dispersa Massal.

Zahlbruckner (1926 b) 551, Cat. Lich. VII: 356. on sandstone, Port Elizabeth, on hill east of town, Brunnthaler.

Buellia distrahens Vain.

Vainio (1926) 13; van der Byl (1931) 16; Zahlbruckner, Cat. Lich. VIII: 591. on sandstone, Stellenbosch, v. d. Byl 248, Type.

Buellia distrata (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 357.

Lecidea distrata Nyl. apud Crombie (1876 a) 179; Stizenberger (1891) no. 1151;

Hue (1891) 140.
on quartzite rocks. Table Mt., Eaton. Type.

Buellia durbana Vain.

Vainio (1926) 17 ; van der Byl (1931) 16 ; Zahlbruckner, Cat. Lich. VIII : 592° on wood, Durban, v. d. Byl 168, Type.

Buellia endorhodina Vain.

Lynge (1937) 79. on bark, Stella Bush, v. d. Byl 181, Type.

Buellia epichlora (Vain.) Zahlbr.

Zahlbruckner, Cat. Lich. VIII: 592. Melanaspicilia epichlora Vainio (1926) 11; van der Byl (1931) 16. on sandstone, Stellenbosch, v. d. Byl 249, Type.

Buellia glencairnensis Zahlbr.

Zahlbruckner (1936) 177. on sandstone, Glencairn, v. d. Byl 977, Type.

Buellia halonia (Ach.) Tuck.

Zahlbruckner, (1926 c) Pl. 9, f. 1-2, Cat. Lich. VII: 365. Lecidea halonia Ach., Stizenberger (1891) 176, no. 1183. Baeomyces capensis Taylor (1847) 186. Buellia catalipa Massalongo (1861) 69.

on maritime rocks, Cape, Osbeck; on rocks, Table Mt., Wawra, Eaton, MacOwan; Lions Head, MacOwan; on granite, Cape of Good Hope (Herb. Hook.).

Buellia incrustans Steiner

Zahlbruckner (1926 b) 550, Cat. Lich. VII: 369. on branches, Haifischinsel, off Lüderitzbucht, Fincke.

Buellia incuriosa (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 369. Lecidea incuriosa Nyl. apud Crombie (1876 a) 178, (1876 b) 21; Hue (1891) 140: Stizenberger (1891) no. 1152. on rocks, Table Mt., Eaton, Type.

Buellia inquilina Tuckerm.

J. Müller-Arg. (1893 b) 298; Schinz (1905) 396; Zahlbruckner, Cat. Lich. VII: 370.

Lecidea inquilina Stizenberger (1895) 253, no. 1207.

near Boroma, Lower Zambesi, Menyharth 467.

Zahlbruckner, l.c., records this species only from California, and says that it appears to be a fungus.

Buellia insidians (Nyl.) Zahlbr.

van der Byl (1931) 16; Zahlbruckner, Cat. Lich. VII: 370. on stone, Caledon, v. d. Byl 362 (det. Vain.).

Buellia italica Massal.

Zahlbruckner, Cat. Lich, VII: 373.

Lecidea italica Wedd., Stizenberger (1891) 165, no. 1127. on rocks, Cape, MacOwan.

Var. debanensis Bagl.

Zahlbruckner, Cat. Lich. VII: 373.

Lecidea italica var. debanensis Stizenberger (1891) 165, no. 1127. on rocks, near Lydenburg, Wilms.

Var. recobarina Massal.

Zahlbruckner, Cat. Lich. VII: 373; Massalongo (1861) 70.

Lecidea italica var. recobarina Stizenberger (1891) 165, no. 1127. on sandstone rocks, Table Mt., Wawra.

Buellia langbaanensis Vain.

 Vainio (1926) 11 ; van der Byl (1931) 16 ; Zahlbruckner, Cat. Lich. VIII : 592. on granite, Langbaan, $v.\ d.\ Byl\ 354$, Type.

Buellia Lauri-cassiae (Fée) Müll. Arg.

Zahlbruckner, Cat. Lich. VII: 451.

Lecidea triphragmia Nylander (1869 a) 12; Stizenberger (1891) no. 1158; Hue (1891) 143.

on bark, Durban, Armstrong.

Var. macrosperma Zahlbr.

Zahlbruckner (1932) 272.

on branches of Canthium sp., Brenton, Knysna, v. d. Byl 649, 652.

Buellia leucina Müll. Arg.

Zahlbruckner, Cat. Lich. VII: 377.

Lecidea leucina Stizenberger (1891) 164, no. 1121. on rocks, near Lydenburg, Wilms.

Buellia lutata (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 378.

Lecidea lutata Stizenberger (1891) 164, no. 1123.

on rocks, in Warm Bokkeveld Mts., near Ceres, MacOwan.

Buellia meizocarpa Vain.

Vainio (1926) 12; van der Byl (1931) 16; Zahlbruckner, Cat. Lich. VIII: 593. on rock, Sarnia, *Hean* (v. d. Byl 305, 311. det. Vain.).

Buellia melanthina (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 380. Lecidea melanthina Stizenberger (1891) 173, no. 1169. on branches of shrub, Cape, Drège, Type.

Buellia micromera Vain.

Vainio (1926) 14; van der Byl (1931) 16; Zahlbruckner, Cat. Lich. VIII: 593. on bark of **Strychnos** sp., Matopos, v. d. Byl 165.

Buellia microsperma Müll. Arg.

J. Müller-Arg. (1886) 309; Zahlbruckner, Cat. Lich. VII: 381. Lecidea nanosperma Stizenberger (1891) 164, no. 1122. on stones, near Lydenburg, Wilms (Lojka Lichenoth. univ. 85), Type.

Buellia natalensis Vain.

Vainio (1926) 16; van der Byl (1931) 16; Zahlbruckner, Cat. Lich. VIII: 593on bark of **Combretum** sp., near Howick, v. d. Byl 212, Type; on trunk of tree undet., Howick, van der Byl 221 (det. Vain.).

Buellia nesiotis (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 383. Lecidea nesiotis Stizenberger (1891) 175, no. 1178. on granite rocks, top of Lions Head, MacOwan, Type.

Buellia Ocoteae Vain.

Vainio (1926) 15 ; van der Byl (1931) 16 ; Zahlbruckner, Cat. Lich. VIII : 583. on bark of **Ocotea bullata** E. Mey., near Knysna, $v.\ d.\ Byl\ 263$, Type.

Buellia oleicola (Nyl.) Zahlbr.

van der Byl (1931) 16; Schinz (1905) 396; Zahlbruckner, Cat. Lich. VII: 385. Lecidea olivacea Stizenberger (1895) no. 1137bis. on trunk of **Eucalyptus** sp., Mossel Bay, v. d. Byl 376 (det. Vain.).

Buellia olivacea Müll. Arg.

J. Müller-Arg. (1893 b) 298; Zahlbruckner, Cat. Lich. VII: 385. on rocks, near Boroma, Menyharth 6.

Buellia pachnodes (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 385.

Lecidea pachnodes Stizenberger (1891) 172, no. 1165.
on sandstone rocks, near Muizenberg, MacOvan, Type.

Buellia pachysporoides Vain.

Lynge (1937) 80; van der Byl (1931) 16. on rocks, Langbaan, v. d. Byl 537, 539, 542, 546 (Number of type not quoted by Lynge).

Buellia perigrapta (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 387.

Lecidea perigrapta Stizenberger (1891) 167, no. 1140. on fragments of granite rocks, Lions Head, MacOwan, Type.

Buellia permodica (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich, VII: 387.

Lecidea permodica Stizenberger (1891) 168, no. 1143. on sandstone rocks, near Muizenberg, MacOwan, Type.

Buellia perspersa Steiner

Zahlbruckner (1926 b) 551, Cat. Lich. VII: 389,

on ring of Portulacaria afra Jacq., Zwartkops River, near Port Elizabeth, Brunnthaler.

Buellia praelata (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 390.

Lecidea praelata Stizenberger (1891) 174, no. 1171.

on bark, Schiffberg Mt., Wilms; on bark of a tree of the family Malvaceae, near Durban Wilms, Type; on bark of **Rhus** sp., Hopefield, v. d. Byl 337 (det. Vain.); on bark of shrub undet., Robertson, Bruwer (v. d. Byl 409, 410, det. Vain.).

Buellia procellarum Massal.

Massalongo (1861) 64; Jatta (1910) 197; Zahlbruckner (1926 b) 551, Cat. Lich. VII: 390.

Lecidea procellarum Stizenberger (1891) 174, no. 1172.

on various hard rocks, Devil's Peak, Wawra; Boschberg, MacOwan; Löwenberg, MacOwan; near Muizenberg, MacOwan.

Var. continuior Steiner

Zahlbruckner (1926 b) 551.

as Buellia proserpens Müll. Arg. var. continuior Steiner, Zahlbruckner, Cat. Lich. VII: 390.

on quartzite rocks, Baakens River Valley, Port Elizabeth, Brunnthaler, Type.

Var. repens Steiner

Zahlbruckner (1926 b) 551.

as Buellia proserpens var. repens Steiner, Zahlbruckner, Cat. Lich. VII: 390. on sandstone, Genadendal mountains, Brunnthaler.

Buellia protothallina (Krempelh.) Vain.

Zahlbruckner (1932) 272, Cat. Lich. VII: 391.

on sandstone rocks, Van Reenen's Pass, Brunnthaler; near Genadendal, Brunnthaler; on rocks, Ceres, Leslie (v. d. Byl 462, det. Vain.); on quartzite rocks, near Caledon, Brunthaler.

Var. indissimilis Vain.

Zahlbruckner, Cat. Lich. VII: 391.

Buellia indissimilis (Nyl.) B. de Lesd., van der Byl (1931) 16. on stone, Sarnia, Hean (v. d. Byl 302, det. Vain.).

Buellia punctata Massal.

Zahlbruckner, Cat. Lich. VII: 392.

Lecidea myriocarpa Röhl., Stizenberger (1891) no. 1179.

Buellia myriocarpa de Not., van der Byl (1931) 6.

on branches, hills above Maritzburg, Rehmann; near Lydenburg and Komatipoort, Wilms; on trunk of **Pandanus variegata** Bot., Gard., Durban, v. d. Byl 31 (det. A. L. Sm.). on granite, Lions Head, MacOwan.

f. marcidula Zahlbr.

Zahlbruckner, Cat. Lich. VII: 397.

Lecidea myriocarpa f. marcidula Nyl. apud Crombie (1876 a) 179; Stizenberger (1891) no. 1179; Hue (1891) 139.

on rocks, Table Mt., Eaton.

f. punctiformis Hazsl.

Zahlbruckner, Cat. Lich, VII: 398.

Buellia punctiformis (Hoffm.) Massal., van der Byl (1931) 16.

on stone, Stellenbosch, v. d. Byl 251 (det. Vain.).

on bark of **Protea** sp., Stellenbosch, v. d. Byl 345 (det. Vain.): on bark of **Eucalyptus** sp., v. d. Byl 377 (det. Vain.).

Var. aequata (Ach.) Zahlbr.

Zahlbruckner (1932) 271, Cat. Lich. VII: 400.

Lecanora aequata (Ach.) Stizenberger (1890) no. 666.

on silicaceous rocks, Poole's Bay, v. d. Byl 794; on red rocks, near Lydenburg, Wilms.

Buellia pura Vain.

Vainio (1926) 12; Zahlbruckner Cat. Lich. VIII: 593. on granite rock, Matopos, v. d. Byl 163, Type.

Buellia quaterna Zahlbr.

Zahlbruckner (1936) 177.

on granite, Springbok, Namaqualand, v. d. Byl 1151, Type; Bitterfontein, v. d. Byl 1185.

Buellia rhodesiaca Zahlbr.

Zahlbruckner (1932) 270 ; van der Byl (1931) 6. on stone, near Salisbury, Eyles (v. d. Byl 586) Type.

Buellia rudis (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 404.

Lecidea rudis Stizenberger (1891) 162, no. 1114. on sandstone rocks, near Muizenberg, MacOwan, Type.

Buellia rusticorum (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 405.

Lecidea rusticorum Stizenberger (1891) 169, no. 1146. on rocks, near Lydenburg, Wilms, Type.

Buellia Schinziana Müll. Arg.

J. Müller-Arg. (1888) 46; Zahlbruckner, Cat. Lich. VII: 410.

Lecidea Schinziana Stizenberger (1891) 175, no. 1173.

on quartzite rocks, at top of mountain, Nautilus Point, Angra Pequena, Schinz, Type.

Buellia spuria (Schaer.) Anzi

Zahlbruckner (1926 b) 552, (1932) 272, Cat. Lich. VII: 411; van der Byl (1931) 16. Lecidea spuria Schaer., Crombie (1876 a) 178; Stizenberger (1891) 1125.

Buellia antarctica Massalongo (1861) 68.

Buellia antarctica var. effusa Massalongo (1861) 69. on rocks, Table Mt., Wawra, Eaton, MacOwan; Boschberg, MacOwan; on sandstone, Genadendal, Brunnthaler; on quartzite, Kloof Neck, Brunnthaler; on silicaceous rocks,

Hermanus, v. d. Byl 790; on rock, Klapmuts, v. d. Byl 101 (det. Merrill).

Var. ferruginea Vain.

Vainio (1901) 415; Zahlbruckner, Cat. Lich. VII: 412. on sandstone rocks, top of mountain, Morro de Lopollo, Welwitsch 53 pr. p., 54 pr. p.

Var. insularis (Massal.) Jatta

Zahlbruckner (1932) 272, Cat. Lich. VII: 412.

Buellia antarctica var. insularis Massalongo (1861) 67. Lecidea spuria var. insularis Stizenberger (1891) 165, no. 1125.

on rocks, top of Table Mt., Wawra; on sandstone rocks, Poole's Bay, v. d. Byl 798.

Buellia stellulata (Tavl) Mudd.

Steiner (1897) 225; Vainio (1901) 414; Zahlbruckner (1926 b) 552, Cat. Lich. VII: 413.

Lecidea stellata Tayl., Nylander (1868) 516; Stizenberger (1891) 167, no. 1138; Hue (1891) 141.

Lecidea minutula Nyl., Crombie (1876 a) 179; Stizenberger (1891) no. 1139.

Buellia minutula Arn., ? van der Byl (1931) 16, as B. minutula Hepp.

on primitive rocks, Genadendal, Brunnthaler; on stone, Stellenbosch, v. d. Byl 348 (det. Vain.): Langbaan, v. d. Byl 536 (det. Vain.): on hard rock, Cape, MacOwan; Table Mt., Eaton; on sandstone rock, near cataract, Ferrão da Sola, Welwitsch 484 pr. p., 11 pr. p.; Morro de Lopollo, Welwitsch 11 b pr. p.

f. albosparsa Zahlbr.

Zahlbruckner, Cat. Lich. VII: 415.

Lecidea stellulata f. albosparsa Stizenberger (1891) 167, no. 1138. on rocks, near Muizenberg, MacOwan.

f. hybrida Zahlbr.

Zahlbruckner, Cat. Lich. VII: 415.

Lecidea stellulata f. hybrida Stizenberger (1891) 167, no. 1138. on quartzite and sandstone rocks, Table Mt., MacOwan.

f. murina Zahlbr.

Zahlbruckner, Cat. Lich, VII: 415.

Lecidea stellulata f. murina Stizenberger (1891) 167, no. 1138. on rocks, near Muizenberg, MacOwan.

Buellia Stizenbergeri Zahlbr.

Zahlbruckner, Cat. Lich. VII: 415.

Lecidea dispersula Stizenberger (1891) 166, no. 1135. on sandstone rocks, near Muizenberg, MacOwan, Type.

Buellia subalbula (Nyl.) Müll. Arg.

Vainio (1901) 414; Zahlbruckner (1926 b) 552, Cat. Lich. VII: 416.

Lecidea subalbula Nylander (1868) 11; Stizenberger (1891) no. 1148; Hue (1891) 141. on scattered calcareous rocks, at top of neck in Serra de Montes Negros, Welwitsch 2 pr. p., 12, 15 pr. p., 51 pr. p.; on tableland between Caroca and Cazimba, Welwitsch 52; on quartzite, Haifischinseln off Lüderitzbucht, Fincke.

Buellia subcinerascens Zahlbr.

van der Byl (1931) 16 ; Zahlbruckner, Cat. Lich. VII : 417. on wood, Hopefield, v. d. Byl 340 (det. Vain.).

Buellia subdisciformis Vain.

Vainio (1901) 413; Zahlbruckner, Cat. Lich. VII: 418.

Lecidea subdisciformis Leight., Stizenberger (1891) no. 1163.

on trunks of **Apodytes dimidiata** É. Mey., in high forest near Lopollo, Welwitsch 9, 10; on bark, near Lydenburg, Wilms.

Buellia subtristis (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 421.

Lecidea subtristis Nyl. apud Crombie (1876 a) 179, (1876 b) 21; Hue (1891) 140. on quartzite rocks, Table Mt., Eaton, Type.

Buellia transvaalica (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 424.

Lecidea transvaalica Stizenberger (1891) 168, no. 1144. on hard rock, near Lydenburg, Wilms, Type.

Buellia triplicans Zahlbr.

Zahlbruckner (1932) 271.

on granite rocks, slopes of Table Mt., opposite Camps Bay, Brunnthaler, Type.

Buellia vernicoma Tuckerm.

Zahlbruckner, Cat. Lich, VII: 456.

Buellia myriocarpella (Nyl.) Oliv., van der Byl (1931) 16, as B. myriocapsella (Nyl.) Vain

on stone, Stellenbosch, v. d. Byl 351 (det. Vain.).

Buellia verruculosa Mudd.

Zahlbruckner, Cat. Lich. VII: 427.

Lecidea ocellata Floerke, Stizenberger (1891) no. 1145.

Buellia rinodinea Massalongo (1861) 63; Vainio (1901) 414.

Lecanora microps Stizenberger (1890) 209, no. 645.

Rinodina microphthalma Massalongo (1861) 61.

on basalt rocks, Table Mt., Wawra; on sandstone rocks, top of mountain, Morro de Lopollo, Welwitsch 53 pr. p., 54 pr. p.

Buellia viridiatra Zahlbr.

Zahlbruckner, Cat. Lich, VII: 430.

Lecidea viridiatra Stizenberger (1891) 172, no. 1162.

on sandstone rocks, near Muizenberg, MacOwan, Type.

Rinodina albocineta Zahlbr.

Zahlbruckner (1936) 178. on bark, Knysna, v. d. Byl, Type.

Rinodina bicolor Zahlbr.

Zahlbruckner (1932) 272. on silicaceous rocks, Mbabane, Lebzelter, Type.

Rinodina capensis Hampe

Massalongo (1861) 87; Zahlbruckner (1926 c) Pl. 3, f. 10-18, Cat. Lich. VII: 496. on branches of trees, Cape, Wawra.

Rinodina confragulosa Müll. Arg.

J. Müller-Arg. (1887) 79; Zahlbruckner, Cat. Lich. VII: 503.
 Lecanora confragulosa Nyl. apud Crombie (1876 a) 172; Stizenberger (1890) no. 664;
 Hue (1891) 57.
 on sandstone rocks, Table Mt., Eaton, Type.

on sandstone rocks, rubic rus, button

Rinodina conspersa Müll. Arg.

J. Müller-Arg. (1893 b) 298; Schinz (1905) 395; Zahlbruckner, Cat. Lich. VII: 505.

Lecanora conspersa Stizenberger (1895) 236, no. 660bis. on stones, near Boroma, Menyharth 1214.

Rinodina deminutula (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 508. Lecanora deminutula Stizenberger (1890) 210, no. 658. on rocks, Lions Head, MacOwan, Type.

Rinodina detecta (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 510. Lecanora detecta Stizenberger (1890) 213, no. 672. on granite, in Transvaal mountains, Wilms, Type.

Rinodina exigua (Ach.) S. F. Gray.

Zahlbruckner, Cat. Lich. VII: 514. Lecanora exigua Röhl., Stizenberger (1890) no. 650. on bark, near Lydenburg, Wilms.

Rinodina ficta (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 518. Lecanora ficta Stizenberger (1890) 210, no. 652. on bark of a tree of the family Malvaceae, near Durban, Wilms.

Rinodina Hüfferiana Müll. Arg.

J. Müller-Arg. (1880 b) 18, (1890) 346; Zahlbruckner, Cat. Lich. VII: 521. Lecanora Hüfferiana Stizenberger (1890) 212, no. 665 Rinodina sophodes var. Ledienii Stein (1888) 141 on bark, near Lydenburg, Wilms.

Rinodina huillensis Vain.

Vainio (1901) 413; Zahlbruckner, Cat. Lich. VII: 521. Lecanora sophodes Nylander (1886) 514, non Ach. on rocks near cataract, Ferrao de Lopollo, Welwitsch 46 pr. p., 50.

Rinodina microlepida Müll. Arg.

J. Müller-Arg. (1888) 206; Zahlbruckner, Cat. Lich. VII: 528. Lecanora microlepida Stizenberger (1890) 209, no. 646. on non-calcareous rocks, near Lydenburg, Wilms, Type.

Rinodina oreina Mass.

Zahlbruckner, Cat. Lich. VII: 562. Lecanora oreina Ach., Drège (1843) 86. on rocks, Paarlberg, Drège.

Rinodina roboris Arn.

Zahlbruckner, Cat. Lich. VII: 547. Lecanora roboris Nylander (1869 a) 7; Stizenberger (1890) no. 653. Lecanora sophodes var. roboris Duf., Nylander (1869 a) 7. on bark, Natal, Armstrong.

Rinodina sophodes Massal.

Zahlbruckner, Cat. Lich. VII: 549. Lecanora sophodes Ach., Drège (1843) 85; Stizenberger (1890) nol 657. on bark and wood, near Lydenburg, Wilms; Paarlberg, Drège.

Var. atroalbida (Nyl.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 552.

Lecanora sophodes var. atroalbida Nylander (1869 a) 7; Stizenberger (1890) no. 647; Hue (1891) 56.
on rocks, Durban, Armstrong; Transvaal, Wilms.

Rinodina teichophiloides (Stizenb.) Zahlbr.

Zahlbruckner, Cat. Lich. VII: 557. Lecanora teichophiloides Stizenberger (1890) 212, no. 669. on quartzite rocks, near Muizenberg, MacOwan, Type.

PHYSCIACEAE.

Anaptychia corallophora (Tyl.) Wain.

Zahlbruckner (1932) 275 (as *Physcia corallophora* (Tayl.) Wain) Cat. Lich. VII: 718. on bark, Grootrivier, Knysna, v. d. Byl 899.

Anaptychia granulifera Massal.

Wainio (1901) 409, (1915) 63; Zahlbruckner, Cat. Lich. VII: 724.

Physcia hypoleuca var. granulifera Hue (1890) 317; Stizenberger (1890) no. 430.

Physcia speciosa var. granulifera Tuck., Stirton (1877) 215.

South Africa, without locality

Anaptychia hypoleuca Massal.

Zahlbruckner, Cat. Lich. VII: 725.

Physcia hypoleuca Tuckerm., Stizenberger (1890) 179, no. 430.

Physcia speciosa var. hypoleuca Nylander (1860 a) 417; Stirton (1877) 215. on bark, Boschberg, MacOwan (S.A.M. 46961).

Var. colorata Zahlbr.

Zahlbruckner, Cat. Lich. VII: 726.

Pseudophyscia hypoleuca var. colorata Zahlbr., Steiner (1907) 641. on bark. Mt. Mamotsuiri. Junod 985 pr. p.

Anaptychia leucomelaena (Linn.) Wain.

J. Müller-Arg. (1893 a) 510: Zahlbruckner, Cat. Lich. VII: 730.

Borrera leucomela Ach., Drège (1843) 133, 146.

Physica leucomela Michx., Nylander (1860 a) 414, (1869 a) 6; Stirton (1877) 215; Stizenberger (1890) no. 425, (1895) no. 425.

Anaptychia leucomela Massalongo (1861) 48; van der Byl (1931) 16.

on tree trunks and branches, Boschberg, MacOwan, 126: Cape, Wawra: Pondoland, Bachmann: Rhodesia, Eyles 834 (v. d. Byl 559); on Acacia Karroo Hayne, Kentani, Pegler 1233 (S.A. M. 46954) 128; Natal, Armstrong; Mazoe, Eyles 471 (S.A. M. 26313); in a damp place in the forest, between 'Gekau' and 'Basche', Drège; Enon, Drège; on mossy ground in Cave Mt., Graaff Reinet, McLea.

Var. angustifolia (Mey. & Flot.) Müll. Arg.

Zahlbruckner, (1932) 275, Cat. Lich. VII: 730.

Physcia leucomela var. angustifolia Nylander (1860 a) 415; Crombie (1876 a) 170; Stizenberger (1890) no. 425.

on bark, van Reenen's Pass, Brunnthaler: on rind of Portulacaria afra Jacq. Uitenhage, Brunnthaler.

amongst mosses on the ground, Table Mt., Eaton.

Var. multifida f. squarrosa Wain.

Wainio (1901) 408.

on branches of trees, top of neck in mountains, Serra da Xella, Welwitsch 34.

Anaptychia obesa Zahlbr. f. caesiocrocata Zahlbr.

Zahlbruckner, Cat. Lich, VII: 734.

Physcia obesa Pers. f. caesiocrocata Nylander (1860 a) 418.

Physcia obesa f. tenuior Stizenberger (1890) no. 432.

Cape of Good Hope.

Anaptychia palpebrata Wain.

Zahlbruckner, Cat. Lich. VII: 734.

Physcia leucomela var. subcomosa Nyl., Stizenberger (1890) no. 425. on bark, near Lydenburg, Wilms.

Anaptychia podocarpa Massal.

Zahlbruckner, Cat. Lich. VII: 736.

Physica podocarpa Nyl., Stizenberger (1890 & 1895) no. 426.

on bark, Cape, Zeyher; Natal.

Anaptychia speciosa (Wulf) Massal.

Zahlbruckner, Cat. Lich. VII: 737; van der Byl (1931) 16.

Physcia speciosa Nylander (1860 a) 416, (1869 a) 7; Stirton (1877) 215; Stizenberger (1890) no. 429.

Parmelia speciosa Ach., von Flotow (1843) 27; Drège (1843) 155; Krauss (1846) 201.

Squamaria speciosa Frege, Massalongo (1861) 54.

amongst mosses, mixed with Parmelia sp., Cape, Wawra; Natal, Armstrong; near Constantia, Krauss; between 'Omtendo' and 'Omsamculo', Drège; on trunk of Roystonea regia O. F. Cook, Berea, Durban, v. d. Byl 23, 24 (det. A. L. Sm.); Boschberg, MacOwan (S.A. M. 46960); on rock, Makoni, Eyles 834.

f. sorediosa Zahlbr.

Zahlbruckner, Cat. Lich. VII: 741.

Pseudophysoia speciosa f. sorediosa Müll. Arg. Steiner (1907) 741. on bark, Mt. Mamotsuiri, Junod 985 pr. p.

Var. esorediata Wain.

Wainio (1901) 409; van der Byl (1931) 16.

on trunks of trees, in high forest, Morro de Lopollo, Welwitsch 35 pr. p., 39; on branches of Royena sp., Howick, v. d. Byl 208 (det. Vain.).

Var. lobulifera Vain.

Wainio (1901) 409; Zahlbruckner, Cat. Lich. VII: 742.

on trunks of Parinarium sp., in high forest on mountain, Morro de Lopollo, Welwitsch 35 pr. p.

Physcia adglutinata Nyl.

Nylander (1860 a) 428; Stizenberger (1890) no. 452'; J. Müller-Arg. (1893 b) 296; Schinz (1905) 393; van der Byl (1931) 16; Zahlbruckner, Cat. Lich. VII: 585.

on bark, near Lydenburg, Wilms; near Boroma, Menyharth 428; on tree trunk, Howick, v. d. Byl 217 pr. p. (det. Vain.); without locality, Pappe 8 (S.A. M. 46867).

Var. pyrithrocardia Müll. Arg.

J. Müller-Arg. (1880 b) 278, (1893 b) 296; Stizenberger (1895) no. 458; Schinz (1905) 393; Zahlbruckner, Cat. Lich. VII: 588.
on bark, near Boroma, Menyharth 264 pr. p.

Physcia adscendens (Fr.) Oliv.

Zahlbruckner (1932) 274, Cat. Lich. VII: 588. on branches, Stellenbosch, B. Slabbert (v. d. Byl 706).

Physcia aegiliata (Ach.) Nyl.

Stizenberger (1890 & 1895) no. 468; Hue (1890) 322; J. Müller-Arg. (1993 b) 296; Steiner (1897) 216; Zahlbruckner, Cat. Lich. VII: 580.

Physcia confluens Nylander (1860 a) 430. on bark of trees, South Africa, Breutel; near Boroma, Menyharth 251, 252, 257; Transvaal.

Physcia affixa Nyl.

Crombie (1876 a) 170, (1876 b) 19; Hue (1890) 321; Stizenberger (1890) no. 461; Zahlbruckner, Cat. Lich. VII: 589.

on rocks, Table Mt., Eaton, Type.

Physcia africana Müll. Arg.

J. Müller-Arg. (1880 a) 33; Stizenberger (1890) no. 465; Zahlbruckner, Cat. Lich. VII: 580.

on stones, near Lydenburg, Wilms,

Physcia aipolia Hampe.

Stizenberger (1890) no. 444; Zahlbruckner, Cat. Lich. VII: 590. on bark. Cape, *Drège*; Transvaal, *Wilms*.

Var. acrita Hue.

Zahlbruckner, Cat. Lich. VII: 593.

Physcia stellaris var. aipolia f. acrita Nyl., J. Müller-Arg. (1893 b) 296; Schinz (1905) 394.

on bark, near Boroma, Menyharth 252, 265, 270.

Var. alnophila Wain.

van der Byl (1931) 16: Zahlbruckner, Cat. Lich. VII: 594. on trunk of **Acacia saligna** Wendl., Hopefield, v. d. Byl 147.

Physcia applanata Zahlbr.

Zahlbruckner, Cat. Lich. VII: 581.

Physica picta var. sorediata Müll. Arg., J. Müller-Arg. (1893 b) 296, (1879) 272, (1880) 33; Stizenberger (1890) no. 464; Schinz (1905) 580.

on bark, near Boroma, Menyharth 263, 267; Transvaal, Wilms.

Physcia caesia (Hoffm.) Hampe.

Stirton (1877) 215; Stizenberger (1890) no. 448; van der Byl (1931) 16; Zahlbruckner, Cat. Lich. VII: 600.

Parmelia caesia Ach., Drège (1843) 141.

on stones, South Africa, without locality: on concrete of gutter, Berea, Durban, v. d. Byl 42 (det. A. L. Sm.); 'Glenfilling', Drège.

Physcia Clementiana Kickx.

Zahlbruckner, Cat. Lich. VII: 607.

Physcia astroidea Nyl., Stizenberger (1890) no. 446.

on bark, Cape, Zeyher.

Physcia crispa (Pers.) Nyl.

· Stizenberger (1890) no. 438 ; Zahlbruckner, Cat. Lich. VII : 611. on bark, Lions Head, $Mac\,Owan$.

f. melanophthalma Wain.

Wainio (1915) 67; Zahlbruckner (1932) 274, Cat. Lich. VII: 612.

on bark of Quercus sp., Genadendal, Brunnthaler; on branches, Victoria Falls, Brunnthaler.

Physcia dilatata Nyl.

Stizenberger (1890) no. 439 ; van der Byl (1931) 16 ; Zahlbruckner, Cat. Lich. VII : 613

on bark, Table Mt., MacOwan; on trunk of Acacia mollissima Willd., Howick, v. d. Byl 197 (det. Vain.).

Physcia dimidiata Nvl.

Stizenberger (1890) no. 443; Zahlbruckner, Cat. Lich. VII: 612. on bark of pomiferous trees, near Lydenburg, Wilms.

Physcia endochrysea Hampe.

Stizenberger (1890) no. 453 ; Zahlbruckner, Cat. Lich. VII : 614. on bark, Table Mt., MacOwan.

Physcia endococcina (Körb.) Nyl.

Stizenberger (1890) no. 454 ; Zahlbruckner, Cat. Lich. VII : 615. on rocks, Cape, $Mac\,Owan$.

Physcia erythrocardia Wain.

Zahlbruckner, Cat. Lich. VII: 581; van der Byl (1931) 17.

Physcia picta var. erythrocardia Tuck., Stizenberger (1890) 184, no. 464.

Physcia picta f. erythrocardia Stizenberger (1985) no. 464.

on branches, near Lydenburg, Wilms; on trunk of Fluggea virosa Baill., Woodbush, v. d. Byl 478 det. Vain.).

Physcia hispida (Schreb.) Frege

Zahlbruckner, Cat. Lich. VII: 626. Physcia tenella DC., van der Byl (1931) 17. on branches of **Quercus** sp., Ceres, Leslie (v. d. Byl 447, det. Vain.).

Physcia integrata Nyl.

Stizenberger (1890) no. 440 ; van der Byl (1931) 17 ; Zahlbruckner, Cat. Lich. VII : 636.

on bark, Transvaal, Wilms; on **Populus** sp., Klapmuts, v. d. Byl 91; on **Roystonea regia** O. F. Cook, Durban, v. d. Byl 121 (det. Merl.).

· Var. obsessa Wain.

van der Byl (1931) 17; Zahlbruckner, Cat. Lich. VII: 636. on tree trunk, Woodbush, v. d. Byl 497 (det. Vain.) 510, 518.

Physcia melanocarpoides Vain.

van der Byl (1931) 17, ? nom. nud. on granite rock, Matopos, v. d. Byl 160 (det. Vain.).

Physcia obscura Hampe.

Stizenberger (1890) no. 450; Zahlbruckner, Cat. Lich. VII: 653.

Parmelia obscura Fr., Drège (1843) 132, 159.

on bark and rocks, Samteesvlakte, Drège; in bush, " auf der Höhe Omblas", Drège.

Var. chloantha Rabenh.

Stizenberger (1890) no. 450 ; Zahlbruckner, Cat. Lich. VII : 657. on bark, Durban, Wilms.

Var. glaucovirens Zahlbr.

Zahlbruckner (1932) 274.

on trunks of trees, Knoetze, Knysna, v. d. Byl 656, Type.

11101--12

Physcia ochroleuca Müll. Arg.

J. Müller-Arg. (1893 b) 296; Stizenberger (1895) no. 463 bis; Schinz (1905) 394; Zahlbruckner, Cat. Lich. VII: 667.

on bark, near Boroma, Menyharth 256.

Physcia picta (Sw.) Nyl.

Stizenberger (1890) no. 464 : J. Müller-Arg. (1893 b) 286 : van der Byl (1931) 17 ; Zahlbruckner, Cat. Lich. VII : 582.

? Parmelia formosa Fée var. latifolia von Flotow (1843) 27; Krauss (1846) 201.

on bark of trees, Table Mt. Wilms, Krauss; near Lydenburg, Wilms; near Boroma, Menyharth 466, 468; East London, Pegler (S.A.M. 46942); on trunk of Grevillia robusta Cunn., Bot. Gard., Durban, v. d. Byl 28 (det. A. L. Sm.); on trunk of Roystonea regia O. F. Cook, Durban, v. d. Byl 25 (det. A. L. Sm.); on trunk of Trichilia emetica Vahl, Berea, Durban, v. d. Byl 43 (det. A. L. Sm.).

f. isidiifera Nyl.

Zahlbruckner, Cat. Lich. VII: 584; (?) van der Byl (1931) 17, as f. isidiosa. on trunk of **Trichilia emetica** Vahl., Berea, Durban, v. d. Byl 2 (det. A. L. Sm.).

Physcia pulverulenta (Schreb.) Hampe

Stizenberger (1890) no. 433; van der Byl (1931) 17; Zahlbruckner, Cat. Lich-VII: 668.

on bark, Transvaal, Wilms; on Acacia Karroo Hayne, Kentani, Pegler 1228, 129; on trunk of Bauhinia variegata Linn., Bot. Gard., Durban, v. d. Byl 75 (det. A. L. Sm.).

Physcia setosa (Ach.) Nyl.

Nylander (1869 a) 7: Crombie (1876 a) 170; Stizenberger (1890) no. 462; Zahlbruckner (1932) 274, Cat. Lich. VII: 679.

on rocks, ground and bark, Transvaal, Rehmann, Wilms; Durban, Armstrong; Boschberg, MacOwan; on rocks Table Mt., Eaton; on bark, World's View, van Reenen's Pass, Brunnthaler.

f. deminuta Cromb.

Crombie (1876 a) 170 ; Stizenberger (1890) no. 462 ; Zahlbruckner, Cat. Lich VII : 680.

on rocks, Table Mt., Eaton.

f. virella B. de Lesd.

Zahlbruckner, (1932) 274, Cat. Lich. VII: 681. on trunks of trees, Piquietberg, du Plessis (v. d. Byl 1036).

Physcia stellaris (Linn.) Nyl.

Nylander (1860 a) 424; van der Byl (1931) 17; Zahlbruckner, Cat. Lich. VII: 681.

Parmelia stellaris Ach., Drège (1843) 132, 124, 138.

on branch of **Punica granatum** Linn., Hopefield, v. d. Byl 394 (det. Vain.); on trees and rocks, Samteesvlakte, Drège; near Klein and Groot Vischrivier, Drège; Hoffmanskloof, Drège; without locality, Pappe 15 (S.A. M. 46872).

Physcia subpicta Nyl.

Crombie (1876 a) 171, (1876 b) 19; Hue (1890) 322; Stizenberger (1890) no. 467; Zahl Truckner, Cat. Lich. VII: 584.

on rock, Table Mt., Eaton, Type.

Physcia syncolla Nyl.

van der Byl (1931) 17; Zahlbruckner, Cat. Lich. VII: 691.

on trunk of **Bauhinia variegata** Linn., Bot. Gard., Durban, v. d. Byl 74 (det. A. L. Sm.); on **Euphorbia** sp., Bot. Gard., Durban, v. d. Byl 11 (det. A. L. Sm.); on stem of shrub Robertson, Bruwer (v. d. Byl 411, det. Vain.).

Physcia tribacoides Nyl.

Stizenberger (1890) no. 452 ; Zahlbruckner, Cat. Lich. VII: 696. on sandstone rocks, on slopes of Lion's Head, $Mac\,Owan$.

Physcia venustula Stizenb.

Stizenberger (1890) 181, no. 449; Zahlbruckner, Cat. Lich. VII: 700.

on bark of trees, near Durban, Wilms.

fide Stizenberger (1893) no. 449, "est *Physcia speciosa* var. *dactyliza* Nyl.", a synonym for *Anaptychia dactyliza* Zahlbruckner, Cat.Lich. VII: 718.

Physcia zuluensis Vain.

van der Byl (1931) 17 ? nom. nud. Zululand, *Harris* (v. d. Byl 231 pr. p., det. Vain.).

Pyxine Cocoës (Sw.) Nyl.

Nylander (1869 a) 7 ; Stizenberger (1890) no. 470 ; van der Byl (1931) 17 ; Zahlbbruckner, Cat. Lich. VII : 569.

on bark, Cape, $Dr\`ege$; Natal, Armstrong; Transvaal, Wilms; on trunk of Citrus sp., Durban, $v.\ d.\ Byl\ 1$ (det. A. L. Sm.); on Euphorbia sp., Bot. Gard. Durban, $v.\ d.\ Byl\ 9$, (det. A. L. Sm.); on Commiphora caryaefolia Oliv. Berea, Durban, $v.\ d.\ Byl\ 41$ (det. A. L. Sm.); on Erythrina tomentosa R. Br., Marandellas, $Eyles\ 3957$ (v. d. Byl 553, det. Vain.).

on concrete of gutter, Berea, Durban, v. d. Byl 44 (det. A. L. Sm.).

Pyxine endoleuca (Müll. Arg.) Vain.

Zahlbruckner (1932) 273, Cat. Lich. VII: 572.

Pyxine Meissneri var. endoleuca Müll. Arg., Stizenberger (1890) no. 469; J. Müller-Arg. (1893 b) 297; Schinz (1905) 394; van der Byl (1931) 17. on bark, Salisbury, Eyles (v. d. Byl 1000); near Boroma, Menyharth.

on rocks, near Lydenburg, Wilms.

Pyxine Eschweileri Wain.

van der Byl (1931) 17; Zahlbruckner, Cat. Lich. VII: 572. on Roystonea regia O. F. Cook, Durban, v. d. Byl 122 (det. Merrill.).

Pyxine Meissneri Tuckerm.

Nylander (1869 a) 7 ; Stizenberger (1890) no. 469 ; van der Byl (1931) 17 ; Zahlbruckner (1932) 273, Cat. Lich. VII : 572.

on bark of tree, Durban, Armstrong; near Salisbury, v. d. Byl; on trunk of Acrocomia sclerocarpa Mart., Bot. Gard., Durban, v. d. Byl 20 (det. A. L. Sm.); on Euphorbia sp., Bot. Gard. Durban, v. d. Byl 34 (det. A. L. Sm.); on Roystonea regia O. F. Cook, Durban, v. d. Byl 27 (cet. A. L. Sm.).

Var. sorediosa Müll. Arg.

J. Müller-Arg. (1879) 290, (1893 b) 297, (1894) 262; Stizenberger (1895) no. 469; Schinz (1905) 394.

on bark, near Boroma, Menyharth 265, 447.

Var. subobscurans Malme.

Wainio (1901) 412; Zahlbruckner, Cat. Lich. VII: 573. on living trunks of **Apodytes dimidiata** E. Mey., in high forest near Lopollo, Welwitsch 8 pr.p.

Pyxine petricola Nyl.

Zahlbruckner, Cat. Lich. VII: 574. on granite rock, Matopos, v. d. Byl 161 (det. Vain.).

Pyxine rhodesiaca Vain.

Lynge (1937) 90. on **Ficus** sp., Salisbury, *Eyles 3953* (v. d. Byl 549, Type).

LICHENES IMPERFECTAE.

Lepraria alba Ach.

Juel (1918) 49: Zahlbruckner, Cat. Lich. VII: 751. Lichen albus Roth., Thunberg (1800) 175, (1823) 741. Lepra lactea DC., Drège (1843) 80. on rocks, top of Table Mt., Thunberg; du Toits Kloof, Drège.

Lepraria candelaris Fr.

Zahlbruckner, Cat. Lich. VII: 757. Lepraria flava Ach., Drège (1843) 80, 134. du Toits Kloof, Drège; Hoffmanskloof, Drège.

Lepraria citrina Schaer.

Zahlbruckner, Cat. Lich. VII: 671. Lepra citrina Schaer., J. Müller-Arg. (1983 b) 299; Schinz (1905) 396. near Boroma, Menyharth 264.

Lepraria glaucella Ach.

Zahlbruckner, Cat. Lich. VII: 762. Lepra sulphurea Ehrht., Drège (1843) 763. 'Glenfilling', Drège.

Lepraria xanthina Vain.

Vainio (1929) 38; Zahlbruckner, Cat. Lich. VII: 770. Moçambique (Vainio).

BASIDIOMYCETES

HEMIBASIDII.

Ustilaginales.

USTILAGINACEAE.

Cintractia axicola (Berk.) Cornu

Hopkins (1938 a) 109, (1939 a) 19.

on Fimbristylis exilis R. & S., in inflorescence, Odzi (Rh. 1421) Kew.

Cintractia capensis (Reess) Ciferri

Ciferri (1931) 72; Zundel (1938) 316.

Ustilago capensis Reess (1875) 70, 72; Buchenau (1875) 486, T. xi, f. 3, 4; Sacc. Syll.

Fung. VII: 478; Verwoerd (1926 b) 30.

on Juneus capensis Thunb., in ovaries, in mountains near Cape Town, Buchenau, Kew Juneus lomatophyllus Spreng., in ovaries, in mountains near Cape Town.

Buchenau Kew.

Cintractia Crus-galli (Tracy & Earle) Magn.

on Echinochloa Colona Link., Onderstepoort, Mogg, 27381.

Cintractia leucoderma P. Henn.

P. Hennings (1903) 156; Verwoerd (1926 b) 30; Zundel (1938) 316.

on Rynchospora aurea Vahl., in inflorescence, Cubango, Baum 346, Kew. Rynchospora dolichostyla K. Schum., Kueio, Baum 356, Kew.

Cintractia Melinis Zundel

Zundel (1938) 302.

on Melinis tenuinervis Stapf, Cape Town, Mally, 19860; Rosebank, Mally, 18179.

Cintractia piluliformis (Berk.) P. Henn.

P. Hennings (1898) 293; Sacc. Syll. Fung. XVI: 373; Verwoerd (1926 b) Zundel (1938) 316.

Uredo pilulaeformis Berkeley (1843 b) 523; Zundel (1938) 315.

Ustilago piluliformis Tulasne (1847) 93; Sacc. Syll. Fung. VII: 458; Zundel (1938) 315.

on Juneus capensis Linn., in ovaries, Clanwilliam, Schlechter.

Juneus sp., Uitenhage, Zeyher 89.

Cintractia togoensis P. Henn

Verwoerd (1926 b) 24.

on Cyperus sp., in inflorescence, Durban, v. d. Byl 247.

Farysia olivacea (DC.) Syd.

Verwoerd (1926 b) 13; Zundel (1938) 294; Nel (1942) 58.

Cintractia caricicola P. Hennings (1895 b) 325; Sacc. Syll. Fung. XIV: 421.

on Carex aethiopica Schkuhr, Knysna, Duthie (Stell. 270, v. d. Byl. 2316).

Carex clavata Thunb., Deepwalls, J. Phillips, 20652.

Carex phacota Spreng., Kentani, Pegler 1972, 8812, Kew.

Carex spicato-paniculata C.B.Cl., Marieps Kop, Van Son, 26594.

Carex sp. (Carex sphathea Thunb., nom. nud., fide Hennings) Transvaal, Schlechter.

Melanopsichium austro-americanum (Speg.) G. Beck.

Zundel (1938) 302.

on Polygonum lapathifolium Linn., var. glabrum Burtt Davy, Maritzburg, J. M. Sim, 9045, Mitchell, 20435: Bon Accord, le Roux, 22553, Doidge, 25433.

Sorosporium africanum Syd.

H. & P. Sydow (1909) 544; Sacc. Syll. Fung. XXI: 512; Zundel (1938) 318. on Urochloa trichopus Stapf. Umbelusi, Howard, 631; Arcadia, Pretoria, Bottomley & Louwrens, 28594.

Sorosporium afrum Syd.

H. Sydow (1935) 232; Zundel (1938) 306; Hopkins (1939 a) 47.

as Sorosporium sp., Doidge & Bottomley (1931) 60.

on Panicum lasvifolium Hack., Randfontein, Allpurs, 6579: Roberts Heights, Pole Evans, 8929: Krugersdorp, Pole Evans, 8932: Onderstepoort, Meeser, 29902, 21109: Prinshofs Pentz, 23097; Johannesburg, 603, 604, 608, and Bottomley, 26698, Talbot, 34562; Boschfontein, Warmbaths, Doidge, 20335: Ermelo, Henrici, 21086: Marikana, Pallister, 27376: Entabene, Obermeyer, 26379; Mooi River, Mogg, 11706; Roodekop, O.F.S., Mogg, 26384: Impendhle, Biggs, 28266; Bethlehem, Goossens, 26162; Strubens Valley, Roodepoort, Schaefer, 33764.

Urochloa bulbodes Stapf, Nyamandhlovu, Hopkins.

Sorosporium austro-africanum Zundel

Zundel (1930) 147, (1938) 305.

on Hyparrhenia Tamba Anderss., Tugela River, near Bergville, Doidge, 14168.

Sorosporium Brachiariae Hopkins

Hopkins (1938 a) 109.

on Brachiaria brizantha Stapf., Salisbury (Rh. 1860) 30370, Type.

Sorosporium Cenchri (Bref.) Zundel

Zundel (1938) 303.

as Sorosporium sp., Doidge & Bottomley (1931) 14.

on Cenchrus ciliaris Linn.. Great Karasberg (Percy Sladen Exped.) Pearson, 8893; Cape Town, Pearson, 11718; Brown's Kuil Drift, Mogg, 20687; Agen, Mogg, 20688.

Sorosporium Clintonii Zundel

Zundel (1930) 153, (1938) 306.

on **Hyparrhenia dissoluta** (Nees) Hubb., Waterkloof, *Pole Evans*, 9693, Type; Wonderboom, C. A. Smith, 22435.

Hyparrhenia Tamba Anderss., Schagen, Liebenberg, 33061.

Sorosporium consanguineum Ell. & Everh.

Zundel (1938) 303, (1943) 167.

on Aristida junciformis Trin. & Rupr., Maritzburg, Doidge, 1592; Tweedie, Pole Evans, 9763.

Aristida sp., Cathkin Peak, Meebold, 27341.

Loudetia simplex (Nees) Hubb., Meintjes Kop, Mogg, 25314.

Sorosporium cryptum McAlp.

Zundel (1938) 306.

on Urochloa trichopus Stapf, Roodekop, Pole Evans, 14676; Rooikop, 18186; Pienaars River, Burtt Davy, 26161.

Sorosporium Everhartii Ell. & Gall.

Zundel (1938) 304.

on Hyparrhenia dissoluta (Nees) Hubb., Barberton, Mogg, 7770.

Sorosporium filiferum (W. Busse) Zundel

Zundel (1938) 308.

on Sorghum caffrorum Beauv., without locality, Zundel.

Sorosporium Flanaganianum Zundel

Zundel (1930) 155, (1938) 309,

on? Andropogoneae undet., Prospect, Flanagan, 9423; Emmasdale, Heidelberg, 713, Type; Randfontein, Fell, 11719.

Sorosporium harrismithense Zundel

Zundel (1930) 154, (1938) 309.

on Panicum laevifolium Hack., Harrismith, v. d. Merwe, 1473, Type.

Sorosporium Healdii Zundel

Zundel (1930) 147, (1938) 305.

on Hyparrhenia sp., Pretoria, Pole Evans, 9732, Type; Pretoria, 20303.

Sorosperium Holstii P. Henn.

Verwoerd (1926 b) 26, (1931 a) 299; Zundel (1930) 147, (1938) 303; Doidge Bottomley (1931) 55.

on Themedra triandra Forsk., Sandflats, Alexandria, Burtt Davy, 5153; Rietfontein, Pole Evans, 9315; Armoedsvlakte, Mogg, 20693; Bloemfontein, Verwoerd. Cymbopogon elegans Spreng., Nyasaland.

Sorosporium Hotsonii Zundel.

Zundel (1930) 152, (1938) 306.

on Paniceae undet. (possibly Echinochloa sp. or Panicum sp.) Hopefield, Lawley, 704. (This is the type collection, and the host is not Andropogon sp.).

Sorosporium inconspicuum (Pole Evans) Zundel

Zundel (1938) 304.

Ustilago inconspicua Pole Evans in Herb.

on Digitaria argyrograpta Stapf, Bloemfontein, Potts, 11299.

Digitaria Pentzii Stent, Botha's Hill, Grahamstown, Dyer, 23483; Edendale, Pretoria District, Mogg, 22843.

Digitaria monodactyla Stapf, Groenkloof, Pole Evans, 9416, Type, 9433, 11875; Pretoria, Pole Evans, 10716; Estcourt, West, 30517.

Digitaria sp., Tshakoma, Obermeyer, 26861.

Sorosporium Panici MacKinnon

Zundel (1938) 307; Hopkins (1943) 187.

as Sorosporium cryptum in Nel (1942) 58.

on Panicum maximum Jacq., Salisbury, Eyles (v. d. Byl 1811) 1400, Hopkins (Rh. 4803); Warmbaths, Burtt Davy, 20.

Sorosporium pretoriaense Zundel

Zundel (1930) 146, (1938) 303,

on Cymbopogon plurinodis Stapf, between Ashbury and Irene, Pole Evans, 10045, Type; Armoedsvlakte, Mogg, 25987.

Sorcsporium proliferatum Zundel

Zundel (1930) 150, (1938) 307.

on Hyparrhenia auctus (Stapf) Stent, Waterval Boven, Pole Evans, 11336, Type.

Sorosporium pseudomaranguense Zundel

Zundel (1938) 309.

on Andropogoneae undet., Mooi River, Mogg, 10062, 10073, Type.

Sorosporium Reilianum (Kuhn) McAlp.

Verwoerd (1926 b) 24; Doidge & Bottomley (1931) 37; Zundel (1930) 151, (1938) 307; Hopkins (1938 a) 109, (1939 a) 50; Nel (1942) 58; Cardoso (1939) 45.

Sphacelotheca Reiliana (Kuhn) Clint., Nel (1942) 59.

on Sorghum halepense Pers., Zululand, v. d. Byl 44.

Sorghum caffrorum Beauv., Pretoria, Stahl, 27368.

Zea Mays Linn., Pretoria, Doidge, 20360; Garstfontein, Pienaar, 2142; Pan, Goodwin, 1480; Standerton, Pole Evans, 11, 6586; Sandbaken, near Val, Burtt Davy, 505; Immerpan, Steyn, 25920; Kestell Rd., Milne, 10064; Gwebi (Rh. 784); Salisbury (Rh. 2062); Brandfort, Verwoerd (v. d. Byl 1079, 2359, Stell. 7); Moşambique, Cardoso; Umbeluzi, Lima; Chai Chai, de Sousa.

Sorosporium Setariae McAlp.

Zundel (1938) 305.

on Setaria perennis Hack., Irene, Pole Evans, 17269.

Sorosporium Simii Pole Evans.

Pole Evans (1916 b) 543; Sacc. Syll. Fung. XXIII: 617; Doidge & Bottomley (1931) 31; Zundel (1938) 308; Nel (1942) 109.

on Sorghum arundinaceum Stapf, Mount Edgecombe, McClean, 24918.

Sorghum verticilliflorum Stapf, Maritzburg, J. M. Sim, 8978, Type; Stanger, v. d. Byl, 10031: Zululand, v. d. Byl 44; New Guelderland, Addison (v. d. Byl 503) 31786; Natal Sugar Estates, McMartin, 34561.

? Sorghum sp., Johannesburg, Eastwood, 11324.

Sorosporium Tembuti P. Henn. & Pole Evans.

P. Hennings (1908) 270; Sacc. Syll. Fung. XXI: 514; Wakefield (1936) 53; Zundel (1938) 305.

on Hyparrhenia Tamba Anderss., Waterval Onder, Burtt Davy, 169 Type, Kew: Ledzee, Doidge, 1794; Weenen, Pentz, 30924.

Sorosporium verecundum (Syd.) Zundel

Zundel (1938) 304.

Ustilago verecunda Syd., H. Sydow (1935) 231.

on Urochloa panicoides Beauv., Wonderboom, Mogg, 26609, Type; Gezina, Bottomley, 32766.

Urochloa pullulans Stapf, near Radium, on Pretoria-Warmbaths Road, Mogg, 35158.

Sorosporium versatilis (Syd.) Zundel

Zundel (1938) 308.

Ustilago versatilis Syd., H. Sydow (1935) 231.

on Panicum longijubatum Stapf, Prospect, Flanagan, 9550, Type.

Sorosporium Wildemannianum P. Henn.

Verwoerd (1926 b) 30; Zundel (1938) 317.

on Cymbopogon sp., Transvaal, v. d. Byl.

Sorosporium Zundelianum Ciferri

Zundel (1938) 304.

on Hyparrhenia Tamba Anderss., near Mont-aux-Sources, Bottomley, 14167.

Sphacelotheca Amphilophis Syd.

H. Sydow (1935) 232; Zundel (1938) 299.

on Bothriochloa insculpta A. Camus, along Crocodile River, Schagen, Liebenberg, 26023, Type; Onderstepoort, Mogg, 28596; Brits, Sellschop, 30641.

Sphacelotheca Andropogonis (Opiz) Bubak

Zundel (1938) 298; Hopkins (1939 a) 5.

Ustilago Ischaemi Fuck., P. Hennings (1908) 270; Verwoerd (1926 b) 8; Doidge & Bottomley (1931) 65.

on Andropogon gayanus Kunth., Salisbury, Hopkins.

Bothriochloa glabra A. Camus, Lydenburg District, Pienaar, 1073; Ladysmith, Haycroft, 1080; Maritzburg, T. R. Sim, 7759.

Cymbopogon schoenanthus Spreng., Barberton, Pole Evans, 1921.

Hyparrhenia dissoluta (Nees) Hubb., Barberton, Pole Evans, 1156; Nelspruit, Pienaar, 10096.

Andropogoneae undet., Mbabane, Pole Evans, 53.

Sphacelotheca Anthephorae (Syd.) Zundel

Zundel (1938) 295.

Ustilago Anthephorae Syd., H. & P. Sydow (1914 a) 197; Sacc. Syll. Fung. XXIII:

608: Verwoerd (1926 b) 30.

on Anthephora pubescens Nees, Kaffraria near Christiana, Burtt Davy, 2249, 5151; Potchefstroom, 18159; Wesselsbron, Hoopstad, Goossens, 26644; Grootfontein, South West Africa, Engler, Type; Kimberley District, Wilman, 35140.

Sphacelotheca concentrica Zundel

Zundel (1930) 138, (1938) 296.

on Cymbopogon plurinodis Stapf, Kaalplaats, Mogg, 10708, Type; near Pienaars River, Mogg, 30631.

Sphacelotheca cruenta (Kuhn) Potter

Zundel (1938) 296.

on Sorghum caffrorum Beauv., Tzaneen, 30828.

Sorghum verticilliflorum Stapf, Prinshof, Codd, 30676, Mogg & Liebenberg, 28595, K. M. Putterill, 30707.

Sphacelotheca densa (McAlp) Ciferri

Zundel (1938) 296.

on Hemarthria altissima (Poir) Stapf & Hubb., Dargle Road, Mogg, 12957, 32082; Sevenoaks, Mogg, 32083; Isipingo, Bottomley, 11708; Bellair, Mogg, 31286.

Sphacelotheca Dinteri (Syd.) Zundel

Zundel (1938) 298.

Ustilago Dinteri Syd., H. & P. Sydow (1915 b) 37; Sacc. Syll. Fung. XXIII: 608; Hopkins (1932) 465.

on **Dichanthium papillosum** Stapf, Otjikuara-Okahandja, *Dinter 3286*, Type; S. Rhodesia, without locality, *Hopkin*.

Sphacelotheca Doidgeae Zundel

Zundel (1930) 131, (1938) 296.

on Bothriochloa glabra A. Camus, Edendale, *Doidge*, 1997. Type; Maritzburg, *J. M. Sim*, 8939; Rietondale, *Liebenberg*, 29928.

Bothriochloa sp., Onderstepoort, *Mogg*, 15058.

Sphacelotheca Evansii Zundel

Zundel (1930) 133, (1938) 297.

on Hyparrhenia dissoluta (Nees) Hubb., Olifants River, Pole Evans, 14174, Type; Nelspruit, Burtt Davy, 89.

Sphacelotheca flagellata (Syd.) Zundel

Zundel (1938) 301.

Ustilago flagellata Syd., H. & P. Sydow (1911) 144.

on Rottboellia exaltata Linn. f., Tzaneen, Doidge, 20331; Arcturus, Hopkins & (Rh. 5554).

Sphacelotheca modesta (Syd.) Zundel

Zundel (1938) 301

Ustilago modesta Svd., H. Svdow (1935) 231.

on Enneapogon brachystachyus Stapf, Prieska, Bryant, 23506, Type; without locality, Burtt Davy 20698.

Sphacelotheca Moggii Zundel

Zundel (1930) 130, (1938) 295.

on **Cymbopogon plurinodis** Stapf, Armoedsvlakte, *Mogg*, 19859, Type; Estcourt, *West*, 30518.

Sphacelotheca monilifera (Ell. & Ev.) Clint.

Zundel (1938) 300; Hopkins (1938 a) 109, (1939 a) 22.

on Heteropogon contortus R. & S., Great Karasberg, Ortendahl, 27498; Matopos, Rattray (Rh. 1364) Kew; Salisbury (Rh. 1907); Southern Angola (Percy Sladen Mem. Exped.), H. H. W. Pearson, Kew; Thornby Farm, Hartley District, Hornby, 33986.

Sphacelotheca natalensis Zundel

Zundel (1930) 139, (1938) 298.

on Cymbopogon excavatus Stapf, Mooi River, Mogg, 11705, Type.

Sphacelotheca Panici-miliacei (Pers.) Bubak

Verwoerd (1926 b) 25; Zundel (1938) 314.

on Panicum spp., Transvaal, v. d. Byl.

Sphacelotheca Pappophori (Pat.) Zundel

Zundel (1938) 300.

Ustilago Pappophori Syd., H. Sydow (1926) 265.

on Enneapogon cenchroides (Licht.) Hubb.; Okahandja, Govt. Vet. Off., 17279. Enneapogon scaber Lehm, Klein Karasberg, Dinter.

Sphacelotheca pretoriense (Pole Evans) Zundel

Zundel (1938) 301.

Ustilago pretoriense Pole Evans, H. & P. Sydow (1914 b) 263; Verwoerd (1926 b) 21; Sacc. Syll. Fung. XXIII: 612.

on Urochloa panicoides Beauv., Pretoria, Mogg, 7408, Type; Pretoria, Pole Evans, 7799, Howlett, 8926, Bottomley & Louwrens, 28591.

Sphacelotheca Ruprechtii Syd.

H. Sydow (1935) 232; Zundel (1938) 297.

on Hyparrhenia dissoluta (Nees) Hubb., Marikana, Pallister, 27377, Type; Commando Nek, Pole Evans, 12224; Nelspruit, Liebenberg, 26647, 25905.

Sphacelotheca Sorghi (Link) Clint.

Zundel (1930) 132, (1938) 295; Hopkins (1938 a) 109, (1939 a) 45; Doidge & Bottomley (1931) 32; Nel (1942) 59.

Cintractia Sorghi-vulgaris Clint., Pole Evans (1906 a) 137; Verwoerd (1926 b) 23, (1931 a) 299; Nel (1942) 58.

Ustilago Sorghi Pass., P. Hennings (1903) 155.

on Sorghum arundinaceum Stapf, between Matucua and Humbe, Baum 85.

Sorghum caffrorum Beauv. and vars., Maseru Wacher, 23193; Wakkerstroom, Buchanan, 316; Amsterdam, Buchanan, 315; Barberton, Andrews, 23178, Mogg, 7786; Potchefstroom, 2088; Immerpan, Todd, 25437; Letaba, Curson, 28824; Pretoria, v. d. Byl, 5635, Kew (Syd. Fung. exot, exsicc. 168); Pretoria, F. du Toit, 26115; Schroeders, Hillermann (v. d. Byl 533), 31872; Bloemfontein, Verwoerd; Kroonstad, v. d. Merwe (Stell. 238, v. d. Byl 2106); Ixopo, Storey, 17271; Inyanga (Rh. 220); Craigmore (Rh. 843); Rusapi (Rh. 863); Banket (Rh. 2640); Glendale (Rh. 2997); Gatooma (Rh. 3365, 3366).

Sorghum sp. [S. Dochna (Forsk.) Snowd. var. melliferum Snowd. affinis] Amsterdam, 30442.

Sphacelotheca tenuis (Syd.) Zundel

Zundel (1930) 137, (1938) 297.

on Hyperrhenia Buchanani Stapf, without locality, 20701.

Hyparrhenia sp., Dargle Road, Mogg, 11862.

Sphacelotheca transvaalensis Zundel

Zundel (1930) 139, (1938) 298,

on **Sorghum versicolor** Anderss., Onderstepoort, *Mogg*, 17047, 27577, 26399; Pretoria, *L. W. Doidge*, 26397, *Mogg*, 26143, *F. du Toit*, 26398; Hunters Road, *Hopkins* (Rh. 5190).

Sphacelotheca Vryburgii Zundel

Zundel (1931) 298, (1938) 296,

on Themeda triandra Forsk., Armoedsvlakte, Pole Evans, 9733, Type.

Sphacelotheca Zilligii Zundel

Zundel (1930) 142, (1938) 300.

on Cymbopogon sp., Vryburg, Mogg, 20666, Type.

Tolyposporium Chloridis P. Henn.

P. Hennings (1895 c) 49; Sacc. Syll. Fung. XIV: 426; Verwoerd (1926 b) 28; Doidge & Bottomley (1931) 55; Zundel (1938) 319; Nel (1942) 59.

on Chloris gayana Kunth, Groenkloof, Pole Evans, 9056; Mid-Illovo, Natal, v. d. Byl 386, 9770, Power (v. d. Byl 483) 31772; Mountain Rise, Doidge, 1627; Zululand, Mogg, 17043; Natal, v. d. Byl 252.

Doubtful species: "A study of specimens of *Tolyposporium Chloridis* P. Henn. from various parts of Southern Africa indicates that the fungus is not one of the Ustilaginales but rather one of the dark coloured Hyphomycetes" Zundel, l.c.

Tolyposporium Penicillariae Bref.

Verwoerd (1926 b) 30; Zundel (1938) 30; Doidge & Bottomley (1931) 49.

on Pennisetum spicatum Koern., Umbelusi, Howard, 633.

Pennisetum typhoides Stapf & Hubb., Moçambique, v. d. Byl.

Tolyposporium Tristachydis (Syd.) Zundel

Zundel (1938) 310.

Sorosporium Tristachydis Syd., H. & P. Sydow (1910) 663.

on Tristachya Rehmanni Hack., Kaalfontein, Pole Evans, 9436.

Tristachya hispida (Thunb.) K. Schum., Mtunzini, Mogg, 32085.

Ustilago affinis Ell. & Everh.

Verwoerd (1926 b) 19; Zundel (1938) 288.

Ustilago Stenotaphri P. Hennings (1898) 293: not U. Stenotaphri McAlp.

Ustilago Henningsii Sacc. & Syd., Sacc. Syll. Fung. XVI (1902) 368.

as Ustilago stenotaphricola in Nel (1942) 109.

on **Stenotaphrum secundatum** (Walt.) Kze., Windhoek, Schlechter 6879, Kew (v. d. Byl 1681 ex Herb. Berol.)

Ustilago Andropogonis-finitimi Maubl.

Maublanc (1906) 74; Zundel (1939) 293.

on Hyparrhenia finitima Stapf, Mocambique, Le Testu, Type.

Ustilago Avenae (Pers.) Jens.

v. d. Byl (1922 d) 284; Verwoerd (1926 b) 17, (1931 a) 249; Doidge & Bottomley (1931) 41; Zundel (1938) 290; Hopkins (1938 a) 109, (1939 a) 6; Nel (1942) 59; Cardoso (1945) 149.

on Avena sativa Linn., Queenstown, Simson, 12830; Stellenbosch, v. d. Byl 86; Malmesbury, v. d. Byl 2381; Bloemfontein, Verwoerd; Pretoria, Howlett, 8923; Hartebeestepoort, Sellschop, 31045; Salisbury (Rh. 1383) Kew, (Rh. 1817); Lidgetton, Fannin, 31946; Moorreesburg, Visser (Stell. 133), Umbeluzi, Guimarāis.

Ustilago bromivora (Tul.) Fisch. v. Waldh.

v. d. Byl (1922 d) 284; Doidge & Bottomley (1931) 54; Verwoerd (1929 b) 13, (1931 a) 299; Zundel (1938) 293; Nel (1942) 59.

on Bromus brevis Steud., Prinshof, Codd, 33999.

Bromus catharticus Vahl, Capetown, Peringuey, 544; Rosebank, Mally, 11004; Stellenbosch, v. d. Byl 249; Grahamstown, Mally, 20703; Queenstown, Simson, 12832; Bultfontein, near Rosmead junction, 1248; Skinner's Court, Burtt Davy, 429, 949; Pretoria, L. Turner, 6933; Prinshof, Pentz, 20590; Amersfoort, Robertson, 195; Zandspruit, Gillespie, 280, 284, 285; Athol, Amsterdam, 30439; Ficksburg, Blore, 20633; Sterkfontein, Pienaar, 2091; Bloemfontein, Verwoerd; Hopefield, v. d. Byl 1314; Kestell, van Aswegen, 33440; Snyberg, v. d. Plank, 33760; Stellenbosch, Verwoerd (Stell. 266).

Ustilago Crameri Koern.

Pole Evans (1913 b) 175; Verwoerd (1926 b) 30, (1931 a) 299; Doidge & Bottomley (1931) 37; Zundel (1938) 289.

on Setaria italica (L.) Beauv., Standerton, Pratt, 2204; Kroonstad, Grobler, 11716; Fort Louis, Parkhouse, 9817; Bloemfontein, Verwoerd; Kestell, van Aswegen, 33439.

Ustilago Crus-galli Tracy & Earle

Zundel (1938) 292.

on Echinochloa Holubii Stapf, Kaffraria near Christiana, Burtt Davy, 2247.

Ustilago Cynodontis P. Henn.

P. Hennings (1903) 155, (1908) 270; Doidge & Bottomley (1931) 12; Hopkins (1938 a) 109, (1939 a) 16; Zundel (1938) 289, (1939 a) 572, (1939 b) 982; Nel (1942) 109.

Ustilago Carbo Tul. f. Cynodontis Dactylonis Thuem., von Thuemen (1878 a) 356. as Ustilago Dregeana Tul., Kalchbrenner (1882 b) 18; Sacc. Syll. Fung. VII: 467; Verwoerd (1926 b) 19, (1929 b) 13, (1931 a) 299.

? as Ustilago segetum (Bull.) Dittm., Sacc. Syll. Fung. VII: 461.

on Cynodon Dactylon Pers., Somerset East, MacOwan (de Thuem. Myc. Univ. 1418) 20705, MacOwan 1363 (S.A.M. 33886); Kimberley, Moran, 12953; Vryburg, Burtt Davy, 5173; Pretoria, Pole Evans, 112, Doidge, 5636, Tennant, 11003, Mogg, 11014, 24889, 26086, van Nouhuys, 21049, Wager, 21581, Fischer & Louwrens, 28590; Warmbaths, 947; Marikana, Pallister, 11005; Bloemfontein, Potts, 9752; Glen, Heyinck, 20299; O.F.S., v. d. Merwe, 904; Fauresmith, C. A. Smith, 23093; Salisbury, Hopkins (Rh. 1221) Kew; between Ediva and Humbe, Baum 82; Stellenbosch, Leisk (v. d. Byl 667), Verwoerd (Stell. 269); Bloemfontein, Verwoerd; Wilderness (Stell. 941, v. d. Byl 2586).

Cynodon Bradleyi Stent, Ermelo, Henrici, 21111.

Cynodon hirsutus Stent var. parviglumis Stent, Kokstad, Mogg, 11710.

Cynodon incompletus Nees, Grahamstown, Webber, 20356; The Wilderness, Mogg, 23661; 25442; Garstfontein, Pienaar, 1086, 1957; Pretoria, Lounsbury, 8843; Boksburg North, Kresfelder, 32638.

Ustilago Dactyloctaenii P. Henn.

Zundel (1938) 290.

on Dactyloctenium aegyptium (L.) Richt., Kentani, Pegler 2347, 9114; Inhaca Is., Mogg, 29921.

Dactyloctenium geminatum Hack., Beira, Nobles (Eyles 1762) 14175.

Ustilago Danthoniae Kalchbr.

Kalchbrenner (1882 b) 18; Sacc. Syll. Fung. VII: 467; Verwoerd (1936 b) 30; Zundel (1938) 315.

on Danthonia papposa Nees, "Chumiberg", near Lovedale, Buchanan, Type. ? on Danthonia stricta Schrad., Laaken Vlei, E. P. Phillips (S.A.M. 11933) 10998.

Ustilago Digitariae (Kunze) Rabenh.

Maublanc (1906) 74: Hopkins (1938 a) 109, (1939 a) 18: Verwoerd (1928 b) 239: Nel (1942) 59.

on Digitaria gazensis Rendl., Gwelo, Eyles 5337 (Stell. 350, v. d. Byl 2523); Salisbury (Rh. 2017); Umvukwes (Rh. 2639).

? on Panicum repens Linn., Nhandoa, Le Testu.

Ustilago Dregeana Tul.

Tulasne (1847) 83: Montagne (1847) 176; Sacc. Svll. Fung. VII: 467: Zundel (1938) 289, 315 (1939 a) 572, (1939 b) 982.

on Eragrostis ? porosa Nees (fide Chase) Paarl, Drége 9467, Type.

Ustilago Ehrhartana Zundel

Zundel (1943) 164.

on Ehrharta erecta Lam. var. natalensis Stapf, on mountain top, in shade of a large Ficus, Ingwavuma, O. West, 30501, Type.

Ustilago Elionuri P. Henn. & Evans

P. Hennings (1908) 270; Sacc. Syll. Fung. XXI: 501; Verwoerd (1926 b) 31; Zundel (1938) 288.

on Elyonurus argenteus Nees, Pretoria, Pole Evans, 102, Type, Kew, Murray, 31284: Irene, Pole Evans, 17268; Rietfontein, Pole Evans, 9316; Daspoort, Mogg, 28537; Vaalbank, Liebenberg, 26648; Queenstown, Galpin 2510, Kew.

Ustilago Eragrostidis-japonicana Zundel

Zundel (1943) 165.

on Eragrostis japonica Trin., Welgelegen, Vryburg District, Pentz, 20621, Type.

Ustilago Evansii P. Henn.

P. Hennings (1908) 270; Sacc. Syll. Fung. XXI: 502; Verwoerd (1926 b) 20; van der Byl (1926 c) 287; Doidge & Bottomley (1931) 27; Zundel (1938) 294; Hopkins (1938 a) 109; Nel (1942) 59.

on Setaria flabellata Stapf, Mtunzini, Mogg, 17045.

Setaria sphacelata Stapf & Hubb., Tzaneen, Burtt Davy, 10, Type; Rosehaugh, T. R. Sim, 7797; Nelspruit, Liebenberg, 26651; Barberton, Liebenberg, 25993; Maritzburg, T. R. Sim, 7757; Mtambanana, Salberg, 15441; Mtunzini, Mogg, 17044; Salisbury, Eyles 2088 (v. d. Byl 1810) 14003, Eyles 6694.

Setaria sp., Rusapi, Eyles (Rh. 56, v. d. Byl 2021) Kew.

Ustilago Fingerhuthiae Syd.

H. Sydow (1935) 230; Verwoerd (1926 a) 31; Zundel (1938) 291.

on Fingerhuthia africana Lehm., Pretoria, Pole Evans, 1085, Type; Groenkloof, L. Turner, 7405, Pole Evans, 8909.

Ustilago gigaspora Mass.

? on Miscanthidium capense Stapf, Transkei, Saxton, Kew.

Ustilago Holubii Syd.

H. Sydow (1935) 230; Zundel (1938) 290.

on Echinochloa Holubii Stapf, Prinshof, Liebenberg, 24942, Type; Vaalbank, Liebenberg, 26095; Vryburg, Mogg, 17042.

Ustilago Hordei (Pers.) Lagerh.

Pole Evans (1906 a) 135; van der Byl (1922 d) 284; Doidge & Bottomley (1931) 11; Hopkins (1938 a) 109, (1939 a) 288; Nel (1942) 60; Cardoso (1939) 45. Ustilago Jensenii Rostr., Verwoerd (1926 b) 16, (1929 b) 288, (1931 a) 299.

on Hordeum vulgare Linn., Skinners Court, 97; Groenkloof, Sellschop, 9823; Onderstepoort, Mogg, 27507, 27508, 26579, 28862, 30802; Beginsel, Burtt Davy, 239; Amersfoort, 942; Carolina, Vernon, 7074; Kimberley, 7080; Louis Trichardt, Sellschop, 30825; Orange Free State, v. d. Merwe, 1181; Bloemfontein, Verwoerd; Stellenbosch, v. d. Byl 247; Robertson, Verwoerd; Wellington, Verwoerd; Salisbury, Eyles (Rh. 5; v. d. Byl 1732) Kew, Hopkins (Rh. 1384) Kew; Moçambique, Cardoso; Umbeluzi, Guimarāis.

Ustilago Hyparrheniae Hopkins

Hopkins (1938 a) 109, (1939 a) 23. on Hyparrhenia filipendula Stapf, Charter (Rh. 2297) 30371, Type.

Ustilago Kolleri Wille

Hopkins (1930) 528.

Ustilago levis (Kellerm. & Swing.) P. Magn., Doidge & Bottomley (1931) 41; Zundel

(1938) 288; Hopkins (1943) 180.

on Avena sativa Linn., Rietvlei, Dicks, 538; Amersfoort, 939; Ermelo, Burtt Davy, 940; Lovedale, Doidge, 10971; Onderstepoort, Mogg, 26580, Steyn, 28715; Groenkloof, L. Turner, 7094; Aliwal North, 8352; Shangani, Hopkins; Stellenbosch, Gorter (Stell. 1084); Richmond, Westwood.

Ustilago Liebenbergii Zundel.

Zundel (1943) 165.

on Chloris virgata Sw., Vlakfontein, Wolmaransstad District, Liebenberg, 26412, Type.

Ustilago Mariscana Zundel

Zundel (1943) 165.

on Mariscus sieberianus Nees, Infulzane, Mogg, 33062, Type.

Ustilago nuda (Jens.) Kellerm. & Swing.

v. d. Byl (1922 d) 284; Verwoerd, (1926 b) 17, (1929 b) 7; Zundel (1938) 316;

Doidge & Bottomley (1931) 11.

on Hordeum vulgare Linn., Stellenbosch, v. d. Byl; Philadelphia, v. d. Byl 248; Brandfort, Verwoerd (Stell. 280); Robertson, Malmesbury, Caledon, Knysna, George, Verwoerd; Piesangkop, Sellschop, 28320.

Ustilago Peglerae Bubák & Syd.

H. & P. Sydow (1914 b) 264; Pole Evans & Bottomley (1918) 188; Verwoerd (1926 b) 21; Sacc. Syll. Fung. XXIII: 614; Zundel (1938) 294.

on **Ornithogalum lacteum** Jacq., Kentani, *Pegler 1921*, 7101, Type, Kew; Grahamstown, *Archibald*, 35287.

Ustilago puellaris Syd.

H. Sydow (1935) 231; Zundel (1938) 289. on **Hyparthenia hirta** Stapf, Nelspruit, *Liebenberg*, 26646.

Ustilago Rabenhorstiana Kuhn

Zundel (1938) 293; Hopkins (1938 a) 109, (1939 a), 418. Ustilago Cesatii Fisch, de Waldh., Lorrain Smith (1901) 472.

on Acroceras macrum Stapf, Salisbury, (Rh. 1939).

Digitaria ternata Stapf, Mooi River, Mogg, 11703; Pretoria, Mogg, 26144; Meintjes Kop, Mogg, 34924; Groenkloof, Mackay, 20351; Kaalfontein, Mogg, 11704; Salisbury, Eyles 2097, 13999; Salisbury (Rh. 1897).

? on Hyparrhenia bracteata Stapf, between Monino and Lake Ivantâla, Huilla, Welwitsch 7512.

Ustilago Schlechteri P. Henn.

P. Hennings (1895 b) 325; Sacc. Syll. Fung. XIV: 416; Verwoerd (1926 b) 31; Zundel (1938) 292.

on Sporobolus capensis Kunth, Tweedie, Mogg, 11644.

Sporobolus sp., "Naiboornfontain", Transvaal, Schlechter, Type.

Ustilago scitaminea Syd.

H. Sydow (1924 b) 281; Zundel (1938) 289.

as Ustilago Sacchari Rabenh., Kalchbrenner (1882 b) 18; Sacc. Syll. Fung. VII: 456; Verwoerd (1926 b) 18.

on Erianthus giganteus (Walt.) Muhl., Natal.

Imperata cylindrica Beauv., var. Thunbergii D. & S., Pyramids, Mogg, 32429.

Imperata cylindrica Beauv., Natal.

Saccharum officinarum Linn. Umhlanga River, Medley Wood 650, 11111; Tongaat, McMartin, 34560 (=Var. Sacchari-Barberi).

Ustilago Sladenii Pole Evans

Pole Evans (1915 a) 115; Verwoerd (1926 b) 31; Zundel (1938) 316. on **Ehrharta** sp., Garies, *Pearson 6728*, 8409, Type.

Ustilago Trachypogonis Zundel

Zundel (1938) 292.

on Trachypogon plumosus Nees, Kaalfontein, Mogg, 11709, Type.

Ustilago Tragana Zundel

Zundel (1943) 166.

on Tragus Berteronianus Schult., Potgietersrust District, Pole Evans, 28708, Type; Hollandsdrift, Bottomley, 28784.

Ustilago Trichoneurana Zundel

Zundel (1938) 166.

on **Trichoneura grandiglumis** Stapf & Hubb., Edendale, Pretoria District, *Mogg*, 22844, Type.

Ustilago trichophora (Link) G. Kunze

Zundel (1938) 291; Hopkins (1943) 184.

on Echinochloa colona Link, Buffelspoort, Talbot, 34568.

Echinochloa Crus-galli Beauv., Prospect, Flanagan, 9424.

Echinochloa pyramidalis Hitch, & Chase, Salisbury (Rh. 4367) 33130, and (Rh. 5281).

Ustilago Tritici (Pers.) Rostr.

Pole Evans (1906 a) 144; Verwoerd (1926 b) 16; Doidge & Bottomley (1931) 67;

Zundel (1938) 291; Hopkins (1938 a) 109, (1939 b) 46.

on Triticum aestivum Linn., Swellendam, v. Zyl, 30381; Stellenbosch, v. d. Byl 2361; Moorreesburg, Visser (Stell. 134); Hopefield, v. d. Byl 2360; Swellendam, van Zyl, 30381; Groenkloof, Sellschop, 9821; Potchefstroom, Laurence, 20599, 20625; O.F.S., v. d. Merwe, 1068; Salisbury, Shamva, Felixburg, Umtali, Arcturus, Hopkins,

Ustilago Urochloana Zundel

Zundel (1943) 166.

on Urochloa trichopus Stapf, Brown's Kuil Drift, Crocodile River, Mogg, 20690.

Ustilago Vaillanti Tul.

Verwoerd (1926 b) 21: Doidge & Bottomley (1931) 58: Zundel (1938) 290.

on Albuca fastigiata Dryand, Dassie Krantz, Grahamstown, Dyer, 23630.

Albuca altissima Dryand, Cape Town, Marloth, 15450.

Eucomis punctata L'Herit., Kentani, Pegler, 2001, 8795.

Scilla Kraussii Baker, Inanda, Medley Wood 649, 9525, 11110.

Scilla natalensis Planch., Durban, Lansdell (v. d. Byl 502), 31785.

Scilla spp., Caversham, Mogg, 12956; Pretoria, Mogg, 23508, Stent, 9824; Stellenbosch, v. d. Bul 2398, Verwoerd (Stell, 304).

Ustilago verruculosa Wakef.

Wakefield (1922) 162; Hopkins (1938 a) 109.

? as Ustilago neglecta Niessl., Hopkins (1939 a) 109.

on Setaria pallidifusca Stapf & Hubb., Livingstone (Rh. 1940); Wankie, Hopkins.

Ustilago Zeae (Beckm.) Unger

Verwoerd (1926 b) 18, (1931 a) 299; Doidge & Bottomley (1931) 36; Zundel (1938) 292; Cardoso (1938) 74, (1945) 141.

as Ustilago Maydis (DC.) Tul., Cardoso (1937) 154, (1939) 45. on Zea Mays Linn., Maraisburg, 1178; Graaff-Reinet, Joubert, 8836; Seymour, Burnett, 9781; Adelaide, Mapham, 14699; Pretoria, Griffiths, 20313; Incomati, McClean. 25872; Durban, Bam (v. d. Byl 516); Bloemfontein, Verwoerd; Stellenbosch.

v. d. Byl; Marracuene, Cardoso; Umpala, Mendonca; Maele, Soares.

Xylosorium Piperii Zundel

Zundel (1939 a) 576.

on Piper sp., Transvaal, Rogers, 11806, Type.

TILLETIACEAE.

Entyloma australe Speg.

Zundel (1938) 313.

Protomyces Physalidis Kalchbrenner & Cooke (1880) 22: Sacc. Syll. Fung. VII: 321.
 Entyloma Physalidis (Kalchbr. & Cooke) Wint., Sacc. Syll. Fung. VII: 494; Verwoerd (1926 b) 11; Doidge & Bottomley (1931) 16: Hopkins (1930) 416, (1938 a) 110, (1939 a) 33: Nel (1942) 57.

on Physalis angulata Linn., Pretoria, Doidge, 1509, 5638, Bottomley, 11008, Pole Evans, 14126: Fairy Glen, Bottomley, 30652: Pyramids, Mogg, 32646, 32692; Buffelspoort, Bottomley, 34091: Nelspruit, Liebenberg, 26068; Salisbury (Rh. 386, 1889), Hopkins, (v. d. Byl 2541); Avondale (Rh. 400); Norton (Rh. 2551); Knysna, du Plessis, (Stell, 592).

Physalis peruviana Linn., Boschberg, MacOvan 1121*, 3344, 22028, 21955, Kew (Rabenh, Fung. Eur. 3003);
Boschberg, r. d. Byl 1682, Kew: Piet Retief, Mansvelt, 21047;
Karino, Wager, 26628;
Orchards, Bottomley, 30653;
Grahamstown, Dewar, 10028;
Wellington, Verwoord;
Sinoia (Rh. 747);
Salisbury (Rh. 1149);
Avondale (Rh. 1216);
Marandellas (Rh. 1880);
Stellenbosch, Dippenaar (Stell. 849).

* The host of MacOwan's collection is *Physalis peruviana*: MacOwan identified it as *Ph. Hermanni*, which was copied by Kalchbrenner as "*Ph. Hornemanni*"; in Rabenh.

Wint. Fung. Eur., 3003, the host is given as Withania somnifera,

Entyloma Bidentis P. Henn.

Verwoerd (1926 b) 12: Zundel (1938) 313: Hopkins (1938) 110, (1939) 7.

on **Bidens pilosa** Linn., Pretoria, *Doidge*, 1508 : Kentani, *Pegler 1973*, 8853 : Salisbury (Rh. 1772, 1857).

Bidens bipinnata Linn., Pretoria, *Doidge*, 29965, *Hean*, 32386, 32645; Pyramids, *Mogg*, 32694.

Entyloma Calendulae (Oud.) de Bary

Nel (1942) 56.

on Calendula sp., Stellenbosch, Dippenaar (Stell. 1011, v. d. Byl 2767).

Entyloma Dahliae Syd.

H. & P. Sydow (1912 a) 36; Sacc. Syll. Fung. XXIII: 624; Verwoerd (1926 b) 12, (1929 b) 11, (1931 a) 299; Eyles (1926) 638; Doidge & Bottomley (1931) 22; Zundel (1938) 313; Hopkins (1938 a) 110, (1939 a) 16; Nel (1942) 57.

on Dahlia pinnata Cav., Harden Heights, Pole Evans, 1976; Maritzburg, Doidge, 860; Nottingham Road, McClean, 33070; Vryheid, de Bary, 31004; Cambridge, James, 31285; Pretoria, Doidge, 18023; Wager, 26087, Hean, 30638, v. d. Merwe, 32644; Garstfontein, S. J. Naude, 30450; Johannesburg, Bottomley, 28776, Terry, 29951; van Balen, 32492, Schreiber, 34161; Bloemfontein, Verwoerd; Klein Brak, Verwoerd; Norton, Eyles 43 (v. d. Byl 2026), Kew.

Entyloma fuscum Schroet.

Zundel (1943) 167.

on Papaver Rhoeas Linn., Durban, McClean, 30453, 30435; Stellenbosch, Dippenaar (Stell. 836, 837, 1010).

Papaver somniferum Linn., Stellenbosch, Dippenaar (Stell. 1026).

Entyloma Oleandrae P. Henn.

P. Hennings (1895 b) 326; Zundel (1938) 317.

on Oleandra articulata Presl., Inanda, Medley Wood.

Entyloma Zinniae Syd.

H. Sydow (1935) 233; Zundel (1938) 313.

on Zinnia pauciflora Linn., Pretoria, Bottomley, 14256, Type, Doidge, 23197, Hean, 30455, Buffelspoort, Doidge, 28614.

Tilletia Ayresii Berk, ex Mass.

Tilletia heterospora (P. Henn.) Zundel (1938) 310.

Ustilago heterospora P' Henn., P. Sydow (1899 a) (132); Sacc. Syll. Fung. XIV: 413;
 Maublanc (1906) 74; Verwoerd (1926 b) 30; Doidge & Bottomley (1931) 29;
 Hopkins (1938 a) 109, (1939 a) 30, (1943) 187.

on Panicum laevifolium Hack., Tzaneen, Pole Evans, 7.

Panicum Maximum Jacq., Warmbaths, Pole Evans, 20; Groenkloof, Mellé, 11717; Elim, Mingard, 24359; Nelspruit, Liebenberg, 26668; Cedara, Staples, 17081; Durban, Kent, 15443; Maputo River, H. A. Wager, 8399; Salisbury, Eyles 1982, 14000, Eyles 2154 (Rh. 2299); Marromeu, Le Testu; Zebediela, Muller, 33443.

? on Acroceras macrum Stapf, Salisbury, Rattray (Rh. 5282) 33750.

Tilletia echinosperma Ains.

sub Tilletia heterospora (P. Henn.) Zundel, Hopkins (1939 a) 42.

sub Ustilago heterospora P. Henn., Maublanc (1906) 74; Hopkins (1938 a) 109.

on Setaria glauca Beauv., Marromeu, Le Testu.

Setaria sphacelata Stapf & Hubb., M'Soneddi (Rh. 1921).

Tilletia foetans (Berk. & Curt.) Trel.

Doidge & Bottomley (1931) 67; Hopkins (1930) 652; Zundel (1938) 310.

Tilletia laevis Kuhn, Pole Evans (1906 a) 144; v. d. Byl (1922 d) 284; Verwoerd (1926 b) 14; Hopkins (1938 a) 110, (1939) 46.

on Triticum aestivum Linn., Potchefstroom, 1909; Aliwal North, Housefall, 7413; Caledon, Verwoerd (v. d. Byl 2183); Rusapi (Rh. 1297); Salisbury, (Rh. 2186).

Tilletia transvaalensis Zundel

Zundel (1931) 299, (1938) 311.

on Eragrostis aspera Nees, Mucklenburg, Wearing, 25463, Type.

Tilletia Tritici (Bjerk.) Wint.

Doidge & Bottomley (1931) 67; Verwoerd (1926 b) 13; Zundel (1938) 311; Nel (1942) 57.

Tilletia caries (DC.) Tul., Doidge & Bottomley (1931) 67.

on Triticum aestivum Linn., Mooibank, Lawrence, 20624; nr. Bethlehem, v. d. Merwe, 1069; Lady Grey, Nel (v. d. Byl 2098); Caledon, Verwoerd (v. d. Byl 2183).

Tilletia verrucosa Cooke & Mass.

Cooke (1888 c) 16; Sacc. Syll. Fung. IX: 286. on **Panicum longijubatum** Stapf, between Lupata and Tete, *Kirk*.

Tilletia Viennotii Syd.

Zundel (1938) 311.

on Briza maxima Linn., Lion's Head, Thomson, 14679.

Tuburcinia Eriospermi Syd.

H. Sydow (1924 a) 237; Verwoerd (1926 b) 27; Zundel (1938) 317; Nel (1942) 57.

on Eriospermum latifolium Jacq., Stellenbosch, v. d. Byl 1142, Type. Eriospermum pubescens Jacq., Stellenbosch, Verwoerd (Stell. 57). Eriospermum sp., Stellenbosch, Verwoerd (Stell. 261).

Urocystis Agropyri (Preuss) Schroet.

Verwoerd & du Plessis (1931) 297. on **Elymus** sp., Bot. Gardens, Cape Town, *Verwoerd* (Stell. 464).

Urocystis Gladioli Wernham

? on Gladiolus sp., Plaston, Stock, 30951.

Urocystis Hypoxidis Thaxt.

on Hypoxis costata Baker, Irene, Pole Evans, 21108.

Urocystis occulta (Wallr.) Rabenh.

Verwoerd (1929 a) 49; Nel (1942) 56; Doidge & Bottomley (1931) 56. on **Secale cereale** Linn.. Robertson, *Verwoerd* (Stell. 329); Stellenbosch, *Verwoerd* (Stell. 359, v. d. Byl 2713).

Urocystis Ornithoglossi (Syd.) Zundel

Zundel (1938) 312.

Tuburcinia Ornithoglossi Syd., H. Sydow (1935) 233.

on Ornithoglossum glaucum Salisb., Smitskraal, Burtt Davy, 1888, Type.

Urocvstis Tritici Koern.

V. A. Putterill (1920) 252; v. d. Byl (1922 d) 284; Verwoerd (1926 b) 26; (1929 a) pp.; Zundel (1938) 312; Nel (1942) 57; Doidge & Bottomley (1931) 67.

on Triticum aestivum Linn. Zeerust, v. Heerden, 11790, 12454, 13050; Putterill, 13049; Erasmus, Malan, 26082: Taaibosspruit, Kleyn, 15528; Witshak, Osborn, 20593; Vlakdrift, 32391; Stellenbosch, Verwoerd, (Stell. 141, v. d. Byl, 2402, 2403, 2404, 2405); Caledon, v. d. Byl 2208; Philadelphia, v. d. Byl 234; Bredasdorp, Ceres, Clanwilliam, Darling, Hopefield, Moorreesburg, Piquetberg, Porterville, Swellendam, Tulbagh, Uniondale, Willowmore, Verwoerd.

Triticum dicoccum Schrank, Stellenbosch, Verwoerd (Stell. 300).

Triticum durum Desf., Stellenbosch, Verwoerd (Stell. 302).

Triticum turgidum Linn., Stellenbosch, Verwoerd, (Stell. 301).

GRAPHIOLACEAE.

Graphiola Phoenicis (Moug.) Poit.

Cooke & Kalchbrenner (1881) 27; Wakefield (1936) 53; Doidge & Bottomley (1931) 45; Hopkins (1938 a) 104, (1939 a) 33; Nel (1942) 98.

on Phoenix canariensis Chaub., Newlands, 5661; Grahamstown, Dewar, 265; Port Elizabeth, Doidge, 1231; Pretoria, Burtt Davy, 415; Pretoria, 410, 434, 470.

Phoenix dactylifera Linn., Port Elizabeth, Doidge, 1235; Pretoria, Doidge, 5634, 14242; Nelspruit, Wager, 26363.

Phoenix reclinata Jacq., Inanda, Medley Wood 554, 11207, 10412, Kew; Maputo River, 515, Kew; Chibuto, Howard, 980; Kentani, Pegler 2307, 8957, Kew; Nelspruit, Joubert, 23707; East London, Bartel (Stell. 287); Salisbury (Rh. 1390); v. d. Byl 1736); Umtali (Rh. 1015); Rumbaru (Rh. 71); Avondale (Rh. 1150).

Uredinales.

MELAMPSORACEAE.

Coleosporium Clematidis Barel.

P. & H. Sydow (1915) 653; Doidge (1927 a) 166; Dietel (1928) 45.

Caeoma Clematidis Thuem., von Thuemen (1876 b) 426; Sacc. Syll. Fung. VII: 867; J. Phillips (1931) 159.

sub Uredo Clematidis Berk., Kalchbrenner & Cooke (1880) 21.

on Clematis brachiata Thunb., Boschberg, MacOwan 1141, 4383, 10160, 20788, 20795, Kew (Rabenh. Wint. Fung. Eur. 4043; de Thuemen Myc. Univ. 539; Roum. Fung. Sel. Exsic. 4525; S.A.M. 28727); Natal, Medley Wood 457, 10580; Barberton, Pole Evans, 1861; Kentani, Pegler 1884, 2359, Kew.

Clematis Oweniae Harv., Inanda, Medley Wood 563, 801, 10581, 11223, 31906, Kew.

Coleosporium Hedyotidis Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 21; Sacc. Syll. Fung. VII: 759; P. & H. Sydow

(1915) 635; Doidge (1927 a) 166.

on Oldenlandia amatymbica (Hochst.) O. Ktze., Inanda, Medley Wood 60, 10156, Kew; The Willows, Burtt Davy, 36; Swaziland, Burtt Davy, 52; Garstfontein, Erasmus, 1256, 1419, 2194, 6600, Pienaar, 8908, 30944; Skinners Court, Pole Evans, 1456; Groenkloof, Pole Evans, 9692, 14171; Pretoria, Wager, 23369; Bethlehem, v. d. Merwe, 8910, Kew; Mooi River, Mogg, 10067.

Oldenlandia sp., Nottingham Road, McClean, 32706.

Coleosporium Ipomoeae Burr.

Doidge (1927 a) 167.

on Hewittea bicolor Wight, Inanda, Medley Wood 467, 9479; Winkle Spruit, Pole Evans, 1598, Doidge, 2501, 9100; Durban, v. d. Byl, 12334; Isipingo, Doidge, 6633.

Cronartium Gilgianum P. Henn.

P. Hennings (1897) 83; P. & H. Sydow (1915) 582; v. d. Byl (1926 c) 287; Doidge (1927 a) 165; Nel (1942) 27.

Cronartium Bresadoleanum P. Hennings (1895 c) 51; Hopkins (1938 a) 108.

Crossopsora Gilgiana (P. Henn.) Syd., H. & P. Sydow (1918) 243.

Cronartium Bresadoleanum var. Eucleae P. Henn., Eyles (1915) 277. on Euclea Kellau Hochst., Bulawayo, Eyles 1253 (v. d. Byl 1803) 12170.

Euclea lanceolata E. Mey., Koedoes River, Doidge, 1737; Lemana, Doidge, 1738, Kew.
Euclea macrophylla E. Mey., Nelspruit, Thomson, 729; Barberton, Pole Evans, 1151, 1852, v. d. Byl, 5620, Thorncroft, 18097; Winkle Spruit, Pole Evans, 1399; Lemana, Doidge, 1739.

Euclea natalensis A. DC., Durban, Medley Wood 558, 9496, 10630, Doidge, 1617, v. d. Byl
239; Umgeni Beach, Pole Evans, 2415; Winkle Spruit, Doidge, 2509; Isipingo,
Doidge, 6646, Wager, 32422; Amanzimtoti, Doidge, 1606; Kentani, Pegler 2342,
9089, 9115, Kew; East London, Doidge, 12420; Pirie Forest, Doidge, 22417;
Mtunzini, Laughton, 33527; Sabie, Mogg, 32273; Nelspruit, Doidge, 32399, Bottomley
33601; Gowie's Kloof, Grahamstown, 35159.

Euclea sp., Woodbush, v. d. Byl 1538; Entabene, Laughton, 33597; Hippo Pool, Kruger National Park, Liebenberg, 30959, 30960.

on leathery leaves of unknown tree, Huilla, Antunes.

Cronartium Zizyphi Syd. & Butler

Doidge (1948 b) 898.

on Zizyphus mucronata Willd., between Acornhoek and Tzaneen, Liebenberg, 32724 (Uredo only).

Melampsora aecidioides Schroet. (sensu lato).

Doidge (1927 a) 157; Verwoerd (1929 b) 23; Doidge & Bottomley (1931) 51.

as Melampsora Tremulae Tul., v. d. Byl (1922 d) 284; Nel (1942) 28.

on Populus alba Linn., Inchanga, 733; Woodbush, 7102.

Populus spp.. Cape Town, 639: Groot Drakenstein, 711: Cape, Lounsbury, 724; Stellenbosch, r. d. Byl 245; Wellington, Bottomley, 1514: Cape Peninsula, Wellington, Groot Drakenstein, Verwoerd; Bloemfontein, Gemmell, 21936: Piesanghoek, Bosman, 29859: Buffelspoort, Turner, 30780: Stellenbosch, Verwoerd, du Plessis (Stell. 879); Mamathes, Hean, 32141: Pretoria, Bosman, 34319: Fountains Valley, Bottomley, 34419.

Melampsora Helioscopiae Wint. (sensu lato).

Doidge (1927 a) 157.

on Euphorbia heterophylla Linn., Pretoria, Hean, 29876, Mogg, 33278, Bottomley, 30979; Durban, McClean, 32206; Natal, Kent, 33603.

Euphorbia Kraussiana Bernh., Claridge, Doidge, 9087.

Euphorbia striata Thunb., Mooi River, Mogg, 17035; Klapperkop, Reinecke, 29720.

Euphorbia spp., Barberton, Pole Evans, 1851; Bethlehem, v. d. Merwe, 1065.

Melampsora Hypericorum Wint. var. australis Doidge

Doidge (1927 a) 158.

sub Melampsora Hyperici Schroet., Kalchbrenner & Cooke (1880) 22.

on Hypericum aethiopicum Thunb., Somerset East, MacOwan 1392, Kew: Hogsback, K. M. Putterill, 30079.

Hypericum Lalandii Choisy, Natal, Medley Wood 610, 10362, Kew.

Hypericum Sonderi Bredell, Inanda, Medley Wood 646, 9480, 10361; Mooi River, Mogg, 12241; Garstfontein, Pienaar, 1946, 1988; Pretoria, Pole Evans, 1302; Klapperkop, 30290; Groenkloof, Pole Evans, 9691; Rietfontein, Pole Evans, 9314; Lydenburg Distr., Pienaar, 1074, Kew.

Melampsora Junodii Doidge

Doidge (1927 a) 158.

on Vernonia senegalensis Less., Rikatli, Junod, 11723, Type.

Melampsora Lini (Ehrenb.) Lév.

Verwoerd (1929 b) 12; Nel (1942) 28.

on Linum africanum Linn., Stellenbosch, Duthie (v. d. Byl 1308), Verwoerd, (Stell. 150). Linum usitatissimum Linn., Elsenburg and Stellenbosch, Verwoerd.

? Melampsora puccinioides Wint.

Winter (1885 b) 22; Sacc. Syll. Fung. VII: 593; P. & H. Sydow (1915) 393. on Helichrysum sp., Natal, Medley Wood 67.

Doubtful species.

Melampsora Ricini Pass.

P. & H. Sydow (1915) 391; v. d. Byl (1926 c) 287; Doidge (1927 a) 159; Doidge & Bottomley (1931) 17; Hopkins (1938 a) 108, (1939 a) 40; Nel (1942) 28.
Caeoma Ricini Schlecht., von Thuemen (1875) 380.

Uredo Ricini Biv. Bern., von Thuemen l.c.; Kalchbrenner (1882 b) 25.

Melampsorella Ricini (Biv. Bern.) de Toni, Sacc. Syll. Fung. VII: 596; Cardoso (1939) 44.

as Uromyces Ricini Biv. Bern., Verwoerd (1929 b) 9.

on Ricinus communis Linn., nr. Somerset East, MacOwan 1028, 10163, 20783, 20789 (Thuem. Myc. Univ. 341; S.A. M. 28724) Kew; Inanda, Medley Wood 33, 10161; Durban, v. d. Byl 184, 187, McClean, 32300; Illovo, v. d. Byl 573; Pretoria, 55, Bottomley, 30968; Northern Transvaal, 179; Umbelusi, Howard, 524; Kenilworth, 738; Grahamstown, 1013, Baine, 20778; Groenkloof, L. Turner, 7402; Gazaland, Swynnerton, 10705; Buffelspoort, Pallister, 11505; Pretoria, Thomson, 14203; Boulders, Wager, 23363; Salisbury, v. d. Byl 2513 and (Rh. 550, 2125) Kew; Shamva (Rh. 2674); Stellenbosch, Verwoerd (Stell. 27); George, Wellington, Wynberg, Verwoerd; Stellenbosch, v. d. Byl 2763; Umtali, Melsetter, Hopkins; Moçambique, Cardoso.

Melampsora Vitellinae Thuem. (sensu lato)

Doidge (1927 a) 159.

Uredo mixta Duby f. Salicis capensis Thuem., von Thuemen (1879) 102; Kalchbrenner (1882 b) 25.

Melampsora mixta (Schlecht.) Schroet., Sacc. Syll. Fung. VII: 589.

on Salix capensis Thunb., Somerset East, MacOwan 1029 (Thuem. Myc. Univ. 1140; S.A. M. 33935) 20766; Vaal River, Boshoff Distr., Burtt Davy, 923.

Milesina Dieteliana (Syd.) Magn.

Doidge (1927 a) 162.

on Polypodium lycopodioides Linn., Amanzimtoti, Doidge, 1634.

Milesina nervisequa Syd.

P. & H. Sydow (1915) 481; Doidge (1927 a) 162; v. d. Byl (1926 c) 287.

**Caeoma nervisequum Thuem., von Thuemen (1877) 412; Sacc. Syll. Fung. VII: 867.

**Sub Uredo Filicum Klotzsch, Kalchbrenner (1882 b) 25.

?sub Uredo Polypodii (Pers.) DC., Sacc. Syll. Fung. VII (1888) 857.

on Pellaea viridis (Forsk.) Prantl, Boschberg, MacOwan (Thuem. Myc. Univ. 1141) 20781, Kew; Natal, Medley Wood 441, 10162, Kew; Garstfontein, Pienaar, 999; Durban, Pole Evans, 1370; Lemana, Doidge, 1836; Woodbush, v. d. Byl 1529.

? on Polystichum adiantiforme (Forsk.) J. Sm., Somerset East, MacOwan 1025, (S.A.M. 28729).

Pucciniastrum Agrimoniae (Diet.) Tranzsch.

P. & H. Sydow (1915) 446; Doidge (1927 a) 161; Dietel (1928) 40.

Coleosporium ochraceum Bon., Cooke (1880 b) 14.

sub Phragmidium obtusum Tul., Kalchbrenner (1882 b) 27.

on Agrimonia Eupatoria Linn. var. capensis Harv. Somerset East, MacOwan 1112, (Thuem. Myc. Univ. 749; S.A. M. 33917) 10157, 10158, 20777, 20797, Kew, and MacOwan 1113; Inanda, Medley Wood 432, 332; Fort Beaufort, Pole Evans, 303; Garstfontein, Pienaar, 1150, 1202, 1261, 2147, 6655; Maritzburg, Pole Evans, 1407; Grootfontein nr. Harrismith, v. d. Byl, 2313; Kentani, Pegler 1889, 2353, Kew; Lidgetton, Mogg, 11638; Tweedie, Mogg, 11649; Groenkloof, Pole Evans, 18081; Haenerts-

burg, Doidge, 20323: Nelspruit, Liebenberg, 25977: Piesanghoek, Watson, 24351; Donkerpoort, Doidge & Bottomley, 29771: The Willows, Doidge & Bottomley, 29814: Debbe's Ravine, Moqq, 29847: Nottingham Road, McClean, 32284, 32311.

Uredinopsis macrosperma (Cooke) Magn.

P. & H. Sydow (1915) 491; Doidge (1927 a) 163; Faull (1938) 87.

Uredo macrospermum Cooke (1879 b) 71; Kalchbrenner & Cooke (1880) 21; Sacc. Svll. Fung. VII: 853.

on Pteridium aguilinum (L.) Kuhn, Inanda, Medley Wood 61, 10590, 11224, Kew.

PUCCINIACEAE.

Cerotelium Fici (Cast.) Arth.

Verwoerd (1929 b) 12.

Kuchneola Fici Butl., Doidge (1927 a) 155: Doidge & Bottomley (1931) 24: Hopkins (1938 a) 105, (1939 a) 19; Cardoso (1937) 154, (1939) 44, (1944 b) 55, (1945) 154, Uredo Fici Cast., v. d. Byl (1922 d) 285; Verwoerd (1931 a) 299.

Physopella Fici Arth., Nel (1942) 33.

on Ficus carica Linn., Grahamstown, Dewar, 289: Constantia, Pole Evans, 615; Lourenço Marques, 708: Maritzburg, Doidge, 852; Cape, Mally, 1207; Rhenosterfontein. Marico Distr., 1315; Cape Town, MacOwan, 20726; De Kol, Aucamp, 25159; Bloemfontein, Verwoerd; Stellenbosch, Verwoerd (Stell, 161; v. d. Byl 1403), du Plessis (Stell. 882): Wynberg, Ladismith, Paarl, Oudtshoorn, Barrydale, Verwoerd; Salisbury (Rh. 3408): Suldo Save, Cardoso; Lourenço Marques, Fidalgo, Carvalho, 34256 : Caniçado, Barradas ; Marracuene, Soares ; Umbeluzi, Martins.

Ficus Pretoriae Burtt Davy, Pretoria, Burtt Davy, 176, Pole Evans, 1298.

Cerotelium Gossypii Arth.

on Gossypium sp., Magut, 23190.

Diorchidium Tricholaenae Svd.

H. & P. Sydow (1912 a) 33; Sacc. Syll. Fung. XXIII: 787; Doidge (1927 a)

138 : Doidge & Bottomley (1931) 40.

on Rhynchelytrum repens (Willd.) Hubb., Barberton, Burtt Davy, 269, 586, Type: Harden Heights, Pole Evans, 1449: Winkle Spruit, Pole Evans, 1605, 2393, Kew. Doidge. 2512; Amanzimtoti, Doidge, 1607; Natal, Medley Wood, 20631; Ndwedwe, Halse, 30292; Estcourt, Pentz, 30974; Schagen, Liebenberg, 30138.

Diorchidium Woodii Kalchbr. & Cooke

Kalchbrenner (1882 b) 26; Sacc. Syll. Fung. VII: 736; Magnus (1891 a) 91, (1891 b) 191; Doidge (1927 a) 137; Dietel (1928) 68, Doidge & Bottomley (1931)65.

Puccinia Woodii (Kalchbr. & Cooke) Syd., P. & H. Sydow (1904) 836.

on Milletia caffra Meisn., Tongaat, Medley Wood 70, Type, 335, 10448, 10449, 22090, Kew: Winkle Spruit, Pole Evans, 1593, 1978, Doidge, 2515; Amanzimtoti, Doidge, 1601: Port Shepstone, Pole Evans, 5606, Kew: Umkomaas, Bottomley, 11893.

Endophyllum MacOwani Pole Evans

Pole Evans (1907 a) 165 as E. Mac Owanianum; (1908 a) 252; P. & H. Sydow (1924) 332; v. d. Byl (1925 b) 193, (1926 c) 287; Doidge (1927 a) 163; J. Phillips (1931) 159: Hopkins (1938 a) 105; Nel (1942) 31.

Aecidium elegans Dietel (1889) 180; Sacc. Syll. Fung. IX: 320; P. & H. Sydow l.c. Aecidium Rhamni Pers. f. Rhamni prinoidis Thuem., v. Thuemen (1877) 411.

sub Puccinia coronata Corda (Aecidium Rhamni), Kalchbrenner (1882 b) 22; Sacc.

Syll, Fung. VII: 623.

on Rhamus prinoides L'Herit., Boschberg, MacOwan 1279, Type, 4275, 20735, 20761 (Rabenh. Fung. Eur. 3935; Thuem. Myc. Univ. 933) Kew; George, Pole Evans, 379, Kew, Doidge, 17114; Woodbush, Doidge, 1772, Kew, 17738; Kentani, Pegler 1849, 2097, Kew; Knysna, Pienaar, 2418, Doidge, 17215; George, v. d. Byl 1363; Knysna, v. d. Byl 364; Grootrivier, Knysna, v. d. Byl 2267; Gala Bush, Doidge, 33152; Salisbury, Eyles 4311.

Hamaspora longissima (Thuem.) Koern.

Koernicke (1877) 23; Massee (1892 b) 4; P. & H. Sydow (1915) 79; Doidge (1927 a) 9; v. d. Byl (1926 c) 287; Dietel (1928) 61; Doidge & Bottomley (1931) 13.

Uredo lucida Thuem., v. Thuemen (1876 b) 570.

Phragmidium longissimum Thuem., v. Thuemen (1875) 379; Magnus (1899 b) 182;
Dietel (1905) 113; Sacc. Syll. Fung. VII: 750; Pole Evans (1906 a) 134.

on Rubus Ludwigii E. & Z., Spitzkop, R. Pott, 9776; Durban, McClean, 32303; between Kestell and Clarens, Howlett, 27562.

Rubus pinnatus Willd., Kentani, Pegler 1887, 2350, Kew; Cramond, Pole Evans, 2404; Winter's Klast Deidae, 1620; Xumani Forest Margan & Deidae, 20275

Winter's Kloof, Doidge, 1620; Xumeni Forest, Morgan & Doidge, 30375.

Rubus rigidus Sm., Inanda, Medley Wood 34, 11055, Medley Wood 582, 11205, 10589, Kew; Boschberg, MacOwan 1024, 1024 b (Thuem. Myc. Univ. 542; Roum. Fung. sel. exsicc. 4517; S.A. M. 28746, 34197) 20721, 20742, 20723, 20746, Kew; Kentani, Pegler 1887, 1888, 2351, Kew; Komgha, Pegler, 5161; East London, Doidge, 22413; Zoutpansberg, 144; New Agatha, Doidge, 1825; Wolhuter's Kop, Pole Evans, 8887; Kromrivier, Doidge & Bottomley, 32741; Schagen, Liebenberg, 26051.

Rubus transvaalensis C. E. Gust., Garstfontein, Erasmus, 1267, Pienaar, 1379, 1380, 1513, 1535, 1891, 1914, 1949, 6656, 6657, 6898, Pole Evans 2184; Duivelskloof, Doidge,

20333; Nelspruit, Liebenberg, 26016.

Rubus spp., Cape Town, Saxton, 691; Donkerpoort, Doidge & Bottomley, 29753; Grahamstown, Archibald, 33385; Stellenbosch, Stubbings (Stell. 1033); Kirstenbosch, Loseby (Stell. 561); Southern Rhodesia, Hopkins.

Hemileia Ancylanthi Syd.

P. & H. Sydow (1915) 208; Doidge (1927 a) 139. *Uredo Ancylanthi* P. Hennings (1903) 158; Sacc. Syll. Fung. XVII: 439. on **Ancylanthus fulgidus** Welw., Quiriri River, *Baum 728*, Kew, Type.

Hemileia Canthii Berk. & Br.

P. & H. Sydow (1915) 214: Doidge (1927 a) 141.

Coleosporium detergibile Thuem., v. Thuemen (1875) 379: Kalchbrenner (1882 b) 26; Sacc. Syll. Fung. VII: 756.

Uredo detergibilis P. Hennings (1903) 160; Sacc. Syll. Fung. XVII: 439.

on Canthium ciliatum O. Ktze., Boschberg, MacOwan 1107 (Thuem. Myc. univ. 243; S.A. M. 33918), 20779, Kew.

Canthium huillense Hiern., Longa R., Baum 580, Kew.

Canthium orbiculare Good, Quiriri, Baum 806, Kew.

Canthium sp., Wyebank, Doidge, 9084.

Hemileia Evansii Syd.

H. & P. Sydow (1912 a) 34 : P. & H. Sydow (1915) 214 : Sacc. Syll. Fung. XXIII : 792 ; Doidge (1927 a) 141.

on Tricalysia capensis (Meisn.) Sim, Mbabane, Miller, 590. Tricalysia Sonderiana Hiern., Natal, Doidge, 6635, Kew.

Hemileia Fadogiae Syd.

H. & P. Sydow (1912 a) 34: P. & H. Sydow (1915) 212; Sacc. Syll. Fung. XXIII: 792; Doidge (1927 a) 94: Hopkins (1938 a) 105, (1939 a) 19.

on Fadogia Cienkowskii Schw., Mbabane, Miller, 757: Nelspruit, Pole Evans, 7391, Kew; Gazaland, Swynnerton, 10710.

Fadogia sp., Melsetter, Hopkins.

Pygmaeothamnus Zeyheri (Sond.) Robyns, Heidelberg, 281, Type: Meintjies Kop, Pole Erans, 12229: The Willows, Pole Erans, 2209: Pyramids, Mogg, 26376: Newcastle, Doidge, 21232; Waterberg, Steyn, 28811; Kaalfontein, Mogg, 34218.

Hemileia Scholzii Syd.

H. & P. Sydow (1910) 260 ; P. & H. Sydow (1915) 216 ; Doidge (1927 a) 142. Uredo Scholzii P. Henn., Maublanc (1906) 74.

on Clerodendron glabrum E. Mey., Amanzimtoti, *Doidge*, 1569, 1570, Kew. Clerodendron sp., Mudungba, *Le Testu*.

Hemileia vastatrix Berk. & Br.

Medley Wood (1883) 7, 21, (1906) 13: P. Sydow (1899 a) (131); Burtt Davy (1904) 297: Pole Evans (1907 a) 165; P. & H. Sydow (1915) 209; v. d. Byl (1926 c) 288; Doidge (1927 a) 140; Doidge & Bottomley (1931) 19; Gyde (1932) 296: Hopkins (1938 a) 105, (1939 a) 14; Cardoso (1939) 44, (1944 b) 56, (1945) 159.

Uredo Gardeniae-Thunbergiae P. Hennings (1903) 160: Sacc. Syll. Fung. XVII: 440.

on Coffea arabica Linn., Riet Valley Estate, Medley Wood, 323, 20857: Victoria County, Medley Wood, Kew; Durban, Medley Wood, 349, 372: Lower Umzimkulu, Medley Wood, Kew: Winkle Spruit, Pole Evans, 1403: Verulam, Pole Evans, 6824, James, 7788: Pinetown, McClean, 24941, 30935: Umbogintwini, McClean, 25469, 30936; Tzaneen, Pole Evans, 5, 42, 59, 172, Kew: Doidge, 20322; Lemana, Pole Evans, 991: Potchefstroom, Theron, 23498: Louis Trichardt, v. Rooyen, 23142: Gabieshoek, Lydenburg Distr.. v. Rooyen, 21933; Gazaland, Swynnerton, 10709; Melsetter (Rh. 2106): Duivelskloof, 24344: Zoutpansberg, Burtt Davy, Kew: Moçambique, Cardoso Mualama, Quelimane, Guimarāis; Ribàvé, Gomezy Sousa.

Gardenia Thunbergiae Linn., between Kitive and Humbe, Baum 956, Kew.

Gardenia sp., nr. Warmbaths, Pole Evans.

Hemileia Woodii Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 22: Sacc. Syll. Fung. VII: 586: P. Sydow (1899 a) (131); Burtt Davy (1904) 297; Medley Wood (1906) 14; Pole Evans (1907 a) 166; P. & H. Sydow (1915) 214; v. d. Byl (1926 c) 288; Doidge (1927 a) 142; Gyde (1932) 298; Hopkins (1930) 416, (1938 a) 105, (1939 a) 47; Nel (1942) 32.

Uredo Vangueriae Cooke, in sched.

on Pachystigma latifolium Sond., Natal, Medley Wood 8, 28, 540, 340, 814, 10600, 10549, 10599, 11185, 32021, Kew: Winkle Spruit, Pole Evans, 1404, 5640; Scottsburgh, Pole Evans, 6835: Krantzkloof, Doidge, 8250, Kew; New Hanover, Rabie, 9762; Entumeni, Haygarth, 14177: Brighton Beach, McClean, 24940.

Pachystigma pygmaeum (Schlecht.) Robyns, White River, Mogg, 30909; nr. Warmbaths,

Moaa.

Vangueria infausta Burch., Natal, Medley Wood, 324, 352, 10401; Table Mt., Natal, Fuller, 1679; Inanda, Medley Wood, 30941; Cramond, Pole Evans, 2446; Winkle Spruit, Doidge, 2497; Barberton, Pole Evans, 1154, Louisbury, 1277; Letaba Drift. Doidge, 1815; Louis Trichardt, V. A. Putterill, 11845; Nelspruit, Doidge, 32403; Salisbury, Eyles 2060 (Rh. 1959; v. d. Byl 1738) 14014.

Vangueriopsis lanciflora (Hiern.) Robyns, Rhodesia, Hopkins.

Kuehneola albida (Kühn) Magn.

P. & H. Sydow (1915) 315; Doidge (1927 a) 154; Dietel (1928) 60; Doidge & Bottomley (1931) 13.

Phragmidium albidum (Kühn.) Ludw., v. d. Byl (1925 b) 193; J. Phillips (1931) 159;

Nel (1942) 33.

on Rubus? Adolfi-Frederici Engl., Paardeplaats, Pienaar, 1532.

Rubus rigidus Sm., Barberton, Pole Enavs, 1863; Nottingham Road, McClean, 32287. Rubus transvaalensis C. E. Gust, Maritzburg, 33173; Wellington, Doidge, 992; Barberton, 642; Knysna, Pienaar, 2417, Kew.

Rubus spp., Stellenbosch, Buller, 6931; Cape Town, Lounsbury, 681; Deepwalls, Bottomley, 32125; Garstfontein, 18087; Knysna, Duthie (v. d. Byl 1172).

Masseeëlla Flueggeae Syd.

Doidge (1939) 488.

Uredo Brideliae (P. Henn. & Evans) Doidge (1927 a) 193.

Aecidium Brideliae P. Henn. & Evans, P. Hennings (1908) 272; Sacc. Syll. Fung. XXI: 779: P. & H. Sydow (1924) 186.

on Fluggea virosa (Roxb.) Baill., nr. Nelspruit, Burtt Davy, 77, Kew: Nelspruit, Liebenberg, 25968; Schagen, Liebenberg, 26359.

Phragmidium disciflorum (Tode) James

P. & H. Sydow (1915) 115; Doidge (1927 a) 10; Doidge & Bottomley (1931) 55: Hopkins (1938 a) 108, (1939 a) 41: Cardoso (1938) 75, (1944 a) 45, (1945) 162; Nel (1942) 33.

Phragmidium rosarum Fuck., Kalchbrenner (1882 a) 26.

Phragmidium subcorticium Wint., v. d. Byl (1922 d) 285; Verwoerd (1931 a) 299;

Sacc. Syll. Fung. VII: 746; Cardoso (1937) 154, (1939) 45.

on Rosa spp., Kimberley, Pole Evans, 139; Pretoria, 141, 1171; Hercules, Kresfelder, 32803; Bloemfontein, 421; Lourenço Marques, 484; Durban, Medley Wood 686, 797, Kew, and v. d. Byl 50; Garstfontein, Pienaar, 1212, 1892; Wellington, Bottomley, 1866; Uniondale, Pienaar, 2430; Kentani, Pegler 2377, 9310; Port Elizabeth, 15041; Fort Beaufort, Wager, 28521; Bloemfontein, Verwoerd; Stellenbosch, Verwoord (Stell. 60), v. d. Byl 1128; Elsenburg, v. d. Byl 88; Salisbury (Rh. 3388); Sul do Save, Cardoso; Lourenço Marques, Cardoso, Guimarãis, Mota, 34257.

Phragmidium violaceum (Schultz) Wint.

Verwoerd (1929 b) 8; v. d. Byl (1922 d) 285; Doidge & Bottomley (1931) 13. ? as Phragmidium sp., Nel (1942) 33. on Rubus ursinus Cham. & Schlecht., Stellenbosch, Verwoerd (Stell. 39; ? v. d. Byl 1101).

Puccinia Absinthii DC.

Doidge (1927 a) 49 : Verwoerd (1929 b) 5.

as Puccinia discoidearum Link in Herb. Kew.

on Artemisia afra Jacq., Inanda, Medley Wood 625, 10472, 11156, Kew; Debbe's Ravine, Bottomley, 25334; Stellenbosch, Verwoerd (Stell. 382), du Plessis (Stell. 835).

Puccinia Abutili Berk. & Br.

P. & H. Sydow (1904) 471: Doidge (1927 a) 91: Cardoso (1945) 161.

Puccinia carbonacea Kalchbr. & Cooke., Kalchbrenner (1882 b) 24; Sacc. Syll. Fung. VII: 652.

on Abutilon angulatum (G. & P.) Mast., Pienaar's River, C. A. Smith, 23085; Gwaai Reserve, Hopkins (Rh. 5987) 33970.

Abutilon indicum (L.) Sweet, Umbelusi, Howard, 490, 527, Kew.

Abutilon Sonneratianum Sweet, Boschberg, MacOvan 1275 (Rabenh. Fung. Eur. 3120) 3459, Kew: Beaufort West, 304: Olifants River Tank, Pole Evans, 11022; Fountains, Bosman, 29905; Knysna, Verwoerd (Stell. 375).

Abutilon spp., Natal, Medley Wood 23, 111, 10467, 10468; Kroonstad, Pont, 24919.

Puccinia Acalyphae Doidge

Doidge (1927 a) 93, 199.

on Acalypha angustata Sond., The Willows, Pole Evans, 2309, Type: nr. Mont aux Sources, Doidge, 14157, Kew.

Puccinia advena Syd.

H. Sydow (1924 c) 419; Doidge (1927 a) 128; van der Byl (1926 c) 288; Nel (1942) 33.

on Oplismenus hirtellus Beauv., Woodbush, v. d. Byl 1537, Type, Kew.

Puccinia aecidiiformis, Thuem.

von Thuemen (1875) 378, (1880) 318; Kalchbrenner (1882 b) 24; Sacc. Syll. Fung. VII: 704; P. & H. Sydow (1904) 128; Pole Evans (1916 a) 644; Doidge (1927 a) 61; Nel (1942) 33.

on Nidorella mespilifolia DC., Boschberg, MacOwan 1105, Type, (Rabenh. Fung. Eur. 3611; Roum. Fung. sel. exsicc. 4708; S.A.M. 28750) 3951, 8845, Kew; Umgeni Lagoon, Doidge, 855; Winkle Spruit, v. d. Byl, 31968.

Puccinia aethiopica Kalchbr. & Cooke

Kalchbrenner (1882 b) 22; Sacc. Syll. Fung. VII: 653; P. & H. Sydow (1904) 298; Doidge (1927 a) 81.

on Stachys aethiopica Linn., Durban, Medley Wood 47, 10586; Somerset East, MacOwan 1152, Kew.

Stachys grandifolia E. Mey, Boschberg, MacOwan 1252, Type.

Stachys hyssopoides Burch., Bloemfontein, Pienaar, 2236, Potts, 9755; Parys, C. A. Smith, 26415.

Stachys spathulata Burch., Standerton, v. d. Merwe, 7351.

Stachys sp., Somerset East, Trollip, ex Herb. Pazschke, 6889.

Puccinia afra Wint.

Winter (1887) 26; Sacc. Syll. Fung. VII: 620; P. & H. Sydow (1904) 265; Doidge (1927 a) 73.

on Lycium afrum Linn., nr. Cape Town, MacOwan, Type (Rabenh. Fung. Eur. 3506, 4018) 3846, 4358, 6890, Kew; Gordon's Bay, Verwoerd (Stell. 361). Lycium campanulatum E. Mey., Durbanville, v. d. Byl 2765.

Puccinia africana Cooke

Cooke (1879 b) 71: Kalchbrenner & Cooke (1880) 21; Sacc. Syll. Fung. VII: 706; P. & H. Sydow (1904) 156; Pole Evans (1916 a) 645; Doidge (1927 a) 63.

on Spilanthes acmella Linn., Kentani, Pegler, 7088, Kew. Spilanthes africana DC., Inanda, Medley Wood 200, Type, 10465, 11162, Kew.

Puccinia Alepideae Doidge

Doidge (1927 a) 88.

on Alepidea sp., Tugela Valley, nr. Mont aux Sources, Doidge, 14158, Type.

Puccinia Allii (DC.) Rud.

Doidge (1948 b) 899.

? sub Puccinia Blasdalei Diet. & Holw., P. & H. Sydow (1904) 614.

on Allium sativum Linn., Joubertina, Reinecke, 32390, 32687, 33332; Oudtshoorn, du Plessis, 33926, 34926, 34350; Gansekraal, Herald (Stell. 1053).

2 on Allium Dregeanum Kunth, without locality, Sydow.

Puccinia amadelpha Syd.

H. Sydow (1924 c) 420; van der Byl (1925 b) 193; Doidge (1927 a) 113; Nel (1942) 34.

on **Eucomis** sp., Knysna, *Duthie*, Type (Stell. 73, v. d. Byl 1174); Toise River, *Pienaar*, 2218; Harrismith, V. A. Putterill, 11869; without locality, 8979.

Puccinia Amphilophidis Doidge

Doidge (1939) 496.

on Bothriochloa insculpta A. Camus, Schagen, Liebenberg, 26024, Type; Godwan River, Liebenberg, 26056, 29937; Nelspruit, Liebenberg, 26029; Warmbaths, Curson, 26394. Bothriochloa glabra A. Camus, Mt. Edgecombe, Pole Evans, 1411; Pelindaba, Doidge & Bottomley, 29894, 29919.

Puccinia anomala Rostr.

Hopkins (1939 a) 23, (1938 a) 105.

sub Puccinia triticina Erikss., Verwoerd (1937) 648.

on Hordeum murinum Linn., South-western Cape, Verwoerd.

Hordeum vulgare Linn., var. trifurcatum (Schlecht.) Alefeld, South-western Cape, Verwoord.

Hordeum sp., Lowdale (Rh. 258, 262); Salisbury (Rh. 473).

Puccinia Anthospermi Syd.

P. & H. Sydow (1904) 206; Sacc. Syll. Fung. XVII: 316; Doidge (1927 a) 66. on Anthospermum hirtum Cruse, Cape, Sieber, Type.

Puccinia Antirrhini Diet. & Holw.

Doidge (1941 c) 229; Hopkins (1943) 179; Cardoso (1943) 53.

on Antirrhinum majus Linn., Westville, McClean, 30869; Port Elizabeth, Lust, 30816; East London, Thompson, 30865, Martin, 32795; Kidd's Beach, Venables, 30866; Kirkwood, Hess, 30867; Grahamstown, N. J. G. Smith, 30868; Basutoland, Abernethy, 31047; Johannesburg, Hutchens, 31088, Nettleton, 32793; Amsterdam, Naudé, 31282; Umtata, Abernethy, 32074; Pretoria, Kraamwinkel, 32091; Oranjeville,

Pretorius, 32197: Mamathes, Hean, 32392: Queenstown, 32641; Kingwilliamstown, Schaefer, 32642: Cape Town, Stephens, 32669: Rustenburg, Hory, 32671: Green Point, Peters, 32796: Engcobo, Pinkerton, 32794: Cradock, Moolman, 32797; de Wildt, v. Aardt, 32798: Onderstepoort, 33600; Salisbury, Marandellas, Norton, Bulawayo, Rusapi, Hopkins; Lourenço Marques, Mota.

Linaria sp., Mamathes, Hean, 32393; Pretoria, Bottomley, 33064.

Puccinia aristidicola P. Henn.

Doidge (1927 a) 119.

on Aristida canescens Henr., Vryburg, Butler, 10139, Kew. Aristida congesta R. & S., Bloemfontein, Potts, 11313.

Puccinia Arundinellae Barcl.

Doidge (1927 a) 120.

Uredo pretoriensis Syd., H. & P. Sydow (1912 a) 34; Sacc. Syll. Fung. XXIII: 930. Dicaeoma Arundinellae (Barcl.) Syd., H. Sydow (1922 b) 117.

on Arundinella Ecklonii Nees, Skinner's Court, Sampson 116, Kew, Pole Evans, 127, 1059, 1180, 1190; Donkerpoort, Doidge & Bottomley, 29987, 29988.

Puccinia Asparagi DC.

Doidge (1927 a) 110 : Doidge & Bottomley (1931) 68.

on Asparagus Cooperi Bkr., Smitskraal, Burtt Davy, 20430; Pretoria, Doidge, 20431; Pretoria, Louwrens, 30630; Tumlini Hill, Hornby, 33749.

Asparagus plumosus Bkr., Bloemfontein, v. d. Merwe, 1486; Sterkwater, Pienaar, 1961, Kew: Buffelsdrift, Pienaar, 1645, 5203 (Syd. Fung. exot. 10).

Puccinia Atropae Mont.

Doidge (1927 a) 74; Hopkins (1938 a) 105, (1939 a) 49; Nel (1942) 35.

Aecidium Withaniae Thuem., von Thuemen (1877) 411; Kalchbrenner & Cooke (1880)

21; Sacc. Syll. Fung. VII: 811; P. & H. Sydow (1924) 110.

on Withania somnifera Dun.: Boschberg, MacOwan 1138, 11199, 20738 (S.A.M. 28723); Natal, Medley Wood 447, 10320; Hebron, Gunn, 746; Skinner's Court, Pole Evans, 1009; Garstfontein, Pienaar, 1485, 2450, 5633, 18068, Kew; Pretoria, Bottomley, 12515, 12838; Pienaar's River, Bottomley, 32640; Onderstepoort, du Toit, 18118, 18119; Salisbury, Walters, 11010, Eyles (v. d. Byl 1806), 14010; Bethlehem, v. d. Merwe, 8917; Langholm Estates, Bottomley, 19872; Zwartkop, Cape, Mellé, 26360; Brakkloof, Fourie, 684; Kaalplaats, Mogg, 26146; Greylingspos, Doidge, 27352; without locality, Burtt Davy, 1600.

Puccinia aurea Wint.

Winter (1884 c) 260; Sacc. Syll. Fung. VII: 689; P. & H. Sydow (1904) 594; Doidge (1927 a) 105.

on Monadenia comosa Reichb., nr. Cape Town, MacOwan, Type.

Puccinia bakoyana Pat. & Har.

Doidge (1927 a) 70; Hopkins (1938 a) 105, (1939 a) 45, (1943) 180. on **Borreria dibrachiata** K. Schum., Salisbury, *Eyles*, 14005; Umvukwes, *Hopkins*.

Puccinia Batatae Syd.

P. & H. Sydow (1904) 323; Sacc. Syll. Fung. XVII: 333; Doidge (1927 a) 84; Nel (1942) 35.

- sub *Puccinia Ipomoeae* Cooke (1884) 6; P. Sydow (1899 a) (130); Sacc. Syll. Fung. VII: 671.
 - on **Ipomoea paniculata** (Linn.) R. Br., nr. Durban, *Medley Wood 822*, Type, 354, Kew Winkle Spruit, *Doidge*, 2506; Durban, *Bottomley*, 7822, Kew; Umkomaas, v. d. Byl 18.

Puccinia Becii Doidge

Doidge (1927 a) 75, 200.

sub Aecidium leiocarpum Syd., H. & P. Sydow (1917) 143; Sacc. Syll. Fung. XXIII: 898.

sub Puccinia Ocimi Doidge in Herb. Kew

on **Becium obovatum** N.E. Br., Natal, *Medley Wood 46*, 568, 10297 & 10298, 11198, Kew; Garstfontein, *Pienaar*, 6609, Type; Graskop, *Pole Evans*, 14689; Cedara, *Staples*, 20308.

Puccinia Behenis Otth.

Doidge (1927 a) 102.

Puccinia Lychnidearum Fuck., Kalchbrenner (1882 b) 23.

on Silene capensis Otth., Boschberg, MacOwan 1143, (S.A.M. 33922) Kew. Silene sp., Cradock, Lounsbury, 944.

Puccinia berkheyicola Doidge

Doidge (1927 a) 50, 200.

on Berkheya setifera D.C., Spionkop. Wager, 6830; Kaalfontein, Pole Evans, 9731, 10079, Type, Kew, Mogg, 11654.

Puccinia Blepharidis P. Henn.

P. Hennings (1903) 156; P. & H. Sydow (1904) 231; Sacc. Syll. Fung. XVII: 320; Doidge (1927 a) 71.

? as Aecidium sp., Nel (1942) 31.

on Blepharis Buchneri Lindau, nr. Manonge, Baum 855, 6885.

?onBlepharis sp., Humansdorp, Duthie (v. d. Byl 2454).

Puccinia Borreriae Syd.

P. & H. Sydow (1904) 209; Sacc. Syll. Fung. XVII: 316; Eyles (1926) 632; Hopkins (1903) 417; Nel (1942) 35.

sub Puccinia Spermacoces Berk. & Curt., P. Hennings (1903) 156.

on Borreria angustifolia K. Schum., Longa R., Baum 637, Type, Kew. Borreria sp., Salisbury, Eyles (v. d. Byl 1808).

Puccinia Bottomleyae Doidge

Doidge (1939) 498.

on Aristida barbicollis Trin. & Rupr., Derdepoort, Doidge & Bottomley, 29795.

Aristida canescens Henr., Derdepoort, Doidge & Bottomley, 29789.

Aristida curvata Trin. & Rupr., Buffelspoort, Doidge, 29991.

Aristida junciformis Trin. & Rupr., Derdepoort, Doidge & Bottomley, 29793, Type.

Aristida scabrivalvis Hack, Derdepoort, Doidge & Bottomley, 29790.

Puccinia bromina Erikss.

Verwoerd (1929 b) 13; Doidge & Bottomley (1931) 54; Nel (1942) 35.

on Bromus patulus Mert. & Koch, Hopefield, v. d. Byl 2485.

Bromus rigidus Roth., Stellenbosch, Verwoerd (Stell. 115).

Bromus sp., Stellenbosch, Verwoerd (v. d. Byl 1259).

Puccinia Bulbostylidis Doidge

Doidge (1927 a) 117.

on Bulbostylis Burchellii C.B.Cl., Commando Nek, Pole Evans, 12236, Type; Donkerpoort, Doidge & Bottomley, 29736; Derdepoort, Doidge & Bottomley, 29797.

Puccinia Byliana Dippenaar

Dippenaar (1931) 288 (lapsu calami *P. Bylianum*); Doidge (1939) 488; Nel (1942) 35.

Aecidium Bylianum Syd., H. Sydow (1924 a) 236; Doidge (1927 a) 172.

? as Aecidium sp., Nel (1942) 31.

on Senecio bipinnatus Less., Hopefield, v. d. Bul 2600.

Senecio Burchellii D.C., Bloemfontein, Potts, 24875, Gemmell. 32313: Pretoria, Fuller, 15018: Mamathes, Hean, 33138; Fort Hare, Giffen, 33976; Steynsburg, Mogg, 31057; Grahamstown, Archibald, 35288.

Senecio integrifolius D.C., Maraisburg, Mogg, 32696, v. d. Linde, 34339.

Senecio littoreus Thunb., Hopefield, v. d. Byl 2356 (Stell. 331).

Senecio pinnulatus Th., Hopefield, r. d. Byl 1298, 2357; Stellenbosch, Verwoerd (Stell. 97; v. d. Byl 1177), Duthie (v. d. Byl 2468).

Senecio vulgaris Linn., Stellenbosch, Verwoerd (Stell. 281; v. d. Byl 2674).

Senecio spp., Ceres, Dippenaar 101, Type (Stell. 626 a, 626 c, 962): Hopefield, r. d. Byl 2201, 2194; Knysna, Duthie (v. d. Byl 2204); Stellenbosch, Verwoerd (v. d. Byl 1886).

Puccinia callistea Syd.

H. & P. Sydow (1909) 543; Sacc. Syll. Fung. XXI: 667; Doidge (1927 A) 86; Cardoso (1943) 57.

on Voacanga Thouarsii Roem. & Schult., Lourenço Marques, Howard, 632, Type: Umbelusi, Howard, 529: Polana, Howard.

Conopharyngia elegans Stapf, Chalasi, Howard, 720; Rikatli, Junod, 11722; Lourenço Marques, Guimarãis, 34241.

Puccinia canaliculata (Schw.) Lagerh. var. tenuis Doidge

Doidge (1948 b) 900.

on Cyperus esculentus Linn., Hartebeestpoort Expt. Station, Brits, F. du Toit, 33120, Type; Fort Beaufort, Pole Evans, 302; Groenkloof, Pole Evans, 8930; Tweedie, Mogg, 23149: Hartebeestpoort, Doidge & Bottomley, 33270; Malagazi, Wager, 32719.

Puccinia capensis Diet.

Pazschke (1905) (178); Doidge (1927 a) 109; Sacc. Syll. Fung. XXI: 673. on Moraea tricuspis Ker., Cape, MacOwan (Rabenh. Fung. Eur. 4413) Kew.

Puccinia Caricis-cernuae Doidge

Doidge (1939) 492.

on Carex cernua Boott. var. austro-africana Kuk., Pelindaba, Doidge & Bottomley, 29873, Type; Skinner's Court, Doidge & Bottomley, 23444.

Puccinia Cephalandrae Thuem.

von Thuemen (1876 b) 425; Kalchbrenner (1882 b) 23; P. Sydow (1899 a) (130); P. & H. Sydow (1904) 198; Doidge (1927 a) 65; Hopkins (1943) 186. Uredo Cephalandrae Thuem., l.c.

Uredo dolichospora Kalchbr. Mser.

Puccinia Momordicae Kalchbr., Cooke (1879 b) 71; Kalchbrenner (1882 b) 24; Sacc. Syll. Fung. VII: 714; P. & H. Sydow (1904) 200.

Puccinia Trochomeriae Cooke (1882 a) 125; Sacc. Syll. Fung. VII: 654; P. & H. Sydow (1904) 200; H. Sydow (1922 a) 60.

Aecidium Cephalandrae Cooke (1884) 6; Nel (1942) 29.

on Coccinia indica Wight & Arn., Duivelskloof, Doidge, 20343, Kew.

Coccinia palmata Cogn., Natal, Medley Wood 829, 370, Kew; Maritzburg, Doidge, 8249;

Durban, v. d. Byl 115.

Coccinia quinqueloba Cogn., Boschberg, MacOwan 1146, Type (Thuem. Myc. univ. 1031; Rabenh. Fung. Eur. 2915; S.A. M. 28762), 20706, 20750, Kew; Garstfontein, Pole Evans, 2207; Amalinda, Pienaar, 2176; van Staden's Pass, Doidge, 10863; East London, Doidge, 10899, 22407; Pirie Forest, Doidge, 12264.

Coccinia sessilifolia Cogn., Potgietersrust, Pole Evans, 132; Bosplaas, nr. Pretoria, Mogg,

32274; Olifantsrivier, Scott, 34036.

Coccinia sp., Wonderboom, Mogg, 23344. Cucumis sp., Natal, Pole Evans, 10982.

Kedrostis punctulata Cogn., Bloemfontein, Potts, 11301.

Melothria punctata (Thunb.) Cogn., Entumeni, Haygarth, 14194, 14188; van Staden's Pass, Doidge, 17247.

Momordica balsamina Linn., Wonderboom, Mogg, 26400.

Momordica foetida Schum. & Thorn, Inanda, Medley Wood 141, 11163, 10471, 20642, Kew; Piesanghoek, Bosman, 29904; Penhalonga, Hopkins (Rh. 4344).

Trochomeria macrocarpa Hk. f., Pretoria-Warmbaths Road, Liebenberg, 33525.

Trochomeria sagittata (Harv.) Cogn., Inanda, Medley Wood 594, 10513, Kew.

Puccinia Chaetacanthi Doidge

Doidge (1927 a) 71, 200.

on Chaetacanthus setiger (Pers.) Lindl., Elands River, Thomson, 14697, Type.

Puccinia Chloridis Speg.

Pole Evans (1906 a) 135; Doidge (1927 a) 122; Doidge & Bottomley (1931) 55; Hopkins (1938 a) 106, (1939 a) 10; Nel (1942) 36.

on Chloris gayana Kunth, Bulawayo 1841; Groenkloof, Pole Evans, 11663; Salisbury

(Rh. 1608) Kew; Trelawney, Hopkins.

Chloris pycnothrix Trin., Winkle Spruit, Pole Evans, 2389, Kew; Salisbury (Rh. 2092).
Chloris virgata Swartz, Winkle Spruit, Pole Evans, 2400; Nelspruit, Liebenberg, 26049; Marandellas (Rh. 2164); Gwanda (Rh. 3508) and Doidge, 30295; Salisbury, Hopkins.
Chloris sp., Mazoe, v. d. Byl 2240.

Puccinia Chrysanthemi Roze

Pole Evans (1906 a) 135; (1916 a) 640; v. d. Byl (1922 d) 285; Doidge (1927 a) 53; Verwoerd (1929 b) 10, (1931 a) 299; Doidge & Bottomley (1931) 19; Hopkins (1938 a) 106, (1939 a) 10; Nel (1942) 36; Cardoso (1944 a) 57, (1945) 161.

on Chrysanthemum morifolium Ram., Johannesburg, Cregor, 177; Barberton, Laurence, 500; Pretoria, Pole Evans, 660, 8920, Wager, 21248, Bottomley, 25429; Port Elizabeth, Butters, 2235; Durban, Moon, 2326, v. d. Byl 841, 243, Rutter (v. d. Byl 535) 31802; Kentani, Pegler 2400, 9737; Cape Town, Mally, 6964; Bloemfontein, Verwoerd; Stellenbosch, v. d. Byl, and Verwoerd (Stell. 23), Dippenaar (Stell. 972); Wellington, Worcester, Somerset West, Wynberg, Paarl, Caledon, Elgin, Verwoerd; Salisbury, (Rh. 2119); Lourenco Marques, Mota, 34258; Namaacha, Soares.

Puccinia Cichorii (DC.) Bell.

Doidge (1927 a) 49.

on Cichorium Intybus Linn., Sea Point, Collins, 11296; Alexandria, V. E. Smith, 24903.

Puccinia contecta Syd.

H. Sydow (1924 a) 236; Doidge (1927 a) 113; Nel (1942) 36.

on Bulbinella robusta Kunth., Hopefield, v. d. Byl 1244, Type, and v. d. Byl 1962.

Puccinia coronata Corda

Doidge (1927 a) 121; Verwoerd (1929 b) 13, (1931 a) 299; Cardoso (1943) 41 (1945) 149.

Puccinia coronifera Kleb., Pole Evans (1906 a) 125, (1907 a) 164, (1911) 96.

Puccinia Lolii Niels, Hopkins (1938 a) 106, (1939 a) 6.

as Puccinia striaeformis West., Kalchbrenner (1882 b) 22.

on Avena sativa Linn., Skinner's Court, Pole Évans, 23, 143, 206, Standerton, Wyndham 73, 76, 104: Potchefstroom, Burtt Davy, 1044: Durban, McClean, 30668: Cedara Fisher, 118, 1918: Lemana, Pole Evans, 499: Onderstepoort, Steyn, 28714; Bloemfontein, Verwoerd: Somerset East, MacOwan 1113: Salisbury, 1649: Lowdale (Rh. 265) Kew: Mazoe, Hopkins; Rhodesia general, Hopkins: Umbeluzi, Peres Guimarãis, 34247.

on Lolium multiflorum Lam., Mooi River, Burtt Davy, 1474; Athol nr. Amsterdam, 30440; Prinshof, Codd. 30674.

Lolium perenne Linn., Potchefstroom, 240.

Poa annua Linn., Stellenbosch, Verwoerd (Stell, 190).

Puccinia Cyani (Schleich.) Passer.

Doidge (1927 a) 53; Nel (1942) 37.

on Centaurea Cyanus Linn., Daspoort, Pole Evans, 113; Durban, McClean, 24898; Stellenbosch, du Plessis (Stell. 655, v. d. Byl 2710, 2542); Northdene, McClean, 30940.

Puccinia Cynodontis Desm.

Pole Evans (1906 a) 136; Doidge (1927 a) 123; Verwoerd (1929 b) 13, (1931 a) 299; Nel (1942) 108.

on **Cynodon Dactylon** Pers., Skinner's Court, *Pole Evans*, 22; Brandfort, Verwoerd (Stell. 241, v. d. Byl 2367); Stellenbosch, *Verwoerd*; Hopevale, *Doidge*.

Puccinia Cyperi-fastigiati Doidge

Doidge (1928) 473.

on Cyperus fastigiatus Rottb., Silverton Ridge, Kresfelder, 23415.

Puccinia Cyperi-tagetiformis (P. Henn.) Kern

on Cyperus sp., Matola, Moçambique, Cardoso, 34243.

Puccinia deformans Wint.

Winter (1884 c) 260; Sacc. Syll. Fung. VII: 642; P. & H. Sydow (1904) 494; Doidge (1927 a) 101; Nel (1942) 37.

on Montinia caryophyllacea Thunb., nr. Cape Town, MacOwan, Type (Rabenh. Fung. Eur. 3125) 3464; Clovelly, nr. Kalk Bay, Andraea, 19857; between Kalk Bay and Noordhoek, Levyns (v. d. Byl 1452); Stellenbosch, Duthie (v. d. Byl 2043); Caledon, Verwoerd (Stell. 257; v. d. Byl 2182).

Puccinia dehiscens Syd.

P. & H. Sydow (1904) 597; Sacc. Syll. Fung. XVII: 364; Doidge (1927 a) 106.

on Aristea capitata Ker., Constantia Nek, Dippenaar (Stell. 829).

?on Aristea Schizolaena Harv., Noodsberg, Medley Wood 4140 (sub Puccinia Gladioli Cast., in Herb. Kew).

on Aristea sp., Muizenberg, Bolus, Type; Sabie, Pienaar, 5146; Hermanus, Louwrens, 29914.

Nivenia corymbosa (Ker.) Bkr., Bain's Kloof, Doidge, 966; St. James, Pole Evans, 5571, Kew.

Puccinia desertorum Syd.

H. & P. Sydow (1910) 259; Sacc. Syll. Fung. XXI: 664. on Evolvulus alsinoides Linn., Okahandja, *Dinter*, Type.

Puccinia Dichondrae Mont.

Doidge (1948 b) 901.

Puccinia Duthiei van der Byl (1927) 226 : Nel (1942) 37.

on **Dichondra repens** Forsk., Belvidere, Knysna, *Duthie* (v. d. Byl 2337) 33335; Grahamstown, *Archibald*, 33278; Groot Schuur, *Loseby* (Stell. 563).

Puccinia Dieramae Syd.

P. & H. Sydow (1904) 597; Sacc. Syll. Fung. XVII: 365; Doidge (1927 a) 107; Doidge & Bottomley (1931) 29.

on Dierama pendulum Bkr., Cape, Ecklon & Zeyher, Type.

Dierama sp., Entumeni, Haygarth, 14178.

Puccinia dimorpha Syd.

P. & H. Sydow (1904) 227; Sacc. Syll. Fung. XVII: 319; Doidge (1927 a) 69.
? Puccinia Rubiae Kalchbr. & Cooke in Herb.

as Puccinia Galiorum Link, Kalchbrenner & Cooke (1880) 21.

on Rubia cordifolia Linn., Umgeni Beach, Doidge, 2526; Kentani, Pegler 2385, 9427, Kew. Rubia petiolaris DC., Boschberg, MacOwan 1151, Type (S.A.M. 34007) 20757; Wonderboom, Pole Evans, 1494; Hennops River, Doidge, 2035, Pole Evans, 2272; Maritzburg, Doidge, 8251; Fountains, Doidge, 23340; The Thorns, Mogg, 26364; Donkerpoort, Doidge & Bottomley, 29752; The Willows, Doidge & Bottomley, 29815; Pelindaba, Doidge & Bottomley, 29932.

Rubia petiolaris var. heterophylla Sond., Wonderboom, Pole Evans, 1495.

Puccinia Dimorphothecae Pole Evans

Pole Evans (1916 a) 641 : Doidge (1927 a) 55.

on Dimorphotheca spectabilis Schlecht., Garstfontein, Pienaar, 1420, 1499, Type, Kew; Kaalfontein, Pole Evans, 9734, 10080, 10985, Mogg, 11664; Johannesburg, Watson, 17103; Halfway House, Steyn, 23370.

Dimorphotheca Zeyheri Sond., The Willows, Pole Evans, 2310.

Puccinia dispersa Erikss. & Henn.

Pole Evans (1911) 96; Doidge (1927 a) 133; Doidge & Bottomley (1931) 56; Hopkins (1938 a) 106, (1939 a) 41; Nel (1942) 37.

on Secale africanum Stapf, Jakhals Vallei, Marloth, 14677; Sutherland, Marloth (v. d. Byl 2536); Prinshof, Codd, 32436.

Secale cereale Linn., Pretoria, Pole Evans, 254; Cedara, Fisher, 1917, 2245; Koedoespoort, Pole Evans, 18078: Prinshof, Mogg & Codd, 30932; Salisbury, Hopkins; Inyanga, Hopkins; Lydenburg, Pons. 30873; Umbeluzi, Soares, 34245.

Puccinia Drimiae v. d. Byl

van der Byl (1926 c) 283 : Doidge (1927 a) 113.

on Drimia pusilla Jacq., Stellenbosch, Duthie Type, (Stell, 251; v. d. Byl 2330) 21004.

Puccinia Eragrostidis-chalcanthae Doidge

Doidge (1939) 499.

on Eragrostis chalcantha Trin., Donkerpoort, Doidge & Bottomley, 29760, Type.

Puccinia Eragrostidis-superbae Doidge

Doidge (1939) 500.

on Eragrostis superba Peyr., Derdepoort, Doidge & Bottomley, 29811, Type.

Eragrostis happula Nees var. divaricata Stapf, Derdepoort, Doidge & Bottomley, 29813.

Puccinia erythraeënsis Pazschke

v. d. Byl (1926 c) 288; Doidge (1927 a) 127; Doidge & Bottomley (1931) 61, 65; Hopkins (1932) 465, (1938 a) 106, (1939 a) 5, 33; Nel (1942) 37.

on Andropogon shirensis Hochst., Salisbury, Hopkins.

Andropogon sp., Derdepoort, Doidge & Bottomley, 33930: Donkerpoort, Doidge & Bottomley, 29992.

Cymbopogon afronardus Stapf, Barberton, Liebenberg, 26050.

Cymbopogon excavatus Stapf, Groenkloof, L. Turner, 8914: Pretoria, Pole Evans, 14650; Skinner's Court, Pole Evans, 1247; Nelspruit, Liebenberg, 26679; Derdepoort, Doidge & Bottomley, 29806; Debbe's Ravine, Bottomley, 29858; Ashbury, Doidge & Bottomley, 32445; Wonderboom, Bottomley, 32917.

Cymbopogon marginatus (Steud.) Stapf, Derdepoort, Doidge & Bottomley, 29799.

Cymbopogon plurinodis Stapf, Irene, Pole Evans, 452; Trigaartspoort, Doidge & Bottomley, 31009.

Hyparrhenia auctus (Stapf) Stent, Garstfontein, Pole Evans. 2220; Donkerpoort, Doidge & Bottomley, 29759: Ashbury, Doidge & Bottomley, 29779: Derdepoort, Doidge & Bottomley, 29808: Estcourt, Pentz, 31076; Fountains Valley, Watson, 32916.

Hyparrhenia Buchanani Stapf, Garstfontein, Pienaar, 2219; Derdepoort, Doidge &

Bottomley, 29791.

Hyparrhenia cymbaria Stapf, Winter's Kloof, Doidge, 2517; Cramond, Pole Evans, 2411; Town Bush Valley, Pole Evans, 1447, Kew; Fairy Glen, Bottomley, 23433; Skinner's Court, Wager, 23442; Nelspruit, Liebenberg, 25979; Umtentwini, Porter, 32679; Eshowe, McClean, 33170.

Hyparrhenia dissoluta (Nees) Hubb., Barberton, Liebenberg, 26063; Nelspruit, Liebenberg. 26671; Hartebeestpoort, Liebenberg, 29912; between Kutue and Sobi, Baum 778.

Hyparrhenia filipendula Stapf, Pretorius Kop, Kruger National Park, Chippindall, 33149, 33150; Empangeni, McClean, 35153.

Hyparrhenia filipendula var. pilosa Stapf, Donkerpoort, Doidge & Bottomley, 29769; Schagen, Liebenberg, 29915.

Hyparrhenia glauca Stent, Fountains Valley, Doidge, 23341; Silverton Ridge, Doidge,

Hyparrhenia hirta Stapf, Pretoria, Pole Evans, 6682, Watson, 32792; Fountains, Doidge, 23342; Ashbury, Doidge & Bottomley, 29780; Derdepoort, Doidge & Bottomley, 29787.

Hyparrhenia Tamba Anderss., The Willows, Doidge & Bottomley, 29816; Pelindaba, Doidge & Bottomley, 29884: Trigaartspoort, Doidge & Bottomley, 31012: Pyramids.

Mogg, 32431.

Hyparrhenia spp., Pretoria, Pole Evans, 1084; Tweedie, Mogg. 11642; Cramond. Pole Evans, 2402; Muckleneuk, Doidge, 2308; Groenkloof, Pentz, 20471; Skinner's Court, Doidge, 23438; Schagen, Liebenberg, 26346; Salisbury (Rh. 1627) Kew.

Trachypogon plumosus Nees, Nelspruit, Liebenberg, 26030.

Andropogoneae undet., Pyramids, Mogg. 25451; Tzaneen, v. d. Byl 1655; Salisbury (Rh. 1870).

Puccini Eucomi Doidge

Doidge (1939) 497 (lapsu calami P. eucomis)

on Andropogon eucomus Nees, Donkerpoort, Doidge & Bottomley, 30129, Type. Andropogon huillensis Rendl., Donkerpoort, Doidge & Bottomley, 30132.

Puccinia Euphorbiae P. Henn.

Nel (1942) 37.

on Euphorbia tuberosa Linn., Stellenbosch, Bosman (v. d. Byl 1964).

Puccinia Evansii P. Henn.

P. Hennings (1908) 271: Sacc. Syll. Fung. XXI: 670: Doidge (1927 a) 93: Nel (1942) 37.

on Acalypha angustata Sond., The Willows, Pole Evans, 126, Kew; Garstfontein, Pienaar, 1372, 1457, 2146, 6597, 6653; Olifantsfontein, *Pienaar*, 13019; Koedoespoort, *Pole Evans*, 1511; Pretoria (Syd. Fung. exot. 466) 17316; Donkerpoort, *Doidge &* Bottomley, 29727.

Acalypha decumbens Thunb., The Wilderness, Doidge, 17126.

Acalypha punctata Meisn., Koedoespoort, Pole Evans, 1303: Lyttelton, Colluct, 12226. Acalypha spp., Silverton, v. d. Byl, 2226; Kaalfontein, Pole Evans, 9536; Scottsburgh, Pole Evans, 6826; Greytown, Doidge, 7820; Henley, Doidge, 9092; New Hanover, v. d. Bul, 10092; Pretoria, Pole Evans, (Syd. Fung. exot. 466) 108, Type, 208, Kew; Natal Midlands, v. d. Byl 17; Nottingham Road, v. d. Byl 585, 586, 31834, 31835.

Puccinia exanthematica MacOwan

Kalchbrenner (1882 b) 24; Sacc. Syll. Fung. VII: 700; P. & H. Sydow (1904) 490; Doidge (1927 a) 101.

on Crassula spathulata Thunb., Boschberg, MacOwan 1242, 1347, Type (Rabenh. Fung. Eur. 3209; S.A.M. 28756) 3549, Kew.

Puccinia exhauriens Thuem

von Thuemen (1876 b) 425; Kalchbrenner (1882 b) 23; Sacc. Syll. Fung. VII: 714; P. & H. Sydow (1904) 344; Doidge (1927 a) 88.

on Jasminum tortuosum Willd., Boschberg, Tuck (MacOwan 1139; Thuem. Myc. univ. 1034; Rabenh. Fung. Eur. 2619; S.A. M. 28753) 10473, and MacOwan 1289, 20796. Kew; Cape Town, V. A. Putterill, 15035.

Puccinia Eylesii Doidge

Doidge (1927 a) 120, 201; Hopkins (1938 a) 106, (1939 a) 6; Nel (1942) 37.

on Aristida aequiglumis Hack., Donkerpoort, Doidge & Bottomley, 29745.

Aristida junciformis Trin. & Rupr., Donkerpoort, Doidge & Bottomley, 29743.

Aristida scabrivalvis Hack., Springbok Flats, Mellé, 20433.

Aristida transvaalensis Henr., Derdepoort, Doidge & Bottomley, 29804.

Aristida spp., Springbok Flats, 416; Salisbury, Eyles 2239, 15516; Gwanda, Doidge, 30299; Salisbury, Eyles (v. d. Byl 1972).

Puccinia Fagarae Doidge

Doidge (1927 a) 95, 201: Doidge & Bottomley (1931) 33: Hopkins (1938 a) 106. on Fagara Davyi Verdoorn, Pirie Forest, *Doidge*, 12274, Type.

Xanthoxylon sp., Hartley, Eyles (Rh. 4286).

Puccinia Feliciae (Syd.) Doidge

Doidge (1927 a) 55.

Puccinia capensis Syd., H. & P. Sydow (1918) 240; Sacc. Syll. Fung. XXIII: 687 (not Dietel)

on Aster bakerianus Burtt Davy, Somerset East, MacOwan 1468, Type.

Puccinia fuirenella Doidge

Doidge (1939) 493.

sub Uredo Fuirenae P. Henn., Doidge (1927 a) 198.

on Fuirena chlorocarpa Ridley. Xumeni Forest. Morgan & Doidge, 29823: Donkerpoort, Doidge & Bottomley, 29983.

Fuirena coerulescens Steud., Maritzburg, Pole Evans, 1444.

Fuirena pubescens (Lam.) Kunth., Donkerpoort, Doidge & Bottomley, 29977: Type; Nelspruit, Liebenberg, 25980, 26074.

Puccinia Galeniae Diet.

P. & H. Sydow (1904) 562; Sacc. Syll. Fung. XVII: 361; Doidge (1927 a) 103. on Galenia africana Linn., Swakopmund, Stapf, Klugkist.

Galenia Sarcophylla Fenzl., Swakopmund, Stapf, Klugkist.

Proceinia galerita Doidge

Doidge (1927 a) 79, 201.

on Hemizygia Pretoriae (Gürke) Ashby, Kaalfontein, Pole Evans, 10988, Type.

Puccinia Galopinae Cooke

Cooke (1882 a) 124; Sacc. Syll. Fung. VII: 703; P. & H. Sydow (1904) 220; Doidge (1927 a) 67.
on Galopina aspera Sond., Inanda, Medley Wood 602, Type, 9551, 10474, 11192, Kew.

the datophia aspera contact manual sectory wood one, Type, most total, 111.52, News.

Puccinia Gerberae Pole Evans

Pole Evans (1916) 641: Doidge (1927 a) 56.

Aecidium crypticum Kalchbrenner & Cooke (1880) 21; Sacc. Syll. Fung. VII: 800; P. & H. Sydow (1924) 41.

on Gerbera ambigua Sch. Bip., without locality, Mogg, 11657.

Gerbera discolor Sond., Garstfontein, Pienaar, 1422: Paardeplaats, Pienaar, 1531, 1076;
Kokstad, Mogg, 14148; Natal, Medley Wood, 11191.

Gerbera Kraussii Sch. Bip., Natal, Medley Wood 632, 10480, Kew.

Gerbera plantaginea Harv., Garstfontein, Erasmus, 1418, 6599, Type, 8912, Pienaar, 8887; Klapmuts, v. d. Byl, 6846; Kaalfontein, Mogg, 11688.

Gerbera spp., Entumeni, Haygarth, 14187; Natal, Medley Wood 66, 10286, Kew; Maclear, Pienaar, 2182.

Puccinia gerbericola Doidge

Doidge (1927 a) 57, 201.

Gerbera sp., Garstfontein, Pienaar, 6661, Type.

Puccinia Gladioli-crassifolii Doidge

Doidge (1927 a) 107, 202, (1948 c) 230; Doidge & Bottomley (1931) 26. on **Iridaceae** undet., Lyttelton, *Collyer*, 12227, Type.

Puccinia Gnidiae Doidge

Doidge (1939) 490.

on Gnidia microcephala Meisn., Kaalfontein, Pole Evans, 10083.

Puccinia graminis Pers.

Berkeley (1876 a) 175; Pole Evans (1906 a) 125, 134, (1907 a) 163, (1911) 96; van der Byl (1922 d) 285; Doidge (1927 a) 134; Verwoerd (1929 b) 18, 25, 28, (1931 a) 299; Doidge & Bottomley (1931) 11, 19, 41, 56, 67; Hopkins (1938 a) 106, (1939 a) 6, 16, 23, 46; Cardoso (1937) 153, (1939) 45, (1943) 41, (1945) 150; Nel (1942) 38.

Uredo linearis Pers., Kalchbrenner (1882 b) 25.

on Agrostis lachnantha Nees, Mount Hope, Galpin, 20452; Oliviershoek Pass, Doidge, 29984; Garstfontein, Wager, 23417.

Arrhenatherum elatius (L.) Mert. & Koch, Stellenbosch, Verwoerd (v. d. Byl 2473).

Avena fatua Linn., Malmesbury, Paarl, Cape Town, Verwoerd.

Avena sativa Linn., Standerton, Wyndham, 73, 386; Skinner's Court, Pole Evans, 84, 85, 213, 474; Potchefstroom, 241, 242; Somerset East, MacOwan 1237, 20749; Stellenbosch, Verwoerd (Stell. 151; v. d. Byl 1311); Malmesbury and Paarl, Verwoerd; Lydenburg, Pons, 32381; Salisbury (Rh. 2047); Hartebeestpoort, Sellschop, 30422.
Bromus rigidus Toth., Malmesbury, Verwoerd.

Dactylis glomerata Linn., Skinner's Court, Pole Evans, 247; Salisbury, Mundy, 1650;
Amersfoort, Robertson, 24943; Stellenbosch, Verwoerd; Prinshof, Codd, 30644.

Festuca elatior Linn., Amsterdam, Buchanan, 744, 1170.

Hordeum murinum Linn., Orange Free State, v. d. Merwe, 906; Stellenbosch and Paarl, Verwoerd.

Hordeum nodosum Linn., Middelburg, Cape, Pole Evans, 288.

Hordeum vulgare Linn., Skinner's Court, 82, 83; Potchefstroom, Burtt Davy, 1045; Prinshof, 21217; Stellenbosch, Verwoerd, v. d. Byl.

Hordeum sp., Mona (Rh. 1421); Hillside (Rh. 3329); Cashel (Rh. 3443); Rusapi (Rh. 1421); Salisbury (Rh. 1650).

Lolium perenne Linn., Piet Retief, Scholtz, 27696; Athol, nr. Amsterdam, 30441; Prinshof, Codd, 30675.

Lolium temulentum Linn., Kluitze's Kraal, Pole Evans, 211.

Secale cereale Linn., Skinner's Court, 264; Bloemfontein, Verwoerd; Stellenbosch,

Verwoerd (Stell. 446); Elsenburg, Marais (Stell. 441).

Triticum aestivum Linn., Skinner's Court, Pole Evans, 78, 79, 80, 81; Zeerust, Burtt Davy, 948; Potchefstroom, 954; Brits, Sellschop, 30417, 30967; nr. Lydenburg, Lydenburg, Pons, 30418, 32380; Bethlehem, v. d. Merwe, 1071; Orange Free State, 778; "Buffel", Lindley Distr., Jacot-Guillarmod, 30419; Groenkloof, L. Turner, 7371; Pretoria, Pole Evans, 8911; Kingwilliamstown, Sellschop, 11799; Britstown, 24946; Stellenbosch, Verwoerd (Stell. 4) and v. d. Byl; George, Malmesbury, Paarl, Tulbagh, Verwoerd; Salisbury, Mundy, 1648, Hopkins, 23682; Gazaland, Swymnerton, 10713; Rusapi (Rh. 1422) Kew; Mazoe, Felixburg, Melsetter, Umtali, Hopkins, Umbeluzi, Guimarāis; Sul do Save, Cardoso; Canicado, Cardoso; Namaacha, Cardoso; Infulene, Soares, Barradas, 34254; Matola, Soares; Marracuene, Soares on grass undet., foot of Table Mt., Eaton; Natal, Medley Wood 113.

Puccinia granularis Kalchbr. & Cooke

Kalchbrenner (1882 b) 22; Sacc. Syll. Fung. VII: 640; P. & H. Sydow (1904)
470; van der Byl (1922 d) 285; Doidge (1927 a) 96; Verwoerd (1931 a)
299: Doidge & Bottomley (1931) 26; Nel (1942) 38; Cardoso (1943) 53,
(1945) 162.

Aecidium Pelargonii Thuem., von Thuemen (1877) 411, (1879) 96; Sacc. Syll. Fung. VII: 783.

Uredo Pelargonii Thuem., von Thuemen (1878) 355.

Uredo Geranii DC. f. Pelargonii alchemilloides, von Thuemen (1876 b) 569.

Puccinia Pelargonii (Thuem.) Syd., P. & H. Sydow (1904) 469; Nel (1942) 42.

as Uromyces Geranii (DC.) Otth. & Wartm., Sacc. Syll. Fung. VII: 535.

on Pelargonium alchemilloides (L.) Ait.. Somerset East. MacOwan 1114, 1154, (Rabenh. Fung. Eur. 3914: Thuemen Myc. Univ. 955, 1026: S.A.M. 28735) 4254, 10743, 20704, 20714, 20708, Kew: Maritzburg. Pole Evans, 1438: Stellenbosch, Loseby (v. d. Byl 2516), Verwoerd (Stell. 253; v. d. Byl 2197, 2185), Bosman (v. d. Byl 2037, 2038).

Pelargonium aconitiphyllum E. & Z., Belfast, Doidge, 571: Inanda, Medley Wood 10,
 Type, 81, 837, 10323, Kew; Paardeplaats, Pienaar, 1075, 1498: Mooi River, Walters,
 2075, Mogg, 11650, 11794, 11796: Bulwer, Lansdell, 9122: Durban, v. d. Byl 162;
 Mooi River, v. d. Byl 642, 31871: Haenertsburg, Mogg, 30449.

Pelargonium amatymbicum E. & Z., Entumeni, Haygarth, 14189.

Pelargonium Burtoniae L. Bolus, Pretoria, K. M. Putterill, 32657.

Pelargonium cucullatum (L.) Ait., St. James, Stephens, 2085, Pole Evans, 1981.

Pelargonium hirsutum Ait., var. melananthum Harv., Stellenbos.h, Duthie (v. d. Byl 2352), Verwoerd (Stell, 284).

Pelargonium longifolium (Burm. f.) Jacq., Stellenbosch, Verwoerd (Stell. 186).

Pelargonium tabulare (L.) L'Herit., Wellington, Doidge, 989.

Pelargonium triste (L.) Ait., St. James, Pole Evans, 5569; Stellenbosch, Duthie (v. d. Byl 2476).

Pelargonium spp.. Cape Town, Lounsbury, 994, 1061; Lydenburg Distr., Pole Evans, 8384; Eston, v. d. Byl, 8371; Umtata River, Pegler 2404, 10126; Fort Jackson, Pienaar, 2172; Hogsback, K. M. Putterill, 30075; Bloemfontein, Verwoerd; Stellenbosch, Verwoerd (Stell. 33) and v. d. Byl; Kommetjie, Dippenaar, (Stell. 957); Moçambique, Cardoso; Lourenco Marques, Guinarāis; Chibuto, Guimarāis, 34242.

Puccinia Helianthi Schw.

Cardoso (1943) 59, (1945) 162 : Doidge (1948 b) 902.

Helianthus annuus Linn.. Unbeluzi, Soares, 34246, Martins; Bulawayo, Hopkins (Rh. 1988) 34031; Naboomspruit, 34051; Buffelspoort, Redpath, 34077, Bottomley, 34178; Pietersburg, Clarence, 34165; Inyati, Hopkins (Rh. 1989).

Puccinia hennopsiana Do dge

Doidge (1927 a) 118, 202.

on Mariscus congestus C.B. Cl., Hennops River, Doidge, 2038, Type, Kew; Fairy Glen, Doidge, 21226: Wolwekloof, Garstfontein, Bottomley, 29980: Donkerpoort, Doidge & Bottomley, 29972; Xumeni Forest, Doidge, 29981.

Puccinia heterospora Berk. & Curt.

Sacc. Syll. Fung. VII: 695; P. Hennings (1903) 156; P. & H. Sydow (1904) 472; Doidge (1927 a) 91; van der Byl (1926 c) 288; Hopkins (1938 a) 106, (1939 a) 42; Nel (1942) 39.

Uromyces Thwaitesii Berk. & Br., Cooke (1879 b) 72; Kalchbrenner (1882 b) 19.

on Sida cordifolia Linn., Umbelusi, Howard, 622; Lourenco Marques, Howard, 675, 676; Durban, Bottomley, 8243, 12234, v. d. Byl 893, 32002; Louis Trichardt, V. A. Putterill, 11834; Westfalia, Doidge, 20342; Zambesi, Pocock, 25989; Empangeni, McClean,

24896; Salisbury, Eules 4126, 6830 (Rh. 2044, 2222; v. d. Byl 2323; Stell. 275);

Shamva (Rh. 2594); Mazoe (Rh. 2933); Longa R., Baum 572.

Sida Dregei Burtt Davy, Garstfontein, Doidge, 1377, Kew: Groenkloof, Hean, 30655.

Sida Hoepfneri Gurke, Habungu, Baum 485, Kew.

Sida rhombifolia Linn., Verulam, Medley Wood 406, 11113, 11166, 13078; Entumeni, Haygarth, 14193; Schagen, Wager, 26203; Nelspruit, Liebenberg, 26000; Durban, v. d. Bul 75.

? on Hibiscus sp., Woodbush, v. d. Byl; Tzaneen, v. d. Byl 1503.

Puccinia holosericea Cooke

Cooke (1882 a) 126; Sacc. Syll. Fung. VII: 717; P. Sydow (1899 a) (130); P. & H. Sydow (1904) 326; Doidge (1927 a) 85; Nel (1942) 39.

on Ipomoea ficifolia Lindl., Inanda, Medley Wood 225, 560, Type, 10481, 827, 10482, 11159. Kew; Isipingo, Doidge, 6632; Durban, Bottomley, 8244, v. d. Bul 16, 242, 31969; St. Johns, Pole Evans, 11658; Stella Bush, Bottomley, 12233.

Ipomoea Wightii Choisy, Winkle Spruit, Pole Evans, 2390, Kew; Wyebank, Doidge,

Ipomoea spp., Lemana, Doidge, 1799; Tzaneen, Doidge, 20320.

Puccinia Hydrocotyles (Link) Cooke

Cooke (1880 b) 14; P. & S. Sydow (1904) 388; Doidge (1927 a) 88; Nel (1942) 39: Cardoso (1945) 164.

on Hydrocotyle bonariensis Lam., Amanzimtoti, Doidge, 1633; Catembe, Howard, 512; Inanda, Medley Wood 430, 450, Kew.

Hydrocotyle verticillata Thunb., Port Elizabeth, Pole Evans, 5189; Fountains Valley. Doidge & Bottomley, 29819.

Hydrocotyle sp., Durban, v. d. Byl 161; Fort Beaufort, Wager, 30968; Congella. v. d. Byl, 31934.

Puccinia Hyperici Doidge

Doidge (1927 a) 90, 202.

on Hypericum Lalandii Choisy, Garstfontein, Pienaar, 7087, Type, Kew.

Puccinia Hypochoeridis Oud.

Pole Evans (1916 a) 644; van der Byl (1922 d) 285; Doidge (1927 a) 60; Nel (1942) 40.

on Hypochoeris radicata Linn., Newlands, Pearson, 5595; Stellenbosch, v. d. Byl 2045 a. Verwoerd (Stell. 117); Mineral Springs, Klein Drakenstein, v. d. Byl 2045.

Puccinia Imperatae Doidge

Doidge (1928) 474.

on Imperata cylindrica Beauv. var. Thunbergii Hack., Skinner's Court, Doidge, 23416, Type; Buffelspoort, Doidge & Bottomley, 32764.

Puccinia inflorescenticola Pole Evans

Pole Evans (1916 a) 646; Doidge (1927 a) 64.

on Vernonia corymbosa Less., Rosehaugh, Sim, 7802, Type.

Vernonia podocoma Sch. Bip., Inyoni Kopje, Glenlivet, Mogg, 30281.

Puccinia Ipomoeae-panduratae (Schw.) Syd.

Doidge (1927 a) 83.

on Ipomoea albivenia Sweet, Pretoria, Pole Evans, 7818; Bandolier Kop, Doidge, 20317, Kew; Pietersburg, Pienaar, 7369; Muden, Fuller, 10129; Smitsdrift, Mogg, 34412.

Puccinia Iridis (DC.) Wallr.

Doidge (1939) 490.

on Iris germanica Linn., Johannesburg, Hollis, 25922: Pretoria, Mogg, 32661. Iris sp. (regilio-cyclus), Johannesburg, Hingst, 30142.

Puccinia Isoglossae Doidge

Doidge (1927 a) 72, 202, (1948 b) 902.

on Hypoestes verticillaris R. Br., Claridge, Doidge, 9075, Kew. Hypoestes sp., Winkle Spruit, Pole Evans, 2399; Type.

Puccinia Junci-Oxycarpi Doidge

Doidge (1941 c) 230

Puccinia Junci (Strauss) Wint. var. africana Doidge (1927 a) 116.

3 sub Uromyces Junci (Desm.) Tul., Kalchbrenner (1882 b) 20.

on Juneus lomatophyllus Spreng., Kentani, Pegler 2362, 9121, 9166, Kew.

Juneus oxycarpus E. Mey., Hennop's River, Doidge, 2039: Fairy Glen, Mogg, 23088; Garstfontein, Wager, 23436; Derdepoort, Doidge & Bottomley, 29794.

? on Juneus punctorius Linn. f., Klein Vis Rivier, MacOwan 1315, Kew. (uredo only, teleutospores not seen).

on Juneus sp., Donkerpoort, Doidge & Bottomley, 31008.

Puccinia Kalchbrenneri de Toni

Saccardo Syll. Fung. VII: 645; P. & H. Sydow (1904) 93; Pole Evans (1916 a) 641; Doidge (1927 a) 57.

Puccinia Helichrysi Kalchbrenner & Cooke (1880) 21 (not Rabenhorst).

Uredo Lepisclinis Thuem., von Thuemen (1877) 410.

Uromyces Urgines Kalchbrenner (1882 b) 21; Sacc. Syll. Fung. VII: 540.

on Helichrysum capitellatum (Thunb.) Less., Gordon's Bay, Loseby (Stell. 949).

Helichrysum nudifolium (Linn.) Less., Boschberg, MacOwan 1239 (Thuem. Myc. univ. 1644; S.A.M. 28730) 20767, Kew.

Helichrysum nudifolium var. leiopodium (D.C.) Moeser, Belfast, 554; Paardeplaats, Pienaar, 1491; Olifantsfontein, Pienaar, 12824; Fairy Glen, Botiomley, 23432; Silverton Ridge, Doidge, 23440.

Helichrysum nudifolium var. quinquenerve (Thunb.) Moeser, Barberton, Pole Evans, 1158, 1860, Liebenberg, 26021; Eshowe, Pole Evans, 2026: Entumeni, Haygarth, 14170; Haenertsburg, K. M. Putterill, 32752; Piesanghoek, Watson, 29862; Inanda, Medley Wood 55, 32025, Kew.

Helichrysum pannosum DC., Natal, Medley Wood 633, 10479, Kew.

Helichrysum undatum Less., Cape, MacOwan 1433, Kew.

Var. valida Doidge

Doidge (1927 a) 58.

on Helichrysum coriaceum Sond., Garstfontein, Erasmus, 1430, 2082, 9052, Pienaar, 12823; Kokstad, Pole Evans, 11661.

Helichrysum nudifolium (Linn.) Less. var. leiopodium (DC.) Moeser, Pretoria, Doidae, 683; Garstfontein, Pienaar, 1269, 1421; Debbe's Ravine, Bottomley, 32891. Helichrysum sp., Lydenburg, Pienaar, 1072, 1492.

Puccinia Kalchbrenneriana de Toni

Sacc. Syll Fung. VII: 661; P. & H. Sydow (1904) 628; Doidge (1927 a) 115. Puccinia Ornithogali Kalchbr., Kalchbrenner & Cooke (1880) 21.

Puccinia Urgines Kalchbr, in herb.

Aecidium Ornithogali Kalchbr, in Herb.

on Urginea altissima Bkr., Boschberg, MacOwan 1140, Type (S.A.M. 28752), 20748, Kew, ex Herb, Kalchbr. : Alicedale, Cruden, 12180.

Puccinia kentaniensis Pole Evans

Pole Evans (1918 c) 110; Doidge (1927 a) 95; Doidge & Bottomley (1931) 67. on Vepris lanceolata Don., Kentani, Pegler 1960, 8793, 8841, Type.

Puccinia Koedoeënsis Doidge

Doidge (1927 a) 63, 200.

on Vernonia monocephala Harv., Koedoespoort, Pole Evans, 9686, Type, Kew: Kaalfontein, Type, Kew; Kaalfontein, Mogg, 11652; Olifantsfontein, Pienaar, 13018; Paardeplaats, Pienaar, 1501.

Puccinia Kraussiana Cooke

Cooke (1882 a) 126; Sacc. Syll. Fung. VII: 657; P. & H. Sydow (1904) 636; Doidge (1927 a) 114 : van der Byl (1926 c) 288 : Nel (1942) 40.

on Smilax Kraussiana Meisn., Inanda, Medley Wood 611, Type, 10483, 11155. Kew, and Medley Wood 100, Kew; Stella Bush, Doidge, 1609; Winkle Spruit, Pole Evans, 2397, Doidge, 2502; Isipingo, Doidge, 6631, Kew; Woodbush, Doidge, 21026, v. d. Byl 1540, 1541; Eshowe, v. d. Byl 241.

Puccinia Krookii P. Henn.

P. Hennings (1900 a) 1; Sacc. Syll. Fung. XVI: 277; P. & H. Sydow (1904) 426; Doidge (1927 a) 89, (1948 b) 903.

on **Epilobium flavescens** E. Mey., Harrismith, Krook (Pl. Penther. 2206) Type.

Epilobium hirsutum Linn., nr. Silverton, Doidge, 1523; Rietfontein, Doidge, 2307; Kentani, Pegler 2395, 9530, Kew; Silverton, Doidge, 23435; Pyramids, Mogg, 32434.

Puccinia Kuhnii (Krüg.) Butler

Doidge (1941 c) 230.

on Saccharum officinarum Linn., becoming common on variety Co. 301, Natal Coast,

Saccharum spontaneum Linn., Mt. Edgecombe, McMartin, 30752.

Fuccinia kyllingicola Doidge

Doidge (1939) 494.

on Kyllinga melanosperma Nees, Donkerpoort, Doidge & Bottomley, 29971, Type; Karino, Wager, 23414.

Puccinia lemanensis Doidge

Doidge (1927 a) 95, 202

on Toddalia asiatica Lam., Lemana, Pole Evans, 497, Doidge, 1795, Type, Kew.

Puccinia leonotidicola P. Henn.

P. Hennings (1903) 157; P. & H. Sydow (1904) 280; Sacc. Syll. Fung. XVII: 328; Doidge (1927 a) 76; van der Byl (1926 c) 288; Cardoso (1945) 163.

Aecidium Leonotidis P. Hennings (1895 c) 52

as Trichobasis labiatarum Lév., Medley Wood (1898) 14.

Puccinia Menthae Pers. forma Leonotidis Kalchbrenner (1882 b) 22.

on Leonotis dysophylla Benth., Lourenço Marques, Howard, 707: Garstfontein, Doidge, 1375; New Agatha, Doidge, 1819, Kew.

Leonotis leonitis R. Br., Natal, Medley Wood 578, 11151, 10620, Kew; Somerset East, MacOwan 1330, Kew.

Leonotis leonurus R. Br., Winkle Spruit, Doidge, 2508.

Leonotis nepetifolia (Linn.) R. Br., Longa R., Baum 826, Kew.

Leonotis sp., Schagen, Liebenberg, 30956.

Puccinia le Testui Maubl.

Maublanc (1906) 71; Sacc. Syll. Fung. XXI: 641; Doidge (1948b)903

on Vernonia sp. (sect. Decaneuron) Marromeu, Le Testu.

Vernonia glabra Vatke, Rusapi (Rh. 4096) 33425.

Puccinia Leucadis Syd.

P. & H. Sydow (1904) 281 : Sacc. Syll. Fung. XVII : 329 ; Doidge (1927 a) 76 ; Hopkins (1938 a) 106, (1939 a) 24.

Uredo Leucadis P. Sydow (1899 a) (132): Sacc. Syll. Fung. XVI: 361; Nel (1942) 49.

? as Trichobasis labiatarum Lév., Cooke (1879 b) 71.

on Leucas martinicensis R. Br., Malvern, Doidge, 883: Garstfontein, Pienaar, 1211, 6598, 6660, 8915; Groenkloof, Pole Evans, 9093; Ashburton, Doidge, 9701; Acton Homes, Bottomley, 14161: Maritzburg, Doidge, 23211; nr. Durban, Medley Wood; Entumeni, Haygarth, 14192; Kentani, Pegler 1942, 7810, Kew: Piesanghoek, Bosman, 24352; Natal, Medley Wood 5, Type, Kew; Durban, v. d. Byl 56; Schoonord, Sekukuniland, Barnard, 30911; Salisbury, (Rh. 2156).

Leucas glabrata R. Br., Table Mt., Natal, Fuller, 1640, Kew.

Puccinia Liebenbergii Doidge

Doidge (1939) 490.

on Sonchus sp., Schagen, Liebenberg, 26176, Type.

Puccinia Lindaviana P. Henn.

P. Hennings (1895 a) 12; Sacc. Syll. Fung. XI: 194; P. & H. Sydow (1904) 342; Doidge (1927 a) 87.

on Strychnos Henningsii Gilg., Pondoland, Bachmann; Paddock, 8370; Kentani, Pegler 1951, 8394.

Puccinia lippiivora Syd.

Doidge (1927 a) 83, (1948 b) 904.

Puccinia natalensis Diet. & Syd. var. Evansii Doidge (1927 a) 82.

on Lippia asperifolia Rich., Inanda, Medley Wood 538, 10504, 11161; Barberton, Pole Evans, 1157, 1859, Kew, Lansdell, 11665; Letaba Drift, Doidge, 1817; Entumeni, Haygarth, 14191; Cramond, Pole Evans, 2407; White River, V. A. Putterill, 23229; Tzaneen, Liebenberg, 30957.

Lippia sp., Barberton, *Pole Evans*, 1850; Duivelskloof, *Doidge*, 1816

Puccinia luandensis Syd.

P. & H. Sydow (1904) 287; Sacc. Syll. Fung. XVII: 330; Doidge (1927 a) 79. Uredo Plectranthi Kalchbr. in Herb.

on Plectranthus sp., Inanda, Medley Wood, Type.

Puccinia luxuriosa Syd.

Doidge (1939) 502

on Sporobolus capensis (Willd.) Kunth, Donkerpoort, Doidge & Bottomley, 29758.

Sporobolus pectinatus Hack., Donkerpoort, Doidge & Bottomley, 29726.

Puccinia Lycii Kalchbr.

Kalchbrenner (1882 b) 21; Sacc. Syll. Fung. VII: 651; Magnus (1898) (91);
 P. & H. Sydow (1904) 265; Doidge (1927 a) 74.

Puccinia pulla Kalchbr. in Herb.

on Lycium tubulosum Nees, Somerset East, MacOwan 1410, Type (Rabenh. Fung. Eur. 3122) 3461, Kew; nr. Cookhouse Drift, Groot Vis R. MacOwan (S.A.M.).

Lycium austrinum Miers, Amanzi, Pole Evans, 9783.

Lycium hirsutum Dun., Bloemfontein, Pole Evans, 1169, 5168, v. d. Merwe, 1496.

Lycium oxycladum Miers, Smitskraal, Pole Evans, 1913.

Lycium sp., Grahamstown, Hansford, 33485.

Puccinia MacOwani Wint.

Winter (1885 a) 255; Sacc. Syll. Fung. VII: 674; P. & H. Sydow (1904) 93; Pole Evans (1916 a) 642; Doidge (1927 a) 59.

Aecidium truncatum Kalchbr., nom. nud., in Herb. Kew and S.A.M.; Sacc. Syll. Fung. VII: 674.

on Helichrysum petiolatum DC., Boschberg, MacOwan, Type (Rabenh. Fung. Eur. 3211, 3212; ? S.A. M. 28732) 3551, 3552, 20719, 20715, Kew.

Puccinia Magnusiana Koern.

P. & H. Sydow (1904) 785; Doidge (1927 a) 129; Nel (1942) 40; Cardoso (1945) 163.

on Phragmites communis Trin., Natal, Medley Wood 444, 10022, 10466; Fort Beaufort, 292; Koster River, 468; Garstfontein, Pienaar, 1254; nr. Dordrecht, Pienaar, 2005; Tweespruit, v. d. Merwe, 8961; Bloemfontein, Potts, 11304; Mazelspoort, Talbot, 35136; Klip River, Doidge, 14165; Lakeside, Thomson, 14652; Silverton Ridge, Bottomley, 23445; Skinner's Court, Wager, 23441, Doidge, 23434; Somerset East, MacOwan 1027 (S.A.M. 28761) 20725, Kew; Umhlanga, Medley Wood 624, 794, 10476, Kew; Elim, Bosman, 26105; Derdepoort, Doidge & Bottomley, 29810; Nottingham Road, McClean, 31078, 32286; Hopefield, v. d. Byl 2695; Moçambique, Cardoso; Infuleni, Guimarãis, 34239.

Puccinia Malvacearum Mont.

von Thuemen (1875) 379, (1878 a) 355; Kalchbrenner (1882 b) 24; Sacc. Syll. Fung. VII: 686; P. & H. Sydow (1904) 476; Pole Evans (1906 a) 137; van der Byl (1922 d) 285; Doidge (1927 a) 92; Verwoerd (1929 b) 14, (1931 a) 299; Doidge & Bottomley (1931) 30; Hopkins (1938 a) 106, (1939 a) 4; Nel (1942) 41.

on Althaea rosea Cav., Somerset East, MacOwan 1117 (S.A.M. 28757); Pretoria, 18 Gower, 17077; Skinner's Court, Pienaar, 1652; Groenkloof, Sellschop, 9432; Johan nesburg, Fuchs, 382; Sterkfontein, Pienaar, 2090; Natal, Medley Wood 455, 10487.

Bloemfontein, Potts, 21937; Tayside, de Jager, 25494: Onderstepoort, Steyn, 27287; Bloemfontein, Verwoerd: Stellenbosch, Brain (Stell. 262; v. d. Byl 2210) and Verwoerd: Paarl, Wellington, Somerset West, Wynberg, Verwoerd; Salisbury, Hopkins, (Rh. 1596).

Malva parviflora Linn., Kentani, Pegler, 2000; Uniondale, Pienaar, 2419; Somerset East, MacOwan 1135 (Thuem. Myc. Univ. 1723) 20756, 20760, Kew; Port Elizabeth, V. A. Putterill, 28526; Stellenbosch, v. d. Byl 244, Verwoerd (Stell. 76); Klapmuts, v. d. Byl 896.

Malva rotundifolia Linn., Natal, Medley Wood 440, 10485: Cape, MacOwan 1117, Kew; Skinner's Court, 397: Pretoria, Bottomley, 19846; Cedara, Gill, 23487.

Malvastrum grossulariaefolium Gray & Harv., Ventersdorp, Pienaar, 1064.

Puccinia Maydis Bereng.

von Thuemen (1876 b) 569; Kalchbrenner (1882 b) 22; Maublanc (1906) 71; van der Byl (1922 d) 285: Pole Evans (1906 a) 125, 135, (1910 b) 194, (1911 b) 260; M. Pole Evans (1923 b) 1-8; Doidge (1927 a) 136; Verwoerd (1929 b) 16, (1931 a) 299; Doidge & Bottomley (1931) 36, 57; Hopkins (1938 a) 106, (1939 a) 50; Cardoso (1937) 153, (1938) 75, (1939) 45, (1943) 45, (1945) 149.

Puccinia Zeae Bereng., Nel (1942) 45.

Puccinia Sorghi Schw., Sacc. Syll. Fung. VII: 659.

on Oxalis corniculata Linn., Somerset East, MacOwan 1295 (S.A.M. 28736); Skinner's Court, Pole Evans, 1004, Doidge, 1926; Pretoria, Pole Evans 1846.

Zea Mays Linn.. Somerset East, MacOwan, 1410, 1257; Inanda, Medley Wood 669, 10591, Kew; Catembe, Howard, 627; Vereeniging, Burtt Davy, 950, 952; Volksrust Burtt Davy, 951; Amersfoort, Burtt Davy, 953; Stellenbosch, Pole Evans, 1050, Verwoord (Stell, 166), Brain (v. d. Byl 1431), v. d. Byl 487; Rhodesia, Mundy, 891; Skinner's Court. Pole Evans, 60, 62, 1191; Maritzburg, Pole Evans, 1384; Kentani, Pegler 1854, 2138, Kew; Maclear, Pienaar, 2224; Potchefstroom, v. d. Byl, 2324; Buffelspoort, Doidge & Bottomley, 32762; Bloemfontein, Potts, 11312, and Verwoord; Kliptown, Thomas, 17022; Pretoria, Doidge, 17070; Groenkloof, 18088; Grahamstown, Mally, 21993; Wellington, Lounsbury, 250; South West Africa, Le Testu; Salisbury, v. d. Byl 2055; Rhodesia, general, Hopkins; Umbeluzi, Guimarāis; Maciana, Guimarāis; Manhica, Guimarāis, 34238.

Euchlaena mexicana Schrad., Groenkloof, L. Turner, 7805.

Puccinia McCleanii Doidge

Doidge (1941 c) 231.

on Gladiolus Ludwigii Pappe, Nottingham Road, McClean, 30996, Type.

Puccinia Menthae Pers.

von Thuemen (1876 a) 425; Kalchbrenner (1882 b) 22; Sacc. Syll. Fung. VII: 617; P. & H. Sydow (1904) 282; Doidge (1927 a) 77.

on Mentha aquatica Linn., Pretoria, Pole Evans, 6850.

Mentha longifolia Huds. subsp. capensis Briq., Natal, Medley Wood 112, 466, 10488; Somerset East, MacOwan 1150 (Thuem. Myc. Univ. 442; S.A.M. 28754) 20758, 20722, Kew; near Tweespruit, v. d. Merwe, 8962; Dordrecht, Pienaar, 2017. Mentha viridis Linn., Pretoria, Pole Evans, 2495, 6680.

Puccinia Mesembryanthemi Mac Owan

Mac Owan (1880) 89 ; Cooke (1892) 109 ; Sacc. Syll. Fung. XI : 186 ; P. & H. Sydow (1904) 562 ; Doidge (1927 a) 103 ; Doidge & Bottomley (1931) 38.

on **Psilocaulon parviflorum** (Jacq.) L. Bolus, Graaff-Reinet, *Tuck*, Type (MacOwan 1441; Medley Wood 437) 10489; Cape Town, E. L. Stephens, 5623; Fort Hare, Giffen, 34506.

Psilocaulon granulicaule (Haw.) N.E.Br., Orange River Railway Station, *Pole Evans*, 7356; Kimberley, *Moran* (Syd. Fung. exot. 157) 5126, 17882, Kew.

Delosperma herbeum N.E.Br., Johannesburg, Knox Davies, 14842 (Aecidium only).

Delosperma sp., Kokstad, Mogg, 11640 (Aecidium only).

Puccinia Miscanthidii Doidge

Doidge (1939) 500.

on Miscanthidium capense Stapf, Tabamhlope, Pentz, 30927; Nottingham Road, McClean, 32306.

Miscanthidium junceum Stapf, Trigaartspoort, Doidge & Bottomley, 30105. Miscanthidium Sorghum (Nees) Stapf, Lundie's Hill, Doidge, 30104, Type.

Puccinia Monsoniae (Syd.) Doidge

Doidge (1927 a) 96, 203; Nel (1942) 41.

Uredo Monsoniae Syd., H. & P. Sydow (1912 a) 34; P. & H. Sydow (1924) 467; Sacc.
Syll. Fung, XXIII: 928.

on Monsonia attenuata Harv., Ermelo, Burtt Davy, 65,

Monsonia biflora DC., Lyttelton, Erasmus, 1518; The Thorns, Doidge, 1521, Type, Kew; Koedoespoort, Pearson, 1619; Hennops River, Pole Evans, 2260; Silverton, Pole Evans 8925; Wonderboom, Pole Evans, 8974; Donkerpoort, Doidge & Bottomley, 29733.

Monsonia brevirostrata R. Knuth, Vrede, v. d. Merwe, 32017.

Monsonia sp., Vrede, v. d. Merwe (v. d. Byl 565).

Puccinia Moraeae P. Henn.

P. Hennings (1895 a) 12; Sacc. Syll. Fung. XI: 196; P. & H. Sydow (1904) 600; Doidge (1927 a) 108; Doidge & Bottomley (1931) 64.

Puccinia melanida Syd., H. Sydow (1924 a) 235; Nel (1942) 41.

on? Moraea edulis Ker., nr. Cape Town, MacOwan (Rabh. Fung. Eur. 3204 as Puccinia Allii) 3544, 20711.

Homeria Breyniana (Linn.) Lewis, Stellenbosch, Verwoerd (Stell. 99), Dippenaar (Stell. 955, v. d. Byl 1182, 1251); Ceres, Dippenaar (Stell. 535; v. d. Byl 2594).

Homeria pallida Bkr., Rooidraai, Lydenburg Distr., 692; Ermelo, 12461; Davel, Bennett, 12460, Kew; Alberton, G.V.O., 20601.

Homeria sp., Cape Town, Marloth, 17784; Roggeveld, Skaife, 10855; Hopefield, v. d. Byl 2025.

Puccinia Morganae Doidge

Doidge (1939) 493.

?sub Puccinia caricina DC., Kalchbrenner (1882 b) 22.

on Cyperus albostriatus Schrad., Xumeni Forest, Morgan & Doidge, 29985, Type; Poschberg, MacOwan 1018 (S.A. M. 28728).

Puccinia Myrsiphylli (Thuem.) Wint.

Winter (1884 c) 261; P. Sydow (1899 a) (130); Sacc. Syll. Fung. VII: 614; P. & H. Sydow (1904) 626; Doidge (1927 a) 111; Doidge & Bottomley, (1931) 16.

Uredo Myrsiphylli Thuem., von Thuemen (1877) 410; Kalchbrenner (1882 b) 25. Aecidium Myrsiphylli Kalchbrenner (1882 b) 25.

on Asperagus asparagoides (Linn.) Druce, Noodsberg. Medley Wood 219, (no. 209 fide Kalchbr.) 832, 10592: Boschberg, MacOwan 1280, Type (S.A.M. 34212) Kew; Harden Heights, Fuller, 1590; Durban, McClean, 31029.

Puccinia natalensis Diet. & Syd.

P. Sydow (1899 a); Sacc. Syll. Fung. XVI: 301; P. & H. Sydow (1904) 306; Doidge (1927 a) 82.

on Lantana salvifolia Jacq., Umzinyati, Medley Wood 71, 11160, 10490; Inanda, Medley Wood 85, 10515; Zululand, Medley Wood, 357, 836; Malvern, Doidge, 884, Kew.

Puccinia oahuensis Ell. & Everh.

Cummins (1943) 524.

Puccinia Digitariae Pole Evans (1918 c) 111: Doidge (1927 a) 124. (1939) 499: Doidge & Bottomley (1931) 24; Hopkins (1938 a) 106, (1939 a) 18; Nel (1942) 37; Cardoso (1943) 59, (1945) 163.

Uredo digitaria ecola Thuem. in Myc. Univ. no. 2041 (1882); P. & H. Sydow (1924) 604.

on Digitaria decumbens Stent, Athol near Amsterdam, 30438.

Digitaria debilis Willd., Kentani, Pegler 1879, 2372, 8881, Kew.

Digitaria eriantha Steud.. Cedara, Staples, (Stell. 34, v. d. Byl 1112) 17082; Wharncliffe, Pienaar, 2175, Kew; Prinshof, Bottomley, 23518-25323, Pentz, 30905; Buffelspoort, Doidge, 25787; Debbe's Ravine, Mogg, 30906.

Digitaria horizontalis Willd., Nelspruit, Liebenberg, 26649.

Digitaria Pentzii Stent, Donkerpoort, Doidge & Bottomley, 29750; Ashbury, Doidge & Bottomley, 29783.

Digitaria setivalva Stent, Salisbury, Hopkins (Rh. 2002, 2071) 30152.

Digitaria Smutsii Stent. Groenkloof, Pentz, 20470; Skinner's Court, Doidge, 23439.

Digitaria spp., Skinner's Court. Pole Evans, 129, 1192; Hartebeestpoort, Liebenberg, 29913; Infuleni, Soares.

Puccinia Ocimi Doidge

Doidge (1927 a) 78, 203.

as Aecidium Menthae DC., Nel (1942) 30.

on Ocimum americanum Linn., Zilikats Nek, Doidge, 12244, Type, 12245.

Ocimum suave Willd., Durban, Medley Wood, 786, 11201, Kew, v. d. Byl 72, 12335; Winkle Spruit, Pole Evans, 1595, 2021; Wonderboom, Pole Evans, 9730, Kew; Schagen, Liebenberg, 30953.

Puccinia oedipus Cooke

Cooke (1882 a) 126; Sacc. Syll. Fung. VII: 608; P. & H. Sydow (1904) 143;
Pole Evans (1916 a) 645; Doidge (1927 a) 62.

on Senecio pandurifolius Harv., Inanda, Medley Wood 561, 369, 10491.

Senecio sp., Ceres, Verwoerd (Stell. 657; v. d. Byl 2696).

Puccinia Oenotherae Vize

Doidge (1927 a) 90.

on Oenothera sp., Wellington, Doidge, 984, 2065; Newlands, Saxton, 5578, Kew; Bloemfontein, Potts, 11305.

Puccinia Ornithogali-thyrsoides Diet.

Pazschke (1905) (178); Sacc. Syll. Fung. XXI: 671; Doidge (1927 a) 114; Verwoerd (1929 b) 10; Doidge & Bottomley (1931) 18; Hopkins (1938 a) 106, (1939 a) 30.

sub Puccinia Kalchbrenneriana de Toni, Nel (1942) 40.

sub Puccinia Ornithogali Kalchbr., Nel (1942) 42.

on **Ornithogalum aureum** Curt., Stellenbosch, *Dippenaar* (Stell. 533); Tulbagh, *Dippenaar* (Stell. 963).

Ornithogalum pilosum Linn. f., Stellenbosch, Verwoerd (Stell, 268).

Ornithogalum thyrsoides Jacq., Cape, MacOwan, Type (Rabenh. Fung. Eur. 4423) Kew; Cape Town, Pole Evans, 7079, 9790, Kew; Cango Valley, Doidge, 10893; nr. Cape Town, Eastham, 20357; Stellenbosch, Verwoerd (Stell. 74; v. d. Byl 2196), v. d. Byl 892, 2203; Paarl, Cape Town, Oudtshoorn, Verwoerd; Hopefield, Schroeder (v. d. Byl 1052); Tulbagh, Dippenaar, (Stell. 964, v. d. Byl 1253); Fishhoek, Marloth, 33449; Hermanus, Dippenaar, (Stell. 1028); Salisbury (Rh. 2781).

Ornithogalum virens Lindl., Natal, v. d. Byl 20, 32481.

Puccinia Othonnae Doidge

Doidge (1927 a) 61, 203.

on Othonna natalensis Sch. Bip., Olifantsfontein, Pienaar, 13052, Type, Kew; Roodepoort, Pole Evans, 14184, Kew.

Puccinia Pachycarpi Kalchbr. & Cooke

Kalchbrenner (1882 b) 23; Sacc. Syll. Fung. VII: 654; P. & H. Sydow (1904) 332; Doidge (1927 a) 85.

on Asclepias albens Schlecht., Inanda, Medley Wood 36, 10493, 13080, Kew.

Pachycarpus grandifiorus E. Mey., van Stadens Berg, MacOwan 1327, Type (S.A.M. 28759).

Puccinia pallens Syd.

H. & P. Sydow (1903) 19; P. & H. Sydow (1904) 876; Doidge (1927 a) 79.
Puccinia pallida Massee (1901 b) 168; Sacc. Syll. Fung. XVII: 330.
(not Tracy)

on Orthosiphon sp., Van Reenen, Medley Wood 5701, Type, Kew.

Puccinia Pegleriana Doidge

Doidge (1939) 492; Cardoso (1943) 57, (1945) 163.

Puccinia Cyperi-tagetiformis (P. Henn.) Kern var. africana Doidge (1927 a) 116.

on **Cyperus** spp., Winkel Spruit, *Pole Evans*, 2033; Umbelusi, *Howard*, 636 and *Guimarāis*; Kentani, *Pegler 1926*, 7403, 7744, Kew; Pienaars River, *Doidge & Bottomley*, 29901; Matola, *Cardoso*; Town Bush Valley, *Pole Evans*, 1443.

Puccinia Pelargonii-zonalis Doidge

Doidge (1927 a) 98, 203; Doidge & Bottomley (1931) 26; Hopkins (1938 a) 106, (1939 a) 3; Nel (1942) 42; Cardoso (1943) 54.

? Uredo Geranii (DC.) f. Pelargonii-zonalis Thuem. von Thuemen [1876 b) 426.

? as Uromyces Geranii (DC.) Otth. & Wart., Kalchbrenner (1882 b) 19.

on Pelargonium hortorum Bailey, Somerset East, MacOwan 1114 (S.A.M. 33967): Cape Town, Saxton (S.A.M. 28760); Pretoria, Pole Evans, 111, 128, 216, 6681, 6848, Davis, 402, Hean, 30980; Cape, Lounsbury, 209; Alice, 1931: Umtata, Pienaar, 2222; Maritzburg, Stayner, 6823; Scottsburgh, Pole Evans, 6843, Type; Cradock, Leller,

7370; Kentani, Pegler 1946, 8349, 8380, Kew; Cango Valley, Doidge, 10896; Johannesburg, Fuchs, 183: Melville Nurseries, Johannesburg, 31290; Mooi River, Mogg, 11795; Port Elizabeth, K. M. Putterill, 28533: Amsterdam, Naude, 31283: Fairydene, Natal, v. d. Byl 532, 31800; Durban, McClean, 32289; Salisbury, Eyles 5022 (Rh. 503) Kew: Umtali, (Rh. 3452); Elsenburg, v. d. Byl 81; Moçambique, Lourenço Marques, Andrade and Guimarāis.

Puccinia Penniseti Zimm.

Hopkins (1938 a) 106, (1939 a) 31; Nel (1942) 42.

on Pennisetum spicatum (L.) Koern., Trelawney (Rh. 3323).

Pennisetum typhoides Stapf & Hubb., Krantzkloof, Haygarth (v. d. Byl 389) Kew.

Puccinia pentactina Doidge

Doidge (1928) 473.

on Senecio pentactinus Klatt, Garstfontein, Mogg, 23418, Type.

Puccinia Pentanisiae Cooke

Cooke (1882 a) 125; Sacc. Syll. Fung. VII: 645; P. Sydow (1899 a) (131);
 P. & H. Sydow (1904) 224; Doidge (1927 a) 68; Nel (1942) 43.

on Pentanisia prunelloides (Klotzsch ex E. & Z.) O. Ktze., Inanda, Medley Wood 536, 567, Type, 596, 831, 10494, 10495, 10496, Kew; Witbank, Walters, 1195; Garstfontein, Pienaar, 1488, Kew; Kaalfontein, Pole Evans, 9541; Olifantsfontein, Pienaar, 13017; Henley nr. Maritzburg, Doidge, 9091; New Hanover, v. d. Byl, 10117; Donkerpoort, Doidge & Bottomley, 29731; Nottingham Road, v. d. Byl 77.

Var. Pentagynae P. Henn.

P. Hennings (1903) 157; Sacc. Syll. Fung. XVII: 317.

on Pentanisia pentagyne K. Schum., Kubango R., Baum 908, Type, Kew.

Puccinia Phragmitis (Schum.) Koern.

Kalchbrenner (1882 b) 22; Sacc. Syll. Fung. VII: 630; P. & H. Sydow (1904) 787; P. Hennings (1908) 271; Doidge (1927 a) 130; van der Byl (1922 d) 285; Doidge & Bottomley (1931) 55; Nel (1942) 43.

Aecidium rubellum Gmel., Doidge & Bottomley (1931) 55: Hopkins (1938 a) 105,

(1939 a) 41.

Accidium Rumicis Hoffm. f. Rumicis Eckloniana Thuem., von Thuemen (1878 a) 355; Kalchbrenner (1882 b) 25.

on Rheum rhaponticum Linn., Rosetta, Fuller, 428; Ermelo, Burtt Davy, 749, 937, Kew; Grootfontein, Gill, 18101; Hankey, Ross, 26368.

? on Rumex acetosella Linn., Stellenbosch, Verwoerd (Stell. 105).

on Rumex conglomeratus Murr., Bulwer, Lansdell, 9125.

Rumex Ecklonianus Meisn., Somerset East, MacOwan 1308, (Thuem. Myc. Univ. 1322; S.A. M. 28742) 20720, 20736, Kew; Koedoespoort, Pole Evans, 748; Potchefstroom, Pole Evans, 197.

Rumex nepalensis Spreng., Kentani, Pegler 2369, 9168; Lowdale (Rh. 261); Mazoe, Eyles (v. d. Byl 2522).

Rumex spp., Skinner's Court, 697; Vereeniging, Burtt Davy, 7097; Wellington, Bottom-ley, 1500, 1579; Hopefield, v. d. Byl 1264; Tulbagh, Duthie (Stell. 627, 947).

Phragmites communis Trin., Klein Visch Rivier, MacOwan 1316 (S.A.M.) Kew; Umhlanga, Medley Wood 624, Kew; Wakkerstroom, Burtt Davy, 418; Quelimane, Howard, 646; Witbank, Walters, 1199; Pretoria, Pole Evans, 1588; Wolhuter's Kop, Maynard, 8386; Durban, Pole Evans, 1439, a. d. Byl 19; Reunion, v. d. Byl 773, 31953; Stellenbosch, v. d. Byl; Elsenburg, Verwoerd (Stell. 205; v. d. Byl 2474).

Puccinia Phyllocladiae Cooke

Cooke (1882 a) 125; Sacc. Syll. Fung. VII: 733; P. & H. Sydow (1904) 612;
Doidge (1927 a) 111; Verwoerd (1929 b) 7; Verwoerd & Dippenaar, (1930 a)
326; Doidge & Bottomley (1931) 68; Nel (1942) 43.

on Asparagus falcatus Linn., Inanda, Medley Wood 630, 830, 9809, 10497, 11158, Kew; Winkle Spruit, Pole Evans, 1977, 2022, 2395, Kew, Doidge, 2503; Kentani, Pegler 1962, 8792; Eshowe, Laughton, 33513; Kloof, Wager, 33198.

Asparagus sarmentosus Linn., Somerset Strand, Loseby; Stellenbosch, Verwoerd; Gordon's Bay, Loseby (v. d. Byl 2607), Verwoerd (Stell, 379).

Puccinia Pienarii Pole Evans

Pole Evans (1916 a) 643; Doidge (1927 a) 60.

on Helichrysum acutatum DC., Natal, 10980.

Helichrysum sp., Paardeplaats, Pienaar, 1489, Type.

Puccinia Plectranthi Thuem.

von Thuemen (1875) 378; Cooke (1882 a) 126; Kalchbrenner (1882 b) 23; Sacc Syll, Fung, VII: 672; P. & H. Sydow (1904) 286; Doidge (1927 a) 80.

on Plectranthus laxiflorus Benth., Boschberg, MacOwan 1136, 1289 (S.A.M. 28758) 20739, Kew; Somerset East, MacOwan 1006, Type (Thuem. Myc. Univ. 632; Roum. Fungi Sel. Exsicc. 4513) 20762, Kew; Natal, Medley Wood 1, 5; Howick, Franks, 6688; Kentani, Pegler 1937, 7762, 7821, Kew.

Plectranthus sp., Puff Adder Hill, Medley Wood 3496, 326, Kew; Inanda, Medley Wood 505, 618, 10498, Kew.

Puccinia Poarum Niels

Verwoerd (1929 b) 13; Doidge & Bottomley (1931) 65. on Poa annua Linn., Stellenbosch, Verwoerd (Stell. 381).

Puccinia Pogonarthriae (Syd.) Hopkins

Hopkins (1938 a) 106, (1939 a) 34; Doidge (1939) 501.

Uredo Pogonarthriae Syd., H. & P. Sydow (1912 a) 35; P. & H. Sydow (1924) 545;

Doidge (1927 a) 198; Sacc. Syll. Fung. XXIII: 934.

on Pogonarthria squarrosa (Licht.) Pilg., Marandellas, Rattray (Rh. 2163), 30112; Donkerpoort, Doidge & Bottomley, 29757; Skinner's Court, Pole Evans, 228; Marico, O'Connor, 12230; Nelspruit, Liebenberg, 26028; Umvukwes and Umtali, Hopkins.

Puccinia Pole-Evansii Doidge

Doidge (1927 a) 109, 203; Doidge & Bottomley (1931) 30.

on Hypoxis acuminata Bkr., Gramond, Pole Evans, 2408, Kew.

Hypoxis argentea Harv., Rhebok Kop, Rosendal, Goossens, 28817.

Hypoxis costata Bkr., Kaalfontein, Pole Evans, 10983; Lyttelton, Collyer, 12228.

Hypoxis Gerrardi Bkr., Hopevale, Doidge, 33519.

Hypoxis rigidula Bkr., Garstfontein, Pienaar, 1257: The Willows, Pole Evans, 2332: Kaalfontein, Pole Evans, 10084, 10984, Type; Donkerpoort, Doidge & Bottomley, 29740; Nottingham Road, v. d. Byl, 30946.

Hypoxis spp., Paardeplaats, Pienaar, 1502: Pretoria, Murray, 6614: Krugersdorp. Pole Evans, 9094; Mooi River, Mogg, 10070, 10071; nr. Mont aux Sources, Doidge. 14160; Tabamhlope, Pentz, 30926.

Puccinia polycampta Syd.

H. Sydow (1924 a) 236; Doidge (1927 a) 110; Verwoerd & Dippenaar (1930 a) 328 : Nel (1942) 43.

on Anthericum ciliatum Linn. f., Hopefield, v. d. Byl 2482.

Anthericum hispidum Linn., Stellenbosch, Verwoerd (Stell. 252), Dippenaar, (Stell. 965). Duthie (v. d. Byl 2188).

Anthericum longipedunculatum Steud., Stellenbosch, Verwoerd (Stell, 263).

Anthericum revolutum Linn., Hopefield, v. d. Byl 2358.

Anthericum spp., Stellenbosch, Verwoerd, Type (Stell, 116; v. d. Byl 1260); Langbaan, v. d. Bul 1270.

Puccinia Polygoni-amphibii Pers.

Doidge (1927 a) 104.

on Polygonum tomentosum Willd., Garstfontein, Pienaar, 1374: nr. Dordrecht, Pienaar, 2004: Uniondale, Pienaar, 2431: Debbe's Ravine, Bottomley, 32890.

Puccinia Popowiae Cooke

Cooke (1882 a) 126; Sacc. Svll. Fung. VII: 619; P. & H. Sydow (1904) 579; H. Sydow (1922 a) 57 : Doidge (1927 a) 101.

on Popowia caffra (Sond.) Hk. f. & Thoms, Inanda, Medley Wood 614, Type, 10499, Kew; Winter's Kloof, Doidge, 12433; Isipingo, Wager, 32415.

Puccinia Pottsii Doidge

Doidge (1927 a) 118.

on Cyperus usitatus Burch., Bloemfontein, Potts, 11310, Type, Kew.

Puccinia pretoriensis Doidge

Doidge (1927 a) 69.

on Pentanisia prunelloides (Klotzsch ex E. & Z.) O. Ktze.. Garstfontein, Pienaar, 6663, Type, Kew.

Puccinia Printziae Thuem.

von Thuemen (1878 b). no. 742; Sacc. Syll. Fung. VII: 704; P. & H. Sydow (1904) 137; Pole Evans (1916 a) 644; Doidge (1927 a) 62.

on Printzia Huttoni Harv., Somerset East, MacOwan 1278, Type (Thuem. Myc. Univ. 742; S.A. M. 28751) 8846, Kew; Natal, Medley Wood 442, 10500.

Puccinia Pruni-spinosae Pers.

P. & H. Sydow (1904) 484; Doidge (1927 a) 99; van der Byl (1926 c) 288; Doidge & Bottomley (1931) 5, 9, 41, 48, 51; Verwoerd (1931 a) 299; Hopkins (1938 a) 107, (1939 a) 35, 36; Cardoso (1937) 153, (1939) 44, (1943) 49, $(1945)\ 153.$

Uromyces microsorus Kalchbrenner & Cooke, Kalchbrenner (1882 b) 18; Sacc. Syll. Fung. VII: 558.

Uromyces Prunorum Link var. Amygdali Kalchbrenner (1882 b) 19.

Tranzschelia punctata (Pers.) Arth., Verwoerd (1929 b) 5, 6, 17, 20, 22, 24; van der Byl

(1922 d) 285; Nel (1942) 44.

on Prunus Armeniaca Linn., Pretoria, 399, Bottomley, 17091; Wellington, 1051; Graaff-Reinet, Pienaur, 5593; Addo, Clutton, 23646; Clanwilliam, v. Zyl, 24900; Mamathes, Hean, 30959; Rosslyn, Malan, 30966; Bloemfontein, Verwoerd; Stellenbosch, v. d. Bul, and Verwoord (Stell. 11); Elgin, George, Paarl, Wellington, Worcester, Verwoerd; Bembesi, Hopkins; Penhalonga, (Rh. 4); Banket (Rh. 2321); Salisbury (Rh. 1661).

Prunus communis Fritsch, Potgietersrust, Gilbertson, 17054; Grahamstown, Tidmarsh, 20764; Bloemfontein, Verwoerd; Stellenbosch, v. d. Byl and Verwoerd; Somerset

West and Paarl, Verwoerd: Elgin, Lupton (Stell. 333).

Prunus persica Sieb. & Zucc., Haenertsberg, 106; Piesanghoek, Bosman, 29871; Robertson, 279; Fort Beaufort, 290, 321; Pretoria, Pole Evans, 432, 7800, Burtt Davy, 469, v. d. Byl 2322, Bottomley, 17090; Somerset East, MacOwan 1104 (Thuem. Myc. Univ. 439; S.A. M. 28763) 20724, Kew; Bazuja, Baur (MacOwan 656): Cedara, Staples, 15433; Durban, McClean, 30942; Grahamstown, Mally, Kew; Kentani, Pegler 1873, Kew; Stellenbosch, v. d. Byl 2764; Natal, Medley Wood 7, 13079, Kew; Cape Town, Pearson, 2140; Stellenbosch, du Plessis (Stell. 874); Verwoerd (Stell. 21); Umgeni, v. d. Byl, 31771; Caledon, Robertson, Worcester, Elgin, Somerset West, Cape Peninsula, Frenchhoek, Paarl, Wellington, Verwoerd; Boons, Wessels, 33569; Chibia, Baum 995; Salisbury, Eyles 2110, 14007, Hopkins (Rh. 1636) Kew; Rusape, Bembesi, Concession, Hatfield, Marandellas, Banket, Hopkins; Marracuene, Howard 976; Sul do Save, Cardoso; Umpala, Cardoso; Lourenço Marques, Meirim, Guimarāis, 34244; Umbelusi, Xinavane, Infuleni, Guimarāis.

Prunus persica var. nucipersica Schneid., Elsenburg, Pole Evans, 1 a; Pretoria, Bottom-

ley, 17089; Stellenbosch, Wynberg, Verwoerd.

Prunus salicina Lindl., and hybrids, Pretoria, Bottomley 17088; Elsenburg, Pole Evans,
1; Lake Chrissie, 1250; Bethal, 1290; Queenstown, Pienaar, 2234; Grahamstown,
Gowie, 2378; Stellenbosch, Verwoerd (Stell. 10); Paarl, Wellington, Elgin, Groot
and Klein Drakenstein, Frenchhoek, Verwoerd.

Puccinia punctata Link.

Doidge (1927 a) 67.

on Galium capense Thunb., Bloemfontein, Potts, 9757.

Puccinia purpurea Cooke

Cooke (1879 b) 71; Sacc. Syll. Fung. VII: 657; P. & H. Sydow (1904) 803;
Doidge (1927 a) 131; Hopkins (1930) 526; Doidge & Bottomley (1931) 31, 59; Cardoso (1943) 46.

on Sorghum caffrorum Beauv., Natal, Medley Wood 229, 10501, Kew (host as Zea Mays L.); Maritzburg, Pole Evans, 1386; Chai Chai, Guimarāis.

Sorghum sudaneuse Stapf, Rietondale, Liebenberg, 29911; Rhodesia, Hopkins; Natal, v. d. Byl, 32479.

Sorghum verticilliforum Stapf, Umbelusi, Howard, 672; Winkle Spruit, Pole Evans, 1599, 2386; Verulam, Pole Evans, 6803; Esperanza, v. d. Merwe, 10089; Durban, v. d. Byl 10090, 10091; Wolhuter's Kop, Doidge & Bottomley, 30914; Mt. Edgecombe, Halse, 30114.

Sorghum virgatum (Hack) Stapf, Durban, v. d. Bul 160.

Sorghum sp., Moçambique, Cardoso.

Puccinia ranulipes Doidge

Doidge (1927 a) 112, 204; Doidge & Bottomley (1931) 68.

on Asparagus laricinus Burch., Leeuwdoorns, Burtt Davy, 928, 1840; Ventersdorp, Mitchell, 1889; Hennops River, Pole Evans, 2271, Kew; Bloemfontein, Pole Evans, 2441; Pretoria, Doidge, 6925, Type; Hartebeestpoort, Young, 21025; Wonderboom, Doidge & Bottomley, 28735.

Puccinia Rottboelliae Syd.

P. & H. Sydow (1904) 800 : Doidge (1927 a) 125 : Hopkins (1938 a) 107, (1943) 185 : Nel (1942) 45.

Dicaeoma Rottboelliae Syd., H. Sydow (1922 b) 118.

on Hemarthria altissima (Poir.) Stapf & Hubb., Bulawayo, Rogers, 2239; Hennops River, Doidge, 2034, Kew: Derdepoort, Doidge & Bottomley, 33931; Salisbury, Hopkins. Rottboellia compressa Linn. f., Tzaneen, v. d. Byl 1647; Cedara, v. d. Byl 1114, Staples (Stell, 35).

Rottboellia exaltata Linn. f., Lomagundi, Eyles 3211, Kew.

?on Hyparrhenia Newtonii Stapf, Bromley, (Rb. 1589).

Puccinia rufipes Diet.

Doidge (1927 a) 128; Hopkins (1938 a) 107.

on Imperata cylindrica Beauv., Winkle Spruit, Pole Evans, 2401, Doidge, 2516; Skinner's Court, Doidge, 23419; Durban, McClean, 32290; Salisbury, Eyles 5017; Felixton, v. d. Byl, 31904; Schagen, Liebenberg, 26077

Imperata cylindrica var Koenigii Dur. & Schw., Pelindaba, Doidge & Bottomley, 29931.
 Imperata cylindrica var. Thunbergii Hack., Skinner's Court, 23416; Nelspruit, Lieben berg, 25976; Derdepoort, Doidge & Bottomley, 29809, 33932.

Puccinia Salviae Unger

Kalchbrenner (1882 b) 23.

as Puccinia Glechomatis DC., Sacc. Syll. Fung. VII: 688.

on Salvia sp., Natal, Medley Wood 27.

Puccinia Salviae-runcinatae Doidge

Doidge (1927 a) 81, 204.

on Salvia runcinata Linn. f., Skinner's Court. Pole Evans, 1008, 1062; Holfontein, Pienaar, 1053.

Puccinia Satyrii Syd.

P. & H. Sydow (1904) 594; Sacc. Syll. Fung. XVII: 363; Doidge (1927 a) 106. on **Satyrium carneum** R. Br., near False Bay, *MacOwan*, Type (Rabenh, Fung. Eur. 3614) 3954. Kew.

Satyrium neglectum Schlecht., Kokstad, McLoughlin, 12819.

Puccinia Schlechteri P. Henn.

P. Hennings (1895 b) 326; Sacc. Syll. Fung. XIV: 331; P. & H. Sydow (1904) 329; Doidge (1927 a) 86.

on Pachycarpus Schinzianus N.E.Br., near Heidelberg, Transvaal, Schlechter.

Puccinia Schoenoxiphii Doidge

Doidge (1939) 495 (lapsu calami P. Schoenoxyphii)

on Schoenoxiphium spartium (Wahl.) Kuk., Xumeni Forest, Morgan & Doidge, 30106, Type, 34236.

Puccinia Scleriae-Dregeanae, Doidge

Doidge (1939) 495.

on Scleria Dregeana Kunth., Donkerpoort, Doidge & Bottomley, 29982.

Puccinia stellenboschiana v. d. Byl

van der Byl (1928 b) 186; Nel (1942) 46.

on Ianthe aquatica (L.f.) Fourc., Stellenbosch, Duthie (v. d. Byl 2488).

Ianthe flaccida Nel, Stellenbosch, Duthie (v. d. Byl 2475).

Pauridia hypoxidoides Harv., Stellenbosch, Duthie (v. d. Byl 2458).

Puccinia Stoboeae MacOwan

Kalchbrenner (1882 b) 23; Sacc. Syll. Fung. VII: 615; P. & H. Sydow (1904) 158; Pole Evans (1916 a) 638; Doidge (1927 a) 51.

Aecidium Berkheyae P. Henn. & Evans, P. Hennings (1908) 372; P. & H. Sydow (1924) 28.

Puccinia cryptica Cooke (1892) 108; Sacc. Syll. Fung. XI: 190.

on Berkheya latifolia Wood & Evans, Pretoria, Pole Evans, 204; Irene, Pole Evans, 539; Koedoespoort, Pole Evans, 747; Garstfontein, Pienaar, 1437, 1948, 2148, 6659, Kew; Debbe's Ravine, Bottomley, 25331, Reinecke, 29851; Skinner's Court, Bottomley, 23443; Fairy Glen, Bottomley, 23431.

Berkheya (Stoboea insignis Harv.) Barberton, Pole Evans, 1155, 1855; Lemana, Doidge,

Berkheya Kuntzei O. Hoffm., Aliwal North, Pienaar, 2006.

Berkheya (Stoboea membranifolia DC.) Natal, Medley Wood 62, 67, 74, 80, 438, 10506, 10507, 10508, Kew.

Berkheya speciosa O. Hoffm., Somerset East, MacOwan 1309, Type, Kew.

Berkheya spp., Inanda, Medley Wood 63, 616, 651, 10310, 10311, 10505; Garstfontein, Pienaar, 1424, 2185; Estcourt, Pole Evans, 5145; Wakkerstroom, Kretzschmar, 14195; Mont aux Sources, Doidge, 14197; Pretoria, Thomson, 14241; Rustenburg, Altenroxel, 222, Kew.

Var. Woodii Syd.

P. & H. Sydow (1904) 160 ; Sacc. Syll. Fung. XVII : 294 ; Pole Evans (1916 a) 639 ; Doidge (1927 a) 52.

Aecidium Stoboeae Kalchbr. & Cooke, Cooke (1879 b) 70; Sacc. Syll. Fung. VII: 800; Nel (1942) 30.

on Berkheya seminivea Harv. & Sond., Umgeni, Doidge, 905, 2413; Eshowe, Pole Evans, 2028; Durban, v. d. Byl 114.

Berkheya setifera D.C., Zululand, Haygarth, 14186; Inanda, Medley Wood 66, Kew.
Berkheya umbellata D.C., Town Bush Valley, Pole Evans 1446, Kew; Winter's Kloof, Doidge, 2518; Eshowe, Pole Evans, 2023.

Berkheya (Stoboea epitrachys DC.) without locality, 14680.

Berkheya spp., Prieska, Bryant 552, Kew; Durban, McClean, 32298.

Puccinia Stonemanniae Syd. & Evans

H. & P. Sydow (1912 c) 437; Sacc. Syll. Fung. XXIII: 773; Doidge (1927 a) 104.

Aecidium Osyridicarpi Massee (1911) 225; Sacc. Syll. Fung. XXIII: 910.

Puccinia pulvinata Massee (1911) 224, (not Rabenhorst).

Puccinia Osyridicarpi Grove (1916) 76; Sacc. Syll. Fung. XXIII: 773.

on Osyridicarpos natalensis A.D.C., Tabamhlope, Medley Wood 10527, 810, 818, Kew; Kentani, Pegler 1944, 8350, 8351, 8790; Msikaba R., Lusikisiki, Miller, 17040.

Thesium hystrix A. W. Hill, Kimberley, 5127; Koffiefontein, Schultz, 9534; Koffie-

fontein, Henrici, 33988.

Thesium impeditum A. W. Hill, Zwartfontein, Vryburg Distr., Burtt Davy, 2358.

Thesium strictum Berg., Wellington, Stoneman, 1057: Bain's Kloof, Stoneman, 2230, Doidge, Type (Syd. Fung. exot. 14) 1220, 2058, 5207, Kew: Stellenbosch, Verwoerd (Stell. 380).

Thesium triflorum Thunb., Tafelberg, Gadd, 28323.

Thesium spp., Brandfontein, Bredasdorp Distr., C. A. Smith, 22840; Cango Valley, Doidge, 10894.

Puccinia Tabernaemontanae Berk. & Br.

H. Sydow (1922 a) 59; P. & H. Sydow (1924) 320; Doidge (1927 a) 87.

Puccinia Cookei de Toni, Sacc. Syll. Fung. VII: 615.

Puccinia tabernaemontanae Cooke (1882 a) 125.

on Conopharyngia ventricosa Stapf, Inanda. Medley Wood 612, 469, 10510, 10312, 10313, 13085, Kew: Eshowe, Pole Evans, 2024, Laughton, 33515.

Puccinia tandaaiënsis Hopkins

Hopkins (1938 a) 107, (1939 a) 45.

on Thunbergia lancifolia T. Anders., Tandaai Pass, Cashel, Hopkins (Rh. 3449), 30119.

Puccinia Tetragoniae McAlp. var. austro africana Doidge

Doidge (1948 b) 904.

as Puccinia Tetragoniae. McAlp., Verwoerd & du Plessis (1931) 294: Doidge & Bottomley, (1931) 41.

on Tetragonia expansa Thunb., Stellenbosch, Verwoerd (Stell. 369); Wellington, Verwoerd (Stell. 471); Wynberg, Paarl, Caledon, Verwoerd; Pietersburg, Palte, 34091, 34170.

Puccinia Thunbergiae Cooke

Cooke (1882 a) 125; Sacc. Syll. Fung. VII: 615; P. Sydow (1899 a) (131); Doidge (1927 a) 72.

Aecidium Thunbergiae Cooke (1882 a) 125; Nel (1942) 30.

on Thunbergia atriplicifolia E. Mey., Woodbush, Webber, 20318.

Thunbergia natalensis Hk., Inanda. Medley Wood 468, 576, 348, 10511, 11203, 10314, Kew; Maritzburg, Pole Evans, 1416; v. d. Byl 121, 31984.

Puccinia torosa Thuem.

von Thuemen (1880) no. 1725 ; Ludwig (1892) 131, 133 ; Sacc. Syll. Fung. XI : 203 ; P. & H. Sydow (1904) 793 ; Doidge (1927 a) 121 ; van der Byl (1928 a) 183 ; Nel (1942) 46.

on Arundo Donax Linn., nr. Somerset East, MacOwan, Type (Thuem. Myc. Univ. 1725; Roum. Fung. Sel. Exsicc. 4022) 20765, Kew; Aliwal North, Pienaar, 2354, Kew; Lynedoch, Verwoerd (Stell. 370) and Nyenhuis; Stellenbosch, Nyenhuis (v. d. Byl 2472); Vlottenberg, Verwoerd (v. d. Byl 2589); Banhoek, Dippenaar (Stell. 959); Elsenburg, Dippenaar (Stell. 958, a, b).

Puccinia tosta Arthur

Doidge (1928) 474.

on Sporobolus capensis (Willd.) Kunth, Donkerpoort, Doidge & Bottomley, 29739.

Sporobolus fimbriatus Nees, Fountains Valley, Doidge, 23343; Ashbury, Doidge & Bottomley, 29784; Estcourt, Pentz, 30970, 30975, 30976.

Sporobolus fimbriatus var. latifolius Stent, Estcourt, West, 29973.

Puccinia Tragiae Cooke

Cooke (1882 a) 125; Sacc. Syll. Fung. VII: 676; P. & H. Sydow (1904) 458; Doidge (1927 a) 94.

on Tragia rupestris Sond., Meintjies Kop, L. W. Doidge, 24914.

Tragia spp., Inanda, Medley Wood 163, 141, 628, 629, 631, 353, 811, 10315, 10512,
11157, Kew; Greytown, Medley Wood, 820; Isipingo, Doidge, 6644; Krantzkloof,
Doidge, 9083; Lemana, Doidge, 1798; Kentani, Pegler 2306, 8949, Kew; Kidd's Beach, Schaefer, 33909.

Puccinia transvaalensis Doidge

Doidge (1927 a) 118, 205. on **Cyperus** sp., Belfast, *Doidge*, 570, Type.

Puccinia Tristachyae Doidge

Doidge (1927 a) 132, 205, (1939) 503.

Aecidium decipiens Syd., P. & H. Sydow (1924) 223; M. Pole Evans (1923 a) 128;

Sacc. Syll. Fung. XXIII: 901.

on Sphenostylis angustifolia Sond., Meintjies Kop, Burtt Davy, 715; Heidelberg, Leendertz, 457; Pretoria, Burtt Davy, 988, 6580; Garstfontein, Pienaar, (Syd. Fung. exot. exsicc. 27) 1945, 1989, 5220, Kew; Kaalfontein, Pole Evans, 11025, 14244; Groenkloof, Pole Evans, 12837; West Fort, Pole Evans, 18082; Muckleneuk, v. Nouhuys, 22841.

Sphenostylis erecta Hutch., Goromonzi, (Rh. 4258).

Tristachya hispida (Thunb.) Harv., Rhebok-kop, Rosendal, Goossens, 28818: Donker-

poort, Doidge & Bottomley, 30133.

Tristactya Rehmanni Hack., Kaalfontein, Pole Evans, 10039, Type. 12842, Kew and Mogg, 11655.

Puccinia triticina Erikss.

Pole Evans (1906 a) 125, (1907 a) 163, (1911) 96; Doidge & Bottomley (1931) 67; Verwoerd (1937) 648; Hopkins (1938 a) 107, (1939 a) 46; Cardoso (1937) 154, (1938) 75, (1939) 45.

Puccinia rubigo-vera (DC.) Wint. f. sp. Tritici Erikss. & Henn., Cardoso (1943) 46,

(1945) 150.

on Aegilops cylindrica Host., Prinshof, Liebenberg, 28539, 28599.

Triticum aestivum Linn., Skinner's Court, 29, 61; Salisbury, Mundy, 1651; Cedara, Fisher, 1916; Nottingham Road, McClean, 32295; Groenkloof, Melle, 9189; Prinshof, Richards, 21218, Pentz, 20614; Lydenburg, Verwoerd; Mazoe, Salisbury, Eldorado, Concession, Beatrice, Hopkins; Lowdale, Hopkins (Rh. 257) Kew; Sul do Save, Cardoso; Umbeluzi, Guimarãis; Lourenço Marques, Mota; Caniçado, Barradas, 34253; Ribàué, Rôncon; Namaacha, Cardoso; Matola, Soares; Infuleni, Soares; Marracuene, Soares.

Triticum Timopheeni Zhuk (hybrid), Potchefstroom, Saunders, 31291.

Puccinia Vangueriae Doidge

Doidge (1927 a) 70, 205.

on Pachystigma Pygmaeum (Schlecht.) Robyns, Kaalfontein, Pole Evans, 9437, 10042, Kew, and Mogg, 11656; Olifantsfontein, Pienaar, 12817.

Puccinia Vernoniae Cooke.

Cooke (1882 a) 126, not Schw.; Sacc. Syll. Fung. VII: 653; P. & H. Sydow (1904) 178.

? Trichobasis Vernoniae Cooke, Medley Wood (1898) 14.

on Vernonia hirsuta Sch. Bip., Natal, Medley Wood 622, Kew.

Vernonia sp., Natal, Medley Wood 546, 584, 626, Kew. Doubtful species.

Puccinia vernoniicola P. Henn.

Pole Evans (1916 a) 646: Doidge (1927 a) 64.

on Vernonia angulifolia D.C., Table Mt., Natal, Fuller, 1618; Winkle Spruit, Doidge, 2498; Natal, Medley Wood 3204, 10514, Kew.

Puccinia versicolor Diet. & Holw.

Doidge (1927 a) 126; Hopkins (1938 a) 107, (1939 a) 5, 22; Doidge & Bottomley (1931) 55, 57.

on Andropogon gayanus Kunth, Salisbury, (Rh. 1896).

Andropogon gayanus var. squamulatus Stapf, Salisbury, Hopkins.

Heteropogon contortus R. & S., Skinner's Court, Pole Evans, 1047; Garsfontein.
 Pienaar, 1264; Nelspruit, Liebenberg, 26031; Buffelspoort, Doidge, 27584; Donkerpoort, Doidge & Bottomley, 29734; Matopos (Rh. 1287); Salisbury (Rh. 1989) Kew.

Heteropogon melanocarpus Benth., Bulawayo (Rh. 1517) Kew.

Hyparrhenia cymbaria Stapf, Schagen, Liebenberg, 29868.

Hyparrhenia sp., Garstfontein, Pienaar, 8913.

Monocymbium ceresiiforme Stapf, Garstfontein, Pienaar, 1270, Kew: Durban, McClean 32304.

? on Schizachyrium semiberbe Nees, Derdepoort, Doidge & Bottomley, 29802.

on Themeda triandra Forsk. Johannesburg, 461; Koedoespoort, Pearson, 1586; Springbok Flats, Burtt Davy, 767; Groenkloof, Pole Evans, 8938; Donkerpoort, Doidge & Bottomley, 29755; Schagen, Liebenberg, 29934; Fauresmith, Liebenberg, 33253.

Andropogoneae undet.. Pretoria, Howlett, 9051; Mooi River, Mogg, 10068; Harrisburg 24339.

Puccinia Verwoerdiana v. d. Byl

van der Byl (1927) 226 ; Verwoerd (1931 a) 299 ; Nel (1942) 47. on **Lycium** sp., Brandfort, Verwoerd (Stell. 292 ; v. d. Byl 2425).

Puccinia Woodiana Doidge

Doidge (1927 a) 68, 205.

on Oldenlandia natalensis (Hochst.) O. Ktze., Town Bush Valley, *Pole Evans*, 1409, Type; Maritzburg, *Fuller*, 1540; nr. Clydesdale, *Tyson 2108*, 20243.

Puccinia Zorniae (Diet.) McAlp.

Doidge (1927 a) 99.

on Zornia tetraphylla Mich., Inanda, Medley Wood 593, 11112, 11171, Kew; Dundee, Doidge, 914.

Pucciniosira Dissotidis Wakef.

P. & H. Sydow (1924) 325; Doidge (1927 a) 164.

Aecidium Dissotidis Cooke (1882 a) 124; Sacc. Syll. Fung. VII: 789. Uredo Dissotidis Cooke, l.c.; Sacc. Syll. Fung. VII: 838.

Uredo Dissotidis longicaudae P. Hennings (1903) 159; Sacc. Syll. Fung. XVII: 450.

on Dissotis incana Triana, Natal, Medley Wood 223, 10288, 11194, Kew; Mailas Kop, Transvaal, Schlechter.

Dissotis longicaudata Cogn., Kampuluve, Baum 800.

Dissotis princeps Triana, Natal, Medley Wood 470, 10289, Kew.

Ravenelia atrides Syd.

H. & P. Sydow (1912 c) 438; P. & H. Sydow (1915) 307; Dietel (1928) 73; Sacc. Svll. Fung. XXIII: 807: Doidge (1927 a) 153, (1948 b) 906.

on Grewia caffra Meisn., Bluff, Durban, Doidge, 1630, Pole Evans, 1670, Type, 2534.

Grewia kwebensis N.E.Br., Olifants River Camp, Kruger National Park, Liebenberg, 32731.

Grewia monticola Sond., Nelspruit, Doidge, 32401.

Grewia occidentalis Linn., Amanzimtoti, Doidge, 1629, Kew.

Ravenelia Baumiana P. Henn.

P. Hennings (1903) 157; Dietel (1906) 397; Sacc. Syll. Fung. XVII: 405; P. & H. Sydow (1915) 262; Doidge (1927 a) 148, (1948 b) 906; Hopkins (1938 a) 107, (1939 a) 9.

Haploravenelia Baumiana (P. Henn.) Syd., H. Sydow (1921) 165.

on Cassia delagoensis Harv., Nelspruit, Doidge, 32404; Schagen, Liebenberg, 30955; Rooiwal, Bosman, 29870.

Cassia goratensis Fres., Humbe, Baum 965, Type, 6886, Kew; Trelawney (Rh. 2958, 3301).

Ravenelia Bottomleyae Doidge

Doidge (1927 a) 147; Hopkins (1938 a) 107.

on Albizzia versicolor Welw., Victoria Falls, Bottomley, 14166.

Ravenelia deformans (Maubl.) Diet.

Dietel (1906) 404; P. & H. Sydow (1915) 296; Sacc. Syll. Fung. XXI: 745; Doidge (1927 a) 150.

Pleoravenelia deformans Maublanc (1906) 73.

Cystingophora deformans (Maubl.) Syd., H. Sydow (1921) 165.

on Acacia sp. (A. arabica prox.), Mhalume, Le Testu, 7616 (Syd. Ured. 2341).

Ravenelia Dichrostachydis Doidge

Doidge (1927 a) 148.

on Dichrostachys glomerata (Forsk.) Chiov., Verulam, Pole Evans, 6806, 7106.

Ravenelia Elephantorrhizae Doidge

Doidge (1927 a) 149.

on Elephantorrhiza elephantina (Burch.) Skeels, Koedoespoort, Pole Evans, Type, 8955, Kew; Buffelshoek, Pole Evans, 12225; Kaalfontein, Pole Evans, 12841; Skinner's Court, Doidge, 23453; Enselberg, Pole Evans, 23359; Donkerpoort, Doidge & Bottomley, 29732.

Ravenelia escharoides Syd.

H. & P. Sydow (1912 c) 440; P. & H. Sydow (1915) 241; Sacc. Syll. Fung. XXIII: 793: Doidge (1927 a) 144; Hopkins (1939 a) 4.

on Acacia Burkei Benth., Potgietersrust, Burtt Davy, 534. Type; Springbok Flats, Pole Evans, 10086; Naboomspruit, Galpin, 20654; Hartebeestpoort, Doidge, 27586; Pienaar's River, Doidge & Bottomley, 29918.

Acacia mossambicensis Bolle, eastern border of Southern Rhodesia, Hopkins.

Ravenelia Evansii Syd.

H. & P. Sydow (1912 c) 440; P. & H. Sydow (1915) 243; Sacc. Syll. Fung. XXIII: 796; Doidge (1927 a) 144, (1939) 504.

Dendroecia Evansii Syd., H. Sydow (1921) 165.

on Acacia Gerrardi Benth., Verulam, Halse, 30127.

Acacia Rehmanniana Schinz, Plat Rivier, Pienaar, 5625.

Acacia robusta Burch., The Willows, Pole Erans, 123, 149, 2181, Type, 2211, 14144, 5175, 6588, 6698; Loskop, Pienaar, 18085; Magalies River, 1316; Verulam, Pole Erans, 6807, 7105; Maquassi Ranch, Wolmaransstad Distr., Liebenberg, 29933; Umzinto, McClean, 30124; Magaliesberg, van Nouhuys, 28954.

Acacia Woodii Burtt Davy, Estcourt, Pole Evans, 2539, Kew.

Acacia spp., Cramond, Pole Evans, 2403: Pretoria, Bottomley, 11670; Johannesburg, Moss, 33171.

Ravenelia glabra Kalchbr. & Cooke.

Cooke (1880 c) 384; Kalchbrenner & Cooke (1880) 22; Sacc. Syll. Fung. VII: 771; Dietel (1894) 30, 59, (1906) 410; Parker (1886) 215; P. & H. Sydow (1915) 298; Doidge (1927 a) 151.

sub Ravenelia stictica Berk. & Br., von Thuemen (1876 b) 426; Sacc. Syll. Fung. VII: 772.

on Calpurnia sylvatica E. Mey., Somerset East, $MacOwan\ 1145$, Type (Rabenh. Wint. Fung. Eur. 2624; Thuem. Myc. Univ. 554; Syd. Ured. 599, 600; S.A. M. 28754) 2375, 10696, 10698, 20732, 20728, Kew: Boschberg, $MacOwan\ 1141$, 1438, 20727, 20851; Kentani, Pegler, 2320, 2330, 5165, Kew.

Ravenelia Halsei Doidge

Doidge (1939) 504.

on Acacia ataxacantha DC., Ndwedwe, Halse, 30117, Type.

Ravenelia Indigoferae Tranzsch.

Dietel (1894) 369 ; P. & H. Sydow (1915) 300 ; Doidge (1927 a) 151. sub Ravenelia laevis Diet. & Holw.. Eyles (1926) 641 ; Hopkins (1938 a) 107, (1939 a) 23. on **Indigofera** sp., Salisbury, Eyles, 15513 (Rh. 2255).

Ravenelia inornata Diet.

Dietel (1894) 52, 61, (1906) 384; Sacc. Syll. Fung. XI: 211; P. & H. Sydow (1915) 244; Doidge (1927 a) 145.

Aecidium inornatum Kalchbrenner (1882 b) 25; Sacc. Syll. Fung. VII: 787.

Cystotelium inornatum (Diet.) Syd., H. Sydow (1921) 165.

Haploravenelia inornata Dietel (1928) 72.

on Acacia Karroo Hayne, Somerset East, MacOwan 1436, Type (Rabenh. Wint. Fung. Eur. 3921) 2377, 4262, 20734, Kew: Kentani, Pegler 1877, 2368, 2541, Kew; Grahamstown, N.J. G. Smith, 26396; Kirkwood, Doidge, 22375.

Ravenelia Le Testui Maubl.

Maublanc (1906) 396; Dietel (1906) 396; Sacc. Syll Fung. XXI; 739; P. & H. Sydow (1915) 267; Doidge (1927 a) 148. on Cassia sp., Marral, Le Testu.

Ravenelia MacOwaniana Pazschke

Dietel (1894) 30, 59; Sacc. Syll. Fung. XI: 211; P. & H. Sydow (1915) 294; Doidge (1927 a) 150 (1948 a) 906; Dietel (1928) 72.

Aecidium ornamentale Kalchbr., von Thuemen (1876 b) 362; Kalchbrenner (1882 b) 25; Sacc. Syll. Fung. VII: 787; P. Sydow (1899 a) (131); Pole Evans (1906 a) 132; van der Byl (1925 b) 193; Verwoerd (1931 a) 299; Nel (1942) 30.

Ravenelia ornamentalis Dietel (1906) 402: Sacc. Svll. Fung. XXI: 744: Nel (1942) 48.

Cephatelium MacOwanianum (Pazschke) Syd., H. Sydow (1921) 165.

on Acacia Karroo Hayne, Boschberg, MacOwan 1044, Type (Thuem. Myc. Univ. 224; Rabenh. Wint. Fung. Eur. 3727; S.A.M. 28737) 2376, 4067, 20730, 20731, 20733, Kew; Inanda, Medley Wood 682, Kew; Kentani, Pegler, 1915, 8757; Bathurst, Pienaar, 2552; Queenstown, Holley, 8857; Klipplaat, Schonland, 15453; Indwe, Pienaar, 2077; Trapp's Valley, Pienaar, 2423; Cango Valley, v. d. Byl 374; Butterworth, Pegler 1794, 7367, Kew; Plat Rivier, Pienaar, 2135; Prieska, Bryant, 28606; Riverton, Moran, 10017; Vryburg, Burtt Davy, 2357, 5154; Ladysmith, Medley Wood, 329, 834, 10299, 13074; Muden, Doidge, 8245; Bloemfontein, Potts, 11300, Tidmarsh, 28505, Verwoerd, Burtt Davy, Kew; Kroonstad, v. d. Merwe, 1471; Karoo, v. d. Byl 1102; Swellendam, v. d. Byl 1389; Oudtshoorn, v. d. Byl 2205, 2206 (Stell. 242); Knysna, Duthie (Stell. 177); Leeuwdoorns, Burtt Davy, 929; Wonderboom, Pole Evans, 1985, 2170, 2095 (Syd. Fung. Exot. 19) Kew, Doidge, 1524; Hennops River, Doidge, 2123; Garstfontein, Pienaar, 6665, Kew; Onderstepoort, Pole Evans, 7404, Mogg, 28597; Springbok Flats, Pole Evans 11002; Horn's Nek, Pole Evans, 11857; Ashbury, Moore, 21052; Fountains Valley, v. d. Byl, 2255, Doidge, 23452, Henrici, 28603; Zwartfontein, Burtt Davy, 2355; Baviaans Kloof, Pole Evans, 2447; Mooiplaats, Hatherley, E. du Toit, 24913; Silverton Road, Reinecke, 23203; Fairy Glen, Doidge, 21224, 21225, 23449; Hartebeestpoort, Doidge, 27585; The Willows, Doidge & Bottomley, 29817; Derdepoort, Doidge & Bottomley, 29798; Pienaar's River, Doidge & Bottomley, 29916; Donkerpoort, Doidge & Bottomley, 30912; Weenen Road, Estcourt, Pentz, 30971; Ventersburg, Doidge, 31021; Wolmaransstad, Doidge, 30237.

Ravenelia minima Cooke

Cooke (1882 a) 128; Sacc. Syll. Fung. VII: 772; Dietel (1894) 35, 63, (1906) 382; P. & H. Sydow (1915) 247; Doidge (1927 a) 147; Doidge & Bottomley (1931) 24.

on Albizzia gummifera (Gmel.) C.A.Sm., Inanda, Medley Wood 571, Type, 10697, Kew; Winkle Spruit, Pole Evans, 1385, 1400, 1582, 2384; Scottsburgh, Pole Evans, 6827, Kew; Durban, McClean, 30779.

Ravenelia modesta Doidge

Doidge (1939) 504, (1948 b) 907.

on Acacia stolonifera Burch., Pienaar's River, Doidge & Bottomley, 30110, Type. Acacia Gillettae Burtt Davy, Bosplaas, between Hamanskraal and Pienaar's River, Mogq, 34572.

Ravenelia natalensis Syd. & Evans

H. & P. Sydow (1912 c) 439; P. & H. Sydow (1915) 245; Sacc. Syll. Fung. XXIII: 794; Doidge (1927 a) 145.

Longia natalensis (Syd. & Evans) Syd., H. Sydow (1921) 165. Haploravenelia natalensis (Syd. & Evans) Dietel (1928) 72.

on Acacia hirtella E. Mey., Winkle Spruit, Pole Evans, 1584, 1935, Type, Doidge 2514, Kew.

Ravenelia Peglerae Pole Evans

Pole Evans (1918 c) 111; Doidge (1927 a) 146.

on Acacia caffra (Thunb.) Willd., Kentani, Pegler 229, 1874, 2331, Type, 2367, 5179, 5626; Butterworth, Pegler 1876, 2544, Kew: Weenen, Pole Evans, 5150.

Ravenelia Pienaarii Doidge

Doidge (1927 a) 146.

on Acacia caffra (Thunb.) Willd., Garstfontein, Pienaar, 5627, 6658. Type, Kew: Baviaans Poort, Pole Evans, 2449; Pretoria, Bottomley, 11508; Silverton Ridge, Doidge, 23451; Hartebeestpoort, Bottomley, 23450; Fairy Glen, Doidge, 23448; Doidge & Bottomley, 26395; Weenen, Glasse, 5159.

Ravenelia pretoriensis Syd.

H. & P. Sydow (1912 c) 441; P. & H. Sydow (1915) 241; Sacc. Syll. Fung. XXIII: 797; Doidge (1927 a) 46, (1939) 505.

on Acacia? pennata Willd., Garstfontein, Doidge, 1376, Type.

Ravenelia stictica Berk. & Br.

P. & H. Sydow (1915) 302; Doidge (1927 a) 152.

Ravenelia Munduleae P. Hennings (1908) 271

on Mundulea sericea (Willd.) Greenway, The Willows, Pole Evans, 124, 2210, 2256, Kew; Hartebeestpoort, Burtt Davy, 146; The Thorns, Doidge, 1522; Silverton, v. d. Byl, 2227; Silkats Nek, Doidge, 13089, Kew; Meintjies Kop, Gower, 19842; Silverton Ridge, Doidge, 23447; Potgietersrust, Moore, 28255; Donkerpoort, Doidge & Bottomley, 29728; Apies River, 22 mis. north of Pretoria, Goossens, 30716; Pretoria Distr., Mogg, 32667.

Ravenelia Tephrosiae Kalchbr.

Parker (1886) 217; Sacc. Syll. Fung. VII: 773; Dietel (1894) 29, 60, (1906) 408; P. & H. Sydow (1915) 304; Doidge (1927 a) 153; Hopkins (1938 a) 107, (1939 a) 45.

on Tephrosia Heckmanniana Harms, Salisbury (Rh. 2339, 2372).

Tephrosia macropoda (E. Mey.) Harv., Inanda, Medley Wood, 10700; Entumeni, Haygarth, 14190.

Ravenelia transvaalensis Doidge

Doidge (1939) 505.

on Acacia detinens Burch., nr. Pienaar's River, Mogg, 27382, Type.

Ravenelia Woodii Pazschke

Dietel (1894) 48, 67, (1906) 402; P. & H. Sydow (1915) 290; Sacc. Syll. Fung. XI: 211; Doidge (1927 a) 149.

on Leguminosae undet., Natal, Medley Wood.

Schroeteriaster Doidgeae Syd.

H. Sydow (1926) 265; Doidge (1927 a) 160.

on Croton gratissimus Burch., Waterberg, Pole Evans, 14173, Kew.

Schroeteriaster stratosus (Cooke) Syd.

P. & H. Sydow (1915) 402; Doidge (1927 a) 160; Doidge & Bottomley (1931) 21.

Melampsora stratosa Cooke (1882 a) 128; P. Sydow (1899 a) (131); Sacc. Syll. Fung.
VII: 594.

on Croton sylvaticus Hochst., Inanda, Medley Wood 466, Type, 363, 10363, Kew; Winkle Spruit, Pole Evans, 2020, 2383, 5639, Doidge, 2500; Eshowe, McClean, 33093.

Skierka robusta Doidge

Doidge (1927 a) 155.

on Rhoicissus rhomboideus (E. Mey.) Planch., Durban, Doidge, 1635, Type; Lemana, Doidge, 1824, Kew; Winkle Spruit, Pole Evans, 2398; Isipingo, Doidge, 6628; Umgeni Beach, Pole Evans, 2416; Umhlanga Rocks, Wager, 32781

Sphaerophragmium Artabotrydis Doidge

Doidge (1941 c) 232.

on Artabotrys Monteiroae Oliv., Westville, Howlett, 30761, Type.

Sphaerophragmium Dalbergiae Diet.

Dietel (1893) 301; Sacc. Syll. Fung. XI: 209; P. & H. Sydow (1915) 186; Doidge (1927 a) 138.

on Dalbergia armata E. Mey., Inanda, Medley Wood 606, 609, Type, Kew; Umgeni Lagoon, Doidge, 881, 2524; Durban, Pole Evans, 1371; Bluff, Durban, Pole Evans, 5144; Verulam, Pole Evans, 6825; Schagen, Liebenberg, 30954; Empangeni, McClean, 35147.

Uromyces Albucae Kalchbr. & Cooke

Kalchbrenner (1882 b) 20 ; Sacc. Syll. Fung. VII : 558 ; P. & H. Sydow (1910) 260 ; Doidge (1927 a) 39 ; Nel (1942) 49.

Uredo sempertecta Thuem., von Thuemen (1876 b) 578.

on Albuca altissima Dryand, without locality (Sydow); Oudtshoorn, Verwoerd (Stell. 290: v. d. Byl 2364).

Albuca aurea Jacq., Somerset East, MacOwan 1252, 20745.

Albuca juncifolia Bkr., without locality (Sydow).

Albuca minor Linn., Boschberg, Mac Owan 1177 (S.A. M. 33984) Kew; Tulbagh, Dippenaar (Stell, 1022).

Albuca spp., Inanda, Medley Wood 68, 647, 1129, 11130, 11165, Kew; Kirstenbosch, Glover, 8368; Pearson, 8395, 8408; Bloemfontein, Potts, 11306; Hopefield, v. d. Byl 2453, 2376; Clanwilliam, v. d. Byl 2629.

Uromyces Alchemillae (Pers.) Lév.

Doidge (1927 a) 27.

on Alchemilla Rehmannii Engl., Haenertsburg, Pole Evans, 20628.

Uromyces Aloes (Cooke) Magn.

Magnus (1892 a) 48; P. Sydow (1899 a) (130); P. Hennings (1903) 156; P. & H. Sydow (1910) 265; V. A. Putterill (1918) 656; van der Byl (1925 b) 193;
Doidge (1927 a) 39, (1948 b) 908; Doidge & Bottomley (1931) 5; Verwoerd (1931 a) 299; Hopkins (1938 a) 107, (1939 a) 4; Nel (1942) 50.

Uredo Aloes Cooke (1891) 16.

Uromyces aloicola P. Hennings (1892) 370.

on Aloe arborescens Mill. var. natalensis, Howick, v. d. Byl 256

Aloe Barbertoniae Pole Evans, Riversdale, Muir, 23655.

Aloe Baumii Engl. & Gilg., Habungu, Baum 476.

Aloe Davyana Schon., Potgietersrust, Pole Evans, 117.

Aloe ferox Mill., Port Elizabeth, Doidge, 2327, Kew; Mossel Bay, r. d. Byl 1388: Knysna, v. d. Byl.

Aloe grandidentata Salm., Johannesburg, Knox-Davies, 15532.

Aloe Greatheadii School., Salisbury (Rh. 1992).

Aloe Greenii Bkr., Durban, v. d. Byl 499, 31782.

Aloe latifolia Haw., East London, Rattray, 9826.

Aloe Marlothii Berger, Durban, v. d. Byl 533, 31801.

Aloe purpurascens (Ait.) Haw., Riversdale, Muir, 23654.

Aloe saponaria (Ait.) Haw., Mooi River, Medley Wood, 325, Kew: Howick, Medley Wood, 5411, 31790: Pretoria, Brain (v. d. Byl 1708), Bottomley, 30952; Vincent, G. G. Smith, 33327: Brandfort, Verwoord (Stell, 285).

Aloe striata Haw., Keniston nr. Grahamstown, Snow, 26597.

Aloe Thraskii Bkr., Pretoria, Pole Evans, 8973.

Aloe transvaalensis O. Ktze., Groenkloof, Burtt Davy, 1968, Pole Evans, 1007, 8922;

Pretoria, Pole Evans, 431; Hartebeestpoort, Mogg, 32275.

Aloe spp., Barberton, Pole Evans, 1924; Pretoria, Bottomley, 8900; Natal, 17278; Barberton, Liebenberg, 25971: Bloemfontein, Verwoerd; Riversdale, du Plessis; Klerksdorp, Schonken (Stell, 85).

Haworthia altilinea Haw., Vincent, G. G. Smith, 33326.

Haworthia Reinwardtii Haw., Vincent, G. G. Smith, 33324.

Haworthia retusa (L.) Haw., Vincent, G. G. Smith, 33325.

Haworthia spp., Vincent, G. G. Smith, 33252, 33327.

Uromyces Alysicarpi Wakef. & Hansf.

Uredo Alysicarpi Doidge (1927 a) 194, 212; Hopkins (1938 a) 107, (1943) 179.

on Alysicarpus violaceus (Forsk.) Schindl., Skinner's Court. Pole Evans, 915; Olifantsfontein, Pienaar, 12821; Bulawayo, Hopkins.

Alysicarpus sp., Victoria Falls, Eyles 4326.

Uromyces Anomathecae Cooke

Cooke (1890 b) 6; Sacc. Syll. Fung. IX: 294; H. Sydow (1922 a) 54; P. & H Sydow (1910) 256; Doidge (1927 a) 35, (1948 c) 932; Nel (1942) 50.

on Lapeyrousia cruenta Bkr., Durban, Medley Wood 693, Type, 330; Stella Bush, Leslie, 31951; Winkle Spruit, Doidge, 2507; Donkerpoort, Doidge & Bottomley, 30109; Durban, v. d. Byl 568.

Lapeyrousia grandiflora Bkr., Wonderboom, Pole Evans, 443; Durban, 30937.

Uromyces Antholyzae Syd.

Verwoerd (1929 b) 5; Doidge (1939) 510, (1948c)933; Nel (1942) 50.

on Anapalina revoluta N.E. Br., Ruytersbosch, Gemmell, 30085; Stellenbosch, Newlands, Knysna, Verwoerd.
? Antholyza spp., Kalk Bay, Levyns (v. d. Byl 1306); Stellenbosch, Verwoerd (Stell. 255;

v. d. Byl 2186).

Uromyces appendiculatus (Pers.) Link.

P. Sydow (1899 a) (130); van der Byl (1926 c) 288; Verwoerd (1929 b) 8, (1931 a) 299; Doidge (1927 a) 25; Doidge & Bottomley (1931) 25, 29; Hopkins (1938 a) 107, (1939 a) 33; Cardoso (1937) 153, (1938) 76, (1939) 45, (1943) 66, (1945) 157.

Uredo Phaseolorum de Bary, Cooke (1879 b) 71.

Uromyces Phaseolorum DC., Kalchbrenner (1882 b) 19.

on Phaseolus acutifolius Grav var. latifolius Freem., Nelspruit, Liebenberg 26008.

Phaseolus vulgaris Linn., Inanda, Medley Wood 89, 504, 10577, 10593, 10624, Kew; Durban, v. d. Byl, 31922; Utrecht, Neethling, 27578; Kentani, Pegler, 7769, 8850; Pretoria, Lounsbury, 1505; Wonderboom, Pole Evans, 1493; Daspoort, 616; Brooklyn, Doidge, 23189; Pretoria, Louwrens, 26140; Pyramids, Mogg, 32382; Orchards, Bottomley, 30950; Witpoortje, Moore, 27379; Nelspruit, Hall, 2536, 5157, 6849; Boulders, Wager, 22383; Barberton, Liebenberg, 25966; Zoutpansberg, 605; Paarl, Wellington, George, Oudtshoorn, Verwoerd; Stellenbosch, Verwoerd (Stell. 12); Bloemfontein, Verwoerd; S. Rhodesia, Hopkins; Moamba, da Silva; Umbelusi, Gonçalves and Guimarãis; Sul do Save, Cardoso; Manhica, Guimarãis; Chobela Cardoso; Chai-chai, Cardoso; Moamba, da Silva; Infuleni, de Sousa, 34252.

Phaseolus coccineus Linn., common and widespread.

.Uromyces Argyrolobii Doidge.

Doidge (1927 a) 21, 206; Hopkins (1938 a) 108, (1939 a) 41.

on Argyrolobium amplexicaule (E. Mey.) Dummer, Mooi River, Mogg, 10075, Kew, Type. ?on Sesbania sp., Marandellas (Rh. 2165).

Uromyces badius Syd.

H. Sydow (1924 a) 235; Doidge (1927 a) 37; Nel (1942) 50.

on Haemanthus coccineus Linn., Cape Town, Wordsworth, 10996; between Table Mt. and Devil's Peak, Andraea, 20309.

Haemanthus pumilio Jacq., Stellenbosch, Duthie (v. d. Byl 2290; Stell. 260).

Haemanthus rotundifolius Gawl., Stellenbosch, Verwoerd (Stell. 188).

Haemanthus spp., Stellenbosch, Duthie (v. d. Byl 1254, Type, 1247); Hopefield, v. d. Byl 2031.

Uromyces Barbevanus P. Henn.

Doidge (1927 a) 17.

on Rhus sp., Graskop, Pole Evans, 14688; Barberton, Pole Evans, 1165.

Uromyces Betae (Pers.) Lev.

Kalchbrenner (1882 b) 20; Sacc. Syll. Fung. VII: 536; P. & H. Sydow (1910) 224; Doidge (1927 a) 28; Verwoerd (1929 b) 8, (1931 a) 299; v. d. Byl (1922 d) 285; Doidge & Bottomley (1931) 285; Nel (1942) 50.

on Beta vulgaris Linn., Somerset East, MacOwan 1034 (S.A.M. 28723); Glen Avon, 2538, Kew; Sandown Bay, Jonker, 22837; Grahamstown, Knowling, 24867; Stellenbosch, v. d. Byl 258, 1435, 2766, Verwoerd (Stell. 53) du Plessis, (Stell. 532): Kuils Rivier, Wynberg, Dieprivier, Paarl, Wellington, Verwoerd; Bloemfontein, Verwoerd; Potchefstroom, Theron, 23500; Bizana, Millin, 28483.

Uromyces Bidentis Lagerh.

Doidge (1927 a) 11; Doidge & Bottomley (1931) 13.

as Trichobasis cichoracearum Lév., Cooke (1879 b) 71.

as Uromyces bidentatis, Nel (1942) 50.

on Bidens pilosa Linn., Inanda. Medley Wood 230, 10617; Amanzimtoti, Doidge, 1610; Kentani, Pegler, 7768, 8854, Kew; Westfalia, Doidge, 20341; Durban, McClean, 30669, Wager, 32421, v. d. Byl 190, 253; Winkle Spruit, v. d. Byl, 31967.

Uromyces Bolusii Mass.

Massee (1901 b) 168; Sacc. Syll. Fung. XVII: 253; H. Sydow (1922 a) 55; Doidge (1927 a) 21; Nel (1942) 50.

on Aspalathus pachylba Benth., Montagu Baths, Bolus, 7597, Kew, Type. Aspalathus sp., Stellenbosch, Garside (v. d. Byl 2091).

Uromyces Bulbinis Thuem.

von Thuemen (1877) 409; Kalchbrenner (1882 b) 20; Sacc. Syll. Fung. VII: 572; P. & H. Sydow (1910) 267; Doidge (1927 a) 40.

on Bulbine aloöides Willd., Boschberg, MacOvan 1019, Type (S.A. M. 28747) 20784. Kew. Bulbine latifolia R. & S., Natal, Medley Wood 451, 11128, 11175. Bulbine praemorsa R. & S., Stellenbosch, Verwoerd (Stell. 353).

Uromyces Bylianus Doidge

Doidge (1927 a) 43.

on Liliaceae undet. (? Chlorophytum or ? Anthericum) Llewellyn. r. d. Byl. 6944, Type.

Uromyces capensis Doidge

Doidge (1927 a) 16, 206

on Oenothera biennis Linn., Wellington, Doidge, 1221, Type.

Uromyces caryophyllinus (Schrank.) Wint.

Pole Evans (1906 a) 134, (1908 e) 123; P. & H. Sydow (1910) 210; Doidge (1927 a) 27; Verwoerd (1929 b) 9, (1931 a) 299; Doidge & Bottomley (1931) 17, 60; Hopkins (1938 a) 108, (1939 a) 17; Cardoso (1937) 153, (1938) 76, (1939) 45, (1943) 60, (1945) 161.

? sub Puccinia Lychnidearum Fuck., Kalchbrenner (1882 b) 23

on Dianthus barbatus Linn., Sunnyside, Pole Evans, 1984; ? Somerset East, MacOwan 1332. Dianthus caryophyllus Linn., Pretoria, Pole Evans, 130, Krohn, 6969, Lounsbury, 20686, Doidge, 30656; Johannesburg, Vipan-Theed, 6961, v. Zyl, 6594; Radium, Cresswell, 22344; Duivelskloof, Spitteler, 22110; Heidelberg, v. Zyl, 26362; Lourenço Marques, Howard, 528, 5178, and Monteiro; Sul do Save, Cardoso; Armoedsvlakte, Henrici, 20316, Kew: Durban. Wager, 32418; Blakesley, Fitchet, 20676; Tarkastad, Hattingh, 24356; Bloemfontein, Verwoerd; Stellenbosch, Verwoerd (Stell. 29); Tulbagh, Dippenaar, (Stell. 950); Mossel Bay (Stell. 531); Paarl, Worcester, Wellington, Wynberg, Cape Town, Verwoerd; Salisbury, Eyles (Rh. 50) Kew, Eyles 4012 (Rh. 3172, 3231, 374, 1162, 1814, 2446); Bulawayo (Rh. 2983); Durban, McClean, 30115.

Dianthus crenatus Thunb., Inanda, Medley Wood 615, 10484, 11190, Kew.

Dianthus Zeyheri Sond., Silikats Nek, Pole Evans, 17032.

Dianthus sp., Durbanville, Biccard (v. d. Byl 1106); Stellenbosch, v. d. Byl 1110; Salisbury, v. d. Byl 1737.

Uromyces Cassiae-mimosoidis Doidge

Doidge (1948 b) 908.

Uredo Cassiae-mimosoidis Doidge (1941 c) 233.

on Cassia mimosoides Linn., Buffelspoort, Doidge & Bottomley, 32170, Type; Fairy Glen, Doidge, 30915; Donkerpoort, Doidge & Bottomley, 29741.

Uromyces Chloridis Doidge

Doidge (1927 a) 46, 207; Doidge & Bottomley (1931) 60. on **Chloris virgata** Sw., Skinner's Court, 43, Type; Bloemfontein, *Potts*, 11317.

Uromyces circinalis Kalchbr. and Cooke.

Cooke (1879 b) 71; Sacc. Syll. Fung. VII: 573; P. & H. Sydow (1910) 281; Doidge (1927 a) 43; Doidge & Bottomley (1931) 58.

Uromyces MacOwani Bubak (1902) 19; Sacc. Syll. Fung. XVII: 259.

sub Uromyces Scillarum (Grev.) Wint., Syll. Fung. VII: 567.

on Scilla prasina Bkr., Somerset East, MacOwan 1417 (Thuem. Myc. Univ. 1438) 20843, 20782, Kew.

on host undet., Natal, Medley Wood 231, Type, Kew.

Uromyces Clignyi Pat. & Har.

Doidge (1939) 511.

on Andropogon amplectens Nees, Donkerpoort, Doidge & Bottomley, 29751; Derdepoort, Doidge & Bottomley, 29788.

Uromyces Cluytiae Kalchbr. & Cooke

Kalchbrenner (1882 b) 20 ; Sacc. Syll. Fung. VII : 556 ; P. & H. Sydow (1910) 153 ; Doidge (1927 a) 18 ; v. d. Byl (1926 c) 288 ; Nel (1942) 51.

on Cluytia Galpini Pax, Zwartkop, Doidge, 11600; Donkerpoort, Doidge & Bottomley, 29742.

Cluytia hirsuta E. Mey., Natal, Medley Wood 52, 11127; Grootfontein, nr. Harrismith, v. d. Byl, 2318, 18066; nr. Mont aux Sources, Doidge, 14156, Kew.

Cluytia monticola S. Moore, Mont aux Sources, Doidge, 23461.

Cluytia pulchella Linn., Inanda, Medley Wood 32, 43, 51, 76, 10582, 10603, 11226, Kew; Sabie, Pienaar, 5147; Garstfontein, Pienaar, 7086, 8402; Silikats Nek, Doidge, 12240; Silverton Ridge, Doidge, 23459; Fairy Glen, Doidge, 23458; Hottentots Holland, nr. False Bay, MacOwan 1325, Type, Kew; Mamathes, Hean, 33135.

Cluytia spp., Rooiwal, Bosman, 29903; Woodbush, v. d. Byl 1664; Marwaqa Forest, Doidge, 32113.

Uromyces Commelinae Cooke

P. & H. Sydow (1910) 292, (1924) 595; van der Byl (1926 c) 288; Doidge (1927 a)
 44; Eyles (1926) 636; Hopkins (1938 a) 108, (1939 a) 5; Nel (1942) 51;
 Cardoso (1945) 164.

on Aneilema sp., Salisbury, Hopkins.

Commelina benghalensis Linn., Infulene, Cardoso, 34251.

Commelina Krebsiana Kunth, Pietersburg, Doidge, 1818; Garstfontein, Pienaar, 1839, Kew; Olifants River, Pole Evans, 11023.

Commelina Livingstoni C.B. Cl., Chalasi, Howard, 630; Matola, Howard, 673

Commelina spp., Komati Poort, Pole Evans, 11711; Salisbury, Eyles (Rh. 2072) 13993; Fauresmith, Liebenberg, 33251; Durban, v. d. Byl 183; Stella Bush, v. d. Byl, 31924.

·Uromyces comptus Syd.

H. & P. Sydow (1910) 259; P. & H. Sydow (1910) 354; Sacc. Syll. Fung. XXI: 569; Doidge (1927 a) 12.

on Merremia bipinnatipartita Hallier f., Okahandia, Dinter.

Uromyces Dieramatis Doidge

Doidge (1948 c) 929.

on Dierama pendulum Bkr., Cramond, Pole Evans, 1580, Type, 1451, 2410; Inanda, Medley Wood 585, 10475 Kew (sub Puccinia Gladioli Cast.); Durban, McClean, 31030; Bethlehem, v. d. Merwe, 28815.

Dierama pulcherrimum Bkr., Kentani, Pegler, 6677, 6924, 7092.

Dierama sp., Nottingham Road, McClean, 32308.

Uromyces Dolicholi Arthur

Doidge (1927 c) 233.

? as Uromyces sp., Cardoso (1945) 158.

on Cajanus Cajan Millsp., Winkle Spruit, Pole Evans, 1594, 1919; ? Maotas, Soares,

Uromyces Drimiopsidis Doidge

Doidge (1941 c) 234.

sub Uromyces Erythronii (DC.) Pass. var. Drimiopsidis, nom. nud. in Herb. Kew.

as Uromyces Erythronii (DC.) Pass., Nel (1942) 51.

on Drimiopsis maculata Lindl., Durban, Medley Wood 688, Type, 11125, v. d. Byl 189, 536, *564*, *569*, 31959, 31995.

Uromyces Ecklonii Bubak.

P. & H. Sydow (1910) 253; Sacc. Syll. Fung. XXI: 580; Doidge (1927 a) 32, (1948 c) 921; Doidge & Bottomley (1931) 24; Nel (1942) 51.

on Freesia sp., Cape, Ecklon & Zeyher: Prospect, nr. Komgha, Pegler, 5129, Kew; Thornville Junction, Slatter, 23186: Greytown, O. Nel (v. d. Byl 1283); Mount Edgecombe, Wager, 33762: Joubertina, Deysel, 29714.

Uromyces Ehrhartae-giganteae Doidge

Doidge (1927 a) 47, Nel (1942) 51.

on Ehrharta gigantea Thunb., Mowbray, v. d. Merwe, 7392, Type: Hopefield, v. d. By. 2426, 2455, 34129, 34130; Stellenbosch, Verwoerd (Stell. 374; v. d. Byl 1127) 34128l

Uromyces Eragrostidis Tracv

Doidge (1927 a) 47; Doidge & Bottomley (1931) 35.

Uromyces pedicellata Pole Evans (1918 b) 228; Sacc. Syll. Fung. XXIII: 644; Verwoerd (1931 a) 300.

Puccinella Eragrostidis (Tracy) H. Sydow (1922 b) 123.

on Eragrostis Atherstonei Stapf, Nelspruit, Liebenberg, 26058.

Eragrostis chloromelas Steud., Ashbury, Doidge & Bottomley, 29786.

Eragrostis curvula Nees, Skinner's Court, Pole Evans, 246: Pretoria, Pole Evans, 11319,

Kew: Ashbury, Doidge & Bottomley, 29785; Durban, McClean, 32301. Eragrostis tef (Zucc.) Trotter, Skinner's Court, Pole Evans, 13, 261, 266, 2335, Kew; Langlaagte, Fry, 8945, Kew: Pretoria, Pole Evans, 1083, 11318, Kew; Bloemfontein, Verwoerd.

Uromyces Eriospermi Kalchbr. & Cooke

Kalchbrenner (1882 b) 21; Sacc. Syll. Fung. VII: 557; P. & H. Sydow (1910) 268 : Doidge (1927 a) 41 ; Wakefield (1936) 53 : Hopkins (1938 a) 108 ; Nel (1942)

Uredo Eriospermi MacOwan in litt.

Aecidium Eriospermi P. Henn., in Herb. Stell.

on Eriospermum cernuum Bkr., Table Mt., Marloth, 17282.

Eriospermum dissitiflorum Schlecht., Belfast, Doidge, 566, Ingle, 251.

Eriospermum graminifolium Duthie, without locality, Bosman (v. d. Byl 2038); Stellenbosch, Verwoerd (Stell. 173).

Eriospermum lanceaefolium Jacq., Gordon's Bay, Verwoerd (Stell. 321).

Eriospermum Mackenii Bkr., Umzinyati, Medley Wood 552, 11172, 11126, Kew.

Eriospermum parvifolium Jacq., Stellenbosch, *Bosman* (v. d. Byl 2042); *Verwoerd* (Stell. 52).

Eriospermum pubescens Jacq., Stellenbosch, Retief (Stell. 86), Duthie (Stell. 267).

Eriospermum spp., Cape Town, Saxton, 502; Belfast, Doidge, 763; Kaalfontein, Mogg, 11653; Hartebeestpoort, Mogg, 32276; Alicedale, Cruden, 12181; Ceres, Marloth, 19871, Leslie, (v. d. Byl 2441); Cedara, Staples, 20305; Grahamstown, Dyer, 23375; Haenertsburg, Mogg, 28506; Bulawayo, Eyles 4338 (Stell. 555); Woodbury, Hφeg 82, Kew; Somerset East, MacOwan 1402, Kew; Tulbagh, Markotter, (v. d. Byl 2339), Dippenaar (Stell. 1020); Elgin, Dippenaar (Stell. 960); Hermanus, Dippenaar (Stell 863); Malmesbury, v. d. Byl 1961, 2193; Genadendal, Verwoerd (v. d. Byl 1278); Stellenbosch, v. d. Byl 876, 1152, du Plessis (Stell. 1025); Boekenhout Kloof, Mogg, 32892.

Uromyces ermelensis Doidge

Doidge (1927 a) 23.

on Indigofera sp., Davel, McCall, 5598, Kew.

Uromyces euphorbiicola (Berk. & Curt.) Tranzsch.

Doidge (1948 b) 909.

as *Uromyces proeminens* (D.C.) Lév., Doidge (1927 a) 19; **H**opkins (1939 a) 19; Cardoso (1945) 164.

as Uromyces Euphorbiae Cooke & Peck, Nel (1942) 52.

on Euphorbia prostrata Ait., Durban, Medley Wood, 809, 11124, 14200; Maritzburg, J. M. Sim, 9202; Pretoria, Pole Evans, 6962, Hean, 30643; Durban, v. d. Byl 257; Salisbury (Rh. 2072); Elandskop, E. du Toit, 35280; Lourenço Marques, Mota.

Uromyces Fabae (Pers.) de Bary

Von Thuemen (1876 b) 363; Kalchbrenner (1882 b) 20; Sacc. Syll. Fung. VII: 531; van der Byl (1922 d) 285; Doidge (1927 a) 26; Verwoerd (1929 b) 8, (1931 a) 299; Doidge & Bottomley (1931) 14; Hopkins (1938 a) 168, (1939 a) 47; Cardoso (1938) 75, (1937) 153, (1939) 45, (1943) 63, (1945) 157.

Aecidium leguminosarum Rabenh., Berkeley (1876 a) 175.

as Uromyces appendiculatus, Nel (1942) 50.

on Vicia Faba Linn., Somerset East, MacOwan 1056 (S.A.M. 28725); Grahamstown, 260 and Dewar, 275; Wellington, Lounsbury, 194; Butterworth, Pegler, 8347; Bathurst, Wright, 26599; Stellenbosch, v. d. Byl 259, Swart (Stell. 137); Somerset West, Verwoerd; Bloemfontein, Verwoerd; Natal, Medley Wood, 10588; Skinner's Court, Pole Evans, 1210, Kew; Pyramids, Hean, 32802; Rusapi (Rh. 2399); Sul do Save, Cardoso; Chai chai, Cardoso; Infuleni, Guimarãis, 34248; Umbelusi, Guimarãis.

? on host undet., foot of Table Mt., Eaton.

Uromyces Ferrariae Doidge

Doidge (1948 c) 931.

on Ferraria sp., Chipinga (Rh. 4298) 33427, Type.

Uromyces fiorianus Sacc.

Nel (1942) 52.

on Peucedanum sp., Bulwer, v. d. Byl 68.

Uromyces Freesiae Bubak.

Bubak (1900) 318; Sacc. Syll. Fung. XVI: 267; P. & H. Sydow (1910) 252; Doidge (1927 a) 32, (1948 c) 935; Doidge & Bottomley (1931) 24; Verwoerd (1929 b) 12.

on Freesia sp., Cape, Zeyher; Johannesburg, 17283: Joubertina, Deysel, 29714; Stellenbosch, Verwoerd; Greytown, Nel (Stell, 136).

Uromyces Gladioli P. Henn.

Hennings (1895 b) 326; Sacc. Syll. Fung. XIV: 283: P. & H. Sydow (1910) 254: Doidge (1927 a) 33, (1948 c) 926; Doidge & Bottomley (1931) 26; Nel (1942) 52.

Uromyces Geissorhizae P. Hennings (1900 c) (153); Sacc. Syll. Fung. XVI: 267;
P. & H. Sydow (1910) 253; Doidge (1927 a) 32; Doidge & Bottomley (1931)
25; Nel (1942) 52.

Uromyces Babianae Doidge (1927 a) 31; Doidge & Bottomley (1931) 11.

Uromyces Romouleae v. d. Byl & Werd., Werdermann (1923) 54; van der Byl (1922 d) 285; Nel (1942) 55.

Uromyces Romuleae Doidge (1927 a) 36

? as Puccinia Gladioli Cast., Kalchbrenner (1882 b) 23; Sacc. Syll. Fung. VII: 728.

on Babiana disticha Ker., Retreat, Pole Evans, 12959, Kew.

Babiana stricta Ker., Cold Bokkeveld, Marloth, 21014.
Geissorhiza imbricata (De la R.) Ker., Stellenbosch, Verwoerd (Stell. 259: v. d. Byl 2192), Duthie (v. d. Byl 2066).

Geissorhiza rupestris Schlecht., without locality (Sydow).

Geissorhiza secunda Ker., Vogelgat, Schlechter 9577, 33300.

Gladiolus angustus Linn., Cape, Leibold.

Gladiolus blandus Ait., without locality (Sydow); Stellenbosch, Dippenaar (Stell. 991).

Gladiolus cochleatus Sweet, French Hoek, Dippenaar, (Stell. 1023).

Gladiolus crassifolius Bkr., Kincardine, Ugie, Jouhert, 25317, Kaalfontein, nr. Bronkhorst-spruit, Mogg, 34217.

Gladiolus cuspidatus Jacq., Stellenbosch, Duthie (v. d. Byl 2211): Diep Rivier, Marloth, 9304: Kenilworth, Bolus, 8366.

Gladiolus debilis Ker., Stellenbosch, Markotter (Stell. 1024).

Gladiolus Ecklonii Lehm., Bazuja, Baur (S.A.M. 28755). Gladiolus formosus Klatt, Bokkeveld, Marloth 7561, 10032.

Gladiolus hirsutus Jacq., Piquetberg, Marloth, 21031.

Gladiolus orchidiflorus Andr., without locality (Sydow).

Gladiolus recurvus Linn., Kentani, Pegler 1958, 8412; Albertinia, Muir, 8867; Stellenbosch, Duthie (v. d. Byl 2341).

Gladiolus spp., Durban, v. d. Byl, 9176; Cape Town, 543; Cramond, Pole Evans 6851; Mooi River, Mogg, 17037; Wellington, Verwoord; Hopefield, v. d. Byl 1245; Stellenbosch, Duthie (v. d. Byl 2069).

Romulea rosea Ecklon, Klapmuts, v. d. Byl 491, 10094, 32447 and r. d. Byl 181.

Romulea sp., Hopefield, v. d. Byl 2024.

? on Moraea ramosa Ker., without locality (Sydow).

Uromyces Greenstockii Doidge

Doidge (1927 a) 13, 207.

on Ipomoea Greenstockii Rendl., Kaalfontein, Pole Evans, 10989, Type.

Uromyces Harmsianus (P. Henn.) Doidge

Doidge (1927 a) 22, 207.

Uredo Harmsiana P. Hennings (1900 c) (154); Sacc. Syll. Fung. XVI: 353; P. & H. Sydow (1924) 476.

sub Uredo leguminosarum Link, Kalchbrenner (1882 b) 25.

on Crotalaria lanceolata E. Mey., Iananda, Medley Wood 199, 11120, 11168, Kew; Scottsburgh, Pole Evans, 6834, Type, Kew.

Crotalaria australis Bak. f., Barberton, 147.

Uromyces Heteromorphae Thuem.

Von Thuemen (1877) 409; Sacc. Syll. Fung. VII: 577; P. & H. Sydow (1910) 50; van der Byl (1926 c) 288; Doidge (1927 a) 15; Nel (1942) 52.

Uredo Heteromorphae Mac Owan in litt.

Uromyces papillatus Kalchbrenner & Cooke (1882) 20; Sacc. Syll. Fung. VII: 555.

on Heteromorpha arborescens C. & S., Woodbush, v. d. Byl 1517. Heteromorpha involucrata Conr., Barberton, Pole Evans, 1856.

Heteromorpha pubescens Burtt Davy, Graskop, Pole Evans, 14687.

Heteromorpha transvaalensis Schltr. & Wolff, Pretoria, Pienaar, 1197; Garstfontein, Pienaar, 1263; Debbe's Ravine, Mogg, 23460, 25333, 29850; Silverton Ridge.

Doidge, 23462; Entabene, Wager, 26372.

Heteromorpha trifoliata E. & Z., Boschberg, *MacOwan 1021*, Type (Thuem. Myc. Univ. 1640; Rabenh. Wint. Fung. Eur. 3827; Roum. Fung. Sel. Exsicc. 4719; S.A.M. 28749) 4167, 20785, 20790, Kew; Natal, *Medley Wood 449*, 11123, 11174; Nottingham Road, *McClean*, 32282.

Peucedanum capense Sond., Inanda, Medley Wood 623, 805, 10629, Kew.

Peucedanum galbanum (L.) Benth. & Hk., Stellenbosch, Verwoerd (Stell. 385).

Peucedanum Zeyheri Sond., Durban, Medley Wood, 7796; Bulwer, Haygarth, 7791.

Uromyces Hobsoni Vize

P. & H. Sydow (1924) 320; Doidge (1927 a) 14; Doidge & Bottomley (1931) 69. Aecidium Tylophorae Cooke (1890 b) 6; Sacc. Syll. Fung. IX: 322; P. Sydow (1899 a) (131); Nel (1942) 31.

on Jasminum multipartitum Hochst., Natal, Medley Wood 694, Kew; Uitenhage, 579; Durban, Lansdell, 14820, 17289, Bottomley, 14243, Kew; Maritzburg, Sim, 15664; Durban, Forbes (v. d. Byl 116, 117).

Uromyces Holubii Doidge

Doidge (1941 c) 235.

sub Uromyces liliacearum Ung. in Herb. Kew.

on Liliaceae undet. (? Dracaena sp.) Lishumo Valley, *Holub* (ex herb. M.C. Cooke, Kew) 30887, Type.

Uromyces Hyperici-frondosi (Schw.) Arth.

Doidge (1927 a) 17.

on Hypericum natalense Wood & Evans, Kentani, Pegler 1961, 8828, Kew.

Uromyces Hypoxidis Cooke

Cooke (1882 a) 127 ; Sacc. Syll. Fung. VII : 555 ; P. & H. Sydow (1910) 274 ; Doidge (1927 a) 38 ; Doidge & Bottomley (1931) 30.

on Hypoxis latifolia Hk., Winkle Spruit, Pole & Evans, 1597.

Hypoxis oligotricha Bkr., Clairmont, Medley Wood 586, Type, 789, 11122, 11170, Kew.

Hypoxis villosa L.f., Kentani, Pegler 1985, 8935, Kew.

Hypoxis sp., Nottingham Road, McClean, 32283.

Uromyces inaequialtus Lasch.

Pole Evans (1915 a) 115; van der Byl (1925 b) 193; Doidge (1927 a) 29; Nel (1942) 53.

on Silene sp., Namaroup, Pearson, 8407; Grootrivier, v. d. Byl 1396; Mamathes, Hean, 33134.

Uromyces Ipomoeae (Thuem.) Berk.

Kalchbrenner (1882 b) 19; P. & H. Sydow (1910) 33; Sacc. Syll. Fung. XXI: 565; Doidge (1927 a) 13.

Aecidium Ipomoeae Thuem., von Thuemen (1878 a) 354.

Uredo aterrima Thuem., von Thuemen (1878 a) 355 : Sacc. Syll. Fung. VII : 841. Trochodium Ipomoeae (Thuem.) Syd., H. & P. Sydow (1919 b) 106 : Dietel (1928) 80.

sub Puccinia Ipomoeae Cooke, Sacc. Syll. Fung. VII: 671. on Ipomoea convolvuloides Hall, Silikats Nek, Bottomley, 12239.

Ipomoea oenotheroides (L.f.) Rafin., Klein Vis Rivier, nr. Somerset East, MacOwan 1225, 1226 (Rabenh. Fung. Eur. 3627) 3967, Kew.

Ipomoea Ommanei Rendl., Belfast, Doidge, 558, Kew.

Uromyces Ixiae (Lév.) Wint.

Winter (1884 c) 262; P. Hennings (1898) 293; Sacc. Syll. Fung. XVII: 260;
P. & H. Sydow (1910) 255; Doidge (1927 a) 34, (1948c) 924.; Doidge & Bottomley (1931) 31; Nel (1942) 53.

? Uredo Ixiae Rudolphi (1829) 387. ? Uredo Ixiae Léveillé (1845) 70.

Uromyces Melasphaerulae Syd., H. & P. Sydow (1904) 28; P. & H. Sydow (1910) 256; Doidge (1927 a) 35; Nel (1942) 54.

Uromyces delagoënsis Bubak, P. & H. Sydow (1910) 255: Sacc. Syll. Fung. XXI: 581; Doidge (1927 a) 35; Cardoso (1945) 163.

on Engysiphon exscapus (Thunb.) Lewie, without locality (Sydow).

Ixia furcata Ker., Bokkeveld, Marloth 7659, 33302.

Ixia leucantha Jacq., St. James, Pole Evans, 7736.

Ixia lutea Bkr., Drakenstein Mts., Galpin 12281, 33306.

Ixia maculata Thunb., near Hopefield, Letty, 33305, v. d. Byl 1291.

Ixia paniculata Del., Caledon, Marloth 5939, 33304.

Ixia patens Ait., Genadendal, Roser, 33309.

Ixia polystachya Linn., without locality, (Sydow).

Lapeyrousia corymbosa Ker., near Paarl, MacOwan; without locality, Zeyher 1594, 33320.

Lapeyrousia delagoensis Bkr., Moçambique, Junod; Delagoa Bay, Thoday 169, 33321.
 Melasphaerula graminea Ker., Hopefield, Bachmann; Table Mt., Ecklon, 33301; Nachtwacht, Bredasdorp, C. A. Smith, 33308; Signal Hill, Thode, (v. d. Byl 2070).

Sparaxis bulbifera Ker., Bloemendaal, Zeyher 3968, 33319.

Sparaxis grandiflora Ker., Cape Flats, MacOwan.

Uromyces kentaniensis Doidge

Doidge (1927 a) 30, 208 (1948 c) 928; Doidge & Bottomley (1931) 5. on **Pentamenes aethiopica** (L.) Phillips, Kentani, *Pegler 2381*, 9313.

Uromyces Lachenaliae Doidge

Doidge (1927 a) 42, 208; Doidge & Bottomley (1931) 33; Nel (1942) 53.

on Lachenalia orchidioides Ait., Stellenbosch, Verwoerd (Stell. 114).

Lachenalia pendula Ait., Cape Town, 5140, Kew.

Lachenalia reflexa Thunb., Stellenbosch, Dippenaar (Stell. 966), Verwoerd (Stell. 298).

Lachenalia tricolor Thunb. var. Nelsoni Bkr., Slanghoek Mts., Andraea, 19853.

Lachenalia unicolor Jacq., Williston, Glover, 8369.

Lachenalia unifolia Jacq., Stellenbosch, Verwoerd (Stell. 286).

Lachenalia spp., Hopefield, v. d. Byl 2029, 2030; Stellenbosch, Bosman (v. d. Byl 2040), Duthie (v. d. Byl 1725, 2456), Verwoerd (v. d. Byl 1258); Tulbagh, Dippenaar (Stell, 1021).

Polyxena ensifolia (Thunb.) Schon., Uitenhage, Pienaar, 2437.

Uromyces krantzbergensis Doidge

(Doidge (1948b) 909.

on Liliaceae undet. (? Anthericum sp.) Krantzberg, Dyer, Verdoorn & Erens, 34505.

Uromyces leptodermus Syd.

Doidge (1927 a) 48; Doidge & Bottomley (1931) 29, 60; Hopkins (1938 a) 108, (1939 a) 7, 30, 47; Cardoso (1944 b) 51, (1945) 163.

on Brachiaria brizantha Stapf, Schagen, Liebenberg, 29936; Salisbury, Hopkins.

Brachiaria dictyoneura Stapf, Salisbury (Rh. 3399).

Brachiaria erucaeformis Griseb., Harden Heights, Pole Evans, 1454; Tweedie, Mogg, 11646.

Brachiaria serrata Stapf, Donkerpoort, Doidge & Bottomley, 29737.

Panicum deustum Thunb., Amanzimtoti, Doidge, 30126.

Panicum laevifolium Hack., Skinner's Court, 248, 267, 721; Witbank, Walters, 1249; Langlaagte, Fry, 8951; Roberts Heights, Pole Evans, 8931; Bloemfontein, Potts, 11308; Cana, Hean, 32738; Buffelspoort, Doidge, 30118.

Panicum maximum Jacq., Winkle Spruit, Pole Evans, 1596, 2394, Kew; Salisbury (Rh.

1980, 2012); Shamva (Rh. 2678).

Panicum Meyerianum Nees, Empangeni, McClean, 31019.

Urochloa bulbodes Stapf, Salisbury (Rh. 2083, 2087).

Urochloa mosambicensis Dandy, Salisbury (Rh. 2088).

Urochloa panicoides Beauv., Umbelusi, Howard, 670; Barberton, Mogg, 7807; Nelspruit, Liebenberg, 26181; Buffelspoort, Doidge, 29990, 31022.

Urochloa pullulans Stapf, Nkwalini Valley, McClean, 33094; Caniçado, Barradas.

Urochloa trichopus Stapf, Pienaar's River, Schmolle, 9097; Prinzhof, Liebenberg, 28775;
 Matopos (Rh. 1362); Gwanda (Rh. 3508 a) and Doidge, 30298; Moçambique, Howard, 1461.

Urochloa sp., Nelspruit, Liebenberg, 26059.

Uromyces Limonii (DC.) Lév.

Doidge (1939) 508.

on Limonium latifolium Ktze., Pretoria, Taylor, 28319, v. d. Merwe, 33478; Hartebeest-poort, Bottomley, 30284; Glen, Morris, 30153.

Uromyces Maireanus Syd.

P. & H. Sydow (1910) 280; Doidge (1927 a) 42(1948 b) 910.

on Ornithogalum barbatum Jacq., Stellenbosch, Verwoerd (Stell. 153).

Ornithogalum flavovirens Bkr., Grahamstown, Archibald, 33275, 33276, 33277, 33328.

Ornithogalum Roodeae Phill., Clanwilliam, Rood, 17288.

Ornithogalum sp., Natal, Medley Wood 659, 10492.

Uromyces Massoniae Doidge

Doidge (1939) 510.

on Massonia latifolia L.f., Fauresmith, v. d. Plank, 25447.

Uromyces Melantherae Cooke.

Cooke (1882 a) 127; Sacc. Syll. Fung. VII: 546; P. Sydow (1899 a) (130); P. & H. Sydow (1910) 6; Doidge (1927 a) 11.

Uredo compositarum var. Melantherae Cooke (1888 a) 70.

on Melanthera Brownei Sch. Bip., Umhlanga, Medley Wood 627, Type, 817, 11117, Kew; Durban, Medley Wood, Kew.

Uromyces Mimusops Cooke

Cooke (1882 a) 127; Sacc. Syll. Fung., VII: 579; H. & P. Sydow (1909) 545; P. & H. Sydow (1910) 39, 355; Doidge (1927 a) 15; Cardoso (1943) 64.

as Uromyces mimusopsidis Cooke, Sacc. Syll. Fung. VII: 579; P. Sydow (1899 a) (130);

Nel (1942) 54.

on Mimusops caffra E. Mey., Durban, Medley Wood 506, 342, 11116, 11169; Durban, Pole Evans, 1604, v. d. Bul 180, 188, 9174; Amanzimtoti, Doidge, 30285; Umgeni Beach, Doidge, 2528, 8982: Umgeni Flats, v. d. Bul 486, 31775: Port Shepstone, Pole Evans. 5614; Isipingo, Doidge, 6629; Kelso Junction, v. d. Byl, 8373; Kentani, Pegler 2382, 9420; East London, Doidge, 10909, Kew: Lourenco Marques, Howard, 669, 901; Ponta do Ouro, Cardoso, 34250; Eshowe, Laughton, 33514.

Mimusops Zeyheri Sond., De Kroon, Malherbe, 12807; Rustenburg, Kresfelder, 23629;

Wonderboom, Mogg, 26367; Kromrivier, Doidge & Bottomley, 32740.

Uromyces Moraeae Syd.

H. & P. Sydow (1912 a) 33; Sacc. Syll. Fung. XXIII: 648; Doidge (1927 a) 36, (1948 c) 920.

on Moraea spathulata Klatt., Volksrust, Weeber, 773, Type, Kew: Melmoth, Foster, 11630; Mooi River, Mogg, 17036; Hope Vale, Doidge, 33438, 33323.

Uromyces Mucunae Rabenh.

Doidge (1927 a) 24; Eyles (1926) 631; van der Byl (1926 c) 288; Hopkins (1938 a) 108, (1939 a) 45; Nel (1942) 54.

on Mucuna coriacea Bkr., Rooiwal, Bosman, 30297; Godwan River, Liebenberg, 26045; Palmaryville, Wager, 26369; Woodbush, v. d. Bul 1500.

Mucuna irritans Burtt Davy, Duivelskloof, Doidge, 20337.

Mucuna pruriens DC. ? Salisbury, Mundy (Rh. 771) 15446; Bromley (Rh. 2977); Salisbury, v. d. Byl 2052, 2056.

Mucuna spp., Mt. Edgecombe, Storey, 30938; Salisbury, Eyles (v. d. Byl 1977).

Stizolobium Deeringianum Bort., Nelspruit, Liebenberg, 26071; Citrus, Sheffield, 23188; Salisbury and Bromley, Hopkins.

Uromyces natalensis Magn.

Magnus (1896) 374; Tranzschel (1910) 19; P. & H. Sydow (1910) 171; Sacc. Svll. Fung. XIV: 282; Doidge (1927 a) 19.

on Euphorbia Gueinzii Boiss.. Claremont, nr. Durban, Schlechter, Type; Durban, Medley Wood 4951.

Uromyces paradoxus Syd.

H. & P. Sydow (1909) 543; P. & H. Sydow (1910) 188; Sacc. Syll. Fung. XXI: 532; Doidge (1927 a) 20; Cardoso (1945) 163.

on Commiphora sp., Lourenço Marques, Howard, 623, Type; Quelimane, Pole Evans, 7386, Kew.

Uromyces Peglerae Pole Evans

H. & P. Sydow (1914 b) 263; Pole Evans & Bottomley (1818) 189; Sacc. Syll. Fung. XXIII: 644; Doidge (1927 a) 46; Doidge & Bottomley (1931) 24; Nel (1942) 54; Hopkins (1943) 184.

? Uredo Rubigo vera DC. f. Digitariae sanguinalis von Thuemen (1875) 378.

? Uromyces sanguinalis Evans, nom nud., Verwoerd (1929 b) 13.

? sub Puccinia striaeformis Wedt., Kalchbrenner (1882 b) 22.

on Digitaria debilis Willd., Kentani, Pegler 1879, Type, 8881, Kew.

Digitaria sanguinalis Scop., ? nr. Somerset East, MacOwan 1113 (S.A.M. 34053) Kew ; Mooi River, Mogg, 10069; Stellenbosch, Verwoerd (Stell, 165, v. d. Byl 1432).

Digitaria setivalva Stent, S. Rhodesia, Hopkins.

Digitaria ternata Stapf, Kentani, Pegler, 7755; Maritzburg, Pole Evans, 1441; Barberton, Lounsbury, 1284; Cedara, Fisher, 2074; Pretoria, Pole Evans, 11686; Kokstad, Mogg, 14146.

Digitaria sp., Mt. Edgecombe, Pole Evans, 1405.

Uromyces Polemanniae Kalchbr. & Cooke

Kalchbrenner (1882 b) 21; Sacc. Syll. Fung. VII: 578; P. & H. Sydow (1910) 52; Doidge (1927 a) 16, (1948 b) 910.

on Polemannia grossulariaefolia E. & Z., nr. Somerset East, MacOwan 1030, Type (S.A.M. 28747) 20786.

Polemannia montana Schl. & Wolf, Bulwer, Haygarth, 33228.

Uromyces Polygoni (Pers.) Fuck.

Sacc. Syll. Fung. VII: 533; P. & H. Sydow (1910) 236; Doidge (1927 a) 29.

Uromyces Aviculareae (Pers.) Schroet., Kalchbrenner (1882 b) 18.

on **Polygonum aviculare** Linn., Somerset East, MacOwan 1237 (Thuem. Myc. Univ. 1527) 20791; Somerset East, MacOwan 1353, 1153, Kew: Standerton, 178; Marico Distr., 433; Ventersdorp, 542; Sterkwater, Pienaar, 1960; Flauwkraal, Pienaar, 2003; Pyramids, Doidge, 26090; Florida, Moss, 21024; Durban, McClean, 31027, 32297; Stellenbosch, Verwoerd (Stell, 153).

Polygonum tomentosum Willd., Natal, Medley Wood, 825; Garstfontein, Pienaar, 6654, Kew.

Uromyces pretoriensis Doidge

Doidge (1927 a) 45, 208.

on Commelina africana Linn., The Willows, Pole Evans, 2221, 2442, Kew.

Uromyces proëminens (DC.) Lév.

Kalchbrenner (1882 b) 20; P. & H. Sydow (1910) 158; Tranzschel (1910) 5-7; Doidge (1927 a) 19; Hopkins (1938 a) 108.

Uromyces pulvinatus Kalchbrenner & Cooke (1880) 21; Winter (1884 b) 167; Sacc.

Syll, Fung. VII: 571.

on Euphorbia inaequilatera Sond., nr. Somerset East, MacOwan 1247 (Rabenh. Fung. Eur. 3010; S.A. M. 33931) 3351, Kew; Pretoria, Pienaar, 2183, Doidge, 6592, Pole Evans 7390, Kresfelder 29946; Garstfontein, Erasmus, 5596, 6577; Hamburg, Burnet Wilson, 1944; Buffelspoort, Doidge, 28613.

Uromyces Pseudarthriae Cooke

Cooke (1882 a) 127; Sacc. Syll. Fung. VII: 579; P. & H. Sydow (1910) 126; H. Sydow (1922 a) 55; Doidge (1927 a) 25.

on Pseudarthria Hookeri W. & A., Inanda, Medley Wood 598, Type, 11173, 11115, Kew; Tzaneen, Liebenberg, 30958.

Uromyces Psoraleae Peck

Pole Evans (1906 a) 141; Nel (1942) 55.

on Psoralea decumbens Ait., Stellenbosch, Verwoerd (Stell. 256).

Psoralea obliqua E. Mey., Jonkershoek, v. d. Byl 1400.

Psoralea sp., Stellenbosch, Marloth (v. d. Byl 2190).

Uromyces rhodesicus Wakef.

Wakefield (1931) 202; Hopkins (1938 a) 108, (1939 a) 7.

on Bauhinia Galpinii N.E.Br., Concession (Rh. 1614, 1631).

Bauhinia macrantha Oliver, Banket (Rh. 2632); Shamva (Rh. 2684).

Bauhinia sp., Chakari, Hopkins (Rh. 1321) Type, Kew; Salisbury (Rh. 2370).

Uromyces Rhynchosiae Cooke, emend. Doidge

Doidge (1948 b) 911.

Uromyces? Rhynchosiae Cooke (1882 a) 127; P. & H. Sydow (1910) 350.

Uredo (Trichobasis) Rhynchosiae Kalchbrenner (1882 b) 24: Cooke (1882 a) 127: Nel (1942) 49.

Puccinia Rhynchosiae Kalchbr. & Cooke, Kalchbrenner l.c.; Sacc. Syll. Fung. VII: 621.

Uromyces Dolichi Syd. not Cooke, P. & H. Sydow (1910) 122; Doidge (1927 a) 23; Hopkins (1939 a) 19.

on Eriosema cajanoides Benth., Schagen, Liebenberg, 29930.

Eriosema cordatum E. Mey., Inanda, Medley Wood 556, 621, 361, 10637, 11121, Kew.
Eriosema salignum E. Mey., Inanda, Medley Wood 528, 10618, Kew; Winkle Spruit, Pole Evans, 2371.

Eriosema spp., Entumeni, Haygarth, 14182: Lemana, Doidge, 1800, 1801: Macheke, Hopkins.

Flemingia Grahamiana W. & A., Natal, Medley Wood 553, 610, 10627, Kew.

Rhynchosia caribaea D.C., Garstfontein, Pole Evans, 2225, Pienaar, 8901; Donkerpoort, Doidge & Bottomley, 30082; Pretoria, Mogg, 26366; Durban, McClean, 31028; Waterkloof, Bosman, 32889.

Rhynchosia effusa (E. Mey.) Druce, Inanda, Medley Wood 29, 10502, Kew.

Rhynchosia Harmsiana Linn., Kentani, Pegler, 7811.

Rhynchosia Memnonia DC. var. prostrata Harv., Hebron, Pole Evans, 9053.

Rhynchosia secunda E. & Z., East London, Doidge, 22415.

Rhynchosia sordida (E. Mey.) Schinz, Inanda, *Medley Wood 565*, 579, 848, 10635, 10636, 11150, Kew.

Rhynchosia totta DC., Pretoria, Pienaar, 2186.

Rhynchosia spp., Inanda, Medley Wood 24, 10595; Natal, Medley Wood 617, 10619; Garstfontein, Pienaar, 1427; Pretoria, Pole Evans, 1431; Tugela Valley nr. Mont aux Sources, Doidge, 14155, 14163; East London, Pienaar, 2171; Silikats Nek, Bosman, 29898; Durban, v. d. Byl 55.

Uromyces Rumicis (Schum.) Wint.

Kalchbrenner (1882 b) 18; Sacc. Syll. Fung. VII: 544; P. & H. Sydow (1910) 238; Doidge (1927 a) 301; Nel (1942) 55.

Uredo Rumicum DC. f. Rumicis obtusifolii capensis Thuem., von Thuemen (1877) 410.

Uredo Rumicum DC., Kalchbrenner (1882 b) 25.

on Rumex crispus Linn., Somerset East, Pienaar, 2233, Kew; Fountains Valley, Erens, 30918.

Rumex nepalensis Spreng., Nottingham Road, McClean, 32288; Somerset East, MacOwan 1255, 20747, Kew. Rumex Woodii N.E.Br., Kokstad, Mogg, 14147. Rumex spp., Natal, Medley Wood 115; Stellenbosch, Bosman (v. d. Byl 1722).

Uromyces saginatus Syd.

H. Sydow (1928) 132; Doidge (1948 b) 912. on **Urginea altissima** Bkr., Auros, Otavi, *Dinter 5673*, Type. **Urginea** sp., Bulawayo, *Hopkins* (Rh. 5873) 34436.

Uromyces Schinzianus P. Henn.

Hennings (1906) 702; H. & P. Sydow (1908) 136; Sacc. Syll. Fung. XXI: 554;
P. & H. Sydow (1910) 351, (1924) 472.

on Bauhinia Thonningii Schum., Boroma, Menyharth (Type in herb. bot. Mus. Univ. Zurich). Uredo only, fide Sydow l.c.; possibly Uromyces rhodesicus Wakef.

Uromyces Setariae-italicae (Diet.) Yoshino

Doidge (1941 c) 235.

on **Setaria pallidifusca** Stapf & Hubb., Tweedie, *Mogg*, 11648; Nottingham Road, *McClean*, 31003.

Setaria verticillata Beauv., Groenkloof, Pole Evans, 9050; Muden, Doidge, 23212.

Uromyces Sparaxidis Syd.

H. & P. Sydow (1904 a) 27; Sacc. Syll. Fung. XVII: 260; P. & H. Sydow (1910) 257; Doidge (1927 a) 31, (1948 c) 919; Doidge & Bottomley (1931) 29.
 on Sparaxis tricolor Ker., Natal, Medley Wood.
 Sparaxis sp., Stellenbosch, Verwoerd (Stell. 303).

Uromyces stellenbossiensis v. d. Byl

Duthie (1928) 4; Doidge (1948 b) 914. on Urginea exuviata Steinh., on leaves, Stellenbosch, Duthie (v. d. Byl 2479) Type, 34432.

Uromyces Strauchii Doidge

Doidge (1928) 473.

on Cluytia daphnoides Lam., Alexandria, Doidge, 22370, Type.

Uromyces striatus Schroet.

Van der Byl (1922 d) 285, (1926 c) 288; Doidge (1927 a) 24; Doidge & Bottomley (1931) 36; Hopkins (1938 a) 108; Verwoerd (1931 a) 300; Cardoso (1944 a) 46, (1945) 157.

Uromyces Medicaginis Pass., Eyles (1926) 641; Hopkins (1939 a) 26.

on Medicago sativa Linn., Platrand, Burtt Davy, 26; Pretoria, Pole Evans, 57, Faure, 312, 32666; Groenkloof, L. Turner, 7400, Pole Evans, 9096, Kew; Robertson, 689; Middelburg, Cape, Lounsbury, 1200; Haenertsburg, 69; Nelspruit, Wager, 26627; Bloemfontein, Potts, 9048 and Verwoerd; Umbelusi, Howard, 510 and Guimarāis; Stellenbosch, Verwoerd (Stell. 26), du Plessis (Stell. 873), v. d. Byl; Port Elizabeth, K. M. Putterill, 28527; Hunter's Road (Rh. 1309) Kew; Penhalonga (Rh. 1656); Salisbury (Rh. 2120); Mazoe (Rh. 2932); Melsetter, Cashel, Hopkins; Moçambique, Cardoso; Durban, Anderson (v. d. Byl 531) 31799; Lourenço Marques, Mota; Infuleni, Soares; Umbeluzi, Guimarāis, 34249.

Medicago aschersoniana Urb., Queenstown, Pole Evans, 30916.

Uromyces Stylochitonis Doidge

Doidge (1927 a) 45, 209.

Accidium aroideum Cooke (1879 b) 71 : Sacc. Syll. Fung. VII : 831 ; P. & H. Sydow (1924) 290.

as Aecidium Ari Desm., Doidge & Bottomley (1931) 10.

on Stylochiton natalense Schott, Inanda, Medley Wood 114, 10279, Kew: Malvern, Doidge, 776, 1995, Type, Kew.

Uromyces tenuicutis McAlp.

Doidge (1927 a) 48; Hopkins (1938 a) 108.

on Sporobolus capensis Kunth. Barberton, Mogg. 7808. Kew: Derdepoort. Doidge & Bottomley, 29807.

Sporobolus pyramidalis Beauv., Salisbury, Eyles 5016.

Uromyces transversalis (Thuem.) Wint.

Winter (1884 c) 263; Sacc. Syll. Fung. VII; 546; P. Sydow (1899 a) (130);
P. & H. Sydow (1910) 257; Doidge (1927) 33, (1948 c) 936; Doidge & Bottomley (1931) 26, 38; Hopkins (1939 a) 21; Cardoso (1943) 63, (1945) 162.

Uredo transversalis Thuem., von Thuemen (1876 b) 570; Kalchbrenner (1882 b) 25.
Uromyces Watsoniae Syd., P. & H. Sydow (1910) 258; Sacc. Syll. Fung. XXI: 581;
Doidge (1927 a) 37; Doidge & Bottomley (1931) 66.

on Gladiolus psittacinus Hk., Sydenham, Medley Wood, 360.

Gladiolus Saundersii Hk.f., Somerset East, MacOwan 1254 b, Kew.

Gladiolus spp.. Port Elizabeth. Clark. 26611: Rosetta, Mogg. 11635. 14145: Nottingham Road, McClean, 32310; Mooi River, Mogg. 10077, 17037; Entumeni, Haygarth, 14176. 14181; Arcadia, Pretoria, 472: Garstfontein, Pienaar, 1258; Debbe's Ravine, Bosman, 29853: Silverton Road, Doidge, 20418; Kaalfontein, Pole Evans, 10134, Mogg, 11676; Paardeplaats, Pienaar. 1503; on cultivated varieties, Brits, Sieling, 30981; Belfast, Pole Evans, 10987; Cathcart, Reynolds, 33520; Kingwilliamstown, Jackson, 34421: Mogambique, Cardoso; Lourenço Marques, Mota, 34240.

Tritonia lineata Ker., Cape Town, MacOwan, (Rabenh. Fung. Eur. 3724) 4064.

Tritonia securigera Ker., Boschberg, MacOwan 1254 (Rabenh, Fung, Eur. 3014) 3355, 20754, 20780, Kew; Uitenhage, Schmutz, 25488.

Tritonia squalida Ker., without locality (Sydow).

Tritonia sp., Kentani, Pegler 2435, 10992.

Watsonia densifiora Bkr. forma, Belfast, Doidge, 552.

Watsonia angusta Ker., Kentani, Pegler 2360, 2379, 9165, 9192.

Watsonia meriana Müll., Paddock, McClean, 33322.

Watsonia spp., Sweetwaters, Cromden, 23182; Cana, Hean, 32142.

Uromyces Trichoneurae Doidge

Doidge (1939) 512.

on Trichoneura grandiglumis (Rendl.) Stapf & Hubb., Donkerpoort. Doidge & Bottomley, 29762, Type; Derdepoort, Doidge & Bottomley, 29792; Nelspruit, Liebenberg, 26650, 26076.

Uromyces Trifolii (Hedw. f.) Lév.

on Trifolium tomentosum Linn., Stellenbosch, Verwoerd, (Stell. 263).

? on Trifolium sp., Lichtenburg, Pons, 29713.

Uromyces Trollipi Kalchbr. & MacOwan

Kalchbrenner (1882) 21; Sacc. Syll. Fung. VII: 582; P. & H. Sydow (1910) 190; Doidge (1927 a) 20.

Dichlamys Trollipi (Kalchbr. & MacOwan) Syd., H. & P. Sydow (1919) 105; Dietel (1928) 80.

on **Zygophyllum foetidum** Schrad., Kagaberg, *Trollip* (MacOwan 1404, Type; Rabenh. Wint. Fung. Eur. 3006; S.A.M.) 3347, 20702. **Zygophyllum** sp., Kalkfontein, *Dinter*, 20581, 26687, Kew.

Uromyces Valerianae (Schum.) Fuck.

Kalchbrenner (1882 b) 19; P. & H. Sydow (1910) 19; Doidge (1927 a) 12. Uredo Valerianae DC.f. Valerianae-capensis Thuem., von Thuemen (1878 a) 355. on Valeriana capensis Thunb., Boschberg, MacOwan 1057 b, (S.A.M. 28733) 20922, Kew.

Uromyces ventosa Syd.

H. Sydow (1924 a) 235 ; Doidge (1927 a) 22. Teleutospora ventosa (Syd.) Nel (1942) 48.

on Borbonia parviflora Lam., Stellenbosch, Verwoerd (Stell. 364).
Borbonia sp., Stellenbosch, Duthie (v. d. Byl 1246) Type.

Uromyces Vignae Barcl.

Hopkins (1938 a) 108; Doidge (1948 b) 914.

? Uromyces Dolichi Cooke ("Uromyces phaseolorum forma") Cooke (1882 a) 127; Sacc. Syll. Fung. VII: 565.

? Aecidium sp., Hopkins (1938 a) 105, (1939 a) 18.

sub Uromyces appendiculatus (Pers.) Link, Hopkins (1939 a) 48.

on Dolichos falciformis E. Mey., Lemana, Doidge, 1827.

?on Dolichos gibbosus Thunb., Somerset East, MacOwan; Durban, Medley Wood 40.

on **Dolichos Iupiniflorus** N.E.Br., Wellesley, *Hopkins* (Rh. 2232) 33383; Mteptepa (Rh. 1849).

Vigna stenophylla Burtt Davy, Donkerpoort, Doidge & Bottomley, 30081.

Vigna unguiculata (L.) Walp., Nelspruit, *Liebenberg*, 26069; Čedara, *Staples*, 15432; Bathurst, *Preddy*, 20426; Glendale (Rh. 1248) Kew.

Vigna sp., Wellesley (Rh. 2249, 2233) 33384.

Uromyces Zeyheri Bubak

P. & H. Sydow (1910) 255; Sacc. Syll. Fung. XXI: 580; Doidge (1927 a) 34, (1948 c) 923; Doidge & Bottomley (1931) 31.

Uromyces Bona-spei Bubak, P. & H. Sydow (1910) 258; Sacc. Syll. Fung. XXI: 581; Doidge (1927 a) 37; Doidge & Bottomley (1931) 38.

on Tritonia scillaris Bkr., Houwhoekberg, Schlechter 9411, 33296.

Tritonia pallida Ker., without locality (Sydow).

Uropyxis Gerstneri Doidge

Doidge (1948 b) 916.

on Annonaceae undet., leaves, False Bay, Zululand, Gerstner, 34564.

Uropyxis Steudneri P. Magn. var. rhodesica Doidge

Doidge (1948 b) 917.

on Ormocarpum trichocarpum (Taub.) Harms., Inyati, Hopkins (Rh. 5990) 34032.

FORM GENERA.

Aecidium acalyphicolum Doidge

Doidge (1927 a) 181.

sub Puccinia Evansii P. Hennings (1908) 271.

on Acalypha angustata Sond., The Willows, Burtt Davy, 208; Marico Distr., Burtt Davy, 705, Kew; Haenertsburg, Ord Brown, 442; Middelbult, Lichtenburg Distr., Pienaar, 1060; Garstfontein, Pienaar, 1987.

Acalypha peduncularis E. Mey., The Willows, Pole Evans, 207.

Aecidium Acanthacearum Cooke

Cooke (1882 a) 124; Sacc. Syll. Fung. VII: 817; P. & H. Sydow (1924) 94; Doidge (1927 a) 177.

on Chaetacanthus Burchellii Nees, Inanda, Medley Wood 645, Type, 10275, 10277, Kew.

Hypoestes triflora R. & S., Kat River Valley, Moore, 21013.

Isoglossa densa N.E.Br., Hopevale, Doidge, 27748.

Isoglossa Eckloniana Lindau, Barberton, Pole Evans, 1163. Isoglossa Woodii C.B.Cl., Barberton, Doidge, 2016, Kew.

Isoglossa spp., Groenkloof, Mogg, 7407; Woodbush, Doidge, 20328; Piesanghoek. Bosman, 25867.

Justicia sp., Inanda, Medley Wood 603, 10276, Kew.

Aecidium Acanthopsidis Syd.

H. & P. Sydow (1915 b) 36; Sacc. Syll. Fung. XXIII: 867; P. & H. Sydow (1924) 92.

on Acanthopsis sp., Okahandja, Dinter 2530, Type.

Aecidium albilabrum Kalchbr.

von Thuemen (1876 b) 363 : Sacc. Syll. Fung. VII : 794 ; Liro (1902) 166 ; Kalchbrenner (1882 b) 26 ; P. & H. Sydow (1924) 151 ; Doidge (1927 a) 179.

on Alepidea amatymbica E. & Z., Boschberg, *MacOwan 1053*, Type (Thuem. Myc. Univ. 1627; S.A.M. 28744), 20769, 20752, Kew.

Alepidea capensis (Berg.) R. A. Dyer, Somerset East, MacOwan.

Alepidea serrata E. & Z., near Dordrecht, Pienaar, 2018.

Aecidium anceps Syd.

H. & P. Sydow (1901) (1); Sacc. Syll. Fung. XVII: 411; P. & H. Sydow (1924) 57; Doidge (1927 a) 172.

Aecidium Senecionis Desm. f. Senecionis quinquelobi Thuem., von Thuemen (1876 b) 425.

sub Aecidium Senecionis Desm., Kalchbrenner (1882 b) 26.

on Senecio deltoideus Less., Boschberg, MacOwan ? 1033, Kew, Type.

Senecio quinquelobus DC., Boschberg, MacOwan 1026 (Thuem. Myc. Univ. 730) 20710, 20744, Kew; Somerset East, MacOwan 1033 (S.A.M. 28739); Bedford, Doidge, 10891, Kew.

Aecidium Ancylanthi P. Henn.

P. Hennings (1903) 61; Sacc. Syll. Fung. XVII: 414; P. & H. Sydow (1924) 73; Doidge (1927 a) 174.

on Ancylanthus fulgidus Welw., nr. Habungu R., Baum 492, Type.

Aecidium Antherici P. Henn. & Evans

Hennings (1908) 271; Sacc. Syll. Fung. XXI: 785; P. & H. Sydow (1924) 280; Doidge (1927 a) 187.

on Anthericum sp., Bethal, Pole Evans, 114, Type; Rust der Winter, Pole Evans, 28541.

Aecidium Antholyzae Bubak

H. & P. Sydow (1911) 144; P. & H. Sydow (1924) 276; Sacc. Syll. Fung. XXIII:
897; van der Byl (1925 b) 193; Doidge (1927 a) 186; Verwoerd (1929 b)
5; Doidge & Bottomley (1931) 193; Nel (1942) 29.

on Pentamenes aethiopica (L.) Phill., Cape, Bergius, Type; Kentani, Pegler 2322, 9105, Kew; Knysna, Duthie (v. d. Byl 1318).

Aecidium australe Berk.

Berkeley (1843 b) 523; Sacc. Syll. Fung. VII: 785; P. & H. Sydow (1924) 217; Doidge (1927 a) 183.

on Melilobium sp., Uitenhage, Zeyher 9, Type, Kew.

Aecidium banketensis Hopkins

Hopkins (1938 a) 104, (1939 a) 47. on **Veronia** sp., Banket, (Rh. 2831) Type, 30372.

Aecidium Barleriae Doidge

Doidge (1948 b) 895.

as Aecidium sp., Hopkins (1943) 180.

on Barleria crassa C.B.Cl., Concession, Hopkins (Rh. 3684) 33423.

Aecidium Baumianum P. Henn.

P. Hennings (1903) 163; Sacc. Syll. Fung. XVII: 414; P. & H. Sydow (1924) 83; Doidge (1927 a) 175; Hopkins (1938 a) 104, (1939 a) 34.

as Aecidium Baumii P. Henn., van der Byl (1925 b) 193; J. Phillips (1931) 159; Nel (1942) 29.

on Canthium abbreviatum S. Moore, nr. Habungu River, Baum 486, Type, 6884, Kew; Salisbury (Rh. 303).

Canthium Mundtianum Cham. & Schlecht., Knysna, Duthie (Stell. 93; v. d. Byl 1173).

Aecidium benguellense Lagerh.

Lagerheim (1889) 128; Sacc. Syll. Fung. IX: 323; Lorrain Smith (1901) 473;P. & H. Sydow (1924) 89; Doidge (1948 b) 895.

on Temnocalyx fuchsioides (Welw.) Robyns, nr. Ivantâla, Welwitsch 127, Type. Temnocalyx obovatus Robyns, Concession, Hopkins (Rh. 3682) 33424.

Aecidium bicolor Sacc.

P. Sydow (1899 a) (131); Sacc. Syll. Fung. XIV: 385; P. & H. Sydow (1924) 148; Doidge (1927 a) 179.

on Maba natalensis Harv., near Durban, Medley Wood 6460, Type, 336, 11195; Gogwana Mouth, Kentani, Pegler 2123, 34286.

Aecidium Brunswigiae P. Henn.

P. Hennings (1898) 294; Sacc. Syll. Fung. XVI: 346; P. & H. Sydow (1924) 278; Doidge (1927 a) 187.

on Brunswigia sp., Olifants Rivier, Schlechter, Type, Kew: Pretoria, Hean, 32746.

? on Brunswigia Cooperi Bkr., Inanda, Medley Wood 658 (as Aecidium Amaryllidis Cooke on Crinum Cooperi in Herb, Kew).

Aecidium Bulbinis P. Henn. & Evans

P. Hennings (1908) 271; Sacc. Syll. Fung. XXI: 785; P. & H. Sydow (1924) 282; Doidge (1927 a) 188.

on Bulbine asphodeloides R. & S., Bloemfontein, Potts, 11314: Mamathes, Hean, 33137.

Bulbine favosa R. & S., Stellenbosch, Duthie (v. d. Byl 2353).

Bulbine narcissifolia Salm., Zeerust, Pole Erans, 203, Type, Kew: Groenkloof, L. Turner, 8829; Vereeniging, Burtt Davy, 17145, Kew.

?on Bulbine aloöides Willd., ur. Colenso, Medley Wood 4101 (sub Aecidium Crini in Herb., Kew).

Aecidium Burtt-Davyi Doidge

Doidge (1939) 487.

on Acacia stolonifera Burch., Christiana, Burtt Davy, 1973, Type, 5581.

Aecidium capense Berk. & Curt.

Berkeley & Curtis (1858) 127; Sacc. Syll. Fung. VII: 828; P. & H. Sydow (1924) 360.

on? Asparagus sp., on fruits, Cape of Good Hope, Kew [ex Herb., U.S. North Pacific Exploring Exped. (1853-1856) no. 141].

Doubtful species.

Aecidium Cardiospermi Cooke

Cooke (1882 a) 124; Sacc. Syll. Fung. VII: 785; P. & H. Sydow (1924) 179; Doidge (1927 a) 181.

on Cardiospermum Helicacabum Linn., Natal, Medley Wood 537, Type, 2673, 10282, 10283, Kew.

Aecidium Cephalariae Syd.

H. & P. Sydow (1912 a) 35; P. & H. Sydow (1924) 69; Sacc. Syll. Fung. XXIII: 890; Doidge (1927 a) 173.

on Cephalaria ustulata R. & S., Pretoria, Pole Evans, 475, Type, 12836, Kew.

Aecidium clarum Syd.

H. & P. Sydow (1912 b) 79; P. & H. Sydow (1924) 897; Sacc. Syll. Fung. XXIII: 897: H. Sydow (1926) 265; Doidge (1927 a) 186.

on Ferraria viscaria Schinz, Schaprioda, Dinter 1910, Type.

The host of this rust was originally recorded as Moraea kitambensis Bkr. (Sydow 1912b): later it was stated that the plant had been incorrectly determined and was Ferraria viscaria Schinz (Sydow 1926).

Aecidium Clematidis-brachiatae Doidge

Doidge (1927 a) 185, 209; Doidge & Bottomley (1931) 68.

on Clematis brachiata Thunb., Fountains, Pole Evans, 2337, Type, Kew, Coetzee, 2319; Silverton Ridge, Bottomley, 23401.

Aecidium clerodendricola P. Henn.

P. Hennings (1903) 163; Sacc. Syll. Fung. XVII: 418; P. & H. Sydow (1924) 117. on Clerodendron Buchneri Gürke, Kuito River, Baum 554, Type, Kew.

Aecidium Cluytiae Doidge

Doidge (1927 a) 182, 209.

on Cluytia virgata Pax & K. Hoffm., Belfast, Doidge, 6968, Type.

Aecidium Conyzae-pinnatilobatae Syd.

P. & H. Sydow (1924) 32; Sacc. Syll. Fung. XXIII: 878; Doidge (1927 a) 168. Aecidium MacOwanianum Thuem. f. Conyzae pinnatilobatae Thuem., von Thuemen (1875) 168.

on Conyza pinnata (L.f.) O. Ktze., nr. Somerset East, MacOwan 1111, Type (Thuem. Myc. Univ. 1023; Rabenh. Fung. Eur. 2626) 20794, Kew; Kentani, Pegler 1974, 8855, Kew; Natal, Medley Wood 456, 2669, 10295, 10296, Kew; Balgowan, Mogg, 23391; Durban, McClean, 32296.

Conyza podocephala DC., Irene, 444; Pretoria, Doidge, 898; Garstfontein, Pienaar, 1436, 1213; Pretoria, Howlett, 8924.

Aecidium Cookeanum de Toni

Sacc. Syll. Fung. VII: 822; P. & H. Sydow (1924) 269; Doidge (1927 a) 186. Aecidium Loranthi Cooke (1885 b) 13.

on Loranthus Dregei E. & Z., Kentani, Pegler, 1999, Kew.

Loranthus Zeyheri Harv., Wolhuter's Kop, V. A. Putterill, 10722; Silikats Nek, Schilz, 19870; Rustenburg Distr., Pole Evans, 17292; Pretoria Distr., Verdoorn, 26596; Hartebeestpoort, Schweickerdt, 27286; Brits, Pole Evans, 27291; Skeerpoort, J. Phillips, 30463.

Loranthus sp., Durban, Medley Wood 830, Kew.

Viscum nervosum Hochst., without locality (Fl. Afr. austr. 1044) Kew.

Aecidium Corycii Doidge

Doidge (1927 a) 190, 209.

on Corycium nigrescens Sond., Kokstad, McLoughlin, 12820, Type.

Aecidium Crini Kalchbr.

Cooke (1882 a) 124; Kalchbrenner (1882 b) 26; Sacc. Syll. Fung. VII: 827; P. Hennings (1908) 271; P. & H. Sydow (1924) 279; Eyles (1926) 638; Doidge (1927 a) 187; Hopkins (1938 a) 104, (1939 a) 14; Nel (1942) 29.

Aecidium Macarangae P. Hennings (1903) 163; Sacc. Syll. Fung. XVII: 436.

on Crinum Forbesianum Herb., Pietersburg, Mogg, 32277; Pretoria, Hean, 32747.

Crinum longifolium Thunb., Inanda, Medley Wood 68, Type, 10285, 13083, 22092, Kew; Maritzburg, Sim, 9201; Kentani, Pegler, 11792; Pretoria, Bottomley, 12839; Tzaneen, Burtt Davy, 220.

Crinum Moorei Hk. f., Natal, Medley Wood 2667, 10284.

Crinum spp., Kubango, Baum 387; Salisbury, Eyles (v. d. Byl 1969) 14011; Irene, Pole Evans, 15044; Pretoria, Hean, 32744, 32745; Potgietersrust, Mellé, 15045: Pietersburg, Hardenburg, 24915.

Cyrtanthus angustifolius Ait., Northern Transvaal, Wickens, 7389; Kew.

Aecidium Cussoniae Kalchbr.

Kalchbrenner (1882 b) 26; Cooke (1882 a) 123; Sacc. Syll. Fung. VII: 794;
P. Sydow (1899 a) (131); P. & H. Sydow (1924) 159; Doidge (1927 a) 180;
Doidge & Bottomley (1931) 15.

on Cussonia spicata Thunb., Inanda, Medley Wood 88, Type, 10026, 10287, Kew.

Aecidium Davyi Syd.

H. & P. Sydow (1912 a) 35; Sacc. Syll. Fung. XXIII: 873; P. & H. Sydow (1924) 121; Doidge (1927 a) 178; Doidge & Bottomley (1931) 30.

? as Aecidium Urtica Sch., van der Byl (1926 c) 288.

on Cynoglossum grande Dougl., Modderspruit, 694; Elim, Bosman, 26110.

Cynoglossum micranthum Desf., Inanda. Medley Wood 643, 350, 10280, Kew; Lyden burg, Burtt Davy, 465, Type; Skinner's Court, Pole Evans, 1010.

Aecidium Denekiae Doidge

Doidge (1927 a) 169, 209.

on Denekia capensis Thunb., Mooi River, Mogg, 11798, Type.

Aecidium Dielsii P. Henn.

P. Hennings (1902) 34; Sacc. Syll. Fung. XVII: 427; P. & H. Sydow (1924) 214; Doidge (1927 a) 183.

on Crotalaria sp., Cape, Diels, Engler.

Aecidium Dinteri Doidge

Doidge (1939) 487.

on Acacia uncinata Engl., Otjihavera-Okapuka, Dinter 3488, Type, 19867, 26686.

Aecidium Diospyri A. L. Sm.

Lorrain Smith (1898) 178; P. & H. Sydow (1924) 144; Doidge (1948b) 895. Aecidium albo-atrum P. Hennings (1903) 162; Sacc. Syll. Fung. XVII: 421.

on Diospyros mespiliformis Hochst., Kunene, Baum 952; Hippo Pool, Kruger National Park, Liebenberg, 32729.

Aecidium Dipcadi-viridis Doidge

Doidge (1948b)896.

on Dipcadi viride Moench., Mamathes, Hean, 33136, Type.

Aecidium Doidgei Syd.

H. & P. Sydow (1912 a) 36; P. & H. Sydow (1924) 288; Sacc. Syll. Fung. XXIII: 903; Doidge (1927 a) 189.

on Scilla saturata Bkr., Belfast, Doidge, 762, Type.

Aecidium dubiosum Syd.

H. & P. Sydow (1901) (1); Sacc. Syll. Fung. XVII: 410; P. & H. Sydow (1924) 59; Doidge (1927 a) 172.

Aecidium Senecionis Desm. f. Senecionis mikanioidis Thuem., von Thuemen (1877) 411. as Aecidium Senecionum Desm., Kalchbrenner (1882 b) 26.

on Senecio mikanioides Otto, Boschberg, MacOwan, 20718; Natal, Medley Wood 611, 642, Type, 10309; Barberton, Doidge, 2010; Sunday Falls nr. Mont aux Sources, Moore, 20615.

Senecio pleistocephalus S. Moore, nr. Nelspruit, Bottomley, 32800.

Senecio tamoides DC., Inanda, Medley Wood, 828; Winkle Spruit, Medley Wood, 9090; Woodbush, Doidge, 20327; Xumeni Forest, Doidge, 32800, 27747.

Aecidium Elytropappi P. Henn.

P. Hennings (1898) 294; Sacc. Syll. Fung. XVI: 338; P. & H. Sydow (1924) 36 (erronee sub nomine Aecidii Elythropappi); Doidge (1927 a) 169; Nel

on Elvtropappus rhinocerotis Less., Bot Rivier, Schlechter, Type, Kew; Cradock, Mogg, 7089, Kew, Myburgh, 7394; Roggeveld, Skaife, 10854; Grahamstown, Mogg, 12843, Brett, 32199; Zwartberg, Pocock, 21005; Kaaimansgat, Giffen, (v. d. Byl 2102); Riversdale, Joubert (v. d. Byl 2584; Stell. 951); Molenrivier, Ceres, Dippenaar (Stell, 996; v. d. Byl 2616).

Aecidium Englerianum P. Henn. & Lindau

Doidge (1927 a) 184; van der Byl (1925 b) 193; Lindau (1893) 43; Dietel (1928) 97; Doidge & Bottomley (1931) 68; J. Phillips (1931) 159; Nel (1942) 29.

on Clematis brachiata Thunb., Lemana, Doidge, 1796; Harrismith, V. A. Putterill, 11870; East London, Munro, 19862, Smith, 21102, Rattray, 21928; Tzaneen, McCallum,

Clematis sp., Knysna, v. d. Byl 1395.

Aecidium Evansii P. Henn.

P. Hennings (1908) 272; Sacc. Syll. Fung. XXI: 775; P. & H. Sydow (1924)

117; Doidge (1927 a) 178; Hopkins (1938 a) 104, (1939 a) 24.

on Lippia asperifolia Rich., Wonderboom, Pole Evans, 23; Pretoria, Pole Evans, 67, Type, Burtt Davy, 706; The Willows, Pole Evans, 5186, 5591, Kew; Gazaland, Swynnerton, 10714; Horn's Nek, Mogg, 30240; Swartkoppies, Burtt Davy, 210, Kew; nr. Makapan Caves, K. M. Putterill, 32758.

Lippia scaberrima Sond., Lichtenburg Distr., Pienaar, 1054.

Aecidium Fluggeae Doidge

Doidge (1927 a) 182, 210.

on Fluggea virosa (Roxb.) Baill., Buffelspan, Pillansberg, Pole Evans, 17298, Type.

?Accidium flustra Berk.

Cooke (1882 a) 124, (1892) 110; Sacc. Syll. Fung. XXIII: 876; P. & H. Sydow (1924) 25; Doidge (1927 a) 168, 170.

on Aster bakerianus Burtt Davy, Inanda, Medley Wood 638, Kew.

Aecidium Garckeanum P. Henn.

P. Hennings (1892) 372; P. & H. Sydow (1924) 172; Doidge (1927 a) 180; Hopkins (1938 a) 104, (1939 a) 22.

Aecidium Hibisci Cooke (1892) 110.

on Hibiscus cannabinus Linn., Natal, Medley Wood 3495, Kew; Barberton, Mogg, 7809, Lansdell, 11666; Schagen, Liebenberg, 26052; Alkmaar, Wager, 26206; Entabene, Bosman, 26109; Salisbury (Rh. 1104); Marikana, Turner, 33140.

Aecidium Gomphostigmae Doidge

Doidge (1927 a) 179, 210.

on Gomphostigma virgata (L.f.) O. Ktze., Bushman's River Valley, Medley Wood, 838.

Aecidium habunguense P. Henn.

Hennings (1903) 160 (ex errore sub Aec. habunguensis); Sacc. Syll. Fung. XVII: 416; P. & H. Sydow (1924) 108; Doidge (1927 a) 177; Hopkins (1932) 464, (1938 a) 104, (1939 a) 42.

on Solanum giganteum Jacq., The Wilderness, Mogg, 25352.

Solanum incanum Linn. Springbok Flats, Burtt Dary, 941: Garstfontein, Pienaar, 1959: Melsetter, Hopkins.

Solanum indicum Linn., Gazaland, Swynnerton, 10711.

Solanum Melongena Linn, var. esculentum Nees, Salisbury (Rh. 1746).

Solanum panduraeforme E. Mey., Habungu River, Baum 470, Type: Heidelberg Distr., Burtt Davy, 253; Witfontein, Rustenburg Distr., Thomsen, 726; Garstfontein, Pienaar, 1215, 1381, 6584.

Solanum supinum Dun., Lichtenburg Distr., Pienaar, 1049.

Solanum sp., Umbelusi, Howard, 649: Hartebeestpoort, Young, 21021.

Aecidium Hartwegiae Thuem.

Von Thuemen (1877) 411, (1878 b) 91 : Kalchbrenner (1882 b) 26 ; Sacc. Syll. Fung. VII : 827 : P. & H. Sydow (1924) 283 ; Doidge (1927 a) 188 ; Hopkins (1938 a) 104, (1939 a) 10.

Aecidium Chlorophyti Kalchbr, in sched.

Aecidium Chlorophyti Har. & Pat., Hopkins (1943) 182.

on **Chlorophytum comosum** Bkr., Boschberg, *MacOwan & Tuck* (MacOwan 1022, Type; Thuem, Myc. Univ. 824; S.A.M. 28740) 20740, 20751, 20768, Kew.

Chlorophytum sp., Shamva (Rh. 2840).

Aecidium Helichrysi Doidge

Doidge (1927 a) 170, 210.

on **Helichrysum latifolium** (Thunb.) Less., Inanda, *Medley Wood 592*, 10478, Kew; Mont aux Sources, *Moore*, 20632.

Helichrysum miconiaefolium D.C., Belfast, Doidge, 567.

Helichrysum nudifolium (L.) Less. var. leiopodium (DC.) Meeser. Lake Chrissie, Pole Evans, 10128, Type Carolina Distr., Burtt Davy, 456.

Helichrysum petiolatum D.C., Natal, Medley Wood 35, 73, 10477, 10321. Kew: Boschberg, MacOwan 1235, Kew.

Helichrysum sp., Gordon's Bav, Loseby (Stell. 355).

Aecidium heliotropicolum Talbot

in Doidge (1948b) 896.

on **Heliotropium Nelsoni** Wright, Potchefstroom Distr., Louw, 35016, Type

Aecidium Hoffmannii Syd.

P. & H. Sydow (1924) 32.

on Conyza limosa O. Hoffm., Maramba, Baum 434, Type.

Aecidium Impatientis-capensis Doidge

Doidge (1927 a) 181, 210.

on Impatiens Duthieae L. Bolus, Edendale, Doidge, 1990, Type

Aecidium incertum Syd.

H. & P. Sydow (1901 a) (1); Sacc. Syll. Fung. XVII: 411; P. & H. Sydow (1924) 57; Doidge (1927 a) 171. (1948 b) 896

Aecidium Senecionis Desm. f. Senecio-napifolii Thuem., von Thuemen (1878 a) 355.

on Senecio concolor DC., Bulwer, Lansdell, 9123.

Senecio sp., Boschberg, MacOwan, Type (Thuem. Myc. Univ. 1118) 20850, 20713, Kew.

Aecidium kakelense P. Henn.

P. Hennings (1903) 116; P. & H. Sydow (1924) 189; Doidge (1927 a) 182, (1948b) 897; Hopkins (1943) 184.

on Euphorbia sp., near Eu. cyparissioides Pax, Rusapi (Rh. 4292) 33426; Marandellas, Hopkins (Rh. 4822) 33428.

Euphorbia natalensis Bernh., Lidgetton, Mogg, 17034.

Euphorbia striata Thunb., Mooi River, Mogg, 11797.

Euphorbia sp., near Kakele, Baum 200, Type.

Aecidium Kraussiae Syd.

P. & H. Sydow (1924) 79; Doidge (1927 a) 174.

sub Aecidium albilabrum Kalchbr., Medley Wood (1898) 10.

on Kraussia floribunda Harv., Inanda, Medley Wood, Type, 358, 819, 10278, 10324; Verulam, Medley Wood 21, 13084, Pole Evans, 6802; Stella Bush, Doidge, 1668; Amanzimtoti, Doidge, 1669; Winkle Spruit, Pole Evans, 2392; Umgeni Beach, Doidge, 2527, Kew; Isipingo, Doidge, 6645, Wager, 33096; Tongaat, v. d. Byl, 6948.

Kraussia Schlechteri (K. Schum.) Bull., Kruger National Park, Liebenberg, 32730; Sabie, Mogg, 32272, Wager, 32408.

Aecidium Lebeckiae P. Henn.

P. Hennings (1898) 294; Sacc. Syll. Fung. XVI: 328; P. & H. Sydow (1924) 216; Doidge (1927 a) 183.

? as Puccinia Lebeckiae P. Henn. in Herb. Kew.

? as Aecidium sp., Nel (1942) 31

on **Lebeckia Simsiana** E. & Z., near Windhoek, Schlechter, Type, ? Kew; Piquetberg, *H. Bolus*, Kew.

?onLebeckia sericea Thunb., van Rhynsdorp, v. d. Byl 2630.

Aecidium litakunensis Doidge

Doidge (1939) 487.

on Acacia litakunensis Burch., between Rustenburg and Northam, Scott, 27294, Type; Bechuanaland, Burtt Davy, 2443.

Aecidium longaense P. Henn.

P. Hennings (1903) 161; Sacc. Syll. Fung. XVII: 420; P. & H. Sydow (1924) 142.

on Jasminum microphyllum Bkr., Longa River, Baum 568, Type, Kew.

Aecidium MacOwanianum Thuem.

'Von Thuemen (1875) 380; Sacc. Syll. Fung. VII: 800; P. & H. Sydow (1924) 31; Doidge (1927 a) 168; Nel (1942) 31.

sub Aecidium Compositarum DC., Kalchbrenner (1882 b) 26; P. Sydow (1899 a) (131); Nel (1942) 29.

- on Conyza ivaefolia Less., Boschberg, MacOwan 1032, 1037, Type, 1318 (Thuem. Myc. Univ. 426: Rabenh. Wint. Fung. Eur. 3725: S.A.M. 28738) 4065, 20709, 20741, 20753, Kew; Inanda, Medley Wood 573, Kew: Kentani, Pegler, 11789: Umsindusi R., Maritzburg, Pole Evans, 1408, Kew: Natal, Pole Evans, 1458: Henley, Doidge, 9088: Equeefa, Fuller, 1538: Hennops River, Pole Evans, 1052, Doidge, 2036; Nels River, Liebenberg, 26009: Krantzkloof, v. d. Byl 118, 966: The Willows, Bottomley, 32639.
 - Conyza ulmifolia (Burm.) O. Ktze., Inanda. Medley Wood 18, 10294, 32020; Winkle Spruit, Pole Evans. 1398; Winter's Kloof, Doidge, 1616; Kentani, Pegler 2361, 9118; Nelspruit, Liebenberg, 25992; Gordons Bay, Loseby, (Stell. 354; v. d. Byl 2587); Syd. Ured. 498.

Aecidium Menyharthi P. Henn.

P. Hennings (1906) 702; Sacc. Syll. Fung. XXI: 761; P. & H. Sydow (1924) 217; Doidge (1927 a) 183; Cardoso (1945) 160.

on Lonchocarpus sp., Boroma, Menyharth (Type in Herb. bot. Mus. Univ. Zurich).

Aecidium Metalasiae Syd.

H. & P. Sydow (1912 a) 35; Sacc. Syll. Fung. XXIII: 884; P. & H. Sydow (1924) 48; Doidge (1927 a) 170.

on Metalasia muricata Less., Lion's Head, Pole Evans, 686, Type.

Aecidium Moggii Doidge

Doidge (1939) 488.

on Senecio coronatus Harv., Pretoria, Mogg. 23636, Type: Groenkloof, Mogg. 30907.

Aecidium Nestlerae Doidge

Doidge (1948 b) 897.

on Nestlera conferta DC., Kafferfontein, near Fauresmith, Kies, 34096, Type.

Aecidium Nidorellae Doidge

Doidge (1927 a) 171, 210.

on Nidorella hottentotica DC, var. lanata Harv., Irene, Pole Erans, 15048, Type,

Aecidium Ornithogaleum Bubak

Doidge (1927 a) 189.

on Ornithogalum Eckloni Schl., Armoedsvlakte, Mogg, 14239; Milner Park, Johannesburg, Young, 21022; Platrivier, Pienaar, 1941; Harrismith, Wisely, 30945.

Aecidium Osteospermi Doidge

Doidge (1927 a) 171, 211.

on Osteospermum moniliforme Linn., Lions Head, Saxton, 6587, Type; Bredasdorp, C. A. Smith, 22839.

Aecidium Oxalidis Thuem.

Von Thuemen (1876 b) 425; Sacc. Syll. Fung. VII: 783; P. Hennings (1898) 293: P. & H. Sydow (1924) 335; van der Byl (1925 b) 193; Doidge (1927 a) 137; Nel (1942) 30; Doidge & Bottomley (1931) 57; J. Phillips (1931) 159.

? sub Trichobasis rubigo-vera Lév., Berkeley (1876 a) 175. sub Uromyces Oxalidis Lév., Kalchbrenner (1882 b) 21. on **Oxalis Bowiei** Lindl., Boschberg, *MacOwan* 1142, 1226 (Medley Wood 453; S.A.M. 28736) 20770, 20793, 20737, 11196, 10300, Kew.

Oxalis breviscapa Jacq., Knysna, Duthie (v. d. Byl 1175).

Oxalis obliquifolia Steud., Mbabane, Burtt Davy, 188.

Oxalis obtusa Jacq., Windhoek, Schlechter.

Oxalis purpurea Linn., Wellington, Stoneman, 506.

Oxalis spp., Harrismith, v. d. Merwe, 1252; Rondebosch, E. L. Stephens, 25464; Hopefield, v. d. Byl 1922; Stellenbosch, Bosman (v. d. Byl 2041), Verwoerd, (Stell. 75); foot of Table Mt., Eaton; Langeberg, Pole Evans, 21023.

Aecidium Pachystigmae Doidge

Doidge (1927 a) 175, 211; Hopkins (1938 a) 105; Nel (1942) 30.

on **Pygmaeothamnus Zeyheri** (Sond.) Robyns, Hennops River, *Pole Evans*, 1063, Type, Kew, *Mogg*, 23136; Kaapmuiden, *Wager*, 7731; Olifantsfontein, *Pienaar*, 12818; Lichtenberg, *Liebenberg*, 20671.

Fadogia stenophylla Welw., Salisbury, Eyles 5335 (v. d. Byl 2525).

Aecidium Pentziae-globosae Doidge

Doidge (1948 b) 897.

on Pentzia globosa Less, on branches, nr. Windsorton, Acocks, 30661, Type.

Aecidium permultum Svd.

H. & P. Sydow (1912 a) 36; P. & H. Sydow (1924) 58; Sacc. Syll. Fung. XXIII: 886; Doidge (1927 a) 172.

on **Senecio fraudulentus** Phill. & Sm., Ventersdorp, Burtt Davy, 750, Type; Bethal, Pole Evans, 70; Mont aux Sources, Moore, 21016; Debbe's Ravine, Bosman, 29849; Haenertsburg, K. M. Putterill, 32753.

Aecidium Pienarii Doidge

Doidge (1927 a) 175, 211.

on Pavetta assimilis Sond., Garstfontein, Pienaar, 1259, Type.

Aecidium Plectranthi Barcl.

Doidge (1927 a) 177: Hopkins (1938 a) 105, (1939 a) 34.

on Plectranthus floribundus N.E.Br., Salisbury, Eyles (Rh. 1866, 1878; v. d. Byl 1805). Plectranthus spp., Westfalia, Doidge, 20330; Salisbury, Eyles 2037, 14012; Sinoia (Rh. 2238).

Aecidium Plectroniae Cooke

Cooke (1882 a) 124; Sacc. Syll. Fung. VII: 795; Medley Wood (1906) 16; Doidge (1927 a) 176.

on **Canthium Gueinzii** Sond., Natal, *Medley Wood* 577, Type, 10304, 10305, 10306, Kew; Eshowe, *Laughton*, 33524.

Canthium Mundtianum Cham. & Schlecht., New Agatha, Pole Evans, 11030.

Canthium sp., Belfast, Doidge, 553.

Aecidium plectroniicola P. Henn.

P. Hennings (1903) 162; Sacc. Syll. Fung. XVII: 413; P. & H. Sydow (1924) 82; Doidge (1927 a) 176.

on Canthium huillense Hiern, near Napalanka, Longa River, Baum 580 b, Type.

Aecidium Pottsii Doidge

Doidge (1927 a) 182, 211.

on Euphorbia mauretanica Linn., Bloemfontein. Potts, 11315, Type: Fauresmith, Verdoorn, 26165, Henrici, 25900.

Aecidium pretoriense Doidge

Doidge (1927 a) 174, 211.

on Oldenlandia amatymbica (Hochst.) O. Ktze.. Groenkloof, Pole Erans, 12521, 15043, Type; Garstfontein, Pienaar, 1947, Kew; Klapperkop, Mogg, 29848.

Aecidium Pychnostachydis (Kalchbr.) Syd.

P. & H. Sydow (1924) 567; Doidge (1927 a) 178; Hopkins (1938 a) 105, (1939 a) 37.

Uredo Pychnostachydis Kalchbrenner (1882 b) 25; Sacc. Syll. Fung. VII: 859.

on Pychnostachys purpurascens Briq., Lydenburg, Burtt Davy, 437.

Pychnostachys reticulata Benth., Inanda, Medley Wood 30, Type, 10594, 11222, Kew ; Salisbury (Rh. 324).

Aecidium Ranunculacearum DC.

Doidge (1927 a) 185.

on Ranunculus pubescens Thunb., Potchefstroom, Pole Evans, 196: Riet Vlei, 540: Bloemfontein, Moraile, 23214.

Aecidium Relhaniae Dipp.

Dippenaar (1931 c) 289.

on Relhania ericoides Cass., Stellenbosch, Dippenaar, Type (Stell, 530, 886; v. d. Byl 2595).

Aecidium resinaecolum (Rud.) Wint.

Winter (1884 c) 264; Sacc. Syll. Fung. VII: 788; P. Hennings (1898) 294; P. & H. Sydow (1924) 220: Doidge (1927 a) 184.

Caeoma (Aecidium) resinaecolum Rudolphi (1829) 389.

Aecidium Rafniae MacOwan in sched.

on Rafnia amplexicaulis E. Mey., nr. Cape Town, MacOwan.

Rafnia perfoliata E. Mey., Cape, MacOwan, Type (Rabenh, Wint, Fung, Eur. 3321) 3661, 20763, Kew.

Rafnia spp., Swartberg, Cape, Pocock, 21017; Piquetberg, Schlechter, Kew.

Leguminosae undet., interior of Cape, Niven.

Var. tumefaciens Wint.

Winter (1884 c) 264; Sacc. Syll. Fung. VII: 788; van der Byl (1922 d) 285;
P. & H. Sydow (1924) 220; Doidge (1927 a) 184; Marloth (1913) 34; Nel (1942) 30.

on Rafnia angulata Thunb., Cape, *MacOwan*, Type (Rabenh. Wint. Fung. Eur. 3838) 4178, 20712, Kew; Cape Town, *Saxton*, (S.A.M. 1152) 389; Stellenbosch, v. d. Byl, 1837, *Marais* (v. d. Byl 1919), *Verwoerd* (Stell. 185); Klapmuts, v. d. Byl 6822, 7729.

Aecidium Royenae Cooke & Mass.

Cooke (1889) 70; P. Sydow (1899 a) (131); Sacc. Syll. Fung. IX: 323; Hennings (1908) 272; P. & H. Sydow (1924) 149; van der Byl (1926 c) 288; Doidge (1927 a) 179: Hopkins (1938 a) 105, (1939 a) 4: Nel (1942) 30.

(1927 a) 179; Hopkins (1938 a) 105, (1939 a) 4; Nel (1942) 30. Aecidium Welwitschii Lagerheim (1899) 134; Sacc. Syll. Fung. IX: 323; Lorrain Smith (1901) 473. on Royena pallens Thunb., near Durban, Medley Wood 4078, Type, 327, 792, Kew; Monimo, Welwitsch 128; Rikatli, Junod, 11683; Salisbury, Eyles 3223, 3963 (v. d. Byl 1718) 15521, 20643; Durban, v. d. Byl 119; Winkle Spruit, v. d. Byl 488, 31777. Royena villosa Linn., Tzaneen, Pole Evans, 171.

Aecidium Schlechterianum P. Henn.

P. Hennings (1898) 294; Sacc. Syll. Fung. XVI: 348; P. & H. Sydow (1924) 281; Doidge (1927 a) 188.

on Asparagus asparagoides (L.) Druce, nr. Olifant Rivier, Schlechter, Type, Kew.

Aecidium Serrae Syd.

H. & P. Sydow (1912 a) 35; P. & H. Sydow (1924) 58; Sacc. Syll. Fung. XXIII: 887; Doidge (1927 a) 169.

on Dimorphotheca Zeyheri Sond., Smithfield, v. d. Merwe, 1048. Dimorphotheca sp., Belfast, Doidge, 761, Type.

Aecidium spinicolum Doidge

Doidge (1948 b) 897.

on Acacia sp., on spines, Weenen, Pentz, 30923, Type.

Aecidium talinophilum Syd.

P. & H. Sydow (1924) 263 ; Sacc. Syll. Fung. XXIII : 905 : Doidge (1927 a) 186. on Talinum caffrum (Thunb.) E. & Z., Anasberge, $Dinter\ 187\ a$, Type.

Aecidium Tetragoniae Doidge

Doidge (1939) 488.

on Tetragonia arbuscula Fenzl., Fauresmith, Henrici, 25892, Type.

Aecidium Tinneae P. Henn.

P. Hennings (1903) 162; Sacc. Syll. Fung. XVII: 417; P. & H. Sydow (1924) 116.

on Tinnea eriocalyx Welw., nr. Napalanka, on the Longa River, Baum 576, Type.

Aecidium Transvaaliae P. Henn. & Evans.

P. Hennings (1908) 272; Sacc. Syll. Fung. XXI: 769; P. & H. Sydow (1924) 82; Doidge (1927 a) 175; Hopkins (1938 a) 105, (1939 a) 31.

on Pavetta assimilis Sond., Mazoe, Eyles 5281 (v. d. Byl 2506).

Pavetta spp., White River, Burtt Davy 87, Kew, Type; Salisbury, Eyles 2040 (v. d. Byl 1802) 14013; Hippo Pool, Kruger National Park, Liebenberg, 30995.

Aecidium tubulosum Pat. & Gaill.

P. & H. Sydow (1924) 312.

Aecidium Uleanum Pazschke, P. Hennings (1903) 161.

on Solanum Melongena Linn., Kampuluvu and Longa River, Baum 735.

Accidium Urgineae P. Henn. & Evans.

P. Hennings (1908) 272; Sacc. Syll. Fung. XXI: 784; P. & H. Sydow (1924) 289; Doidge (1927 a) 189.

on Urginea sp., Emigratie, Pole Evans, 109, Type.

Aecidium Vangueriae Cooke

Cooke (1882 a) 124; Sacc. Syll. Fung. VII: 795; P. Sydow (1899 a) (131);
P. Hennings (1908) 272; Medley Wood (1906) 16: P. & H. Sydow (1924)
89; van der Byl (1926 c) 288: Doidge (1927 a) 176; Hopkins (1938 a) 105, (1939 a) 47; Nel (1942) 31.

on Lagynias discolor E. Mey., Zwartkei River Valley, Galpin 8265, 23089.

Pachystigma latifolium Sond., Scottsburgh, Pole Evans, 6832; Natal, Medley Wood 540,

Kew; Durban, v. d. Byl 120; Illovo, v. d. Merwe (v. d. Byl 490) 31778.

Vangueria infausta Burch., Inanda, Medley Wood 537, Type, 785, 10317, 10318, Kew;
Durban, Medley Wood 3929, 338, 11214, 32021, Kew;
Amanzimtoti, Doidge, 1657;
Isipingo, Doidge, 6637;
Scottsburgh, Pole Evans, 6838;
near Eshowe, Gerstner, 28868;
Magoeba's Kloof, Burtt Davy, 136, 180;
Silverton, Doidge, 919, Kew, Howlett, 8972;
Garstfontein, Pienaar, 1204, Erasmus, 6651;
Edendal, Pretoria Distr., Lounsburg, 11371;
Nyamandhlovu, Eyles, 15519;
Schagen, Liebenberg, 26342;
Salisbury (Rh. 627);
Warmbaths, Marloth 3802, 33593.

Aecidium Vernoniae-monocephalae Doidge

Doidge (1927 a) 173, 212.

on Vernonia monocephala Harv., Kaalfontein, Pole Evans, 10041, Type.

Aecidium Vernoniae-podocomae Doidge

Doidge (1927 a) 173, 212; Hopkins (1938 a) 105; Nel (1942) 31.

on **Vernonia podocoma** Sch. Bip., Lemana, *Pole Evans*, 498; Barberton, *Pole Evans*, 1166, 1857, Type; New Agatha, *Doidge*, 1820; Zimbabwe, v. d. Byl 2468; Woodbush, *Mogg*, 30908; Waterval, 30 miles from Nelspruit, *Liebenberg*, 33054; Nelspruit, *Loest*, 33602; Klein Australië, Louis Trichardt, *Bottomley*, 26111.

Aecidium Viborgiae P. Henn.

P. Hennings (1898) 295 : Sacc. Syll. Fung. XVI : 328 ; P. & H. Sydow (1924) 221 ; van der Byl (1928 a) 181 ; Nel (1942) 31.

Uredo Viborgiae P. Hennings (1898) 295; Sacc. Syll. Fung. XVI: 353.

on Wiborgia armata Harv., van Rhynsdorp, Schlechter, Type, Kew; Tulbagh, Dippenaar, (Stell. 323; v. d. Byl 2478).

Wiborgia obcordata Thunb., Olifant Rivier, Schlechter.

Aecidium Vignae Cooke

Cooke (1879 b) 71; Kalchbrenner & Cooke (1880) 21; Sacc. Syll. Fung. VII: 831; P. & H. Sydow (1924) 222; Doidge (1927 a) 184; Hopkins (1938 a) 105.

on Sphenostylis marginata E. Mey., Inanda, *Medley Wood 407*, Type, 367, 10319, 11202, 13086, Kew.

Sphenostylis sp., Salisbury, Eyles 4299, 7108, Kew.

Accidium Vitis A. L. Sm.

Doidge (1927 a) 180: Hopkins (1938 a) 105, (1939 a) 10, 49; Nel (1942) 31.

on Cissus Rhodesiae Gilg. & Brandt, Gwebi (Rh. 1107); Mazoe (Rh. 2535).

Cissus zombensis Gilg. & Brandt, Salisbury (Rh. 1722, 1777; v. d. Byl 2054).

Vitis spp., Mackeke, Eyles 2009 (v. d. Byl 2061) 14001; ? Fort Beaufort, Pole Evans, 293.

Aecidium Woodianum Doidge

Doidge (1927 a) 170, 212.

?sub Aecidium flustra Berk., Cooke (1882 a) 124.

on Aster Bakerianus Burtt Davy, Natal, Medley Wood, Type, 10292, 10293; Belfast, Doidge, 556; Klapper Kop, Mogg, 23652.

? on Aster Peglerae Bolus, Pilgrim's Rest, Mogg, 30910.

Aecidium sp.

sub Uromyces Scrophulariae DC. in Herb. Kew.

on Sutera floribunda O. Ktze., Umzinyati, Medley Wood 562, Kew.

Aecidium spp.

Eyles (1926) 643, 645, 633; Hopkins (1930) 524, (1932) 464, Nel (1942) 31.

on Ekebergia sp., S. Rhodesia.

Peucedanum sp., Salisbury, Eyles (v. d. Byl 1809).

Pavetta sp., Salisbury, Eyles.

Aecidium spp.

Welwitsch & Currey (1868) 293; Lorrain Smith (1901) 472.

on Ebenaceae undet., Morro de Monimo, Welwitsch 128.

Euphorbia macra Hiern, nr. Lopollo, Welwitsch 128 a.

Rubiaceae undet., Ivantâla, Welwitsch 128.

Caeoma Heteromorphae Doidge

Doidge (1927 a) 190, 212.

on **Heteromorpha arborescens** Cham. & Schl., Port Elizabeth, Drège, Type, 9822: Gum Tree, Vels, 28509; Drakensberg, Gore Brown, 32780.

Caeoma Lichtensteiniae Doidge

Doidge (1941 b) 229.

on Lichtensteinia sp., Salisbury, Eyles 1966, Type, 14009.

Uredo africana Lagerh.

Lagerheim (1889) 135; Sacc. Syll. Fung. IX: 330; Lorrain Smith (1901) 473;
P. & H. Sydow (1924) 409.

on Fadogia Cienkowskii Schw., between the River Ema and Lake Ivantâla, Welwitsch 130, Type.

Uredo Asclepiadis-fruticosae Doidge

Doidge (1927 a) 192, 212 (erronee U. Asclepiadis-fruticosi)

on Asclepias fruticosa Linn., Armadillo Creek, Burtt Davy, 1938, Type.

Uredo Augeae Pole Evans

Pole Evans (1915 a) 115; P. & H. Sydow (1924) 465.

Uredo Augeae Syd., H. & P. Sydow (1916) 259; Sacc. Syll. Fung. XXIII: 949.

on Augea capensis Thunb., Luderitzbucht, Pearson, 8406, Type, and Engler; Laingsburg, Burtt Davy, 18086.

Uredo Balsamodendri Cooke

Cooke (1890 b) 6 : P. Sydow (1899 a) (132) : Sacc. Syll. Fung. IX : 328 ; P. & H. Sydow (1924) 464 ; Doidge (1927 a) 194.

on Commiphora caryaefolia Oliv., Durban, Medley Wood 689, Type, 796, 10578, Kew.

Uredo Brachylaenae Doidge

Doidge (1927 a) 190, 213; Doidge & Bottomley (1931) 65.

on Brachylaena discolor DC., Umgeni Beach, Doidge, 2525, Type: Durban, v. d. Byl, 11026: Verulam, Pole Evans, 6842.

Brachylaena elliptica Less., Waterkloof Ravine, Doidge, 29861.

Brachylaena neriifolia (L.) R. Br., Bain's Kloof, Doidge, 982, 1222.

Brachylaena rotundata S. Moore, Wonderboom, Repton, 34177.

Brachylaena transvaalensis Phill. & Schw., Lemana, Doidge, 1821.

Brachylaena sp., Meintjies Kop, Smith & Ward, 26102.

Uredo Caricis-petitianae Doidge

Doidge (1939) 507.

? sub Puccinia caricina DC., Kalchbrenner (1882 b) 22.

on Carex petitiana A. Rich., Xumeni Forest, Morgan & Doidge, 29830, Type, 30107; ? Somerset East, MacOwan 1353.

Uredo Carpodini P. Henn.

Hennings (1903) 158; Sacc. Syll. Fung. XVII: 442; P. & H. Sydow (1924) 430. on Carpodinus leucanthus K. Schum., between Kutue and Sobi, Banim 765, Type.

Uredo Celastrineae Cooke & Mass.

Cooke (1889) 70; P. Sydow (1899 a) (132); Sacc. Syll. Fung. IX: 329; P. & H. Sydow (1924) 575; Doidge (1927 a) 199.

on Salacia Kraussii Hochst., nr. Durban, Medley Wood 4028. Type. 359, 991, 31823, Kew. Fide Sydow, l.c., this is an Aecidium.

Uredo combreticola Doidge

Doidge (1939) 506.

on Combretum Zeyheri Sond., Nelspruit, Liebenberg, 26038.

Uredo Commelinae Kalchbr.

Kalchbrenner (1882 b) 24; Sacc. Syll. Fung. VII: 845; P. & H. Sydow (1924) 519: Doidge (1927 a) 197.

on Aneilema Dregeanum Kunth, Natal, Medley Wood 231, Kew.

Commelina madagascarica C.B.Cl., Inanda, Medley Wood 231, Type, 10583, 11204.

Commelina sp., Table Mt., Natal, Fuller, 1677; Stellenbosch, Verwoerd (Stell. 378).

Uredo crotalariicola P. Henn.

P. Hennings (1903) 158; P. & H. Sydow (1924) 476; Doidge (1927 a) 195.

on Crotalaria lachnoclada Harms., Longa River, Baum 671, Type, 6882, Kew.

Uredo Cryptolepidis Cooke

Cooke (1890 b) 6; Sacc. Syll. Fung. IX: 330; P. & H. Sydow (1924) 426; Doidge (1927 a) 192.

on Cryptolepis capensis Schltr., Kentani, Pegler 2356, 9164: Bluff, Durban, Pole Evans & Doidge, 1603, 1664; Umbogintwini, McClean, 25468; Great Noodsberg, Medley Wood 672, Type, 31827, 32449, Kew.

Cryptolepis obtusa N.E.Br., Lourenco Marques 665; Sabie, Mogg. 32271.

Uredo Cussoniae Cooke

Cooke (1888 a) 70; Sacc. Syll. Fung. VII: 846; P. Sydow (1899 a) (132); P. & H. Sydow (1924) 441: Doidge (1927 a) 192. on Cussonia sp., Inanda, Medley Wood 3494, Type, 362, Kew.

Uredo cypericola P. Henn.

Doidge (1927 a) 197; Cardoso (1945) 163. ? sub Puccinia caricina DC., Kalchbrenner (1882 b) 22.

? sub Uromyces Cyperi P. Henn., van der Byl (1922 d) 285, (1925 b) 195; J. Phillips (1931) 159; Nel (1942) 51.

? sub Puccinia Cyperi Arth., van der Byl (1926 c) 288; Nel (1942) 108.

on Cyperus difformis Linn., Pienaar's River, Doidge & Bottomley, 29929. Cyperus longus Linn, var. tenuiflorus Boeck., Natal, Medley Wood 4, 10579; ? Somerset

East, MacOwan 1018, Kew; Tzaneen, Doidge, 21339.

Cyperus spp., Knysna, Duthie (v. d. Byl 2103); Stellenbosch, v. d. Byl 260, Verwoerd (Stell. 149); Thornville Junction, Doidge, 858, 859; Matotla, 677; Garstfontein, Wager, 23456; Karino, Wager, 23414; Johannesburg, Young, 21018; Winkle Spruit, Pole Evans, 5646; Inanda, Medley Wood 670, Kew: Stella Bush, v. d. Byl, 31928; Hopefield, v. d. Byl 260; Woodbush, v. d. Byl 1520; Mt. Edgecombe, Halse, 30135.

Uredo Disae van der Byl

van der Byl (1927) 226; Nel (1942) 49.

on Monadenia micrantha Lindl., Belvidere, Knysna, Duthie, Type (v. d. Byl 2316, 2336) 33975.

Uredo Dombevae Doidge

Doidge (1948 b) 907.

on Dombeya natalensis Sond., Stella Bush, Wager, 33193, Type,

Uredo Ectadiopsis Cooke

Cooke (1882 a) 128; Sacc. Syll. Fung. VII: 846; P. & H. Sydow (1924) 428; Doidge (1927 a) 192.

on Cryptolepis oblongifolia Schltr., Inanda, Medley Wood 600, Type, 10584, 11220, Kew.

Uredo Ecteinanthi Kalchbr.

Kalchbrenner (1882 b) 25; Sacc. Syll. Fung. VII: 847; P. & H. Sydow (1924)

on Isoglossa prolixa Lind., Grahamstown, MacOwan 1258, Type. Probably the same rust as Uredo Hypoestis (Cooke) de Toni.

Uredo Ehrhartae-calycina Doidge

Doidge (1948 b) 907.

on Ehrharta calycina Sm., Stellenbosch, Verwoerd, Type (Stell. 41, v. d. Byl 1127) 34131.

Uredo Gliae Liro

Liro (1902) 175; P. & H. Sydow (1924) 440.

on Ruthea gummifera (L.) Bolle, Constantia, MacOwan.

Uredo Grewiae Pat. & Har.

Doidge (1927 a) 193.

on Grewia flava DC., Koedoespoort, Pole Evans, 1304, Pearson, 1585.

Uredo Homeriae Bubak

H. & P. Sydow (1911) 143: P. & H. Sydow (1924) 512; Sacc. Syll. Fung. (1927 a)

on Homeria sp., Cape Province, Bachmann, Type.

Uredo Hyperici-leucoptychoidis Doidge

Doidge (1939) 506.

on Hypericum leucoptychoides Steud., Woodbush, Doidge, 28467.

Uredo Hypoestis (Cooke) de Toni

Sacc. Syll. Fung. VII: 850: P. & H. Sydow (1924) 410; Doidge (1927 a) 191; Hopkins (1938 a) 107; Nel (1942) 49.

Trichobasis Hypoestis Cooke (1882 a) 128.

on Hypoestes antennifera S. Moore, Inanda, Medley Wood 589, Type, 824, 10621; Stella Bush, Doidge, 1625; nr. Umtali, Mogg; 29854; Zimbabwe, v. d. Byl 2467.

Hypoestes aristata R. Br., Inanda, Medley Wood 589.

Hypoestes verticillaris R. Br., Port Alfred, Tyson, 9108.

Uredo Indigoferae Doidge

Doidge (1927 a) 195, 213: Hopkins (1938 a) 107, (1939 a) 23; Nel (1942) 49.

on Indigofera neglecta N.E.Br., Wagendrift, Doidge, 11330, Type: Meintjies Kop, Mogg, 25347; Salisbury, Eyles 6686 (Rh. 2134); Durban, McClean, 30451.

Indigofera pretoriana Harms., Garstfontein, Erasmus, 1455.

Indigofera spp., Barberton, Pole Evans, 1853, 1854: Salisbury, Eyles, (v. d. Byl 1739): Wolwekloof, Bosman, 32888.

Uredo Kaempferiae Syd.

H. & P. Sydow (1914 b) 263; P. & H. Sydow (1924) 511; Sacc. Syll. Fung. XXIII: 949; Doidge (1927 a) 196; Hopkins (1939 a) 23, (1939 c) 592; Cardoso (1945) 164.

on Kaempferia Ethelae Wood, Quelimane, Pole Evans, 7387.

Kaempferia sp., Umtali, Hopkins.

Uredo kampuluvensis P. Henn.

P. Hennings (1903) 159; Sacc. Syll. Fung. XVII: 450; P. & H. Sydow (1924) 469: Doidge (1927 a) 195; Hopkins (1943) 180.

on Baphia obovata Schinz. Kampuluve River, Baum 802, Type, 6880. Kew: Bulawayo, Hopkins.

Uredo Lonchocarpi Doidge

Doidge (1927 a) 195, 213; Cardoso (1945) 160.

on Lonchocarpus Capassa Rolfe, Umbelusi, Howard, 532, Type, 533: Olifants River Tank, Pole Evans, 11021: Komatipoort, Pole Evans, 13091; Barberton, White, 916.

Uredo longaensis P. Henn.

P. Hennings (1903) 159; Sacc. Syll. Fung. XVII; 450; P. & H. Sydow (1924) 444; Doidge (1927 a) 193.

on Combretum Baumii Engl. & Gilg., banks of the Longa River, Baum 673, Type, Kew.

Uredo Lotononi Doidge

Doidge (1927 a) 196, 213; Nel (1942) 49. sub *Uromuces Lupini* Berk, & Curt, in Herb, Kew.

on Lotononis corymbosa Benth., Inanda, Medley Wood 595, 11167, Kew.

Lotononis cytisoides Benth., nr. Mont aux Sources, Mogg, 12955, Type.

Lotononis hirsuta Schinz, nr. Irene, Pole Evans, 10986.

Lotononis oxyptera Benth., Stellenbosch, Duthie (v. d. Byl 2424), v. d. Byl 2637, Verwoerd (Stell. 309).

Lotononis sp., Gemelo West, Burtt Davy, 11702.

?on Crotalaria excisa E. & Z., Stellenbosch, Duthie (v. d. Byl 2046).

Uredo Moraeae Kalchbr.

Kalchbrenner (1882 b) 24; Sacc. Syll. Fung. VII: 854; P. & H. Sydow (1924) 512; Doidge (1927 a) 197.

on **Homeria Breyniana** (L.) Lewis var. ochroleuca Salisb., Somerset East, *MacOwan*, 1065, Type, 1240.

Uredo Oncidii P. Henn.

on Oncidium Lanceanum Lindl., Durban (imported plants confiscated), 33331.

Uredo Polygalae Kalchbr.

Kalchbrenner (1882 b) 25; Sacc. Syll Fung. VII: 857; P. & H. Sydow (1924) 461; Doidge (1927 a) 194.

on Polygala Ohlendorfiana E. & Z., nr. Somerset East, MacOwan 1228.

Polygala sp., Bethlehem, v. d. Merwe, 30939; ? Natal, Medley Wood, 30943.

Uredo Psoraleae-polystictae Doidge

Doidge (1941 c) 233.

on Psoralea polysticta Benth., Durban, McClean, 30994, Type.

Uredo rhoina Syd.

Doidge (1948 b) 908.

on Lannea discolor Sond., Nelspruit, Doidge, 32395.

Uredo Rottboelliae Diet.

P. & H. Sydow (1924) 546; Doidge (1927 a) 198.

on **Hemarthria altissima** (Poir.) Stapf & Hubb., Cedara, Staples, 17083: Schagen, Liebenberg, 29935.

Rottboellia exaltata Linn, f., Pretoria, Burtt Davy, 920.

Uredo Satvrii Mass.

Massee (1908) 217; Sacc. Syll. Fung. XXIII: 944.

on Satyrium coriifolium Sw., Cape, MacOwan, Kew.

11101-15

Uredo Schizachyrii Doidge

Doidge (1939) 508.

on Schizachyrium semiberbe Nees, Donkerpoort, Doidge & Bottomley, 29766, Type.

Uredo Scirpi-corymbosi Doidge

Doidge (1939) 507.

on **Scirpus corymbosus** Roth., Donkerpoort, *Doidge & Bottomley*, 29986, 30131; Skinner's Court, *Doidge*, 23457; Onderstepoort, *Pole Evans*, 1314; Debbe's Ravine, *Bottomley*, 25332; Bon Accord, *Mogg*, 32433.

Uredo Scirpi-maritimi Doidge

Doidge (1941 c) 233.

on Scirpus maritimus Linn., Uitenhage, Zeyher 4422, Type, 30904.

Uredo Stenotaphri Syd.

H. & P. Sydow (1909) 544; P. & H. Sydow (1924) 548; Doidge (1927 a) 198. Cardoso (1945) 164.

on Stenotaphrum secundatum (Walt.) O. Ktze., Lourenco Marques, Howard, 678, Type.

Uredo Stylosanthis P. Henn.

Doidge (1927 a) 196.

on Stylosanthes mucronata Willd., Barberton, Pole Evans, 1162.

Uredo Zehneriae Thuem.

Von Thuemen (1877) 410; Sacc. Syll. Fung. VII: 863; P. & H. Sydow (1924) 402; Doidge (1927 a) 191.

Trichobasis Zehneriae Thuem., Kalchbrenner & Cooke (1880) 31.

on **Melothria punctata** (Thunb.) Cogn., Groot Visch Rivier, nr. Cookhouse, *MacOwan* 1271, Type (S.A.M. 28726) Kew.

Uredo sp.

on Pycreus lanceus (Thbg.) Turrill, Pyramids. Mogg. 32432; Donkerpoort, Doidge & Bottomley, 29979.

Pycreus polystachyus Beauv., Knysna, Bottomley, 32425.

EUBASIDII

HYMENOMYCETEAE

Tremellineae.

AURICULARIACEAE.

Auricularia auricula-judae (Fr.) Secretan

P. Hennings (1892) 338; van der Byl (1923) 10; Nel (1942) 63.

Exidia auricula-judae Fr., Montagne (1847) 175.

Hirneola auricula-judae Berk., Cooke (1879 b) 70.

on Olea laurifolia Lam., Knysna, J. Phillips (v. d. Byl 2227) Kew.

on old wood, Natal, Medley Wood 412, 10397, 31826, Kew: Pondoland, Bachmann; Kentani, Pegler 766; Kingwilliamstown, Schaefer, 30895; Durban, McRae (v. d. Byl 425) 31738, 31739, v. d. Byl 186, 333, 616, 624, 737, 913; Winkle Spruit, Reinecke, 23091; Maritzburg, Rump 110, 326, 27780, 28681; Elim, Watson, 25880; Boschfontein, nr. Wolhuters Kop, Bottomley & Hean, 30658; Keurboom River, Duthie 45, 31316; Vumba Mts., Masseurs, 33954; Durban, Verwoerd (Stell. 152).

Auricularia delicata (Fr.) Henn.

Lloyd (1922) 1122; van der Byl (1923) 9; Nel (1942) 63.

Hirneola delicata (Fr.) Bres., Torrend (1905) 220.

on rotten wood, Town Bush Valley, Rump 192, 27782; Eshowe, v. d. Byl 31, 502.

Woodbush, Doidge, 1764; Mocambique (Torrend).

Auricularia Emini P. Henn.

Auricularia squamosa Pat. & Har., Lloyd (1917 a) L. 65:7; van der Byl (1923) 10; (1923) 10: Nel (1942) 64.

Hirneola squamosa (Pat. & Har.) Lloyd, Stevenson & Cash (1936) 29.

on Vitex mooiensis Pearson, Transkei, 28814.

on dead wood, Ginginhlovu, Haygarth, 15634; Zululand, $v.\ d.\ Byl\ 250,\ 442,\ 31752$; without locality, $v.\ d.\ Byl\ (Lloyd\ Myc.\ Coll.\ 33594,\ 33599).$

Auricularia flava Lloyd

Lloyd (1922) 1153, 1162; van der Byl (1923) 9 : Stevenson & Cash (1936) 28; Nel (1942) 63.

on dead wood, Lobatsi, Breach, Type (v. d. Byl 426; Lloyd Myc. Coll. 33287).

Auricularia fusco-succinea (Mont.) P. Henn.

P. Hennings (1892) 338.

Hirneola nigra Fr. var. fusco-succinea Fries (1848) 27; Kalchbrenner (1882 a) 105.

Hirneola fusco-succinea Mont., Sacc. Syll. Fung. VI: 768.

on tree trunks in bush, Boschberg, MacOwan 103I (S.A.M. 34217) 20949, Kew; on banks of Tugela River (Herb. Berol.).

Auricularia mesenterica (Dicks. ex Fr.) Fr.

on dead wood, Town Bush, Rump 251, 28495, Kew; Victoria Falls, Bottomley, 14137.

Var. lobata (Sommerf.) Quél.

Auricularia lobata Sommerf., van der Byl (1923) 10; Nel (1942) 63: Killermann

on dead stump, Victoria Falls, v. d. Byl 675, F. Eyles 1312, 23373; Moçambique, Killermann.

Auricularia nigra (Sw.) P. Henn.

P. Hennings (1892) 338.

Hirncola nigra (Sw. ex Fr.) Fries (1848) 27: Kalchbrenner (1882 a) 106. sub Hirncola fusco-succinea (Mont.) P. Henn., Cooke (1879 b) 70 and in Herb. Kew. on old wood. Pondoland. Bachmann: Inanda, Medley Wood 108, 10398, 22094. Kew.

Auricularia ornata Pers.

van der Byl (1923) 11 : Nel (1942) 63. on dead wood, Durban, $v.\ d.\ Byl\ 588.$

Auricularia polytricha (Mont.) Sacc.

van der Byl (1923) 10; Nel (1942) 63. Hirneola polytricha Mont., Torrend (1905) 220.

on Melia Azedarach Linn., dead stump, Kentani. Pegler 1424, 8755 (sub Hirneola in Herb. Kew).
on dead stumps, Durban, r. d. Byl 185, 332.

Helicobasidium compactum Boedyn

Bottomley (1936) 374.

on Pinus longifolia Roxb., Hanglip, D.F.O., 26329, 26855, 27345, 27347, 27701, Kew;
 Limbadola, D.F.O., 27346.
 Pinus luchuensis Mayr., Bergplaats, George (Herb. I. M.I.)

Helicobasidium mompa Tan.

Hopkins (1938 a) 110. on tree stump, Hartley, Eyles 3964.

Helicobasidium purpureum Pat.

see Rhizoctonia crocorum (Pers.) DC., perfect stage not known in South Africa.

Hirneola auricularis (Fr.) Fr.

Lloyd (1917 a) L. 66: 16. on wood, Durban, McRae, 31739.

Hirneola auriformis (Schw.) Fr.

Fries (1848) 26; Torrend (1905) 220; Cheesman (1909) 412.
on tree trunks, Victoria Falls and north bank of the Zambesi River. Cheesman; Moçambique,
Torrend.

Hirneola cochleata Fr.

Fries (1848) 24; Sace, Syll, Fung, VI: 765, on trunks of trees, Natal, Wahlberg.

Hirneola hemispherica Fr.

Fries (1848) 25; Sace. Syll. Fung. VI: 769. on trunks of trees, Natal, Wahlberg.

Hirneola rufa (Berk.) Fr.

Berkeley (1876 a) 175.

on wood, foot of Table Mt., Eaton.

Doubtful record: according to Bresadola (1916) 234, this is probably Auricularia polytricha (Mont.) Sace.

Hirneola vitellina (Lév.) Fr.

Fries (1848) 27; Kalchbrenner (1882 a) 106; Sacc. Syll. Fung. VI: 770; Bresadola (1916) 234.

on wood, Inanda, Medley Wood 398, 10396.

Doubtful record : fide Bresadola l.c., Exidia vitellina Lév. is a species of Aleurodiscus

Septobasidium Bagliettoanum (Fr.) Bres.

van der Byl (1929 c) 23 ; Nel (1942) 64.

on stem of undet, plant, Hartebeestpoort Dam, v. d. Byl 2380.

Septobasidium bogoriense Pat.

Couch (1938) 213.

Septobasidium mompa (Tan.) Rac., van der Byl (1929 c) 23.

on Erythrina caffra Thunb., Durban, v. d. Byl.

on bark of tree undet., Hartley, Eyles 3964.

Septobasidium Carestianum Bres. var. natalense Couch

Couch (1938) 157.

on Citrus Limonia Osbeck, Durban, Wager, 33555: associated with scale insects.

Citrus maxima Merr., Durban, Wager, 33555.

Citrus sinensis Osbeck, twigs and leaves, Maritzburg, v. d. Vyver, Type (Univ. North Carolina Herb. 10425) 26321; ? Port St. Johns, Clarke, 28322, Kew.

Septobasidium grandispinosum Couch

Couch (1938) 154.

on **Gymnosporia buxifolia** Szysz., near Pretoria, Kresfelder, Type (Univ. North Carolina Herb.) 20350; Bleakmore Siding, Swan, 12463; ass. with scale insects.

Septobasidium griseopurpureum Couch

Couch (1938) 105.

on plant undet., without locality, v. d. Byl (Lloyd Myc. Coll. 39226) Type: ass. with scale insects, near Lepidosaphes.

Septobasidium natalense Couch

Couch (1938) 118.

on Prunus persica Sieb. & Zucc., New Hanover, Dale (Univ. North Carolina Herb.) 21011 associated with scale insects.

Prunus salicina Lindl., Waterval Boven, 2107; Maritzburg, Fuller, 2306, Spencer, Type, (Univ. North Carolina Herb.) 17276; Ladysmith, Christopher, 22086.

Septobasidium pedicellatum (Berk. & Curt.) Pat.

Lloyd (1917 a) L. 66: 11, (1917 c) 720; Hopkins (1938 a) 110, (1939 a) 40.

on Pyrus malus Linn., Salisbury, Hopkins.

Gymnosporia albata Sim, Oliviers Hoek, Henkel, 31746.

Septobasidium philippense Couch

Couch (1938) 247.

on? Tarchonanthus sp., Trapp's Valley, 2382.

Septobasidium protractum Syd.

H. & P. Sydow (1912 a) 33: Sacc. Syll. Fung. XXIII: 565: Couch (1938) 91; van der Byl (1929 c) 22: Killermann (1928) 1081; Nel (1942) 64.

on Acacia Burkei Benth., Buffelsdrift, Pienaar, 1642.

Acacia detinens Burch., Stinkwater, Rose Innes, 30280; Saltpan, Mogg, 22552, 34588; Bosplaats, Pienaars River, Mogg, 27551; Warmbaths, Irvine, 29724.

Acacia hirtella E. Mey., Verulam, Pole Evans, 6808.

Acacia pallens Rolfe, Plat Rivier, Pienaar (Syd. Fung. Exot. 1) 1927, Type, 2002, 5194, Kew: associated with scale insects, Parlatoria sp.

Acacia spp., Pretoria district, Schaefer, 33942; Buffels Drift, Pienaar, 1642.

Septobasidium pseudopedicellatum Burt

van der Byl (1929 c) 22 ; Cardoso (1937) 153, (1938) 74, (1945) 151. as Septobasidium sp., Eyles (1926) 636.

? as Thelephora pedicellata Schw., Bottomley (1916) 440.

on Citrus sinensis Osbeck, Mazoe, Eyles 4130 (v. d. Byl 2322): Durban, v. d. Byl 388, 702: Sul do Save, Cardoso: Namaacha, Cardoso:

Citrus maxima Merr., Inhambane, Gillet, 30276.

? on bark, Inanda, Medley Wood 532.

Septobasidium sp., near S. Curtisii (Berk. & Desm.) Boedyn & Steinm.

on Aleurites Fordii Hemsl., Stegi, Keith, 28275, Kew.

Ceratonia siliqua Linn., Stegi, Keith, 28522.

Crassula arborescens Willd., Amanzi, Doidge, 22338.

Prunus salicina Lindl., Maritzburg, Fuller, 1890.

White River, Talbot, 2381.

Septobasidium sp.

as Thelephora pedicellata Schw., Cooke & Kalchbrenner (1881) 27 and in Herb. Kew; Sacc. Syll. Fung. VI: 544.

on bark, Inanda, Medley Wood 532, 9483, 10643, Kew.

TRE MELLACEAE.

Exidia caespitosa Lloyd

Lloyd (1915 b) 537, (1915 a) L. 60:10; van der Byl (1923) 6, (1925 b) 193: Sacc. Syll. Fung. XXIII: 577; J. Phillips (1931) 160; Stevenson & Cash (1936) 31. on indigenous trees, common, Knysna, *Duthie 49* (Lloyd Myc. Coll. 33507) Type; on old stump, Stellenbosch, v. d. Byl 481.

Exidia Duthiei Lloyd

Lloyd (1919 c) 902; van der Byl (1923) 6; Stevenson & Cash (1936) 31. on Caesalpinia sepiaria Roxp., dead wood, Town Bush Valley, *Doidge*, 34058. on old wood, ? Knysna, *Duthie* (Lloyd, Myc. Coll. 9710).

Exidia glandulosa (Bull. ex Fr.) Fr.

Kalchbrenner (1882 a) 106; Sacc. Syll. Fung. VI: 773; Lloyd (1916 d) L. 63: 4. on rotten branches, Boschberg, MacOwan; ? Knysna, Duthie.

Exidia purpurea-cinerea MacOwan & Kalchbr.

Kalchbrenner (1882 a) 106; Sacc. Syll. Fung. VI: 776; Lloyd (1915 b) 536; van der Byl (1922 d) 285, (1923) 6, (1926 c) 288; Verwoerd (1931 a) 300; Nel (1942) 95.

on Acacia saligna Wendl., dead branches, Somerset Strand, Verwoerd (Stell. 51).

Eucalyptus sp., Maritzburg, v. d. Byl 174, 379, 31716.

Gymnosporia peduncularis L. Bolus, Knysna, Doidge, 17800.

Quercus sp., common on old branches, Stellenbosch, Duthie 48 (v. d. Byl 498).

Pinus sp., on tree stump, Groot Drakenstein, v. d. Byl 772.

on dead wood, Boschberg, MacOwan (Type in Herb. Berol.); Bloemfontein, Verwoerd; Woodbush, v. d. Byl 1483; Stellenbosch, v. d. Byl 480; Town Bush Valley, Rump, 27648.

Heterochaete andina Pat. & Lagerh.

van der Byl (1923) 5; Nel (1942) 95.

on Euphorbia pulcherrima Willd., dead branch, Durban, v. d. Byl 698.

Canthium sp., dead branch, Durban, v. d. Byl 785.

on dead branch, Durban, v. d. Byl 629.

Sebacina africana Burt

Burt (1926) 338; van der Byl (1929 c) 20; McGuire (1941) 43; Nel (1942) 95. on decayed trunk, Knysna, v. d. Byl 1342, Type (Mo. Bot. Gdn. Herb. 63405). Said by McGuire, l.c., to be a Corticium.

Tremella alba Kalchbr.

Kalchbrenner (1882 a) 106 ; Sacc. Syll. Fung. VI : 781. on tree trunk, Natal, $Medley\ Wood\ 218,$ Type.

Tremella corrugis Fr.

Fries (1848) 28; Sacc. Syll. Fung. VI: 789. on ground, Natal, Wahlberg.

Tremella crassa Lloyd

Lloyd (1922) 1148 ; van der Byl (1923) 7, (1925 b) 193 ; Nel (1942) 95 ; J. Phillips (1931) 160 ; Stevenson & Cash (1936) 35. on dead logs, $v.\ d.\ Byl\ 118,\ 725$ (Lloyd Myc. Coll. 4020) Type.

Tremella epigaea Berk. & Br.

Berkeley (1876 a) 782. on ground, Government House, Cape Town, Eaton.

Tremella frondosa Fr.

J. Phillips (1931) 160.

? on Cassine croceum O. Ktze., dead tree, Knysna, J. Phillips, 17806. Olinia cymosa Thunb., Petrus Brandt, Knysna, J. Phillips, 18034.

Tremella fuciformis Berk.

van der Byl (1923) 7, (1925 b) 193 ; J. Phillips (1931) 160 ; Nel (1942) 95. on dead wood, Knysna, Duthie~55 (v. d. Byl 734) ; Durban, v. d. Byl 605,~630.

Tremella hemifoliacea Lloyd

Lloyd (1924) 1338; Stevenson & Cash (1936) 36.

on **Gymnosporia peduncularis** L. Bolus, Knysna, *Doidge*, Type (Lloyd Myc. Coll. 29497) 17798.

Tremella lutescens Pers. ex Fr.

Cooke (1879 b) 70 ; Kalchbrenner (1882 a) 106 ; Sacc, Syll. Fung. VI. ; 781 ; van der Byl (1923) 8, (1925 b) 193 ; J. Phillips (1931) 160 ; Nel (1942) 95.

on Olinia cymosa Thunb., Knysna, v. d. Byl 2263, Kew.

Virgilia oroboides (Berg.) Salter, Forest Hall, Knysna, Duthie 262, 31439.

on branches, Natal, Medley Wood 398; Somerset East, MacOwan; Brenton, Knysna, Duthie 107 (v. d. Byl 1141): Knysna, v. d. Byl 2237, Kew; ? Town Bush, Rump 316, 28676; on gate post, Pretoria, Fouche, 15650.

Tremella mesenterica Retz. ex Fr.

Medley Wood (1898) 19; van der Byl (1923) 8, (1925 b) 193; Nel (1942) 95. J. Phillips (1931) 160; Nel (1942) 95; Simpson & Talbot (1946) 133.

on tree trunk, Natal, Medley Wood 197: Knysna, Duthie 139, 142, 31365, 31367 and v. d. Byl 1349; Stellenbosch, Brink (v. d. Byl 1055): Qudeni Forest, Simpson & Talbot 34948.

Tremella micropera Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 18; Kalchbrenner (1882 a) 106; Sacc. Syll. Fung. VI: 789. on branches, Somerset East, MacOwan 1351.

Tremella microspora Lloyd

Lloyd (1920) 991: van der Byl (1922 d) 285 (1923) 7: Stevenson & Cash (1936) 36. on old wood, Jonkershoek, *Duthie 242*, Type (Lloyd Myc. Coll. 27046).

Tremella moriformis Berk.

Nel (1942) 95.

on old wood, Grootrivier, Knysna, v. d. Byl 2250, Kew.

DACRYO MYCETACEAE.

Calocera cornea Fr.

Kalchbrenner (1882 a) 106; Cheesman (1909) 412; van der Byl (1923) 3; Nel (1942) 65.

on wood, Somerset East, MacOwan: Rain Forest, Victoria Falls, Cheesman: Forest Hall, Knysna, $Duthie\ 267,\ 31443$: Maritzburg, $v.\ d.\ Byl\ 591,\ 623.$

Dacryomitra dubia Lloyd

Lloyd (1917 c) 742, (1920) 952.

Without locality, v. d. Byl.

Dacryomyces australis Lloyd

Lloyd (1920) 924 (as D. australia); van der Byl (1923) 3; Stevenson & Cash (1936) 39; Nel (1942) 65,

on dead stump, Maritzburg, v. d. Byl 595, 627; without locality, v. d. Byl 816, Type (Lloyd Myc. Coll. 34208).

Dacryomyces digressus Lloyd

Lloyd (1916 c) 620, (1920) 935; van der Byl (1923) 3, (1925 b) 193; Sacc. Syll. Fung. XXIII: 582.

on old wood, Knysna, Duthie 108, Type (Lloyd Myc. Coll. 34211); without locality, v. d. Bul (Llovd Myc. Coll. 33310, 34209, 34210).

Dacryomyces tortus Fr.

Dacryomyces deliquescens (Bull.) Duby, v. d. Byl (1923) 3; J. Phillips (1931) 160; Nel (1942) 65.

on Pinus sp., dead stumps, Stellenbosch, Duthie 126, 31359.

on rotten wood or bark, Papegaaisberg, Duthie 152, 31373; Knysna, Duthie 128; Klapmuts, v. d. Bul 211: Stellenbosch, v. d. Bul 1165, 1313: without locality, E. L. Stephens (Duthie 125); Forest Hall, Knysna, Duthie 263, 31440; Qudeni Forest, Simpson & Talbot, 34949.

Femsjonia natalensis Cooke

Cooke (1882 a) 123; Sacc. Syll. Fung. VI: 780.

on decaying trunk in bush, Inanda, Medley Wood 476, 3303, 11047, 11209, sub Tapezia (Peziza) natalensis Cooke in Herb. Kew.

Guepinia agariciformis Lloyd

Lloyd (1923) 1186; van der Byl (1923) 4; Stevenson & Cash (1936) 41. on old wood, Maritzburg, v. d. Bul 770, Type (Lloyd Myc. Coll. 9752).

Guepinia flabellata Cooke

Cheesman (1909) 412.

on rotten wood, Victoria Falls, west side, near Leaping Cascade, Cheesman.

Guepinia petaloides Kalchbr.

Kalchbrenner (1882 a) 105; Sacc. Syll. Fung. VI: 808. on wood, Boschberg, MacOwan 1206, Type (S.A. M. 34230).

Guepinia sparassoides Kalchbr.

Kalchbrenner (1882 a) 105; Sacc. Syll. Fung. VI: 810. on trunks, Bazuja, Baur 698, Type.

Guepinia spathularia (Schw.) Fr.

Medley Wood (1898) 17; Lloyd (1916 d) L. 63: 11; van der Byl (1925 b) 192, (1923) 4; J. Phillips (1931) 160; Nel (1942) 65.

Guepinia fissa Berk., Torrend (1905) 220.

Guepinia palmiceps Berk., Fries (1848) 19; Sacc. Syll. Fung. VI: 809. Guepinia spathularia f. lata Lloyd (1916 d) L. 63: 11: Stevenson & Cash (1936) 41. as Guepinia spathulata Nel (1942) 109.

on Acacia mollissima Willd., Sevenoaks (T.R.L. 331).

Eucalyptus sp., dead wood, Tzaneen, v. d. Byl 1467.

on face of felled logs, Natal, Wahlberg; on old stumps of trees and on dead wood Natal, Medley Wood 514, 10411; Knysna, Duthie 124 (v. d. Byl 732); Durban, Hobbs (v. d. Byl 32) 31977; Pretoria, Doidge, 30560; Maritzburg, Doidge, 31032; Knysna, Duthie (Lloyd Myc. Coll. 35412) 31364, Verwoerd (Stell. 338); Schroeders, v. d. Byl 452, 31756; Marwaqa Forest, Doidge, 34930; Moçambique, (Torrend).

Hormomyces aurantiacus Bon.

Lloyd (1920) 960, 961; van der Byl (1922 d) 285; Nel (1942) 107. on **Quercus** sp., dead logs, Stellenbosch, Duthie. on wood, Paarlberg, $F.\ L.\ Stephens$ (Stell. 896; v. d. Byl 2544).

Hormomyces callorioides (Kalchbr. & Cooke) Sacc.

Sacc. Syll. Fung. VI: 813; Lloyd (1917 c) 712; Killermann (1928) 123. Hypsilophora callorioides Kalchbrenner & Cooke (1880) 18. on dead wood, Somerset East, MacOwan 73.

Lloyd, l.c., suggests that this species is identical with Hormomyces aurantiacus Bon.

HYMENOMYCETALES

(Agaricales.)

EXOBASIDIACEAE

Exobasidium Giseckiae Allesch.

Hennings (1895 c) 54 ; H. & P. Sydow (1909) 545 ; Maublanc (1906) 7 ; van der Byl (1929 c) 9 ; Hopkins (1938 a) 10.

on Gisekia pharnaceoides Linn., on leaves and flowers, Pienaars Poort, Pole Evans, 550, Fuller, 10054; Christiana, Burtt Davy, 2248; Magaliesberg, Leendertz, 7380, E. P. Phillips, 26685: Kimberley, Moran, 9685; Bloemfontein, Potts, 10033; Tuinplaats, Wager, 21100: Pretoria North, Poynter, 25919; Nelspruit, Liebenberg, 26073, Wager, 26629; Wonderboom Poort, C. A. Smith, 26101; Taungs, Hean, 32670; Vaalwater, du Plessis, 32804; Salisbury, Eyles 3332 a, Kew; Moçambique, le Testu.

Exobasidium hesperidium Maire

Hopkins (1938 a) 110, (1939 a) 40. on **Rhus** sp., leaf, Hatfield (Rh. 2073).

Exobasidium Vaccinii (Fuck.) Woron.

on **Rhododendron** sp., Pretoria, Anderssen, 30645; Cape Town, Davies, 17819; Gillitts Wager, 34151.

Exobasidium Vitis Prill. & Delacr.

Doidge & Bottomley (1931) 28. on **Vitis vinifera** Linn., Pretoria, *Holzer*, 12514.

Microstroma Albizziae Syd.

H. & P. Sydow (1914 b) 263; Doidge & Bottomley (1931) 24; Sacc. Syll. Fung. XXV: 634.

on Albizzia gummifera (Gmél.) C. A. Sm., Scottburgh, *Pole Evans*, 6828, Type; Winkle Spruit, *Pole Evans*, 2385.

Albizzia versicolor Welw. ex Oliv. var. mossambicensis Schinz, Rikatli, *Junod*, 11721.

Microstroma album (Desm.) Sacc.

Sacc. Syll. Fung. IV: 9; H. & P. Sydow (1909) 547; Killermann (1926) 131; Doidge & Bottomley (1931) 41.

Microstroma quercinum (Opiz) Niessl., Kalchbrenner & Cooke (1880) 23; Medley Wood (1898) 12.

Microstroma quercinum f. Roboris Thuem., von Thuemen (1875) 380.

on Quercus Robur Linn., leaves, Somerset East, MacOwan 1110 (Rabenh. Wint. Fung. Eur. 3387; S.A.M. 34236) 21962.

Quercus sessiliflora Salisb., Somerset East, MacOwan (Thuem. Myc. Univ. 1471) 21963.
Quercus spp., Maritzburg, Pole Evans, 1383; Natal, Medley Wood 59, 10343, 22095;
Wellington, Doidge, 2064; Constantia, Pare, 23200; Paardeplaats, Pienaar, 1490;
Maclear, Pienaar, 2174; Rosebank, Doidge, 600; Pretoria, Bredell, 11514; Constantia, Pole Evans, 35; Oaklands, Johannesburg, Weintroub, 33469.

HYPOCHNACEAE.

Hypochnus Eylesii v. d. Byl

van der Byl (1925 a) 168, (1929 c) 18 ; Nel (1942) 67. on ground, Stellenbosch, Eyles (Stell. 30 ; v. d. Byl 1135), Type.

Hypochnus puniceus (Alb. & Schw. ex Fr.) Sacc.

van der Byl (1929 c) 19.

Thelephora punicea Alb. & Schw. ex Fr., Kalchbrenner (1881) 58; Medley Wood (1898) 19.

on bark of a tree, Durban, Medley Wood 190.

THELEPHORACEAE.

Aleurodiscus acerinus (Pers. ex Fr.) v. Höhn. & Litsch.

Stereum acerinum Pers. ex Fr., Sacc. Syll. Fung. VI: 587.

South Africa, without locality.

Var. longisporus v. Höhn. & Litsch.

van der Byl (1929 c) 25; Nel (1942) 89.

as Corticium calceum var. lacteum Fr., von Thuemen (1878 a) 354.

on bark, Somerset East, *MacOwan 1074* (Thuem. Myc. Univ. 807) 20840, 21947; Knysna, *du Preez* (v. d. Byl 2244).

Aleurodiscus cerussatus (Bres.) v. Höhn. & Litsch.

van der Byl (1929 c) 25 ; Nel (1942) 89. on decaying wood in forest, Knysna, v. d. Byl 2261.

Aleurodiscus disciformis (DC. ex Fr.) Pat.

Burt (1926) 305; van der Byl (1929 c) 25; Nel (1942) 89.

on **Podocarpus** sp., on bark of living tree, Stellenbosch, v. d. Byl (Mo. Bot. Gard, Herb. 59358), *Verwoord* (Stell. 13).

Asterostroma cervicolor (Berk. & Curt.) Massee

on Fomes sp., hymenium, Umgeni Bush, Durban, Rump 348 a, 30155.

Asterostromella Rumpiana Talbot

Wakefield & Talbot (1948) 939.

on wood, Nkandhla Forest, Rump 399, 30200, Kew, Type.

Cladoderris elegans (Jungh.) Fr.

Fries (1848) 22.

Cymatoderma elegans Jungh., Montagne (1847) 173.

in bush, "Koratra", Drège 9446; "Omsamwubo", Drège 9447.

Cladoderris funalis P. Henn

Lloyd (1913 a) 10 : van der Byl (1929 c) 52 : Hopkins (1938 a) 110.

as Cladoderris furvalis, Nel (1942) 89.

on ground, Salisbury, Eyles 5026 (v. d. Byl 2465).

Cladoderris infundibuliformis (Klotzsch) Fr.

Fries (1848) 21; Kalchbrenner (1881) 58; Sacc. Syll. Fung. VI: 548; Lloyd (1913 a) 8; van der Byl (1929 c) 51; Nel (1942) 89.

sub Cladoderris australica Berk., Cooke (1879 b) 70, (1880 b) 14.

sub Cladoderris Thwaitesii Berk, & Br., Kalchbrenner (1881) 58; Sacc. Syll, Fung.

VI:550.
on wood, Natal, Medley Wood 239 (S.A.M. 34303) 10170: Natal, Medley Wood 94:
Zululand, v. d. Byl 522: Buccleuch. Leighton, 9149: without locality, v. d. Byl 620,
31860: Fountains Valley, Louwrens, 27566.

Cladoderris spongiosa Fr.

Fries (1848) 20; Sacc. Syll. Fung. VI: 548; Lloyd (1913 a) 5; van der Byl

(1929 c) 51 : J. Phillips (1931) 160 : Nel (1942) 89.

on dead wood, Natal, Wahlberg, Type: Knysna, J. Phillips (v. d. Byl 2085) 18045: Brenton, Knysna, Duthie 87, 31344, Archibald, 33142; Zululand, v. d. Byl 319: Ginginhlovu, Haygarth, 15554; Eshowe, Noble, 32476.

Var. subsessilis Fr.

Fries (1848) 21; Sacc. Svll. Fung. VI: 548.

on dead wood, Cape, Wahlberg.

Coniophora atrocinerea Karst.

van der Byl (1929 c) 17; Nel (1942) 89.

on Pinus sp., at foot of felled tree, Stellenbosch, v. d. Byl 2451, 2433.

Coniophora Betulae (Schum.) Karst.

on timber, against wall, Hopevale, Morgan, 30633.

Coniophora papillosa Talbot

Wakefield & Talbot (1948) 939.

on timber, Venterspost G. M. (T.R.L. 1852) Kew, Type: produces a brown rot in culture; on indigenous wood in swamp bush, Compensation Beach, Rump 393, 30194, Kew.

Coniophora pulverulenta (Lév.) Mass.

Massee (1889 a) 129 : Sacc. Syll. Fung. VI: 649.

Corticium (Coniophora) pulverulentum (Lév.) Cooke (1880 a) 89.

Thelephora pulverulenta Léveillé (1846) 149.

on trunks, Cape and Natal.

Coniophora puteana (Schum. ex Fr.) Karst.

Coniophora cerebella Pers., Laughton (1936) 381; Brown (1936) 388; van Wyk & Verwoerd (1938) 47; Hopkins (1939 c) 592.

on **Pinus** sp., on dead wood, Lourenço Marques, Hillman Bros., 29733; Tokai, Laughton. on mine timbers, New Modder Mine, Brown, 27558; Jubilee Mine, Pilgrims Rest, Brown, 28767; Randfontein Estates, Brown, 28857; ? on door frame, Salisbury, Hopkins (Rh. 3348) 30799.

Coniophorella olivacea (Fr.) Karst.

on **Pinus** sp., dead wood, Rondebosch, E. L. Stephens 367, 27665. on flooring board, Johannesburg, Welntraub (T.R.L. 1158) 32086.

Corticium abeuns Burt

Burt (1926) 250 ; van der Byl (1926 c) 288, (1929 c) 29 ; Nel (1942) 89. on dry wood, Woodbush, $v.\ d.\ Bull\ 1495.$

Corticium (Gloeocystidium) argillaceum v. Höhn. & Litsch.

not Peniophora argillacea Bres. on wood, Xumeni Forest, Morgan & Doidge, 28939.

Corticium armeniacum Sacc.

Corticium ceraceum Berk. & Rav. ex Massee (1890 b) 150 ; Burt (1926) 216 ; van der Byl (1929 c) 30 ; Nel (1942) 89.

on Ekebergia capensis Sparm., on dead wood, Manubie Forest, D.F.O., 27802, Kew. on dead wood of trees undet., Natal, v. d. Byl 2568 (Mo. Bot. Gard. Herb. 58810) Kew: Groenkop, George, v. d. Byl 2752: Krantzkop, Rump 445, 30227: Compensation Beach, Rump 429, 30219; Town Bush, Rump 608, 34362

Corticium bombycinum (Sommerf.) Bres.

? on dead wood, Boschfontein, Wolhuters Kop, Doidge & Bottomley, 33185.

Corticium caeruleum (Schrad. ex Pers.) Fr.

Fries (1848) 24; Kalchbrenner (1881) 59; Sacc. Syll. Fung. VI: 614; van der Byl (1929 c) 27; Nel (1942) 90.

on wood, Somerset East, MacOwan 1125 (S.A.M. 34255); Natal, Wahlberg; Maritzburg, Ackerman, 26847, Kew; Caverns, near Mont aux Sources, Craik, 27801, Bottomley, 28888; Leribe, Grosskopf (v. d. Byl 1051); Boschfontein, near Wolhuters Kop Doidge & Bottomley, 33206; Xumeni Forest, Doidge, 34320; Karkloof, Rump 590, 35323.

Corticium calceum Fr., emend. Romell & Burt

Corticium calceum Fr., von Thuemen (1876 b) 363; Kalchbrenner (1881) 69; Sacc. Syll. Fung. VI: 622; Massee (1889 a) 127; van der Byl (1929 c) 28. on decaying wood, Somerset East, MacOwan 1206.

Doubtful record.

Corticium confluens Fr.

Burt (1916) 220; van der Byl (1929 c) 29; Nel (1942) 90. on bark, Maritzburg, v. d. Byl 583 (Mo. Bot. Gard. Herb. 69371).

Corticium gloeosporum Talbot

Wakefield & Talbot (1948) 940. on wood, Town Bush, *Rump 212*, 28288, Type, Kew: Bulwer, *Rump 26*, 27603.

Corticium lacteum Fr.

Sacc. Syll. Fung. VI: 610; van der Byl (1929 c) 30. Cape (Saccardo): doubtful record.

Corticium laetum (Karst.) Pers.

Lloyd (1920) 952.

? Hyphoderma laetum Karst.

on Acacia melanoxylon R. Br., Katherg, Keet, 9154.

Pyrus malus Linn., Hilton Road, Ballenden, 31998, Marshall, 12177; Town Bush Valley, Dungan, 20669; Bethlehem, v. d. Merwe, 27267.

Corticium luteocystidiatum Talbot

Wakefield & Talbot (1948) 941.

on wood, Town Bush, Maritzburg, Rump 241, Type, 28307, Kew: Town Bush, Rump 283, 319 b, 28690, 28679, Kew: Impolweni, Rump 167, 28557, Kew; ? Xumeni Forest, Doidge, 28947, Kew.

Corticium pelliculare Karst.

van der Byl (1929 c) 29 ; Nel (1942) 90. on wood, Knysna, ε , d, Byl 2225.

Corticium portentosum Berk. & Curt.

Burt (1926) 187: van der Byl (1929 c) 28: Nel (1942) 90.

on Euphorbia pulcherrima Willd., on wood, Maritzburg, Rump 675, 33993.

on wood of indigenous trees. Umkomaas, v. d. Byl 1151 (Mo. Bot. Gard. Herb. 62079); Isipingo, Rump 591, 35324: Umhlali, Rump 409, 30208, Kew: Compensation Beach, Rump 410, 30209, Kew; Umgeni Beach, Rump 411, 30210; Port St. Johns. Rump 479, 30823: Scottburgh, Rump 534, 33902: Durban, v. d. Byl 2136 (Mo. Bot. Gard. Herb. 58800, 58834). Verwoerd (Stell. 295): Karkloof, Rump 604, 34360: Munnik-Tzaneen road, Scott, 34543.

Corticium salmonicolor Berk. & Br.

Hopkins (1938 a) 110, (1939 a) 37, 39.

on Pyrus communis Linn., on branch, Umtali (Rh. 1262).

Pyrus malus Linn., on branch, Umtali (Rh. 1199).

Corticium scutellare Berk. & Curt.

Burt (1926) 192; van der Byl (1926 c) 288, (1929 c) 27; Nel (1942) 90. on rotten wood, Woodbush, v. d. Byl 1482: Eshowe, v. d. Byl 678 (Mo. Bot. Gard. Herb. 58824); Winters Kloof, Rump 53, 27680, Kew.

Corticium tumulosum Talbot

Wakefield & Talbot (1948) 941. on wood, The Willows, Lansdell, 28897, Kew, Type.

Corticium vagum Berk. & Curt.

Corticium Solani (Prill. & Delacr.) Bourd & Galz, Doidge & Bottomley (1931) 21, 53; Hopkins (1938 a) 110, (1939 a) 43.

Corticium vagum var. Solani Burt, Eyles (1926) 646.

on Corchorus sp., Salisbury (Rh. 1205).

Glycine Max Merr., Lydenburg, Pons, 29964.

Solanum tuberosum Linn., Salisbury (Rh. 1829); Inyazura (Rh. 1783); Bulawayo, Eyles. Vigna unguiculata (Linn.) Walp., Natal.

Corticium sp.

Laughton (1936) 382.

on seedlings of indigenous trees, Knysna, Laughton.

Craterellus cornucopioides (Linn. ex Fr.) Pers.

van der Byl (1929 c) 10.

on ground, Natal, Medley Wood 4108, 10456.

Cyphella alboviolascens (Alb. & Schw. ex Fr.) Karst.

Kalchbrenner (1882 a) 104; Sacc. Syll. Fung. VI: 669: van der Byl (1929 c) 12. on dry branches, Somerset East, *MacOwan*; Stellenbosch, *Loseby* (v. d. Byl 2503, 2524).

Cyphella Cheesmanni Mass.

Cheesman (1909) 411; Sacc. Syll. Fung. XXI: 422. on decorticated branches in Rain Forest, Victoria Falls, Cheesman.

Cyphella farinacea Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 18; Kalchbrenner (1882 a) 104; Sacc. Syll. Fung. VI: 671; Killermann (1928) 150.

on wood, Somerset East, MacOwan & Tuck (MacOwan 1221) 21817; ? Eshowe, Laughton, 33350.

Cyphella Friesii Crouan

Kalchbrenner (1882 a) 104.

on dead branches, Somerset East, MacOwan.

Cyphella fulvodisca Cooke & Mass.

van der Byl (1929 c) 11; Nel (1942) 90. on dead branches in bush, Durban, v. d. Byl 318.

Cyphella Pelargonii Kalchbr.

von Thuemen (1876 b) 378; Sacc. Syll. Fung. VI: 677; van der Byl (1929 c) 11. on Pelargonium zonale (Linn.) Ait., on dead cortex, Boschberg, MacOwan 1035 (S.A.M. 34310).

Cyphella punctiformis (Fr.) Karst.

Kalchbrenner & Cooke (1880) 18; Kalchbrenner (1882 a) 104; Sacc. Syll. Fung. VI; 678; van der Byl (1929 c) 12.

on fallen branches, Somerset East, MacOwan; Maritzburg, Rump 311, 28673.

Cyphella tabacina Cooke & Phill.

Cooke (1882 a) 123 ; Sacc. Syll. Fung. VI : 672 ; van der Byl (1929 c) 12. on bark. Inanda, $Medley\ Wood\ 524,\ 11146,\ Kew.$

Cyphella variolosa Kalchbr.

Kalchbrenner (1882 a) 104: Sacc. Syll. Fung. VI: 671. on wood, Boschberg, MacOwan 1047, 1381, 20939.

Cytidea flocculenta (Fr.) v. Höhn. & Litsch.

on dead twigs and branches, poplar bush near Wonderboom, Doidge & Bottomley, 28804, Reinecke, 23719; in oak woods, Kloof Neck, 24852; Fountains Valley, Louwrens, 27589; Mamathes, Hean, 32505.

Cytidea habgallae (Berk. & Br.) Martin

Martin (1942) 161.

Cytidea cornea Llovd (1917 c) 656.

Aleurodiscus cornea Lloyd (1916 d) L. 63:4: (1920) 930.

Aleurodiscus capensis Lloyd (1920) 930 ; Stevenson & Cash (1936) 43.

Gloeosoma capensis Lloyd (1921) 1088.

on wood, Stellenbosch, Duthie 154 (Lloyd Myc. Coll. 34063, Type of Aleurodiscus cornea); without locality, r. d. Byl 833 (Lloyd Myc. Coll. 34029, Type of A. capensis).

Cytidea simulans Lloyd

Lloyd (1920) 991: Killermann (1928) 143: Stevenson & Cash (1936) 45. near waterfall, Stellenbosch, *Garside* (Duthie 244), 31424, *Duthie 243* (Lloyd Myc. Coll. 33589, Type).

Hymenochaete Dregeana (Berk.) Mass.

Massee (1890 b) 114.

Corticium Dregeanum Berkeley (1846) 3; Montagne (1847) 174; Sacc. Syll. Fung VI: 636.

on bark in bush, Umtata, Drège 9451 c, 4109 (Type in Herb. Berk. no. 3956).

Hymenochaete fasciculata Talbot

Wakefield & Talbot (1948) 943.

on wood, Town Bush, Rump 220, 28279, Kew, Type: Town Bush, Rump 262, 28500.

Hymenochaete fulva Burt

on dead wood, Table Mt., Natal, Rump~551,~662,~34356,~34386; Hluhluwe Game Reserve, Rump~62I,~35325.

Hymenochaete fusco-violascens (Mont.) v. d. Byl

van der Byl (1929 c) 14.

Thelephora fusco-violascens Montagne (1847) 174; Sacc. Syll. Fung. VI: 546. on bark of a tree, Durban, Drège 9429.

Hymenochaete luteo-badia (Fr.) v. Höhn. & Litsch.

van der Byl (1929 c) 13; Nel (1942) 90.

Stereum luteo-badium Fr., Kalchbrenner (1881) 58; van der Byl (1929 c) 49.

on dry wood, Natal, Medley Wood 163, 10654: Durban, v. d. Byl 692: Eshowe, v. d. Byl 670; Zululand, v. d. Byl 146, 177, 523; Caverns, nr. Mont-aux-Sources, Bottomley, 28879.

fide van der Byl, l.c., Medley Wood 163 is Stereum fasciatum Schw.

Hymenochaete nigricans (Lév.) Bres.

Stereum villosum Lév., Lloyd (1916 d) L. 63: 2. on wood, Ngoye Forest, Haygarth, 15558.

Hymenochaete ochromarginata Talbot

Wakefield & Talbot (1948) 944. on wood, Tcnadu, *Pienaar*, 2133, Kew, Type.

Hymenochaete rubiginosa (Dicks.) Lév.

Léveillé (1846) 151 ; Massee (1890 b) 97 ; Eyles (1915) 277 ; van der Byl (1929 c) 14.

Stereum rubiginosum Fr., Montagne (1847) 174.

on wood, between Kei River and Bashee River, Drège 9450; Xumeni Forest, Morgan & Doidge, 30260.

Hymenochaete semistupposa Petch

on wood of indigenous tree, Krantzkop, Rump 453, 30232, Kew.

Hymenochaete tabacina (Sow. ex Fr.) Lév.

Léveillé (1846) 152; Cheesman (1909) 411.

on dead wood, Groot Schuur, Cheesman; Cato Ridge, Rump, 27627; Town Bush Valley, Rump 210, 28287.

Var. australis Mont.

Stereum tabacinum Sow. ex Fr., var. australis Mont., Kalchbrenner (1881) 58. on wood, Somerset East, MacOwan.

Hymenochaete tenuissima Berk.

Cheesman (1909) 411; van der Byl (1921 g) 347. on wood, Victoria Falls, Cheesman; Ginginhlovu, Haygarth, 15596.

Hymenochaete tristicula (Berk. & Br.) Mass.

Wakefield (1936) 52.

on Acacia mollissima Willd., Sevenoaks (T.R.L. 324).

Solanum auriculatum Ait., Maritzburg, Rump 153, 28552.

on wood, Town Bush, Rump 372, 28492, Kew; Xumeni Forest, Morgan & Doidge, 28937, 28946; Kandahar Is., in Zambesi River, Høeg 62; Boschfontein, Wolhuterskop, Doidge & Bottomley, 33210; Buccleuch, Leighton, 11533; Cato Ridge, Rump, 27628, 27629; Bot. Gard., Maritzburg, Rump 19, 27553.

Peniophora arenata Talbot

Wakefield & Talbot (1948) 944.

on wood, Cato Ridge, Rump 34, Type, Kew, 27645; Xumeni Forest, Morgan & Doidge, 28916, Kew; The Caverns, near Mont aux Sources, Bottomley, 28891, Kew; Champagne Castle, Rump 733, 35314, Kew; Boschfontein, Wolhuters Kop, Doidge & Bottomley, 33209, Kew.

Peniophora carnosa Burt

on dead wood, Town Bush Valley, Rump 107, 27761.

Peniophora cinerea (Fr.) Cooke

Sacc. Syll. Fung. VI: 643; Burt (1925) 348; van der Byl (1929 c) 16; Nel (1942) 91.

Corticium cinereum Fr., von Thuemen (1878 a) 354 : Kalchbrenner (1881) 59 : Medley Wood (1898) 17.

on **Pyrus malus** Linn., dead branch, Stellenbosch, v. d. Byl 326 (Mo. Bot. Gard. Herb. 63397).

on dead branches, Somerset East, MacOwan 1054 (S.A.M. 34248) 22044; Natal, Medley Wood 208.

Peniophora cremea (Bres.) Sacc. & Syd.

Burt (1925) 261; van der Byl (1929 c) 16; Nel (1942) 91.

on Eucalyptus sp., log, Tzaneen, v. d. Byl 1468.

on dry wood, Woodbush, v. d. Byl 1488; Durban, v. d. Byl 612 (Mo. Bot. Gard. Herb. 59377); Town Bush, Rump 212, 28288; Krantzkop, Rump 450, 30231, 34359.

Peniophora gigantea (Fr.) Mass.

on **Pinus** sp., pitch pine timber, Lourenço Marques, *Hillman Bros.*, 30854; Johannesburg *Weintroub* (T.R.L. 1313) 32176; on Oregon pine timber ex U.S.A., 34928.

Peniophora glebulosa (Bres.) Sacc. & Syd.

van der Byl (1929 c) 15, (1926 c) 288; Nel (1942) 91.

on dry wood, Woodbush, v. d. Byl 1477 : Karkloof, Rump 596, 35309 ; Town Bush Rump 280, 28688.

Peniophora incarnata (Pers. ex Fr.) Karst.

along Aapies River, Pretoria, Scott, 33768.

Peniophora nuda (Fr.) Bres.

van der Byl (1929 c) 17; Killerman (1928) 138.

Conticium nudum Fr., Kalchbrenner (1881) 59; Medley Wood (1898) 17. on dry branches, Natal, Medley Wood 161.

Peniophora papyrina (Mont.) Cooke

Sacc. Syll. Fung. VI: 641; Massee (1889 a) 140; A. L. Smith (1901) 471. on dead wood, South Africa, without locality; in forests, near Lake Ivantâla, Welwitsch 433.

Peniophora pruinata (Berk. & Curt.) Burt

on dead wood, Somerset East, MacOwan 1227, Kew.

Peniophora Roumeguerii Bres.

on wood of indigenous tree, Town Bush Valley, Rump 117, 27764; ? Rump 107, 27761.

Peniophora setigera (Fr.) Bres. ex Bourd & Galz.

Nel (1942) 91.

on Eucalyptus sp., dry poles, Tzaneen, v. d. Byl 1461, Kew; Woodbush, v. d. Byl 1496, Kew.

Peniophora velutina (DC. ex Fr.) Cooke

on wood, Town Bush Valley, Rump 117, 27764.

Solenia candida Pers.

on dead wood, Town Bush Valley, Rump 223, 28297, Kew.

Solenia minima Cooke & Phil.

Cooke (1882 a) 123; Medley Wood (1898) 18; Sacc. Syll. Fung. IX: 207. on **Strelitzia** sp., decayed stem, Natal, *Medley Wood 482*, 10706, 11145, Kew.

Stereum adnatum Lloyd

Lloyd (1924) 1396; Stevenson & Cash (1936) 49.

on dead wood, Woodbush, *Doidge* (Lloyd Myc. Coll. 8112, 26706) 1708, Type; Hilton Road, *Rump 98*, 27755, Kew; Town Bush Valley, *Rump 222*, 232, 28296, 28303, Kew.

Stereum affine Lév.

Wakefield (1936) 52; Simpson & Talbot (1946) 133.

as Stereum glabrescens Berk. & Curt., van der Byl (1922 b) 151, (1929 c) 37; Nel (1942) 92.

on old wood in indigenous forest, Ginginhlovu, Haygarth, 15555: Ngoye, Haygarth (v. d. Byl 259, 267) 31653, 31658; Eshowe, H\$\phieqeq 1561\$, Kew, v. d. Byl 694, Noble, 32474; Zululand, v. d. Byl 145, 514 (Stell. 294); Qudeni Forest, Weintroub & Simpson (T.R.L. 1690), Simpson & Talbot, 34952; Buccleuch, Doidge, 11628; Port St. Johns, Mogg, 27335, 27336; Maritzburg, J. M. Sim, 9206; Town Bush Valley, Rump 138, 248, 27774, 28310, Kew; Xumeni Forest, Morgan & Doidge, 28911, 30880; Nyassa, Gomes de Sousa, Kew.

Stereum albo-badium (Schw. ex Fr.) Fr.

Kalchbrenner (1881) 58; Sace. Syll. Fung. VI: 579. on dead wood, Boschberg, MacOwan.

Stereum australe Lloyd

Lloyd (1913 c) L. 48: 10, (1917 a) L. 65: 2; van der Byl (1922 b) 152, (1929 c) 40; Wakefield (1936) 52; Sacc. Syll. Fung. XXIII: 507; Stevenson & Cash (1936) 50.

Stereum lobatum (Kunze) Fr. var. cinereum Lloyd (1913 c) L. 46:3.

on old wood, Amanzimtoti, Lansdell, 15557; Town Bush, Rump 259, 263, 28488, 28490; Town Bush Valley, Rump, 27522, Kew; Gillitts, Hargarth, 15559; Phope Vale, Morgan & Doidge, 30269, 30270; Eshowe, Hopeg 151; Fountains Valley, Louwrens, 27565; Rooikopjes, Duivelskloof, Read (T. R. L. 52) 28966; without locality, v. d. Byl (Lloyd Myc. Coll. 6823); Transvaal, Brown, 28848; Umgeni, near Durban, Hobbs, 31816; New Germany, Moonsamy, 31852.

Stereum bellum (Kunze) Sacc.

van der Byl (1929 c) 46 : Nel (1942) 91. on old trunks, Sevenoaks, *Platt* (v. d. Byl 645).

Stereum bicolor Fr.

Kalchbrenner (1881) 58; Sacc. Syll. Fung. VI: 565; Massee (1890 b) 177; van der Byl (1922 b) 153; Wakefield (1936) 53; Nel (1942) 91.

Stereum fuscum (Schrad.) Quél., van der Byl (1922 b) 153, (1925 b) 194, (1926 c) 288, (1929 c) 41 : J. Phillips (1931) 160 : Nel (1942) 92.

as Thelephora biennis Fr., Kalchbrenner (1881) 58; van der Byl (1929 c) 42.

on Acacia mollissima Willd., Maritzburg, Rump, 27784.

Eucalyptus sp., Maritzburg, Rump 120, 27766; Tzaneen, v. d. Byl 1459.

on decaying wood, Somerset East, MacOwan 1244 (S.A.M. 34292): Alexandria, MacOwan 1269 (as Polyporus placodes Kalchbr., ? nom. nud.): Pirie Forest, Schaefer, 30891; Deepwalls, Bottomley, 30698: New Germany, Moonsamy, (v. d. Byl 605) 31851; Knysna, v. d. Byl 2239: Durban, v. d. Byl 397, 650, 2239, 31728, Kew; Maritzburg, Rump 158, 28555, 27596, Kew, v. d. Byl 141: Zululand, v. d. Byl 133: Blaauwkrantz River, H\$\phieqeg 58: Woodbush, v. d. Byl; Rooikopjes, Duivelskloof, Read (T.R.L. 200) 28964, Kew: Bloemfontein, Verwoerd.

Stereum Bresadoleanum Lloyd

Lloyd (1913 b) 41, (1922) 1115; Sacc. Syll. Fung. XXIII: 508; Stevenson & Cash (1936) 51.

Stereum proximum Lloyd (1913 b) 40; van der Byl (1922 b) 152, (1929 c) 38; Stevenson, & Cash (1936) 57; Nel (1942) 93.

on logs, Gillitts, *Haygarth*, 15556; Durban, *Haygarth* (v. d. Byl 192) Kew: without locality v. d. Byl (Lloyd Myc. Coll. 23812) 31750; Natal, v. d. Byl 423, 439 (Lloyd Myc. Coll. 23840, 23841).

Stereum cinerascens (Schw.) Mass.

van der Byl (1929 c) 43 : Nel (1942) 91.

on dead wood, trunks and fallen branches, Table Mt., Natal, Rump (v. d. Byl 2732) Kew; Eshowe, v. d. Byl 683, 686, 697; Xumeni Forest, Doidge, 33077, Morgan & Doidge, 28926; Marwaqa Forest, Doidge, 33213; Knysna, Duthie 143 (v. d. Byl 381) 31368; Town Bush, Rump 640, 34377; Town Bush, Rump 280, 28688.

Stereum cinereum Lév.

van der Byl (1922 b) 153. on trunks, Gillitts, *Haygarth*.

Doubtful species.

Stereum cyphelloides Berk. & Curt.

Lloyd (1920) 952, (1923) 1186.

on soil of river walls, Belvidere, Knysna, Duthie 236 (Stell. 289) 31419.

Stereum diaphanum (Schw.) Cooke ex Sacc.

Lloyd (1913 b) 19.

on humus, Fountains Valley, Punt, 14516, Bottomley, 20403, 23160, Parkes, 21099, Reinecke 21208.

Stereum durbanense v. d. Byl

van der Byl (1922 b) 155, (1929 c) 45; Nel (1942) 92. sub Stereum subpileatum Berk., Lloyd (1917 a) L. 66: 15. on old logs, Stella Bush, Moonsamy (v. d. Byl 293, 294, 517) 15613.

Stereum duriusculum Berk. & Br.

on bark, Town Bush Valley, Rump 25, 27604; ? on wood, Winters Kloof, Rump 191, 28473.

Stereum fasciatum (Schw.) Fr.

van der Byl (1926 c) 288, (1929 c) 49; Hopkins (1938 a) 110, (1939 a) 14; Nel (1942) 92.

Stereum ostrea (Blume & Nees) Fr., Lloyd (1920) 953.

on Acacia mollissima Willd., stumps and dead wood, Cramond, Doidge, 31033.

Celtis Kraussiana Bernh., stumps, in bush, eastern Cape, v. d. Byl 194.

Eucalyptus sp., stumps, Maritzburg, v. d. Byl 577, 887; Dordrecht, Grobbelaar (v. d. Byl 768, 2450).

Trichocladus sp., stumps, eastern Cape, v. d. Byl 176.

on dry wood of trees undet., Nkandhla Forest, Rump 396 a, 30197: Durban, Leslie (v. d. Byl 774, 682), v. d. Byl 535; Burghersdorp, v. d. Byl 484; Pirie Forest, Schaefer, 30890; Hogsback, N.J. G. Smith, Kew; Katberg, v. d. Byl 2749; Knysna, v. d. Byl 1490, 1497; Natal, Medley Wood 163 (as Stereum luteobadium); Victoria Falls, Eyles, 23385, v. d. Byl 671; Umtali, Eyles 415 (v. d. Byl 2383).

Stereum Friesii Lév.

van der Byl (1925 b) 194, (1929 c) 46 ; Nel (1942) 92. on old wood, Knysna, $v.\ d.\ Byl\ 378.$

Stereum fulvum (Lév.) Sacc.

Sacc. Syll. Fung. VI: 570; Massee (1890 b) 180. Thelephora (Stereum) fulva Léveillé (1846) 149. on trunks, Cape, Drège.

Stereum hirsutum (Willd. ex Fr.) Fr.

Bottomley & Carlson (1920) 852; van der Byl (1922 b) 154, (1922 d) 285, (1925 b) 194, (1929 c) 48; Doidge & Bottomley (1931) 23, 41; Verwoerd (1931 a) 300; Wakefield (1936) 52; Simpson & Talbot (1946) 133.

Thelephora hirsuta Willd., Berkeley (1843 b) 516.

on Acacia decurrens Willd., Dalton Bridge Road, Hφeg 120, 131 b; Himeville Hφeg 5: Impendhle District, Hφeg 4; Kings Kloof, near Krugersdorp, Talbot, 34479.

Acacia Karroo Hayne, Bloemfontein, Verwoerd.

Acacia mollissima Willd., Cramond, Doidge, 31031; Nottingham Road, v. d. Byl 542, 31807; Silutshana, Simpson & Talbot, 34954.

Acacia sp., Kenilworth, H. H. W. Pearson.

Combretum glomeruliflorum Sond., Debbe's Ravine, Bosman, 29719.

Eucalyptus diversicolor F. Muell., Fort Cunynghame, 6615.

Eucalyptus globulus Lab., Roodepoort, Malleson, 12173; Cathcart, D.F.O., 9060 Lynnwood, Bottomley, 13073.

Eucalyptus Maideni F. Muell., Jessievale, D.F.O., 17299.

Eucalyptus paniculata Sm., on stumps, Duivelskloof (T.R.L. 388).

Eucalyptus sp., Town Bush Valley, Hφeg 148; New Amianthus Asbestos Mine, Hφeg 29; Wellington, Bottomley, 1549; Pretoria, Keet, 31525.

Heteromorpha arborescens Cham. & Schlecht., Debbe's Ravine. Mogg. 23374.

Olea laurifolia Lam., Schwarzwald Forest, Keet. 11292: on timber in storage, Johannesburg (T.R.L. 357).

Pinus pinaster Ait., Wellington, Doidge, 1017.

Pinus spp., Pretoria, Hean, 30720: Wellington, v. d. Bul.

Quercus Robur Linn., Kloof Nek, Hoeg 161, Kew.

Quercus sp., Vereeniging, D. Gunn, 8960; Stellenbosch, Duthie (? v. d. Byl 392) 31726,

Verwoerd (Stell. 38).

on dead wood of trees undet., foot of Table Mt., Eaton, Kew: Govt. House Grounds, Cape Town, Eaton: Groote Schuur, H. H. W. Pearson: Suureberg nr. Bontjesrivier, Drège 9443: in forests near Uitenhage, Zeyher 121, 122: Kentani, Pegler, 8756; Knysna, Duthie 4, 9, 60, 72, 31298, 31324; Keurboom Rivier, Duthie, 31454; Stellenbosch, r. d. Byl: Knysna, r. d. Byl 131, 278, 376, 382, 690, 1385; Newlands, Péringuey, 9186, E. P. Phillips (S.A. M. 9556); Signal Hill, V. A. Putterill, 15496; Table Mt., Eyles (v. d. Byl 1096): Kirstenbosch, Bolus (v. d. Byl 1678): Haenertsburg, Thompson (T.R.L. 277) Kew: Woodbush, Doidge, 30948; Pretoria, Fischer, 30719, v. d. Byl 2743. Kew: Florida (T.R.L. 614): Potchefstroom, M. Gunn, 30516; Johannesburg, Bottomley, 8776; Saddleback, Barberton, Thorncroft, 17788; Rooikoppies, Bowen (T.R.L. 203, 389) 28967, Kew; Howick, Leslie (v. d. Bvl 371) 31709; Drakens-, berg, Warren (v. d. Byl 424) 31737; Xumeni Forest, Morgan & Doidge, 28951 33067; Hopevale, Morgan & Doidge, 30261; Midlands, Natal, v. d. Byl 142; Mamathes. Hean, 32504: van Reenen (T.R.L. 1579); Qudeni Forest, Weintraub & Simpson (T.R.L. 1705), Simpson & Talbot, 34953, 34956, 34957; Mazoe, Eyles 673 (v. d. Byl 684) 31892; Mariepskop, Scott, 34072.

on underground mine timbers, Jubilee Mine, Pilgrim's Rest, Brown (T.R.L. 169) 28756, 28835; Randfontein Estates, Brown, 28859; Johannesburg, Blackburn, (T.R.L. 357)

Kew; Nourse Mines (T.R.L. 5).

Stereum involutum Klotzsch ex Fr.

Lloyd (1913 b) 40.

on Fagara capensis Thunb., Pungwana Forest, D.F.O., 9208. on decayed wood of tree undet., Kentani, Pegler 2458, 11523.

Stereum Kalchbrenneri Sacc.

Sacc, Syll, Fung. VI: 568: Massee (1890 b) 182: Lloyd (1915 a) L. 60, Note 341; van der Byl (1922 b) 154, (1929 c) 48: J. Phillips (1931) 160: Nel (1942) 93.

Stereum amoenum Kalchbr. & MacOwan, Kalchbrenner (1881) 58; not Stereum amoenum Lév.

Stereum hirsutum (Willd.) Fr. f. Kalchbrenneri, Simpson & Talbot (1946) 133.

on Eucalyptus globulus Lab., Randjesfontein, Vos. 20586: Wolfridge, Dix. 26695.

Lachnopylis floribunda (Benth.) C. A. Sm., Ebb and Flow, Wilderness, Doidge, 17101.
 Olinia cymosa Thunb., Glebe Forest, Knysna, J. Phillips, 17803: Deepwalls, J. Phillips, 18146, 18151.

Quercus sp., Wolfridge, Keet, 11290.

Rhus viminalis Vahl, Schwarzwald Forest, Keet (v. d. Byl 196) 11255.

on trunks and fallen branches of trees undet. Boschberg, MacOucan 1084, 1086 (Thuem. Myc. Univ. 1108; S.A.M. 34269) Kew; Bazuja, Baur 684, 695; Pirie Forest, Schaefer, 30893, Archibald, 34200; near Mont aux Sources, Bottomley, 23475; Highbury, Doidge, 27340; Hope Vale, Morgan & Doidge, 27722; Xumeni Forest, Morgan & Doidge, 28943, 30803; Town Bush Valley, Rump 2, 9, 27517, 27518, 27647; Winter's Kloof, Rump 15, 17, 27538, 27539; Caverns nr. Mont aux Sources, Bottomley, 28880; Blaauwberg, Leemann, 26697; The Wilderness, Mogg. 23670;

Knysna, Pienaar, 2344; George, V. A. Putterill, 15484: Deepwalls, J. Phillips, 18031, Bottomley, 30735; Pinelands, Bottomley, 24822; Stutterheim, Sr. de Victoria, 25879; Oogies, G. Joubert, 22085; Waterkloof Ravine, Bosman, 23671: Debbe's Ravine, Bosman, 24873; Rooikoppies, Read (T.R.L. 53) 28967: Saltpan, Pienaar, 1952.

Stereum laxum Lloyd

Lloyd (1915 a) L. 60: 3, 10, Note 339; Stevenson & Cash (1936) 55. on wood, Knysna, *Duthie 56* (Lloyd Myc. Coll. 5973) 31321.

Doubtful species, possibly not a Stereum.

Stereum lobatum (Kunze) Fr.

Montagne (1847) 147; Sacc. Syll. Fung. VI: 568; Massee (1890 b) 175; Lorrain Smith (1901) 470; Cheesman (1909) 411; van der Byl (1922 b) 155, (1929 c) 50;
J. Phillips (1931) 160; Simpson & Talbot (1946) 133.

? Stereum concolor (Jungh.) Sacc., Lloyd (1920) 952, (1923) 1186; Nel (1942) 91.

on Olea laurifolia Lam., Knysna, Doidge, 17811.

on wood of trees undet., Boschberg, MacOwan; Bazuja, Baur; between Buffelsrivier and Kei, Drège 9440 a; Groote Schuur, Cheesman; East London, Cheesman; nr. Lake Ivantâla, Welwitsch 428; Alexandria Forest, Doidge, 23347; Keiskama Hoek, Keet, 11291; Ebb and Flow, Wilderness, Doidge, 17098; Port St. Johns, Mogg, 27332, D.F.O., 6980; George, Verwoerd (Stell. 234); Groot Rivier, Archibald, 33379; Deepwalls, Bottomley, 30741; Forest Hall, Knysna, Duthie 6, 31296; Woodbush, Wager, 23232, Thompson (T.R.L. 59) 28971; Buccleuch, Doidge, 11544, Leighton, 9150; Winters Kloof, Rump, 27537; Town Bush Valley, Rump 268, 28503; Marwaqa Forest, Doidge, 30837; Ngomi Forest, Gerstner, 34210; Zululand, v. d. Byl 807; Ginginhlovu, Haygarth (v. d. Byl 282) 31667; Horseshoe, (v. d. Byl 98) 31560; Katberg Main Forest (v. d. Byl 125) 31559, 31576; Haenertsburg, (T.R.L. 266); Pirie Forest, Archibald, 34196; Qudeni Forest, Simpson & Talbot, 34950.

Stereum Murrayi (Berk. & Curt.) Burt

van der Byl (1929 c) 39; Nel (1942) 93.

Stereum pulverulentum Léveillé (1846) 149 (sub Thelephora); Montagne (1847) 174; Massee (1890 b) 174.

on wood in bush, Durban, Drège 9441; Zululand, v. d. Byl 708.

Stereum nitidulum Berk.

Cooke (1879 b) 70.

on wood, Inanda, Medley Wood 396, Kew; Bloemfontein, Potts, 13009.

Stereum notatum Berk. & Br.

Kalchbrenner (1881) 581; Sacc. Syll. Fung. VI: 581.

on dead branches, Somerset East, MacOwan 1091, Kew ex Herb. Kalchbr.; Bazuja, Baur 693; Natal, Medley Wood 109 (S.A.M. 43285).

Stereum ochraceo-flavum (Schw.) Peck

on wood of indigenous trees, Boschberg, MacOwan, 22001; Balgowan, Rump 478, 30822.

Stereum percome (Berk. & Br.) Mass.

Massee (1890 b) 185.

Cape, without locality, MacOwan.

Stereum perlatum Berk.

Lloyd (1920) 953 ; van der Byl (1929 c) 47 ; Nel (1942) 93, on old wood, Natal, $v.\ d.\ Byl\ 144.$

Stereum purpureum (Pers. ex Fr.) Fr.

V. A. Putterill (1923 c): van der Byl (1929 c) 38; Verwoerd (1929 b) 6: Doidge, & Bottomley (1931) 9, 48, 49, 51.

Stereum vorticosum Fr., Berkeley (1876 a) 175.

on Combretum sp., Salisbury, Eyles 2102, 17817.

Populus alba Linn., Cape Town, V. A. Putterill, 15523.

Prunus armeniaca Linn., Groot Drakenstein, Stellenbosch, Wynberg, Verwoerd,

Prunus communis Fritsch, south-western Cape, Dippenaar.

Prunus persica Sieb. & Zucc., Pretoria, Pole Erans, 8813; Maritzburg, J. M. Sim, 9147; Irene, Pole Evans, 11297; Stellenbosch, v. d. Byl; Ceres, Leslie (v. d. Byl 482).

Prunus salicina Lindl., Dwarsriviershoek, V. A. Putterill.

Pyrus malus Linn., Ceres, Dippenaar. Quercus sp., Stellenbosch, v. d. Bul 483.

on host undet., foot of Table Mt., Eaton, Kew (as Stereum vorticosum Fr.).

Stereum pusillum Berk.

Lloyd (1913 b) 26, (1917 a) L. 67 ; 2, (1920) 952, 1010, (1922) 1124 ; Nel (1942) 93. on wood, Lobatsi, Breach (Duthie 284) 31456 ; Maritzburg, J. M. Sim, 8807 ; Durban v. d. Byl 662, 614, 31858.

Stereum radicans (Berk.) Burt

van der Byl (1929 c) 37 : Hopkins (1938 a) 111, on ground in damp forest, Umtali, Eyles 4153.

Stereum Ravenelii Berk, & Curt.

Lorrain Smith (1901) 470; Lloyd (1913 b) 25. chiefly on dead **Eriocaulon** near Lopollo, *Welwitsch* 425. on dead grasses and other plants, near Monimo, *Welwitsch* 427.

Stereum retirugum Cooke

Lloydella retiruga (Cooke) Bres., Torrend (1905) 220. Mocambique (Torrend).

Stereum rimosum Berk.

Lloyd (1913 c) L. 46:4.

on dead wood of indigenous trees. Town Bush. Rump 221, 222, 232, 615, 638, 28295, 28296, 28303, 34365, 34375; Nkandhla Forrest, Rump 395, 30196.

Var. africanum Talbot

Wakefield & Talbot (1948) 945.

on wood, Karkloof, Rump 486, Type, 30233, Kew; Xumeni Forest, Morgan & Doidge, 30268, Kew; Entabene, Bower, 30777, Kew; Town Bush, Rump 205, 28285, Kew.

Stereum rugosum (Pers.) Fr.

on wood, Woodbush (comm. W. Nelson) Kew; Table Mt., Natal, Rump 664, 34394.

Stereum sanguinolentum (Alb. & Schw. ex Fr.) Fr.

on Acacia mollissima Willd., and on Pinus sp., Rosetta, Rump 1514, 33248. on dead wood, Xumeni Forest, Morgan & Doidge, 28933.

Stereum Schomburgkii Berk.

van der Byl (1929 c) 431 ; Wakefield (1936) 52 ; Nel (1942) 93 ; Simpson & Talbot (1946) 133.

Corticium atrocinereum Kalchbr, in Herb, Kew.

Stereum atrocinereum (Mass.) van der Byl (1929 c) 44.

Peniophora atrocinerea Massee (1889) 141; Sacc. Syll. Fung. IX: 237.

as Stereum membranaceum Fr. in Pole Evans & Bottomley (1918) 192.

on Morus sp., Maritzburg, Rump 669, 33990.

Tamarindus indica Linn., on dead stump, Durban, v. d. Byl 685, 738. Vepris lanceolata (Lamk.) D. Don., Xumeni Forest, Doidge, 33074.

on dead wood of trees undet., Winters Kloof, Rump 20, 21, 27552, 27544: Town Bush, Rump 252, 258, 235, 274, 273, 278, 28496, 28499, 28304, 28504, 28493, 28687: Town Bush Valley, Rump 181, 104, 30, 28565, 27758, 27607: Cato Ridge, Rump, 27644, Kew: Xumeni Forest, Morgan & Doidge, 28942, 30881: Solheim M.S., Høeg 67, Kew; Durban, v. d. Byl 695, 697; Eshowe, v. d. Byl 697; Knysna, v. d. Byl 1057, 1386; Kromrivier, Doidge & Bottomley, 33179: Salisbury, Eyles, 23384; Qudeni Forest, Simpson & Talbot, 34284; Kentani, Pegler 1234, 8414, 34454: Toise River, Pienaar, 2301.

on trunks of trees, Boschberg, MacOwan 1197 (S.A. M. 34284), sub Peniophora in Herb. Kew-

Stereum spadiceum Fr.

Lloyd (1913 c) L. 46:8; Brown (1936) 388. on Salix sp., Harrismith, V. A. Putterill, 12993. on wood of tree undet., Woodbush, Roberts, 5651. on mine timbers, Witwatersrand, Brown.

Stereum tenebrosum Lloyd

Lloyd (1917 a) L. 67:16, Note 692; Stevenson & Cash (1936) 58.

on wood of tree undet., Maritzburg, Pole Evans, 1464; Groenkloof, L. C. Turner, 8847;
Howlett, 12798; without locality, comm. Bottomley (Lloyd Myc. Coll. 23525--23527);
without locality, Pole Evans (Lloyd Myc. Coll. 6815, filed as Stereum lobatum var.
cinereum) and v. d. Byl (Lloyd Myc. Coll. 6396).

Nomen nudum, possibly identical with Stereum australe.

Stereum Thozetii Berk.

Massee (1890 b) 165; van der Byl (1929 c) 36; Nel (1942) 94.

? as Stereum elegans Mey., Kalchbrenner (1881) 58; Sacc. Syll. Fung. VI: 553. amongst grass after rain, ? Somerset East, MacOwan 1232 (S.A. M. 34266) Kew: Onolonga, Barnard (v. d. Byl 2528, 2530; S.A. M. 45947); Inanda, Medley Wood 396, 10653; Groenkloof, Pretoria, Pole Evans, 8933.

Stereum tomentosum v. d. Byl

van der Byl (1922 b) 156, (1929 c) 45; Nel (1942) 94. sub *Stereum subpileatum* Berk., Lloyd (1917 a) L. 66: 15. on old logs, Durban, v. d. Byl 132, 305, 32478, Type.

Stereum transvaalium v. d. Bvl

van der Bvl (1929 c) 40 : Nel (1942) 94.

on Eucalyptus sp., dry branches, Tzaneen, v. d. Byl 1472, Type, on dead wood of tree undet., Woodbush, v. d. Byl 1646.

Stereum turgidum Lloyd

Lloyd (1916 d) L. 63:15; Stevenson & Cash (1936) 58.

Stereum caperatum Lloyd (1913 b) 17, (1915 b) 549, not Stereum caperatum (Berk & Mont.) Mass.

on dead wood, Woodbourne, Knysna, Duthie 74 (Lloyd Myc. Coll. 6416, Type) 31332; Nottingham Road, v. d. Byl 428, 31740.

Stereum umbrinum Berk. & Curt.

van der Byl (1929 c) 42; Hopkins (1938 a) 111; Nel (1942) 94.

sub Hymenochaete pellicula Berk. & Br., van der Byl, l.c.

? as Peniophora purpurea, Llovd (1916 d) L. 63:4.

on Eucalyptus sp., dry wood, Town Bush Valley, Rump 122, 27767, Kew.

Populus sp., along Aapies River, near Zoo, Pretoria, Scott, 33392.

on trunk of living tree, Boschberg, MacOwar 1056 (S.A. M. 34315); on dry wood and bark, Town Bush Valley, Rump 122, 27767; Town Bush, Rump 208, 209, 218, 651, 28276, 28294, 28702, 28277, Kew, 34381; Table Mt., Natal, Rump 553, 664, 34357, 34393; Cato Ridge, Rump, 27626, Kew; Umgeni Bush, Rump 433, 30220; Pirie Forest, Schaefer, 30892; Izotsha, v. d. Byl 680, 699; Knysna, Duthie 102.

Stereum vellereum Berk.

Lloyd (1917 a) L. 66:8; van der Byl (1922 b) 156, (1922 d) 285, (1929 c) 47; Hopkins (1938 a) 111: Nel (1942) 94.

on Acacia mollissima Willd., dead wood, Maclear, Pienaar, 2131.

Olinia cymosa Thunb., Knysna, J. Phillips (v. d. Byl 2229). Quercus sp., Klapmuts, v. d. Byl 147; Stellenbosch, v. d. Byl.

on dead wood. Klapmuts, v. d. Byl 143, 191, 15610; Xumeni Forest. Morgan & Doidge, 30879: Marandellas, Eyles 3892 (v. d. Byl 1717): Kenilworth, Cape, H. H. W. Pearson.

Stereum versicolor (Sw. ex Fr.) Fr.

Fries (1848) 23 : Kalchbrenner (1881) 58 : Sacc. Syll. Fung. VI : 561 ; Massee (1890 b) 173 : van der Byl (1929 c) 49.

on decaying wood, Natal, Wahlberg: inland regions of the Cape. Wahlberg: Boschberg, MacOwan 1084, 1163, 1276; Woodbush, D.F.O., 7104, Doidge, 1717; Concordia, Knysna, Keet, 10110.

fide van der Byl, l.c., Mac Owan 1276 (S.A.M. 34265) is Stereum fasciatum Schw.

Stereum vitile Fr.

Fries (1848) 23; Sacc. Syll. Fung. VI: 569; Massee (1890 b) 193.

on trunks, Natal, Wahlberg.

fide Wakefield, this fungus has not been recognised since the original collection and it is doubtful whether a specimen exists.

Thelephora intybacea Pers. ex Fr.

van der Byl (1922 d) 285, (1927 c) 32; Nel (1942) 94.

on Cedrus Deodara Loud., Belfast, D.F.O., 25863.

under pine trees, Stellenbosch, v. d. Byl 922, Verwoerd (Stell. 42); Klapmuts, v. d. Byl 214: Cape Town, Levyns (v. d. Byl 1263); Knysna, Verwoerd (Stell. 444); on ground amongst grass, Stellenbosch, v. d. Byl 1261.

Thelephora palmata (Scop.) Fr.

Medley Wood (1898) 19; van der Byl (1929 c) 31. on the ground, Natal, Medley Wood 3497.

Thelephora penicillata Lloyd

Lloyd (1920) 960, 989 : van der Byl (1926 c) 285, (1929 c) 32 : Nel (1942) 94, as Thelephora pedicellata ; Stevenson & Cash (1936) 60.

on fallen pine needles, Stellenbosch, *Krige* (Duthie 231; v. d. Byl 1143; Lloyd Myc. Coll. 31336) 31417, 31500.

on soil, Stellenbosch, Verwoerd.

Thelephora terrestris Ehrenb. ex Fr.

Montagne (1847) 173; Doidge & Bottomley (1931) 50.

Thelephora laciniata Pers. ex Fr., MacOwan (1895) 331; Davidson (1909) 617.

on Cedrus Deodara Loud., Potchefstroom, 19852.

Pinus caribaea Morelet, Macmac Plantation, Graskop, D.F.O., 27330.

Pinus radiata Don., Cedara, Davidson; Knysna, D.F.O., 13020. Pinus taeda Linn., Macmac Plantation, D.F.O., 27329, 27560.

Pinus spp., Pan, Legat, 1067; Pretoria, D. Gunn, 10049; Meintjes Kop, Punt, 14635; Bloemfontein, Gemmell, 20364; Parys, Doidge, 28602; Pretoria, Hean, 30616; Fairy Glen road, Doidge, 30712.

on wood of tree undet., du Toits Kloof, *Drège 9445*: Boschberg, *MacOwan 1445* (S.A.M., 34298); Fort Cunynghame, *T. R. Sim*; on decayed pine needles, Stellenbosch *Duthie* (E. L. Stephens 27) 34473.

CLAVARIACEAE.

Clavaria abietina Pers. ex Fr.

Lloyd (1920) 952, (1922) 1160.

under trees, Knysna, Duthie 259, 31436; Brenton, Knysna, Duthie 323, 31487.

Clavaria byssiseda Pers. ex Fr.

Sacc. Syll. Fung. VI: 706.

on wood, Somerset East, MacOwan 1097 (S.A.M. 34320, sub C. lorithamnus Berk.).

Clavaria capensis Thunb.

Thunberg (1800) 182, (1823) 755.

Cape, Thunberg.

"Obviously not a Clavaria; perhaps an immature Xylaria": E. M. Wakefield.

Clavaria cinerea Bull. ex Fr.

Lloyd (1920) 1073.

under trees, Milwood Forest, near Balmoral, Duthie 261, 31438.

Clavaria Cladoniae Kalchbr.

Kalchbrenner (1882 a) 105 : Sacc. Syll. Fung. VI : 710 ; van der Byl (1932 a) 323 on dead leaves, Somerset East. MacOwan 1431, 20849.

Clavaria contorta Holmsk. ex Fr.

on dead wood, Saltpan, Louis Trichardt, Verdoorn & Schweickerdt, 27509.

Clavaria corniculata Schaeff, ex Fr.

Clavaria muscoides Linn., Thunberg (1823) 756.

Cape, Thunberg.

Var. pratensis (Fr.) Cotton & Wakefield.

Clavaria fastigiata Linn., A. L. Smith (1901) 472.

in grassy pastures, among thickets, Monimo Highlands, Huila, Welwitsch 421.

Clavaria cristata (Holmsk, ex Fr.) Fr.

Kalchbrenner (1882 a) 105; Sacc. Syll. Fung. VI: 695; van der Byl (1932) 321;
 Hopkins (1938 a) 111; Nel (1942) 64.
 on ground. Somerset East, MacOwan: Salisbury, Eyles 4132 (v. d. Byl 2379).

Clavaria cyanocephala Berk. & Curt.

van der Byl (1925 b) 194 : J. Phillips (1931) 160 : Nel (1942) 64, on ground in forest, Knysna, du Preez (v. d. Byl 1331).

Clavaria dealbata Berk.

van der Byl (1932 a) 320 : Hopkins (1938 a) 111 ; Nel (1942) 64, on ground in damp woods, *Eyles 4125*, Umtali (v. d. Byl 2378).

Clavaria durbana v. d. Byl.

van der Byl (1932 a) 322 : Nel (1942) 64. on dead tree stump, Durban, $v.\ d.\ Byl\ 661$, Type.

Clavaria filaris Kalchbr.

Kalchbrenner (1882 a) 106 : Sacc. Syll. Fung. VI : 714. on rotten wood, Somerset East, MacOwan 1097 b.

Clavaria flaccida Fr.

Lloyd (1920) 1010; van der Byl (1932 a) 322; Hopkins (1938 a) 111.

on ground, between dead leaves in woods, Boschberg, MacOwan 1097: Durban, r. d. Byl 652: Fountains Valley, Hean, 30568, Bottomley & Lansdell, 28593, Fouché, 20358, Punt, 14496, 18145, Howlett, 12808; Garstfontein, Pienaar, 1346, Kew: below Hartebeestpoort Dam, Erens, 30620: Pretoria, Schaefer, 30614: Salisbury, Eyles 2528 (v. d. Byl 1875) 14854; Haenertsburg, (T.R.L. 267).

Clavaria inaequalis Müller ex Fr.

Medley Wood (1898) 17 : van der Byl (1932 a) 319 ; Killermann (1928) 153. on wood, Natal, $Medley\ Wood\ 671,\ Kew.$

Clavaria Kalchbrenneri Sacc.

Sacc. Syll. Fung. VI: 710; van der Byl (1932 a) 323. Clavaria dichotoma Kalchbrenner (1882 a) 105. between rotting leaves, Boschberg, MacOwan 1219.

Clavaria Kunzei Fr.

Kalchbrenner & Cooke (1880) 27; Medley Wood (1898) 17; van der Byl (1932 a) 321; Simpson & Talbot (1946) 133.

on **Xymalos monospora** (Harv.) Baill., Qudeni Forest, Simpson & Talbot, 34958, 34959.
on ground, Medley Wood 148, 10165, 11211, 22093.

Clavaria lacticolor Berk. & Curt.

Kalchbrenner (1882 a) 105; Sacc. Syll. Fung. VI: 725; van der Byl (1932 a) 320. on woody roots and in grass, Somerset East, MacOwan 1099, 1123 (S.A. M. 32321); Raenertsburg, S. Thompson, 29944.

Clavaria ligula Schaeff, ex Fr.

Kalchbrenner (1882 a) 105; Sacc. Syll Fung. VI: 722; van der Byl (1932 a) 320. on humus formed from fallen leaves, Boschberg, *MacOwan 1194*; Stellenbosch, Flats, *Duthie 334*, 31493.

Clavaria miniata Berk.

Berkeley (1843 b) 516; Sacc. Syll. Fung. VI: 727. on sandy ground amongst mosses, Uitenhage, Zeyher 47.

Clavaria persimilis Cotton

Lloyd (1920) 1073.

on ground, Knysna Forest nr. Balmoral, Duthie 260, 31437.

Clavaria pistillaris Linn.

von Thuemen (1877) 408 ; Sacc. Syll. Fung. VI : 722 ; van der Byl (1932 a) 319. in forests, Boschberg, MacOwan.

Clavaria pulchra Peck

van der Byl (1932 a) 320; Hopkins (1938 a) 111; Nel (1942) 64.
on ground, Stellenbosch, Eyles (v. d. Byl 1109), Verwoerd (Stell. 49; v. d. Byl 1147, 1447);
Vlaeberg, E. L. Stephens; Rosenhaugh, Mogg, 29963; Garstfontein, Wager, 25458;
Xumeni Forest, Morgan & Doidge, 28781; Signal Hill, E. L. Stephens (v. d. Byl 2605); Haenertsburg, Thompson (T.R.L. 268) 34401; Salisbury, Eyles 4102 (v. d. Byl 2377); Johannesburg, le Roux, 34183.

Clavaria semivestita Berk. & Br.

Kalchbrenner (1882 a) 105 ; Sacc. Syll. Fung. VI : 709 ; van der Byl (1932 a) 321. on ant heaps, Somerset East, MacOwan.

Clavaria setacea Kalchbr.

Kalchbrenner (1882 a) 105 ; Sacc. Syll. Fung. VI : 710 ; van der Byl (1932 a) 323. Somerset East, *MacOwan*.

Clavaria stricta Pers. ex Fr.

Lloyd (1916 d) L. 63: 4.

Brenton, Knysna, Duthie 135, 31363.

Clavaria vermicularis Fr.

as Clavaria vermiculata Mich., van der Byl (1932 a) 319; Nel (1942) 65. Kirstenbosch, E. L. Stephens (v. d. Byl 2546).

Clavaria Zippellii Lév.

van der Byl (1932 a) 322. on ground in forest, Knysna, du Preez.

Lachnocladium cristatum Lloyd

Lloyd (1920) 890; Stevenson & Cash (1936) 63.

Forest Hall, Knysna. Duthie 218, Type (Lloyd Myc., Coll. 34297; v. d. Byl 2632) 31406; Cape, E. L. Stephens, 26657.

Lachnocladium furcellatum (Fr.) Lév.

Sacc. Svll. Fung. VI: 738.

Clavaria furcellata Fr., Kalchbrenner (1882 a) 105. on decaying wood, Boschberg, Tuck (MacOwan 1097 b).

Lachnocladium semivestitum Berk. & Curt.

Medley Wood (1898) 18.

Natal, Medley Wood 700, 10387; ? Salisbury, Hopkins (Rh. 4408) 30527.

Lachnocladium Zenkeri P. Henn.

on humus, Transvaal, V. A. Putterill, 12252.

Pterula multifida Fr.

P. Hennings (1892) 340.

Pterula penicillata Berk. ex Llovd (1919 a) 863, (1924) 1318, 1340.

on decaying branches. Pondoland, Buchmann 1888; Natal, Medley Wood 148, 26862; Fountains Valley, Bottomley, 14634, 18183, 23172, L. Turner, 11538, 20661, Hean, 30567.

HYDNACEAE.

Grammothele mappa Berk. & Curt.

Lloyd (1916 c) 581, (1922) 1167; v. d. Byl (1925 b) 194, (1934) 8: Nel (1942) 65: Simpson & Talbot (1946) 132.

on Gymnosporia sp., on rotting wood, Horseshoe, v. d. Byl 177, 31604.

Ilex mitis (L.) Radlk., rotting wood, Katberg Main Forest, v. d. Byl 287, 11289.

on dead wood of tree undet.. Buffelsnek. Knysna, v. d. Byl 726: Qudeni Forest, Simpson & Talbot, 34963.

Grandinia bicolor Talbot

Wakefield & Talbot (1948) 947.

on wood. Town Bush. Rump 100. Type, Kew, 27756, Rump 270, 215, 217, 28502, 28291, 28292, Kew.

Grandinia rosea P. Henn.

van der Byl (1934) 8; Nel (1942) 65. on rotting branch, Eshowe, v. d. Byl 706.

Hydnum ambiguum Berk. & Br.

Kalchbrenner (1881) 57; Sacc. Syll. Fung. VI: 466. on dead wood, Bazuja, Baur.

Hydnum auriscalpium Linn, ex Fr.

Klapmuts, A. M. Acocks, 27671.

Hydnum cinnabarinum (Schw.) Fr.

Lloyd (1911 b) L. 35:3.

Cape, Becker.

Hydnum coralloides Scop. ex Fr.

van der Byl (1925 b) 194, (1934) 6; Nel (1942) 66. on rotten wood, Knysna, v. d. Byl 1383, 2319.

Hydnum flavidum Lloyd

on timber, van Rhyn Deep Mine, Weintroub, (T.R.L. 75), 28976.

Hydnum longispinosum Lloyd ex v. d. Byl

Lloyd (1923) 1186; van der Byl (1928 a) 185, (1925 b) 194, (1934) 7; Stevenson & Cash (1936) 68; Nel (1942) 65. on old wood, Knysna, v. d. Byl 775.

Hydnum mucidum Pers.

Kalchbrenner (1881) 57; Sacc. Syll. Fung. VI: 471. on bark of various trees, Boschberg, MacOwan 1067 (S.A.M. 34356).

Hydnum (Gyrodontium) pulcher Lloyd

Lloyd (1920) 918; van der Byl (1934) 7; Nel (1942) 65. as *Hydnum pulchrum* Lloyd, Stevenson & Rands (1936) 69.

on dead stumps, Durban, Leslie (v. d. Byl 534, 766); without locality, v. d. Byl 881 (Lloyd Myc. Coll. 26569).

Hydnum sclerodontium Berk. & Mont.

on mine timbers, Jubilee Mine, Transvaal G.M. Estates, Brown (T.R.L. 165) Kew.

Hydnum setosum (Pers.) Bres.

van der Byl (1934) 7.

? as Hydnum Henningsii Bres., Lloyd (1916 c) 597.

on Acacia mollissima Willd., on dead wood, Concordia, Knysna, Keet, 13067. on dead wood of trees undet., Balgowan, Rump 274, 28801; Spitzkop, nr. Table Mt., Natal, Rump, 26844; Pretoria, v. d. Byl, 15560, Kresfelder, (v. d. Byl 40) 31537; Bentou, Knysna, Duthie 88.

Irpex africanus v. d. Byl

van der Byl (1934) 5; Nel (1942) 66. on rotting wood, without locality, v. d. Byl 559.

Irpex deformis Fr.

Kalchbrenner (1881) 57; MacOwan (1895) 330; Sacc. Syll. Fung. VI: 491. on **Eucalyptus** sp., on dead wood, Fort Cunynghame, *T. R. Sim.* on fallen branches, Boschberg, *MacOwan 1077* (S.A. M. 34374) Kew.

Irpex flavus Klotzsch

Kalchbrenner (1881) 57 : Sacc. Syll. Fung. VI : 486 : Lorrain Smith (1901) 470 : Torrend (1905) 220 : van der Byl (1934) 4 : Wakefield (1936) 48 ; Hopkins (1938 a) 111 : Nel (1942) 66.

on Crotalaria agatiflora Schweinf., Schagen, Liebenberg, 33141.

Eucalyptus saligna Sm., dead trunk, Onderstepoort, Mogg, 23717.

Eucalyptus sp., poles, Tzaneen, v. d. Byl 1469.

on dead branches of trees undet. Natal, Medley Wood 202: Umtali, Eyles 4245, (v. d. Byl 2411): nr. Schoenberg, north of Hluhluwe, Høeg 34: nr. Lake Ivantåla, Welwitsch 489: Stutterheim, Sr. de Victoria, 25874: Rhenosterbos, Marico District, Weintroub (T.R.L. 306) 29969, Kew; Roodekop, M. R. H. Thomson, 14846: Potgietersrust, Grosskopf & Malherbe (v. d. Byl 2181): nr. Pretoria, Mogg (v. d. Byl 1473); Fairy Glen Road, Doidge, 30694: Pretoria District, Schaefer, 33940: near Witnek, 10 miles east of Sonderwater, Pont, 34094: Moçambique (Torrend).

Irpex fusco-violaceus (Ehrhenb. ex Fr.) Fr.

van der Byl (1925 b) 194 : J. Phillips (1931) 160 : Nel (1942) 66. on wood, Knysna, $v.\ d.\ Byl\ 380,\ 385.$

Irpex grossus Kalchbr.

Kalchbrenner (1881) 57: Sacc. Syll. Fung. VI: 486. on fallen branches, ? Boschberg, MacOwan 1092 (S.A. M. 34373) 22049, Kew.

Irpex lacteus Fr.

Lloyd (1920) 952 : van der Byl (1934) 5 : Nel (1942) 66. on fallen twigs, Durban, v. d. Byl 529.

Irpex modestus Berk, ex Cooke

van der Byl (1934) 4 : Nel (1942) 66.

on Acacia mollissima Willd., Impolweni, *Rump 169*, 28476; Town Bush Valley, *Rump 182*, 183, 28566, 28567.

on indigenous trees. Town Bush Valley, Rump 85, 27789: Town Bush, Rump 213, 28289, Kew: Maritzburg, r. d. Byl 602, 669, Kew: Durban, v. d. Byl 674, Kew.

Irpex obliquus (Schrad. ex Fr.) Fr.

Medley Wood (1898) 18; van der Byl (1934) 3. ? as Irpex tabacinus Berk. & Curt., Kalchbrenner (1881) 57.

on bark, Inanda, Medley Wood 216 (S.A. M. 34372).

Irpex vellereus Berk. & Br.

Lloyd (1916 c) 582, 598 ; J. Phillips (1931) 160 ; van der Byl (1934) 4 ; Nel (1942) 66.

on Olea laurifolia Lam., dead wood, Schwarzwald Forest, Keet, 11248, 15602. on old wood of tree undet., Knysna, J. Phillips (v. d. Byl 2213); Pirie Forest, v. d. Byl 202, 31620.

Lopharia javanica P. Henn. & E. Nym.

Radulum javanicum (P. Henn.) Lloyd (1920) 952; Stevenson & Cash (1936) 74. without locality. v. d. Byl 693, 714 (Lloyd Myc. Coll, 24457, 24458).

According to Lloyd (1917 b) 12, this is a form of Lopharia mirabilis (Berk. & Br.) Pat.

Lopharia mirabilis (Berk. & Br.) Pat.

van der Byl (1934) 2; Nel (1942) 66.

Lopharia lirellosa Kalchbr. & MacOwan, Kalchbrenner (1881) 58; Sacc. Syll. Fung. VI: 500; Killermann (1928) 161.

Radulum lirellosum (Kalchbr. & MacOwan) Lloyd (1914) L. 53:9, (1915 a) L. 59:4; Stevenson & Rands (1936) 74.

Radulum mirabile Lloyd (1917 b) 3, 11, 12; Nel (1942) 109.

on Canthium sp., dead branch, Durban, v. d. Bul 551.

on dead wood, Boschberg, MacOwan 1412 (S.A.M. 34342) Kew: Forest Hall, Knysna, Duthie 264; Knysna, Duthie 35, 113, 196 (Lloyd Myc. Coll. 24453, 24461, 24462) 31309, 31356, 31397, and v. d. Byl 2261, 2763, Kew; Durban, v. d. Byl 399, 1429, Kew; South Coast of Natal, Rump (v. d. Byl 2620); Town Bush Valley, Rump 84, 27797; Town Bush, Rump 225, 231, 28299, 28302, 28697, Kew; Winters Kloof, Rump, 27535; Hilton Road, Rump 92, 27799, Kew; Boschfontein, Wolhuter's Kop, Doidge & Bottomley, 33205.

Radulum orbiculare Fr.

Kalchbrenner (1881) 57; Sacc. Syll. Fung. VI: 493. on dead wood, Somerset East, MacOwan.

Mucronella aggregata Fr.

on decaying wood, Cape, Duthie 194, 31396.

Mycoleptodon ochraceum (Pers.) Pat.

Hydnum ochraceum Pers. ex Fr., Kalchbrenner & Cooke (1880) 27: Medley Wood (1898) 17.

Hydnum pudorinum Fr., Kalchbrenner (1881) 57; Sacc. Syll. Fung. VI: 456.

on rotting wood, Bazuja, Baur 699: Inanda, Medley Wood 27, 479, 10395, 11143: Town Bush Valley, Rump 82, 27796, Kew: Qudeni Forest, Simpson & Talbot (T.R.L. 2021).

Odontia arguta Quél.

van der Byl (1934) 8; Nel (1942) 66.

on rotting wood, Štikland, Acocks (v. d. Byl 2638, 2725) 27273, Kew: Groote Schuur, Acocks (v. d. Byl 2726); Xumeni Forest, Morgan & Doidge, 28913: Kromrivier, Doidge & Bottomley 33184; The Caverns, near Mont-aux-Sources, Bottomley, 28883.

Odontia knysnana v. d. Byl

van der Byl (1934) 9; Nel (1942) 66. as *Odontia* sp., van der Byl (1925 b) 194. on decaying wood, Knysna, v. d. Byl 1332, Kew.

11101-16

Odontia saccharicola Burt

Stevenson & Rands (1938) 287.

on Saccharum officinarum Linn., on lower leaf sheaths, Union of South Africa.

Phlebia strigoso-zonata (Schw.) Lloyd

on dead wood, Town Bush Valley, Rump, 27646, Kew.

Ptychogaster sp.

Simpson & Talbot (1946) 133

on **Olea laurifolia** Lam., timber in storage, Johannesburg (T.R.L. 359): bark of fallen log, Qudeni Forest (T.R.L. 1668): on dead stumps and living tree, Qudeni Forest, Simpson & Talbot, 35015.

on indigenous tree, Witpoortje Falls (T.R.L. 1800).

POLYPORACEAE.

MERULIOIDEAE.

Merulius Corium (Pers. ex Fr.) Fr.

Kalchbrenner (1881) 57; Sacc. Svll. Fung. VI: 413.

on branches, Somerset East, MacOwan: Kuils River, Acocks, 26654; Cato Ridge, Rump, 27631; Caverns, Bottomley, 28885; Durban, v. d. Byl 1438.

Merulius gelatinosus Lloyd

Llovd (1922) 1158, 1160; Stevenson & Cash (1936) 95.

on old logs, Belvidere, Knysna, *Duthie 314*, Type (Lloyd Myc. Coll. 19979) 31481: Stellenbosch, *Verwoord* (Stell. 169).

Merulius himantoides Fr.

on decaying timber, Sabi (T.R.L. 2090): Exchange Yard, Johannesburg (T.R.L. 361).

Merulius lacrymans (Wulf ex Fr.) Fr.

Lloyd (1913 c) L. 47:3; van der Byl (1922 d) 285; Nel (1942) 77.

on Pinus sp., flooring boards, Ladysmith, Eckbo, 23686; Cape Town, Baker, Kendall & Morris, 12458; Stellenbosch, v. d. Byl 1713, Duthie 23, 31502.

Merulius Pinastri (Fr.) Burt

as Merulius sp., Brown (1936) 384.

? on underground mine timbers, New Modder Mine, Johannesburg, Lurie, 27559.

Merulius rufus Pers. ex Fr.

on wood, Town Bush Valley, Rump 86, 27790.

Merulius serpens Tode ex Fr.

Kalchbrenner (1881) 57; Sacc. Syll. Fung. VI: 417. on decaying wood, Somerset East, MacOwan.

Merulius squalidus Fr.

? on rotten wood, Newlands, E. L. Stephens, 24861.

Merulius tremellosus Schrad, ex Fr.

on dead branch, Garstfontein, Doidge, 1350, Kew.

POLYPOROIDEAE.

Amauroderma argenteofulvum (v. d. Byl) nov. comb.

Polyporus argenteofulvus van der Byl (1927) 225; Hopkins (1938 a) 112; Nel (1942) 78. on ground, Salisbury, Eyles 4110 (v.d. Byl 2421) Type; on humus, Melmoth, Rump 407, 30207.

Amauroderma fuscoporia Wakef.

Wakefield & Talbot (1948) 948. on ground, Salisbury, *Hopkins* (Rh. 4441.)

Amauroderma rugosum (Blume & Nees)*

Ganoderma rugosum (Blume & Nees) Bres., Hopkins (1938 a) 114; Simpson & Talbot (1946) 134.

? as Polyporus rudis Lloyd, Nel (1942) 83.

on Acacia decurrens Willd., Natal Midlands, Ledeboer.

Acacia mollissima Willd., stumps and roots, Hopevale, Morgan & Doidge, 27714; Hilton Road, Doidge, 31081; Cramond, Doidge, 31080; Sevenoaks, (T.R.L. 334); Cathkin Peak (T.R.L. 544); Qudeni Forest (T.R.L. 1685); Qudeni forest and Silutshana, Simpson & Talbot, 34980; common in wattle growing areas, Ledeboer.

on rotted wood, Bizana (T.R.L. 289); Eshowe, *Hyslop* (v. d. Byl 432) 31744; ? Maritzburg, *Rump* (v. d. Byl 2552, 2553).

on sandy soil, Umtali (Rh. 1302) Kew.

* Author of combination not traced.

Daedalea biennis (Bull. ex Fr.) Fr.

Polyporus heteroporus Fr., Lloyd (1920) 1010, 1073.

as Polyporus rufescens Fr., Lloyd (1911 b) L. 38:3, (1915 a) L. 56:2; Nel (1942) 83.

on Morus alba Linn., Edendale, Pretoria District, Pole Evans, 8768.

on dead wood, Kirstenbosch, Middlemost, 24855; without locality, Pole Evans, Duthie; under Araucaria tree, Cape Town, Levyns (v. d. Byl 2435).

Daedalea Dregeana Mont.

Montagne (1847) 171; Kalchbrenner (1881) 57; Sacc. Syll. Fung. VI: 377.

? as Trametes Dregeana, Lloyd (1917 a) 12; Nel (1942) 86.

on Acacia sp., Alicedale, Cruden, 12183; Fountains Valley, Sellschop, 11247, 15635. on tree trunks, "Zwartkopsrivier, between Omtata and Omsamwubo", Drège 9419 b; in bush near Durban, Drège; Somerset East, MacOwan 1065, Kew; on dead wood, Hope Vale, Morgan & Doidge, 27706; Schroeders, v. d. Byl 554, 31765; Durban, v. d. Byl, 31974.

Daedalea Eatoni Berk.

Berkeley (1876 a) 173; Cooke (1891 b) 92; Sacc. Syll. Fung. XI: 100; Doidge & Bottomley (1931) 68.

on Acacia Karroo Hayne, Fountains Valley, Howlett, 23720.

Acacia mollissima Willd., Impolweni, Rump 173, 28562.

Celtis Kraussiana Bernh., Katherg Main Forest, Keet, 15641.

Citrus sinensis Osbeck, Hennops River, Pullen, 1873.

Gymnosporia peduncularis L. Bolus, Knysna, D.F.O., 9801.

on rotten or dead wood, foot of Table Mt., Eaton; Westfalia, Doidge, 1693; Hennops River, Pullen, 2114; Durban, 6917; Durban, Moonsamy (v. d. Byl 294) 31672; Fountains Valley, Bottomley, 14651, v. d. Byl 55, 31543; Debbe's Ravine, Mogg, 24874; Ngoye, Haygarth, 15608; Hopevale, Morgan & Doidge, 27705; Knysna, Duthie 275, 31448.

Daedalea fuscospora Lloyd

Lloyd (1922) 1122; van der Byl (1922 c) 178, (1924 b) 308; Stevenson & Cash (1936) 76.
on old wood, Victoria Falls, v. d. Byl 490, Type (Lloyd Myc. Coll. 55722).

Daedalea Hobbsii v. d. Byl

van der Byl (1921 f) 287, (1922 c) 178; Nel (1942) 72.

on Acacia sp., Louis Trichardt, Hean, 28875.

on old log, Howick, Hobbs, Type (v. d. Byl 575) 13943: Winters Kloof, Rump 174, 28563; Fountains Valley, Louwrens, 27564.

Daedalea ligneotexta v. d. Byl

van der Byl (1924 b) 308, (1925 b) 194 ; Nel (1942) 72, on old wood, Knysna, v.~d.~Byl~1356, Type.

Daedalea Mac Owani Kalchbr. ex Thuem.

von Thuemen (1876 b) 362 : Sacc. Syll. Fung. VI : 373.

on Celtis Kraussiana Bernh. and other trees, on banks of Klein Vischrivier, MacOwan 1066, Type, 21950.

Daedalea ochracea Kalchbr. ex Thuem.

von Thuemen (1878 a) 354; Sacc. Syll. Fung. VI: 372. on trunks of trees. Somerset East, *MacOwan 1065*, Type (Thuem. Myc. Univ. 1205) Kew.

Daedalea quercina (Linn. ex Fr.) Fr.

Mac Owan (1895) 331; van der Byl (1924 b) 309; Nel (1942) 72.

on Quercus sp., Cape. MacOwan; Kirstenbosch. Bottomley, 24831, Kew: Cape Peninsula, E. L. Stephens 493, 34551.

on dead wood. Kirstenbosch, *Duthie* (v. d. Byl 1397), *Pocock* (v. d. Byl 2521), *L. Bolus* (v. d. Byl 1674); East London, v. d. Byl 2742, Kew; Stellenbosch, *Duthie* 190, 31394.

Daedalea rhodesica v. d. Byl

van der By $^+$. : 67 ; Hopkins (1938 a) 111 ; Nel (1942) 72. on old wood, Victoria Falls, $v.\ d.\ Byl$ 790.

Daedalea stereoides Fr.

Lloyd (1924) 1318, 1274 ; J. Phillips (1931) 160. on **Olea laurifolia** Lam., on dead wood, Deepwalls, J. Phillips, 18155.

Daedalea unicolor (Bull. ex Fr.) Fr.

on Diervilla florida Sieb. & Zucc., Nels Rust, Fuller, 5632.

on dead wood, Ceres, H. H. W. Pearson.

Favolus agariceus (Berk.) Lév.

Montagne (1847) 172. in bush, Koratra, Drège 9431 b.

Favolus brasiliensis Fr.

van der Byl (1921 f) 292, (1922 c) 178; Nel (1942) 72. on dead logs, Durban, v. d. Byl 663, 14033 and v. d. Byl 73, 783; Elim, Watson, 25356, 25881, 26328; Northern Transvaal, Curson, 30759.

Favolus dermoporus (Pers.) Torrend ex Lloyd

Lloyd (1915 b) 554; van der Byl (1922 c) 178; Stevenson & Cash (1936) 78; Nel (1942) 72. on dead stump, Durban, v. d. Byl 610, 653, (Lloyd Myc. Coll. 19225) 31994.

Favolus Friesii Berk. & Curt.

Lloyd (1920) 952; Nel (1942) 72. on dead log, Stella Bush, v. d. Byl 813; Durban, v. d. Byl 585, 31978.

Favolus Jacobaeus Sacc. & Berl.

Torrend (1905) 220; van der Byl (1922 c) 178; Nel (1942) 73. on dead wood, Durban, v. d. Byl 230, 231; Moçambique (Torrend).

Favolus megaloporus (Mont.) Bres.

van der Byl (1921 f) 291, (1922 c) 178. Durban, v. d. Byl.

Favolus moluccensis Mont.

Montagne (1847) 173. " on fallen trees, near river mouth, Omsamwubo", Drège 4111, 9420.

Favolus natalensis Fr.

Fries (1848) 18; Sacc. Syll. Fung. VI: 402; Killermann (1928) 200. on trunks of trees, Natal, Wahlberg, Type.

Favolus spathulatus (Jungh.) Bres.

Lloyd (1920) 952 ; van der Byl (1922 c) 178 ; Nel (1942) 73. Favolus multiplex Lév., Nel (1942) 73.

Polyporus vibecinus Fries (1848) 6 : Sacc. Syll. Fung. VI: 89.

Polyporus vibecinus var. antilopum Kalchbrenner (1881) 53: Sacc. Syll. Fung. VI: 89.

on Acacia mollissima Willd., Natal, Pole Evans, 8944.

on dead wood, Natal, Medley Wood 99, 121, 123, 212, 11132, 22073, Kew: Natal, Wahlberg; Cape, Kew; Knysna, v. d. Byl 2255, Kew; Kentani, Pegler 1271, 8417.

Favolus tesselatus Mont.

P. Hennings (1892) 349: Lloyd (1920) 952: van der Byl (1922 c) 178: Nel (1942) 73. on decaying trunks in forest, Tugela River (Hennings); without locality, v. d. Byl 232.

Fomes albomarginatus (Lév.) Cooke

Fomes kermes (Berk. & Br.) Cooke in Herb. T.R.L. on underground mine timbers, Randfontein Estates (T.R.L. 109).

Fomes annosus (Fr.) Gillet

Doidge & Bottomlev (1931) 23.

on Eucalyptus sp., on dead wood, Maritzburg, J. M. Sim, 8832.

Prunus persica Sieb. & Zucc., Maritzburg, J. M. Sim, 8801.

Quercus sp., on living tree, Maritzburg, J. M. Sim, 8834.

on wood of tree undet. Schwarzwald Forest, v. d. Byl 157, 31595; Buxton, v. d. Byl 178, 31605.

Fomes badius (Berk.) Cooke

Lloyd (1915 a) L. 60: 3, (1920) 952: Wakefield (1936) 43.

on Eugenia Zeyheri Harv., living wood, Notinsele Forest, D.F.O., 9132.

Salix sp., dead stump, Groenkloof, 8872.

on tree undet., Weenen, Høeg 147; Komatipoort, Roberts, 8940; Schwarzwald Forest, Keet (v. d. Byl 29) 31531; Nelspruit, A. Roberts (v. d. Byl 30) 31532; Fuller's Forest, 32031.

Fomes Caryophylli (Rac.) Bres.

Lloyd (1915 a) L. 60 : 3, (1916 d) L. 62 : 1, (1917 a) L. 66, 12, (1924) 1318 : Nel (1942) 73.

on Curtisea faginea Ait., on living tree, Knysna, D.F.O., 10104, Keet (v. d. Byl 657), 31881.

Rhus viminalis Vahl, Schwarzwald Forest, Keet, 11262, v. d. Byl 128, 31578.

Scolopia Mundtii Warb., Schwarzwald Forest, v. d. Byl 86, 283, 11260, 15600. Royena lucida Linn., living tree, Wolfridge, v. d. Byl 63, 31546.

on dead wood, Bluff. Durban, v. d. Byl 448, 15549; Woodbush, v. d. Byl 1479; Umgeni Bush, Rump 349, 30157.

Fomes conchatus (Pers. ex Fr.) Gillet

van der Byl (1921 f) 275, (1922 c) 179; Wakefield (1936) 43; Nel (1942) 73.

on Melia Azedarach Linn., Maritzburg, T. R. Sim, 11266, v. d. Byl 276, 315.

on dead trunks and logs, Howick, Hobbs: Durban, Leslie (v. d. Byl 362) 31703; Maritzburg, v. d. Byl 3: Town Bush, Rump, 27555; Stella Bush, v. d. Byl 33θ, 31688; Stellenbosch, Duthie (v. d. Byl 334) 31690; Victoria Falls, Hφeg 14θ, Kew: Rhodesia, Duthie 162, 31378.

Fomes connatus (Fr.) Gillet

van der Byl (1921 f) 273, (1922 c) 179; Doidge & Bottomley (1931) 68; Nel (1942) 73.

on Celtis Kraussiana Bernh., Harald Forest, Keet, 11270.

Curtisea faginea Ait., on live wood, Eastern Cape, Keet (v. d. Byl 172) 31601.

Podocarpus elongatus L'Herit., Amanzamnyana Forest, D.F.O., 11548.

Podocarpus sp., Hogsback, v. d. Byl 127, 15622.

Scolopia Mundtii Warb., Tyititi Forest, Keet, 9179: Harald Forest, Keet (v. d. Byl 194) 31613.

on dead wood, Hogsback, $v.\ d.\ Byl,\ 11265$: Eastern Cape, $v.\ d.\ Byl$ 7; Kirstenbosch, $L.\ Bolus,\ 1679.$

on mine timber, Jubilee Mine, Pilgrim's Rest, Brown (T.R.L. 40, 41) 28768, 28769.

Fomes Dialerii Bres. & Torrend

Torrend (1905) 218; Sacc. Syll. Fung. XXI: 293. on trees, Meruru, L. G. Dialer, Type.

Fomes durissimus Lloyd

Lloyd (1920) 952, (1923) 1186; Stevenson & Cash (1936) 82; Nel (1942) 82. on wood, Victoria Falls, v. d. Byl 787 (Lloyd Myc. Coll. 37711).

Fomes endotheius (Berk.) Cooke

Lloyd (1917 a) L. 67:2. without locality, v. d. Byl.

Fomes fastuosus (Lév.) Cooke

Hopkins (1938 a) 111. on living tree, Umtali, Eyles 7104.

Fomes focalis (Kalchbr.) Cooke

Cooke (1885 c) 19; Sacc. Syll. Fung. VI: 187. Polyporus focalis Kalchbrenner (1881) 54. near Murraysburg, Tyson (comm. MacOwan).

Fomes fomentarius (Linn. ex Fr.) Kickx.

Montagne (1847) 168. "Boschjemanrivier", Drège 9437 e.

Fomes fulvus (Fr.) Gillet

on trunks of trees, Verulam, Medley Wood 427, Kew; Boschberg, MacOwan 1082, 34430.

Fomes geotropus Cooke

van der Byl (1921 f) 274, (1922 c) 179; J. Phillips (1924) 289, (1931) 159; Eyles (1926) 644; Doidge & Bottomley (1931) 58; Hopkins (1938 a) 112; Nel (1942) 74.

on Apodytes dimidiata E. Mey., Knysna, J. Phillips, 18028.

Brachystegia Randii Bak. f., on root, Salisbury, Eyles 1749, 15657.

Ocotea bullata E. Mey., on living tree, Knysna, Keet, 10105, J. Phillips, 18157.

Ocotea sp., on living tree, Melsetter, Swynnerton, 12801.

Podocarpus latifolius R.Br., en living tree, Nqadu Forest. D.F.O., 14201, v. d. Vyver, 10135; Knysna, J. Phillips.

Podocarpus sp., Balgowan, Rump 473, 28800; Umtata, v. d. Byl 621, 31861.

Virgilia oroboides (Berg.) Salter, Knysna, v. d. Byl 373.

on dead wood, Deepwalls, Bottomley, 30740; Marwaqa Forest, Morgan & Doidge, 30853; Harding, v. d. Byl 664; Knysna, v. d. Byl 1390; without locality, G. Phillips, 20605; Xumeni Forest, Doidge, 33241.

Fomes glaucoporus Lloyd

Lloyd (1916 a) 2; Stevenson & Cash (1936) 82; Nel (1942) 74. on Olea africana Mill., living tree, without locality, v. d. Byl 153, 31592. Podocarpus latifolius R. Br., Harald Forest, Keet, 11272, 15595.

Ptaeroxylon obliquum (Thunb.) Radlk., Harald Forest, Keet, 15599.

on dead wood, Town Bush Valley, Rump, 27649: eastern Cape, v. d. Byl 287: without locality, v. d. Byl (Lloyd Myc. Coll. 19545-9): Auckland Forest, v. d. Byl 84, 31554; Bulwer, Rump, 33180: Qudeni Forest, Weintroub & Simpson (T.R.L. 1676) 33924

Fomes hemileucus Berk. & Curt.

Cheesman (1909) 410.

Victoria Falls, nr. Leaping Cascade, Victoria Falls, Cheesman.

Fomes hornodermus (Mont.) Cooke

van der Byl (1921 f) 274, (1922 c) 179; Eyles (1926) 644: Doidge & Bottomley (1931) 58: Wakefield (1936) 43: J. Phillips (1931) 159; Nel (1942) 74.

on Brachystegia Randii Bak. f., Rhodesia, Eyles 1750, 15655.

Ocotea bullata E. Mev., Lusikisiki, D.F.O., 6936.

on dead wood of tree undet., Eshowe, Hyslop (v. d. Byl 437) 31748; Melsetter, Swynnerton, 12803; Eshowe, $H\phi eg$ 173.

Fomes igniarius (Linn. ex Fr.) Kickx.

Polyporus igniarius Linn. ex Fr., Kalchbrenner (1881) 54. Somerset East, MacOwan (S.A. M. 34436).

Fomes lividus (Kalchbr.) Cooke

on Acacia mollissima Willd., Town Hill, Maritzburg, Rump, 27624; Bot, Gardens, Maritzburg, Rump 376, 30187.

Eucalyptus sp., Maritzburg, Rump 159, 28470, Kew: Town Bush, Rump 249, 28284.

Melia Azedarach Linn., Maritzburg, Rump, 27640, Kew.

on wood of indigenous trees, Nkandhla Forest, Rump 370 b, 30178; Eshowe, Rump 366, 30174; Town Bush Valley, Rump 189, 28570; Town Bush, Rump 358, 30164; Rooikoppies Plantation, Reed (T.R.L. 205) 28969.

Fomes McGregori Bres.

van der Byl (1921 f) 277, (1922 c) 179.

on Elytropappus rhinocerotis Less., Grahamstown, Pole Evans, 12318.

Olea laurifolia Lam., Katherg Main Forest, 15643.

Rhus viminalis Vahl., eastern Cape, Keet.

Scolopia Mundtii Warb., eastern Cape, Keet.

Trichocladus sp., eastern Cape, Keet.

on wood of indigenous trees, Town Bush, Rump 308 a, 28704.

Fomes melanoporus (Mont.) Cooke

van der Byl (1921 f) 274, (1922 c) 179; Nel (1942) 74.

on old logs, Schroeders, v. d. Byl 214, 465, 14039, 31763: Greytown, v. d. Byl 265; Umhlali, Rump 391, 30193: George, V. A. Putterill, 15480; Stella Bush, Moonsamy (v. d. Byl 473) 31767.

Fomes minutulus P. Henn.

on Olea laurifolia Lam., Lusikisiki, D.F.O., 6941.

on wood, Maputa Exped., Breijer, 8358.

Fomes mundulus Wakef.

Wakefield (1936) 44.

on branches, Victoria Falls, Hoeg 76, Kew, Type.

Fomes Niaouli (Pat.) Lloyd

Lloyd (1920) 952; Nel (1942) 74 (as F. maouli). on dead stump, Durban, v. d. Byl 600.

Fomes nubilis (Fr.) Cooke var. albo-limbatus Kalchbr.

Kalchbrenner (1881) 55; Sacc. Syll. Fung. VI: 199. Bazuja, Kaffraria, Baur.

Fomes pectinatus (Klotzsch) Gillet.

van der Byl (1921 f) 276, (1922 c) 179; Nel (1942) 74.

on Acacia melanoxylon R. Br., eastern Cape, v. d. Byl.

Kiggelaria africana Linn., eastern Cape, v. d. Byl.

Rhus viminalis Vahl, Schwarzwald Forest, Keer, 11267. on wood, Nottingham road, v. d. Byl 530; Hogsback, v. d. Byl 186, 31609.

Fomes pinicola (Sw. ex Fr.) Cooke

on? Cunonia capensis Linn., Kirstenbosch, Pole Evans, 7364.

Fomes pseudosenex (Murr.) Sacc. & Trott.

Lloyd (1917 a) L. 65:2; Nel (1942) 74.

on wood, Bot. Gardens, Durban, v. d. Byl 927, Moonsamy (v. d. Byl 271) 31660.

Fomes rimosus (Berk.) Cooke

I.loyd (1915 c) 248; v. d. Byl (1918 b) 215, (1921 f) 276, (1922 c) 179, (1925 b) 194, (1926 c) 288;
Doidge & Bottomley (1931) 31, 57;
J. Phillips (1931) 159;
Watt & Breijer-Brandwyk (1932) 215;
Nel (1942) 75;
Hopkins (1943)

186; Simpson & Talbot (1946) 134.

on Acacia Karroo Hayne, Onderstepoort, Mogg, 23713; Zwartruggens, Sutton, 30523; Vals Rivier, Kroonstad, Pont, 24936.

Burkea africana Hk., Northern Rhodesia, Watt, 21101.

Cassine croceum O. Ktze., Knysna, J. Phillips (v. d. Byl 2087), Legat, (v. d. Byl 31) 31533.

Cassine sp., Gxulu Forest, v. d. Byl, 31585.

Curtisea faginea Ait., Kologha Forest, D.F.O., 7792; on living tree, Harald Forest, Keet, 31553; Schwarzwald, v. d. Byl, 31591.

Dombeya sp., Hogsback, 32028.

Khaya nyassicae Stapf, Mt. Silinda, Kelly Edwards, 33132.

Kiggelaria africana Linn., eastern Cape, Keet; Hogsback, v. d. Byl 130, 31580.

Melia Azedarach Linn., Maritzburg, J. M. Sim, 8800.

Milletia caffra Meisn., Lusikisiki, D.F.O., 6939.

Olea africana Mill., eastern Cape, Keet; Fuller's Forest, v. d. Byl 143, 31588.

Olea laurifolia Lam., eastern Cape, Keet.

Olea sp., dead stump, Qudeni Forest, Simpson & Talbot, 34983.

Pleurostylia capensis Oliv., on living tree, Harald Forest, Keet, 31551.

Ptaeroxylon obliquum (Thunb.) Radlk., Gxulu Forest, Keet (v. d. Byl 632 a), 31561; St. John's Patrol, D.F.O., 9418; eastern Cape, v. d. Byl, 13060.

Rhus viminalis Vahl, dry tree, Katberg Main Forest, v. d. Byl, 11259, 31597; on living tree, Schwarzwald Forest, v. d. Byl 511, 632, 31539; on dead tree, Buxton, v. d. Byl, 31574; living tree, Fuller's Forest, v. d. Byl, 31621.

Rhus sp., Gxulu Forest, Keet, 9111; Somerset East, Grobbelaar (v. d. Byl 2447).

Schotia latifolia Jacq., on living tree, Gxulu Forest, Keet (v. d. Byl 32) 31536, 31566, 31575.

Scolopia Mundtii Warb., Hogsback, v. d. Byl 307, 11264; eastern Cape, Keet (v. d. Byl 925).

Syzygium Gerrardi (Harv.) Hochst., Woodbush, Doidge, 1726.

Virgilia oroboides (Berg.) Salter, without locality, Brain (v. d. Byl 393).

Xymalos monospora Baill., Auckland Forest, Keet, 31584: Qudeni Forest, Weintroub &

Simpson (T.R.L. 674) 33280.

on trees undet., Newlands, E. P. Phillips (S.A. M. 9557); Saltpan, Pretoria Distr., A. Roberts, 1933, Pienaar, 1954; Woodbush, Doidge, 1336, Kew, N. Roberts, 5602; Pretoria, Fischer, 28653; Roodekop, M. R. H. Thomson, 14843; Malelane, Hall, 9751; Hluhluwe Game Reserve, Rump 554, 34062; Nkandhla Forest, Rump 367, 30175; nr. Mont-aux-Sources, Doidge, 23170; Buccleuch, Doidge, 11546; Town Bush Rump 635, 34066; Mtabanana, Curson, 17274; Alexandria Forest, Doidge, 23351; Newlands, Péringney, 9185; East London, Mogg, 17818; Stutterheim, Sr. de Victoria, 25875; Karkloof, Platt, 32006; Howick, Hobbs; Pondoland, v. d. Byl; Cape Town, Saxton; Auckland Forest, v. d. Byl 161, 31596; Bulwer, Lansdell, 31611; Durban, Moonsamy, 31696, 31819; Qudeni Forest (T.R.L. 1675); Victoria Falls, v. d. Byl 510; Schroeders, v. d. Byl, 31764; Pirie Forest, Archibald, 34201.

Fomes Robinsoniae (Murr.) Sacc. & Trott.

van der Byl (1921 f) 275, (1925 b) 194, (1922 c) 179; J. Phillips (1931) 159; Stevenson & Cash (1936) 87, as F. Robinsoniae (Murr.) Lloyd ex v. d. Byl; Nel (1942) 75; Simpson & Talbot (1946) 134.

on Ekebergia capensis Sparm., Knysna, Keet (v. d. Byl 656) 31880.

Gonioma Camassi (E. & Z.) Mey., Knysna, J. Phillips.

Gymnosporia peduncularis L. Bolus, Knysna, Keet (v. d. Byl 746) 10106.

Olea sp., living tree, Qudeni Forest, Simpson & Talbot, 34981.

Platylophus trifoliatus Don., Harkerville Forest, Knysna, J. Phillips (v. d. Byl 2385).

Xymalos monospora Baill.. Horseshoe (v. d. Byl 6) 11263.

on wood of indigenous trees, Town Bush, Rump 254, 28486; Knysna, v. d. Byl 713, 11268; Durban, Leslie (v. d. Byl 765).

Fomes robustus Karst.

van der Byl (1921 f) 275, (1922 c) 179 : Nel (1942) 109.

on Olea laurifolia Lam., dead wood, Flo Forest, Keet, 15572: Horseshoe, v. d. Byl, 31582. Xymalos monospora Baill., Katberg Main Forest, v. d. Byl 163, 270, 11269.

on dead wood, Bulwer. Lansdell: without locality, v. d. Byl 1070: Table Mt., Natal, Rump 619, 34367.

Fomes salicinus (Pers. ex Fr.) Kickx.

von Thuemen (1876 b) 362; Sacc. Syll. Fung. VI: 184. on Salix sp., trunks, nr. Somerset East, MacOwan.

Fomes senex (Nees & Mont.) Cooke

Cheesman (1909) 410 : Lloyd (1915 b) 259, 260 ; van der Byl (1921 f) 277, (1922 c) 179 ; Wakefield (1936) 43 ; Nel (1942) 75.

on Rhus viminalis Vahl, Amanzimtoti, Lansdell (v. d. Byl 314) 31679.

Syzygium Gerrardi (Harv.) Hochst., on living tree, Woodbush, Doidge, 1724: Ngome Forest, v. d. Byl 386, 31721.

on trees undet., Livingstone Is., Victoria Falls, Cheesman; nr. Durban, Burton, 9799; Ginginhlovu, Haygarth, 15563; Maritzburg, Reynolds, 15547, v. d. Byl 271, 560; Barberton, Thorncroft; Durban, Leslie (v. d. Byl 347) 31699; Ngoye Forest, Haygarth (v. d. Byl 260) 31654; Eshowe, Høeg 138, and Hyslop (v. d. Byl 433) 31754; Duivelskloof, Weintroub (T.R.L. 387).; Mariepskop, Scott, 34074.

on underground mine timber, New Amianthus Mine, Weintroub (T.R.L. 135).

Fomes torulosus (Pers.) Lloyd

Fomes fusco-purpureus Boud., Torrend (1905) 219. Moçambique (Torrend).

Fomes yucatanensis (Murr.) Sacc.

van der Byl (1921 f) 278, (1922 b) 179, (1925 b) 194; Doidge & Bottomley (1931) 10; J. Phillips (1931) 159; Nel (1942) 75.

on Curtisia faginea Ait., Knysna, J. Phillips (v. d. Byl 2086).

Olea africana Mill., Fuller's Forest, 15593.

Olea sp., living tree, eastern Cape, Keet. Quercus sp., Maritzburg, Rump 681, 35326.

Trema guineensis (Schum.) Ficalho, living tree, Durban, v. d, Byl.

on tree undet., Pretoria, Roberts; Stella Bush, v. d. Byl 348, 11271, 31700; Durban v. d. Byl 313, 926.

Fomes zambesianus (Lloyd) Sacc.

Sacc. Syll. Fung. XXIII: 390.

Polyporus zambesianus Lloyd (1912 a) 128, (1924) 1290; Stevenson & Cash (1936) 126; Nel (1942) 85.

on trunks, near the river Zambesi, Buchanan, Kew; Salisbury, Eyles (Stell. 478; v. d. Byl 2400).

Fomes zuluensis Wakef.

Wakefield & Talbot (1948) 948. on wood, Nkandhla Forest, Zululand, Rump 374, 30186.

Ganoderma africanum Lloyd

Lloyd (1912 a) 103; Stevenson & Cash (1936) 96. as *Polyporus umbraculum* Fr., Kalchbrenner (1881) 53. as *Fomes umbraculum* (Fr.) Sacc. Syll. Fung. VI: 159.

on roots of various trees, Boschberg, MacOwan 1079 (Thuem. Myc. Univ. 708; S.A.M. 34414) Kew.

Thuem. Myc. Univ. 708 was cited by Bresadola (Icon. Myc. XXI, 1932: 1009) as being his species Ganoderma fulvellum, but his species is not stipitate.

Ganoderma Alluaudi Pat. & Har.

on wood, East London, Latimer (per A. E. Peck) Kew.

Ganoderma applanatum (Pers.) Pat.

Wakefield (1936) 45; Brown (1936) 388; Simpson & Talbot (1946) 134. Polyporus australis Fr., Montagne (1847) 168; Kalchbrenner (1881) 54.

Polyporus gibbosus (Blume) Nees, van der Byl (1917) 490; Lloyd (1915 a) L. 55; 3.
 Fomes applanatus Karst., van der Byl (1917) 485, (1921 f) 278, (1922 c) 178; Doidge & Bottomley (1931) 10, 31, 58, 68; J. Phillips (1931) 159; Hopkins (1938 a) 111.

Ganoderma australe (Fr.) Pat., P. Hennings (1892) 342 : Doidge & Bottomley (1931) 31.
 Fomes annularis Lloyd (1915 c) 268 ; van der Byl (1922 c) 178 ; Stevenson & Cash (1936) 81 ; Nel (1942) 73.

Fomes australis Fr., Pole Evans (1911 b) 263.

Fomes leucophaeus (Mont.) Cooke, Lloyd (1911 b) L. 35:3, (1914) L. 49:6, (1922) 1124; van der Byl (1922 c) 178.

Fomes vegetus Cooke, van der Byl (1922 c) 178.

on dead and living wood of trees.

on Acacia decurrens Willd., Harden Heights and Cramond, Pole Evans, 1326, Kew: Keiskama Hoek, v. d. Byl 134, 31583.

Acacia melanoxylon R. Br., Tokai, D.F.O., 19851, 19863.

Acacia mollissima Willd.. Cramond and Harden Heights, Pole Evans, 1365. Kew: eastern Cape, Keet; Durban, v. d. Byl; Hopevale, T. Morgan, 33073; Boughton, Ledeboer, 34929.

Albizzia gummifera (Gmel.) G. A. Sm., Durban, v. d. Byl.

Celtis Kraussiana Bernh.. Branders High Forest, r. d. Byl. 11261 : Katberg Main Forest, Keet (v. d. Byl 161) 31598 : Knysna, J. Phillips.

Citrus sp., Hennops River, Pullen, 2117.

Cocos nucifera Linn., Quelimane, Fuller, 23362. Cryptocarya sp., Notinsele Forest, D.F.O., 9135. Cunonia capensis Linn., Cape Town, Pole Evans.

Curtisia faginea Ait., Harald Forest, r. d. Byl, 11256; Katherg Main Forest, r. d. Byl 112, 31569; Knysna, J. Phillips (v. d. Byl 2089).

Eucalyptus sp., stump, Driepoort Farm, Palmford (T.R.L. 932): underground mine timbers, Pilgrim's Rest, Lurie, 28829.

Melia Azedarach Linn., Maritzburg, T. R. Sim (v. d. Byl 222) 31634.

Ocotea bullata E. Mey., Hankey Forest, Brunt, 15049 : Deepwalls, J. Phillips, 18047, Young and Hφeg 1.

Olea foveolata E. Mey., Manina Forest, W. J. v. d. Merwe, 9110; Notinsele Forest, D.F.O, 9131.

Olea laurifolia Lam. Knysna, J. Phillips (v. d. Byl 2089) 17815, 18048; Lusikisiki, D.F.O., 6940; Schwarzwald Forest, Keet, 31599, 31606; Kologha Forest, Stutterheim; Pondoland; Katberg Main Forest, v. d. Byl, 31562; Baziya Forest, v. d. Byl 183, 31607; Horseshoe, r. d. Byl, 31619; Qudeni Forest (T.R.L. 1673), Simpson & Talbot, 34978.

Podocarpus sp., Hlatikulu Forest, v. d. Bul, 15645.

Pterocelastrus tricuspidatus Sond., Knysna, J. Phillips (v. d. Byl 2088), Duthie: Maritz-burg, v. d. Byl 299.

Pyrus communis Linn., Transvaal, v. d. Byl. Quercus sp., Maritzburg, Pole Evans, 1366.

Rhus viminalis Vahl., Katberg Main Forest, v. d. Byl, 15597: Buxton. v. d. Byl, 31581.

Salix sp., Rosetta, Rump 512, 33249 : Parvs (T.R.L. 1818).

Scolopia Mundtii Warb., Bambanyoke Forest, D.F.O., 9430: Mount Frere, Dawson, 9725.

Trichocladus sp., without locality, v. d. Byl.

on wood of trees undet., Queenstown, Baur (Mac Owen 881); "between Key and Basche", Drège 9436; Intsubana, Pondoland, Bachmann; Cape, Becker; Cape Town, Saxton (Lloyd Myc. Coll. 42142): Cape Peninsula, E. L. Stephens, 473, 34550; Knysna, Duthie 17, 298, 31467; Knysna, Rump 488, 30833; Deepwalls, Høeg 176, Bottomley, 30732; George, V. A. Putterill, 15492; East London, Munro, 18121; Tendenko Forest, v. d. Vyver (v. d. Byl 193) 31612; Grahamstown, Archibald, 33381; Maritzburg, Rump, 33944; York, Rump 500 32171; Scottburgh, Rump 535 b, 33904; Umgeni Bush, Durban, Rump 649, 34068. Durban, Howlett, 33430, v. d. Byl 5 (Lloyd Myc. Coll. 42137, 42141), Moonsamy (v. d.

Byl 272) 31661: Tuzela, Moonsamy, 31638; Xumeni Forest, Doidge, 28938, 33068, 33075, 33242; Impolweni, Rump (H\$\phi\$eg 7) New Germany, Moonsamy (v. d. Byl 272) 31855; Bulwer, Rump 24, 27601; Doonside, Punt, 20379; nr. Mont aux Sources, Doidge, 23711; Nkandhla Forest, Rump 370 a, 30177; Solheim M.S., Eshowe, H\$\phi\$eg 164; Eshowe, Ridgeway, 31627, v. d. Byl, 31673, 31727; Ngoye, Haygarth, 31652; Zululand, v. d. Byl 316; Ginginhlovu, Haygarth, 1556\$; Cale don River, Basutoland (T.R.L. 454); Transvaal, Duthie (Lloyd Myc. Coll. 25949) Johannesburg, Naudé, 23356; Woodbush, Doidge, 1703, Wager, 23233; Entabeni Forest (T.R.L. 243); Melsetter, Swynnerton, 12802; Mt. Silinda Forest (Rh. 4317) 33121.

on underground mine timbers, Crown Mines, Brown (T.R.L. 30); Robinson Deep (T.R.L. 33).

Var. laccatum (Kalchbr.) Rea on wood, Durban, v. d. Byl, 15615.

Ganoderma chilense (Fr.) Pat.

Fomes chilensis (Fr.) Cooke, Sacc. Syll. Fung. VI: 176. Polyporus chilensis Fr., von Thuemen (1877 a) 408.

on trunks, Boschberg, MacOwan 122 (Thuem. Myc. Univ. 2204; Roum. Fung. Sel. Exsice; S.A. M. 34412) 20926, Kew.

Ganoderma colossum (Fr.) Bres.

Polyporus colossus Fr., v. d. Byl (1921 f) 265, (1922 c) 180; Doidge & Bottomley (1931) 68.

on Celtis Kraussiana Bernh., Wonderboom Poort, Mogg, 23714, 23715.

amongst grass, Magaliesberg, Fouché, 17052.

on wood of trees undet., Swaziland, Kretzschmar, 14204; Gezina, N. Roberts, 2043; Park Rynie, Rump 451, 488, 30832, 32379.

Ganoderma Curtisii (Berk.) Murrill.

Fomes Curtisii Berk., Lloyd (1922) 1124, 1128.

on trunks, Lobatsi, *Breach* (Duthie 250, 285) 31431, 31457; Fountains Valley, v. d. Byl, 9109; Tugela, *Moonsamy* (v. d. Byl 230) 31637; Durban, *Moonsamy* (v. d. Byl 242) 31645.

Ganoderma Emini P. Henn.

Hopkins (1938 a) 112; Simpson & Talbot (1946) 134.

? Polyporus reticulatosporus van der Byl (1927) 225; Hopkins (1938 a) 113; Nel (1942) 82.

on Olea laurifolia Lam., roots, Qudeni Forest, Simpson & Talbot, 34979.

on ground, Salisbury, Eyles 2519, 14853; Wild Life Reserve, Burman Drive, Durban, Salter, 33553.

on dead wood, Salisbury, Eyles 4121 (Stell. 212; v. d. Byl 2419; Rh. 2069).

Ganoderma fulvellum Bres.

on Olea laurifolia Lam., live tree, Nqadu Forest, D.F.O., 9690, v. d. Vyver, 31642. Salix sp., Pretoria, Cuff, 15594.

Ganoderma lobatum (Schw.) Atk.

Polyporus reniformis Morgan, Lloyd (1914) L. 49:6. without locality, Janse.

Ganoderma lucidum (Leyss. ex Fr.) Karst.

P. Hennings (1892) 340; Torrend (1905) 218, "f. sessile": Wakefield (1936) 45; Brown (1937) 388; Hopkins (1938 a) 112.

Polyporus lucidus Leyss, ex Fr., van der Byl (1916 c) 506, (1921 f) 267, 293, (1922 c)
 181 : Lloyd (1917 a) L. 65 : 3, 8; Doidge & Bottondey (1931) 14; J. Phillips (1931) 160; Nel (1942) 81.

Fomes lucidus Leyss. ex Fr., Schultze (1907) 705.

Polyporus capensis Lloyd (1916 d) L. 63: 10: Stevenson & Cash (1936) 100: Doidge & Bottomley (1931) 24.

on Acacia Karroo Hayne, Fountains Valley, Bottomley, 29939: Hekpoort, J. Phillips, 29967. Acacia mollissima Willd., Garstfontein, Bottomley, 30701: Natal midlands, Sim.

Acacia sp., Pretoria, 22007, Sellschop (v. d. Byl 22, 184) 31528, 31608.

Albizzia amara Boiv., Durban, v. d. Byl 912, 1062, 15538, Eyles (v. d. Byl 1874 a).

Citrus sinensis Osbeck, Vissershoek, Fouché, 20420.

Citrus sp., Fort Beaufort, Johnson, 28864.

Combretum glomeruliflorum Sond., Wonderboom, Reinecke, 23712. Combretum holosericeum Sond., Haakdoornfontein, Duff, 23219. Copaifera Mopane Kirk, on nune props? Matabeleland, Duthie 164.

Delonix regia Raf., Durban, v. d. Byl.

Ekebergia capensis Saprm., Manubie Forest, D.F.O., 28719.

Olea africana Mill., eastern Cape, Keet.

Olea laurifolia Lam., without locality, r. d. Byl; timber in storage, Johannesburg (T.R.L. 1467).

Populus sp., Despatch, Holland, 14817.

Ptaeroxylon obliquum (Thunb.) Radlk., on dry wood, Gxulu Forest, Kect, 31538.

Quercus sp., Brooklyn, Pretoria, Mogg, 24923. Rhus viminalis Vahl, Ifafa, Lansdell, 31683.

Salix sp., Vals Rivier, Kroonstad, Pont, 24937; Brits, Sellschop, 30526; Groenkloof, Pretoria, Cuff, 31529.

Scolopia Zeyheri (Szvsz.) Nees, living tree, Gxulu Forest, v. d. Byl, 31538.

Zea Mays Linn., Mokeetsi, Cooper Bros., 23696. Zizyphus mucronata Willd., eastern Cape, Keet.

on trees undet., Intsubana, Pondoland, Bachmann; Sevenfountains, Albany Distr., E. du Toit, 30279: Knysna, Duthie 117, 11277, 31499; de Kroon, Fouché, 13063: Hartebeestpoort, Howlett, 19854; Brooklyn, Pretoria, Mogg, 24923; Irene, Pole Evans, 30278; Pretoria, Wickens, 12249; Fountains Valley, Louwrens, 27563, Cloete, 27593, Hean, 30724, Bottomley & Lansdell, 28456; Wonderboom, Fischer, 28654; Pretoria Distr., Schaefer, 33941; Waterberg, Grosskopf (v. d. Byl 1078): Maid of the Mist Mine, Barberton, A. T. Hall, 9549; Fortuna Creek, Barberton, Thorncroft, 16992 : Kaapmuiden, Mogg, 28783 ; Potgietersrust, Grosskopf (v. d. Byl 1680) ; Piesanghoek, Watson, 24922; Rhenosterhoek (T.R.L. 312); Hartebeestfontein Klerksdorp, v. d. Merwe, 32089: Krugersdorp, J. Phillips, 32090: Natal. Medley Wood (Lloyd Myc. Coll. 14445): Xumeni Forest, Morgan & Doidge, 28948, 33240; New Germany, Moonsamy (v. d. Byl 601) 31848; Umgeni Bush, Rump 372, 30181; Durban, v. d. Byl, 11279, Moonsamy (v. d. Byl 233; Lloyd Myc. Coll. 18413) 31640. 31662, 31682, 31821, 31822, 31832 : Ifafa, Lansdell (v. d. Byl 319) : Stamford Hill (T.R.L. 464): Scottburgh, Rump 535 a, 33903: Tugela, Moonsamy, 31639: Howick, Hobbs; Eshowe, Morrison, 15571; Zululand, Munro, 14206; Mtabanana, Curson, 17273; Natal (T.R.L. 508); Port St. Johns, Mogg, 27334; Port Elizabeth, K. M. Putterill, 28525: Stellenbosch, Duthie 117 (Lloyd Myc. Coll. 14443): Ngokong Schultze; Umtali, Eyles 7106, Kew; Zimbabwe, Høeg 8; Salisbury, v. d. Byl 1874; without locality, v. d. Byl. 31644, v. d. Byl 230 (Lloyd Myc. Coll. 14440), v. d. Byl 214, 218, 244, 441 (Lloyd Myc. Coll. 14441, 14442, 18412, 18414), Malcolm Wilson (Lloyd Myc. Coll. 14444); Mocambique (Torrend).

on underground mine timbers, Crown Mines, Lucas, 19847, Wood, 17789; Princess Mine, Roodepoort, Knight, 14205; Rose Deep Mine, Murray, 20636; Robinson Deep Mine, Lurie 5, Kew; Johannesburg, Naudé, 23353, v. d. Byl, 32019; White Rose Mine, S. Rhodesia (T.R.L. 505).

Ganoderma mastoporum (Lév.) Pat.

Wakefield (1936) 45.

Polyporus mastoporus Lév., van der Byl (1921 f) 267, (1922 c) 181.

Fomes mastoporus Lév., Nel (1942) 74.

on wood, Nelspruit, Roberts, 8878; Ngoye Forest, Haygarth, 15570; Zululand, Haygarth, 14029, v. d. Byl 1058; Manubie Forest, D.F.O., 28720; Umgeni Bush, Rump 369, 30176; Solheim M.S., Eshowe, H\u03c4eg 10, Kew.

Ganoderma mollicarnosum (Lloyd) Sacc. & Trott.

Sacc. Syll, Fung. XXIII: 401.

Polyporus (Ganodermus) mollicarnosus Lloyd (1915 a) L. 60: 11; Stevenson & Cash (1936) 111.

Polyporus mollicarnosus Lloyd, van der Byl (1921 f) 264, (1922 c) 181. on trunks, Durban, v. d. Byl, Type (Lloyd Myc. Coll, 54304) 31544.

Ganoderma (Polyporus nigrolucidus Lloyd)

Polyporus nigrolucidus Lloyd (1920) 925; van der Byl (1921 f) 266, (1922 c) 181;
Stevenson & Cash (1936) 113; Nel (1942) 81.

on ground, Durban, Medley Wood & v. d. Byl, 13941, v. d. Byl 656, 665, 900 (Lloyd Myc. Coll. 22888) Type.

Ganoderma obokense Pat.

Torrend (1905) 218.

Moçambique (Torrend).

Ganoderma Oerstedii (Fr.) Bres.

Lloyd (1913 c) L. 47:3.

Knysna, Duthie 22, 31498, 31509.

Ganoderma oroflavum (Lloyd) Humphrey & Leus

Fomes oroflavus Lloyd, van der Byl (1917) 490, (1921 f) 278, (1922 c) 179; J. Phillips (1931) 159; Stevenson & Cash (1936) 84.

on Curtisia faginea Ait., Deepwalls, J. Phillips, 18153. Podocarpus latifolius R. Br., Knysna, Pienaar, 2338.

"Not a good species: yellow pores may occur in dried material of various spp." (Humphrey); said to be a form of G. applanatum.

Ganoderma resinaceum Boud.

? as Polyporus resinaceus, Lloyd (1915 a) L. 60 : 3. without locality, Pole Evans.

Gloeoporus conchoides Mont.

Montagne (1847) 173; Sacc. Syll. Fung. VI: 403; van der Byl (1922 a) 179; Hopkins (1938 a) 112. Polyporus conchoides (Mont.) Lloyd, van der Byl (1921 f) 258 : J. Phillips (1931) 160; Stevenson & Cash (1936) 101 : Nel (1942) 78.

on Podocarpus latifolius R.Br., Deepwalls. J. Phillips, 18046.

on wood, in bush, Durban, Drège 9425: Johannesburg, Naudé, 23355: Ngoye Forest, Haygarth, 14023: Kentani, Pegler 2461, 11526: Zululand, v. d. Byl 512: Knysna, v. d. Byl 718, 2262: Mufulisa, Eyles 8350, Kew: Umtali, Eyles 7105, Kew: Krantzkop, Rump 654, 34384.

Gloeoporus dichrous (Fr.) Bres.

Killermann (1928) 202.

Polyporus dichrous Fr., van der Byl (1921 f) 257, (1922 c) 180; Nel (1942) 79.

Podocarpus elongatus L'Herit., Harald Forest, Keet (v. d. Byl 509) 11274, 15607.

Rhus viminalis Vahl., eastern Cape, v. d. Bul 173, 31602.

on bark and wood of trees undet.: Kirstenbosch, Middlemost, 24856; Potchefstroom, on M. Gunn, 30511; nr. Mont-aux-Sources, Doidge, 23479; Hope Vale, Doidge, 27739; Xumeni Forest, Morgan & Doidge, 28924; Ginginhlovu, Haygarth, 15617; Ngoye Forest, Haygarth; Nottingham Road, v. d. Byl 554, 31814; Jubilee Mine, Pilgrims Rest, Brown 7, 28749.

Hexagona albida Berk.

van der Byl (1922 c) 179, (1924 b) 309, (1925 b) 194; J. Phillips (1931) 160; Nel (1942) 75.

on dead logs, Knysna, v. d. Byl 721, Duthie 80, 81, 316, 31339; Stellenbosch, Verwoerd (Stell, 229); Durban, v. d. Byl 78, 443, 31753; ? Lomagundi, Eyles 2700, 14253.

Hexagona crinigera Fr.

Fries (1848) 16: Torrend (1905) 219.

on Acacia Karroo Havne, nr. Komatipoort, A. Roberts, 8943.

on trunks, Natal, Wahlberg; Moçambique (Torrend).

Hexagona decipiens Berk.

Cheesman (1909) 411.

on fallen branches, edge of Rain Forest, Victoria Falls, Cheesman.

Hexagona dermatiphora Lloyd

Lloyd (1917 a) L. 65:3: Stevenson & Cash (1936) 90.

in Rain Forest, Victoria Falls, Duthie 159, (Lloyd Myc. Coll. 37129) 31377, and Green (Stell. 246).

Hexagona discopoda Pat. & Har.

on dead wood, George, V. A. Putterill, 15486.

Hexagona Dregeana Lév.

Montagne (1847) 172 : Sacc. Syll. Fung. VI : 362 ; Wakefield (1936) 51. on trunks, "between Omtata and Omsamwubo", Drège 9417 b; Salisbury Is., Høeg 99; Buccleuch, Doidge, 9564.

Hexagona Dybowskii Pat.

van der Byl (1922 c) 179.

Polystictus Dybowskii (Pat.) Lloyd (1920) 1069; Hopkins (1938 a) 113; Stevenson & Cash (1936) 130.
on dead branch, Victoria Falls, Bottomley, (Lloyd Myc. Coll. 48880) 14116.

Hexagona Friesiana Speg.

Simpson & Talbot (1946) 134. on **Olea laurifolia** Lam., living tree, Qudeni Forest, Simpson & Talbot, 34995. on fallen log, Qudeni Forest, Weintroub & Simpson, 33925.

Hexagona glabra Lév.

P. Hennings (1892) 348. on trunks, Tugela River.

Hexagona hystrix (Cooke) Har. & Pat.

Wakefield (1936) 51.

Trametes hystrix Cooke, van der Byl (1922 c) 182, (1924 b) 313, (1925 b) 195; J. Phillips (1931) 160; Hopkins (1938 a) 114; Nel (1942) 87.

on dead wood, Knysna, v. d. Byl 767; Eshowe, v. d. Byl 504, 526; Umzindeni, north of Hluhluwe, Høeg 33; Victoria Falls, Bottomley, 14118, v. d. Byl 491, 499.

Hexagona orbiculata Fr.

Fries (1848) 16 ; Sacc. Syll. Fung. VI : 365. on trunks, Natal, Wahlberg.

Hexagona peltata Fr.

Fries (1848) 16. on fallen branches, Natal, Wahlberg.

Hexagona phaeophora Pat.

van der Byl (1922 c) 179; Hopkins (1938 a) 112; Nel (1942) 75. on dead logs and branches, Victoria Falls, Bottomley, 14117, v. d. Byl 497, Duthie (v. d. Byl 744).

Hexagona Pobeguini Har.

van der Byl (1921 f) 291, (1922 c) 179, (1926 c) 288; Hopkins (1939 a) 7. Hexagona Stuhlmanni P. Henn., Lorrain Smith (1901) 469: Torrend (1905) 219.

on Brachystegia Randii Bak. f., dying branch, Salisbury, Mossop, 30718. Pterocarpus angolensis D.C., Pilgrim's Rest, D.F.O., 27499.

on wood, Letaba Drift, Doidge, 1695; Maputa Exped., Breijer, 8363, 8364, 8335; Nelspruit, Wickens, 23665; Woodbush, Doidge, 1317, 1319; Huilla, Welwitsch 520; Moçambique (Torrend).

Hexagona polygramma Mont. ex Fr.

Fries (1848) 17; Cooke & Kalchbrenner (1881) 26; Kalchbrenner (1881) 57; Sacc. Syll. Fung. VI: 367; P. Hennings (1892) 348; Lorrain Smith, (1901) 469; Torrend (1905) 219; Cheesman (1909) 411.

on wood, Inanda, Medley Wood 201, 9495, Kew and Medley Wood 158, 169, Kew; Pondoland, Bachmann; Victoria Falls, near East Ferry, Cheesman; nr. Durban, Medley Wood, 32034; Moçambique (Torrend).

fide Bresadola in Herb. Kew. Medley Wood 201 sub H. polygramma and Medley Wood 169

sub H. tenuis are both H. Dregeana.

Hexagona rigida Berk.

van der Byl (1921 f) 290, (1922 c) 179: Hopkins (1938 a) 112: Nel (1942) 76. on **Persea americana** Mill., dead branches, Durban, v. d. Byl 59, 217, 14034. on dead wood of trees undet., Town Bush Valley, Rump 102, 27757: Durban, not uncommon, v. d. Byl 748: Victoria Falls, Duthie (v. d. Byl 2445).

Hexagona Sacleuxii Har.

Maputa Exped., Breijer, 8360.

Hexagona similis Berk.

Lloyd (1916 d) L. 63 : 2, (1920) 952 ; Nel (1942) 76, on dead wood, Durban, v. d. Byl 603, 604, 611, 649.

Hexagona sinensis Fr.

Lorrain Smith (1901) 5469. in the woods of Ivantâla, Heilla, Welwitsch 372 b.

Hexagona speciosa Fr.

Fries (1848) 17: Sacc. Syll. Fung. VI: 365: Lloyd (1910 a) 21: van der Byl (1921 f) 291, (1922 c) 179: Wakefield (1936) 51; Hopkins (1938 a) 112; Nel (1942) 76.

on Copaifera Mopane Kirk, Ondongwa, Barnard (S.A. M. 45951).

on trunks and branches of trees undet. Natal, Wahlberg: Bluff, Durban, v. d. Byl 335, 31691: Ngoye Forest, Haygarth, 15545, 15567: Eshowe, Hyslop, 31747, Høeg 141, 149, Kew, Runp 361, 30167: Ginginhlovu, Haygarth (v. d. Byl 291) 15544, 31670: Zululand, v. d. Byl 264: Waterberg, Grosskopf (v. d. Byl 1076): Durban, Verwoerd (Stell, 239), Rump 557, 34063: Melsetter, Swynnerton, 12800: Mt. Silinda Forest (Rh. 4321) 33123.

Hexagona subvelutina Wakef.

East London, Kew.

Hexagonia tenuis (Hook.) Fr.

Fries (1848) 17; Sacc. Syll. Fung. VI: 366; van der Byl (1921 f) 290, (1922 c) 180, (1926 c) 288; Hopkins (1938 a) 112; Nel (1942) 76.

on Albizzia gummifera (Gmel.) C. A. Sm., Stellenbosch, v. d. Byl, 15541.

Pyrus malus Linn., Malvern, Doidge, 1974.

on wood of trees undet., interior regions of the Cape, Wahlberg: nr. Mont-aux-Sources, Doidge. 23477: Kentani, Pegler 2456, 11521: New Germany, Moonsamy, 31850; Buccleuch, Doidge, 11545: Ebb and Flow, Wilderness, Doidge, 17099: Margate, Rump, 26389; Caverns, Bottomley, 28889; Stella Bush, v. d. Byl, 31887, 31702, 31900: Durban, v. d. Byl 224, 606: Bluff, Durban, v. d. Byl, 31865, 31920, 31921: Xumeni Forest, Doidge, 33066: Ginginhlovu, Haygarth, 31669, 31674: Ngoye Forest, Haygarth: Jackson's Tuin, Mogg, 28259; Barberton, Thorncroft, 31549;

Woodbush, v. d. Byl 1485; Boschfontein, Wolhuters Kop, Doidge & Bottomley, 33207; Mazoe, Eyles 674, 31894; Marandellas, Eyles 3955 (v. d. Byl 1719); Umtali, J. S. Roberts (v. d. Byl 2414); Rhodesia (v. d. Byl 223).

Var. natalensis Fr.

Fries (1848) 17 ; Sacc. Syll. Fung. VI : 367. on wood, Natal, Wahlberg.

Hexagona Thollonis Pat. & Har.

Lorrain Smith (1901) 469. on fallen, rotten branches, near Lake Ivantâla, Welwitsch 372.

Hexagona tricolor Fr.

van der Byl (1922 c) 180; Nel (1942) 76. on wood, Maritzburg, J. M. Sim, 9139; Stella Bush, Moonsamy, 15604: Town Bush Valley, Rump 23, 27602; Durban, v. d. Byl 222.

Hexagona umbrinella Fr.

Fries (1848) 17; Sacc. Syll. Fung. VI: 365; Lloyd (1920) 952. on trunks, inland regions of the Cape, Wahlberg; without locality, v. d. Byl.

Hexagona zambesiana Torrend

Torrend (1914) 58; Sacc. Syll. Fung. XXIV: 1323. on trunks, Zumbo. A. Cruz (Torrend, Fung. sel. exsicc. 238), Type.

Laschia auriscalpium Mont.

P. Hennings (1892) 349. on decaying wood, Kaffraria.

Laschia cucullata (Jungh.) Bres.

Campanella cucullata (Jungh.) Lloyd (1919 a) 814, (1924) 1318; van der Byl (1925 b) 195; Stevenson & Cash (1936) 195.

Campanella Büttneri P. Henn., van der Byl (1921 g) 345.

Arrhenia cucullata, Nel (1942) 61.

on rotting branches, Durban, v. d. Byl; Knysna, v. d. Byl 2214 (Lloyd Myc. Coll. 57800).

Laschia Duthiei Lloyd

Lloyd (1916 d) L. 63:4, nom. nud. on decayed wood, Brenton, Knysna, Duthie 89, 31845.

Laschia Friesiana P. Henn.

Lloyd (1919 a) 833; Simpson & Talbot (1946) 134.

on dead branches of indigenous trees, Boshoff's Road, Rump 73, 27785, Kew: Xumeni Bush, Morgan & Doidge, 28780, 27733; Hopevale, Morgan, 28907: Groot Schuur, E. L. Stephens, 26658, Kew; without locality, Duthie; Qudeni Forest, Weintroub & Simpson (T.R.L. 1678) 33281, Simpson & Talbot, 34996; Chirinda Forest, Mt. Silinda, Obermeyer, 32704.

Laschia rubella Sacc.

Lloyd (1922) 1162, (1923) 1186, 1192, 1208 : v. d. Byl (1924 b) 309 : J. Phillips (1931) 160 : Nel (1942) 76. on dead branches, Knysna, v. d. Byl 711.

Laschia tenerrima Kalchbr.

nom. nud.

on branches in bush, Boschberg, MacOwan 1090 (S.A.M. 34503) 10930.

Laschia Thwaitesii Berk. & Br.

van der Byl (1921 f) 293 : Nel (1942) 76.

on dead branches in bush, Durban, v. d. Byl, 14018; Maritzburg, v. d. Byl 2577; Kirstenbosch, Pocock (v. d. Byl 2520).

Laschia sp.

Medley Wood (1898) 18. on bark, Natal, Medley Wood 154.

Lenzites abietina (Bull. ex Fr.) Fr.

on wood of indigenous trees, Balgowan, Rump 471, 28799.

Lenzites aspera Klotzsch

van der Byl (1921 f) 289, (1922 c) 180; Nel (1942) 110.

on Eucalyptus globulus Lab., Elgin, D.F.O., 7075.

Olea laurifolia Lam., Deepwalls, *J. Phillips* (v. d. Byl 2212) 18148, on wood, Shiri Highlands, *Buchanan*, Kew.

Lenzites betulina (Linn. ex Fr.) Fr.

van der Byl (1921 f) 288, (1922 c) 180, (1925 b) 194; Verwoerd (1931 a) 300; J. Phillips (1931) 160: Nel (1942) 76: Simpson & Talbot (1946) 134.

Lenzites ochracea Lloyd (1922) 1106-1130; Stevenson & Cash (1936) 93.

on Acacia mollissima Willd., Schwarzwald Forest, Keet, 15576; Sevenoaks (T.R.L. 330). Celtis Kraussiana Bernh., living tree, Flo Forest, r. d. Merwe (v. d. Byl 34) 31535; Katberg Main Forest, Keet (v. d. Byl 94) 31558.

Eucalyptis diversicolor F. Muell., Fort Cunynghame, D.F.O., 6616.

Eucalyptus sp., Fort Cunynghame, D.F.O., 7793; Knysna, Keet, (v. d. Byl 655) 31879.

Ocotea bullata E. Mey., Knysna, J. Phillips.

Olea laurifolia Lam., Schwarzwald Forest, Keet (v. d. Byl 4) 31521.

Pinus sp., Knysna, Keet (v. d. Byl 655) 31879.

Podocarpus sp., Glebe Forest, Knysna, Doidge, 17802.

Quercus sp., Stellenbosch, v. d. Byl 478; Kirstenbosch, Duthie 28, 31306.

on trees undet., Knysna. Pienaar, 2339, Louw, 20465, 31333, Duthie 75 (v. d. Byl 733);
Deepwalls, Bottomley, 30696; Kirstenbosch, V. A. Putterill, 14833, Mitchell, 14839
L. Bolus (v. d. Byl 352, 1676); George, V. A. Putterill, 15485; Groot Schuur, Acocks,
27277; Stellenbosch, Verwoerd (Stell. 107); Horseshoe, v. d. Byl 353, 15575;
Bloemfontein, Verwoerd; Nottingham Road, v. d. Byl; nr. Mont aux Sources,
Doidge, 23478; Hopevale, Doidge, 27716; Karkloof, Platt, (v. d. Byl 422); Mooi
River, Rump 444, 28604; Caverns, Bottomley, 28878; Nkandhla Forest, Rump 380,
30189; without locality, v. d. Byl (Lloyd Myc. Coll, 8415); Qudeni Forest, Simpson
& Talbot, 34994.

Lenzites guineensis Fr.

Lloyd (1917 c) 627; van der Byl (1922 d) 285; Nel (1942) 76.

on wood, Buccleuch, Doidge, 9805; Stellenbosch, Duthie, v. d. Byl (v. d. Byl 474, 804); without locality, v. d. Byl 43, and Leslie (v. d. Byl 488).

Lenzites Junghuhnii Lév.

I,loyd (1915 a) L. 60:3; Nel (1942) 76. on wood, Knysna, *Duthie* 76 (v. d. Byl 1401) 31334.

Lenzites Palisoti Fr.

von Thuemen (1878 a) 354; Kalchbrenner (1880 b) 137; Wakefield (1936) 48; Hopkins (1938 a) 112; Simpson & Talbot (1946) 134.

Lenzites applanata Fr., Nel (1942) 76.

Lenzites deplanata Fries (1848) 6.

Lenzites repanda (Pers.) Fr., Pole Evans (1911 b) 263: van der Byl (1921 f) 288, (1922 c) 180, (1925 b) 194, (1926 c) 288; Doidge & Bottomley (1931) 58; Verwoerd (1931 a) 300; J. Phillips (1931) 160; Brown (1937) 388; Hopkins (1939 a) 8; Nel (1942) 76.

Lenzites alborepanda Lloyd (1923) 1189, 1224; Stevenson & Cash (1936) 92.

on Acacia decurrens Willd., Cramond, Pole Evans, 1323; Harden Heights, Pole Evans, 1322. Acacia Karroo Hayne, Fountains Valley, L. C. Turner, 8877.

Acacia melanoxylon R. Br., Grootvadersbos, Swellendam, Ross (v. d. Byl 911).

Acacia mollissima Willd., Sevenoaks, Bowen (T.R.L. 322) Kew: Butterworth, D.F.O., 30101; common in the midlands of Natal, v. d. Byl.

Brachystegia Randii Bkr., Salisbury, (Rh. 1361).

Celtis Kraussiana Bernh., "Klyn Visch Rivier", near Somerset East, MacOwan 1065 (S.A. M. 34491) Kew; Boschberg, MacOwan 1066, 22055, Kew.

Eucalyptus paniculata Sm., stumps, Duivelskloof (T.R.L. 385).

Eucalyptus sp., mine timbers, New Amianthus Asbestos Mine, Hφeg 163; poles, Tzaneen, v. d. Byl 1648; Knysna, v. d. Byl 372.

Ocotea bullata E. Mey., Hankey Forest, Brunt, 15050.

Olea laurifolia Lam., Petrus Brand, Knysna, J. Phillips (v. d. Byl 2090) 18035: Deepwalls, J. Phillips, 17805; Ngoye Forest, Haygarth; Knysna, Duthie; Howick, Hobbs; Qudeni Forest, Simpson & Talbot, 34993.

Pinus radiata Don., Knysna, Verwoerd (Stell. 336).

Salix sp., Maclear, Pienaar, 2106.

on trees undet., Natal, Wahlberg; Maritzburg, J. M. Sim, 8819; Buccleuch, Doidge, 11550; Xumeni Forest, Morgan & Doidge, 28941; Hopevale, Doidge, 27707; Gala Bush, Doidge, 27269; Ginginhlovu, Haygarth (v. d. Byl 293) 31671; Zululand, v. d. Byl 354; Qudeni Forest (T.R.L. 1701); Ennersdale, H\u00f3eg 160; Impolweni, Rump (H\u00f3eg 146); Town Bush Valley, H\u00f3eg 32; Woodbush, Doidge, 1318; Hectorspruit, A. L. Hall, 9750; eastern Transvaal, Brown; Knysna, Duthie (v. d. Byl 206) 31624, v. d. Byl 757; Deepwalls, Bottomley, 30733; Alexandria Forest, Doidge, 23350; George, V. A. Putterill, 15488; Blauwkrantz Rivier, H\u00f3eg 40; Cape, MacOwan, Kew; Cape Town, Saxton; Salisbury, Eyles (Rh. 1743; v. d. Byl 2370), Hopkins (v. d. Byl 2532); Zimbabwe, v. d. Byl 2444; Cape Town, V. A. Putterill (Lloyd Myc. Coll, 55351); Fern Kloof, Archibald, 33378; Blairmoor, near Lothair, Gumn, 34578; Mogambique (Torrend).

on underground mine timbers, Jubilee Mine (T.R.L. 162): Randfontein Estate & Gold

Mining Co. (T.R.L. 110).

Lenzites tricolor (Bull. ex Fr.) Fr.

on wood, Town Bush Valley, Crass (Rump 164) 28571, Kew.

Polyporus Acaciae v. d. Byl

van der Byl (1925 a) 168; Nel (1942) 77.

on Acacia mollissima Willd., common on stumps, Krantzkloof, v. d. Byl 773, Type.

Polyporus adustus (Willd. ex Fr.) Fr.

van der Byl (1922 c) 180, (1922 d) 286, (1924 b) 309 : Nel (1942) 77.

on Acacia sp., stump, Kenilworth, H. H. W. Pearson.

Quercus sp., stumps, Stellenbosch, v. d. Bul.

on wood and bark of trees undet., Stellenbosch, r. Heerden (Duthie 237) 31420, r. d. Byl 477; Nkandhla Forest, Rump 355, 30161; Stikland, Acocks, 27276; Kirstenbosch Middlemost, 24859; Somerset Strand, Verwoerd (Stell. 66);

on underground mine timber, Kimberley. Wilman, 12340.

Polyporus anebus Berk.

van der Byl (1921 f) 266 ; Nel (1942) 78.

on branches, Ngoye Forest, Haygarth, 14026; Gouna Forest, Knysna, Keet, 11621; Ginginhlovu, Haygarth, 15642; Zululand, v. d. Byl 170.

Polyporus arcularius (Batsch ex Fr.) Fr.

Kalchbrenner (1881) 53; Medley Wood (1898) 18; Sacc. Syll. Fung. VI: 67; van der Byl (1921 f) 257, (1922 c) 180, (1925 b) 194; Nel (1942) 78.

Polyporus brumalis (Pers. ex Fr.) Fr., von Thuemen (1876 b) 363; Sacc. Syll. Fung. VI: 63.

on Curtisea faginea Ait., Knysna, J. Phillips (v. d. Byl 2234).

on decaying branches, Natal. Medley Wood 181: Boschberg, MacOwan 1032 (S.A.M. 34404) Kew: Grahamstown, Trollip (S.A.M. 34405): Pretoria. Louwrens, 27699; Town Bush Valley, Rump 177, 27679: Durban, v. d. Byl, 31930; Hopevale, Morgan, 33987: Knysna, v. d. Byl 730, 763, 1339, 2235, Kew: Brenton, Knysna, Duthie 90, 31346: Vumba Mts., Masseurs, 33953: Qudeni Forest, Weintroub & Simpson (T.R.L. 1679).

Polyporus arenobasus Lloyd

Lloyd (1920) 919, 952, (1924) 1294; van der Byl (1921 f) 265, (1922 c) 180; Stevenson & Cash (1936) 97; Nel (1942) 78.

on ground, Durban, Leslie (v. d. Byl 710; Lloyd Myc. Coll. 56364, Type) 14022, Kew; Durban, v. d. Byl 1059, 1067 (Lloyd Myc. Coll. 56386).

Polyporus australiensis Wakefield

Lloyd (1920) 1073-4 ; van der Byl (1924 b) 312, (1925 b) 195 ; Nel (1942) 78. Brenton, Knysna, *Duthie 258* (v. d. Byl 1442) 31435 ; Transvaal, v. d. Byl 1441.

Polyporus caesius (Schrad. ex Fr.) Fr.

Lloyd (1917 a) L. 67:5:J. Phillips (1931) 160: Nel (1942) 78. on Apodytes dimidiata E. Mey., Knysna, Duthie (v. d. Byl 2252).

Polyporus carneo-fulvus Berk. ex Fr.

Inanda, Medley Wood 410, Kew.

Lloyd regards this fungus as a form of P. gilvus.

Polyporus chioneus Fr.

Lloyd (1911 b) L. 38:3.

Boschberg, MacOwan (S.A.M. 34465, det. Kalchbr.); without locality, Pole Evans.

Polyporus Clemensiae (Murr.) Sacc. & Trott.

Lloyd (1922) 11, 22. without locality, v. d. Byl.

Polyporus conchatus Llovd

Lloyd (1917 c) 700, (1917 a) L. 66:2; Sacc.; Syll. Fung. XXIII: 364; van der Byl (1921 f) 265, (1922 c) 180, (1922 d) 286; Stevenson & Cash (1936) 101; not *P. conchatus* Pers. ex Fr.

on **Populus** sp., dead stump, Klapmuts, v. d. Byl 358, 385 (Lloyd Myc. Coll. 13288, Type) 31720, Kew.

Polyporus confluens (Alb. & Schw. ex Fr.) Fr.

Hopkins (1938 a) 112. on ground between trees, Salisbury, Eyles 1656, 15656.

Polyporus confragosus v. d. Byl

van der Byl (1927) 225 ; Hopkins (1938 a) 112 ; Nel (1942) 78. on ground, Salisbury, *Eyles 4111* (Stell. 283 ; v. d. Byl 283) Type.

Polyporus conjunctus Lloyd

Lloyd (1918 a) 812; Hopkins (1938 a) 112; Nel (1942) 78. on ground, Salisbury, *Eyles 4115* (Rh. 2053; v. d. Byl 2399).

Polyporus crispus (Pers. ex Fr.) Fr.

Lloyd (1924) 1318; Nel (1942) 78. without locality, v. d. Byl 814.

Polyporus cristatus (Pers. ex Fr.) Fr.

Cheesman (1909) 411.

Victoria Falls, Cheesman; Parktown, Johannesburg, Cheesman.

Polyporus cuticularis (Bull. ex Fr.) Fr.

? on Olea laurifolia Lam., dead roots, Harkerville Plantation, Knysna, Keet, 13055.

Polyporus devians Bres.

Bresadola (1920) 32 ; Sacc. Syll. Fung. XXIII : 350. on trunks, Zumbo, Cruz.

Polyporus dictyopus Mont.

van der Byl (1921 f) 256, (1922 c) 180; Nel (1942) 79; Simpson & Talbot (1946) 133. on rotten wood, Natal, Medley Wood; Newlands, Bottomley, 24857; Town Bush, Rump 193, 498, 27783, 31086; without locality, v. d. Byl 125, 438, 31749; on dead bark, Qudeni Forest, Simpson & Talbot, 34973.

Polyporus Doidgeae Wakef.

Wakefield & Talbot (1948) 948.

on Acacia mollissima Willd., on stumps, Hopevale, Morgan, 30499, Type, 3077¢, 27753–28576.

Polyporus durbanensis v. d. Byl

van der Byl (1921 f) 261, (1922 c) 180; Nel (1942) 79.

Polyporus pectunculus Lloyd (1924) 1315 : van der Byl (1928 a) 183 ; Stevenson & Cash (1936) 114 : not Polystictus pectunculus Lév.

on dead logs, Stella Bush, r. d. Byl 896, Type (Lloyd Myc. Coll. 23901) 14021 : Drummond, Rump, 26845.

Polyporus durus Jungh.

Lloyd (1920) 1010.

on Curtisea faginea Ait., Gouna Forest, Knysna, Keet, 11623.

Polyporus elegans Fr.

Kalchbrenner (1881) 53; Cheesman (1909) 410.

on dead wood, Boschberg, MacOwan; Victoria Falls, Matopo Hills and Cape Town, Cheesman; Mbabane, Hendricks, 15424.

Polyporus Emerici Berk.

van der Byl (1922 c) 180, (1924 b) 310; Hopkins (1938 a) 112; Nel (1942) 79. on rotten logs, Eshowe, r. d. Byl 498; Salisbury (Rh. 2063); Umtali, Eyles 4123 (v. d. Byl 2371).

Polyporus Eylesii v. d. Byl

van der Byl (1927) 225 ; Hopkins (1938 a) 112. Salisbury, *Eyles 4113* (v. d. Byl 2420).

Polyporus favoloides P. Henn.

Lloyd (1913 c) L. 48:4; (1914) L. 52:11, (1916 d) L. 63:2.

? as **Favolus Europaeus** Fr., van der Byl (1922 c) 178; Nel (1942) 72. on dead stump, Durban, v. d. Byl 63, 15640; Eshowe, Ridgeway, 15620, Hyslop, 31742.

Polyporus flabelliformis (Klotzsch) Fr.

Cooke (1879 b) 70 : Medley Wood (1898) 18. on trunks of trees, Natal, $Medley\ Wood\ 422,\ 11134.$

Polyporus flexilis v. d. Byl

van der Byl (1921 f) 271 ; (1922 c) 180 : Nel (1942) 79. on log, Maritzburg, $v.~d.~Byl~81\theta,$ Type, 14031, and v.~d.~Byl~578,~894.

Polyporus fragilis Fr.

Lloyd (1917 a) L. 66 : 2 ; Nel (1942) 79.

on wood, Maritzburg, v. d. Byl 127: dam in Exchange vard, Johannesburg (T.R.L. 244).

Polyporus fruticum Berk. & Curt.

van der Byl (1921 f) 269, (1922 c) 180; Brown (1937) 388; Nel (1942) 79.

on Acacia decurrens Willd., Ixopo, Brown, 28851.

Pavetta sp., Krantzkloof, Haygarth, 14037, 15542.

on wood of trees undet., Maritzburg, J. M. Sim, 9143, Rump, 27634; Cato Ridge, Rump, 27635; Krantzkloof, Haygarth (v. d. Byl 478) 31770.

on mine timbers, eastern Transvaal, Brown,

Polyporus fumosus (Pers. ex Fr.) Fr.

Lloyd (1924) 1319.

Bosman's Crossing, Stellenbosch, Duthie, 31462.

Polyporus gilvus (Schw.) Fr.

Montagne (1847) 168; Kalchbrenner (1881) 54; Medley Wood (1898) 18;
Lorrain Smith (1901) 467; Cheesman (1909) 410; Lloyd (1915 d) 346;
van der Byl (1921 f) 269, (1922 c) 180, (1925 b) 195, (1926 c) 288; J. Phillips (1931) 160;
Wakefield (1936) 43; Doidge & Bottomley (1931) 14; Brown (1937) 388; Hopkins (1938 a) 112; Nel (1942) 79.

Polyporus scruposus Fr., Lloyd (1915 d) 347 : Nel (1942) 83.

Polyporus isidioides Berkeley (1843) 415; Montagne (1847) 169; Sacc. Syll. Fung. VI: 121; Von Thuemen (1878 a) 354; Kalchbrenner (1881) 55; Mac Owan (1895) 330.

Trametes isidioides (Berk.) Fries (1848) 10; Sacc. Syll. Fung. VI: 348.

on Acacia melanoxylon R. Br., Willowvale, D.F.O., 9726.

Calodendron capense Thunb., without locality, v. d. Byl.

Combretum glomeruliferum Sond., Hekpoort, J. Phillips, 29966: Wonderboom, Bottomley, 23716.

Combretum Kraussii Hochst., Notinsele Forest, D.F.O., 9133.

Cupressus macrocarpa Hartw., Graskop, Pole Evans, 14645.

Eucalyptus diversicolor F. Muell., Willowvale, D.F.O., 30103.

Eucalyptus gomphocephala DC. ? Tokai, D.F.O., 20697.

Eucalyptus rostrata Schlecht., Concordia Plantation, Knysna, Keet, 13047.

Eucalyptus sideroxylon Cunn., Elberta, Magaliesberg, J. Phillips. 28794.

Eucalyptus sp., Knysna, Duthie 29, 31307.

Fagara capensis Thunb., Pungwana Forest, D.F.O., 9207.

Grevillea robusta Cunn., Maritzburg, Rump 32, 27643.

Leguminosae undet., near the lake of the hippopotami, Ivantâla, Welwitsch 377.

Mangifera indica Linn., Umzinto, Rump, 26382.

Prunus armeniaca Linn., Swellendam, v. d. Byl 1068.

Quercus sp., Wolfridge Plantation, Keet (v.d. Byl 186) 31610.

Rhus viminalis Vahl, eastern Cape, v. d. Byl 173, 306.

Scolopia Mundtii Warb., Harald Forest, Keet, 15606: Hogsback, v. d. Byl 105, 255, 15605; eastern Cape, v. d. Byl 54; Ngoye Forest, Haygarth (v. d. Byl 255) 31651.

Strychnos Henningsii Gilg., Harkerville Forest, Knysna, D.F.O., 10114, Keet (v. d. Byl 662) 31883.

Syzygium guineense (Willd.) DC., Lomagundi, Eyles 6695 (v. d. Byl 1873).

Syzygium sp., Woodbush, Doidge, 1710.

on trees undet., Cape, Zeyher 115: Natal, Wahlberg; "Boschjemansrivier", in bush, Drège 9438 a; Boschberg, MacOwan 1270, 1063, 1079 (Thuem. Myc. Univ. 1105: S.A. M.) 21969; Bazuja, Baur; Durban, Drège 4110, 9439 a, and Medley Wood 203; Rain Forest, Victoria Falls, Cheesman: Boschberg, MacOwan 1164, 21991: Maritzburg, J. M. Sim, 8835, Ackerman (Rump 11) 27524, Rump 4, 27525, Rump (v. d. Byl 2259) 26333; Table Mt., Natal, Rump (v. d. Byl 2645): Town Bush, Rump 246, 266, 344, 28308, 28489, 28974; Town Bush Valley, Rump 126, 27770: Karkloof, Platt

(v. d. Byl 427): Impolweni, Rump 171 (Høeg 6) 28561, Kew: Umgeni Bush, Rump 365b. 379a, 30172, 30184: Stella Bush, Leslie, 31940, Moonsamy, 31766, 31768, 31897 : Durban, v. d. Byl 351, 582, 599 ; Bluff, Durban, v. d. Byl, 31910 : Amanzimtoti, Lansdell, 31680 : Hopevale, Doidge, 27709 : Xumeni Forest, Morgan & Doidge, 30262 : nr. Mont-aux-Sources, Bottomley, 23480 : Howick, Leslie, 31706, Henderson (T.R.L. 287), Hobbs; Nkandhla Forest, Rump 365, 30170; Eshowe, Morrison, 31646: Ginginhlovu, Haygarth, 31668; Schleim M.S., Eshowe, Hoeq 171, Kew; Umzindeni River, Hopeg 28: Hogsback, v. d. Byl, 31563: Kentani, Pegler 2459, 11524 : Wilderness, Doidge, 17100 ; Swellendam, v. d. Byl 761 ; Stutterheim, Sr. de Victoria, 25876: Brenton, Knysna, Duthie 257, 31434, 31622: Groot Rivier, Archibald, 33380; Knysna, Duthie, 31641, v. d. Byl 266, 371, 756; Deepwalls, Bottomley, 30734: Cape Town, Saxton; Newlands, E. L. Stephens, 24829; Wonderboom, Doidge & Bottomley, 28797; Fountains Valley, v. d. Bul, 15539; Rietfontein, Pretoria Distr., Venter, 14486: Pretoria, Howlett & Coetzee, 2124; Entabeni, Bottomley, 26576: Elim, Watson, 25360: Barberton, Thorncroft, (v. d. Byl 300): Malelane, A. L. Hall, 9648; Pretoria, v. d. Byl 281; Woodbush, Doidge, 1725 and v. d. Byl; Lobatsi, r. d. Byl 820; Sabie Plantation (T.R.L. 145); Duivelskloof (T.R.L. 386); Salisbury, Eyles 1607, 4138 (v. d. Byl 2344) 12222 · Victoria Falls, M. R. H. Thomson, 14112; without locality, v. d. Byl, Kew.

on underground mine timber, Jubilee Mine (T.R.L. 144): Desiré Mine (T.R.L. 146).

Polyporus Goetzii P. Henn.

Lloyd (1917 a) L. 66: 7, Note 582: Hopkins (1938 a) 112; Nel (1942) 80. ? on ground, Salisbury, Eyles 2529 (v. d. Byl 1877) 14851: Durban, Moonsamy, (v. d. Byl 343) 31697.

Polyporus grammocephalus Berk.

on Lachnopylis floribunda (Benth.) C. A. Sm., Deepwalls, J. Phillips, 18149. on trunks of trees, Inanda, Medley Wood 99, 212, 419, Kew.

Polyporus hispidus (Bull.) Fr.

Lloyd (1912 b) L. 39:3. without locality, *Duthie*.

Polyporus immaculatus Lloyd

Lloyd (1915 d) 299, (1916 d) L. 63: 2, (1924) 1294. as *Polyporus immaculatus* Fr., v. d. Byl (1921 f) 262, (1922 c) 181.

on **Pinus** sp., West Springs Mine, *Brown*, 28828.

Podocarpus latifolius R. Br., on dead wood, Schwarzwald Forest, v. d. Byl, 11275, 15598. on tree undet., Cato Ridge, Rump, 27636; Town Bush Valley, Rump 202, 27800.

Polyporus intactilis Lloyd

Lloyd (1919 c) 887; Stevenson & Cash (1936) 108; Nel (1942) 80. on dead wood, Victoria Falls, *Bottomley* (Lloyd Myc. Coll. 22040) 14113; Durban, *Leslie* (v. d. Byl 617); without locality, v. d. Byl 884 (Lloyd Myc. Coll. 3141).

Polyporus Livingstoniensis v. d. Byl

van der Byl (1925 a) 168 ; Hopkins (1938 a) 113 ; Nel (1942) 81. on dead wood, Victoria Falls, v,d,Byl 799.

Polyporus Mac Owani Kalchbr.

Kalchbrenner (1881) 54; Sacc. Syll. Fung. VI: 126

on trunks, Boschberg, MacOwan 1085.

Saccardo, I.c., suggested that Polyporus MacOwani is the same fungus as P. dichrous Fr. Lloyd (1915 d) 382 was of the opinion that it is Polyporus adustus (Willd. ex Fr.) Fr., and van der Byl (1924 b) 310, adopted his suggestion. "The specimen is so poor that it is difficult to judge what it is: to me it suggests P. dichrous rather than P. adustus." E. M. Wakefield.

Polyporus megaloporus Mont.

Lloyd (1920) 952. without locality, v. d. Byl.

Polyporus molluscus Karst.

Kalchbrenner (1881) 56. Somerset East, MacOwan.

Polyporus murinus (Lév.) Cooke

on trunks, Boschberg, MacOwan 1015 (S.A.M. 34452).

Polyporus nanus Massee

Cheesman (1909) 410

in rain forest, Victoria Falls, Cheesman,

Doubtful record. "P. nanus Mass, seems to be a nomen nudum. The specimen Massee so named came from Australia and is the same as P. rhipidium Berk. What the S. African plant was I do not know."—E. M. Wakefield.

Polyporus nidulans Fr.

Kalchbrenner (1881) 54.

Boschberg, MacOwan (? ex herb. Medley Wood) 32038.

Polyporus nigro-applanatus v. d. Byl

van der Byl (1924 b) 311; Nel (1942) 81.

in bush, Durban, v. d. Byl 808.

Polyporus ochroleucus Berk.

Cheesman (1909) 411; van der Byl (1921 f) 258, (1922 c) 181; Nel (1942) 81; Simpson & Talbot (1946) 133.

on Curtisea faginea Ait., Katherg Main Forest, v. d. Byl 171, 179, 11245, 15611.

Trichocladus sp., eastern Cape, Keet.

on dead wood, eastern Cape, Keet; Matopo Hills, Cheesman; Karkloof, Platt (v. d. Byl 421); Buxton, v. d. Byl 171, 31600; on living tree undet., Qudeni Forest, Simpson & Talbot, 34974.

Polyporus ochroporus v. d. Byl

van der Byl (1921 f) 269, (1922 c) 181 : Nel (1942) 82.

on Salix sp., Maritzburg, Rump 448 (v. d. Byl 2768) 30229.

on dead stump, Brander's High Forest, Keet (v. d. Byl 115) Kew: Eshowe, Noble, 32477; Hluhluwe Game Reserve, Rump 552, 34061.

Polyporus ostreiformis Berk.

van der Byl (1924 b) 311 ; J. Phillips (1931) 160 ; Nel (1942) 82, on dead wood, Knysna, $v.\ d.\ Byl\ 716.$

Polyporus Pancheri Pat.

Hopkins (1938 a) 113 : Nel (1942) 82 as "P. Paucheri".

on dead wood, Salisbury, Eyles 4150, 4224, 4292 (Rh. 2064); Umtali, Eyles, (v. d. Byl 2410).

Polyporus Patouillardi (Rick) Theiss.

van der Byl (1921 f) 268, (1922 c) 181 ; Stevenson & Cash (1936) 114 ; Hopkins (1938 a) 113 ; Nel (1942) 82.

on Celtis Kraussiana Bernh., Salisbury. Eyles 3896 (v. d. Byl 1716).

Scolopia Mundtii Warb., Tvititi Forest, Keet, 9178.

on wood, Xumeni Forest, Morgan & Doidge, 28925; Maritzburg, Rump (v. d. Byl 2733) Kew; eastern Cape, v. d. Byl 26.

Polyporus picipes Fr.

on dead trunks and decaying wood, Boschberg, Mac Owan 1188 b (S.A. M. 34423); Boschberg, Mac Owan 1188 (S.A. M. 34425) 20927.

Polyporus pocula (Schw.) Berk. & Curt.

Lloyd (1917 c) 624; van der Byl (1922 c) 181, (1924 b) 311; Nel (1942) 82.

on Eucalyptus sp., on bark, Belvidere, Knysna, Duthie 109 (v. d. Byl 1084); George, Verwoerd (Stell, 232; v. d. Byl 2079).

on bark of indigenous tree, Forest Hall, Knysna, Duthie 109 a, 31353.

Polyporus pruinatus Klotzsch

Llovd (1915 d) 339,

Cape Town, Saxton.

Polyporus raphanipes Wakef.

Massee & Wakefield (1914) 157; Sacc. Syll. Fung. XXIII: 354. Zumbo, A. Cruz (comm. Torrend) Kew.

Polyporus rheades Pers.

Cape Town, Saxton, Kew.

Polyporus rhipidius Berk.

Cooke (1879 b) 70.

as Favolus rhipidium (Berk.) ? Sacc., Medley Wood (1898) 18. on branches, Natal, Medley Wood 351, 11133, Kew.

Polyporus rugulosus Lév.

Wakefield (1936) 43; Brown (1937) 387.

on logs, Knysna, Kew: Blauwkrantz R., Høeg 94, Kew; Nkandhla Forest, Rump 394, 30195.

on underground mine timbers. Johannesburg, *Hopeg 117*; Randfontein Estates, *Lurie* (T.R.L. 112) 28743; Jubilee Mine, Pilgrim's Rest. *Lurie 2*, 6, (T.R.L. 170) 28831, 28757; Crown Mines, *Lurie 4* (T.R.L. 25) 28842, Kew; Geduld Prop. Mines, *Lurie 8*

(T.R.L. 88) Kew; Robinson Deep, Lurie 3, (T.R.L. 42) 28843, Kew; Nourse Gold Mine, H\u03c4eg 117 and (T.R.L. 18); City Deep (T.R.L. 46); Geldenhuis Deep (T.R.L. 67); Rose Deep (T.R.L. 55); Van Ryn Deep (T.R.L. 73); New Modderfontein Gold Mine (T.R.L. 82) 28845; New Amianthus Mine (T.R.L. 116); New State Areas (T.R.L. 296); Venterspost Gold Mine (T.R.L. 1533); Grootvlei Proprietary Mines (T.R.L. 1274); West Springs (T.R.L. 442); Consolidated Main Reef (T.R.L. 860).

isolated by spore catch in mines, South African Lands & Exploration Co. (T.R.L. 1522); Simmer & Jack Mines (T.R.L. 1730); Modderfontein Deep Levels (T.R.L. 948).

Polyporus rusticus Lloyd

Lloyd (1918 a) 751; van der Byl (1921 f) 272, (1922 c) 181, (1922 d) 286; Stevenson & Cash (1936) 119.

on **Pinus** sp., stump, Klapmuts, v. d. Byl 387 (Lloyd Myc. Coll. 3148) 13940, and v. d. Byl 285.

Polyporus sacer Fr.

Montagne (1847) 168 ; van der Byl (1921 f) 256, (1922 c) 181 ; Nel (1942) 83. Polystictus sacer Fr., Sacc. Syll. Fung. VI : 213.

on decayed wood, Cape, Drège 4114; Elandshoek, Barberton, Thorncroft, 9112; Durban, Medley Wood; New Guelderland, Addison (v. d. Byl 747); Kentani, Pegler 2454, 11519; Durban, v. d. Byl, 15551; Eshowe, v. d. Byl 389, 31723. on soil, Umtwalumi, Lansdell, 28663.

Polyporus salisburiensis v. d. Byl

van der Byl (1927) 226 ; Hopkins (1938 a) 113 ; Nel (1942) 83. on stump, Salisbury, $Eyles\ 4220$ (v. d. Byl 2437).

Polyporus Schreuderi v. d. Byl

van der Byl (1924 b) 311 ; Nel (1942) 83. on dead stump, Knysna, $v.\ d.\ Byl\ 720.$

Polyporus Schweinitzii

on underground mine timber, Rose Deep (T.R.L. 58).

Polyporus sector (Ehrenb. ex Fr.) Fr. on dead wood, Ceres, H. H. W. Pearson.

Polyporus subradiatus Lloyd

Lloyd (1915 d) 346, (1915 a) L. 60:3, 11; van der Byl (1921 d) 271, (1922 c) 181; Stevenson & Cash (1936) 122; Nel (1942) 83.

on Eucalyptus globulus Lab., Steynsdorp, Roberts, 11273, 15609.

Eucalyptus sp., eastern Cape, v. d. Byl 171.

on dead wood of trees undet., Kimberley, Wilman, 15660; without locality, Pole Evans (Lloyd Myc. Coll. 3147).

Polyporus sulphureus (Bull. ex Fr.) Fr.

Mac Owan (1891) 182; van der Byl (1921 f) 265, (1922 c) 181, (1922 d) 286, (1925 b) 195; J. Phillips (1931) 159; Wakefield, (1936) 43; Nel (1942) 84.

on Eucalyptus obliqua L'Herit., Harkerville Forest, Knysna, Keet (v. d. Byl 666) 13054, 31885.

Eucalyptus sp., Gouna Forest, Knysna, Keet, 11624: Stellenbosch and Cape Town, v. d. Byl; Klapmuts, v. d. Byl 261.

Olea laurifolia Lam., Knysna, J. Phillips, 17810.

Quercus Robur Linn., Tokai, D.F.O., 20419; Stellenbosch, Verwoerd (Stell. 14).

Quercus sp., near Cape Town, MacOwan (S.A.M.): Groot Constantia, Lansdell, 28785 and (T.L.R. 209): Stellenbosch Distr., Duthie 19, 31301; Stellenbosch, V. A. Putterill, 14510; Cape Town, v. d. Byl, and Péringuey (v. d. Byl 261 a); Tokai (T.R.L. 1481); without locality, Janse.

on dead wood, nr. Town Bush Valley. Hoeg 137: Harkerville Forest, Knysna, Duthie (v. d. Byl 221) 31633, Keet, 13053: Maritzburg, Rump, 26401: Bulwer, Rump, 27605: Stellenbosch and Cape Town, v. d. Byl; without locality, v. d. Byl, 11276; without locality, Torrend: Kirstenbosch (T.R.L. 246); Florida Lake (T.R.L. 1087): Qudeni Forest, Weintraub & Simpson (T.R.L. 1672).

Polyporus Telfairii Klotzsch

van der Byl (1924 b) 312, (1925 b) 195 : J. Phillips (1931) 160 : Nel (1942) 84. on trunks, Knysna, $Duthie\ 73$ (v. d. Byl 1399) 31331.

Polyporus trabeus Rostk.

Lloyd (1917 a) L. 66 : 2 ; Nel (1942) 84. on wood, Stellenbosch, *Duthie* (v. d. Byl 165) 15637.

Polyporus transvaalensis v. d. Byl

van der Byl (1925 a) 169, (1926 c) 289; Nel (1942) 84. on rotten wood, Haenertsburg, v. d. Byl 1475.

Polyporus Trichiliae v. d. Byl

van der Byl (1921 f) 262, (1922 c) 181; Nel (1942) 84.

on Trichilia emetica Vaill., Durban, r. d. Byl 897, Type, 14032 Kew ex Lloyd Myc. Coll. 908, and v. d. Byl 572.

ou dead wood, Moof River, Rump 144, 28548; Rooikopjes, Read (T.R.L. 703) 30827; Town Bush Valley, Rump 1, 3, 27528, 27529; Durban, v. d. Byl 129, 608.

Polyporus undatus Pers.

van der Byl (1921 f) 259, (1922 c) 182.

on logs, Maritzburg, v. d. Byl 128, 375, 31713, Rump (v. d. Byl 2579, 2579 a, 2576) : Town Bush Valley, Rump 140, 27776.

Polyporus undulatus Torrend

Torrend (1914) 58: Sacc. Syll. Fung. XXIV: 1322. on sandy ground, Zumbo, A. Cruz (Torrend, Fung. sel. exs. 230).

Polyporus vallatus Berk.

Lloyd (1915) L. 58:4. South Africa, without locality (Lloyd).

Polyporus varius Fr.

Cheesman (1909) 411; van der Byl (1921 f) 256, (1922 c) 182; Nel (1942) 84. on Curtisea faginea Ait., Horse Shoe Forest, v. d. Byl 298, 11278, 15543. on dead wood, in Rain Forest, Victoria Falls, Cheesman.

Polyporus veluticeps Cooke

Cooke (1884) 6; Sacc. Syll. Fung. VI: 82. on wood, Senna, Moçambique, Kirk.

Polyporus velutinosus Lloyd

Lloyd (1917 a) L. 67 : 2, (1922) 1162; Stevenson & Cash (1936) 125; Nel (1942) 84. on wood, Karkloof, *Platt* (v. d. Byl 424); Durban, v. d. Byl 545; without locality, v. d. Byl (Lloyd Myc. Coll. 19091, 22140); Natal, *Janse* (Lloyd Myc. Coll. 19049).

Polyporus vernicipes Berk.

Torrend (1905) 218. Moçambique (Torrend).

Polyporus vicinus Llovd

Lloyd (1924) 1294, 1331; van der Byl (1924 b) 312; Stevenson & Cash (1936) 125; not *P. vicinus* Bres.

Natal, v. d. Byl 1153, 1154 (Lloyd Myc, Coll, 40500) Kew.

Polyporus virgatus Berk. & Curt.

Simpson & Talbot (1946) 133.

on Acacia mollissima Willd., stump, Hopevale, Morgan, 30499, 30776.

on tree undet., Amanzimtoti, Lansdell (v. d. Byl 317) 31681; Compensation Beach, Rump 362, 30168; on ground, Qudeni Forest, Simpson & Talbot, 34972.

Polystictus affinis (Blume & Nees) Fr.

Lloyd (1916 c) 618.

Polyporus affinis Blume & Nees, Cooke (1879 b) 70; Medley Wood (1898) 18. on trunks of trees undet., Natal, Medley Wood 419, 11135; Mt. Silinda, Obermeyer, 30474; without locality, v. d. Byl.

Polystictus affinis-concinnus Lloyd

Lloyd (1916 c) 618; Stevenson & Cash (1936) 126. sub *Polystictus affinis* (Blume & Nees) Fr., Lloyd (1916 d) L. 63: 2. Durban, v. d. Byl 259, Type (Lloyd Myc. Coll. 38867).

Polystictus aratus (Berk.) Cooke

Wakefield (1936) 47.

Polyporus aratus Berk., van der Byl (1921 f) 270, (1922 c) 180, (1926 c) 288; Nel (1942) 78. Polyporus luteo-olivaceus Berk. & Br., Hopkins (1938 a) 113.

on Acacia mollissima Willd., Sevenoaks (T.R.L. 336, 340).

on dead wood, Mazoe, Eyles 7099; Umtali, Eyles 4222 (v. d. Byl 2409); Victoria Falls, Bottomley, 14115; Bluff. Durban, Høeg 66, v. d. Byl 158, 340, 31695; Munyana River, Høeg 134; Table Mt., Natal, Rump, 27554; New Germany, Moonsamy, 15546; Durban, v. d. Byl, 13938, 31754; Sevenoaks, Bowen (T.R.L. 336) Kew; Krantzkloof, v. d. Byl 200; Howick, Leslie (v. d. Byl 370) 31708 and Hobbs; Schroeders, v. d. Byl, 11283, 15591, 31760; Stella Bush, Moonsamy, 15590; Maritzburg, Rump 406, 30206; Natal, v. d. Byl 532; Zululand, v. d. Byl 169; Ngoye Forest, Haygarth, (v. d. Byl 276) 31663; Brander's High Forest, Keet, and v. d. Byl 85, 142, 31555, 31587; Port St. Johns, Rump 477, 30821; Stutterheim, Sr. de Victoria, 25877;

Woodbush, v. d. Byl: Lemana, Doidge, 1700: Bokfontein, Mogg, 27374: Boschfontein, Wolhuters Kop, Doidge & Bottomley, 33208: Hluhluwe Game Reserve, Rump 622, 629, 34368, 34388.

Polystictus argenteus Llovd

Lloyd (1920) 1069, (1922) 1112; Stevenson & Cash (1936) 128; Hopkins (1938 a) 113. on dead wood, Victoria Falls, *Bottomley*, Type (Lloyd Myc. Coll. 48883) 14111.

Polystictus azureus Fr.

Lloyd (1917 a) L. 66 : 3, on wood, Buccleuch, *Doidge*, 9804.

Polystictus Baurii (Kalchbr.) Cooke.

Cooke (1886) 79 : Sacc. Syll. Fung. VI : 226 : Killermann (1928) 186. Polyporus Baurii Kalchbrenner (1881) 53.

on trunks, Bazuja, Kaffraria, Baur, Type (MacOwan 690, 698; S.A.M. 34411); Boschberg, MacOwan 1080 (S.A.M.); Garcia's Pass, Riversdale (S.A.M. 38822); Heidelberg, Cape, Thorn (S.A.M. 44535).

Polystictus beharensis (Berk.) Cooke

Wakefield (1936) 48, on wood, Victoria Falls, $H\phi eg~105$.

Polystictus biformis (Klotzsch) Fr.

Sacc. Svll. Fung. VI: 240.

Polyporus biformis Klotzsch, Kalchbrenner (1881) 55; van der Byl (1921 f) 258, (1922 c) 180: Nel (1942) 78.

on Populus sp., Baakens River Valley, K. M. Putterill, 28532.

Rapanea melanophleos Mez., Horseshoe Forest, v. d. Byl. 15583.
on old logs, Bazuja, Baur (MacOwan 696: S.A. M. 34463): Inanda, Medley Wood 534, 9473: Horseshoe Forest, v. d. Byl. 13059; Bluff, Durban, v. d. Byl. 31914: eastern Cape, Keet and v. d. Byl 166, 1140: Waterberg, Grosskopf (v. d. Byl 1077).

Polystictus bulbipes Fr.

Polyporus cladonia Berk., Kalchbrenner (1881) 53; Sacc. Syll. Fung. VI: 211. Natal, Medley Wood 124, 160, Kew.

Polystictus cinnabarinus (Jacq. ex Fr.) Cooke

Wakefield (1936) 46.

Polyporus cinnabarinus (Jacq. ex Fr.) Fr., van der Byl (1921 f) 263. (1922 c) 180 : J. Phillips (1931) 160 : Nel (1942) 78.

on Aloe spp., Woodbury, Hφeg 158: Koningskroon, Hφeg 1^(r) : Alicedale, Cruden, 12184, Olea sp., living tree, Pirie Forest, v. d. Byl 154, 31593.

on logs, Maritzburg, $H\phi eg$ 19; Bluff, Durban, $H\phi eg$ 74; Durban, r. d. Byl 528; Natal, Moonsamy, 31931; Umzindeni R., nr. Hluhluwe, $H\phi eg$ 31; nr. Schoenberg, $H\phi eg$ 49; Ngoye, Haygarth (v. d. Byl 267) 31656; Ginginhlovu, Haygarth (v. d. Byl 307) 31676; Stellenbosch (Stell. 67); eastern Cape, v.d. Byl: Cape Town, Pole Evans, 9807.

Polystictus circinatus (Fr.) Cooke

Cooke (1886) 77; Sacc. Syll. Fung. VI: 208.

Trametes circinatus Fries (1848) 8. Natal, Wahlberg.

Polystictus coccineus (Fr.) Llovd

Lloyd (1916 d) L. 2: 3, 7, Note 440. without locality, Marloth.

Polystictus Cryptomeriae P. Henn.

Lloyd (1918 a) 758, (1917 a) L. 66: 12 as P. Cryptomeniae. on dead wood, Bluff, Durban, v. d. Byl, 15548.

Polystictus detonsus Fr.

Trametes detonsa Fries (1848) 13. Natal, Wahlberg.

Polystictus discipes (Berk.) Fr.

Natal, Medley Wood 410, Kew.

Polystictus Doidgei Lloyd

Lloyd (1924) 1294, 1329; Stevenson & Cash (1936) 130. on **Olea laurifolia** Lam., Deepwalls, *Doidge*, Type (Lloyd, Myc. Coll. 38870) 17796, Kew.

Polystictus elongatus (Berk.) Fr.

Kalchbrenner (1881) 54; Sacc. Syll. Fung. VI: 231. Somerset East. MacOwan.

Polystictus Ecklonii Berk, ex Cooke

Cooke (1887) 23; Sacc. Syll. Fung. VI: 250; Hennings (1892) 345; Cheesman (1909) 411.

on branches, South Africa, Ecklon & Zeyher; Zumbo, Torrend, Kew; South Africa, Bresadola, Kew; Rain Forest, Victoria Falls, Cheesman: Pondoland, Bachmann.

Polystictus Fergussoni Berk, ex Cooke

Cooke (1887) 23 ; Sacc. Syll. Fung. VI : 236. on trunks, Natal.

Polystictus flavus (Jungh.) Fr.

Lloyd (1912 b) L. 39: 3, (1924) 1318: van der Byl (1926 c) 288; Nel (1942) 85. on **Acacia** sp., Buffelsdrift, *Pienaar*, 1644. on wood, Woodbush, v. d. Byl: Potgietersrust, *Malherbe* (v. d. Byl 1672).

Polystictus floccosus (Jungh.) Fr.

Wakefield (1936) 46. on wood, nr. Umzindeni R., north of Hluhluwe, $H\phi eg~38$; Victoria Falls, $H\phi eg~75$. 11101–17

Polystictus funalis Fr.

Wakefield (1936) 46.

Trametes funalis Fr., Cooke (1880 b) 14.

on wood, Inanda, Medley Wood 433, Kew: Umzindeni R., north of Hluhluwe, Høeg 175: between Lusaka and Broken Hill, Pole Evans, 28661.

Polystictus gallo-pavonis (Berk. & Br.) Cooke

Lloyd (1922) 1122.

Polyporus gallo-pavonis Berk. & Br., van der Byl (1922 c) 180, (1924 b) 310 : Nel (1942) 79.

on old stumps, Eshowe, v. d. Byl 506.

Polystictus glauco-effusus Llovd.

Lloyd (1924) 1318, (1925) 1334: Stevenson & Cash (1936) 132: Nel (1942) 85. Polyporus glauco-effusus (Lloyd) van der Byl (1926 c) 289. on Eucalyptus sp., poles, Woodbush, v. d. Byl 1470, Type (Lloyd Myc. Coll. 53641).

Polystictus glaucoporus Lloyd

Lloyd (1925) 1334 : Stevenson & Cash (1936) 132.

Polyporus glaucoporus (Lloyd) van der Byl (1924 b) 313; Hopkins (1938 a) 113; Nel (1942) 80.

Victoria Falls, v. d. Byl 1066, Type (Lloyd Myc. Coll. 53827).

Polystictus glirinus (Kalchbr.) Cooke

Cooke (1886) 83.

Polyporus glirinus Kalchbrenner (1881) 55.

Somerset East, MacOwan 1015, Kew.

Polystictus helvolus Fr.

Lloyd (1916 d) L. 63: 2, 10, Note 458.

as Polyporus helvolus (Fr.) Nel (1942) 80.

on wood. Bazuja. Baur 694 (S.A. M. 34424): Boschberg, MacOwan 1425, 20945: Cramond, v. d. Byl, 15603; Natal Midlands, v. d. Byl 51.

Polystictus hirsutulus (Schw.) Cooke

Llovd (1916 d) L. 62: 2, (1920) 1010.

Polyporus hirsutulus Schw., van der Bvl (1921 f) 260, (1922 c) 181, (1926 c) 289.

on Acacia mollissima Willd., Eston, Mid-Illovo, Pole Evans, 5185.

on wood, Maritzburg, Sim, 9146; Town Bush Valley, Rump, 27526; Woodbush, v. d. Byl

Polystictus hirsutus (Wulf ex Fr.) Fr.

Sacc. Syll. Fung. VI: 257; Pole Evans (1911 b) 263; Wakefield (1936) 46; Hopkins (1931 c) 664, (1938 a) 113; Nel (1942) 110.

Polyporus hirsutus Wulf ex Fr., Montagne (1847) 170: Berkeley (1876) 174: Kalchbrenner (1881) 55; van der Byl (1921 f) 260, (1922 c) 181; J. Phillips (1931) 160; Nel (1942) 80.

on Acacia decurrens Willd., Dalton Bridge Road, Høeg 118; Barberton, Thorncroft.

Acacia mollissima Willd., Cramond and Harden Heights, Pole Evans, 1331; Impolweni, v. d. Byl 2736, Kew; Sevenoaks (T.R.L. 323).

Berlinia sp., Rhodesia, Hopkins.

Citrus sinensis Osbeck, Maritzburg, Ackerman (Rump 150) 28468. Gymnosporia peduncularis L. Bolus. Knysna, J. Phillips, 18041.

on wood of trees undet., "Hoogekraalsrivier in forest", Drège 9428; foot of Table Mt., Eaton; Bazuja, Baur 691; Somerset East, MacOwan 1093 (S.A. M. 344433); Kenilworth, H. H. W. Pearson; Table Mt., Natal, Rump (v. d. Byl 2720, 2731, 2740) Kew: Grevtown, v. d. Bul 2734, Kew; Ivy Range, Moodie's, Thorncroft, 15644; Newlands. Lansdell. 24864; Knysna, v. d. Byl 208, 31626; Ngoye Forest, Haygarth (v. d. Byl 266) 31657; Impolweni, Rump 172, 28477 and v. d. Byl 2736, Kew; Kamberg, Mooi River, Crass (Rump 145) 28549; Deepwalls, Bottomley, 30737; Giants Castle, Crass (Rump 141) 28545; Xumeni Forest, Morgan & Doidge, 30263; Marwaga Forest, Morgan & Doidge, 30838; Shamva (Rh. 1257); Solheim M.S., Eshowe, Hopeg 57; Maritzburg, Rump (v. d. Byl 2257, 2570).

on timber in storage, Johannesburg (T.R.L. 382).

Polystictus hirtellus Fr.

Polyporus hirtellus Fr., van der Byl (1921 f) 261, (1922 d) 181. Maritzburg, Sim, 9141; Howick, Hobbs.

Polystictus inconstans (Kalchbr.) Cooke

Cooke (1886) 82; Sacc. Syll. Fung. VI: 250. Polyporus inconstans Kalchbrenner (1881) 55. Somerset East, MacOwan 1080, Type, Kew; Bazuja, Baur 688, 690, Kew.

Polystictus iodinus (Mont.) Fr.

Lloyd (1912 b) L. 39: 3. on trunks, Boschberg, MacOwan 1085 (S.A.M. 34427): Woodbush, Doidge, 1721.

Polystictus lanatus Fr.

Lloyd (1912 b) L. 39: 2, L. 42: 8. Trametes lanata Fries (1848) 10; Torrend (1905) 219.

on wood. Natal. Wahlberg: Town Bush. Rump 284, 28691: Lemana, Doidge, 1698; Moçambique (Torrend).

Polystictus leoninus (Klotzsch) Fr.

Lloyd (1920) 952, 1010, (1922) 1130; Hopkins (1938 a) 113.

Polyporus leoninus Klotzsch, van der Byl (1921 f) 264, (1922 c) 181; Nel (1942) 80.

on Eucalyptus sp., Meintjes Kop, Thompson, 14509.

on dead wood, Illovo, Poss (v. d. Byl 390) 31724; Maritzburg, Rump, 26381; Xinavane Estate, le Roux, 12186; Pretoria, Vos. 12251, 14694; Meintjes Kop, Venter, 14490; Swaziland, Pole Evans, 26357; Lomagundi, Eyles 2703, 14252; Wonderboom, Doidge & Bottomley, 28727; Umfolosi, v. d. Byl 916; Durban, v. d. Byl 211, 297; Charter, Eyles (v. d. Byl 2343); Waterberg, Grosskopf (v. d. Byl 1075); Uwanetsi River, Bell Marley (v. d. Byl 1262).

Polystictus luteus (Blume & Nees) Fr.

Wakefield (1936) 46.

Polyporus luteus Blume & Nees, van der Byl (1921 f) 263, (1922 c) 181.

in old indigenous forest, Eshowe, Hopeg 135, 155; Ngoye Forest, Haygarth, (v. d. Byl 540); Cape Town, Saxton; Ginginhlovu, Haygarth (v. d. Byl 312) 14024, 31678.

Polystictus Macounii Lloyd

Lloyd (1914) L. 53: 9: (1920) 1010; Stevenson & Cash (1936) 135.
on wood, Knysna, *Pienaar* (Lloyd Myc. Coll. 53784) 2340; without locality, *Duthie*, (Lloyd Myc. Coll. 52790).

Polystictus meleagris (Berk.) Cooke

Lloyd (1924) 1294.

Polyporus meleagris Berk., van der Byl (1924 b) 310, (1925 b) 195; Nel (1942) 81, on dead wood, Knysna, v. d. Byl 1351.

Polystictus mimetes Wakef.

Wakefield (1936) 46. on branches, Victoria Falls, Hφeg 84, Kew.

Polystictus occidentalis (Klotzsch) Fr.

Torrend (1905) 218: Pole Evans (1911 b) 263: Wakefield (1936) 47; Hopkins (1938 a) 113: Brown (1937) 388.

Polyporus occidentalis Klotzsch, Lorrain Smith (1896) 342, (1901) 468; v. d. Byl (1921 f) 263, (1922 c) 181, (1922 d) 286; Nel (1942) 81.

on Acacia decurrens Willd., Cramond, Pole Erans, 1327.

Acacia mollissima Willd., Willowvale, D.F.O., 30102.

Afzelia quanzensis Welw., dead wood, Lourenço Marques, Tooke. 33754.

Albizzia gummifera (Gmel.) C. A. Sm., common in the eastern Cape, Keet: Stella Bush, v. d. Byl, 31686.

Citrus sinensis Osbeck, Nelspruit, Hall, 6685.

Persea americana Mill., eastern Cape, Keet.

Prunus salicina Lindl., Maritzburg, French (Rump 310) 28707.

Salix sp., Maritzburg, Rump 671, 33991.

on dead wood of trees, undet., Boschberg, MacOwan 1131, Kew: Natal, Medley Wood 535, 9482, 10641, Kew: Durban, in bush, Drège 9429; nr. Lopollo, Huilla, Welwitsch; Chilome, Lower Shire, Elliott; Winkle Spruit, Pole Evans, 5645; Maritzburg, J. M. Sim, 8818, 9204, Rump (v. d. Byl 2617) 26380; 31980; Port St. Johns, Rump 476, 30820; Bluff, Durban, v. d. Byl 275, 338, 764, 31693, Moonsamy, 11249; 15573; Stella Bush, Moonsamy, 31945, Leslie, 31701: Umgeni Bush, Hobbs, 31820: Town Bush Valley, Rump 30, 27606; Margate, Rump, 26385; Bot. Gardens, Durban, Moonsamy, 31649: New Germany, Moonsamy, 31856, 31857: Eshowe, Ridgeway 31631 : Howick, Hobbs : Zululand, Hopeg 43, 123, 152, 162, 165, 167, 169 and v. d. Byl 284, 289; Ginginhlovu, Haygarth, 31675; Elim, Watson, 26324; Selati River, Kretzschmar, 15051: Zoutpansberg, Watson, 25917: Kruger National Park, Young (Stell. 245); Rietfontein, Pretoria Distr., Venter, 15016; Nelspruit, A. Roberts, 8876: Alexandria Forest, Doidge, 23349: Stellenbosch, v. Heerden (Duthie 328) 31421 : Kasane, E. L. Stephens, 25491 : Port St. Johns. Rump 476, 30820 : Victoria Falls. Hopeg 51, 108: Umtali, Eyles 4226 (v. d. Byl 2415); Sinoia, Hopkins (v. d. Byl 2533): Lake St. Lucia, Rump 627, 639, 34373, 34558; Kirstenbosch, J. Acocks (E. L. Stephens 354) 34558; Moçambique (Torrend). on mine timbers, Jubilee Mine, Lurie (T.R.L. 151).

Polystictus ochraceus (Pers.) Lloyd

Trametes ochraceus (Pers.) Lloyd (1916 d) L. 63 : 2 ; Nel (1942) 87. Polyporus ochraceus Pers., van der Byl (1926 c) 289 ; Nel (1942) 81.

on Eucalyptus sp., poles, Tzaneen, v. d. Byl 1458.

Olea laurifolia Lam., Flo Forest, v. d. Byl, 11253, 15588.

Schotia latifolia Jacq., Gxulu Forest, v. d. Byl, 15589.

on wood, Stellenbosch, van Heerden (Duthie 239) 31422; Woodbush, v. d. Byl 1645; Table Mt., Natal, Rump, 26386; Durban, v. d. Byl 136, 809; Gouna Forest, Knysna, Keet (v. d. Byl 495) 11622.

Polystictus perennis (Linn. ex Fr.) Fr.

on Curtisea faginea Ait., on chips of wood, Petrus Brandt, Knysna, J. Phillips, 18032.

Var. simillimus Lloyd.

Rondehosch, E. L. Stephens, 26656.

Polystictus pergamenus Fr.

Nel (1942) 82.

on Acacia mollissima Willd., Impolweni, Rump (v. d. Byl 2265), on wood, Town Bush, Rump 312, 28674.

Polystictus phocinus (Berk. & Br.) Cooke.

Polyporus phocinus Berk. & Br., van der Byl (1921 f) 270, (1922 c) 181; Nel (1942) 82.
 on logs, Durban, v. d. Byl 52, 167, 337, 15585, 31692; ? Caverns, Bottomley, 28887; Port St. Johns, Rump 475, 30819.

Polystictus pinsitus Fr.

Hopkins (1938 a) 113.

Polyporus pinsitus Fr., van der Byl (1921 f) 261, (1922 c) 181; Hopkins (1939 a) 14; Nel (1942) 82.

on **Combretum** sp., Charter, Eyles 4092 (v. d. Byl 2382); Salisbury (Rh. 2065). on dead wood, Knysna, v. d. Byl 2232, Kew; Durban, v. d. Byl 135, 269, 13939.

Polystictus polyzonus (Pers.) Cooke

Lloyd (1915 a) L. 60: 3.

on Acacia decurrens Willd., Marua Place, nr. Durban, v. d. Merwe, 11250, 15592.
Salix sp., Harrismith, V. A. Putterill, 12994.

Polystictus pubescens (Schum, ex Fr.) Fr.

Polyporus pubescens Schum. ex Fr., van der Byl (1921 f) 261, (1922 c) 181. without locality, $v.\ d.\ Byl.$

Polystictus radiato-rugosus Bres.

Bresadola (1920) 36; Sacc. Syll. Fung. XXIII: 414; Killermann (1928) 186. on trunks, Moçambique, Torrend.

Polystictus regius (Miq.) Cooke

Miquel (1852) 191; Sacc. Syll. Fung. VI: 229. on felled trunks, chiefly Aloes, Cape, Drège, Zeyher.

Polystictus rugosissimus Torrend

Torrend (1914) 56; Sacc. Syll. Fung. XXIV: 1323. on trunks, Boroma, C. Witz (Torrend, Fung. sel. exsicc. 219).

Polystictus sanguineus (Linn. ex Fr.) Fr.

Sacc. Syll. Fung. VI: 229: Torrend (1905) 218: Cheesman (1909) 410: Eyles
(1915) 277; Juel (1918) 48: Doidge & Bottomley (1931) 41; Wakefield
(1936) 46: Hopkins (1938 a) 113; Simpson & Talbot (1946) 133.

Polyporus sanguineus Linn. ex Fr., von Thuemen (1876 b) 363 : Montagne (1847) 168 : Berkelev (1876 a) 174 : Kalchbrenner (1881) 54 ; van der Byl (1921 f) 263, (1922 c) 181, (1922 d) 286, (1925 b) 195, (1926 b) 289 ; Nel (1942) 83.

Boletus sanguineus Linn., Thunberg (1800) 182, (1823) 755.

on Acacia decurrens Willd., Harden Heights Pole Evans, 1324.

Acacia mollissima Willd., without locality, v. d. Byl.

Aloe arborescens Mill., Nelspruit, Mogg. 25452: Magaliesburg, Kresfelder, 31527.

Aloe arborescens var. natalensis, Eshowe, Gerstner, 28729.

Aloe Marlothii Berger, Komatipoort, A. Roberts (v. d. Byl 19) 31526.

Aloe spp., Uitenhage, Pienaar, 2296: Despatch, Holland, 14819: Boschberg, MacOwan 1008 (Thuem. Myc. Univ. 805) 21971, 22071, Kew.

Cassine sp., living tree, Qudeni Forest, Simpson & Talbot, 34975.

Eucalyptus globulus Lab., Maritzburg, J. M. Sim, 8797.

Eucalyptus sp., Barberton, Thorncroft, 2128; Woodbush, v. d. Byl.

Garcinia Livingstonei T. Anders., Vila nona de Gaza, Moçambique, Earthy, 23082.

Heteromorpha arborescens Cham. & Schlecht., Groenkloof, Mogg. 27365.

Homalium sp., Qudeni Forest, Simpson & Talbot, 34975.

Olea laurifolia Lam., Deepwalls, J. Phillips, 18050; Grootvadersbos, Swellendam, Ross (v. d. Byl 1675 a); Schwarzwald Forest, Keet (v. d. Byl 507) 31522, 31523; timber in storage, Johannesburg (T.R.L. 358).

Olea sp., Qudeni Forest, Simpson & Talbot, 34975.

Pinus sp., Kirstenbosch, Bottomley, 30723; Entabeni, Watson, 25883.

Quercus sp., foot of Lion's Head, below Kloof Road, Eaton: Stellenbosch, Verwoerd (Stell, 47).

Salix sp., Umtata, (T.R.L. 281).

Xymalos monospora Baill., without locality. v. d. Byl.

on dead wood of trees undet., "Hoogekraalsrivier, in woods", Drège 9434; Grootvaderbosch, Thunberg: Uitenhage, Zeyher, Kew ex Herb, Berk, : Bazuja, Baur (Mac Owan 685): Natal, Medley Wood 98, 237; Cape Town, MacOwan 3032, 21970; Karkloof, Doidge, 14837; Maritzburg, J. M. Sim, 9137; nr. Mont-aux-Sources, Bottomley, 23397 : Hopevale, Doidge, 27713 : Gala Bush, Doidge, 27270 : Xumeni Forest Morgan & Doidge, 30878 : Town Bush Valley, $H\phi eg$ 77 ; Qudeni Forest, Weintroub& Simpson (T.R.L. 1670, 1671); Salisbury Is., Hoeg 130; Stella Bush, Ritchie, 31666; Solheim M.S., Eshowe, *H*\$\phieg 35\$; Maputa Exped., Moçambique, *Breijer*, 8362; Lourenço Marques, *Junod*, 12247; Krantzkloof, *Lansdell*, 31630; Karkloof, Platt 32004; Swaziland Border, E. P. Phillips, 14209; Zimbeti Forest, Honey, 12467; Shiri Highlands, Kew; Cazenga, H. H. W. Pearson, Kew; Deepwalls Bottomley, 30697: Knysna, J. Phillips, 17808, v. d. Byl 2241, Pienaar, 2342: George, Gower, 20461: Wilderness, Mogg, 25439: George, Fouché, 17821, Mogg, 29722, Putterill, 15482: Kirstenbosch, L. Bolus (v. d. Byl 1675), : Newlands, Péringuey, 9184, E. P. Phillips (S.A.M. 9555); Kat River Valley, Moore, 20684; East London, Mogg, 17809, 23639; Stutterheim, Sr. de Victoria, 25878; Kentani, Pegler, 8416; Fort Cunynghame Robertson, 6695; Grahamstown, Gower, 14641; Pirie Forest Schaefer, 30888, v. d. Byl 155, 263, 31594, Pole Evans, 12314; Heidelberg, Cape, Thorn (S.A. M. 44534): Garcia's Pass, Riversdale, Thorn (S.A. M. 38821); Swellendam, v. Heerden (Duthie 8) 31297; Jackson's Tuin, Mogg, 28257; Malelane, A. L. Hall, 9747; Graskop, Burtt Davy, 76, Schilz, 15504; Lydenburg, Dyer, 30504; Woodbush. Doidge, 1716, N. Roberts, 5653; Rooikopjies, Read (T.R.L. 207) Kew; Forbes Reef, A. Roberts, 11284; Sabie Plantation (T.R.L. 198); Duivelskloof (T.R.L. 391); Tzaneen (T.R.L. 625): Waterberg, Kretzschmar, 14208; Victoria Falls, in Rain Forest

and Palm Kloof, Cheesman; Salisbury, Eyles 2764 (v. d. Byl 2439) 14251, 14862; Victoria Falls, Gibbs (Rh. 165); Sinoia, Hopkins (v. d. Byl 2535); Moçambique (Torrend).

Polystictus scorteus Fr.

Lloyd (1912 b) L. 40: 7.

Cape Town, Saxton.

"Type at Kew; probably a form of P. occidentalis".-E. M. Wakefield.

Polystictus spadiceus (Jungh.) Cooke

Polyporus spadiceus Jungh., Montagne (1847) 169; Lloyd (1917 a) L. 66: 3; Nel (1942) 83.
in bush, Durban, Drège 4110, 9439 b; near Durban, Burton, 9798; Zululand, v. d. Byl 796.

? Polystictus stereinus Berk. & Curt.

as Polystictus? stereoides Berk. non Fr. (Ms. name) Medley Wood (1898) 18. on decaying wood, Natal, Medley Wood 674, 11141.

Polystictus subiculoides Lloyd

Lloyd (1924) 1331 : Stevenson & Cash (1936) 139.

on Acacia mollissima Willd., Impolweni, Rump 168, 28559.

Eucalyptus sp., Maritzburg, Rump 160, 28556.

Grevillea robusta Cunn., Maritzburg, *Pole Evans* (Lloyd Myc. Coll. 48723) 1357; Town Bush Valley, *Rump 187*, 28472.

Quercus sp., Johannesburg, Lurie (T.R.L. 208) 28772.

on dead wood of trees undet., Town Bush Valley, Rump 35, 139, 27775, 27651; Maritzburg, Rump 161, 28469, Kew; Umgeni Bush, Rump 365 a, 371, 30171, 30179; Deepwalls, Bottomley, 30742.

Polystictus subpictilis P. Henn.

Lloyd (1916 a) 2, 7.

Polyporus subpictilis (P. Henn.) van der Byl (1921 f) 271, (1922 c) 181; Nel (1942) 83.
 on wood, eastern Cape, Keet. 14028, 15612; George, V. A. Putterill, 15483; Pirie Forest, Schaefer, 30889, Archibald, 34202; Mooi River, Crass, 28572; without locality, v. d. Byl 895; Mariepskop, Scott, 34073.

Polystictus tabacinus (Mont.) Fr.

Wakefield (1936) 48.

Polyporus tabacinus Mont., van der Byl (1921 f) 268, (1922 c) 181, (1926 c) 289; Nel

(1942) 84.

on tree trunks and dead wood, Ngoye Forest, Haygarth, 14038; Ginginhlovu, Haygarth, 15561; Eshowe, H\u03c4eg 80, v. d. Byl 496, Hyslop (v. d. Byl 429) 31741; Umhlali, Rump 387, 30192; Woodbush, v. d. Byl 1476; Zululand, v. d. Byl 311; Vumba Mts., Masseurs, 33952.

Polystictus torridus Fr.

Kalchbrenner (1881) 56.

Cape, MacOwan; without locality, Duthic.

Polystictus vellereus (Berk.) Fr.

Kalchbrenner (1881) 56. on wood, Inanda, Medley Wood 164.

Polystictus velutinus (Pers. ex Fr.) Cooke

Sacc. Svll. Fung. VI: 258.

Polyporus velutinus Pers. ex Fr., Kalchbrenner (1881) 56; Medley Wood (1898) 18: van der Byl (1921 f) 260, (1922 c) 182, (1925 b) 195; J. Phillips (1931) 160; Nel (1942) 84.

on Acacia mollissima Willd., Harden Heights, Pole Evans, 1333.

Salix sp., Pretoria, Pole Evans, 1558.

on dead wood and fallen branches, Boschberg, MacOwan 1061 (S.A.M. 34455), 20963, Kew: Inanda, Medley Wood 525, 31796, Kew: Forest Hall, Knysna, Duthic 266 (v. d. Byl 1398) 31442; Bulwer, Rump, 26388, 27597; Caverns, Bottomley, 28886; Xumeni Forest, Morgan & Doidge, 30877; Maritzburg, Rump 154, 28554; Greytown, Rump, 26387; Karkloof, Bayer, 34542; Randfontein Estates, Lurie (T.R.L. 13) 28753.

Polystictus versicolor (Linn. ex Fr.) Fr.

Sacc. Syll. Fung. VI: 253; Brown (1937) 383; Hopkins (1938 a) 115.

Polyporus versicolor Linn. ex Fr., Montagne (1847) 176; von Thuemen (1876 b) 312; Berkeley (1876 a) 174: Kalchbrenner (1881) 56: van der Byl (1921 f) 259; (1922 c) 182, (1922 d) 286, (1925 b) 195, (1926 c) 289; J. Phillips (1931) 160: Nel (1942) 84.

Boletus versicolor Linn., Thunberg (1800) 182, (1823) 755.

on Acacia decurrens Willd., Maritzburg, Pole Evans, 1332.

Acacia sp., Kenilworth, Cape, H. H. W. Pearson.

Eucalyptus sp., burned trunk, Stellenbosch, Verwoerd (Stell. 46): underground mine timber, Pilgrim's Rest, Lurie (T.R.L. 194) 28834, Kew.

Prunus communis Fritsch, Bloemfontein, Verwoerd.

Prunus persica Sieb. & Zucc., Paarl and Stellenbosch. v. d. Bul.

Salix sp., Pretoria, Howlett, 2103: Nottingham Road, v. d. Byl 159, 536, 31803.

on dead wood and on stems and trunks in bush, Boschberg, MacOwan 1071, (S.A.M. 34450). 22072, Kew: "ad Koratra cum Schizophyllo", Drège 9432: grounds of Govt. House and foot of Table Mt., Eaton: Mont aux Sources, Doidge, 23482; Xumeni Forest, Morgan & Doidge, 30726; Marwaqa Forest, Morgan & Doidge, 30849; Caverns, Bottomley, 28881; Town Bush Valley, Rump 29, 27608; Midlands of Natal, v. d. Byl 199; Qudeni Forest, Weintroub & Simpson (T.R.L. 1692); Deepwalls, Bottomley, 30739: Knysna, Duthie 78, 31336, Gower, 20603, v. d. Byl 714: Kirstenbosch, Bottomley, 24830, 24847, Mitchell, 14838, Duthie 122, v. d. Byl 124; Stellenbosch, Duthie 247, 31427; Jonkershoek, Duthie 248, 31429: Groot Schuur, Acocks, 27278; Garstfontein, Doidge, 30522, Bottomley, 30722: Pretoria, Doidge, 30721; Barberton, Thorncroft (v. d. Byl 291): Woodbush, v. d. Byl 1489: Tzaneen (T.R.L. 623); Umtali, Eyles 7100, Kew.

on underground mine timbers, Jubilee Mine (T.R.L. 154); Pilgrim's Rest, Lurie (T.R.L.

114) 28754.

Polystictus villosus (Swartz ex Fr.) Cooke

Polyporus villosus Swartz ex Fr., Montagne (1847) 170 ; Sacc. Syll. Fung. VI : 238. Witberg, Drège 9427.

Polystictus vinosus (Berk.) Cooke

Polyporus vinosus Berk., van der Byl (1921 f) 270, (1922 c) 182; Nel (1942) 85.

on Eucalyptus sp., Town Bush Valley, Rump 89, 27791.

on old stumps and logs, Schroeders, v. d. Byl 467, 31764; Maritzburg, v. d. Byl 139; Mt. Silinda Forest (Rh. 4323) 33125.

Polystictus vittatus (Berk.) Fr.

 $Polyporus\ vittatus\ Berk.,$ van der Byl (1924 b) 312 ; Nel (1942) 85. Zululand, v. d. Byl 537.

Polystictus xanthopus Fr.

Polyporus xanthopus Fr., Torrend (1905) 218; van der Byl (1921 f) 257, (1922 c) 182; Nel (1942) 85.

on wood, Ngoye Forest, Haygarth, 15566, Ballenden; Zululand, v. d. Byl 626, 749; Nelspruit, A. Roberts, 8879; Dooley, Bottomley, 13794; Moçambique, (Torrend).

Polystictus xanthopus-concinnus Lloyd

Lloyd (1916 c) 618 ; Stevenson & Cash (1936) 140. Durban, v. d. Byl 284 (Lloyd Myc. Coll. 38868).

Polystictus zonatus Fr.

Polyporus zonatus Fr., van der Byl (1921 f) 260, (1922 d) 286, (1925 b) 195; Doidge & Bottomley (1931) 68; J. Phillips (1931) 160.

on Acacia melanoxylon R. Br., Cedara, Foster, 9540.

Celtis Kraussiana Bernh., Katherg Main Forest, Keet, 11257, 15586.

Olea laurifolia Lam., Knysna, J. Phillips (v. d. Byl 2084).

Quercus sp., Harkerville, Keet, 13056.

on dead wood of trees undet., Woodbush, Doidge, 1713, 1715, 1719; Lemana, Doidge, 1698; Duivelskloof, Doidge, 1702; Mont aux Sources, Bottomley, 23476; Mooi River, Crass (Rump 142, 164), 28546, 28558; Knysna, Gower, 20596, Keet, 32482, 32483; George, V. A. Putterill, 15490; Stellenbosch, Duthie 247 a, 31428; Durban, Hobbs (v. d. Byl 584) 15587; Transvaal, v. d. Byl 138; Barberton, Thorncroft (v. d. Byl 67) 31550; Horseshoe Forest, v. d. Byl 89 a, 31556.

Poria aneirina (Sommerf. ex Fr.) Cooke

Polyporus aneirinus Sommerf. ex Fr., Kalchbrenner (1881) 56; Medley Wood (1898) 18. on wood, Inanda, Medley Wood 159 (S.A.M. 34426).

Poria attenuata Peck

? on Acacia mollissima Willd., Town Bush Valley, Rump 414, 30212.

Poria callosa (Fr.) Cooke

Polyporus callosus Fr., Kalchbrenner (1881) 56. Boschberg, nr. Somerset East, MacOwan; Bazuja, Baur 702 (S.A.M. 34464).

Poria citrina Mass.

Cheesman (1909) 410. in Rain Forest, Victoria Falls, Cheesman. Poria contigua (Pers. ex Fr.) Cooke

Simpson & Talbot (1946) 133.

? as Polyporus MacOwani Kalchbr. in Herb. Kew.

on Homalium sp., dead tree, Qudeni Forest, Simpson & Talbot, 34965.

Mimusops Zeyheri Sond., dead wood, Wolhuter's Kop, Doidge & Bottomley, 33186.
on wood of indigenous trees, Cape, MacOwan; Compensation Beach, Rump 413, 30211;
Town Bush, Rump 269, 289, 299, 28501, 28695, 28696.

Poria corticola (Fr.) Cooke

Polyporus corticola Fr., Kalchbrenner (1881) 56.

on bark, Inanda, Medley Wood 153, 188 (S.A.M. 34462) 11149: Town Bush Valley, Rump 36, 80, 27652, 27786; Xumeni Forest, Morgan & Doidge, 28917.

Poria epilintea (Berk. & Br.) Cooke

Polyporus epilinteus Berk. & Br., Kalchbrenner (1881) 56. as Polyporus carneo-pallens Berk. in Herb. S.A. M. on dead branches, Boschberg, MacOwan 1073 (S.A. M. 34428).

Poria epimiltina (Berk.) Lloyd

on wood, Compensation Beach, Rump 427, 30218, 30163.

Poria ferruginosa (Schrad, ex Fr.) Karst.

Lloyd (1917 a) L. 66 : 13, (1920) 952. on wood, Knysna, *Duthie 191*, 31395 ; Town Bush, *Rump 271*, 28491.

Poria sp., cfr. P. lacticolor Murr. without locality, v. d. Byl 2236. Kew.

Poria laevigata (Fr.) Karst.

on dead wood, Xumeni Forest, Doidge, 28945.

Poria mollusca (Pers. ex Fr.) Cooke

on dead wood, Nottingham Road, Ackerman, 27623; Cato Ridge, Rump, 27638; Caverns, Bottomley, 28884.

Poria obliqua (Pers. ex Fr.) Karst.

on wood of indigenous trees, Maputa Exped., Breijer, 8357; Umgeni Bush, Rump 351, 30159; Town Bush Valley, Rump 108, 27762.

Poria radula (Pers. ex Fr.) Cooke

Hopkins (1938 a) 113, (1939 c) 592, on dead log, Umtali (Rh. 3454) 30635 : on wood, Duivelskloof, *Read* (T.R.L. 201) 28965.

Poria Ravenelae (Berk. & Br.) Cooke

? on Phoenix reclinata Jacq., Compensation Beach, Rump 378, 30183.

Poria rufitincta Berk. & Curt.

Simpson & Talbot (1946) 133. on dead wood, George, V. A. Putterill, 15491: Qudeni Forest, Simpson & Talbot, 34964.

Poria sanguinolenta (Alb. & Schw. ex Fr.) Cooke

Polyporus sanguinolentus Alb. & Schw. ex Fr., Kalchbrenner (1881) 56; Medley Wood (1898) 18.

on decaying wood, Durban, Medley Wood 156.

Poria spissa (Schw. ex Fr.) Cooke

Lloyd (1916 d) L. 63: 4.

without locality, Duthie.

Poria subliberata (Berk. & Curt.) Cooke

Polyporus subliberatus Berk. & Curt., Kalchbrenner (1881) 56. on wood, Boschberg, MacOwan.

Poria umbrina (Fr.) Cooke

Polyporus ferruginosus Rostr., in Herb. S.A.M. on trunks in bush, Boschberg, MacOwan 1158 (S.A.M. 34432).

Poria vaporaria (Fr.) Cooke

Cheesman (1909) 410; Brown (1937) 388.

Polyporus vaporarius Fr., Berkeley (1876 a) 174.

on **Acacia mollissima** Willd., underground mine timber, Riverview Mine, Wedberg, Wilman, 23503.

Eucalyptus gigantea Dehnh., Jessievale Plantation, D.F.O., 20460.

on wood, foot of Table Mt., Eaton, Kew; without locality, Drège, Kew; Groot Schuur,

Cheesman; Knysna, Bottomley, 30747.

on underground mine timbers, Jubilee Mine, Pilgrim's Rest, Lurie (T.R.L. 31, 149, 147, 178) 28759, 28836; Nourse Mines, Bottomley, 28718, Brown (T.R.L. 1); Crown Mines, (T.R.L. 29); New Modderfontein Gold Mine, (T.R.L. 84, 560); New Amianthus Mine (T.R.L. 129, 134); Durban Roodepoort Deep (T.R.L. 667).

on pitch pine in storage, Johannesburg (T.R.L. 1894, 1896); on flooring boards, Johannesburg (T.R.L. 1129).

Poria versipora (Pers.) Lloyd

Lloyd (1917 a) L. 66:2.

Polyporus versiporus Pers., van der Byl (1921 f) 259, (1922 c) 182; Nel (1942) 85.

on dead wood, Durban, r. d. Byl 345, 346, 14030, 15584, 31698, v. d. Byl 164, 172, 654; Hopevale, Morgan, 27751; Town Bush, Rump 227, 285 a, 304, 397, 28280, 28692, 28694, 28701, 30198; Xumeni Forest, Morgan & Doidge, 28944; Umhlali, Rump 418, 30213.

Poria vincta (Berk.) Cooke

Polyporus vinctus Berk., Kalchbrenner (1881) 56. on wood, Somerset East, MacOwan 1185.

Poria vulgaris (Fr.) Cooke

Polyporus vulgaris Fr., Montagne (1847) 170; Kalchbrenner (1881) 56, on Acacia mollissima Willd., Town Bush Valley, Rump 81, 27787. on wood, "Omsamwubo", Drège 9424 c; Boschberg, MacOwan 1069 (S.A.M. 34466).

Porothelium incanum (Kalchbr.) Sacc.

Sacc. Syll. Fung. VI: 423.

Stigmatolemina incanum Kalchbrenner (1882 a) 104, on wood Somerset East. MacOwan.

Strobilomyces strobilaceus (Scop. ex Fr.) Berk.

Cheesman (1909) 411. edge of Rain Forest, Victoria Falls, Cheesman

Trametes albotexta Lloyd

Lloyd (1916 c) 614, (1916 d) L. 63:2; van der Byl (1921 f) 284, (1922 c) 182;
Sacc. Syll. Fung. XXIII: 433; Brown (1937) 388; Stevenson & Cash (1936) 142; Nel (1942) 86; Simpson & Talbot (1946) 134.

on Cedrela sp., Klein Australië, Bottomley, 26327.

Grevillea sp., Klein Australië, Bottomley, 26325.

Olea laurifolia Lam., fallen tree, Qudeni Forest, Simpson & Talbot, 34985.

Podocarpus sp., on dead wood, Hlatikulu, v. d. Byl 181, Type (Lloyd Myc. Coll. 39178) 14020, 15568; Knysna, Duthie; eastern Cape, v. d. Byl 312.

on dead wood of trees undet., Stellenbosch, *Duthie*, 15633; Klein Australië, *Bottomley*, 26326.

on mine timbers, Jubilee Mine, Pilgrim's Rest, Lurie (T.R.L. 27) 28758, (T.R.L. 172) Kew; New Amianthus Mine, A. L. Smith (T.R.L. 133) Kew; Randfontein Estates (T.R.L. 113) Kew; Robinson Deep (T.R.L. 39).

Trametes ambigua (Berk.) Fr.

Kalchbrenner (1881) 56.

Somerset East, MacOwan 1065, 1066.

According to Lloyd (1920) 984, MacOwan 1066 is Lenzites repanda.

Trametes aratoides Pat. & Har.

as Polyporus aratoides (Pat. & Har.) Lloyd (1923) 1189. without locality, $V.\ A.\ Putterill.$

Trametes balanina Fr.

Fries (1848) 15; Sacc. Syll. Fung. VI: 354. on trunks, Natal, Wahlberg, Type.

Trametes capensis Lloyd

Lloyd (1920) 1010, nom, nud.

on Acacia Karroo Hayne, Fountains Valley, L. C. Turner, 8820.

This fungus was named by Lloyd (l.c.) and described in a letter dated 7th August, 1920, but the description was omitted from his published notes. The following is Lloyd's description: "Sessile, hard, ligneous. Context and pores isabelline. Surface reddish-brown, minutely velutinate. Pores small, rigid, irregular. Spores not found. This belongs in Sect. 128 but is close to Trametes devera (in 131). The yellowish context and minutely velutinate surface alone distinguish it. The spores have the same appearance. Based on collection 8820, L. C. Turner."

Trametes captiosa Mont.

Montagne (1847) 170; Sacc. Syll Fung. VI: 349. on trunks and branches, "Zuureberg nr. Bontjesrivier", Drège 9433 b, Type.

Trametes cervina (Schw.) Bres.

Hopkins (1938 a) 113, (1939 a) 14. on Citrus sinensis Osbeck, Mazoe, Bates.

Trametes cingulata Berk.

van der Byl (1921 f) 28, (1922 c) 182, (1926 c) 289; Wakefield (1936) 50; Hopkins (1938 a) 114; Nel (1942) 86; Simpson & Talbot (1946) 134.

as Trametes pictus, Lorrain Smith (1895) 342.

on Acacia decurrens Willd., Dalton Bridge Road, Hogg 115, 116, 126, 128, Kew.

Acacia mollissima Willd., Cramond, v. d. Byl 213, 11246; Pinetown, v. d. Byl 750; Krantzkloof, v. d. Byl 108.

Acacia sp., Balfour, Cape, Keet, v. d. Byl 106, 31564.

Eucalyptus sp., Zwartruggens, Sutton, 30521; Tzaneen, v. d. Byl 1464; Zoutpansberg, Hofmeyr (Stell. 184).

Prunus armeniaca Linn., Pretoria, Klasing (v. d. Byl 805).

on dead stumps and logs of trees undet., Xumeni Forest, Morgan & Doidge, 30876; Cramond, v. d. Byl 212, 31629; New Germany, Moonsamy (v. d. Byl 603) 31849; Ennersdale, Hφeg 3; Town Bush Valley, Hφeg 42; Krantzkloof, Lansdell (v. d. Byl 211) 31628; Sevenoaks (T.R.L. 355); Natal, v. d. Byl (Stell. 64); Umzindeni R., north of Hluhluwe, Hφeg 30, 36; Ngoye Forest, Haygarth (v. d. Byl 261), 31655; Qudeni Forest, Simpson & Talbot, 34984; Howick, Leslie, Hobbs; Glen, Potgieter, 14691; Kasani, E. L. Stephens, 25492; Lobatsi, Breach (Duthie 286; v. d. Byl 817) 31458; Pretoria, Howlett, 20610, v. d. Byl 794; Sevenoaks, (T.R.L. 355); Knysna, Louw, 20467, Saltpan, Pienaar, 2127, Watson, 26407; Rietfontein, Pretoria Distr., Venter, 14489; Buffelspoort, Doidge, 30751; Pietersburg, Hofmeyr (v. d. Byl 1711); Limpopo Valley, Kretzschmar, 12465; Duivelskloof, Read (T.R.L. 206) 28970; Waterberg, Grosskopf (v. d. Byl 1074); Potgietersrust, Grosskopf, (v. d. Byl 1671); Rooiwal, Bosman, 27506; Maputa Exped., Breijer, 8356; Marianthall, Marloth, 26614; Ukualaukalti, Barnard (S.A.M. 45950); Victoria Falls, Hφeg 79; Chilome, Lower Shire, Zambesi, Elliott.

on timber in storage, Johannesburg (T.R.L. 365, 483).

Trametes corrugata (Pers.) Bres.

Nel (1942) 86.

Trametes Persoonii (Fr. ex Cooke) Pat., Hopkins (1938 a) 114.

on Albizzia amara Boiv., Durban, v. d. Byl, 15623.

Brachystegia Randii Bak., f., Umtali, Eyles 1729, 15655.

on dead wood, Maritzburg, *Rump 359* (v. d. Byl 2602) 30165; Krantzkop, *Rump 449*, 30230; Rooikopjes, *Read* (T.R.L. 204) 28968; South coast of Natal, *Rump*, (v. d. Byl 2260).

Trametes devexa Berk.

Nel (1942) 86.

on Pyrus malus Linn., Wolhuter's Kop. Pole Evans, 12305.

Rhus viminalis Vahl., Brander's High Forest, v. d. Byl, 15582.

on dead wood, Verulam, v. d. Byl, 11254; Durban, v. d. Byl 104, 558, 751.

Trametes fibrosa Fr.

Torrend (1905) 219.

Moçambique (Torrend).

Trametes gibbosa (Pers. 3x Fr.) Fr.

Nel (1942) 87.

on Acacia mollissima Willd., Impolweni, Rump (v. d. Byl 2264) Kew.

Trametes glabrescens (Berk.) Fr.

van der Byl (1921 f) 281; J. Phillips (1931) 159; Nel (1942) 86; Simpson & Talbot (1946) 134.

on Olea laurifolia Lam., Petrus Brandt, Knysna, J. Phillips, 18037.

Podocarpus latifolius R. Br., Knysna, Doidge, 17194.

on trees undet., eastern Cape, Keet, v. d. Byl 149, 290, 11251, 15581; Klerksdorp, Sr. de Victoria, 23468; Knysna, Gower, 20462; Deepwalls, Bottomley, 30736; George, v. d. Byl 2748; Linyati River, near Kazungulu (E. L. Stephens 475) 34556; Qudeni Forest, Simpson & Talbot, 34987.

Trametes griseo-lilacima v. d. Byl

van der Byl (1921 f) 283, (1922 c) 182 : Nel (1942) 87 : Simpson & Talbot (1946) 134.

on Acacia mollissima Willd., Mahlabatini, Gerstner, 28793.

on railway sleeper, Illovo River, Hobbs, 13942: Durban, v. d. Byl 150, 1060; on wood, Maritzburg, Rump, 26393, 27533: Town Bush Valley, Rump 247, 458, 28309, 28977; on wooden fence posts, Qudeni Forest, Simpson & Talbot, 34986.

Trametes heteromorpha (Fr.) Lloyd

Stevenson & Cash (1936) 144.

on wood, Maritzburg, Rump 132, 203, 27771, 27778.

Trametes hispida Bagl.

van der Byl (1921 f) 284, (1925 b) 195.

on Schotia latifolia Jacq., dead wood, Gxulu Forest, Keet (v. d. Byl 145) 11252, 15616, 31589, on dead wood of trees undet., Knysna, v. d. Byl: Howick, Leslie (v. d. Byl 372) 31710; without locality, Duthie 1, 65, 31293, 31328.

Trametes hydnoides (Swartz ex Fr.) Fr.

Fries (1848) 9: Cheesman (1909) 410.

on Ficus sp., thickly imbricate on a fallen log. East Ferry, Victoria Falls, Cheesman, on dead wood, Natal, Wahlberg.

Trametes incerta Curr.

on wood, Hluhluwe Game Reserve, Rump 446, 30228.

Trametes incondita Fr.

van der Byl (1921 f) 286, (1922 c) 182; Nel (1942) 87.

on Ptaeroxylon obliquum (Thunb.) Radlk., Harald Forest, Keet, 11286, 15639, 15540; eastern Cape, v. d. Byl 148, 309.

on dead wood, Brander's High Forest, 15614; eastern Cape, v. d. Byl 286, 272; Durban, v. d. Byl 806: Xumeni Forest, Morgan & Doidge, 28934. on underground mine timber, Johannesburg, Naudé, 23354.

Trametes Keetii v. d. Byl

van der Byl (1921 f) 283, (1922 c) 182. on **Rhus viminalis** Vahl, Katberg Main Forest, *Keet*, 15636.

Trametes lactea Fr.

Kalchbrenner (1881) 56; Sacc. Syll. Fung. VI: 340. Somerset East, MacOwan 1966; Natal, Medley Wood.

Trametes lactinea (Berk.) Fr.

Torrend (1905) 219 ; van der Byl (1921 f) 282, (1922 c) 182, Wakefield (1936) 50. on Acacia mollissima Willd., on log, Wolfridge Plantation, $v.\ d.\ Byl\ 47$, 31540.

? Ficus sp., Umzimkuzi River, $H\phi eg$ 41.

Schotia latifolia Jacq., Gxulu Forest, Keet, 15579.

on tree undet., Buccleuch, *Doidge*, 9803; Xumeni Forest, *Morgan & Doidge*, 30882. on mine timber, Jubilee Mine, Pilgrim's Rest, *Lurie* (T.R.L. 197) 28837.

Trametes Meyenii (Klotzsch) ? Lloyd

Hopkins (1938 a) 114, (1939 a) 12.

Polystictus Meyenii (Klotzsch) Cooke, Lloyd (1923) 1189; Wakefield (1936) 47.

Polystictus obstinatus Cooke, Lloyd (1914) L. 53:3.

Trametes obstinatus Cooke, Lloyd (1912 b) L. 39:5; van der Byl (1921 f) 285, (1922 c) 182, (1925 b) 195; J. Phillips (1931) 160; Nel (1942) 87.

on Acacia decurrens Willd., var. dealbata F. v. M., Ixopo, Pole Evans, 5184.

Acacia mollissima Willd., Pretoria, v. d. Byl; Hopevale, T. Morgan, 33072.

Celtis Kraussiana Bernh., Katberg Main Forest, Keet (v. d. Byl 262), 32030; Nqadu Forest, D.F.O., 9545.

Citrus Limonia Osbeck, Umtali, Hopkins (Rh. 249) Kew.

Citrus sp., Pretoria, v. d. Byl.

Ocotea bullata E. Mey., Kruisfontein, Verwoerd (Stell. 337).

on wood of trees undet., Maritzburg, Reynolds (v. d. Byl 322) 31685, Rump, 26402, v. d. Byl 105, H\$\phieqsi 136\$, Kew; Xumeni Forest, Morgan & Doidge, 30267, 30804; Weenen, H\$\phieqsi 129\$; Town Bush Valley, H\$\phieqsi 139\$; Scottburgh, Rump 538, 33905; Stella Bush, Moonsamy, 31943; Solheim M.S., nr. Eshowe, H\$\phieqsi 9\$; Ngoye Forest, Haygarth; Ginginhlovu, Haygarth, 15569; Maclear, v. d. Byl 2755; Grahamstown, Hepburn (v. d. Byl 65) 31548; Bizana, (T.R.L. 293); Knysna, Duthie 37, 31311, Duthie (v. d. Byl 205) 31623; Buffelspoort, Turner, 30725; Mt. Silinda Forest (Rh. 4322) 33124; George, v. d. Byl 719.

Trametes moesta Kalchbr.

Kalchbrenner (1881) 56; Sacc. Syll. Fung. VI: 348; van der Byl (1921 f) 284, (1922 c) 182. on trunks, Murraytown, Tyson; without locality, Roberts.

Trametes natalensis Fr.

Fries (1848) 13.

Polyporus natalensis Fr., Kalchbrenner (1881) 54; Sacc. Syll. Fung. VI: 142. on Eucalyptus sp., trunk, Inanda, Medley Wood 217. on tree undet., Natal, Wahlberg, Type.

Trametes ochrolignea Lloyd

Lloyd (1916 d) L. 63:10. Note 456: van der Byl (1921 f) 285, (1922 c) 182; Sacc. Syll. Fung. XXIII: 433; Stevenson & Cash (1936) 145: Nel (1942) 87. on rotting log. Stella Bush. v. d. Byl. 11258, 14025, 15578: Durban, v. d. Byl. 106; Berea, Durban, v. d. Byl. 226 (Lloyd Myc. Coll. 39172).

Trametes pertusa Fr.

Fries (1848) 10. inland regions of the Cape, Wahlberg.

Trametes Proteus (Berk.) Fr.

Fries (1848) 12 : van der Byl (1921 f) 282, (1922 c) 182, (1922 d) 286, (1925 b) 193 : J. Phillips (1931) 159 ; Wakefield (1936) 50 ; Nel (1942) 88.

Polyporus Proteus Berkeley (1843) 514: Montagne (1847) 168: Verwoerd (1929 b) 6; Doidge & Bottomley (1931) 9: Nel (1942) 82.

Polystictus Proteus (Berk.) Cooke (1886) 82; Sacc. Syll Fung. VI: 250.

Polyporus Proteus var. imbricatus Berkelev (1843) 515.

on Acacia mollissima Willd., Town Bush Valley, Rump 115, 27763; Krantzkloof, v. d. Byl 492. Curtisea faginea Ait., Knysna, J. Phillips.

Eucalyptus spp., Belvidere, Knysna, Duthie 177, 31384; Pretoria, Hoeg 60, Kew; Maritzburg, Hoeg 95, Kew; Mazoe, Bates, 33131; Stellenbosch, Verwoerd (Stell. 45). Ficus sp., Durban, Casey, 27684.

Melia Azedarach Linn., Maritzburg, Rump 494, 30835. Populus sp., Klapmuts, v. d. Bul 576, 717, 413, 31732.

Pinus sp., Klapmuts, v. d. Byl 553.

Prunus Armeniaca Linn., Wellington, Verwoerd, Putterill, 14533.

Quercus sp., Maritzburg, Rump 561, 571, 35317, 35321. Rhus viminalis Vahl, Katberg Main Forest, Keet, 11287. Schinus molle Linn., Bloemfontein, v. Hoepen (v. d. Byl 2368).

on dead wood, in bush, Durban. Drege 9422: "Osamwubo", in bush near river, Drège 9426 b; on rotten wood near Uitenhage. Zeyher: Natal, Wahlberg: Maritzburg, Rump, 27650: Stella Bush, v. d. Byl 821, 31944; Bluff, Durban, v. d. Byl 339, 31694; Knysna, Duthie 271, 31445. v. d. Byl 717; Kirstenbosch, Middlemost, 24858: Stellenbosch, v. d. Byl 304. Duthie, 15637, 31616, 31513: Paarl, v. d. Byl 531: Fountains Valley. L. C Turner, 8814: Port Elizabeth, Doidge, 1339; Johannesburg, 30834 and v. d. Byl 2754; Pretoria, v. d. Byl 103, 137, 11281; Umfolosi, v. d. Byl; Ngoye Forest, Haygarth: Zululand, v. d. Byl 48, 107, 819 a; Ennersdale, Høeg 121, Kew; Solheim M.S., nr. Eshowe, Høeg 168, Kew: Eshowe, Høeg 24; Lobatsi, v. d. Byl 819; Victoria Falls, v. d. Byl 786; without locality (comm. Lloyd) Kew. on timber in storage, Exchange Yards, Johannesburg, Bowen (T.R.L. 362).

Trametes rigida Berk. & Mount.

Kalchbrenner & Cooke (1881) 27, as Trametes rigidus. on a fallen tree, Inanda, Medley Wood 496, Kew; Shiri Highlands, Kew.

Trametes robiniophila Murr.

van der Byl (1922 c) 182.

Polyporus robiniophila (Murr.) Lloyd (1916 d) L. 63:10; van der Byl (1921 f) 262; Stevenson & Cash (1936) 118.

on dead wood, Durban, v. d. Byl, 27698; Nkandhla, Rump 377, 30188; Maritzburg, Rump 58, 27683.

Trametes roseola Pat. & Har.

Hopkins (1938 a) 114, (1939 c) 592, (1943) 188.

on Acacia mollissima Willd., Impolweni, Rump 170, 28560; Melmoth, Rump 382, 403, 30191, 30204.

Eucalyptus ficifolia F. Muell., Maritzburg, Rump, 27609, Kew. Prunus persica Sieb. & Zucc., Cashel, Hopkins, (Rh. 3441) 30634. on dead wood, Albert Falls, Ledeboer, 34116.

Trametes salebrosa v. d. Byl

van der Byl (1924 b) 313; Nel (1942) 88. Knysna, v. d. Byl 1063.

Trametes scalaris Fr.

Fries (1848) 12; Kalchbrenner (1881) 54; Sacc. Syll. Fung. VI: 350. Natal, Wahlberg, Type; Bazuja, Baur (MacOwan 694).

Trametes Sceleton Fr.

Fries (1848) 14; Sacc. Syll. Fung. VI: 353. on trunks, Natal, Wahlberg, Type.

Trametes scleroderma Fr.

Fries (1848) 15; Sacc. Syll. Fung. VI: 354. on trunks, Natal, Wahlberg, Type.

Trametes sepium Berk.

Kalchbrenner (1881) 56; van der Byl (1924 b) 313, (1922 c) 182; Nel (1942) 88. on decaying wood, Somerset East, *MacOwan*; Burghersdorp, v. d. Byl 476.

Trametes serialis Fr.

on Oregon pine timber in storage, Johannesburg, (T.R.L. 212, 884, 1630).

Trametes serpens Fr.

on wood, Compensation Beach, Rump 405, 30205; ! Hlabini Forest, Morgan & Doidge, 28961; Town Bush, Rump 624, 34370.

Trametes suaveolens (Linn, ex Fr.) Fr.

MacOwan (1895) 331.

on Celtis Kraussiana Bernh., on living bark, Klein Vis Rivier nr. Somerset East, MacOwan 1065, Kew.

Gymnosporia sp., on dying trees, Boschberg, MacOwan.

Quercus sp., Cape, MacOwan.

Rhus sp., dying trees, Boschberg, MacOwan.

Trametes subflava Lloyd

Lloyd (1917 a) L. 66 : 8, Note 585 ; van der Byl (1921 f) 284 ; Stevenson & Cash (1936) 147 ; Nel (1942) 88.

on **Celtis Kraussiana** Bernh., on living tree, eastern Cape, *Keet* (v. d. Byl 267). on wood, ? Durban, v. d. Byl 79, 388 (Lloyd Myc. Coll. 13245, 13340), 31722.

Trametes Sycomori P. Henn.

Lloyd (1916 d) L. 63: 2, 10, Note 460; van der Byl (1921 f) 282, (1922 c) 182. on **Polyporus** sp., Rhenosterbosch, Marico Distr., Weintroub (T.R.L. 311) 29968, on dead wood, Tugela, Moonsamy, 11285, 15577; Stella Bush, Leslie, 31958; Rhenosterhoek (T.R.L. 311, 318); Maritzburg, Rump 668, 33989.

Trametes tomentosa v. d. Byl

van der Byl (1921 f) 285, (1922 c) 182 ; Nel (1942) 88. on dead logs, Durban, $v.\ d.\ Byl\ 151,\ 797,\ 836,\ 14036.$

Trametes torrida Fr.

Kalchbrenner (1881) 56. Somerset East, MacOwan 1425.

Trametes trabea (Pers. ex Fr.) Bres.

Lloyd (1917 c) 748 : van der Byl (1922 d) 286 : Wakefield (1936) 50 : Nel (1942) 88. Lenzites trabea (Pers.) Fr., van der Byl (1921 f) 288, (1922 c) 180, Nel (1942) 77.

on Acacia decurrens Willd., Dalton Road Bridge, Hopeg 154, Kew.

Pinus sp., on logs, Klapmuts, v. d. Byl 917; common in south-west Cape, v. d. Byl.

Populus sp., common in south-west Cape, v. d. Byl.

on wood of trees undet.. Stellenbosch. *Duthie 36*, *84*, *129*, *170*, 31310, 31341, 31379 and v. d. *Byl*: Klapmuts, v. d. *Byl* 918; Jonkershoek, *Duthie 246*, 31426; Greytown, *Rump* (v. d. Byl 2735) Kew.

on mine timbers, Robinson Deep, Brown (T.R.L. 34).

Trametes umbrina Fr.

Fries (1848) 13 ; Sacc. Syll. Fung. VI : 350. on trunks, Natal, Wahlberg, Type.

Trametes ursina (Link ex Fr.) Fr.

Fries (1848) 9.

Polystictus ursinus (Link ex Fr.) Cooke, Sacc. Syll. Fung. VI: 236. on trunks, Natal, Wahlberg.

Trametes varians v. d. Byl

van der Byl (1921 f) 281 : Nel (1942) 89.

eastern Cape, v. d. Byl 527, 14027; ? Town Bush, Rump 499, 31087.

Trametes violacea Lloyd

Lloyd (1915 d) 342; van der Byl (1921 f) 283, (1922 c) 182; Sacc. Syll. Fung. XXIII: 438; Wakefield (1936) 50; Stevenson & Cash (1936) 148; Nel (1942) 89.

on Acacia decurrens Willd., Natal Tanning Extract Co., Weintroub, Kew.

on logs, Natal, Janse (Lloyd Myc. Coll. 13105); Maritzburg, v. d. Byl 109, 14035, Kew; Impolweni, Rump (Høeg 13, 90) Kew; Bulwer, Rump 27, 27610; Maritzburg, Rump, 27641; Town Hill, Maritzburg, Rump, 27625; Sevenoaks, (T.R.L. 321); without locality, v. d. Byl 696 (Lloyd Myc. Coll., 53399).

Hoeq 13 and 90 (fide Wakefield) are apparently thick forms of Polystictus vinosus.

Trametes Wahlbergii Fr.

Fries (1848) 11; Sacc. Syll. Fung. VI: 350; Lloyd (1917 a) L. 66: 11, Note 630. on trunks, Natal, Wahlberg.

Trametes Zimmermannii Bres.

Lloyd (1920) 952; van der Byl (1921 f) 286, (1922 c) 182. on wood of tree undet., Maritzburg, v. d. Byl, 14019; without locality, v. d. Byl 219, 15580.

FISTULINOIDEAE.

Fistulina africana v. d. Byl

van der Byl (1928 b) 187; Nel (1942) 73.

on Platylophus trifoliatus Don., on living trunks, Knysna, J. Phillips (v. d. Byl 2320), Type, Laughton, (v. d. Byl 2504) and v. d. Byl 2538.

Theleporus cretaceus Fr.

Fries (1848) 18 ; Sacc. Syll. Fung. VI : 421 ; Lloyd (1910 d) 479. in forest, Natal, Wahlberg, Type.

BOLETOIDEAE.

Boletus bovinus Linn, ex Fr.

Lloyd (1920) 1010; Hopkins (1938a) 111; J. Phillips (1931) 160; Nel (1942) 71. under ground, usually under pine trees. Stellenbosch, v. d. Byl 1148; Elgiu Plantation, D.F.O., 12307; Pinelands, Lansdell, 24363; George, V. A. Putterill, 15481; Salisbury, Eyles 2520, 14857; Knysna, J. Phillips.

Boletus collinitus Fr.

under pine trees, Papegaaisberg, Garside, Kew; Signal Hill, V. A. Putterill, 15494.

Boletus curtipes Mass.

Massee (1908) 216.

on the ground, South African College, Cape Town, Saxton, Kew.

Boletus edulis Bull., ex Fr.

Marloth (1913) 23; van der Byl (1922 d) 286; Verwoerd (1931 a) 300; Nel (1942) 71.

amongst oak trees, near Wynberg, MacOwan 1460 (S.A.M.); foot of Table Mt., MacOwan, Kew; under pine trees, slopes of Bootmans Kop, Garside, Kew; between trees of Acacia Karroo, Bloemfontein, Verwoord.

on ground, Stellenbosch, v. d. Byl 1158; Klapmuts, v. d. Byl 607; Pretoria Distr., Turner, 23688; Garstfontein, Pienaar, 6607; Bishop's Court, Cape Town, Macintosh. 24828.

Boletus eximius Peack

Hopkins (1938 a) 111. on ground, Salisbury, *Eyles 2520*, *2527*, 14860.

Boletus flavidus Fr.

Kalchbrenner (1881) 53. on soil, Durban, Medley Wood 329, 10186.

Boletus granulatus Linn.

under pine trees, Meintjes Kop. 23673: Govt. House grounds, Pretoria, Mogg. 23177, 23225: Fairy Glen Road, Doidge, 30596; Keurboom Park near Rondebosch, Lansdell, 24837; Wonderboom, Reinecke, 23879.

Boletus Grevillei Klotzsch

Boletus elegans Fr., Hopkins (1938 a) 111. on ground, Somerset East, MacOwan 1188 b, Kew: Pretoria, Punt. 14508; Salisbury, Eyles 2518, 14858; ? Steenbras, D.F.O., 12176.

Boletus luteus Linn.

under pine trees, Bloemfontein, Potts, 12970, 13004; near Johannesburg (T.R.L. 511).

Boletus stellenbossiensis v. d. Byl

van der Byl (1925 a) 167 : Nel (1942) 72. on ground, Stellenbosch, v. d. Byl 2976 : in pine woods, Klapmuts, v. d. Byl 508 : Stellenbosch, v. d. Byl 815 : between Stellenbosch and Somerset West, v. d. Byl 2078.

Boletus subflammeus Berk.

Berkeley (1876 a) 174. amongst dead leaves, foot of Table Mt., Eaton.

Boletus sp.

Medley Wood (1898) 17. on soil, Natal, Medley Wood 691, 10187.

Campbellia africana Cooke & Mass.

Cooke (1890 a) 87; Medley Wood (1898) 17; Sacc. Syll. Fung. IX: 205. on ground in shade, in Botanical Garden, Durban, Medley Wood 826, 4107, Kew. Doubtful genus.

Gyrodon capensis Sacc.

Saccardo, (1896) 68, Syll. Fung. XIV: 170. Phlebopus capensis (Sacc.) Singer (1945) 250. on ground, Cape and Natal.

AGARICACEAE.

LEU COSPORAE.

Amanita mappa (Batsch ex Fr.) Quél.

in a sandy pit, Kloof Road, Cape Town, E. P. Phillips 282, Kew.

Amanita muscaria (Linn. ex. Fr.) S. F. Gray.

Saccardo, Syll. Fung. V: 13; Marloth (1913) 23; van der Byl (1922 d) 286;
E. P. Phillips (1908) 369; Verwoerd (1931 a) 300; Watt & Breijer-Brandwyk (1932) 214.

Agaricus muscarius Linn., Thunberg (1800) 181, (1923) 754.

Agaricus (Amanita) muscarius Linn. ex Fr., Berkeley (1876 a) 173; Kalchbrenner (1880 b) 107.

amongst shrubs, near Cape Town, Thunberg.

under pine trees, near Wynberg, MacOwan 1446, Kew; Cape Flats, near Rondebosch, Eaton, Kew; Cape Town, MacOwan, Kew; path above Kirstenbosch, Garabedian, (S.A.M. 45898); Kloof Road, Cape Town, E.P. Phillips (S.A.M. 1318): Pinelands, Lansdell, 24834; Stellenbosch, Loseby, 24377; Camps Bay, Letty, 26641; Belfast, Lewis, 24957, 23880; Bulwer, Morgan, 32081; Nottingham Road, Gill, 28608; Mbabane, Butler, 28265; Bloemfontein, Verwoerd; Stellenbosch, Duthie. near living roots of Quercus sp., Vereeniging, Brandmuller, 23881, 25330.

Amanita pantherina (DC ex Fr.) Quél.

Watt & Breijer-Brandwyk (1932) 214.

near Oak trees, Stellenbosch, Garside, Kew.

under Pine trees, Camps Bay, Ward Cox (S.A.M. 36178): Maritzburg, Pole Evans, 1360, 1362; Wellington, Bottomley, 1550; Grahamstown, Dyer, 23230; Signal Hill, Cape Town, V. A. Putterill, 15493; Newlands, Lansdell, 24850; Krugersdorp, Head Constable (poisoning case). under Eucalyptus, Pretoria, Doidge, 30562.

Amanita phalloides (Vaill. ex Fr.) Secretan

E. P. Phillips (1908) 368; Marloth (1913) 21; van der Byl (1922 d) 286; Watt & Breijer-Brandwyk (1932) 214; Nel (1942) 6.

under oak trees, Stellenbosch, Garside, Kew; Oranjezicht, Bottomley, 24373. on ground, without locality, Saxton (S.A. M. 1321), Maberley (S.A. M. 1317); Table Mt. (S.A. M. 34522); Harrismith, M.O.H., 20314; Cape Town, Marloth, 22008; Stellenbosch, Duthie (v. d. Byl 1126).

Amanita rubescens (Pers. ex Fr.) S. F. Gray.

amongst fir trees, Newlands, Marloth, 22009; Constantia, Marloth. under oak trees, Kirstenbosch and Westbrook, E. L. Stephens, 24367.

Amanita solitaria (Bull. ex Fr.) Secretan

on ground, Garstfontein, Pienaar, 2115; Pretoria, C. E. Gray, 12816. under wattles, Klapperkop, King, 30603.

Amanitopsis praetoria (Fr.) Sacc.

Saccardo, Syll. Fung. V: 21.

Agaricus (Amanita) praetorius Fries (1848) 122.

Zwartkops River, Zeyher.

Armillaria mellea (Vahl. ex Fr.) Quél.

MacOwan (1891) 169; Doidge & Bottomley (1931) 23; Bottomley (1937) 373; Wickens (1937) 690; Hopkins (1938 a) 114, (1939 a) 11, 16, 19, 35, 39, 45, (1943) 183.

on Araucaria braziliana A. Rich., Entabene, Bottomley.

Cedrela odorata Linn., Klein Australië, Louis Trichardt, Bottomley, 25995.

Cedrela Toona Roxb., Klein Australië, D.F.O., 26156.

Citrus sinensis Osbeck, Marandellas, Hopkins.

Cupressus lusitanica Mill., Salisbury (Rh. 1548).

Delonix regia Raf., Entabeni, Bottomley.

Eriobotrya japonica Lindl., Cape, Geisler (Mac Owan); Marandellas, Hopkins.

Eucalyptus paniculata Sm., Middelkop, Tzaneen, D.F.O., 28683.

Grevillea robusta Cunn., Entabene, Bottomley.

Juniperus procera Hochst., Klein Australië, D.F.O., 26080, 26154.

Lachnopylis sp., Entabene, Bottomley.

Melia dubia Cav., Entabene, Bottomley.

Musa sp., Stentor, Kaapmuiden, Kresfelder.

Parinarium Mobola Oliv., Klein Australië, D.F.O., 26155,

Pinus caribaea Morelet, Entabene, Bottomley, 26639,

Pinus longifolia Roxb., Klein Australië, D.F.O., 26408, 25994, 26575; Louis Trichardt, D.F.O., 28682.

Pinus palustris Mill., Port Durnford, D.F.O., 28740.

Pinus pinaster Ait., Imperani Plantation, Ficksburg, D.F.O., 27350.

Prunus Armeniaca Linn., Umtali (Rh. 3103); Marandellas (Rh. 3504).

Prunus Avium Linn., Marandellas (Rh. 3144): Umtali (Rh. 3103).

Prunus persica Sieb. & Zucc., Cape Town, Hopkins, 20667; Wynberg, Mally, 21934.

Prunus salicina Lindl., Umtali (Rh. 3071, 3103).

Prunus sp., Umtali (Rh. 3073).

Pyrus malus Linn., Umtali (Rh. 3072).

Quercus sp., Cape, Geisler (MacOwan).

Syncarpia glomulifera Med., Entabene, Bottomley.

Syzygium Gerrardi (Harv.) Hochst., Entabene, F.D.O., 26604.

Thea sinensis Linn., Umtali (Rh. 2749).

Trichilia sp., Cape Town, MacOwan.

on decaying wood of trees undet. Cape Town. MacOwan 1450, 20938. on decaying tree trunks, foot of Table Mt., Kew; on old posts, Rosebank, v. d. Merwe, 9547.

Armillaria ramentacea (Bull. ex Fr.) Quél.

? near cow dung, Bloemfontein, Potts, 12975.

Cantharellus capensis Berk.

Berkeley (1844) 187; Medley Wood (1898) 17; Sacc. Syll. Fung. V: 497. on decayed stalks of herbaceous plants, Table Mt., Harvey, Kew: Inanda, Medley Wood 513, 10181, Kew.

Cantharellus cinnabarinus Schw.

on ground, Salisbury, Hopkins (Rh. 4407) 30529.

Cantharellus Foliolum Kalchbr.

Kalchbrenner (1880 b) 134; Sacc., Syll. Fung. V: 498. on dry branches, Somerset, East, MacOwan.

Cantharellus leucophaeus Nouel

Medley Wood (1897) 17.

on ground in shade, Natal, Medley Wood 675, 10182, Kew.

Clitocybe expallens (Pers. ex Fr.) Quél.

Saccardo, Svll. Fung. V: 177.

Agaricus (Clitocybe) expallens Pers. ex Fr., Kalchbrenner (1880 b) 110.

on ground in bush, Inanda, Medley Wood 395, 10246; amongst decaying leaves under shrubs, Boschberg, MacOwan & Tuck (MacOwan 1217).

Clitocybe fragrans (Sow. ex Fr.) Quél.

Saccardo, Syll. Fung. V: 188.

Agaricus (Clitocybe) fragrans Sow. ex Fr., von Thuemen (1877 a) 407. amongst decaying leaves, Boschberg, MacOwan 1210 (Thuem. Myc. univ. 903) 20947.

Clitocybe gentianea Quél.

Agaricus (Clitocybe) gentianeus Quél., von Thuemen (1876 b) 423. Boschberg, near Somerset East, MacOwan 1013 b, 20942.

Clitocybe infundibuliformis (Schaeff. ex Fr.) Quél. var. membranacea (Fr.) Gill.

Agaricus (Clitocybe) membranaceus Fr., Kalchbrenner (1880 b) 110. Clitocybe membranacea Fr., Sacc. Syll. Fung. V: 166. Bazuja, Baur, Kew.

Clitocybe sinopica (Fr.) Gill.

Saccardo, Syll. Fung. V: 167.

Agaricus (Clitocybe) sinopicus Fr., Cooke (1879) 69; Kalchbrenner (1880 b) 109. Natal, Medley Wood 395; Somerset East, MacOwan 1371.

Clitocybe splendens (Pers. ex Fr.) Gill.

Saccardo, Syll. Fung. V: 172.

Agaricus (Clitocybe) splendens Pers. ex. Fr., Kalchbrenner (1880 b) 110. Boschberg, MacOwan 1201, 22038.

Clitocybe trullaeformis (Fr.) Karst.

Saccardo, Syll. Fung. V: 167.

Agaricus (Clitocybe) trullaeformis Fr., Kalchbrenner (1880 b) 109. Somerset East, MacOwan 1249, Kew.

Clitocybe zizyphina (Viv.) Sacc.

Saccardo, Syll. Fung. V: 173.

Agaricus (Clitocybe) zizyphinus Viv., von Thuemen (1878 a) 353. on trunks of trees, Boschberg, MacOwan 1216 (S.A.M. 34882).

Collybia acervata (Fr.) Gill.

Saccardo, Svll. Fung. V: 234.

Agaricus (Collybia) acervatus Fr., Kalchbrenner (1880 b) 110. on twigs in bush, Boschberg, MacOwan 1187 (S.A. M. 34798) 22039.

Collybia albuminosa (Berk.) Petch.

Volvaria eurhiza (Berk. & Br.) Petch

on nest of Odontotermes badius Hav., de Wildt, Fuller, 18018.

on termite nests, South-West Africa, Schoenfelder, 27811; Pretoria, Lansdell, 28667; Estcourt, Scott, 28810.

Collybia alveolata (Kalchbr.) Sacc.

Saccardo, Syll. Fung. V: 202.

Agaricus (Collybia) alveolatus Kalchbrenner (1880 b) 110.

Somerset East, MacOwan, Kew.

Collybia butyracea (Bull. ex Fr.) Quél.

Saccardo, Syll, Fung. V: 209.

Agaricus (Collybia) butyraceus Bull. ex Fr., Kalchbrenner (1880 b) 110.

amongst grass, Bester's Hoek, near Somerset East, MacOwan 1365 (S.A.M. 34805): on ground under pine trees, Pretoria, Louwrens, 30546, 30547, Fischer, 30545: on ground under poplars, de Beer's Rust, Doidge, 30627.

Collybia chortophila (Berk.) Sacc.

Saccardo Syll. Fung. V: 218.

Agaricus (Collybia) chortophilus Berkeley (1843 b) 509; Kalchbrenner (1880 b) 111, on haulms of dead grasses in open bush, Somerset East, MacOwan 1359 (Rabenh, Fung, Eur, 4439) Kew; Durban, Medley Wood 121; Uitenhage, Zeyher 108, Kew.

Collybia dryophila (Bull. ex Fr.) Quél.

Saccardo, Syll. Fung. V: 234.

Agaricus (Collybia) dryophilus Bull. ex. Fr., Cooke (1880) 14: Kalchbrenner (1880 b) 111: Cooke & Kalchbrenner (1881) 27.

on ground, Inanda, Medley Wood 434, 10271, 11184, Kew: Durban, Medley Wood 349, 10261 and Medley Wood 121, 192, 401; Natal, Medley Wood 548, 10633; Boschberg, MacOwan 1165 (S.A.M. 34824) Kew: Boschberg, Tuck & MacOwan, (MacOwan 1157; S.A.M. 34825) 22040 and MacOwan 1187, 1189; Uitenhage, MacOwan 1210, Kew: Xumeni Forest, Doidge.

Var. oedipus Quél.

Agaricus (Mycena) galeropsis Fr., Kalchbrenner (1880 b) 111. on wooden posts, Somerset East, MacOwan 1207.

Collybia extuberans (Fr.) Quél.

Saccardo, Svll. Fung. V: 237.

Agaricus (Collybia) extuberans Fr., Kalchbrenner (1880 b) 111: Cooke & Kalchbrenner (1881) 27.

on ground and on wood in bush, Inanda, Medley Wood 485, 10236, 11218, Kew: Natal, Medley Wood 354, 10263; Pretoria, Parkes, 21202.

Collybia fusipes (Bull. ex Fr.) Quél. var. contorta Gill. & Lucand

amongst leaves under bushes, Boschberg, MacOwan 1187, 1189 (S.A.M. 34801): Natal, Medley Wood 461, 10225.

Collybia homotricha (Berk.) Sacc.

Saccardo, Svll. Fung. V: 217.

Agaricus (Collybia) homotrichus Berkeley (1843 b) 510, (1847) 484. on hard stems of decayed grasses, Uitenhage, Zeyher 111.

Collybia macilenta (Fr.) Gill.

Agaricus (Collybia) macilentus Fr., Cooke (1879) 69. on ground, Inanda, Medley Wood 401, 10248, Kew.

Collybia melinosarca (Kalchbr.) Sacc.

Saccardo, Syll. Fung. V: 213.

Agaricus (Collybia) melinosarcus Kalchbr., von Thuemen (1876 b) 423; Kalchbrenner (1880 b) 110.

in bush, Boschberg, Mac Owan 1013 (S.A.M. 34835) Kew.

Collybia radicata (Relh. ex Fr.) Quél.

Saccardo, Syll. Fung. V: 200.

Agaricus (Collybia) radicatus Relh. ex Fr., Kalchbrenner (1880 b) 110.

on ground in bush, Boschberg, MacOwan 1245 (err. 1254 in Kalchbr. l.c.) (S.A. M. 34800) 22041, Kew; Meintjies Kop, Bottomley, 20680; Fountains, Bottomley, 14519; Pretoria, Doidge, 30561.

Var. brachypus (Kalchbr.) Sacc.

Saccardo, Syll. Fung. V: 201 (as var. brachypoda).

Agaricus (Collybia) radicatus var. brachypus Kalchbrenner (1881) 52.
Somerset East. MacOwan 1424.

Collybia ratticauda Fayod

Fayod (1890) 228; Saccardo, Syll. Fung. XI: 18. on ground, ? on roots of trees, near Olukonda, Schinz.

Collybia stipulincola Kalchbr.

? nom nud. on grass roots, at foot of Boschberg, MacOwan 1359, Kew.

Collybia stridula (Fr.) Quél.

Saccardo, Syll. Fung. V: 210.

Agaricus (Collybia) stridulus Fr., Kalchbrenner (1880 b) 110. among dead leaves in bush, Boschberg, MacOwan 1160 (S.A.M. 34806) 22042, Kew.

Collybia velutipes (Curt. ex Fr.) Quél.

Agaricus (Collybia) velutipes Fr., Cooke & Kalchbrenner (1881) 27. on old wood in bush, Inanda, Medley Wood 486, 10237, 11217, Kew; Schwarzwald Forest Keet. 9151.

Collybia sp.

Cheesman (1909) 409.

Groot Schuur, Rondebosch, Cheesman.

Hygrophorus atro-coccineus Kalchbr.

Kalchbrenner (1880 b) 134; Saccardo, Syll. Fung. V: 412. on ground in bush, Durban, Medley Wood 364.

Hygrophorus coccineus (Schaeff. ex Fr.) Fr.

Cooke & Kalchbrenner (1881) 27.

on trees in bush, Inanda, Medley Wood 510, 10394, Kew.

Hygrophorus conicus (Scop, ex Fr.) Fr.

on ground, amongst grass, Pretoria, Fischer, 30613; Pretoria, Goldblatt, 18127, Punt, 20374 King, 30584.

Hygrophorus discolor Kalchbr. & MacOwan

Kalchbrenner (1880 b) 134; Saccardo, Syll. Fung. V: 418.

in grassy places after rain, Somerset East, MacOwan 1231 (S.A.M. 34567) 22016 Kew.

Hygrophorus virgineus (Wulf ex Fr.) Fr.

Kalchbrenner (1880 b) 134; Saccardo, Syll. Fung. V: 402. in grassy places, Somerset East, MacOwan 1364 (S.A. M. 34560).

Laccaria laccata (Scop. ex Fr.) Berk. & Br.

Nel (1942) 62.

Agaricus (Clitocybe) laccata Scop. ex. Fr., Berkeley (1844) 186, (1876 a) 173; Kalchbrenner (1880 b) 110.

Cape, Harrey; on burnt earth, Groot Schuur, Eaton: amongst pine needles in woods, near Wynberg, MacOwan 1453, Kew: Somerset East, MacOwan 1359 b; Brooklyn, Pretoria, Doidge, 30573: Haenertsburg, Thomson (T.R.L. 284), 29875; in humus, Kirstenbosch, E. L. Stephens, 24827: Donnybrook, Morgan, 28543: Bulwer, Rump, 27621; Stellenbosch, v. d. Byl 1163; under wattles, Klapperkop, King, 30588.

Lactarius deliciosus (Linn. ex Fr.) S. F. Gray

Nel (1942) 62.

in pine woods, Cape Town, Marloth, 22011: Newlands, E. L. Stephens, 24832; Keurboom Park, near Rosebank, Lansdell, 24833: Kirstenbosch, Bottomley, 24368; lower slopes of Bootman's Kop, near Stellenbosch, Garside, Kew.

Lactarius piperatus (Scop. ex Fr.) S. F. Gray

on damp soil and in humus. Fountains, Bottomley & Lansdell, 28583; Krugersdorp Distr., J. Phillips, 33560.

Lactarius scrobiculatus (Scop. ex. Fr.) Fr.

Nel (1942) 92.

near Lobatsi, Breach (Duthie 330); Knysna, v. d. Byl 1099.

Lentinus albidus Berk.

Berkeley (1843 c) 634.

Cape of Good Hope.

Lentinus cirrosus Fr.

van der Byl (1924 c) 5; Hopkins (1938 a) 116; Nel (1942) 62.

on dead stumps and branches, Durban. v. d. Byl 155; Maritzburg, v. d. Byl 153, 609; Howick, Leslie (v. d. Byl 331); Eshowe, v. d. Byl 515; Hunyani, Eyles 7151, Kew; Natal, v. d. Byl 546.

Lentinus dactyliophorus Lév.

on Olea laurifolia Lam., dead wood, Johannesburg, Blackburn (T.R.L. 1458) 33259.

Lentinus fastuosus Kalchbr. & MacOwan

Kalchbrenner (1880 b) 135; Sacc. Syll. Fung. V: 578; van der Byl (1924 c) 5. sub Lentinus velutinus Fr., Pilát (1936) 116.

on dead wood, Somerset East, MacOwan 1133, 1333 (S.A.M. 34618) 22053, Kew, Berlin.

According to Pilát, l.c., the specimen in the Berlin Herbarium is a young specimen of Lentinus velutinus.

Lentinus flabelliformis (Bolt. ex Fr.) Fr.

on Hibiscus sp., Isipingo, v. d. Byl, 9563.

Lentinus hyracinus Kalchbr.

Kalchbrenner (1880 b) 136 ; Saccardo, Syll. Fung. V : 608 ; Pilát (1936) 118. Somerset East, MacOwan, Berlin ; ? Kloof Neck, Lansdell.

Lentinus Lecomtei Fr.

von Thuemen (1876 b) 362; Kalchbrenner (1880 b) 135; Sacc. Syll. Fung. V: 572; van der Byl (1924 c) 6, (1925 b) 195; J. Phillips (1931) 161; Nel (1942) 62.

sub Pleurotus rudis (Fr.) Pilát (1936) 120.

on dying trunks, Boschberg, MacOwan 1043 (Thuem. Myc. Univ. 603 b; S.A.M. 34615) 22051, Kew, Berlin.

on burnt wood, Belvidere, Knysna, *Duthie 54 a* (v. d. Byl 1087, 1304) 31319. According to Pilát, l.c., MacOwan's collection is *Pleurotis rudis* (Fr.) Pilát.

Lentinus lepideus Fr.

Medley Wood (1898) 18; van der Byl (1922 d) 286, (1924 c) 4; Brown (1937) 388; Nel (1942) 62.

on ground in conservatory, Durban, Medley Wood 4241.

on underground mine timbers, central and east Rand; Geduld Mine, Lurie 12, (T.R.L. 87) 28840, Kew; Otavi copper mine, Borchards, 9806; Robinson Deep, Lurie (T.R.L. 40); Randfontein Estates (T.R.L. 598); Durban Roodepoort Deep (T.R.L. 891); Rose Deep (T.R.L. 1126); Sub-Nigel (T.R.L. 1819).

on stump of Pinus, Klapmuts v. d. Byl 651, 909.

on pitch pine in storage, Exchange Yard, Johannesburg (T.R.L. 479, 1899).

on beam of leaking roof, Rondebosch, E. L. Stephens 149, 34496.

Lentinus miserculus Kalchbr.

Kalchbrenner (1880 b) 136 ; Saccardo, Syll. Fung. V : 583 ; Pilát (1936) 123. Somerset East, *MacOwan 1296*, Kew, Berlin.

Lentinus Murrayi Kalchbr. & MacOwan

Kalchbrenner (1880 b) 136; Saccardo, Syll. Fung. V: 599...

Lentinus Sajor Caju Fr. var. typicus Pilát (1936) 123.

on stems, near banks of Buffalo River, East London, Murray (MacOwan 1297) 22054, Kew, Berlin; Natal, Pole Evans, 5630.

Lentinus natalensis v. d. Byl

van der Byl (1924 c) 4; Nel (1942) 62. on dead stump, Winkle Spruit, v. d. Byl 648.

Lentinus nigripes Fr.

Maritzburg, J. M. Sim, 8798.

Lentinus Phillipsii v. d. Byl

van der Byl (1926 b) 284; Nel (1942) 62. on old wood, Knysna, J. Phillips (v. d. Byl 2240).

Lentinus Sajor-caju Fr.

van der Byl (1924 c) 3, (1925 b) 195; J. Phillips (1931) 161; Nel (1942) 62,

on **Olea laurifolia** Lam. Petrus Brandt, Knysna, J. Phillips, 18039; Deepwalls, J. Phillips 18049.

Podocarpus latifolius R. Br., Knysna, J. Phillips, 17797.

on old logs, Durban, Medley Wood 391, 1733, v. d. Byl 367, 31705; Bluff, Moonsomy, 15564; Eshowe, Hislop, 31743; Zululand, v. d. Byl 513; Knysna, v. d. Byl 755, J. Phillips (Stell. 828), Gower, 20464; Deepwalls, Bottomley, 30738; New Germany, Natal, Moonsamy, 31854; Nelspruit, E. L. Stephens, 25949, 34471; Maritzburg, J. M. Sim, 9138; Durban, Burton, 9797; Gouna Forest, Keet, 11549; Ngove Forest, Haygarth, 15619; Blauwkrantz Forest, Archibald, 33561; Margate, (T.R.L. 285); New Guelderland, Addison, 15618; Pirie Forest, Leighton, 12306.

Lentinus strigosus Fr.

Kalchbrenner & Cooke (1880) 18; Saccardo, Syll. Fung. V: 573; Wakefield (1936) 42.

on wood, Forest Hall, Knysna, Duthie 54, 31320; Natal, Medley Wood 421, 10378; Impolweni, Rump (Hφeg 85).

Lentinus stuppeus Klotzsch.

Lloyd (1916 d) L. 63: 2, (1917 a) L. 66: 2, 12, (1920) 952, 1010, (1922) 1122.

on Acacia mollissima Willd., Cramond., Doidge, 31034.

Cynodon incompletus Nees, Pretoria, Mogg, 34441.

Eucalyptus macrorhyncha F. Muell., Cedara, D.F.O., 7096.

Eucalyptus obliqua L'Hér., Cedara, D.F.O., 7082.

Eucalyptus paniculata Sm., Izelini Plantation, near Stutterheim, D.F.O., 12496.

Eucalyptus robusta Sm., Pretoria, Kresfelder, 25871.

Eucalyptus sideroxylon Cunn., Kabusi Plantation, near Stutterheim, D.F.O. 21032.

Fagara capensis Thunb., Intsimbini, near Port St. Johns, D.F.O., 9209.

Persea americana Mill., Durban, Morgan, 28314.

Pinus sp., Entabeni, Watson, 25882.

on dead wood of trees undet. Durban, Moon, 2286, Hobbs, 31957: Howick, Leslie, 15638: Doonside, Punt, 20377: Pretoria, Lansdell, 25981: Barberton, Thorncroft (v. d. Byl 239) 20606, 31643: Woodbush, D.F.O., 7349: Saltpan, Louis Trichardt, Verdoorn & Schweickerdt, 28324; Fountains, L. Turner, 7774, 8777; Pretoria, Louwrens, 27702; The Willows, Pole Evans, 2299: Cedara, E. P. Phillips, 15040: Inanda, Medley Wood 97, Kew: Hopevale, Doidge, 33176: Jameson's Drift, Weintroub & Simpson (T.R.L. 1669) 33279; Middelburg, Transvaal E. L. Stephens 499, 34459.

Lentinus tigrinus (Bull. ex Fr.) Fr.

Torrend (1905) 217.

on old trunks, Stikland. Acocks, 26157; ? Maritzburg, Rump, 27370; Moçambique (Torrend, "f. minor").

Lentinus Tuber-regium Fr.

Mufuliru, Eyles 8354, Kew.

Lentinus ursinus Fr.

Lloyd (1916 d) L. 63: 4. without locality, Duthie.

Lentinus velutinus Fr.

Lloyd (1917 a) L. 66: 12, (1920) 952, 1010, (1924) 1294; van der Byl (1924 c) 6, (1926 c) 289; Nel (1942) 62.

on dead stumps and branches, Maritzburg, v. d. Byl 154; Schroeders, v. d. Byl 455, 1334, 15624, 31757; Durban, v. d. Byl 335, 338; Woodbush, v. d. Byl; Rikatli, Junod, 12172; Town Bush Valley, Rump, 27678; Gillits, Haygarth 31736; Potgietersrust, Grosskopf (v. d. Byl 1069, 1673); Stellenbosch, Pretorius (Stell. 1061); Pirie Forest, Archibald, 34231.

Lentinus villosus Klotzsch

Lloyd (1913 c) L. 47: 9; Hopkins (1938 a) 114. on live tree, Marandellas, Eyles 7256, Kew; Natal, Medley Wood.

Lentinus Woodii Kalchbr.

Kalchbrenner (1880 b) 136; van der Byl (1924 c) 3; Sacc. Syll. Fung. V: 597 Lentinus sajor-caju Fr. var. sparsifolius Pilát (1936) 139. on wood, Inanda, Medley Wood 115 (S.A.M. 34616); Durban, Medley Wood 118, Kew, Berlin.

Lentinus Zeyheri Berk.

Berkeley (1843 b) 507; Kalchbrenner (1880 b) 135; Medley Wood (1903-4) 9; Sacc. Syll. Fung. V: 574; Nel (1942) 109.

Lentinus capronatus Berkeley (1843 b) 513, not Fries.

Lentinus villosus Klotzsch var. Zeyheri (Berk.) Pilát (1936) 140.

on Portulacaria afra Jacq., on dry wood, Uitenhage, Zeyher 104.

on decaying wood, Uitenhage, Zeyher 13; Natal, Medley Wood 97, 10377, 21058, 22052, Kew; Boschberg, MacOwan 1078, Kew; Natal, v. d. Byl 546; Maritzburg, J. M. Sim, 9203.

Lepiota acutesquamosa (Weinm.) Gill.

on open ground, Pretoria, Pole Evans, 8928.

Lepiota africana Kalchbr.

Medley Wood (1898) 15, (1906) 6.

Agaricus (Lepiota) africanus Kalchbrenner (1881) 27.

Inanda, Medley Wood 356, 417, 10269, Kew; Natal, Medley Wood 414, Kew.

Lepiota atricapilla (Cooke & Mass.) Sacc.

Saccardo, Syll. Fung. IX: 10; Medley Wood (1898) 16.

Agaricus (Lepiota) atricapillus Cooke & Massee, Cooke (1888 b) 105.
on ground in Botanical gardens, Durban, Medley Wood 828, Kew.

Lepiota cristata (Alb. & Schw. ex Fr.) Quél. on ground, Pretoria, Reinecke, 21209, Bottomley, 21239, Punt, 14532.

Lepiota cuculliformis (Fr.) Sacc.

Saccardo, Syll. Fung. V: 54.

Agaricus (Lepiota) cuculliformis Fries (1848) 4.
on ground, Cape, Zeyher 8.

Lepiota excoriata (Schaeff. ex Fr.) Quél.

Saccardo, Syll. Fung. V: 31.

Agaricus (Lepiota) excoriatus Schaeff. ex Fr., Kalchbrenner (1880 b) 107.

on ground and in pastures after rain, Inanda, Medley Wood 690, 10211, Kew: Durban, Medley Wood 331, 10214: near Somerset East, MacOwan 1001d (S.A.M. 34713) Kew and MacOwan 1430, 20932: Bazuja, Baur: Elsenburg, Andrea, 22010; Bloemfontein, Potts, 12968, 12988: Pretoria, Bottomley, 10055: Groot Schuur, Rondebosch, Pole Evans, 14637.

Lepiota flava Beeli

on ground under bushes, Garstfontein road, Bottomley, 30543.

Lepiota Goossensiae Beeli

? on humus. Fountains, Reinecke. 21222, Bottomley, 20375, Hean, 30566; Wonderboom, Bosman, 23721; Fairy Glen. Bottomley, 21210; Pretoria. Louwrens, 30611, Howlett & Coetsee, 2126.

Lepiota gracilenta (Krombh.) Quél.

in bush at foot of Boschberg, MacOwan 1001 (S.A.M. 34694) Kew: Uitenhage, MacOwan, Kew.

Lepiota hispida (Lasch.) Gill.

in humus, Hillcrest, Pretoria, Reinecke, 23690.

Lepiota ianthina (Cooke) Mass.

on ground under wattles, Garstfontein road, Doidge, 30601.

Lepiota lutea (With.) Godfrin

on decayed tea leaves, Pretoria, King, 30551.

Lepiota Kunzei (Fr.) Sacc.

Saccardo, Syll. Fung. V: 30. Agaricus (Lepiota) Kunzei Fries (1848) 3. Cape, Zeyher.

Lepiota magnannulata (Kalchbrenner.) Sacc.

Saccardo, Syll. Fung. V: 49.

Agaricus (Lepiota) magnannulatus Kalchbrenner (1880 b) 108.
Somerset East, MacOwan 1422.

Lepiota Montagnei (Kalchbr.) Sacc.

Saccardo, Syll. Fung. V: 55.

Agaricus (Lepiota) Montagnei Kalchbrenner (1881) 53.

Agaricus (Lepiota) sp., Montagne (1847) 466.

without locality, Drège 7; Somerset East, MacOwan 1430.

Lepiota Morgani Peck

on ground, Pretoria, Bottomley, 23703, Doidge, 21234; Fairy Glen, Bottomley, 23163; Garstfontein road, Doidge, 30590; Skinner's Court, Pole Evans, 2113; Rustenburg, Playford, 12828; Zwartruggens, Sutton, 28650, 30579.

Lepiota naucina (Fr.) Quél.

Agaricus cretaceus Fr., Berkeley (1843 b) 513.

on ground and amongst grass, Uitenhage, Zeyher 112: Pretoria, Fouché, 14529, Reinecke, 23722, Parkes, 21191; Fountains, Bottomley, 20392; Bloemfontein, Potts, 12979, 12990; ? Cape Town, Morse (E. L. Stephens 11) 34498.

Lepiota nympharum Kalchbr.

on ground amongst grass, Pretoria, Bottomley, 30550, Fischer, 30587, Doidge, 30606, v. Warmelo, 30604; Estcourt, Lansdell, 30605.

Lepiota polysarca (Kalchbr. & MacOwan) Sacc.

Saccardo, Syll. Fung. V: 30.

Agaricus (Lepiota) polysarcus Kalchbr. & MacOwan, Kalchbrenner (1880 b) 107. in woods at foot of the Boschberg, MacOwan 1370, Kew.

Lepiota procera (Scop. ex Fr.) S. F. Gray

Saccardo, Syll. Fung. V: 27; van der Byl (1926 c) 289; J. Phillips (1931) 161.

Agaricus (Lepiota) procerus Scop. ex Fr., Kalchbrenner (1880 b) 107.

in grassy places, Boschberg, MacOwan 1246 (S.A. M. 34711); de Beer's Rust, Doidge & Hean, 30594; Pretoria, Doidge, 23702, 30569, Parkes, 21189; Daspoort, Kresfelder, 30565; Garstfontein, Pienaar, 2122; Skinner's Court, Pole Evans, 1367; Koedoespoort, Pole Evans, 1368; Edendale, Pretoria Distr., Mogg, 22835; Leeuwkraal, 20657; Johannesburg, Knox Davies, 20656; Premier Mine, Watson, 24938; Woodbush, N. Roberts, 5658; Bloemfontein, Potts, 12987, Naude, 12961; Deepwalls, J. Phillips, 17807; Goedgedacht, Sutton, 28651; Estcourt, Lansdell, 30581; Rivulets, Coetzee, 32647; Milner Park, Johannesburg (T.R.L. 283).

Lepiota pteropa (Kalchbr. & MacOwan) Sacc.

Saccardo, Syll. Fung. V: 35, as L. pteropoda.

Agaricus (Lepiota) pteropus Kalchbr. & Mac Owan, Kalchbrenner (1880 b) 108; Kalchbrenner & Cooke (1880) 17.

in grassy places, Inanda, Medley Wood 345, 356, 392, Kew, !(sub L. pleuropus) Medley Wood 359, 372; Boschberg, MacOwan 1120 (S.A.M. 34697) Kew; ? sub L. Friesii (S.A.M. 34693).

Lepiota sulfurella (Kalchbr. & Cooke) Sacc.

Saccardo, Syll. Fung. V: 58, as L. sulphurella.

Agaricus (Lepiota) sulfurellus Kalchbr. & Cooke, Cooke (1879) 69; Kalchbrenner (1880 b) 108.

Inanda, Medley Wood 387, Kew.

Lepiota varians (Kalchbr. & MacOwan) Sacc.

Saccardo, Syll. Fung. V: 56.

Agaricus (Lepiota) varians Kalchbr. & Mac Owan, Kalchbrenner (1880 b) 108. Agaricus (Lepiota) rubricata Berk. & Br. prox., Kalchbrenner & Cooke (1880) 7. Lepiota purpurata Kalchbr., in Herb., ? nom. nud.

Agaricus purpuratus Kalchbr. var. cinerea, in Herb. ? nom nud.

Lepiota cinereo-rubella Kalchbr. & MacOwan, ? nom. nud.

amongst decaying leaves in bush, Boschberg, MacOwan 1195 (? 1198 in Herb. Kew) (S.A. M. 34704) 2205€; on the ground, Inanda, Medley Wood 103, 394, 10266, Kew.

Lepiota Zeyheri (Berk.) Sacc.

Saccardo, Syll. Fung. V: 32.

Agaricus (Lepiota) Zeyheri Berkeley (1843 b) 507; Fries (1848) 2; von Thuemen (1876 b) 568, (1877 a) 407; Kalchbrenner (1880 b) 107.

in sandy places, Uitenhage, Zeyher 92: in bush, near Somerset East, MacOwan 1011 a (S.A. M. 34695); Inanda, Medley Wood 392.

Var. elegantula Sacc.

Saccardo, Svll. Fung. V: 33.

in bush, foot of Boschberg, MacOwan 1001 (Thuem. Myc. univ. 701) 22057, Kew.

Var. telosa (Kalchbr. & MacOwan) Sacc.

Saccardo, Syll. Fung. V: 33.

Agaricus (Lepiota) Zeyheri var. telosus Kalchbr. & Mac Owan, Kalchbrenner (1880 b) 107. in bush, near Somerset East, Mac Owan, Bazuja, Baur.

Var. verrucellosus (Miq.) Sacc.

Saccardo, Syll. Fung. V: 33.

Agaricus (Lepiota) Zeyheri var. verrucellosus (Miq.) Kalchbrenner, (1880 b) 107. in bush. near Somerset East, MacOwan; Bazuja, Baur.

Lepiota sp.

Cheesman (1909) 409.

in shaded place on edge of stream, Matopo Hills, Cheesman.

Marasmius calopus (Pers. ex Fr.) Fr.

on ground in Botanic Gardens, Durban, Medley Wood 4082, Kew: Hopevale, Morgan, 28544.

Marasmius candidus (Bolt. ex Fr.) Fr.

on trunk of Phoenix reclinata Jacq., Pretoria, Louwrens, 29886.

Marasmius delectans Morgan

on rotten wood and leaves, Pretoria, *Doidge*, 30575; Fountains, *Bottomley*, 20678; Pretoria, *Reinecke*, 23159.

Marasmius epiphyllus Fr.

on decayed leaves and twigs, Fountains, Bottomley, 14640, 23157, Parkes, 21115; Pretoria, Bottomley, 23158.

Marasmius filaris Kalchbr. & MacOwan

Kalchbrenner (1880 b) 135; Sacc. Syll. Fung. V: 564. on decaying leaves, Boschberg, MacOwan 110, 22063.

Marasmius haematocephalus Mont. ex Fr.

?on rotten sticks in deep shade, Umtali, Eyles 7103, Kew: Pretoria, Bottomley.

Marasmius hariolorum (Bull. ex Fr.) Quél.

Collybia confluens (Pers. ex Fr.) Quél., Saccardo, Syll. Fung. V: 222.

Agaricus (Collybia) confluens Pers. ex Fr., von Thuemen (1878 a) 353.

amongst grass, near Somerset East, MacOwan 1132.

Marasmius helvolus Berk.

Medley Wood (1898) 18. on ground in bush, *Medley Wood 147*, 11213.

Marasmius oreadoides Pass.

Kalchbrenner (1880 b) 135; Saccardo, Syll. Fung. V: 506. in grass, Boschberg, MacOwan; near Cape Town, MacOwan (Rabenh. Fung. Eur. 3335) 3675, 22064. Kew.

Marasmius petalinus Berk. & Curt.

Medley Wood (1898) 18. on ground, in bush, Inanda, Medley Wood 676, 10369, Kew.

Marasmius rotula (Scop. ex Fr.) Fr.

Kalchbrenner (1880 b) 135; Saccardo, Syll. Fung. V: 541. on decaying leaves, Boschberg, MacOwan; Pretoria, Bottomley, 23153, Doidge & Hean, 30553, 30555, Fairy Glen Road, Doidge, 30534; Garstfontein Road, Doidge, 30628.

Marasmius saccharinus (Batsch ex. Fr.) Fr.

Kalchbrenner (1880 b) 135; Saccardo, Syll. Fung. V: 559. on decaying leaves. *MacOwan*.

Marasmius scorodonius Fr.

on ground, Pretoria, Bottomley, 23162, Punt, 20682; Newlands, Marloth, 26589.

Marasmius siccus (Schw.) Fr.

amongst fallen leaves, Pretoria, Punt, 18128, Doidge & Hean, 30554; Fountains, Reinecke 23144; on Lippia lawn, Pretoria, Bottomley, 30010.

Marasmius splachnoides (Hornem ex Fr.) Fr.

Kalchbrenner (1880 b) 135; Saccardo, Syll. Fung. V: 546. Somerset East, MacOwan.

Marasmius tener Berk. & Curt.

Medley Wood (1898) 18. on ground in bush, Natal, Medley Wood 681, 10370, Kew.

Marasmius Thwaitesii Berk. & Br.

von Thuemen (1876 b) 568; Saccardo, Syll. Fung. V: 556. on rotten branches in forest, Boschberg, MacOwan 1100 (S.A.M. 34641) 10371.

11101-18

Marasmius torquescens Quél.

as Marasmius togoensis P. Henn., Hopkins (1938 a) 114. ? on dead leaves, Salisbury, Eyles 2521, 14849.

Marasmius ustorum Berk.

Berkeley (1876 a) 174; Saccardo, Syll. Fung. IX: 67. on burnt ground, Groot Schuur, Eaton, Kew.

Marasmius sp.

van der Byl (1918 c); Stevenson & Rands (1938) 280. on roots of **Saccharum officinarum** Linn., Natal coast, v. d. Byl.

Mycena acicula (Schaeff. ex Fr.) Quél.

on rotten twigs under Acacia trees, Klapperkop, King, 30583; Fairy Glen Road, Doidge, 30598.

Mycena alcalina (Fr.) Quél.

? Bulwer, Rump, 27613.

Mycena actiniceps (Kalchbr. & Cooke) Sacc.

Saccardo, Syll, Fung. V: 300.

Agaricus (Mycena) actiniceps Kalchbr. & Cooke, Kalchbrenner (1880 b) 110. on dying leaves, near Somerset East, MacOwan, Kew.

Mycena arguta (Kalchbr.) Sacc.

Saccardo, Syll. Fung. V: 304; Medley Wood (1898) 16. Agaricus (Mycena) argutus Kalchbrenner (1881) 52. on ground, Durban, Medley Wood 340, Kew.

Mycena capillaris (Schum, ex Fr.) Quél.

Saccardo, Syll. Fung. V: 303.

Agaricus (Mycena) capillaris Schum. ex Fr., Kalchbrenner (1880 b) 111. on fallen branches under bushes, Boschberg, MacOwan 1041, 1302 (S.A.M. 34867).

Mycena clavicularis (Fr.) Gill.

Agaricus (Mycena) clavicularis Fr., Cooke & Kalchbrenner (1881) 27. on ground in bush, Inanda, Medley Wood 147, 478, 10209, 10228. Kew.

Mycena corticola (Pers. ex Fr.) Quél.

Agaricus (Mycena) corticola Pers. ex Fr., Cooke & Kalchbrenner (1881) 27. on twigs and bark. Inanda, Medley Wood 474, 484, 492, 550, 10234, 10235, 10632, 11182, Kew: on bark of Acacia sp., Sherwood, Kenilworth, Pearson (record at Kew); on bark, Pretoria, Doidge, 20406, Parkes, 21114.

Mycena debilis (Fr.) Quél.

Saccardo, Syll. Fung. V: 285.

Agaricus (Mycena) debilis Fr., Kalchbrenner (1880 b) 111. Somerset East, MacOwan.

Mycena dilatata (Fr.) Gill.

Saccardo, Syll. Fung. V: 298.

Agaricus (Mycena) dilatatus Fr., Kalchbrenner (1880 b) 111. Somerset East. MacOwan.

Mycena (?) Dregeana (Lév.) Sacc.

Saccardo, Syll. Fung. V: 304.

Agaricus (Mycena) Dregeanus Léveillé (1846) 114. on trunks, Cape, Drège.

Mycena galericulata (Scop. ex Fr.) S. F. Gray.

Nel (1942) 63.

on wooden posts fixed in soil, Somerset East, MacOwan 1207 (S.A.M. 34853); on Quercus stumps, Stellenbosch, v. d. Byl 1125.

Mycena heliscus (Berk. & Br.) Sacc.

Saccardo, Syll. Fung. V: 289.

Agaricus (Mycena) heliscus Berk. & Br., Kalchbrenner (1880 b) 111. on decaying branches, Boschberg, MacOwan.

Mycena hiemalis (Osbeck ex Fr.) Quél.

Agaricus (Mycena) hiemalis Osbeck ex Fr., Cooke & Kalchbrenner (1881) 27. on twigs, Inanda, Medley Wood 498, 555, 10232, 10631.

Mycena macrorrhiza (Fr.) Sacc.

Saccardo, Syll. Fung. V: 271.

Agaricus (Mycena) macrorrhizus Fries (1848) 4. Cape, Zeyher 6.

Mycena rhodiophylla (Kalchbr.) Sacc.

Saccardo, Syll. Fung. V: 301.

Agaricus (Mycena) rhodiophyllus Kalchbrenner (1881) 52. on ground, Durban, Medley Wood 338, 10213.

Mycena sciola (Kalchbr.) Sacc.

Saccardo, Syll. Fung. V: 297.

Agaricus (Mycena) sciolus Kalchbrenner (1880 b) 111. on damp walls of outhouses, Inanda, Medley Wood 92, 388, 10220, 10250, Kew.

Mycena tenerrima (Berk.) Quél.

on stems of shrubs, Boschberg, MacOwan 1041 (S.A.M. 34866).

Mycena tintinnabula (Fr.) Quél.

Agaricus (Mycena) tintinnabulum Fr., Kalchbrenner (1880 b) 111. Somerset East, MacOwan.

Mycena vitrea (Fr.) Quél.

Saccardo, Svll. Fung. V: 280.

Agaricus (Mycena) vitreus Fr., Kalchbrenner (1880 b) 111. on bush, Somerset East, MacOwan.

Mycena vulgaris (Pers. ex Fr.) Quél.

on bark of trees, Inanda, Medley Wood 550 (S.A.M. 34865).

Mycena sp.

Cheesman (1909) 409.

Groot Schuur, Cheesman.

Omphalia bulbosa Bres.

Bresadola (1920) 26; Saccardo, Syll. Fung. XXIII: 105 on roots of plants, Moçambique, Torrend.

Omphalia glaucophylla (Lasch) Gill.

in open woods, Fountains, Punt, 14520.

Omphalia griseo-pallida (Desm.) Quél.

Saccardo, Syll. Fung. V: 324.

Agaricus (Omphalia) griseo-pallidus Desm., Kalchbrenner (1880 b) 112. on decaying leaves and bark, Durban, Medley Wood 136.

Omphalia integrella (Pers. ex Fr.) Quél.

Saccardo, Syll. Fung.V: 337.

Agaricus (Omphalia) integrellus Pers. ex Fr., Kalchbrenner (1880 b) 112. on bark of Acacia Karroo Hayne, Somerset East, MacOwan.

Omphalia linopus (Kalchbr.) Sacc.

Saccardo, Syll. Fung. V: 313 as Omphalia linopoda. Agaricus (Omphalia) linopus Kalchbrenner (1880 b) 112.

in bush, Somerset East, Mac Owan 1369.

Omphalia micromeles (Berk. & Br.) Sacc.

Agaricus (Omphalia) micromeles Berk. & Br., Cooke & Kalchbrenner (1881) 27. on old wood, Inanda, Medley Wood 477, 10229, Kew.

Omphalia Oniscus (Fr.) Gill.

on ground under trees, Bloemfontein, Potts, 12986.

Omphalia pallescens Bres.

Bresadola (1920) 26; Saccardo, Syll. Fung. XXIII: 102. on wood, Moçambique, Torrend.

Omphalia paurophylla (Berk.) Sacc.

Saccardo, Syll. Fung. IX: 43.

Agaricus (Omphalia) paurophyllus Berkeley (1876 a) 173. on bark of a Cycad, Botanical Gardens, Cape Town, Eaton.

Omphalia polypus (Kalchbr.) Sacç.

Saccardo, Syll. Fung. V: 338.

Agaricus (Omphalia) polypus Kalchbr., von Thuemen (1877 a) 408. in bush at foot of the Boschberg, MacOwan 1198 (Thuem, Myc. Univ. 801) Kew.

Omphalia rustica (Fr.) Quél.

Agaricus (Omphalia) rusticus Fr., Cooke & Kalchbrenner (1881) 27. on soil in ditch, Inanda, Medley Wood 509, 10239, Kew.

Omphalia scyphoides (Fr.) Quél.

Saccardo, Syll. Fung. V: 310.

Agaricus (Omphalia) scyphoides Fr., Kalchbrenner (1880 b) 112.

Agaricus (Omphalia) scyphiformis Fr., Kalchbrenner l.c. on grass and under bushes, Boschberg, MacOwan.

Omphalia syndesmia (Kalchbr.) Sacc.

Saccardo, Syll. Fung. V: 328.

Agaricus (Omphalia) syndesmius Kalchbrenner (1880 b) 112.

amongst dead leaves, under bushes in forest, Boschberg, MacOwan 1198 (S.A.M. 34869) Kew.

Omphalia umbellifera (Linn. ex Fr.) Quél. var. cinnabarina Berk.

Agaricus (Omphalia) umbelliferus Linn. ex Fr. var. cinnabarinus Berkeley (1843 b) 511. on ground, Uitenhage, Zeyher 46.

Panus conchatus (Bull. ex Fr.) Fr.

Hopkins (1938 a) 114.

on ground, Salisbury, Eyles 2085, 2526, 14852.

Panus quaquaversus Berk.

Berkeley (1876 a) 174; Saccardo, Syll. Fung. IX: 77. on trunks, foot of Table Mt., Eaton, Kew.

Panus rudis Fr.

Lloyd (1911 b) L. 35: 3.

Cape, Becker.

Panus stipticus (Bull. ex Fr.) Fr.

? on pine timber, Johannesburg, Blackburn (T.R.L. 1457) 33258.

Var. farinaceus (Schum. ex Fr.) Rea.

on bark of Eucalyptus sp., Stikland, Acocks, 26158.

Panus torulosus (Pers. ex Fr.) Fr.

Medley Wood (1898) 18; Hopkins (1938 a) 114; Nel (1942) 63.
on old stump, Inanda, Medley Wood 411, Kew; on ground, Salisbury, Eyles 2085 (v. d. Byl 1880) 14847; Maritzburg, Rump, 27373.

Panus Wrightii Berk, & Curt.

Berkeley (1876 a) 627. on dead wood, foot of Table Mt., Eaton.

Pleurotus applicatus (Batsch ex Fr.) Quél.

Torrend (1905) 217: Lloyd (1920) 952: van der Byl (1921 g) 348: Nel (1942) 63. on hving bark of trees. Boschberg, MacOwan 1048 (8.A. M. 34884) 20943: on wood, Durban, v. d. Byl 596, 914: Maritzburg, Rump 151, 28550: Moçambique, (Torrend).

Pleurotus atrocaeruleus (Fr.) Gill.

Agaricus (Pleurotus) atrocaeruleus Fr., Kalchbrenner (1880 b) 114. Boschberg, MacOwan 1048.

Pleurotus aureo-tomentosus (Kalchbr.) Sacc.

Saccardo, Svll. Fung. V: 354.

Agaricus (Pleurotus) aureo-tomentosus Kalchbrenner (1880 b) 113 ; Kalchbrenner & Cooke (1880) 17.

on wood, Inanda. Medley Wood 103, 348, 416, 32026.

Pleurotus caveatus (Berk. & Curt.) Sacc.

Saccardo, Syll. Fung. V: 353.

Agaricus (Pleurotus) caveatus Berk. & Curt., Kalchbrenner (1880 b) 113.

on decaying wood in bush. Boschberg. MacOwan 1045 (S.A.M. 34897) Kew: eastern Natal. MacOwan 1216.

Pleurotus clusilis (Kalchbr.) Sace.

Saccardo, Svll. Fung. V: 384.

Agaricus (Pleurotus) clusilis Kalchbrenner (1880 b) 114.

on dry branches, Somerset East, MacOwan 1038 (S.A. M. 35027; S.A. M. 34880 as Crepidotus clusilis Kalchbr.) Kew.

Pleurotus contrarius (Kalchbr.) Sacc.

Saccardo Svll. Fung. V: 363.

Agaricus (Pleurotus) contrarius Kalchbrenner (1880 b) 113. on dry branches, Boschberg, MacOwan.

Pleurotus flabellatus (Berk. & Br.) Sacc.

Saccardo, Syll. Fung. V: 369.

Agaricus (Pleurotus) flavellatus Berk. & Br., Kalchbrenner (1880 b) 113. on decaying wood, Boschberg, MacOwan.

Pleurotus gilvescens (Kalchbr.) Sacc.

Saccardo, Syll. Fung. V: 386.

Agaricus (Pleurotus) gilvescens Kalchbrenner (1880 b) 114. on ground, Durban, Medley Wood 332, 10216.

Pleurotus limpidus (Fr.) Gill.

Saccardo, Svll. Fung. V: 364.

Agaricus (Pleurotus) limpidus Fr., Kalchbrenner (1880 b) 113; Cooke & Kalchbrenner (1881) 27.

on fallen branches, Boschberg, MacOwan 1052 (S.A.M. 34883, as Plearotus Haedinus Berk. & Curt.); on decaying wood, Natal, Medley Wood 518, 10243, 11181.

Pleurotus olearius (DC. ex Fr.) Gill.

Saccardo, Syll. Fung. V: 346.

Agaricus (Pleurotus) olearius DC. ex Fr., Kalchbrenner (1880 b) 112. on trunks of **Olea africana** Mill., in bush, Boschberg, MacOwan 1216, Kew.

Pleurotus ostreatus (Jacq. ex Fr.) Quél.

Saccardo, Syll. Fung. V: 355: Nel (1942) 63.

on Hibiscus tiliaceus Linn., Durban, Eadie (v. d. Byl 1053).

Salix sp., on roots, Somerset East, MacOwan 1215 (S.A.M.) 22068. on trunks of trees, Boschberg, MacOwan 1053 (S.A.M. 34890).

Pleurotus perpusillus (Fr.) Gill.

Saccardo, Syll, Fung. V: 383.

Agaricus (Pleurotus) perpusillus Fr., Cooke (1879 b) 69; Kalchbrenner (1880 b) 114. on trunks of trees, Natal, Medley Wood 191, 11178.

Pleurotus petaloides (Bull. ex Fr.) Quél.

on rotten wood, Xumeni Forest, Doidge.

Pleurotus radiatim-plicatus (Kalchbr.) Sacc.

Saccardo, Syll. Fung. V: 380.

Agaricus (Pleurotus) radiatim-plicatus Kalchbrenner (1880 b) 113. on fallen branches, Boschberg, MacOwan.

Pleurotus sciadium (Kalchbr. & MacOwan) Sacc.

Saccardo, Svll. Fung. V: 372.

Agaricus (Pleurotus) sciadium Kalchbr. & Mac Owan, Kalchbrenner (1880 b) 112. on decaying wood, Boschberg, Mac Owan & Tuck (Mac Owan 1243; S.A.M. 34896) 22069, Kew.

Var. salmoneus (Kalchbr. & MacOwan) Sacc.

Saccardo, Svll. Fung. IX: 51.

Agaricus (Pleurotus) sciadium var. salmoneus Kalchbr. & MacOwan, Kalchbrenner (1880 b) 112.

on decaying trunks, Boschberg, MacOwan 1401 (Herb. Kew as Pleurotus salmoneus Kalchbr. & MacOwan; S.A. M. 34916 as Claudopus sciadium Kalchbr.).

Pleurotus septicus (Fr.) Quél.

Saccardo, Svll. Fung. V: 375.

Agaricus (Pleurotus) septicus Fr., Kalchbrenner & Cooke (1880) 17; Kalchbrenner (1880 b) 113.

on bark, Medley Wood 135, 191, 10210.

Pleurotus striatulus (Fr.) Quél.

Agaricus (Pleurotus) striatulus Fries (1848) 5. on branches, Natal, Wahlberg.

Russula cyanoxantha (Schaehh, ex Secretan) Fr.

under oaks and pine trees, Kirstenbosch, E. L. Stephens, 24365.

Russula integra (Linn. ex Fr.) Fr.

under pine trees, Pretoria, Louwrens, 28513.

Russula pectinata Bull. ex Fr.

on ground, Pretoria, Doidge, 30548.

Russula rubra Fr.

on contour path above Kirstenbosch, Garabedian (S.A. M. 45897).

Schizophyllum commune Fr.

Montagne (1847) 168: Fries (1848) 6: Berkeley (1876 a) 174; Mac Owan (1895) 331: Lorrain Smith (1901) 466: Torrend (1905) 217: Cheesman (1909) 410; V. A. Putterill (1922): van der Byl (1922 d) 286, (1925 b) 195; Verwoerd (1929 b) 6, (1931 a) 300: J. Phillips (1931) 159: Wakefield (1936) 50: Hopkins (1938 a) 114, (1939 a) 23, 38: Doidge & Bottomley (1931) 8, 9, 18, 51, 68; Nel (1942) 63: Simpson & Talbot (1946) 134.

Merulius alneus Linn., Thunberg (1800) 182, (1823) 755.

Schizophyllum alneum (Linn.) Schroet., P. Hennings (1892) 351.

Schizophyllum flabellare, Fr., Kalchbrenner (1880 b) 136: Saccardo, Syll. Fung. V: 655.

on Acacia decurrens Willd., Skinner's Court, Pole Evans 963; Harden Heights, Pole Evans, 1320; Jessievale Plantations, Vicht, 31512.

Acacia Karroo Hayne, Kroonstad, Pont, 24935.

Acacia melanoxylon R. Br., Knysna, D.F.O. 12794.

Acacia mollissima Willd., Cramond, Fuller, 1543: Maritzburg, Fuller, 1905: Cedara, Gill, 28482: Johannesburg, Mogg, 15023: Onderstepoort, Mogg, 23637; Qudeni Forest, Weintroub & Simpson (T.R.L. 1706); on timber in storage, Johannesburg (T.R.L. 367); Athol, Amsterdam, Pont, 33980: Qudeni Forest, Simpson & Talbot, 34999.

Acacia saligna Wendl., Stellenbosch, v. d. Byl.

Acacia spp., Fountains Valley, Louwrens & Lansdell, 28459: Cape Town, Attridge, 11617; East London, Bartel (v. d. Byl 2362).

Celtis Kraussiana Bernh., Lusikisiki, D.F.O., 6928.

Eucalyptus sp., Wellington, Bottomley, 1544.

Ficus sp., Durban, Casey, 27686.

Juglans sp., Salisbury (Rh. 702).

Leucadendron argenteum R. Br., Cape, Kew.

Olea sp., Qudeni Forest, Simpson & Talbot, 34999.

Olinia cymosa Thunb., Deepwalls, J. Phillips, 18044.

Pandanus sp., Durban, Moonsamy (v. d. Bŷl 11) 15553.

Phoenix reclinata Jacq., Umtali, Eyles 1726, 15659.

Pinus pinaster Ait., without locality, H. B. Stephens, 15646.

Pinus sp., on bark of timber in storage, Johannesburg (T.R.L. 482).

Populus sp., Baaken's River Valley, K. M. Putterill, 28529.

Prunus Armeniaca Linn., Wellington, Taylor, 13071, V. A. Putterill; Wellington, Paarl, Piquetberg, Verwoerd; Potgietersrust, Mellé, 14698; Pretoria, v. d. Merwe, 34124.

Prunus Avium Linn., Wellington, V. A. Putterill.

Prunus persica Sieb. & Zucc., Bloemfontein, Verwoerd; Stellenbosch, Verwoerd (Stell. 59); Krakeel, Bottomley, 33463; Somerset West, Dippenaar.

Prunus salicina Lindl. (and hybrids) Wellington, Taylor, 13070, V. A. Putterill; Groot Drakenstein, V. A. Putterill; Claremont, Pretoria, Kresfelder, 26633.

Pyrus malus Linn., Skinners Court, Bottomley, 23361; Fort Victoria, Bulawayo, M'Soneddi, Salisbury, Hopkins.

Quercus sp., Wellington, Doidge, 1035.

Rhus sp., Somerset East, MacOwan.

Saccharum officinarum Linn., Umfolosi, v. d. Byl 677, 31889.

Vitis sp., Alexandria, D.F.O., 11243.

on dead wood, Nieuwekloof, Drege 9415 c, e; Natal, Wahlberg; Boschberg, MacOwan 1070 (Rabenh. Fung. Eur. 3646; S.A.M. 34420) 20821, 20937, 22076; foot of Table Mt., Eaton; Fort Cunynghame, T. R. Sim; Pondoland, Bachmann; Durban, Medley Wood 93 (S.A.M. 34421); Mossamedes, Welwitsch 352.

on dead and living wood of trees undet., Zimbabwe, $H\phi eg~18$; Mazoe (Rh. 597); Darwindale (Rh. 1176); Ondonga, Barnard (S. A. M. 45946); Knysna, Duthie, 31295; Kirstenbosch, Bottomley, 24825, Lansdell 24826; Alicedale, Cruden, 12182; Mont-aux-Sources, Doidge, 23395; Xumeni Forest, Doidge, 30795; Hopevale, Morgan, 27715, 30264; Ngoye Forest, Haygarth (v. d. Byl 277) 31664; Letaba Drift, Doidge, 1729; north of Pietersburg, Grosskopf (v. d. Byl 1704); Westfalia Estate, Doidge, 1692; de Hoek road, Woodbush, Wager, 23224; Woodbush, Wager, 25923, D.F.O., 7352; Rhenosterhoek, (T.R.L. 313); Tzaneen (T.R.L. 624) Fountains Valley, Punt, 14498, 20376, Louwrens, 27567, 27568; Wonderboom, Bosman, 23706, Doidge & Bottomley, 28724; The Willows, Doidge, 28896; Pretoria, Gover, 18133; Elim, Watson, 25355; Johannesburg, Bottomley, 8775; Potchefstroom, Gunn, 30510; Zomba, Gideon Joubert, 9765; Rikatli, Junod. 11539; Lourenco Marques, Tooke, 33753.

on underground mine timbers, Langlaagte Gold Mine, Cheesman; Wesselton Diamond Mine, Kimberley, Cheesman; in coal mine, Wankie, Høeg 145; Fairview Gold Mine, Barberton, A. L. Hall, 12308; Crown Mines, Lurie (T.R.L. 27) 28844; Kimberley, Wilman, 11009, 17102; Robinson Deep (T.R.L. 43); Daggafontein Mines (T.R.L. 439); New Amianthus Mine (T.R.L. 136); Western Reefs (T.R.L. 1796); Nourse Mines

(T.R.L. 446).

isolated by spore catch from air in mines, Spring Mines (T.R.L. 833); South African Lands and Exploration Co. (T.R.L. 1517).

Schulzeria Umkowaan (Cooke & Mass.) Sacc.

Saccardo, Syll. Fung. IX: 11; van der Byl (1920 b) 286; Nel (1942) 63.

Agaricus (Schulzeria) Umkowaani Cooke & Massee, Cooke (1889) 70; Medley Wood (1899) 6.

on subterranean termite nests, near Durban, Medley Wood 4060, Kew; Pretoria, Native collector, 23663, Parkes, 21192; Baviaans River, Gideon Joubert, 21048; Howick, Playford, 20429; Grahamstown, Hewitt; Meintjies Kop, Bloemfontein, Potts, 12973; Durban, v. d. Byl 1108; Natal, Bell (v. d. Byl 90); Umtata (T.R.L. 303).

Tilotus lenzitiformis Kalchbr.

Kalchbrenner (1880 b) 137; Saccardo, Syll. Fung. V: 652. on bark, Durban, Medley Wood 94; Cape, MacOwan 1401, Kew.

Tricholoma album (Fr.) Quél.

Rondebosch, MacOwan, Kew.

Tricholoma amarum (Fr.) Rea.

109

Clitocybe amara (Fr.) Quél., Saccardo, Syll. Fung. V: 149. Agaricus (Clitocybe) amarus Fr., von Thuemen (1877 a) 407: Kalchbrenner (1880 b)

among decaying leaves in bush, Boschberg, MacOwan & Tuck (MacOwan 1013, 1212; Thuem, Myc. univ. 702) 22037, Kew.

Tricholoma caffrorum (Kalchbr. & MacOwan) Sacc.

Saccardo, Svll. Fung. V: 122.

Agaricus (Tricholoma) caffrorum Kalchbr. & Mac Owan, Kalchbrenner (1880 b) 109. Rhodopaxillus caffrorum (Kalchbr. & Mac Owan) Singer (1942) 109.

in grassy fields. Somerset East, MacOwan 1222, Kew.

Var. sulonense (Kalchbr. & MacOwan) Sacc.

Saccardo, Svll. Fung. V.: 122.

Agaricus (Tricholoma) caffrorum var. sulonensis Kalchbr. & MacOwan, Kalchbrenner (1880 b) 109.

Somerset East, MacOwan.

Tricholoma cerinum (Pers. ex Fr.) Quél.

? on soil in greenhouse, Pretoria, Wager, 23621.

Tricholoma gambosum (Fr.) Gill.

in fields after rain, near Somerset East, MacOwan 1119 (S.A.M. 34733) 20921.

Var. capense Kalchbr. & MacOwan.

? nom. nud.

amongst grass, forming rings, Somerset East, MacOwan 1222 (S.A.M. 34734).

Tricholoma Georgii (Clus. ex Fr.) Quél.

Saccardo, Syll. Fung. V: 120.

Agaricus (Tricholoma) Georgii Clus. ex Fr., Kalchbrenner (1880 b) 109. von Thuemen (1877 a) 407.

sub Rhodopaxillus caffrorum (Kalchbr.) Singer (1942) 109.

in grassy fields, near Somerset East, MacOwan 1119 (Thuem. Myc. univ. 1001) Kew.

Tricholoma melaleucum (Pers. ex Fr.) Quél.

Boschberg, MacOwan 1411 (S.A. M. 34749).

Var. adstringens (Pers. ex Fr.) Quél.

in woods at foot of Boschberg MacOwan 1196 (S.A.M. 34750).

Var. porphyroleucum (Bull. ex Fr.) Gill.

Agaricus (Tricholoma) melaleucus var. porphyroleucus Bull. ex Fr., Cooke & Kalchbrenner (1881) 27.

Durban, Medley Wood 495, 10231, Kew.

Tricholoma nudum (Bull. ex Fr.) Quél.

under shrubs or amongst grass, Pretoria, Fouché, 18129, Erens, 31056; Fountains, Punt, 20407.

Tricholoma personatum (Fr.) Quél.

Skinners Court, Pole Evans, 2118.

Tricholoma russula (Schaeff, ex Fr.) Gill.

Salisbury, Eyles 2525, 14859.

Tricholoma saponaceum (Fr.) Quél.

on ground, Pinelands and Kloof Neck, Andre, 24364.

Tricholoma ustale (Fr.) Quél.

Saccardo, Syll. Fung. V: 94.

Agaricus (Trichotoma) ustalis Fr., Kalchbrenner (1880 b) 109; Cooke & Kalchbrenner (1881) 27.

in pine woods, near Somerset East, MacOwan 1176; on soil in woods, Durban, Medley Wood 428, 10272, Kew.

Xerotus Berterii Mont.

Lloyd (1923) 1186; Hopkins (1938 a) 114. on dead wood in dark forest, Umtali, *Eyles* 7102, Kew.

Xerotus caffrorum Kalchbr. & MacOwan

Kalchbrenner (1880 b) 136; Kalchbrenner & Cooke (1880) 17; Saccardo, Syll. Fung. V: 634.

on roots of bushes, Boschberg, MacOwan 1132 (Rabenh. Fung. Eur. 3236) 21980, Kew. on rotten wood in bush, Boschberg, MacOwan 1156 (1186 in Kalchbrenner, l.c.) (S.A.M. 34611) 22077, MacOwan 1218 (S.A.M. 34610); Inanda, Medley Wood 371, 11140; Durban, Medley Wood 341, 11139, Kew.

Xerotus fuliginosus Berk. & Curt.

Lloyd (1915 a) L. 60:3, 10. common in decayed twigs in forest, Knysna, *Duthie* 5θ , 31317.

Xerotus nigritus Lév.

Kalchbrenner & Cooke (1880) 18; Cooke & Kalchbrenner (1881) 26. Anthracophyllum nigrita (Lév.) Kalchbrenner (1880 b) 137; Saccardo, Syll. Fung. V: 1139.

Panus melanophyllus Fries (1848) 5.

on slender branches and on trunks, Natal, Wahlberg; Durban, Medley Wood 189, 10201, 10025, 15621, 31795, Kew.

OCHROSPORAE.

Astrosporina maritima (Fr.) Rea

? in sandy soil, on edge of plantations of Pinus, Fairy Glen Road, near Pretoria, Doidge, 30597.

Bolbitius Boltonii (Pers. ex Fr.) Fr.

Kalchbrenner (1880 b) 134 : Sacc. Syll. Fung. V : 1074. Somerset East, MacOwan.

Bolbitius bulbillosus Fr.

Kalchbrenner (1880 b) 134; Sacc. Syll. Fung. V: 1074. Somerset East, MacOwan.

Bolbitius fragilis (Linn.) Fr.

Kalchbrenner (1880 b) 134 : Sacc. Syll. Fung. V : 1074. Somerset East, MacOwan.

Bolbitius liberatus Kalchbr.

von Thuemen (1880) no. 1032; Sacc. Syll. Fung. V: 1077. on ground amongst grass, Boschberg, *MacOwan 1002* (Thuem. Myc. univ. 1302; S.A.M. 34520) 21946, Kew.

Bolbitius Mac Owani Kalchbr.

? nom. nud.

in gardens near Somerset East, MacOwan 1367 (S.A.M. 34519) Kew.

Bolbitius mitraeformis Berk.

Berkeley (1844) 186: Kalchbrenner (1880 b) 134: Sacc. Syll. Fung. V: 1078. on old dung. Devil's Peak. *Harvey*; summit of Table Mt., *Harvey*; Somerset East, *Mac-Owan 1902*.

Cortinarius argutus Fr.

Natal, Medley Wood 340, 10259.

Cortinarius camurus Fr.

in poplar bush, near Wonderboom, Doidge & Bottomley, 28732.

Cortinarius castaneus (Bull. ex Fr.) Fr.

? on ground under poplars, de Beer's Rust, Doidge & Bottomley, 30593.

Cortinarius fusco-tinctus Rea

? on ground under bushes, off Garstfontein Road, Bottomley, 30619.

Cortinarius lepidopus Cooke.

in poplar bush, near Wonderboom, Doidge & Bottomley, 28731.

Cortinarius multiformis Fr.

on Eucalyptus globulus Lab., Concordia Plantation, Knysna, Keet, 13062.

Crepidotus applanatus (Pers. ex Fr.) Karst.

Saccardo, Syll. Fung. V: 878.

Agaricus (Crepidotus) applanatus Pers. ex Fr., Kalchbrenner (1880 b) 131. on damp wood, Somerset East, MacOwan 1202, Kew.

Crepidotus episphaeria (Berk.) Sacc.

Saccardo, Syll. Fung. V: 885.

Agaricus (Crepidotus) episphaeria Berkeley (1846) 1; Montagne (1847) 167.

nd decayed Sphaeriae, in wooded valley between Buffelsrivier and Key," Drège 9413 a, b (1), Kew.

Crepidotus Inandae (Cooke) Sacc.

Saccardo, Syll. Fung. IX: 116.

Agaricus (Crepidotus) Inandae Cooke (1890 b) 6. on bark, Natal, Medley Wood 680, 10206, Kew.

Crepidotus mollis (Schaeff. ex Fr.) Quél.

on Eucalyptus logs, Pretoria, Pole Evans, 8927

Populus stumps, de Beer's Rust, Doidge, 30541, 30542; Kloof Neck, Andre.

Crepidotus pogonatus (Kalchbr.) Sacc.

Saccardo, Svll. Fung. V: 884.

Agaricus (Crepidotus) pogonatus Kalchbrenner (1880 b) 131, on fallen branches, Boschberg, MacOwan 1075, Kew.

Crepidotus scalaris (Fr.) Karst. var. lobulatus (Kalchbr.) Sacc.

Saccardo, Syll. Fung. V: 878.

Agaricus (Crepidotus) scalaris Fr. var. lobulatus Kalchbrenner (1881) 53. on trunks of trees, Durban, Medley Wood 342.

Flammula alnicola (Fr.) Quél.

Medley Wood (1898) 16.

Agaricus (Flammula) alnicola Fr., Cooke & Kalchbrenner (1881) 27. on dead wood, Inanda, Medley Wood 512, 10242, 11179, Kew.

Flammula flavida (Schaeff. ex Fr.) Quél. var.

Agaricus (Flammula) flavidus Schaeff. ex. Fr., var., Berkeley (1876 a) 173. on stumps, at base of Table Mt., Eaton.

Flammula Harmoge (Fr.) Karst.

Saccardo, Syll. Fung. V: 823.

Agaricus (Flammula) Harmoge Fr., Kalchbrenner (1880 b) 115. on roof of hut (pine wood) Somerset East, MacOwan 1380, 20848, Kew.

Doubtful species.

Flammula hybrida (Fr.) Gill.

Hopkins (1938 a) 114.

? on dead tree, Salisbury, Eyles 2086, 14850; on pine wood, Pinelands, E. L. Stephens, 27271.

Konrad & Maublanc (1924: 108) refer this species to a variety of Flammvla sapinea.

Flammula Janus (Berk. & Br.) Sacc.

Saccardo Syll. Fung. V: 821.

Agaricus (Flammula) Janus Berk, & Br., Kalchbrenner (1880 b) 115, on decaying wood, Boschberg, MacOwan 1013.

Flammula sapinea (Fr.) Quél.

on wood, Maritzburg, Pole Evans, 1361, Kew: Rondebosch, Bottomley, 24366; Kirstenbosch, V. A. Putterill, 14834; on pine stumps, Newlands, E. L. E. L. Stephens, 24839.

Flammula tilopus (Kalchbr.) Sacc.

Saccardo, Syll. Fung. V: 818, as Flammula tilopoda Kalchbr. & MacOwan. Agaricus (Flammula) tilopus Kalchbr. & MacOwan, Kalchbrenner (1880 b) 115. on trunks, or on ground round trunks, Somerset East, MacOwan, Kew.

Galera Eatoni (Berk.) Sacc.

Saccardo, Syll. Fung. IX: 113.

Agaricus (Galera) Eatoni Berkeley (1876 a) 173.
on dead bark, at base of Table Mt., Eaton.

Galera hypnorum (Schrank ex Fr.) Quél.

Agaricus (Galera) hypnorum Schrank ex Fr., Kalchbrenner (1880 b) 116. in bush, Boschberg, MacOwan 1213 (S.A.M. 34964) 20924.

Galera lateritia (Fr.) Quél.

amongst grass, Bloemfontein, Potts, 12962.

Galera peroxydata (Berk.) Sacc.

Saccardo, Syll. Fung. V: 864.

Agaricus (Galera) peroxydatus Berkeley (1843 b) 511.
on bare ground, Uitenhage, Zeyher 109.

Galera pygmaeo-affinis (Fr.) Quél.

? on ground, Pretoria, Bottomley, 21094.

Galera spartea (Fr.) Quél.

on lawn, Pretoria, Doidge, 30572.

Galera sphagnorum (Pers. ex Fr.) Karst.

Saccardo, Syll. Fung. V: 869. near Boschberg, ? MacOwan.

Galera tenera (Schaeff. ex Fr.) Quél.

Saccardo, Syll. Fung. V: 860.

Agaricus (Galera) tener Schaeff, ex Fr., Kalchbrenner (1880 b) 116.

amongst shrubs, Somerset East, MacOwan; Natal, Medley Wood; on ground amongst grass, Pretoria, Bottomley, 30558; (?) Pretoria, Reinecke, 21238

Var. siliginea (Fr.) Quél.

on lawn, Pretoria, Parkes, 23092.

Hebeloma nudipes (Fr.) Karst.

? under bushes, Klein Vis Rivier, MacOwan, 20934.

Hebeloma spoliatum (Fr.) Gill.

Saccardo, Syll. Fung. V: 803.

Agaricus (Hebeloma) spoliatus Fr., Kalchbrenner (1880 b) 115. Somerset East, MacOwan 1388, 22084.

Inocybe microspora J. E. Lange

? in humus under Acacia tree, Fairy Glen Road, Doidge, 30533.

Naucoria arenicola (Berk.) Sacc.

Saccardo, Syll. Fung. V: 845.

Agaricus (Naucoria) arenicola Berkeley (1843 b) 511; Kalchbrenner (1880 b) 115.

on sandy ground, Uitenhage, Zeuher 110: Somerset East, MacOwan.

"Zeyheri n. 110 ad mea non distinguendus ab A. (Naucoria) Pediade Fries (1848) 5

Naucoria arvalis (Fr.) Quél.

on cow dung, Uitenhage, Zeyher, Kew (ex Herb. Hooker).

Naucoria furfuracea (Pers. ex Fr.) Quél.

Agaricus (Naucoria) furfuraceus Pers. ex Fr., Berkeley (1843 b) 511.

on ground, Uitenbage, Zeyher 107.

According to Rea (1922) 409, Quélet's Naucoria furfuracea Pers. is Galera spicula (Lasch) Fr.

Naucoria pediades (Fr.) Quél.

Saccardo, Syll. Fung. V: 844.

Agaricus (Naucoria) pediades Fries (1848) 5; von Thuemen (1876 b) 362.

on dung in grass, Boschberg, MacOwan 1006 a (Thuem. Myc. univ. 802) 22065, Kew (as MacOwan 1106); in vineyards and fields near Somerset East, MacOwan 1377, Kew; Natal, Medley Wood 464, 10223.

Ver. obscuripes Fayod

Fayod (1890) 226; Saccardo, Syll. Fung. XI: 57.

in groups in dry grass, Olukonda, Schinz.

Naucoria pygmaea (Bull. ex Fr.) Gill.

Saccardo, Syll. Fung. V: 833.

Agaricus (Naucoria) pygmaeus Bull. ex. Fr., Kalchbrenner (1880 b) 116.

in fields near Somerset East, MacOwan 1209, 1310 (S.A.M. 34967); in damp pastures, Durban, Medley Wood 91.

Naucoria russa (Cooke & Mass.) Sacc.

? round base of willow stump, Bloemfontein, Potts, 12964.

Naucoria scolecina (Fr.) Quél.

! under pine trees, Bloemfontein, Potts, 12995,

Naucoria semiorbicularis (Bull. ex Fr.) Quél.

Agaricus (Naucoria) semiorbicularis Bull. ex Fr., Berkeley (1843 b) 511, (1876 a) 173;

Favod (1890) 226.

on cow dung, Uitenhage, Zeuher 105; Boschberg, MacOwan 1006 a, 22065; in dry grass, Olukonda, Schinz; near the gaol and the harbour, Cape Town, Eaton, Kew; amongst grass, Bloemfontein, Potts, 12963, 12974; Pretoria, Goldblatt, 21092, 21233; Cango Caves, Marloth, 26618: Maritzburg, Rump, 27616: Pretoria, Bottomley, 30931. at base of Eucalyptus globulus, Knysna, Laughton, 32112.

Naucoria undulosa (Jungh.) Sacc.

Saccardo, Svll. Fung. V: 846.

Agaricus (Naucoria) undulosus Jungh., Kalchbrenner (1880 b) 116.

under shrubs, Boschberg, MacOwan 1223 (S.A.M. 34974): Durban, Medley Wood 370, 10256.

Paxillus atractorus Kalchbr.

von Thuemen (1877 c) 87; Saccardo, Syll. Fung. V: 989. on trunks of felled trees, Boschberg, MacOwan 1216 (Thuem, Myc. univ. 803) Kew.

Paxillus extenuatus Fr.

! under pine trees, Signal Hill, V. A. Putterill, 15495.

Paxillus involutus (Batsch ex Fr.) Fr.

Lloyd (1920) 1073, 1074.

on ground, under trees, Knysna, Duthie 277, 31450: Pretoria, Howlett, 2112, Bottomley, 10057 : Fairy Glen, Reinecke, 21205,

Paxillus panuoides Fr.

Kalchbrenner (1880 b) 134; Sacc. Svll. Fung, V: 989; Brown (1936) 388.

South Africa, MacOwan.

on underground mine timber, Pilgrims Rest, Luriε (T.R.L. 117) 28830 : Jubilee Mine (T.R.L. 152): Randfontein Estates, Lurie (T.R.L. 12) 28752.

Pholiota aurivella (Batsch ex Fr.) Quél.

Agaricus (Pholiota) aurivellus Batsch ex Fr., Cooke & Kalchbrenner (1881) 27. on ground, Natal, Medley Wood 533, 10202, 11180.

Pholiota cylindracea (DC. ex Fr.) Gill.

on poplar logs, Wonderboom, Doidge & Bottomley, 28734.

Pholiota dura (Bolt. ex Fr.) Quél.

near roots of Salix sp., Somerset East, MacOwan 1418 (S.S. M. 34938) Kew.

Pholiota flammans (Fr.) Quél.

Natal, Medley Wood 673, 10205; Durban, Putter, 32012.

Pholiota mutabilis (Schaeff. ex Fr.) Quél.

on wood, Xumeni Forest, Doidge, 32177.

Pholiota mycenoides (Fr.) Quél.

Saccardo, Syll. Fung. V: 760.

Agaricus (Pholiota) mycenoides Fr., Kalchbrenner (1880 b) 115.

Somerset East, MacOwan, Kew (ex Herb. Kalchbr.).

Pholiota spectabilis (Fr.) Quél.

Agaricus (Pholiota) spectabilis Fr., Berkeley (1876 a) 173.

near the trunks of leafy trees, between the foot of Lion's Head and Table Mt., MacOwan 1444, Kew; foot of Table Mt., Eaton, Kew; Botanical Gardens, Cape Town (S.A.M. 34936); on Pine stumps, Cape Town, E. L. Stephens, 24387; at base of Eucalyptus globulus Lab., Knysna, Laughton, 32110; Bulwer, Rump, 27622; Town Hill, Maritzburg, Rump 34, 27656.

Pholiota togularis (Bull. ex Fr.) Quél.

Saccardo, Syll. Fung. V: 738.

Agaricus (Pholiota) togularis Bull. ex Fr., Kalchbrenner (1880 b) 115.

Somerset East, MacOwan, Kew.

Pholiota unicolor (Vahl ex Fr.) Gill.

Saccardo, Syll. Fung. V: 759.

Agaricus (Pholiota) unicolor Vahl. ex Fr., Cooke (1879 b) 69; Kalchbrenner (1880 b)

on trunks, Inanda, Medley Wood 390, 10249; on decaying wood, Boschberg, MacOwan.

Pluteolus reticulatus (Pers. ex Fr.) Gill.

on decaying grass, Pretoria, Howlett, 2125, Doidge, 30582.

Rhodosporae.

Claudopus proteus Kalchbr.

von Thuemen (1878 b); Saccardo, Syll. Fung. V: 734.

Agaricus (Crepidotus) proteus Kalchbrenner, von Thuemen (1876 b) 424.

on **Populus** sp., dead twigs, de Beer's Rust, *Doidge*, 30540.

Vitis vinifera Linn., dead stems, Cape.

on damp wood, near Somerset East, MacOwan 1202 (Thuem. Myc. univ. 503) 22045, Kew.

Claudopus variabilis (Pers. ex Fr.) Gill.

on dead branches, Boschberg, MacOwan 1075 (S.A.M. 35028) 20929.

"Some authors place this species in Crepidotus, as the spores are more yellowish than pink, and are not warted." E. M. Wakefield.

Clitopilus prunulus (Scop. ex Fr.) Quél.

on lawn, Pretoria, Fouché, 14522: Fountains, Bottomley, 18126: on ground under trees, Silverton Road, Reinecke, 23204: Pretoria, Reinecke, 23134, Punt, 14524, Lansdell & Bosman, 25350: under wattles, Klapper Klop, King, 30625.

Entoloma erophilum (Fr.) Karst.

Cape, MacOwan 1365, Kew.

Entoloma lividum (Bull. ex Fr.) Quél.

in humus, Boschberg, MacOwan 1300 (S.A.M. 34907).

Entoloma microcarpum (Berk. & Br.) Sacc.

on soil from termite nests, Pretoria, Stent, 14683, Kew: Klerksdorp, Fuller, 14268, Sr. de Victoria, 23358: Pretoria, Bottomley, 20301, Mogg, 24939: Maritzburg, Cheek (Rump 321) 28680: Meintjies Kop, Goldblatt, 20681: Johannesburg, Moss, 33133.

Entoloma sagittaeforme (Kalchbr. & Cooke) Sacc.

Saccardo, Svll. Fung. V: 687.

Agaricus (Entoloma) sagittaeformis Kalchbr. & Cooke, Kalchbrenner (1880 b) 114. Inanda, Medley Wood 357, 344, 10262, 10258, Kew.

Nolanea casta (MacOwan) Sacc.

Saccardo, Svll. Fung. V: 726.

Agaricus (Nolanea) castus Mac Owan, Kalchbrenner (1880 b) 114. on grass between shrubs, Boschberg, Mac Owan 1360 (S.A.M. 34291).

Nolanea leuciscus Kalchbr.

? nom. nud.

amongst grass, under bushes, Boschberg, MacOwan 1374 (S.A. M. 34927) Kew.

Pluteus cervinus (Schaeff. ex Fr.) Quél.

Saccardo, Syll. Fung. V: 665.

Agaricus (Pluteus) cervinus Schaeff. ex Fr., Kalchbrenner (1880 b) 114. on decaying trunks, Boschberg, MacOwan.

Pluteus pustulosus (Fayod) Killermann.

Killermann (1928) 246.

Schinzinia pustulosa Fayod (1890) 227: Saccardo, Syll. Fung. XI: 44. in sandy places, Olukonda, Schinz.

Volvaria bombycina (Schaeff. ex Fr.) Quél.

Saccardo, Svll. Fung. V: 656.

Agaricus (Volvaria) bombycinus Schaeff. ex Fr., Kalchbrenner (1880 b) 114. on stems of **Cussonia** sp. in bush, Boschberg, MacOwan 1416 (S.A.M. 34898) Kew.

Volvaria pusilla (Pers. ex Fr.) Quél. on soil, Wonderboom, Bosman, 23691.

Volvaria speciosa (Fr.) Gill.

on ground or humus, Pretoria, Parkes, 21190, Doidge, 20576; Daspoort, Kresfelder, 30578.

Volvaria sp.

Cheesman (1909) 409.
on fallen branch of Baobab tree, Victoria Falls, East Ferry, Cheesman.

PORPHYROSPORAE.

Hypholoma Candolleanum (Fr.) Quél.

Agaricus (Hypholoma) candolleanus Fr., Kalchbrenner (1880 b) 132. on trunks in bush, Boschberg, MacOwan 1229 (S.A.M. 35037) 22047, Kew.

Hypholoma capnolepis (Kalchbr.) Sacc.

Saccardo, Syll. Fung. V: 1033.

Agaricus (Hypholoma) capnolepis Kalchbrenner (1880 b) 132.

Inanda, Medley Wood 337, 10212, Kew.

Hypholoma capnoides (Fr.) Quél.

? on trunks of Pinus, Kirstenbosch, V. A. Putterill, 14836.

Hypholoma fasciculare (Huds. ex Fr.) Quél.

Saccardo, Syll. Fung. V: 1029; Simpson & Talbot (1946) 134.

Agaricus (Hypholoma) fascicularis Huds, ex Fr., Berkeley (1844) 186; Kalchbrenner

(1880 b) 132.

on wood, Durban, Medley Wood 193; Cape, Harvey; foot of Lion's Head, Eaton, Kew; Kloof, Cape Town, E. P. Phillips, Kew; Town Bush Valley, Rump, 27619; on old stumps, Kirstenbosch, Bottomley, 24376; Rosebank, Bottomley, 24823; on log, Deepwalls, Bottomley, 30997; on stump of felled Pinus taeda, Tsitsikama, Laughton, 29718; among pine trees, Newlands, Marloth, 22012; on dead stump, Qudeni Forest, Simpson & Talbot 35014.

Hypholoma hydrophilum (Bull ex Fr.) Quél.

? on ground under dead shrub, Pretoria, Bottomley, 18143.

Psalliota abruptibulba (Peck) Kauffm.

on ground, Pretoria, Reinecke, 23100, Doidge, 30563.

Psalliota africana Fayod.

Fayod (1890) 225; Saccardo, Syll. Fung. XI: 69. on ground in sandy places, around Olukonda, Schinz.

Psalliota amboënsis Fayod

Fayod (1890) 224; Saccardo, Syll. Fung. XI: 70. on sandy soil, near Olukonda, Schinz.

Psalliota arvensis (Schaeff, ex Fr.) Quél.

Saccardo, Syll. Fung. V: 994; Hennings (1906) 701.

Agaricus (Psalliota) arvensis Schaeff, ex Fr., Cooke & Kalchbrenner (1881) 26.

in grassy places, Natal, Medley Wood 409, 10267: Boroma, Menyharth; Johannesburg, Knox-Davies, 20655: Pretoria, Goldblatt, 20664, Fouche, 14528, Barrett, 30623; common in wet weather.

Var. grossa (Berk.)

Agaricus (Psalliota) arvensis Schaeff, ex. Fr. var. grossus Berkeley (1843 b) 512. on ground, Uitenhage, Zeyher 95.

Psalliota augusta (Fr.) Quél.

on ants' nests in fields, ? Somerset East, MacOwan 1421, Kew.

Psalliota campestris (Linn. ex Fr.) Quél.

Saccardo, Syll. Fung. V: 997; Medley Wood (1899) 6; Marloth (1913) 23; Verwoerd (1931 a) 300.

Agaricus campestris Linn., Thunberg (1800) 182, (1823) 75; J. Phillips (1831) 161.

Agaricus (Psalliota) campestris Linn. ex Fr., Berkeley (1876 a) 173: Kalchbrenner

(1880 b) 13°.

in hills near Cape Town, Thunberg: in vineyards at Wynberg, Eaton: Boschberg and in plains nearer the sea, MacOwan 1010 (S.A. M. 35047) 22074; Bazuja, Baur: Natal, Medley Wood 244 (S.A. M. 34935): Bloemfontein, Verwoerd and Potts, 12985; Hopevale, Morgan; Skinner's Court, Coetzee, 1956; Garstfontein Road, Doidge, 30618; Pretoria, Parkes, 21197; Wonderboom, Reinecke, 23695; Cambridge, McNish, 29942; Knysna, J. Phillips.

Var. alba (Viv.) W. G. Sm.

on ground, Garstfontein, Doidge & Hean, 30589; Pretoria, L. W. Doidge.

Var. pratensis (Vitt.)

Agaricus (Psalliota) campestris Linn. ex Fr. (b) praticola, Kalchbrenner (1880 b) 131on manured ground, Somerset East, MacOwan 1428 (S.A.M. 34934).

Var. rufescens (Fr.) W. G. Sm.

South Africa, MacOwan 1193, Kew (sub Psalliota rufescens Fr.).

Psalliota comtula (Fr.) Quél.

Agaricus comtulus Fr., Nel (1942) 61.

on lawns, Pretoria, Bottomley, 20405, 30559, Doidge, 30556, 30557, Parkes, 21231: Stellenbosch, v. d. Byl 1248.

Psalliota Dialeri Bres. & Torrend

Torrend (1905) 217.

Agaricus Dialeri (Bres. & Torrend) Sacc. & Trott., Syll. Fung. XXI: 206. on ground near goat kraals, Zumbo, Dialer.

Psalliota dulcidula Schulz.

in grass, Pretoria, Parkes, 21117.

Psalliota exserta (Viv.) Rea

in dense bush, Boschberg, MacOwan 1193 (S.A.M. 35046).

Psalliota Kiboga P. Henn.

P. Hennings (1906) 701.

Boroma, Menyharth.

Psalliota placomyces (Peck) Kauffm.

under poplars, de Beer's Rust, Doidge, 30564, 30624; Pretoria, 34430.

Psalliota pratensis (Schaeff. ex Fr.) Quél.

on ground, Pretoria, Parkes, 13161, Reinecke, 23882.

Var. australis (Berk.)

Agaricus (Psalliota) pratensis Schaeff. ex Fr. var. australis Berkeley (1843 b) 512; Kalchbrenner (1880 b) 131; Saccardo, Syll. Fung. V: 997. on the ground, Uitenhage, Zeyher 93; on old ant heaps, Somerset East, MacO.van 1421.

Psalliota Rodmani (Peck.) Kauffm.

? in open fields, Rietfontein, Pretoria, Venter, 14492; Rustenburg, Playford, 14511.

Psalliota silvatica (Schaeff. ex Secretan) Quél.

Agaricus (Psalliota) sylvaticus Schaeff. ex Secretan, Kalchbrenner (1880 b) 131 ; Cooke & Kalchbrenner (1881) 26 ; Saccardo, Syll. Fung. V : 1000.

on ground in woods, Inanda, Medley Wood 480, 10227, 11176 Kew: Boschberg, MacOwan 1193, Kew; Somerset East, MacOwan 1432, 20933.

Psalliota sylvicola (Vitt.) Morot

under wattles, Hopevale, Morgan; Wonderboom, Doidge.

Psathyra corrugis (Pers. ex Fr.) Quél.

Saccardo, Syll. Fung. V: 1061.

Agaricus (Psathyra) corrugis Pers, ex Fr., Kalchbrenner (1880 b) 132.

in damp, shady spots, banks of Klein Vis Rivier, MacOwan 1322, 1391, 20931; Pretoria, Parkes, 23137.

Psathyra noli-tangere Fr.

Hypholoma noli-tangere (Quél.) Fr., Torrend (1905) 218. ? Moçambique (Torrend).

Psathyra spadiceo-grisea (Schaeff. ex Berk.) Quél.

Saccardo, Syll. Fung. V: 1065.

Agaricus (Psathyra) spadiceo-griseus Schaeff. ex Berk., Kalchbrenner (1880 b) 133. on bark, Inanda, Medley Wood 323, 336, 10215, 10217, Kew: on rotten wood, Somerset East, MacOwan 1306.

Psilocybe areolata (Klatzsch) Sacc.

? Verulam, Medley Wood 491, Kew.

Psilocybe atro-rufa (Schaeff. ex Fr.) Quél.

Agaricus (Psilocybe) atrorufus Schaeff, ex Fr., Kalchbrenner (1880 b) 132; Cooke & Kalchbrenner (1881) 27.

Deconica atrorufa (Schaeff, ex Fr.) Saccardo, Svll. Fung. V: 1059.

on ground in bush, Inanda, Medley Wood 507, 508, 522, 10241, 10244, 11177, Kew; Somerset East, MacOwan 1378 (S.A.M. 35024).

Var. montanus (Pers. ex Fr.).

Agaricus (Psilocybe) atrorufus var. montanus Pers. ex Fr., Kalchbrenner (1880 b) 132. on ground in bush, Natal, Medley Wood 182.

Psilocybe ericaea (Pers. ex Fr.) Quél.

Saccardo, Svil. Fung. V: 1044.

Agaricus (Psilocybe) ericaeus Pers. ex Fr., Kalchbrenner (1880 b) 132. Somerset East, MacOwan.

Psilocybe foenisecii (Pers. ex Fr.) Quél.

Agaricus (Psilocybe) foenisecii Pers. ex Fr., Kalchbrenner (1880 b) 132.

in gardens, Somerset East, MacOwan 1368 (S.A. M. 34759); in grass, near cow dung, Klein Vis Rivier, MacOwan 1323, 20935; Boschberg, MacOwan 1006, 1368 b, 1372, (Rabenh. Fung. Eur. 3237) 22075; Bloemfontein, Potts, 12969, 12971.

Psilocybe semilanceata (Fr.) Quél.

Saccardo, Syll. Fung. V: 1051.

Agaricus (Psilocybe) semilanceatus Fr., Kalchbrenner (1880 b) 132. on fertile soil, amongst bushes, Boschberg, MacOwan.

Psilocybe squalens (Fr.) Karst.

Saccardo, Syll, Fung. V: 1054.

Agaricus (Psilocybe) squalens Fr., Kalchbrenner (1880 b) 132 : Cooke (1879 b) 69. around trunks, Natal, Medley Wood 383, 10219.

Psilocybe taediosa (Kalchbr.) Sacc.

Saccardo, Syll. Fung. V: 1044.

Agaricus (Psilocybe) taediosus Kalchbr., Kalchbrenner & Cooke (1880) 17: Kalchbrenner (1880 b) 132.

on the ground, Inanda, Medley Wood 393, 19254, Kew.

Psilocybe uda (Pers. ex Fr.) Gill.

Saccardo, Syll. Fung. V: 1045.

Agaricus (Psilocybe) udus Pers. ex Fr., Kalchbrenner (1880 b) 132. on flooded ground, near the Klein Vis Rivier, MacOwan 1366, 1367, 1390 (S.A.M. 35023), 20911, Kew.

Stropharia albo-maculata Kalchbr. & MacOwan.

₹ nom. nud.

in bush, Boschberg, MacOwan 1324 (S.A. M. 35038).

Stropharia coronilla (Bull. ex Fr.) Quél.

in pine woods, Rondebosch, MacOwan 1452, 20940, Kew.

Stropharia melanosperma (Bull. ex Fr.) Quél.

Saccardo, Syll. Fung. V: 1015, (as Stropharia melasperma). as Agaricus (Stropharia) melaspermus Bull. ex Fr., Kalchbrenner (1880 b) 131. Somerset East, MacOwan 1389, 20936, Kew.

Stropharia obturata (Fr.) Quél.

Saccardo, Syll. Fung. V: 1014. Agaricus (Stropharia) obturatus Fr., Kalchbrenner (1880 b) 132. Somerset East, MacOwan.

Stropharia olivaceo-flava (Kalchbr. & MacOwan) Sacc.

Saccardo, Syll. Fung. V: 1026.

Agaricus (Stropharia) olivaceo-flava Kalchbr. & MacOwan, Kalchbrenner (1880 b) 131;

Cooke & Kalchbrenner (1881) 26.

in sandy places, which are often flooded, near Klein Vis Rivier, MacOwan 1385, 20912, Kew and MacOwan 1324; Inanda, Medley Wood 415, 502, 10230, 11216, Kew: Natal, Medley Wood 244, 10207.

Stropharia semiglobata (Batsch ex Fr.) Quél.

Saccardo, Syll. Fung. V: 1022.

Agaricus (Stropharia) semiglobatus Batsch ex Fr., Kalchbrenner (1880 b) 132.

on old dung in fields, Somerset East, MacOwan 1006 b (S.A.M. 35044) 20925: Keurboom near Cape Town, E. L. Stephens, 24362.

MELANOSPORAE.

Anellaria separata (Linn. ex Fr.) Karst.

Saccardo, Svll. Fung. V: 1125.

Agaricus (Panaeolus) separatus Linn. ex Fr., von Thuemen (1878) 353; Kalchbrenner (1880 b) 133.

on old cow dung, Boschberg, MacOwan 1007 (Thuem. Myc. univ. 1202; S.A.M. 35012) 22067, Kew; Verulam, Medley Wood 376, 10204; Natal, Medley Wood 460, 10224.

Coprinus atramentarius (Bull. ex Fr.) Fr.

on ground, Pretoria, Lansdell, 21241, Native collector, 23201: Town Bush Valley, Rump-27617; Bloemfontein, Potts, 12997, 12999. on timber in storage, Johannesburg, Weintroub (T.R.L. 305).

Coprinus Cheesmani Th. Gibbs

Gibbs (1909) 413 ; Saccardo, Syll. Fung. XXI : 225. on hippopotamus dung, near Victoria Falls, Cheesman.

Coprinus cinereus (Schaeff. ex Fr.) S. F. Gray

Kalchbrenner (1880 b) 133; Saccardo, Syll. Fung. V: 1088. on cow dung, Somerset East, $MacOwan\ 1214\ pr.\ p.$, Kew (sub Coprinus fimetarius L). on grass tufts in greenhouse, Pretoria, Kresfelder, 30273.

Coprinus comatus (Müll ex Fr.) S. F. Grav

E. P. Phillips (1908) 369.

at foot of Papegaaisberg, Stellenbosch, Garside, Kew: Cape Town, Saxton (S.A.M. 1320); Sunnyside, Pretoria, Pole Evans, 2041: Pretoria, Native collector, 23220: Wonderboom, Lansdell; Johannesburg, Moss; common around Pretoria and Johannesburg in wet seasons.

Var. ovatus (Schaeff, ex Fr.) Quél,

Coprinus ovatus Schaeff, ex Fr., Kalchbrenner (1880 b) 133 : Saccardo, Syll, Fung. V : 1079.

in damp sand, after flooding by the river, Klein Vis Rivier, MacOwan 1046.

Coprinus curtus Kalchbr.

von Thuemen (1876 b) 424 : Kalchbrenner (1880 b) 133 : Saccardo, Syll. Fung. V : 1110.

in humus and on old cow dung, between shrubs, at foot of the Boschberg, MacOwan 1014 (Thuem. Myc. univ. 403) 22043, Kew: on rock rabbit dung. Inanda. Medley Wood 526, 10458, Kew.

Coprinus digitalis (Batsch ex Fr.) Fr.

Kalchbrenner (1881) 53: Saccardo, Syll. Fung. V: 1095, on dung heap, Verulam, Medley Wood 384, 10464.

Coprinus ephemerus (Bull. ex Fr.) Fr.

Saccardo, Syll. Fung. V: 1106.

Agaricus (Coprinus) ephemerus Bull. ex Fr.. Berkeley (1843 b) 513; Kalchbrenner (1880 b) 134: Cooke & Kalchbrenner (1881) 26.

on dung, Inanda, Medley Wood 423, 10463, Kew; near Klein Vis Rivier, MacOwan 1375; on ground, Uitenhage, Zeyher 113.

Coprinus flocculosus (DC. ex Fr.) Fr.

Klein Vis Rivier, Mac Owan 1046 (S.A. M. 34528).

Coprinus macrorhizus (Pers.) Rea

on decayed grass, Pretoria, Doidge, 30602, and Parkes; in mushroom beds, Pretoria, Winckworth, 33246.

Coprinus micaceus (Bull. ex Fr.) Fr.

von Thuemen (1878 a) 353; Kalchbrenner (1880 b) 133; Saccardo, Syll. Fung. V: 1090.

on soil near tree stumps, Klein Vis Rivier, MacOwan 1214 (Thuem. Myc. univ.1903; S.A. M. 34531) Kew; Bazuja, Baur; Pretoria, Parkes, 21096, Bottomley, 21116, Reinecke, 23099, Watson, 25906; Rondebosch, E. L. Stephens, 26653.

Var. truncorum (Schaeff. ex Fr.) Quél.

Coprinus truncorum (Schaeff. ex Fr.) Fr., Kalchbrenner (1880 b) 133.

Saccardo, Svll. Fung. V: 1092.

on dead trunks of trees, Natal, Medley Wood 333, 10461; near river bank, Klein Vis Rivier near Somerset East, MacOwan 1214.

Coprinus niveus (Pers. ex Fr.) Fr.

Cooke (1879) 70; Saccardo, Syll. Fung. V: 1088. on dung, Verulam, Medley Wood 384, 9470; Fountains, Bottomley, 21196.

Coprinus plicatilis (Curt. ex Fr.) Fr.

Kalchbrenner (1880 b) 134; Saccardo, Syll. Fung. V: 1108. on ground, Botanical Gardens, Durban, Medley Wood 698, 10459; Durban, Medley Wood 367, 10457; Somerset East, MacOwan 1375 (S.A.M. 34525); Pretoria, Goldblatt, 21193.

Coprinus punctatus Kalchbr. & Cooke.

Kalchbrenner & Cooke (1880) 17: Kalchbrenner (1880 b) 133; Saccardo, Syll. Fung. V: 1093. on ground, Inanda, Medley Wood 413 (as Medley Wood 415 in Kalchbr. l.c.) 10462, Kew.

Coprinus radiatus (Bolt. ex Fr.) S. F. Gray

Kalchbrenner (1880 b) 133; Saccardo, Syll. Fung. V: 1101. on dung, Somerset East, MacOwan, Kew.

Coprinus stercorarius (Scop. ex Fr.) Fr.

on dung, Kentani, Pegler 1965, 8839.

Coprinus sp.

Th. Gibbs (1909) 415. Matopo Hills, Cheesman.

Coprinus sp.

Medley Wood (1898) 17. Natal, Medley Wood 679, 10460.

Montagnites Candollei Fr.

Schultze (1907) 705.

on red sand, and also on grey silt, limestone and dolomite, between Kakhea and Tehututu, Schultze 366: top of Langeberg, Andriesfontein, Barkly West, Acocks, 28643: Mauritzfontein, near Kimberley, Acocks, 28639: van Wyksfontein. Barkly West, Acocks, 28627: Cornfort Hill, Barkly West, Acocks, 28642; Benaauwdheidsfontein, Kimberley, Acocks, 28629: Pienaarschotein and Hondjeskuil, Barkly West, Acocks, 28628: Knockbarragh, Kimberley, Acocks, 28626: Bermolli, Kimberley, Acocks, 28625: Kaapplateau, Taungs, Acocks, 28670.

Panaeolus caliginosus (Jungh.) Gill.

Medley Wood (1898) 16.

Agaricus (Panaeolus) caliginosus Jungh., Cooke & Kalchbrenner (1881) 27.

amongst grass, Inanda, Medley Wood 472, 515, 10221, 10226, Kew; on ground, Bloemfontein,
Potts, 12976.

Panaeolus campanulatus (Linn. ex Fr.) Quél.

Saccardo, Syll, Fung. V: 1121.

Agaricus (Panaeolus) campanulatus Linn. ex Fr., Kalchbrenner (1880 b) 133.

on manured ground, Boschberg, MacOwan 1012: on gardens and lawns, Pretoria, Doidge, 30580, Bottomley, 30600, 30626.

Panaeolus fimicola (Fr.) Quél.

Saccardo, Syll. Fung. V: 1124.

Agaricus (Panaeolus) fimicolus Fr., Kalchbrenner (1880 b) 133.

on dung, Somerset East, MacOwan 1083, 1089, 22066.

Panaeolus papilionaceus (Bull. ex Fr.) Quél.

Saccardo, Svll. Fung. V: 1122.

Agaricus (Panaeolus) papilionaceus Bull. ex. Fr., Cooke (1879) 69; Kalchbrenner (1880 b) 133.

on horse dung, Verulam, Medley Wood 385, 10253, Kew: on dung, Natal, Medley Wood 379,, 391, 397; Bloemfontein, Potts, 12966; in bush, Boschberg, MacOwan 1012 (S.A.M. 35017).

Panaeolus retirugis (Fr.) Gill.

on horse dung and in open fields, Bloentfontein, Potts, 12996; Keurboom Park, Rondebosch, Bottomley, 24370; Maritzburg, Leggat, 27618.

Panaeolus solidipes Peck.

on manure heap, Pretoria, Wickens, 14530, Doidge, 15440.

Psathyrella disseminata (Pers. ex Fr.) Quél.

Saccardo, Svll. Fung. V: 1134.

Agaricus (Psathyrella) disseminatus Pers, ex Fr., Kalchbrenner (1880 b) 133; Cooke & Kalchbrenner (1881) 27.

Psathyra disseminata Fr., Cooke (1879 b) 70.

on damp ground. Inanda. Medley Wood 102, 400, 10252: on old stumps, Inanda. Medley Wood 490, 10233, 11183, Kew: Botanical Gardens, Durban. Medley Wood, 4083: on lawn, Pretoria, Dyer, 30610, Parkes, 21090: under Poplars, Wonderboom, Bottomley & Doidge, 28733.

Psathyrella gracilis (Fr.) Quél.

Saccardo, Svll. Fung. V: 1127.

Agaricus (Psathurella) gracilis Fr., Kalchbrenner (1880 b) 133.

in fertile places, Somerset East, MacOwan 1202, 1379; Pretoria, Parkes, 21095.

Psathyrella hydrophora (Bull. ex Fr.) Quél.

under shrubs in bush, Boschberg, MacOwan 1089 (S.A.M. 35007).

Psathyrella prona (Fr.) Gill.

Agaricus (Psathyrella) pronus Fr., Cooke & Kalchbrenner (1881) 27. on ground in bush, Inanda, Medley Wood 499, 511, 10238, 10222, Kew.

Psathyrella subtilis (Fr.) Quél.

Saccardo, Syll. Fung. V: 1135.

Agaricus (Psathyrella) subtilis Fr., von Thuemen (1876 b) 568: Cooke (1879) 69. on cow dung, Medley Wood 382, 10208, Kew; near Somerset East, MacOwan 1011 (S.A.M. 35010).

Psathyrella trepida (Fr.) Gill.

on damp soil, Pretoria, Howlett, 21237, Kresfelder, 21228, Reinecke, 23145, Louwrens, 28511.

Psathyrella sp.

Agaricus (Psathyrella) Kalchbrenner (1880 b) 133. in humus, in open places in bush, Somerset East, MacOwan 1373, 1376 (S.A.M. 34539).

GASTEROMYCETEAE.

Hymenogastrales.

HYMENOGASTRACEAE.

Gymnoglossum radiatum (Lloyd) Bottomley

Bottomley (1948) 499.

Hymenogaster radiatus Lloyd (1924) 1304; Verwoerd (1925 a) 166; Stevenson & Cash (1936) 198; Hopkins (1938 a) 166.

Dendrogaster radiatus (Lloyd) Zeller & Dodge, Dodge & Zeller (1934) 688. in leaf mold at foot of tree, Salisbury, Eyles 2530 (Lloyd Myc. Coll. 30493; Rh. 3826) 17795.

Hydnangium carneum Wallr.

Bottomley (1948) 497.

Octaviania carnea (Wallr.) Corda, Lloyd (1924) 1319; Verwoerd (1925 b) 164; van der Byl (1925 b) 195; J. Phillips (1931) 161; Nel (1942) 67. buried in humus, Stellenbosch Flats, Duthie 325 (v. d. Byl 2096) 28871; Knysna, J. Phillips.

Hydnangium nigricans Kalchbr.

Kalchbrenner (1882 a) 107; Sacc. Syll. Fung. XI: 172; Dodge & Zeller (1936) 592; Bottomley (1948) 498. in grass under Acacia trees, at foot fo Boschberg, MacOwan 1211, Kew & Berlin.

Hymenogaster albellus Mass. & Rodway

Dodge & Zeller (1934) 669; Bottomley (1948) 492. as *Hymenogaster lilacinus* Tul., Lloyd (1924) 1304, 1319; Verwoerd (1925a) 166. Nel (1942) 67.

in soil, Stellenbosch, *Duthie 209* (Lloyd Myc. Coll) 2886, *Duthie 324*, 28867: Cape Town, *Péringuey*, 1735; Groote Schuur, *J. Acocks* (E. L. Stephens 259) 35544.

Hymenogaster arenarius Tul.

Lloyd (1919) 889; Bottomley (1948) 483. in sandy soil in woods, without locality, *Duthie*. Doubtful Record.

Hymenogaster levisporus Massee & Rodway

Bottomley (1949) 492. in soil, Kirstenbosch, E. L. Stephens 368, 27674.

Hymenogaster zevlanicus Petch.

Bottomley (1948) 493.

on damp, sandstone walls of a dark cave, Noodsberg, Lawrence, 28873.

Melanogaster ambiguus (Vitt.) Tul.

Bottomley (1948) 498.

under Hydrangeas, in shade of oak trees, Howick, Gill, 25506.

Octaviania africana Llovd

Lloyd (1922) 1142; Verwoerd (1925 b) 164; Nel (1942) 67; Bottomley (1948) 495. Sclerogaster africanus Lloyd (1916 d) L. 63; 4, nom. nud.; van der Byl (1925 b) 165; J. Phillips (1931) 161.

Arcangeliella africana (Lloyd) Zeller & Dodge (1935) 365, (1936) 614.

in rich humus soil in forest, Forest Hall, Knysna, Duthie 97 (v. d. Byl 2097; Lloyd Myc. Coll. 7198) 31350.

Octaviania flava (Rodway) G. H. Cunn.

Bottomley (1948) 496.

on damp sandstone wall of dark cave, Noodsberg, Lawrence, 28872.

Protubera africana Lloyd

Lloyd (1920) 960, 987; van der Byl (1922 d) 286; Verwoerd (1925 b) 163; Fischer (1933) 28; Stevenson & Cash (1936) 200; Zeller (1939) 22; Nel (1942) 67; Bottomley (1948) 499.

om damp, clayey soil, Papegaaisberg, *Duthie 233* (v. d. Byl 2094 : Lloyd Myc. Coll. 22143), *Duthie 243* (Stell. 282 : v. d. Byl 2331 ; Lloyd Myc. Coll. 22144).

Doubtful species: probably a phalloid egg (Bottomley l.c.).

Rhizopogon capensis Lloyd ex Verwoerd

Verwoerd (1925 a) 165; Lloyd (1924) 1321, nom. nud.† Bottomley (1948) 488. in ground under pine trees, Pinelands, E. L. Stephens 335; Stellenbosch, Verwoerd; Stellenbosch, Duthie (E. L. Stephens 416).

Rhizopogon luteolus Fr.

Lloyd (1915 a) L. 60: 3, (1923) 1171, (1924) 1304; Zeller & Dodge (1918) 10; vander Byl (1922 d) 286; Verwoerd (1925 b) 165, (1931 a) 300; Bottomley (1948) 486.

as Rhizopogon pachyphloeus Zeller & Dodge (1918) 9. as Melanogaster MacOwanianum Kalchbr. in Herb. Kew.

in ground, nr. Johannesburg, Pole Evans, 1903; Stellenbosch, Duthie 77 (Lloyd Myc. Coll.) 31335, Kew ex Herb. C. G. Lloyd; Stellenbosch Flats, Duthie 249, 31430; near Somerset East, MacOwan (Rabenh. Fung. Eur. 3436; Mo. Bot. Gard. Herb. 5646) 20950, Kew; Bloemfontein, Verwoord.

Rhizopogon niger (Lloyd) Zeller & Dodge.

Zeller & Dodge (1929) 122; Bottomley (1948) 487.

Hysterangium niger Lloyd (1923) 1173; Verwoerd (1925 b) 163; van der Byl (1925 b) 163; Stevenson & Cash (1936) 198.

on ground, Knysna, Duthie (Lloyd Myc. Coll. 22394 Type; Dodge Herb. 353; Zeller Herb. 7256).

Rhizopogon radicans Lloyd

Lloyd (1922) 1160, 1174; Verwoerd (1925 b) 165; Stevenson & Cash (1936) 200; Bottomley (1948) 488.

in ground, Knysna, Duthie (Lloyd Myc. Coll. 50861).

Rhizopogon rubescens Tul.

Massee (1889) 39: Lloyd (1920) 960, (1922) 1122, 1166, (1924) 1319: van der Byl

(1922 d) 286; Verwoerd (1925 b) 164; Bottomley (1948) 487.

on ground, Cape Town, MacOwan, Kew; Stellenbosch, Duthie 337 (v. d. Byl 475) 31494; Sterkstroom, Duthie 210, 31399; Pinelands, E. L. Stephens, 24845; Jessievale, D.F.O., 17095; du Tojts Park, Stellenbosch, Duthie 245, 31425; Keurboom Park, Newlands, E. L. Stephens 336; near Pipe Track, Newlands, P. C. de Kock (E. L. Stephens 464); University grounds, Rosebank, E. L. Stephens 463.

Sclerogaster salisburiensis Verw.

Verwoerd (1926 b) 293; Hopkins (1938 a) 115; Bottomley (1948) 490. on ground in bushveld, Salisbury, Eyles 4104 (Stell. 213; v. d. Byl 2224).

SECOTIACEAE.

Gyrophragmium Delilei Mont.

Fischer (1933) 116; Bottomley (1948) 508.

on ground, Brackenfel, Acocks, Kew; Olifantshoek Road, Kuruman Distr., Acocks, 28640, Kew; Kimberley, Acocks, 28624, 28635, Kew; Knockbarragh, Barkly West, Acocks, 28634.

MacOwanites agaricinus Kalchbr.

Kalchbrenner (1876) 116, (1882 a) 107; Sacc. Syll. Fung. VII: 179; Lloyd (1923) 1198; Zeller & Dodge (1919) 58, (1936) 636; Verwoerd, (1925 b) 166; Fischer (1898) 299, (1933) 111; Ramsbottom (1942) 336; Bottomley (1948) 503.

MacOwania agaricina Berkelev (1876 b) 248, (1876 c) 785.

amongst grass at foot of trunks of Acacia Karroo, in fields near Somerset East, MacOwan 1211, 22087, Kew & Upsala.

Polyplocium inquinans Berk.

Berkeley (1843 a) 202; Montagne (1843 b, c); Sacc. Syll. Fung. VII: 55; Lloyd (1924) 1318, (1925) 1341; Verwoerd (1925 b) 16, 40; Fischer (1933) 115; Bottomley (1948) 506.

Gyrophragmium inquinans (Berk.) Lloyd (1904 a) 197.

on banks of Orange River, Burke & Zeyher; South Africa, without locality, Kew; Malcomess, Knapdaar, Gideon Joubert, 14504; Burghersdorp, Gideon Joubert, 28739 b; Armoeds, vlakte, Vryburg, Pole Evans, 11856; Lake Chrissie, Pole Evans, 18115.

Secotium Gueinzii Kunze

Kunze (1840) 322; Berkeley (1843 a) 201, (1843 b) 523; Corda (1854) 29; Sacc. Syll. Fung. VII · 52; Verwoerd (1925 b) 16, 40; Fischer (1933) 114; Bottomley (1948) 501.

in sand, Cape, Gueinzius; Uitenhage, Zeyher 9; Brackenfel, Acocks (E. L. Stephens 159, 307) 26655; Stikland, J. Acocks (E. I. Stephens 230); van Schuur's Drift, Mathews & E. L. Stephens (E. L. Stephens 528) 35531; Signal Hill, Foley (S.A.M.).

Secotium obtusum Lloyd

Lloyd (1924) 1318, nom. nud: Stevenson & Cash (1936) 193; Bottomley (1948) 502. on open ground, Malcomess, Knapdaar, Gideon Joubert (Lloyd Myc. Coll. 24876) 18113, Type: in grey silt, Cornforth Hill, J. Acocks, 28644.

PHALLALES.

CLATHRACEAE.

Anthurus Archeri (Berk.) Ed. Fisch.

Bottomley (1948) 522.

Anthurus MacOwani Marloth (1913) 22, Pl. 3: Lloyd (1916 b) 570, (1917 c) 690, (1917 a) L. 66: 3, 8: van der Byl (1922 d) 286: Nel (1942) 71; Cunningham (1944) 101.

on ground, often under oak trees, Stellenbosch, Duthie 173 (E. L. Stephens 411) 31381, Duthie 343, 31496: Oranjezicht, Bottomley, 24371: Papegaaisberg, de Vos: Stellenbosch, v. d. Byl 2101, 2332: Kirstenbosch, J. Acocks (E. L. Stephens 334); grounds of Cape Town University, E. L. Stephens 552: Oranjezicht, Rennie and E. L. Stephens 168, 417: Somerset West, Pillans.

Aseroe rubra Labill.

Bottomley (1948) 526. on ground, Cape Town, Saston, Kew. Rather doubtful record.

Clathrella Baumii (P. Henn.) Ed. Fischer.

Ed. Fischer (1933) 89 (errore Cl. Braunii); Bottomley (1948) 531. Clathrus (Clathrella) Baumii P. Hennings (1903) 164; Sacc. Syll. Fung. VII: 213. on sandy soil in light woods, Longa R. nr. Napalanka, Baum 601.

Clathrella pseudocancellata Ed. Fischer

Ed. Fischer (1900) 36; Sacc. Syll. Fung. VVI: 228; Hopkins (1938 a) 115; Bottomlev (1948) 531.

as Clathrus cancellatus Tourn., Hopkins (1938 a) 114.

on ground, de Wagendrift, Bottomley, 11231; Pretoria, Wickens, 10058; Salisbury, Eyles 2983, 15527; Muckleneuk, Pretoria, Vos. 28777; Pretoria North, Anderssen, 33333.

Clathrus cibarius (Tul.) Ed. Fischer.

Sacc. Syll. Fung. VII: 20; Lloyd (1906 c) 295-6; Nel (1942) 71; Bottomley (1948) 528.

Ileodictyon cibarium Tul. Ed. Fischer (1890) 53, (1893) 19, (1900) 31.

on ground, Salisbury, Eyles 4139 and Green (v. d. Byl 2346); Beatrice, Eyles 4098; on ground under bushes, Table Mt., MacOwan.

Clathrus camerunensis P. Henn.

 $\begin{array}{c} \textbf{Lloyd} \ (1918a) \ 754 \ ; \ \ \textbf{Bottomley} \ (1948) \ 530. \\ \textbf{without locality}, \ v. \ d. \ \textbf{\textit{Byl}}. \end{array}$

Doubtful record: is possibly C. gracilis.

Clathrus gracilis (Berk.) Schlecht.

Lloyd (1909a) 62; Bottomley (1948) 529.

n woods and open ground, Kirstenbosch, Levyns (E. L. Stephens 167), R. H. Compton (E. L. Stephens 569); slopes of Table Mt., Newlands, Bottomley & Lansdell (E. L. Stephens 80); Groote Schuur, J. Acocks (E. L. Stephens 128).

Clathrus sp.

Bottomley (1948) 529.

on soil in exposed positions, Wonderboom, Mogg, 23642; on dam wall, Loskop, Blueser, 31055.

Kalchbrennera corallocephala (Welw. & Curr.) Kalchbr.

Kalchbrenner (1880 a) 21; Ed. Fischer (1886) 61, (1933) 96; Lloyd (1909 a) 68, 81, 83; Marloth (1913) 22; Nel (1942) 71; Bottomley (1948) 532.

Lysurus corallocephalus Welwitsch & Currey (1868) 287.

Kalchbrennera Tuckii Berkeley (1876 c) 785, (1876 b) 248; Kalchbrenner (1876) 115, (1882 a) 106; Fischer (1886) 60, (1890) 18; Medley Wood (1898) 18; Sacc. Syll Fung. VII: 14.

Kalchbrennera Tuckii var. microcephala Pole Evans (1915 b) 159.

after heavy rain, on ground amongst Acacia thickets, Boschberg, MacOwan & Tuck (MacOwan 1225; S.A.M. 34318) 22050, Kew; at foot of Kagaberg, near Bedford, Trollip (S.A.M. 34319); Kentani, Pegler 1423, Kew, Pegler 1424, 8848; Bedford, Marloth, 26590; Grahamstown, Schonland, 8952, 8953; in mealie lands, Amabele, v. d. Byl, 8954; near Engcobo, amongst decaying leaves after rain, Woolby; Sydenham, Medley Wood 665, 10388, 13075, 31825, Kew: Krantzkloof, Medley Wood, 812; Bot. Gard., Durban, Medley Wood, Kew; Knapdaar, Gideon Joubert, 20842; Jacksons Tuin, Mogg, 28730; Durban, v. d. Byl 359; Bathurst, Hahne, 25367; Riversdale, Muir (v. d. Byl 2603); Brenton, Knysna, Duthie 79, 31357; Barberton, Roland, 32887; Umkomaas, V. Bottomley, 11861; Umtata, Abernethy, 34148; Bellville, Lippett (E. L. Stephens 553); Maciene, Mocambique, E. L. Stephens 15; George McIntyre (E. L. Stephens 279); Pinelands, Cape Town, E. L. Stephens 129; nr. Milkboschstrand, Salkeld (S.A.M. 56361).

Linderiella columnata (Bosc.) G. H. Cunn.

Bottomely (1948) 521.

Laternea angolensis Welwitsch & Currey (1868) 286.

Clathrus angolensis (Welw. & Curr.) Fischer (1886) 70, (1893) 33.

Colonnaria columnata (Bosc.) Fischer (1933) 85.

on humus covered soil, Catete, Pungo Andongo, Welwitsch 120.

Lysurus Gardneri Berk.

Lloyd (1918a) 792, (1917a) L.67: 2; Bottomley (1948) 524.

Anthurus Woodii MacOwan, Kalchbrenner (1880 a) 23, (1882 a) 106; Fischer (1886) 80; Nel (1942) 71.

Lysurus Woodii (MacOwan) Lloyd (1909 a) 40, 81, (1924) 1319, 1327; van der Byl (1921 c) 191; Stevenson & Cash (1936) 160; Nel (1942) 71.

Lysurus borealis (Burt.) P. Henn., Lloyd (1924) 1319, 1327.

on ground amongst cow dung, around Inanda, Medley Wood 134, 10376, 22036, Kew and Medley Wood 149; Hopevale, Morgan, 27741, 28536, 28607; Putfontein nr. Benon, v. d. Merwe, 23685; Johannesburg, J. B. Wood, 14245: de Kuil, Standerton Distr., Roos, 20355; Brenton, Knysna, Duthie (E. L. Stephens 54) 31508, Duthie 331, 338 (v. d. Byl 2334, 2369; Lloyd Myc. Coll. 24890, 24891, 27631), Duthie & Mason (Duthie 341); Grahamstown, Archibald, 33215; Ixopo, Hackland.

PHALLACEAE.

Dictyophora indusiata (Vent. ex Pers.) Desv.

Bottomlev (1948) 518.

Dictyophora phalloidea Desv., Ed. Fischer (1886) 32-34, (1893) 30-31; Marloth (1913) 30.

Phallus indusiatus Vent. ex Pers., Medley Wood (1905) 5; Lloyd (1907) 332.

Phallus tunicatus Schlecht., Welwitsch & Currey (1868) 286.

in soil and decaying leaves, Inanda, Haygarth (Medley Wood 667) 11050; Kew; nr. Pinetown, Medley Wood 669, 11050; Mbabane, Hendricks, 15047; Richmond, Vivyan, 20413; Hope Vale, Morgan, 34921; Natal, without locality, Weintroub, 34920; Maritzburg, Fuller (Rump 457); Qudeni Forest, Talbot, 34909; Hogsback, E. L. Stephens 426; Newlands, Lansdell, 24380, E. L. Stephens, 24379; Angola, Welwitsch.

Itajahya galericulata Möller

Bottomlev (1948) 513.

amongst grass, Pretoria, Doidye, 18072, Bottomley, 13069, 14238, 32771, 34919, Talbot, 34147.

Mutinus bambusinus (Zoll.) Ed. Fisch.

Llovd (1922) 1124; Bottomley (1948) 513.

in decaying debris, Brenton, Knysna, Duthie 291, 31461: Belvidere, Knysna, Duthie, 31504: Brandfort, Schonken (Duthie 295) 31466.

Mutinus Curtisii (Berk.) Ed. Fischer.

Bottomley (1948) 511.

on the ground, Rondebosch, Losely, 25461; Rondebosch, J. Acocks (E. L. Stephens 127).

Mutinus simplex Lloyd

Lloyd (1919) 879, fig. 1504, (1920) 960: Ed. Fischer (1933) 100: Stevenson & Cash (1936) 160: Bottomely (1948) 512.

in bush, Brenton, Knysna, Duthie 215 (Lloyd Myc. Coll. 57856, type and 57850) 31403, 31510.

Phallus impudicus Linn. ex Pers.

Hopkins (1938a) 115; Nel (1942) 71; Bottomley (1948) 515.

on ground, Salisbury, C. H. Green (Eyles 4140; v. d. Byl 2345), Hopkins (Rh. 377; v. d. Byl 2500); Stellenbosch, v. d. Byl 2333.

Phallus rubicundus (Bosc.) Fr.

Lloyd (1909a) 83, (1922) 1124; Bottomley (1948) 516.

Phallus aurantiacus Mont., Fischer (1933) 103.

Ithyphallus aurantiacus (Mont.) Fischer, Sacc. Syll. Fung. VII: 9.

Phallus aurantiacus var. gracilis Fischer (1893) 37.

Phallus gracilis (Fischer) Lloyd, Stevenson & Cash (1936) 161.

Phallus rugulosus (Fischer) Lloyd (1920) 960; Stevenson & Cash (1936) 162.

Kupsura sphaerocephala Lloyd (1924) 303, 1319: Verwoerd (1928 a) 225; Fischer (1933) 119; Stevenson: & Cash (1936) 183.

as Phallus companulatus Berk., Kalchbrenner (1882) 106; Bottomley (1948) 518.

Ithyphallus campanulatus (Berk.) Schlecht., Sacc. Syll. Fung. VII: 11.

on the ground. Boschberg. Tuck & MacOwan (MacOwan 1225, 1286): Inanda, Medley Wood 699, 11051. Kew & Berlin; Sydenham, Holwell, Kew; Pretoria, Bottomley,

12516, 12809, 14237, 20369, 23156, Fouché, 14643, Kraan, 17001, Pole Evans, 9041, 18079; Wonderboom, King, 10047; Meyerton, Vorster, 20373; Maritzburg, T.R.Sim: 11322; Johannesburg, Burtt Davy, 11011; Brenton, Knysna, Duthie 216 (E. L. Stephens 56, 413, Lloyd Myc. Coll. 57851); Orange Free State, Olivier (E. L. Stephens 490) 34495; Knysna, Duthie 208 (Lloyd Myc. Coll. 50084); Brandfort, Schonken (Duthie 299); without locality, Duthie (Lloyd Myc. Coll. 24893); Rondebosch, Crawford (E. L. Stephens 555, 556).

Sclerodermales.

SCLERODERMATACEAE.

Pisolithus tinctorius (Pers.) Coker & Couch

Bottomlev (1948) 543.

Polysaccum crassipes DC., Lloyd (1916 d) L. 63: 4 (1917 a) L. 66: 3: Sacc. Syll. Fung. VII: 146; van der Byl (1918 a) 209, (1922 d) 287, (1926 c) 289; Verwoerd (1925 a)

16; Smith & Pope (1934) 95; Wakefield (1936) 52; Nel (1942) 69.

under Eucalyptus spp., on roots of tree and on ground, Deepwalls, J. Phillips (v. d. Byl 2325) 18040; Klapmuts, André, 24842; Stellenbosch, v. d. Byl (Stell. 157); Newlands, Duthie 123, 31358; Grahamstown, N. J. G. Smith, Kew; Elgin, E. L. Stephens 419; Somerset West, Garside (E. L. Stephens 508); Trappe's Valley Dyer, 25495; Buccleuch, J. M. Sim, 9792; Maritzburg, Rump (v. d. Byl 2623); Donnybrook, Morgan, 28950 nr. Solheim M. S., Eshowe, Hogg 170; Pretoria-Johannesburg road, Vos, 20627, Mogg, 30781; Pretoria, Weeber, 959, 1886, Pole Evans, 1560, Mogg, 23638, 30781; Meintjies Kop, Gower, 17093; Fountains Valley, Sellschop, 8958; near Pretoria v. d. Byl 1965; Potchefstroom, Radloff (v. d. Byl 2092); Tzaneen, v. d. Byl 1474; Lobatsi, Wallace, 17094; Transvaal, without locality, Kretzschmar, 11815.

Scleroderma aurantium Pers.

Lloyd (1915a) L.56: 2; Hopkins (1938a) 115; Bottomley (1948) 539.

Scleroderma vulgare Hornem ex Fr., Berkeley (1876 a) 175; Cooke (1879 b) 70: Massee (1889 b) 49; Medley Wood (1898) 18; Lloyd (1920) 1073; Verwoerd (1925 a) 18, (1931 a) 300; van der Byl (1925 b) 196; J. Phillips (1931) 161; Nel (1942) 70.

on ground, Cape, Eaton: Natal, Medley Wood 374, 369, 10705, Kew; Kloof, Bonfa, 33571: Nottingham Road, v. d. Byl 557, 31805: Cape, MacOwan 1454, Kew: Bloemfontein,

Verwoerd; Salisbury, Eyles 4091 (v. d. Byl 2351).

Scleroderma Bovista Fr.

Cooke (1879 b) 70; Massee (1889 b) 51; Verwoerd (1925 a) 40.

Bottomley (1948) 540.

on ground, Inanda, Medley Wood 369, 10703, 11210; Salisbury (Rh. 4277). Medley Wood's specimen is immature.

Scleroderma capensis Lloyd

Lloyd (1924) 1305; Stevenson & Cash (1936) 192; Bottomley (1948) 540. on ground, Stellenbosch, Duthie 327 (Lloyd Myc. Coll. 24894) 31489, Type.

Scleroderma cepa Pers.

Lloyd (1908 b) L. 23, (1911 b) L. 38: 3, (1914) L. 53: 3, 13, (1916 d) L. 63: 4, $(1917 \text{ a}) \ \text{L. } 66: \ 3, \ 12, \ \text{L. } 67: \ 2, \ 5, \ (1920) \ 952, \ 960, \ 1010, \ 1073, \ (1923) \ 1186,$ 1189, 1263; van der Byl (1922 d) 287, (1925 b) 195; Verwoerd (1925 a) 16; J. Phillips (1931) 161; Nel (1942) 70; Bottomley (1948) 536.

11101-19

on ground, under Populus spp., Fountains Valley, Lansdell & Bottomley, 28587; Parkes, 21095, Reinecke, 21215; Wonderboom, Doidge & Bottomley, 28725, King, 10056. Doidge, 23168; Mazelspoort, Talbot, 35402; under Pinus sp., Meintjies Kop, Bottomley, 14515, 20389, Bosman, 25436; under Salix spp. Pyramids, Hean, 30999; Garstfontein, Pienaar, 1349, 1338; under Eucalyptus spp., Pretoria, Reinecke, 23141; under Quercus spp., Belvidere, Knysna, Duthie, 31388; attached to the roots of Quercus seedling, Johannesburg, 28585; under hedge, Riviera, Schaefer, 35401; situation not known, Riviera, Kresfelder, 9774, 9794; Rietfontein, Venter, 14493; Pretoria, Doidge, 11810; Johannesburg, Bottomley, 8771; East Rand, Marquardt, 14485; Maritzburg, Pole Evans, 1342, 1343, 1347, 1355, 1358: Empangeni North, v. d. Byl, 31886; Mamathes, Hean, 33495; Stellenbosch, Duthie 274 (v. d. Byl 1967) 31447, de Vos, 31517; Stellenbosch Flats, Duthie, 31469; Ida's Valley, Duthie, 35407; Knysna, Duthie, 31401, 35403, Duthie 111, 31354, Toise River, Pienaar, 2276; Kirstenbosch, Compton, 24835. Putterill, 14835, E. L. Stephens 431, 468, 35514, 35440, Middlemost, (E. L. Stephens 467) 35515, E. L. Stephens 477, 35517; Rondebosch, E. L. Stephens 154, 35512; Stikland, J. Acocks (E. L. Stephens 112) 35511; without locality, E. L. Stephens 470, 35516; University grounds, Rosebank, E. L. Stephens 78, 79, 524, 559; Brackenfel Hill, J. Acocks (E. L. Stephens 118); Aliwal North road, Dyer, 35518; Zululand, v. d. Byl 556; Natal, v. d. Byl 288; Nottingham Road, v. d. Byl 337.

Scleroderma flavidum Ell. & Everh.

Lloyd (1913 c) L. 47: 3. (1920) 960, (1922) 1160; van der Byl (1922 d) 287; Verwoerd (1925a) 17, (1931a) 300; Nel (1942) 70; Bottomley (1948) 538. Scleroderma rhodesica Verwoerd (1926 a) 292, 294; Hopkins (1938 a) 115.

Sclerogaster rhodesica Nel (1942) 67, erronee S. rhoderica.

on ground, often under trees. Potchefstroom, M. Gunn, 30513, Sellschop, 28516, Radloff (v. d. Byl 2093); Meintjies Kop, Bottomley, 20414, 20583; Rietvlei, Pretoria, Bottomley, 35399; Magaliesberg Mts.. Dobie, 23380; Riviera, Kresfelder, 9773; Mooibank, Potchefstroom, Lawrence, 24885; Fountains Valley, Bottomley, 20466; Pietersburg, Pole Evans, 25425: Parys, Doidge, 28601; Stellenbosch, de Vos, Verwoerd (Stell. 9; v. d. Byl 1966); Kirstenbosch, Lansdell, 24824, Bolus (v. d. Byl 1668): without locality, E. L. Stephens 223, 34530; on banks of Umsindusi R., Maritzburg, Pole Evans, 25424; Bloemfontein, Verwoerd: amongst grass, Salisbury, Eyles 4133 (v. d. Byl 2342; Rh. 4030).

Scleroderma Geaster Fr.

Lloyd (1917a) L.66: 3; Bottomley (1948) 536. on ground, without locality, *Duthie*.

Scleroderma laeve Lloyd

Lloyd (1916d) L.63: 4, 11; Verwoerd (1925a) 41; Bottomley (1948) 541. on ground, Stellenbosch, *Duthie 118*. fide Lloyd, a smooth form of *S. verrucosum* (Bull. ex Pers.) Pers.

Scleroderma lejospermum (Mont.) de Toni

Vervowerd (1925a) 40; Bottomley (1948) 541. Mycenastrum lejospermum Montagne (1847) 175. Sterrebeckia lejosperma (Mont.) Fries (1848) 33. Witpoortberg, Drège 9466.

Scleroderma nitidum Berk.

Hopkins (1938a) 115. on ground, Salisbury, Eyles 7222, Kew.

Scleroderma pyramidatum Kalchbr.

Kalchbrenner (1882 a) 109; Sacc. Svll. Fung. VII: 136; Medley Wood (1898) 18; Verwoerd (1925 a) 40; Bottomley (1948) 541. on ground, Natal, Medley Wood 375, 10704.

Fide Bottomley, l.c., this is not a Scleroderma, but a gill fungus, possibly Montagnites sp.

Scleroderma stellenbossiensis Verw.

Verwoerd (1926a) 292; Nel (1942) 70; Bottomley (1948) 542. on damp, clavev ground, Stellenbosch, Verwoerd (Stell, 274, 300; v. d. Byl 2223) Type.

Scleroderma tenerum Berk. & Curt.

Lloyd (1911) L. 38: 3, (1914) L. 53: 3, (1916 d) L. 63: 4, (1917 a) L. 67: 5, (1920) 952, 1073; van der Byl (1922 d) 287, (1925 b) 196; Verwoerd (1925 a) 18; J. Phillips (1931) 161; Nel (1942) 70; Bottomley (1948) 542.

in humus, along edge of spring, Belvidere, Knysna, Duthie 141; inside decayed tree, Stellenbosch, Duthie 119; Zululand, v. d. Byl 619.

Scleroderma verrucosum (Bull. ex Pers.) Pers.

Kalchbrenner (1882 a) 109; Sacc. Syll. Fung. VII: 136; Massee (1889 b) 50; Lloyd (1913 c) L. 47: 3, (1916 d) L. 63: 4, (1920) 1010; Verwoerd (1925 a) 18; van der Byl (1925 b) 196; J. Phillips (1931) 161; Hopkins (1938 a) 115; Bottomley (1948) 537.

on ground, near Somerset East, MacOwan 1424; Cape Town, MacOwan, Kew: under oak, Belvidere, Knysna, Duthie 212, 278, 31369, 31451; Stellenbosch, Duthie 13, 31300, v. d. Byl 1185; Salisbury, Eyles 4141; Hogsback, N. J. G. Smith, Kew; Mamathes, Hean, 33496; under poplars, Garstfontein, Doidge, 30702; Fountains, Doidge, 35406, Schaefer, 35404; Maritzburg, Pole Evans, 1345, Kew, J. M. Sim, 8816; Kirstenbosch, E. L. Stephens 107

ARACHNIACEAE.

Arachnion alborosella Verw.

Verwoerd (1926 a) 291, 293, (1931 a) 300; Bottomley (1948) 546. on veld, Brandfort, Verwoerd (Stell. 234; v. d. Byl 2221).

Arachnion album Schw.

Lloyd (1906 a) 253, (1913 c) L. 47: 3, (1914) L. 53: 13, 15, (1915 a) L. 60: 3, (1917 c) 644, (1917 a) L. 66: 3, (1920) 960, 961; van der Byl (1922 d) 287, (1925 b) 193; J. Phillips (1931) 161; Nel (1942) 107; Bottomley (1948) 546. Scoleiocarpus tener Berkeley (1843 b) 520; Sacc. Syll. Fung. VII: 151; Lloyd (1922) 1134; Fischer (1933) 56.

on ground, Uitenhage, Zeyher 106, : Stellenbosch, Flats, Duthie 21, 31303: Stellenbosch, Verwoerd (Stell. 172; v. d. Byl 1968); Belvidere, Knysna, Duthie 68, 70, 217, 240, 31330, 31405, 31423; Forest Hall, Knysna, Duthie 219, 220, 222, 31407, 31408, 31410; · Victoria Road, Stellenbosch, Duthie 31506, 31507; Mowbray, Levyns (v. d. Byl 2109); Rietvlei, Pretoria, Bottomley, 35432; locality unknown, E. L. Stephens 320, 398; Katherg, E. L. Stephens 429.

Arachnion firmoderma Verw.

Verwoerd (1926 a) 290, 293, (1931 a) 300 ; Bottomley (1948) 547. in old cattle runs, Brandfort, $\it Verwoerd$ (Stell. 233 ; v. d. Byl 2220) Type.

Arachnion giganteum Lloyd

Lloyd (1917 a) L. 65: 3, (1917 c) 645, (1920) 1073; Verwoerd (1925 a) 19; Stevenson & Cash (1936) 164; Fischer (1933) 56; Bottonley (1948) 546. on ground, Clanwilliam, Duthie 166 a (Lloyd Myc. Coll. 22753) Type: Stellenbosch, Duthie 255 (Lloyd Myc. Coll. 50745); Belvidere, Knysna, Duthie 254.

Arachnion scleroderma Lloyd

Lloyd (1915 a) L. 60: 3, (1915 b) 538, (1917 c) 644, (1920) 960, 992, (1922) 1134: van der Byl (1922 d) 287; Verwoerd (1925 a) 20; Sacc. Syll. Fung. XXIII , 597; Stevenson & Cash (1936) 164; Nel (1942) 107; Bottomley (1948) 547; on ground. Stellenbosch Flats, Duthie 41, 70, 232 (v. d. Byl 1969; Lloyd Myc. Coll. 22677, 22678, 24892) 31313, 31501; Stellenbosch, Verwoerd (Stell. 183); appearing in some abundance on lower and damper parts of Flats, Duthie.

Lycoperdales.

LYCOPERDACEAE.

LYCOPERDEAE.

Bovista citrina (Berk. & Br.) Bottomley

Bottomley (1948) 580. on ground, Salisbury, Eyles 7219, 7221, Kew.

Bovista oblongispora (Llovd) Bottomley

Bottomlev (1948) 580.

Bovistella oblongispora Lloyd (1916 d) L. 63:4, (1917 c) 632; Verwoerd (1925 a) 29; Stevenson & Cash (1936) 168. on ground, Belvidere, Knysna, Duthie 99 (Lloyd Myc. Coll. 30756) Type,

Bovista umbrina Bottomlev.

Bottomley (1948) 580. in forest, Woodbush, *Roberts*, 5659, Type.

Broomeia congregata Berk.

Berkeley (1844) 193; von Thuemen (1875) 424; MacOwan (1877) 123, (1883) 373,
Cooke (1879) 70; Kalchbrenner (1882 a) 108; Murray (1883) 311; Sacc.
Syll. Fung. VII: 94; Lloyd (1904 a) 193, (1907) 318, (1920) 917, (1924) 1276; Pole Evans & Bottomley (1919) 189; Verwoerd (1925 a) 34; Fischer (1933) 68; Hopkins (1938 a) 115; Bottomley (1948) 583.

usually at the foot of Acacia Karroo, Albany Distr., Backhouse (Type); Damaraland, Eën, Kew and Brit. Mus.; nr. Klein Vis Rivier, MacOwan, Kew: Boschberg, MacOwan (S.A.M. 35073): Inanda, Medley Wood 426, Kew; Empangeni, Curson, 17275: Port Elizabeth (ex Herb. Hooker) Kew; South-west Africa, Dinter: Pretoria, Bischoff, 8758, Janse, 13023; Fountains Valley, Pole Evans, 8760; Meintjies Kop, Goldblatt, 20441: Pretoria, Louwrens, 28256, Bottomley, 28655: Rietvlei, Pretoria Distr.. Acocks, 30754; Rust der Winter. Pole Evans, 28792: Kroonstad. Pont, 25341: Glen. Sellschop, 28272; Potchefstroom, Goossens, 27807; Kimberley, Mowbray, 14863; Maritzburg,

T. R. Sim, 11855; Mqanduli, Pegler 643, 11801: Umtata, Pegler (E. L. Stephens 454); without locality, E. L. Stephens 174; Mangwendi, Fleming (Eyles 2763) 14245; Rhodesia Eyles (v. d. Byl 1876).

Broomeia ellipsospora v. Höhn.

von Höhnel (1995) 99; Sacc. Syll. Fung. XXI: 481; Lloyd (1909 b) 436, (1920) 1918, 1048; Pole Evans & Bottomley (1919) 189; Verwoerd (1925 a) 34; Nel (1942) 68; Bottomley (1948) 584.

Diplocystis Junodii Pole Evans & Bottomley (1919) 189; Fischer (1933) 68; N. J. G.

Smith (1935) 258.

"in sabulosis in Africa australi", Holub: South-west Africa, v. d. Byl 1925, 2502, and Marloth, 26617; Potgietersrust, de Villiers, 31287; on ground, Rikatli, Junod, 12169, 23194, Kew; near Marienthall, Smithers (S.A.M. 52051); Silikats Nek, Schweickerdt, 26700; Lourenço Marques, Junod, 11012, Borle, 14109; Empangeni, Curson, 17275; Brandberg Mts., S.W.A., N. J. G. Smith, 27510; between Dealesville and Herzogville, V. C. Green, 34355; Middelburg, Transvaal, Dyer, 30503; Upington, Wilman (E. L. Stephens 567); near Kimberley, Powers (E. L. Stephens 403);

Calvatia caelata (Bull.) Morg.

Bottomlev (1948) 572.

Calvatia Fontanesii (Dur. & Mont.) Lloyd (1920) 1010; Verwoerd (1925a) 42. on ground, Groenkloof, E. P. Phillips, 12451.

Calvatia candida (Rostk.) Hollós.

Bottomlev (1948) 575.

Calvatia olivacea (Cooke & Mass.) Lloyd (1911 b) L. 38: 3; Stevenson & Cash (1936) 172.

Lycoperdon retis Lloyd (1922) 1160, 1176; Stevenson & Cash (1936) 188.

on ground, under Eucalyptus trees, Maritzburg, Pole Evans (Lloyd Myc. Coll. 34259) 1342, Kew; without locality, Duthie (Lloyd Myc. Coll. 51765); in bush, Bulwer, Rump 467, 34523; Maritzburg, J. M. Sim, 10052, Rump 710: Rietfontein, Pretoria, Venter, 14638.

Calvatia gigantea (Batsch ex Pers.) Lloyd

Bottomley (1948) 573.

Lycoperdon Bovista Linn Taunberg (1800) 182, (1823) 756. in hills outside Cape Town, Thunberg.

Calvatia incerta Bottomley

Bottomley (1948) 576.

on grassy slopes after continuous rain, Benoni, Bailey, 27339, type.

Calvatia lepidophora (Ellis) Lloyd

Bottomley (1948) 574.

on sandy soil, Garstfontein, Pienaar 1468; Meintjes Kop, Pole Evans, 13795: Rietfontein, Pretoria, Venter, 14638; Matatiele, Gideon Jouhert, 28534.

Calvatia lilacina (Mont. et Berk.) P. Henn.

Lloyd (1914) L. 53: 13, (1916 d) L. 63: 4, (1917 a) L. 65: 3, L. 66: 12, 13, (1920) 952, (1922) 460, (1923) 1186; Verwoerd (1925 a) 33; Cunningham (1944) 157; Bottomley (1948) 572.

Lycoperdon cyathiforme Bosc., Kalchbrenner (1882 a) 108; Massee (1887) 706; Verwoerd (1925 a) 41.

Lycoperdon lilacinum (Mont. & Berk.) Mass., Cheesman (1909) 409.

Bovista lilacina Mont. & Berk., Kalchbrenner & Cooke (1881) 26; Kalchbrenner (1882a) 108.

on ground, near Boschberg, MacOwan 1004, 1009; Natal, Medley Wood 408, 11147, Kew: Maclear, Pienaar, 2134; Matatiele, Gideon Joubert, 26852; Stellenbosch, Duthie 40, 31312; Stellenbosch Flats, Duthie 42, 121, 188 (v. d. Byl 816); Woodbourne, Knysna, Duthie 46, 116; Kirstenbosch, L. Bolus (v. d. Byl 1669) and E. L. Stephens 404; Stikland, J. Acocks; Groote Schuur, E. L. Stephens 131; Llandudno, E. L. Stephens, 34573; Stella Bush, Moonsamy, 31769, v. d. Byl 543, 31901; Durban, v. d. Byl 390, 391, 543; Donnybrook, Doidge, 34538; Maputa Exped., Breijer, 8361; Bloemfontein, Potts, 13016; Pretoria, Wickens, 20372, Pienaar, 1939, Mogg. 23640; Maritzburg, J. M. Sim, 8796; Riviera, Pretoria, Kresfelder, 9795; Roseville, Pretoria; edge of Rain Forest, Victoria Falls, Cheesman.

Calvatia macrogemmae Lloyd.

Lloyd (1922) 1122, (1923) 1169; Verwoerd (1925 a) 33; Stevenson & Cash (1936) 172; Nel (1942) 68; Bottomley (1948) 577.

on ground amongst grass, Natal, *Thode* (v. d. Byl 505); without locality, r. d. Byl 80 (Lloyd Myc. Coll. 22585) Type.

Calvatia pachyderma (Peck) Morgan

Bottomley (1948) 577.

in sandy soil, Cape Province, E. L. Stephens, 34143.

Calvatia saccata (Vahl ex Fr.) Morgan

Bottomley (1948) 574.

Lycoperdon saccatum Vahl, Kalchbrenner (1882 a) 108; Verwoerd (1925 a) 41; Massee (1887) 708, (1889 b) 69; Sacc. Syll. Fung. VII: 128. in wooded country, near Somerset East, MacOwan.

Disciseda anomala (Cooke & Mass.) G. H. Cunn.

Bottomley (1948) 569.

Catastoma anomalum (Cooke & Mass.) Lloyd (1916 c) 610: van der Byl (1921 g) 346; Verwoerd (1926 b) 27: Stevenson & Cash (1936) 173; Nel (1942) 68.

on ground, without locality, Duthie: Phoenix, v. d. Byl 525; Durban, v. d. Byl 237; Mamathes, Hean, 3:145.

Disciseda candida (Schw.) Lloyd

Bottomley (1948) 570.

Catastoma Duthiei Lloyd (1919) 891; Verwoerd (1925 a) 28; van der Byl (1925 b) 196; Stevenson & Cash (1936) 174.

Catastoma circumscissum (Berk. & Curt.) Morgan in Herb. Kew.

on ground, Forest Hall, Knysna, *Duthie 224* (Stell. 225: Lloyd Myc. Coll. 52391) 31411; Queenstown, *Pope* (det. N. J. G. Smith) Kew; under *Acacia Caffra*, Commando Nek, *Pole Evans*, 8381; Phoenix, *Hardenberg*, 31862; without locality, *Duthie*, 31514

Disciseda castanea (Lév.) Bottomley

Bottomlev (1948) 568.

Bovista castanea Léveillé (1846) 162; Montagne (1847) 176; Massee (1888) 135; Sacc. Syll. Fung. VII: 103; Verwoerd (1925 a) 42.

Catastoma castaneum (Lév.) Lloyd (1906 c) 291.

between Hex River Mts. and the Bokkeveld, *Drége 9455 a* [Herb. Mus. Paris and Herb Delessert, Geneva]; under *Eucalyptus globulus*, Maritzburg, *T. R. Sim*, 8796.

Disciseda cervina (Berk.) Hollós

Hollós (1903 b) (22); Bottomley (1948)570.

Bovista cervina Berkeley (1842) 447; Sacc. Syll. Fung. VII: 100; Verwoerd (1925 a) 42.

Catastoma magnum Lloyd (1917 c) 631, (1920) 1010, (1922) 1124; Verwoerd (1925 a) 27; Stevenson & Cash (1936) 175; van der Byl (1922 d) 286.

on ground near Cape of Good Hope; Stellenbosch Flats, Duthie 282 (Lloyd Myc. Coll. 52392); under Acacia caffra, Commando Nek, Pole Evans (Lloyd Myc. Coll. 52393) 8381; Schweizer Reinecke, D. v. H. 34531; Marienthall, Marloth, 26613.

Disciseda hypogaea (Cke. & Mass.) G. H. Cunn.

Bottomley (1948) 568.

in sandy soil, eastern slopes of Bokkeveld, E. L. Stephens 562.

Disciseda juglandiformis (Berk.) Hollós

Hollós (1903) 22; Bottomley (1948) 567.

Bovista juglandiformis Berk. in Massee (1888) 130.

Catastoma juglandiformis (Berk.) Lloyd (1916 d) L. 63: 4; Verwoerd, (1925 a) 42; Stevenson & Cash (1936) 175.

on the ground, South Africa (Type in Herb. Berkeley, no. 4584) Kew; Brenton, Knysna, *Duthie 153* (Lloyd Myc. Coll. 52388).

Disciseda pedicellata (Morgan) Hollós

Cunningham (1944) 137; Bottomley (1948) 567.

Catastoma pedicellatum Morgan, Lloyd (1920) 960, 961; Verwoerd (1925 a) 27; van der Byl (1925 b) 196; Nel (1942) 68.

amongst grass, Knysna, *Duthie 207* (v. d. Byl 1426, ex Herb. C. G. Lloyd); Maputa Exped., Breijer, 8355.

Disciseda verrucosa G. H. Cunn.

Bottomlev (1948) 568.

on ground, Drostdy grounds, Grahamstown, N. J. G. Smith 221, 27511.

Disciseda Zeyheri (Berk.) Hollós

Hollós (1903) 22; Bottomley (1948) 569.

Bovista Zeyheri Berk., Massee (1888) 130.

Catastoma Zeyheri (Berk.) Lloyd (1917 a) L. 65: 3, 8, (1922) 1162; Verwoerd (1925 a) 27; van der Byl (1925 b) 196; Nel (1942) 68.

on the ground, South Africa (Type in Herb. Berkeley, no. 4588) Kew; Mossel Bay, v. d. Byl 731; without locality, (?Knysna) Duthie.

Lanopila capensis Lloyd

Lloyd (1922) 1160, (1923) 1177; Verwoerd (1925 a) 25; Fischer (1933) 64; Stevenson & Cash (1936) 183; Bottomley (1948) 579.

on ground, Papegaaisberg, Duthie 304 (Lloyd Myc. Coll. 7567) 31472, Type.

Lanopila Radloffiana Verw.

Verwoerd (1925 a) 25; Bottomley (1948) 578, on ground, Winburg, Radloff (v. d. Byl 1439) Type.

Lanopila Wahlbergii Fr.

Fries (1848) 31: Sacc. Syll. Fung. VII: 95: Lloyd (1917a) L. 66: 2, (1920) 960, (1923) 1177: Verwoerd (1925a) 25: van der Byl (1921g) 347: Fischer (1933) 64; Nel (1942) 107: Bottomley (1948) 578.

on ground, Durban, Wahlberg, Type, v. d. Byl 314, Verwoerd (Stell, 120), Bottomley, 12254; Knysna, Duthie 241: nr. Mafeking, Pole Evans, 27500; Vaal River, nr. Kimberley, H. H. W. Pearson.

Lycoperdon asperrimum Welw. & Curr.

Welwitsch & Currey (1868) 289; Sacc. Syll. Fung. VII: 125; Bottomley (1948) 562. on sand dunes, on banks of Lagao de Giraul. Mossamedes. Welwitsch 142: near Majomba, Mossamedes. Welwitsch 144.

Lycoperdon asperum (Lév.) de Toni

Cunningham (1944) 154; Bottomley (1948) 561.

Boristella aspera (Lév.) Lloyd (1915 a) L. 56: 2, 5, L. 60: 3, (1922) 1160: Verwoerd (1925 a) 29: van der Byl (1925 b) 196.

on ground, Belvidere, Knysna, Duthie 310, 312, 31477, 31479, Duthie 67 (Stell. 170); Johannesburg, Bottomley, 8772; Transvaal, v. d. Byl.

Lycoperdon bicolor Welw. & Curr.

Welwitsch & Currey (1868) 290; Lorrain Smith (1901) 465; Bottomley (1948) 562. in very damp woody pastures, between Lopollo and Empalanea, Huila, Welwitsch 146.

Lycoperdon caespitosum Welw. & Curr.

Welwitsch & Currey (1868) 289; Massee (1887) 725; Sacc. Syll. Fung. VII: 120; Kalchbrenner (1882 a) 109; Lorrain Smith (1901) 465; Verwoerd (1925 a) 41; Bottomley (1948) 556.

in open grassy places. Somerset East, MacOwan 1005, 22058, Kew; gregarious in upland, poor meadows, Morro de Lopollo, Welwitsch 145.

Lycoperdon caffrorum Kalchbr. & Cooke

Kalchbrenner (1882 a) 109: Massee (1887) 707; Sacc. Syll. Fung. VII: 129, 477: Verwoerd (1925 a) 41; Bottomley (1948) 556. on ground, Somerset East, *MacOwan 1424*, 22059, Type.

Lycoperdon capensis Cooke & Massee

Massee (1887) 714; not Fries: Fischer (1889) 7: Hennings (1892) 360: Sacc. Syll. Fung. VII: 481; Verwoerd (1925 a) 42; Bottomley (1948) 563 as L. capense.

on ground, Ombale, Ondongo, South-West Africa, Schinz.

"A later homonym of L. capense Fr., should be renamed if a good species", E. M. Wakefield.

Lycoperdon capense Fr.

Fries (1848) 42; Bottomley (1948) 563. on ground, Uitenhage Zeyher No. 106.

Lycoperdon Curreyi Mass.

Massee (1887) 706; Bottomley (1948) 563.

Lucoperdon Welwitschii de Toni, not L. Welwitschii Mass., Sacc. Syll. Fung. VII: 127; Verwoerd (1925 a) 32.

Lycoperdon radicatum Welwitsch & Currey (1868) 289; Kalchbrenner (1882 a) 108. (not Dur. & Mont.).

Lycoperdon atroviolaceum Kalchbr. (nom. nud.) in Herb. S.A.M.

on ground, Boschberg, MacOwan 1004, Type (S.A.M. 35050) 22062, Kew: MacOwan 1009, 22061.

Lycoperdon djurense P. Henn.

Hennings (1901) (100); Lloyd (1917 a) L. 66: 16, (1920) 1010, (1922) 1124, 1160; van der Byl (1921 g) 347; Verwoerd (1925 a) 32; Hopkins (1938 a) 115; Nel (1942) 69; Bottomley (1948) 552.

as Lycoperdon endotephrum Pat. in Lloyd (1912 b) L. 39:3.

on ground, often among short grass, Pretoria, Bottomley, 11865, 34589; Meintjies Kop, Bottomley, 14648; Johannesburg, Barraclough, 27385; Rietfontein, Pretoria, Venter, 14487 : Schroeders, v. d. Bul 542, 31761 ; Salisbury, Eules 2524, 14855 ; Wonderboom. King, 10050; Rietvlei, Pretoria, J. Acocks, 34574, Bottomley, 34577; Garstfontein, Bottomley, 35426; Stellenbosch Eyles 6667 (Rh. 3906).

Lycoperdon Duthiei Bottomley

Bottomley (1948) 555.

on ground, Kirstenbosch, Duthie 44 pr. p., 35338, Type, Kew.

Lycoperdon flavum Mass.

Massee (1887) 721; Sacc. Syll. Fung. VII: 486; Bottomley (1948) 557.

? as Lycoperdon gemmatum Batsch., Kalchbrenner (1882 a) 109. on ground, Cape, MacOwan 1005 b, Kew; Pretoria, Scott, 34580, Bottomley, 35528; collected around Pretoria on many occasions.

Lycoperdon Gardneri Berk.

Massee (1887) 716; Bottomley (1948) 564. on ground in shady woods, South Africa.

ycoperdon glabellum Peck

Kalchbrenner (1882 a) 109; Massee (1887) 707; Sacc. Syll. Fung. VII: 124, 477; Bottomley (1948) 564.

on ground, Somerset East, MacOwan 1337; Baziya, Baur.

Lycoperdon Gunnii Berk.

Bottomley (1948) 561.

on ground, Wellington, Bottomley, 1547; Stellenbosch Flats, Duthie 302, 31470; Bloemfontein, Potts, 13003; Salisbury, Eyles 2523, 14861.

Lycoperdon hyemale (Bull. ex Pers.) Vitt.

Cunningham (1944) 137; Bottomley (1948) 551.

Lycoperdon natalense Cooke & Mass., Massee (1887) 709; Sacc. Syll. Fung. VII: 478; Verwoerd (1925 a) 41.

Lycoperdon pratense Pers., Llovd (1905) L. 7, (1911 b) L. 31:2, (1916 d) L. 63:4; Marloth (1913) 22; van der Byl (1922 d) 286; Verwoerd (1925 a) 31, (1931 a) 300; Hopkins (1938 a) 115; Nel (1942) 69.

Lycoperdon Curtisii Berk., Kalchbrenner (1882 a) 109; Massee (1887) 712; Sacc. Syll.

Fung. VII: 114, 480; Verwoerd (1925 a) 41.

Lycoperdon Eylesii Verwoerd (1926 a) 262, 294; Hopkins (1938 a) 115; Nel (1942) 69. Lycoperdon multiseptum Llovd (1914) L. 53: 3, 9 (1920) 1073; Verwoerd (1925 a) 42; Stevenson & Cash (1936) 187.

as Lucoperdon gemmatum Batsch, von Thuemen (1876 b) 363.

on ground, Inanda, Medley Wood 185, 358, 361, Kew; in fields and grassy spaces, Boschberg, MacOwan 1003 (Thuem. Myc. Univ. 1611; S.A.M. 35051) 22060, Kew; slopes of Katherg, E. L. Stephens 428; Knysna, Duthie 38, 256 (Lloyd Myc. Coll. 53127, 51764) and Duthie (v. d. Byl 2034); Brenton, Knysna, Duthie, 31347; Belvidere, Knysna, Duthie, 31348; Rondebosch, E. L. Stephens 450, 34534; Kirstenbosch, Garabedian (S.A.M. 45896); Cape, without locality, Adamson (E. L. Stephens 447) 34533; Pretoria, Bottomley, 11864, 11866, 33462, 33772, 35530, Louisbury, 11867, Doidge, 958, 31583; Groenkloof, Pole Evans, 8780, Sellschop, 9775, Landsdell, 18144; Kilnerton, Pole Evans, 2242; Garstfontein, Pienaar, 1876, 18089; Fairy Glen, Pretoria, Bottomley, 23169; Johannesburg, Doidge, 27804; Brandfort, Verwoerd, 34534; Orange Free State without locality, Olivier, 34557; van Reenen, Franks, 5666; Maritzburg, Rump 389, 30789; Mbabane, Stewart, 1557; Salisbury, Eyles 4089 (v. d. Byl 2223) Beatrice, Eyles 4090 (Rh. 3823).

Lycoperdon laetum Berk.

Berkeley (1843) 419; Massee (1887) 718; Sacc. Syll. Fung. VII: 483; Bottomley (1948) 565. on ground, Uitenhage, Zeyher 103.

Lycoperdon natalense Fr.

Fries (1848) 30, ? nom. nud.; Bottomley (1948) 565. Natal, Wahlberg.

Lycoperdon perlatum Pers.

Bottomley (1948) 554.

Lycoperdon gemmatum Batsch, Berkeley (1843 b) 519; Massee (1889 b) 70; Sacc. Syll.

Fung. VII: 108; Lloyd (1924) 1294; Verwoerd (1925 a) 32.

on ground or decayed vegetable matter, Uitenhage, Zeyher 102; Kirstenbosch, Garabedian (S.A.M. 45994), Middlemost (E. L. Stephens 517); The Wilderness, Doidge, 17794; Deepwalls, J. Phillips (v. d. Byl 2221) 18147.

Lycoperdon polymorphum Vitt.

Lloyd (1920) 1010; Verwoerd (1925 a) 30; Hopkins (1938 a) 115; Nel (1942) 69; Bottomley (1948) 557.

Lycoperdon furfuraceum Schaeff. ex de Toni, Sacc. Syll. Fung. VII: 101, 445.

Lycoperdon cepaeforme (Bull.) Mass., Lloyd (1911 b) L. 38:3, (1922) 1160; Verwoerd (1925 a) 31.

as Lycoperdon oblongisporum Berk. & Curt., Lloyd (1920) 960; Verwoerd (1925 a) 32; van der Byl (1925 b) 196.

in grassy places or under trees, near Somerset East, MacOwan; Papegaaisberg, Duthie 303 (v. d. Byl 2035) 31471; Forest Hall, Knysna, Duthie 211, 31400; Garstfontein, Bottomley, 30704, Pienaar, 1355; Roseville, Pretoria, Pienaar, 1939; Rietvlei, Pretoria, Bottomley, 34590; Sunnyside, Pretoria, Pole Evans, 6683; Pretoria, King, 12339, Reinecke, 23138; Wonderboom, King, 10051; Meintjes Kop, Bottomley, 20390; Vereeniging, Brandmüller, 20635; Fountains Valley, Bottomley & Louwrens, 28592; Bloemfontein, Potts, 13001, Lennard, 20653; Ingogo, Mogg, 13796; without locality, ex Herb. Lloyd (v. d. Byl 1421).

Lycoperdon pusillum Batsch ex Pers.

Kalchbrenner (1882 a) 109; Massee (1887) 723; Verwoerd (1925 a) 31, (1931 a) 300; Hopkins (1938 a) 115; Nel (1942) 69; Bottomley (1948) 558.

Bovista pusilla (Fr.) de Toni, Massee (1889 b) 65,

on soil, Somerset East, Tuck (MacOwan 115 b); Brandfort, Schonken (Duthie 296) 31465, Verwoerd (v. d. Byl 2082); Bloemfontein, Potts, 13002, 13007; Pretoria, Reinecke, 23150, Bottomley & Scott, 33773, Bottomley, 35529; Potchefstroom, Sellschop, 35527; Gezina, N. Roberts, 2044; Garstfontein, Bottomley, 35427; Papegaaisberg, Duthie 318, 31483; Salisbury, Eyles 7220 (Rh. 3915) Kew, Hopkins (v. d. Byl 2539); Alicedale, 12185; without locality, v. d. Byl 2082; Avondale (Rh. 153).

Lycoperdon Qudenii Bottomley

Bottomley (1948) 559.

on humus in forest, udeni Forest, Talbot, 34144, Type, Kew.

Lycoperdon rhodesianum Verw.

Verwoerd (1928 b) 237; Bottomley (1948) 554. on ground, Salisbury, *Eyles 4223* (v. d. Byl 2412), Type.

Lycoperdon subincarnatum Peck

Bottomley (1948) 553.

on fallen trees or amongst moss on dead wood, Cathkin Peak, Lawrence, 35337.

Lycoperdon umbrinum Pers.

Lloyd (1914) L.53: 13; Verwoerd (1925 a) 31; Nel (1942) 69; Bottomley (1948) 560

on ground, Stellenbosch, *Duthie* 218; Kirstenbosch, *Duthie* 44 (v.d. Byl 2036; Stell. 182) 31315.

Mycenastrum corium (Guers. ex DC.) Desv.

Lloyd (1917 a) L. 65: 3, 7, (1922) 1160; Verwoerd (1925 a) 26, (1931 a) 300; van der Byl (1925 b) 196; J. Phillips (1931) 161; Nel (1942) 69; Bottomley (1948) 582.

Sterrebeckia Geaster Fries (1848) 30.

Mycenastrum phaeotrichum Berkeley (1843 b) 518.

on ground, Durban, Wahlberg; in forests near Uitenhage, Zeyher 80; Brenton, Knysna, Duthie 319, 321 (v. d. Byl 1089) 31484, 31503; Huisrivierberge, v. d. Byl 1071; Clanwilliam, Duthie 166; Burghersdorp, Gideon Joubert, 9687; Sevenfontein, nr. Swellendam, Pole Evans, 12178; Port Elizabeth, Haslam, 28863; near Grahamstown, Hewitt, 24899; Wolmaransstad, Nieuwoudt (Stell. 565); Buffelspoort, Bottomley, 26638; between Heidelberg and Standerton, Murray, 28819; near Plat Rivier, Pienaar, 9305; Pretoria, Pole Evans, 12899; Irene, Pole Evans, 21927; Greefswald, on banks of the Limpopo River, Pole Evans, 33244; Ermelo, Brink (v. d. Byl 1094); Brandfort, Verwoord (Stell. 224; v. d. Byl 2080); Stellenbosch, Loseby (E. L. Stephens 84).

GEASTREAE.

Geastrum ambiguum Mont.

Fischer (1889) 6: P. Hennings (1892) 362: Cunningham (1944) 174; Bottomley (1948) 591.

Geaster Drummondii Berk., Lloyd (1902) 12; N. J. G. Smith (1935) 276.

Geaster striatulus Kalchbr., Lloyd (1920) 1010; Verwoerd (1925 a) 21, (1931 a) 300; Nel (1942) 69.

Geaster Schweinfurthii P. Hennings (1892) 361.

in sand, or in open or shaded ground, Dundee, Doidge, 956; under Acacia Karroo, Bedford, Gane, 9199; on termite hill, Butterworth, Doran (Pegler 2367) 9200; nr. Graafwater, Pole Evans, 33182; Garstfontein, Pienaar, 1353; St. Helena Bay, Smithers (E. L. Stephens 423) 35122; Sibangwana, Martley, 35021; Stellenbosch, Duthie, 35032; nr. Grahamstown, Queenstown, Tarkastad and Alice, N. J. G. Smith 90, 171, Kew; Port Elizabeth, Archibald; Stellenbosch, Nel (Stell, 1105, 1139); Brandfort, Verwoerd (Stell, 2083); Olukonda, Schinz; Pank of Aughrabies River, Barnard, (S.A.M. 45945).

Geastrum arenarium Lloyd.

Lloyd (1907) 28, (1924) 1294; Verwoerd (1925 a) 41; N. J. G. Smith (1935) 273; Stevenson & Cash (1936) 178; Bottomley (1948) 600.

on sandy soil, Tarkastad, West, 27512; Grahamstown, 9198 and N. J. G. Smith 173; Mauritz-fontein nr. Kimberley, J. Acocks, 28637; Queenstown, Hall; Bollellacarpu nr. Kuruman, Rennie: Fort Hare, Giffen, 27503.

Geastrum Bryantii Berk.

Lloyd (1920) 1010; Verwoerd (1925 a) 23; N. J. G. Smith (1935) 274; Nel (1942) 68; Bottomley (1948) 589.

amongst decayed leaves, Fountains. Bottomley, 21200: without locality, (v. d. Byl 1422, ex Herb. Lloyd); Pretoria, Martin (N. J. G. Smith 91).

Geastrum campestre Morgan

N. J. G. Smith (1935) 275; Cunningham (1944) 165; Bottomley (1948) 590.

on ground and in humus, Mooibank, Potchefstroom Distr., Lawrence, 18123, 18124; Irene-Delmas road, Pole Evans, 24921: Carolina, Young (N. J. G. Smith 179): Queenstown, Pope (N. J. G. Smith 7) Kew; South West Africa, Dinter.

Geastrum dissimile Bottomley

Bottomley (1948) 592.

in humus under trees and bushes, Fountains, Howlett, 12790, Lansdell & Bottomley, 28457, Bottomley, 14515 b Type; Johannesburg, Bottomley, 35132; Fairy Glen, Reinecke, 23165.

Geastrum fimbriatum Fr.

Cooke & Kalchbrenner (1881) 27; Kalchbrenner (1882 a) 108; Fischer (1889) 7; de Toni (1887) 75; Sacc. Syll. Fung. VII: 82; P. Hennings (1892) 362; Verwoerd (1926 a) 291; Cunningham (1944) 176; Bottomley (1948) 597.

on soil amongst dead leaves. Boschberg. Tuck (MacOwan 1124; S.A.M. 35059) 21941; Olukonda, Amboland, Schinz.

Doubtful record, fide Bottomley l.c.

Geastrum floriforme Vitt.

Hollós (1904) 68; Verwoerd (1925 a) 21, (1931 a) 300; N. J. G. Smith (1935) 277; Nel (1942) 68; Cunningham (1944) 177; Bottomley (1948) 602.

Geastrum Pazschkeanum P. Hennings (1900 d) (55); Sacc. Syll. Fung. XVI: 239. on ground, Devils Peak, MacOwan (Rabenh. Fung. Eur. 4452) Kew; Pretoria, Doidge, 957. Pienaar, 1968; Krugersdorp, Pretorius, 23625; Matatiele, Gideon Joubert, 26577; Rapenberg Golf Course, Cape, Pocock (E. L. Stephens 218) 27272; Stikland, J. Acocks, 27274; Stellenbosch, v. d. Bul 1107; Brandfort, Verwoord (v. d. Byl 2083); Elsenburg, 25029; Grahamstown, N. J. G. Smith 19, 28; Stellenbosch, Eyles 6756.

Geastrum fornicatum (Huds.) Fr.

Lloyd (1907) 343, (1910 d) L. 35: 3; Nel (1942) 68; Bottomley (1948) 601. Geaster fenestratum (Pers.) Fisch., N. J. G. Smith (1935) 278.

in humus under bushes and trees, Belvidere, Knysna, Duthie 95 (v. d. Byl 1092) 31349. Eules 6658 (Rh. 3861) Johannesburg, Bottomley, 35132; Platrivier, Pienaar, 1966: Saltpan nr. Waterpoort, Schweickerdt, 26623; Trappes Valley, Cronwright (N. J. G. Smith 9) 12466; Tarkastad, West (N. J. G. Smith 33); Commadagga (N. J. G. Smith 96); Kentani, Pegler 2386, 9419; Kimberley, Wilman, 12317; under Acacia, Mauritzfontein, J. Acocks, 28636.

Geastrum Hieronymi P. Henn.

Lloyd (1923) 1176; Verwoerd (1925 a) 22; van der Byl (1925 b) 196; N. J. G. Smith (1935) 279; Nel (1942) 68; Bottomley (1948) 602.

on ground amongst vegetable debris, Brenton, Knysna, Duthie 290 (Stell. 125; v. d. Byl 1091) 31460; Grahamstown, N. J. G. Smith; Platrivier, Pienaar, 1967; Kromrivier, Doidge & Bottomley, 35121.

Geastrum hygrometricum Pers.

Kalchbrenner (1882 a) 109; de Toni (1887) 129; Sacc. Syll. Fung. VII: 90; Verwoerd (1926 a) 291; Marloth (1913) 21; Bottomley (1948) 603.

in manured garden soil, Somerset East, MacOwan & Tuck (MacOwan 1060; S.A.M. 35065) 35305; under pine trees, Pretoria, Watson, 25435, Bottomley, 20421, 23724.

Geastrum limbatum Fr.

Kalchbrenner (1882 a) 108; de Toni (1887) 73; Sacc. Syll. Fung. VII: 81; Massee (1889 b) 79; Cheesman (1909) 409; Lloyd (1924) 1294; Verwoerd (1925 a) 41; Bottomley (1948) 594.

Geastrum limbatum var. ellipsostoma N. J. G. Smith (1935) 269.

under trees and bushes, Somerset East, MacOwan 1236; Palm Kloof, Victoria Falls, Cheesman; under Acacias, Fountains Valley, Bottomley, 20395, 28652; Meintjes Kop. Bottomley, 14501, 20434; Town Bush, Rump 313, 28675; under wattle trees, Hopevale, Morgan & Doidge, 28812, 28813, 28623, 35023, 35026; under Podocarpus, Hogsback. Lyle (N. J. G. Smith 35) 27809; Haenertsburg, Doidge, 27803; Gasstfontein, Bottomley 35133, Doidge, 35018; Xumeni Forest, Doidge, 35167; Brenton, Knysna, Duthie, 35028.

Geastrum MacOwani Kalchbr.

Kalchbrenner (1882 a) 108 as Geaster MacOwani; de Toni (1887) 131; Sacc. Syll. Fung. VII: 91; Lloyd (1907) 311, (1910 d) 475; Holló3 (1904) 62; Verwoerd (1925 a) 41; N. J. G. Smith (1935) 279; Bottomley (1948) 604.

on ground, Cape, without locality, MacOwan; without locality, Plöttner.

Doubtful species.

Geastrum mammosum Chev.

N. J. G. Smith (1935) 274; Bottomley (1948) 600.

on ground in open or wooded places, Swakop River, between Omaruru and Okahandja, N. J. G. Smith 98.

Gaestrum minimum Schw.

Hollós (1904) 77; Lloyd (1910 d) L. 35: 3, (1920) 1010; Verwoerd (1925 a) 22; Bottomley (1948) 593.

Geaster granulosus Fuck., de Toni (1887) 74; Kalchbrenner (1882 a) 108; Sacc. Syll. Fung. VII: 82: Verwoerd (1925 a) 41.

Geaster calceus Lloyd (1907) 311; Sacc. Syll. Fung. XXI: 478; Verwoerd (1925 a) 41; Stevenson & Cash (1936) 179.

? as Geaster minimus (Pers.) Fischer, N. J. G. Smith (1935) 270.

in humus, amongst shrubs, at foot of Boschberg, MacOwan 1174 (S.A.M. 35063) 35304; under pine trees, Grahamstown, N. J. G. Smith 34, 25899, Kew: Kentani, Pegler 1370, Kew; Johannesburg, Knox-Davies, 20394; under Acacia caffra, Fountains, Pole Evans, 8781; Magaliesberg, V. A. Putterill, 11006; on open ground amongst rocks, Premier Mine, Pole Evans, 7100; without locality, Plottner (Lloyd Myc. Coll. 57280 as G. calceus); Cape, without locality, MacOwan, Kew.

Geastrum mirabile Mont.

Bottomlev (1948) 598.

under trees, Rooikopjies Plantation, Duivelskloof, Read (T.R.L. 199, det. Wakefield) 35022.

Geastrum nanum Pers.

Bottomlev (1948) 589.

on ground or in humus, in open or shaded places, Pretoria, Punt, 17004: Irene, J. C. Smuts, 26600: Kromrivier, Doidge & Bottomley, 35123; Grahamstown, N. J. G. Smith 55, 27513: Elim, Thomas, 26601; Potchefstroom, Sellschop, 28271; in red sand under Acacia. Mauritzfontein, J. Acocks 401, 35130; Mossel River, nr. Hermanus, Esterhuysen (E. L. Stephens 446) 35024; Fishhoek, Peers (E. L. Stephens 445).

Geastrum pectinatum Pers.

Lloyd (1911 b) L. 38: 3, (1916 d) L. 63: 4, (1920) 1010, (1922) 1160; Verwoerd (1925 a) 23; N. J. G. Smith (1935) 274; Stevenson & Cash (1936) 181 Cunningham (1944) 163: Bottomley (1948) 588.

Geaster plicatus Berk., Lloyd (1922) 1122: Verwoerd (1925 a) 23; N. J. G. Smith (1935) 274: Nel (1942) 69: Cunningham (1944) 163.

l as Geaster plicatilis in van der Byl (1922 d) 286.

Geaster Schmidelii Vitt., Lloyd (1911 b) L. 31:2.

in humus under trees and bushes. Fountains, Lansdell, 11807, Howlett, 12789, Punt, 14513. N. J. G. Smith, Kew; Silverton, Reinecke, 23202; Johannesburg, Dyke, 26587; Xumeni Forest, Doidge, 28904, 28905; Stellenbosch, r. d. Byl 479 (Stell, 121), Verwoerd (v. d. Byl 2032); Bosfontein, Doidge & Bottomley, 35120; Garstfontein, Doidge, 1337, Kew as G. tenuipes: Meintjes Kop. Bottomley, 20388; Tarkastad, N. J. G. Smith 33 b; Queenstown, Pope, (N. J. G. Smith 97).

Geastrum quadrifidum Pers.

Bottomlev (1948) 591.

Geaster coronatus (Schaeff.) Schroet., Lloyd (1920) 952; Verwoerd (1925 a) 22; van der Byl (1921 g) 345, (1925 b) 196.

in humus under trees and bushes. Stella Bush, Moonsamy (v. d. Byl 689) 31895; Umgeni, Hobbs (v. d. Byl 754) 31942; Durban, v. d. Byl 524, 35131.

Geastrum saccatum Fr.

Lloyd (1907) 343, (1911 b) L. 38: 3, (1916 d) L. 63: 4, (1917 a) L. 66: 3, L. 67: 5, (1920) 960, 1010, (1922) 1160, 1120, 1124; van der Byl (1921 g) 346; Verwoerd (1925 a) 21; N. J. G. Smith (1935) 270; Hopkins (1938 a) 115; Bottomley (1948) 597.

usually in humus under trees, Pretoria, Bottomley & Punt, 20584, Bottomley, 14502, 18182, 20393, Doidge, 14482, Punt, 17003, Pole Evans, 6684, 7099, 8810; Fountains, Pole Evans, 8765, Reinecke, 23146, Bottomley, 14642, 14495, 14480, 18139; Fairy Glen, Reinecke, 23166, Doidge, 32201; Silverton, Reinecke, 23196 b; Garstfontein, Doidge, 35019, 35033, Bottomley, 35134, 35135; Barberton, Thorncroft, 18125; Sibasa, Junod, 12825; van Reenen, Franks, 5665; Sweetwaters, Spencer, 30831; Brenton, Knysna, Duthie 174, 31382 and Duthie 95, 235, 289; Kirstenbosch, J. Acocks, (E. L. Stephens 370) 27672; Umtali, Eyles 4227 (v. d. Byl 2416); Salisbury, Eyles 4086 (v. d. Byl 2350); Natal, J. M. Sim, 9440; Durban, v. d. Byl 618; Schroeders, v. d. Byl 898; Kentani; Pegler 1425 a, 34449, Pegler 1370, 8418, 34450, Kew; Hermanus, MacPherson, 31492, Bulwer, Rump 464, 35302; Montagu, D. v. H., 35025, 35027; Sterkstroom, du Plessis, (Duthie 214); Somerset Strand, Verwoerd (Stell. 124); South West Africa, Dinter

Geastrum triplex Jungh.

N. J. G. Smith (1935) 270; Bottomley (1948)595.

Geaster capensis von Thuemen (1877 a) 408; de Toni (1887) 126; Sacc. Syll. Fung. VII: 126; Lloyd (1902) 42; Verwoerd (1926 a) 292.

? Geaster affinis Colenso, Verwoerd (1925 a) 41; Bottomley (1948) 604.

Geaster coriaceus Colenso, Verwoerd, l.c.; Bottomley, l.c.

amongst vegetable debris under trees ans shrubs, Pretoria, Howlett & Coetzee, 2136; Fountains, Lansdell, 11808, Howlett, 12791, L. C. Turner, 8811, Bottomley & Louwrens, 28458; Silverton, Reinecke, 23196; Garstfontein, Pienaar, 1352, 1354, 1356, Kew: Meintjes Kop, Bottomley, 20422; Aapies River, E. J. Scott, 33755; Potchefstroom, M. Gunn, 30512; nr. Umtata Falls, McLoughlin, 30508; Brenton, Knysna, Duthie 322, 31486; Papegaaisberg, Duthie 307, 31475, 35031; Kirstenbosch, Bottomley, 24840; Hopevale, Doidge, 35118, 35119, Morgan, 32200, 35017; Qudeni, Gerstner, 30758; Cape Peninsula, E. L. Stephens 140; Kirstenbosch, A. M. Acocks (E. L. Stephens 371) 27676; Kentani, Pegler 1978, 9546; Haenertsburg, Thompson (T. R. L. 280) 29938; Orange Free State, without locality, Olivier, (E. L. Stephens 444) 35020; Boschberg, MacOwan 1236 (S.A.M. 35057) 35303, Kew; Inanda, Medley Wood, 489, 11154, 10414; without locality, J. M. Sim, 9440, Marloth, 26615.

Geastrum velutinum Morgan

N. J. G. Smith (1935) 2; Bottomley (1948) 599.

without locality, 35292; eastern Cape, Marloth; ? Grahamstown, N. J. G. Smith 162.

Geasteropsis Conrathi Hollós.

Hollós (1903 72; Sacc. Syll. Fung. XVII: 229; Bottomely (1948) 606.

on termite hills and on ground, Modderfontein, and Johannesburg, Conrath: Rietvlei, Pretoria, J. Acocks, 34141; Garstfontein, Pienaar, 2278; Clarens, v. d. Plank, 35574; Danielskuil, Esterhuysen (E. L. Stephens 510).

Myriostoma coliformis (Dicks. ex Pers.) Corda.

Verwoerd (1925 a) 24; van der Byl (1925 b) 196; Fischer (1933) 74; Nel (1942) 69; Bottomley (1948) 605.

Geaster coliformis Dicks. ex Pers., Kalchbrenner (1882 a) 108; Hennings (1892) 361; Hollós (1904) 47, 130.

Bovistoides simplex Lloyd (1919) 883; Verwoerd (1925 a) 28; Fischer (1933) 66; Stevenson & Cash (1936) 170; W. H. Long (1942) 532.

in open ground, or in leaf mould under trees, Pretoria, H. A. Wager, 7726: Wonderboom, Kresfelder, 9793, 10048; Pelindaba, Watson, 24952; near Grahamstown, Britten, 33382; Grahamstown, N. J. G. Smith; Boschberg, MacOwan 1234 (S.A.M. 35056) 21940; Alicedale, Cruden, 12958; Knysna, Duthie 112 (v. d. Byl 1090) 31355; Belvidere, Knysna, Duthie 59, 95; Cradock, Gush; Garstfontein road, Bottomley, 35166; Ubombo, Bell Marley (v. d. Byl 870); Stikland, J. Acocks (E. L. Stephens 116, 171); Heathfield, Cousins (E. L. Stephens 443); Blikfontein, J. Acocks, 35301; Huisrivierberge, v. d. Byl 1071.

TULOSTOMATACEAE.

Batarrea Diqueti Pat. et Har.

Botomley (1948) 621.

on termite heap, Dongola Reserve, Pole Evans, 20459.

Batarrea phalloides (Dicks.) Pers.

Berkeley (1843 b) 517: Massee (1889 b) 87: Hollós (1904) 41; Lloyd (1916 d)
L. 63: 4, (1922) 1124; Verwoerd (1925 a) 13; van der Byl (1925 b) 195;
J. Phillips (1931) 161; Fischer (1933) 501; Nel (1942) 68; Bottomley (1948) 619.

on the ground, Uitenhage, Zeyher 114; Kalk Bay, Levyns (v. d. Byl 1305).

Batarrea Stevenii (Lib.) Fr.

Lloyd (1906 a) 6; Sacc. Syll. Fung. VII: 66; Bottomley (1948) 620. Syhaericeps lignipes Welwitsch & Currey (1868) 290; Fischer (1933) 50.

on ground, Kaapmuiden, Wager, 7735; Postmasberg, Wilman, 12517; Willowmore, Schonland, 12518; Sekukuni, Lydenburg Distr., Barnard, 28261, 28517; Fauresmith, Pont, 28584; on banks of the Caroca River near Cabo negro, Welwitsch 150; Koffiefontein, Schulz, 9535; Rouxville, Wickens, 11294; Knapdaar, Gideon Joubert, 18112; Lourenço Marques, van Nouhuys, 25936; Saltpan, Louis Trichardt, Schweickerdt, 26622; Knysna, Bottomley, 30743; Duthie 134, 31362; Pringles Bay, Compton (E. L. Stephens 461); Bantry Bay, V. A. Putterill, 28669; foothills of the Langebergen, Marloth, 13437.

Chlamydopus Meyenianus (Klotzsch) Lloyd

Bottomley (1948) 625.

in sandy soil, without locality, 35339.

Dictyocephalos attenuatus (Peck) Long & Plunkett

Long & Plunkett (1940) 697; Bottomley (1948) 626. as *Phellorina strobilina* Kalchbr. in Lloyd (1917c) 735.

on ground, Wankie, Giese, comm. Duthie (Lloyd Myc. Coll. and Nat. Museum, Bulawayo).

Phellorina inquinans Berk.

Berkeley (1843) 521; Verwoerd (1925 a) 14; Sacc. Syll. Fung. VII: 145; Fischer (1933) 41; Cunningham (1944) 194; Bottomley (1948) 623.

Phellorina Delastrei (Dur. & Mont.) Fisch., Lloyd (1914) L. 49: 4.

on sandy soil, Uitenhage, Zeyher 98, Type: Knapdaar, Gideon Joubert, 11541, 18111. 28519, 28739; Springbok Flats, Roberts, 2277; Kroonstad, Pont, 24934; Winburg, Haslem, 33272; Kingwilliamstown, Leighton, 26409; Barkly West, J. Acocks, 28633; Clanwilliam, Duthie 203, 31398; Vaal River, Kimberley, H. H. W. Pearson.

Phellorina strobilina Kalchbr.

Lloyd (1918 a) 734, (1917 a) L. 66: 13, (1922) 1124, (1924) 1318; Verwoerd (1925 a) 14: Bottomley (1948) 624.

Phellorina squamosa Kalchbrenner & MacOwan, Kalchbrenner (1882 a) 109: Verwoerd

(1925 a) 40.

on ground, Rust der Winter, Pole Evans, 28645; Saltpan, Louis Trichardt, Verwoerd & Schweickerdt, 27456; on hard red clay, Limpopo, Pole Evans, 21019; Brits, Marais, 20409; Glen, Potgieter, 14506, Sellschop, 28270; Kroonstad, Pont, 25342; Brandfort, Schonken, 31468; Fauresmith, Liebenberg, 33250; Knapdaar, Gideon Joubert, 18110, 11814; Aliwal North, Wickens, 10137; Uitenhage, MacOwan 1095 (S.A.M. 35081) 20919; without locality, Marloth, 26591, 26620; Little Namaqualand, Stokoe, 26619; Winburg, Radloff (v. d. Byl 1440), Haslem, 33271, 33461; Willowmore, Brauns (v. d. Byl 2508); Warmbaths, Rowland, 28808; Calvinia, Schmidt, 28809; Clanwilliam, Berg (Duthie 26) 31304; Bon Accord Dam, Leemann, 25434; Fauresmith, Henrici, 35276; Brandfort, Duthie 300; Southern Rhodesia, Duthie 189.

Podaxis pistillaris (Linn. ex Pers.) Fr.

Morse (1933) 27; Fischer (1933) 117; Bottomley (1948). 628.

Podaxon pistillaris (Linn. ex Pers.) Fr., Berkeley (1845) 291; Kalchbrenner, (1882 a) 107; Sacc. Syll. Fung. VII: 59; Medley Wood (1898) 18.

Lycoperdon carcinomale Linn. f. (1781) 453; Thunberg (1823) 756.

Scleroderma carcinomale (Linn. f.) Persoon (1801) 151; Pappe (1850) 31.

Podaxon carcinomalis (Linn. ex Pers.) Fries (1829) 621; Berkeley (1843) 522; Montagne (1847) 176; Pappe (1857) 45; Cooke (1879 b) 70; Kalchbrenner (1882 a) 107; Fischer (1889) 1; Sacc. Syll. Fung. VII: 58; Lloyd (1904 b) 1, (1913 c) L. 47:3; P. Hennings (1892) 359, (1906) 702; Schultze (1907) 705; van der Byl (1918 a) 209, (1922 d) 287; Watt. & Breijer Brandwyk (1932) 215; Smith & Pope (1934) 95.

Podaxis carcinomalis (Linn. ex Pers.) Fr., Massee (1890) 75; Morse (1933) 12, 27.

Podaxon elatus Welwitsch & Currey (1868) 288; Lorrain Smith (1901) 465; Sacc. Syll.
Fung. VII: 59.

Podaxon aegypticus Mont., Fischer (1889) 4; P. Hennings (1892) 359.

Podaxis aegyptica Mont., Massee (1890) 76.

Podaxon mossamedensis Welwitsch & Currey (1868) 288; Lorrain Smith (1901) 465; Sacc. Syll. Fung. XI: 158; Fischer (1933) 117.

Podaxis mossamedensis Welw. & Curr. Massee (1890) 76.

Podaxis indica Spreng., Massee (1890) 75.

on termite hills and in sandy places, Gansekraal, Thunberg; without locality, Burchell; Uitenhage, Zeyher 99, Kew; between 'Omtendo' and 'Omsamculo', Drège 9454 a, c, & 4115, Kew, Drège 9545 d, Paris; Klapmuts, J. Acocks, (E. L. Stephens 400): between Koelenhof and Mulders Vlei, J. Acocks (E. L. Stephens 414); Somerset West Flats, Garside (E. L. Stephens 507); Stellenbosch, Krige (Duthie 283 a); Greenville Mission, Schaefer, 28260; Karroo, Duthie 24; Hopetown-de Aar road, Schweickerdt, 26690; Knapdaar, Gideon Joubert, 14507, 18109; 20 mis. north of Dordrecht, Dyer, 35425; Between Windsorton and Klipdam. J. Acocks, 28641; Kimberley, Broome, 27369; Radloff (v. d. Byl 1183); Postmasberg, Esterhuyzen (E. L. Stephens 509); without locality, ex Herb. Marloth, 26591; north of Zastron, Dyer; north-east of Rouxville, Dyer; Bloemfontein, Exton (MacOwan 1362, S.A.M. 34317) 22070; Kroonstad. v. d. Byl, 5585; Orange Free State, Exton (MacOwan 1040): Hennops River, Pole, Evans, 5125, 20660; Pretoria, Pole Evans, 1186, 14682, Wager, 23672, Schweickerdt 27280; Pretoria-Johannesburg road, Kresfelder, 26602; Garstfontein, Pienaar, 1689, Pole Evans, 2120; Skinners Court, Pole Evans, 2119; Hamanskraal, Thompson, 1484; Welgevonden, Mogg, 28254; Brits, Pont, 25915; Pietersburg, N. Roberts, 5182; Sand River Drift, Messina. Pole Evans, 9789: Impati Hills, Dundee, Doidge, 7362; Inanda. Medley Wood 405, Kew: Estcourt. West, 29955. Lansdell, 30714: Eshowe, Horolett, 25361: Boroma, Menyharth: South West Africa, Luckhoff (E. L. Stephens 399); Great Namaland, Schultze: Olukonda, Schinz; between Lopollo and Monimo, Welwitsch 148; on banks of river Maiombo, Welwitsch 149.

Tulostoma adherens Llovd

Bottomley (1948) 618.

? on sandy soil, Stellenbosch Flats, Duthie (E. L. Stephens 66) 31505.

Tulostoma albicans White

Bottomley (1948) 611.

on sandy or on heavy ground. Ladybrand. Lefebre, 20672: Fountains. Pole Evans, 8764; Bloemfontein. 11690: Garstfontein, Pienaar, 1969: Pretoria, Doidge, 14481: under Acacia trees, Mauritzfontein, J. Acocks, 28638.

Tulostoma album Massee

Bottomley (1948) 610.

in sheep kraal, Bathurst, K. M. Putterill, 28528.

Tulostoma angolense Welw. & Curr.

Welwitsch & Currey (1868) 290; Sacc. Syll. Fung. VII: 64; Lorrain Smith (1901) 465; Bottomlev (1948) 618

on sand hills near Mossamedes, Welwitsch 147; on decaying wood, South Africa, MacOwan, Kew.

Doubtful species.

Tulostoma australianum Lloyd

Bottomlev (1948) 617.

on sandy ground, Fauresmith, Henrici, 28311; Fort Hare, Giffen, 27501.

Tulostoma bonianum Pat.

Bottomley (1948) 612.

on ground under bushes, Garstfontein, Pienaar, 1969, Doidge, 1344: Garstfontein road, Doidge & Bottomley, 30617; Fountains, Bottomley, 14499, 20378.

Tulostoma brumale Pers.

Bottomlev (1948) 613.

Tulostoma mammosum Fr., Berkeley (1843 b) 520; Massee (1889 b) 86: Lloyd (1916 d)
 L. 63: 11: Pole Evans & Bottomley (1918) 193; Verwoerd (1925 a) 12.

as Tulostoma squamosum (Gmel.) Pers., Kalchbrenner (1882 a) 107.

as Tulostoma mammosum Fr. var. squamosum (Gmel.) Fr., Sacc. Syll. Fung. VII: 61. on ground, nr. Koega River, Zeyher 123: Somerset East, Tuck (MacOwan 1295) 20928, 20946, Kew; Portland, Knysna, Duthie 147, 31371: Stellenbosch, Verwoerd (Stell. 43: v. d. Byl 2033); Kentani, Pegler 753.

Tulostoma cyclophorum Llovd

Lloyd (1906 a) 25; Sacc. Syll Fung. XXI: 476; van der Byl (1921 d) 185,
 (1922 d) 287, (1925 b) 195: Verwoerd (1925 a) 13; J. Phillips (1931) 161;
 Stevenson & Cash (1936) 194; Nel (1942) 70; Bottomley (1948) 615.

615

on ground, Wellington, Stoneman (Lloyd Myc. Coll. 4495, Type); Knysna, Duthie 16, 57, 58, 146, 157, 206 (v. d. Byl 1085; Lloyd Myc. Coll. 4494, 14279, 14280, 24519, 24520, 30832, 54734) 31322, 31323, 31370, 31376; Stellenbosch, Duthie (E. L. Stephens 73), Eyles (Stell. 78; v. d. Byl 1136; Lloyd Myc. Coll. 28934, 28959); Grahamstown, N. J. G. Smith, 25898, Kew; Matatiele, Gideon Joubert, 27290; without locality, O'Connor (Lloyd Myc. Coll. 30833).

Tulostoma lacticeps Bres.

Bresadola (1920) 54; Sacc. Syll. Fung. XXIII: 591, Bottomley (1948) 614. on ground, Moçambique, Torrend 420.

Tulostoma Lesliei v. d. Byl.

van der Byl (1921 d) 186; Verwoerd (1925 a) 12; Nel (1942) 70; Bottomley (1948) 610. on soil, Durban, v. d. Byl 57, Type and v. d. Byl 690, 31896.

Tulostoma MacOwani Bres.

Petri (1904) 429; Sacc. Syll. Fung. XXI: 475; Verwoerd (1925 a) 40; Bottomley (1948) 617.
on ground, without locality, MacOwan, Kew.

Tulostoma obesum Cooke & Ellis

Bottomley (1948) 616.

Tulostoma poculatum White, Lloyd (1914) L. 49: 4; Verwoerd (1925 a) 40. on ground, The Point, Knysna, Duthie 25 (Stell. 68).

Tulostoma Purpusii P. Henn.

Lloyd (1924) 1249; Verwoerd (1925 a) 12; Nel (1942) 70; Bottomley (1948) 611 on sandy soil, Stellenbosch, Eyles (v. d. Byl 1132, 1134); in wattle plantation, Hopevale, Morgan, 28910, Doidge, 27717, Morgan & Doidge, 30272; Xumeni Forest, Doidge, 35336; Bloemfontein, Potts, 11690.

Tulostoma squamosum (Gmel.) Pers.

Bottomley (1948) 613.

on damp soil, Queenstown, Pope (N. J. G. Smith) Kew; nr. Melkrivier, Karroo, MacOwan, Kew.

Tulostoma Transvaalii Lloyd

Lloyd (1920) 1047, 1010; Verwoerd (1925 a) 13; Stevenson & Cash (1936) 196; Bottomley (1948) 615. on ground, Warmbaths, V. A. Putterill (Lloyd Myc. Coll. 22713, Type) 11692.

NIDULARIALES.

NIDULARIACEAE.

Crucibulum vulgare Tul.

Verwoerd (1925 a) 38; Nel (1942) 70; Bottomley (1948) 632. on dead twigs, Papegaaisberg, Loseby (v. d. Byl 2671) and de Vos, 31495; Stellenbosch, Verwoerd (Stell. 352).

Cyathus Berkeleyanus (Tull.) Lloyd

Lloyd (1917 a) L. 67: 2, 5: (1922) 1160: Verwoerd (1925 a) 36; van der Byl (1925 b) 196; J. Phillips (1931) 161; Stevenson & Cash (1936) 200; Nel (1942 70; Bottomley (1948) 640.

on wood, Belvidere, Knysna, Dulhie 311 (Stell, 110) 31478 and Duthie (Lloyd Myc. Coll. 22529, 34552, 34554); Nottingham Road, v. d. Byl 60, 556 (Lloyd Myc. Coll. 34544) 31815; Knysna, Bottomley, 30744.

Cyathus dasypus Nees.

Lloyd (1911 b) L.38: 3; Verwoerd (1925 a) 37, (1928 b) 238; Bottomley (1948) 634.

Nidularia dasupus Fries (1823) 299.

on ground, Caledon, Verwoord 194: on swampy ground and manure, Cape of Good Hope, without locality.

Cyathus Hookeri Berk.

Lloyd (1920) 1010; Bottomley (1948) 636, on twigs, Hogsback K. M. Putterill, 30814; Pretoria, Pole Evans, 12311.

Cyathus microsporus Tul.

Lloyd (1920) 960, 1010: Verwoerd (1925 a) 37: van der Byl (1925 b) 196; J. Phillips (1931) 161; Bottomley (1948) 635.

on dead wood, Knysna, Duthie 230, 31416; Maritzburg, J. M. Sim, 9205; without locality, Verwoord (Stell. 108); Stikland, J. Acocks (E. L. Stephens 465).

Cvathus minutosporus Lloyd emend. Verw.

Verwoerd (1928 b) 238 : Lloyd (1924) 1325, 1319 ; Stevenson & Cash (1936) 201 ; Bottomley (1948) 634.

on clavey soil, Heidelberg, Transvaal, Neethling (Stell, 330: Lloyd Myc, Coll, 24889) Type,

Cyathus Montagnei Tul.

Lloyd (1924) 1294: Verwoerd (1925 a) 36; van der Byl (1925 b) 196; J. Phillips (1931) 161; Nel (1942) 70; Bottomley (1948) 640.

on woody fruits, Knysna, du Preez (v. d. Byl 1330); without locality, Verwoerd (Stell. 156); Kirstenbosch, Johns (E. L. Stephens 554).

Cyathus olla Pers.

Simpson & Talbot (1946) 134: Bottomley (1948) 636.

Cyathus laevis Thunberg (1800) 182, (1823) 755.

Cyathus vernicosus (Bull.) DC., Kalchbrenner (1882 a) 107; Sacc. Syll. Fung. VII: 38; Lloyd (1906 b) 24, (1911 b) L. 38: 3, (1912 b) L. 39: 3, (1914) L. 49: 4, (1917 a) L. 65: 4, L. 66, 2, (1920) 1010, 1073: van der Byl (1922 d) 286; Verwoerd (1925 a) 3, (1931 a) 300: Fischer (1933) 59: Nel (1942) 71.

on ground and on rotting wood, Cape. Thunberg: Somerset East, MacOwan 1042 (S.A.M. 35075) 20981, Kew; Sea Point, Duthie 31; Stellenbosch, Duthie 171, 252, 280, 31389, 31433, 31453, Champion (v. d. Byl 2044); Wellington, Bottomley, 1696; Hopefield, v. d. Byl 1265; Lady Grey, R. I. Nel (v. d. Byl 2349); Knysna, J. Phillips, 20608; Fishhoek, Peers (E. L. Stephens 397); Port Elizabeth, Director of Museum, 30782; Vaalkrantz, Fauresmith, Botha, 27573; Bloemfontein, Potts, 13010, Verwoerd; Wonderboom, Reinecke, 23705; Fountains Valley, Mellé, 11328, Bottomley, 18141; Pelindaba, Watson, 25157; Hope Vale, Doidge, 28923; Maritzburg, J. M. Sim, 9205; Qudeni Forest, Simpson & Tallot, 305503; Mamathes, Hean, 33494.

Cyathus pallidus Berk. & Curt.

Kalchbrenner (1882 a) 107;
Sacc. Syll. Fung. VII: 37: Lloyd (1915 a) L. 60: 4;
Verwoerd (1925 a) 37;
van der Byl (1925 b) 196;
J. Phillips (1931) 161;
Fischer (1933) 59;
Nel (1942) 71;
Bottomley (1948) 634.

on dead or decaying wood, Somerset East, MacOwan: Pretoria, Fouché, 15649, Hean, 30727, King, 28806: Fountains, Hean, \$2692, Louwrens, 28619: Fairy Glen road. Doidge, 20690; Garstfontein, Hean, \$3689: Krcmivier, Doidge & Bottomley, 33254; Lemana, Doidge, 1699; Grahamstown, E. L. Stephens 255, 27275; Kingwilliamstown, Sr. de Victoria, 25486; Knysna, Duthie 114, 31357; Woodbourne, Knysna, Duthie 63, 31327; Deepwalls, Knysna, Bottomley 30772; Knysna, Verwoerd (Stell. 109); Grahamstown, N. J. G. Smith, Kew; Maritzburg, Rump 65, 27681, Pole Evans, 1340; Mooi River, Crass (Rump 444) 28605: Xumeni Forest, Doidge, 27735; Hope Vale, Doidge, 33257, 33174; Pretoria, Kresfelder, 28863; Mamagalieskraal, Fouché, 21084: Kaapmuiden, H. A. Wager, 7727; Johannesburg, Porter (v. d. Byl 2550); Garstfontein, Doidge, 1348, 30728, Doidge & Hean, 30693; Fort, Grahamstown, N. J. G. Smith (E. L. Stephens 492; N. J. G. Smith 20).

Cyathus Poeppigii Tul.

Cooke (1879 b) 70; Verwoerd (1925 a) 36; Bottomley (1948) 639.

Cyathus sulcatus Kalchbrenner (1882 a) 107; Sacc. Syll, Fung. VII; 36, XI: 156.

as Cyathus plicatulus Poepp., Nel (1942) 71.

on old wood and on ground, Inanda, Medley Wood 334, 10454, 11186, Kew; Durban, v. d. Byl 594, 597; Maritzburg, J. M. Sim, 8803, Rump, 26846, Rump 544, 33962; de Beers Rust, Hean, 30691; Sibasa, Junod, 12826; Port Durnford, Ballenden, 32011; Pretoria, Punt, 14500.

Cyathus stercoreus (Schw.) de Toni

Cheesman (1909) 409; Verwoerd (1925 a) 37; Hopkins (1938 a) 115; Nel (1942) 71; Lloyd (1908 b) L. 23, (1920) 1010; Bottomley (1948) 637.

? as Cyathus rufipes Ell. Lloyd (1906 b) 21-22.

on dung, soil or decaying wood, Livingstone Is., Victoria Falls, Cheesman: Pretoria, Pole Evans (v. d. Byl 1428) 1902 Bischoff, 8817, Bosman, 23665, Punt, 18142, Kresfelder, 25870; Fountains, Bottomley & Louvens, 28620; Buffelspoort, Turner, 30687; Johannesburg, Moss, 29941; Glen, Potgieter, 14690; Bloemfontein, Purkiss, 13015; Fort Hare, Giffen, 27502; Komgha, Cooke, 28589; Hopevale, Morgan, 28922, Doidge, 33175, 27718, 35144; Brits, 33503; Milner Park, Johannesburg (T.R.L. 282); Salisbury Eyles 4104 (v. d. Byl 2347); Knysna, Duthie 311 t (E. L. Stephens 65); Potchefstroom, Lawrence, 21929; Onderstepoort, Curson, 18116; Maritzburg, J. M. Sim, 8823; Kimberley, Moran, 8963; Haenertsburg, Thompson (T.R.L. 282); Nardouw Pass, de Kock (E. L. Stephens 560); without locality, 25316.

f. Leseurii Tul.

Bottomley (1948) 638. on manured ground, Brits, v. d. Plank, 33503.

SPHAEROBOLACEAE.

Sphaerobolus stellatus Tode ex Pers.

Kalchbrenner (1882 a) 107; Sacc. Syll. Fung. VII: 46; Verwoerd (1925 a) 39: Bottomley (1948) 641.

on old cow dung and on horse dung, near Somerset East, Tuck (MacOwan 1190: S.A.M. 35083) Kew; Natal, Medley Wood 167 and v. d. Byl: Pretoria, Pole Evans, 8821; Fountains Valley, Bottomley, 28462; Kromrivier, Doidge & Bottomley, 30236; Ixopo, Hackland, 15550; Hopevale, Doidge, 27719.

DEUTEROMYCETAE. (FUNGI IMPERFECTI).

SPHAEROPSIDALES.

SPHAERIOIDACEAE.

HYALOSPORAE.

Asteroma pallidum Kalchbr.

? nomen nudum.

on Cynanchum ellipticum (Harv.) R. A. Dyer, Boschberg, MacOwan 1329 (S.A.M. 35104).

Ceuthospora Oleae Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 19; Sacc. Syll. Fung. III: 278. on Olea capensis Linn., Somerset East, MacOwan 1333, Type, 22033, Kew.

Cicinnobolus Cesatii de Bary

on Erysiphe cichoracearum D.C., on Cucurbita Pepo Linn., Skinner's Court, Pole Evans, 2193. Sphaerotheca fuliginea (Schlecht.) Salm., on Coreopsis sp., Kingwilliamstown, Nel, 33376. Uncinula necator (Schw.) Burr., on Vitis vinifera Linn., Pretoria, 754. Oidium sp., on Cassia sp., Nelspruit, Wager, 26205.

Coleophoma Oleae (DC.) Petrak & Syd.

Septoria Oleae Dur. & Mont., von Thuemen (1878 a) 357. on Olea africana Mill., Boschberg, MacOwan 1294.

Cytospora Australiae Speg.

Doidge & Bottomley (1931) 23. on **Eucalyptus viminalis** Labill., Wellington, *Taylor*, 13072.

Cystospora chrysosperma (Pers.) Fr.

see Valsa sordida Nitschke.

Cytospora foliicola Lib.,

Ceuthospora foliicola Lib., Kalchbrenner (1882 a) 146. on decaying leaves, Somerset East, MacOwan.

Cytospora leucostoma Sacc.

Pole Evans (1913 b) 174; van der Byl (1915 a) 545–557; Verwoerd (1929 b) 6, (1931 a) 300; Doidge & Bottomley (1931) 7, 9, 47, 51. see also Valsa leucostoma (Pers.) Fr.

on **Prunus Armeniaca** Linn., Heilbron, Naudè, 21051, Kew; Swinburne, van der Byl; Bloemfontein, E. G. Smith, 33985.

Prunus avium Linn., Wargundy Estates, Bottomley, 20617.

Prunus persica Sieb. & Žucc., Cedara, Gill, 33255; Heilbron, Naudè, 21050, Kew; Bloemfontein, Verwoerd.

Prunus salicina Lindl. and hybrids, Grootfontein, v. d. Byl, 2547; Swinburne, v. d. Byl;

Henley-on-Klip, Life, 21253; Higginson, 21585.

Pyrus malus Linn., Villiersdorp, Čresswell, 26704; Great Brak River, Mally, 5583; Maclear, Pienaar, 2154; Stormsvlei, Groenewald (Stell. 383); Stellenbosch, Verwoerd (v. d. Byl 889); Somerset West, Verwoerd (v. d. Byl 1712); Pretoria, Bottomley, 23346; Johannesburg, Rocher, 17791, Ordish, 25983; Magaliesberg, Pole Evans, 21083; Pietersburg, Munnik, 7091; Muden, Röttcher, 7734; Harrismith, Petty, 8831; Swinburne, v. d. Byl; Wargundy Orchards, 27691; Bethlehem, v. d. Merwe, 27266; Parys, Horn, 14681; Bloemfontein, Verwoerd; Elgin, v. d. Byl (Stell. 1081); Salisbury (Rh. 973); Rusapi and Inyanga, Hopkins.

Cytospora Sacchari Butl.

on Saccharum officinarum Linn., Mt. Edgecombe, McMartin.

Cytospora verrucula Sacc. & Berl.

? on Acacia sp., Kenilworth, H. H. W. Pearson (record at Kew).

Cytosporella Aloes du Pless.

du Plessis (1933 f) 207; Nel (1942) 101.

on Aloe mitriformis Mill., Stellenbosch, du Plessis (Stell. 806, 995; v. d. Byl 2723) Type.

Dothiopsis Stangeriae Verw. & du Pless.

Verwoerd & du Plessis (1933) 225; Nel (1942) 107.

on Stangeria eriopus Nash, Univ. Bot. Gard., Stellenbosch, du Plessis (Stell. 654; v. d. Byl 2669) Type.

Dothiorella congesta (Lév.) Sacc.

Saccardo Syll. Fung. III (1884) 241.

Sphaeropsis congesta Léveillé (1845) 62.

on Podocarpus sp., without locality, Drège.

Dothiorella mali Ell. & Everh.

Doidge & Bottomley (1931) 6.

see Botryosphaeria Ribis (Tode ex Fr.) Gross. & Dugg. var. chromogena Shear et. sl.

Dothiorella reniformis Vi. & Rav.

on Vitis vinifera Linn., Banhoek, Buller (Stell. 662).

Dothiorella Senecionis (Alm. & Cam.) Petrak

du Plessis (1933 f) 207.

on Senecio sp., Stellenbosch, du Plessis (Stell. 815).

Fusicoccum africanum v. d. Byl

van der Byl (1927) 226 ; Verwoerd (1929 b) 5 ; Doidge & Bottomley (1931) 6 ; Nel (1942) 102

on **Pyrus malus** Linn., Stellenbosch, v. d. Byl 2436, Type and Verwoerd (Stell. 317).

Fusicoccum viticolum Reddick

du Plessis (1938) 1, (1940) 16.

on Vitis vinifera Linn., Stellenbosch and Somerset West, du Plessis; Constantia, Fouché, 30481.

Macrophoma Agapanthi Trav.

Doidge & Bottomley (1931) 4.

cn Agapanthus africanus Hoffm., Pretoria, Doidge, 30657; Durban, r. d. Byl. 11027; Jutland, Bottomley, 9684.

Macrophoma Aloës Scalia

du Plessis (1933 f) 208; Nel (1942) 102.

on Aloe affinis Berg., Stellenbosch, du Plessis (Stell. 811).

Aloe mitriformis Mill., Stellenbosch, du Plessis (Stell. 805, v. d. Byl 2716, 2719).

Aloe striatula Haw., Stellenbosch, du Plessis (Stell, 817).

Aloe variegata Linn., Stellenbosch, du Plessis (Stell. 784; v. d. Byl 2683).

Aloe spp., Stellenbosch, du Plessis (Stell. 663, 809, 816; v. d. Byl 2684, 2717).

Macrophoma Artemisiae (Kalchbr. & Cooke) Berl. & Vogl.

Berlese & Voglino (1886 b) 195 : Petrak & Sydow (1926) 119.

Phoma Artemisiae Kalchbrenner & Cooke (1880) 18; Sacc. Syll. Fung. III: 123.

on Artemisia sp., Somerset East, MacOwan 1399, Type.

Petrak & Sydow (l.c.) found a *Leptosphaeria* and a typical, well-developed *Phomopsis* sp., on the type collection in Berlin Museum.

Macrophoma cattleyicola P. Henn.

Verwoerd & du Plessis (1933) 226; Nel (1942) 102.

on Scuticaria Hadwenii Hort, ex Planch., Stellenbosch, du Plessis (Stell, 632; v. d. Byl 3693).

Fide Petrak & Sydow (1926) 120, the type specimen of Macrophoma cattleyicola P. Henn., is a Colletotrichum.

Macrophoma Clematidis Togn.

on Clematis montana Buch.-Ham., Wynberg, Cloete, 5667.

Macrophoma curvispora Peck.

on Pyrus malus Linn., twigs, Pietersburg, v. d. Byl, 28876.

Macrophoma Dryopteris Verw. & du Pless.

Verwoerd & du Plessis (1931) 291.

on Dryopteris sp., Stellenbosch, du Plessis (Stell. 475) Type.

Macrophoma Falconieri P. Henn.

Verwoerd & du Plessis (1932) 314.

on Rhododendron sp., Rosebank (Stell. 588).

Doubtful species, see Petrak & Sydow (1926) 122.

Macrophoma Oleae Berl. & Vogl.

on Olea europaea Linn., Elsenburg, Dippénaar.

Macrophoma sp.

Hopkins (1930) 536.

on Hydrangea opuloides Koch, Rhodesia, Hopkins.

Macrophomina limbalis Syd.

H. Sydow (1924 c) 430; van der Byl (1925 b) 196; Nel (1942) 102. on **Sideroxylon inerme** Linn., Mossel Bay, van der Byl 1333, Type.

Macrophomina Phaseoli (Maubl.) Ashby

Wickens (1937) 690; Hopkins (1938 a) 116, (1939 a) 12, 13, 19, 21, 23, 26, (1943) 185.

as Rhizoctonia bataticola (Taubenh.) Butler, Hopkins (1929) 139.

on Citrus Limonia Osbeck, Umtali (Rh. 998); Mazoe, Hopkins.

Citrus sinensis Osbeck, Mazoe (Rh. 679, 680, 918); on decayed Valencia Late orange trees, Mazoe, Bates 99, 34025.

Eucalyptus spp., Maryland (Rh. 38); Umvukwes (Rh. 253); Zenega (Rh. 564).

Gossypium sp., Gatooma, Hopkins.

Glycine Max Merr., Salisbury (Rh. 1278, 2314).

Ipomoea batatas Lam., Bromley (Rh. 3052).

Musa paradisiaca L. var. sapientum Kuntze, Rhodesia, Wickens.

Phoma Agapanthi (Thuem.) Sacc.

on Agapanthus sp., Elsenburg, Dippenaar (Stell. 845).

Phoma Betae (Oud.) Frank

Verwoerd (1929 b) 8; Doidge & Bottomley (1931) 12; Verwoerd (1931 a) 301. on **Beta vulgaris** Linn., Bloemfontein, *Verwoerd*; Stellenbosch, *Verwoerd*; Transvaal, *Doidge & Bottomley*.

Phoma citricarpa McAlp.

Doidge (1929 b) 324; Doidge & Bottomley (1931) 43; Doidge & van der Plank (1936) 22; Fawcett (1936) 524; U.S. Dept. Agric. (1942) 45, (1944) 31.

on Citrus Limonia Osbeck, fruit, Chase Valley, English, 32689; Verulam, Wager, 34563.

Citrus maxima Merr., fruit, intercepted in U.S.A. on material from South Africa.

Citrus nobilis Lour. var. deliciosa Sw., Chase Valley, McFie, 23632.

Citrus sinensis Osbeck, fruit and leaves, Town Bush Valley, 28540, Wager, 32700, Carter, 26084; Maritzburg, 33245; Chase Valley, Wager, 32755, 33190, McFie, 23633, 26089, English, 32690; Richmond & Umkomaas Valley, Wager.

Phoma cyclospora Sacc.

du Plessis (1933 f) 209; Nel (1942) 102.

on Euphorbia sp., Stellenbosch, du Plessis (Stell, 798; v. d. Byl 2705).

Phoma destructiva Plowr.

Doidge & Bottomley (1931) 63; Hopkins (1938 a) 116, (1949 a) 25.

on Lycopersicum esculentum Mill., on fruit, fairly common in the Union of South Africa, Doidge & Bottomley; Salisbury, Hopkins (Rh. 1702, 3742); Jamieson, Hopkins; Somerset East, Tepper, 2297.

Phoma Fici-caricae Verw. & du Pless.

Verwoerd & du Plessis (1932) 315.

on Ficus carica Linn., Stellenbosch (Stell. 599) Type.

Phoma flaccida McAlp.

Evles (1926) 633.

on Citrus sinensis Osbeck, Mazoe, Eyles.

Vitis vinifera Linn., Sycamore, S. W. du Toit, 27298.

Phoma Gaillardiae du Pless.

du Plessis (1933 c) 3, 11; Nel (1942) 102.

on Gaillardia pulchella Foug., Stellenbosch, du Plessis (Stell, 786; v. d. Byl 2706) Type.

Phoma Geasteropsidis Hollós

Hollós (1907) 280; Sacc. Syll. Fung. XXII: 897.

on Geasteropsis Conrathii Hollós, Modderfontein, Johannesburg, Conrath, Type.

Phoma glumarum Ell. & Tracy

on Oryza sativa Linn., Umhlatuzi Valley, Wager, 33955.

Phoma insidiosa Tassi

Hopkins (1938 a) 116, (1939 a) 44.

on Sorghum sudanense Stapf, Salisbury, Eyles 4995.

Phoma Lantanae Verw. & du Pless.

Verwoerd & du Plessis (1933) 228.

on Lantana Camara Linn., Stellenbosch, Verwoerd (Stell. 629), Type.

Phoma lingam Desm.

Doidge & Bottomley (1931) 15.

Phoma oleracea Sacc., Doidge & Bottomley, l.c.

Phoma Brassicae Thuem., Hopkins (1938 a) 116, (1939) 8.

on Brassica oleracea Linn., Daspoort, Wager, 25343; Wonderfontein, Long, 28588; Cedara, Wager; Polela Distr.. Gordon, 6676; Rietfontein, J. Dyer, 18160; Salisbury (Rh. 744).

Brassica oleracea var. acephala DC., south-west Cape, Dippenaar.

Brassica oleracea var. botrytis Linn., Rietfontein, J. Dyer, 18160.

Phoma macrothecia Thuem.

von Thuemen (1876 b) 571; Sacc. Svll. Fung. III: 158.

on Homeria Breyniana (L.) Lewis var. ochroleuca Salisb., summit of the Boschberg, Mac-Owan 1240, Type (Thuem. Myc. Univ. 680; S.A.M. 35096) 21965, Kew.

Phoma Ornithogali Thuem.

von Thuemen (1878 a) 358; Sacc. Syll. Fung. III: 158.

on Urginea altissima Bkr., nr. Somerset East, MacOwan, Type (Thuem. Myc. Univ. 1783; Roum. Fung. Sel. Exsicc. 4749) 21964, Kew.

Phoma Passiflorae Penz, & Sacc.

on Passiflora edulis Sims, Stellenbosch, Dippenaar (Stell. 852); south-western Cape, Louw. Passiflora quadrangularis Linn., south-western Cape, Louw.

Phoma persicae Sacc.

Verwoerd & du Plessis (1931) 292.

on Prunus persica Sieb. & Zucc., Wynberg, v. d. Byl (Stell. 424).

Phoma pinastrella Sacc.

on Pinus halepensis Mill., Belfast, Pole Evans, 9106.

Pinus pinaster Ait., Jessievale, D.F.O., 7772; Belfast, $Pole\ Evans$, 9307.

Pinus radiata Don., Belfast, Pole Evans, 9306.

Phoma pomi Pass.

C. J. Hopkins (1925) 366; Doidge & Bottomley (1931) 7.

on **Pyrus malus** Linn., fruit, Transvaal, *J. C. Hopkins*; Buccleuch, *J. M. Sim*, 9784; Cedara, 14965; Vereeniging, *Brandmuller*, 20412; common in the Union of South Africa, especially in stored fruit.

Phoma Rostrupii Sacc.

Phoma sanguinolenta Rostr., Doidge & Bottomley (1931) 17.

on Daucus carota Linn. var. sativa DC., Cedara; Fisher, 1168.

Phoma Stapeliae Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 18; Sacc. Syll. Fung. III: 139.

? as Cryptosporium fatale Kalchbr. in Herb. Kew.

on Stapelia gemmifiora Mass. var. hircosa N.E. Br., Somerset East, MacOwan 476, 1395, Type, Kew sub Phyllosticta.

Phoma subcircinata Ell. & Everh.

Doidge & Bottomley (1931) 25, 39.

on Phaseolus aureus Roxb., Kaapsche Hoop.

Phaseolus vulgaris Linn., Zululand.

Phoma Tatulae Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 18; Sacc. Syll. Fung. III: 128.

on Datura Tatula Linn., on stems, Somerset East, MacOwan 1407, Type.

Phoma terrestris H. N. Hansen

Verwoerd & du Plessis (1932) 315; du Plessis (1933 b) 9; Nel (1942) 102. isolated from **Allium Cepa** Linn., Stellenbosch, du Plessis (Stell. 604; v. d. Byl 2707).

Phoma tingens Cooke & Mass.

on Delphinium cultorum Voss., Pretoria, Doidge, 30792.

Phoma Welwitschiae Mass.

Massee (1910 b) 253; Sacc. Syll. Fung. XXII: 892.

on Welwitschia Bainesii (Hook. f.) Carr., near Welwitsch, Worsdell, Kew, type.

Phoma Zantedeschiae Dipp.

Dippenaar (1931 c) 284.

on Zantedeschia aethiopica Spreng., Elsenburg, Dippenaar, Type (Stell. 523, 917).

Phoma sp.

Bottomley (1932) 21.

on Glycine Max Merr., Cedara.

Phoma sp.

Moore (1926) 428.

on Nicotiana tabacum Linn., seedlings, Moore.

Phomopsis cinerescens (Sacc.) Trav.

? on Ficus Carica Linn., Coalbrook, Grove, 27570; Gloria, de Jayer, 34152.

Phomopsis Citri Fawc.

Doidge & Bottomley (1931) 44, 45; Hopkins (1932) 505; Doidge & van der
 Plank (1936) 162; Turner (1936) 258; Bates (1937 b) 195; Cardoso (1935) 185, (1937) 156, (1938) 74, (1939) 44.

Diaporthe Citri (Fawe.) Wolf, Hopkins (1938 a) 101, (1939 a) 13, (1943) 182; Cardoso (1945) 151, 152.

isolated from

Citrus aurantifolia Sw., Verulam, Wager, 32509.

Citrus Limonia Osbeck. Acornhoek. Willis, 26410: Buffelshoek. Turner; causing melanose on fruit, Verulam. Wager; Chase Valley, Wager; Malagazi, Wager; Umhlatuzi Valley, Wager; causing shell bark, Verulam, Turner, Wager; from leaves, Verulam, Wager.

Citrus maxima Merr., fruit, Mazoe, Bates: Umtentweni, Wager: Lourenço Marques,

Citrus sinensis Osbeck, rotting fruits from White River, Zebediela, Muden, Sundays River, Groot Drakenstein, Doidge; Verulam, 24954; Rustenburg, MacDonald, 24955: Mazoe, Bates, 34016; Sul do Save, Cardoso; Manhica, Tavira; Lourenço Marques, Oliveira; Xinavane, Cardoso; causing melanose, Chase Valley, English, 32688, Wager, 32460, 33189.

Phomopsis sp., Ph. Citri affinis

Hopkins (1939 a) 35.

isolated from Delonix regia Raf., Salisbury, Hopkins; Mazoe, Bates 5025, 34017.

Phomopsis Daturae (Roll. & Fautr.) Sacc.

Verwoerd & du Plessis (1933) 228: Nel (1942) 102.

on Datura Stramonium Linn., Stellenbosch, Verwoerd (Stell. 617: v. d. Byl 2708).

Phomopsis juniperovora Hahn.

Hahn (1930) 53 ; Doidge & Bottomley (1931) 22.

as Phoma sp., Bottomley (1918) 613.

on Cryptomeria japonica D. Con., Este ourt, McClean, 21579.

Cupressus arizonica Greene, Groenkloof, D.F.O., 20408; Cedara, D.F.O., 26339, 26340; Belfast, Bottomley.

Cupressus macrocarpa Hartw., Pretoria, D.F.O., 20410.

Cupressus torulosa Don., Belfast, Bottomley.

Juniperus procera Hochst., Xumeni Plantation, D.F.O., 22438.

Juniperus virginiana Linn., Groenkloof, D.F.O., 20411.

Phomopsis oxalina (Ell. & Everh.) Syd.

on Oxalis sp., Schagen, Liebenberg, 26358.

Phomopsis Papayae Frag. & Ciferri

on Carica Papaya Linn., Buffelspoort, Bottomley, 25948.

Phomopsis perniciosa Grove

Diaporthe perniciosa Marchal (Phomopsis stage) Hopkins (1938 a) 101, (1939 a) 38.

? as Phomopsis Mali Roberts, Hopkins & Bacon (1938) 455.

on Pyrus malus Linn., Salisbury, (Rh. 961, 973); Rhodesia, general, Hopkins.

Phomopsis Phaseoli Grove

as Phomopsis sp. probably Diaporthe phaseolorum (Cooke & Ellis) Sacc., Hopkins (1939 a) 25.

? on Lycopersicum esculentum Mill., fruit, Mazoe, Hopkins.

Phomopsis samarorum (Desm.) v. Höhn.

on Fraxinus angustifolia Vahl, Butterworth, D.F.O., 33998.

Phomopsis sp.

Cryptosporella umbrina (Jenkins) Wehm., Doidge (1941 a) 66

on Rosa sp., Northlands, Johannesburg, Paul, 30444; Kokstad, Ward, 30445; Fort Beaufort, Wager.

Phomopsis sp.

isolated from Passiflora edulis Sims, from raised scabs on fruit, Mazoe, Bates 358, 359, 366, 34018, 34019, 34020.

Phyllosticta Aloës Kalchbr.

Kalchbrenner & Cooke (1880) 20; Sacc. Syll. Fung. III: 60. on **Aloe latifolia** Haw., Somerset East, *MacOwan 1023*, Type.

Phyllosticta Antirrhini Svd.

Hopkins (1938 a) 116, (1939 a) 5.

on Antirrhinum majus Linn., Banket (Rh. 2830); Delmas, Schoeman.

Phyllosticta Asplenii Jaap

Hopkins (1938 a) 116.

on Asplenium nidus Linn., Bulawayo, (Rh. 3020 a).

Phyllosticta auriculata Kalchbr. & Cooke

Kalchbrerner (1880) 20; Sacc. Syll. Fung. III: 29.

on Buddleia auriculata Benth., Somerset East, MacOwan, Type, Kew ex coll. Thuem.

Phyllosticta Bauhiniae-reticulatae P. Henn.

P. Hennings (1903) 167; Sacc. Syll. Fung. XVIII: 227.

on Bauhinia Thonningii Schum., between Makele and Goudkopje, Baum 933, Type, Kew.

Phyllosticta Begoniae Brun.

Hopkins (1938 a) 117.

on Begonia sp., Bulawayo (Rh. 3016).

Phyllosticta Betae Oud.

Nel (1942) 103.

on Beta vulgaris Linn., Hopefield, v. d. Byl 1275.

Phyllosticta Brassicae West.

Dippenaar (1931 c) 285 : Nel (1942) 103.

on Brassica oleracea Linn., Stellenbosch, du Plessis (Stell, 520; v. d. Byl 2612).

Phyllosticta Canavaliae v. d. Bvl

van der Byl (1929 a) 318 ; Nel (1942) 103.

on Canavalia obtusifolia DC., Durban, Forbes (v. d. Byl 2529) Type.

Phyllosticta Caricae-papayae Allesch.

van der Bvl (1920 a) 288.

on Carica Papaya Linn., Winkle Spruit, v. d. Byl, 11691.

Phyllosticta Carissae Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 20; Sacc. Svll. Fung. III: 36.

on Carissa bispinosa (L.) Desf., Somerset East, MacOwan 1355, Type (S.A.M. 35085 as MacOwan 1354) Kew.

Phyllosticta Cepae Verw. & du Pless.

Verwoerd & du Plessis (1932) 315.

on Allium Cepa Linn., Stellenbosch, du Plessis (Stell. 587) Type.

Phyllosticta Cephalariae Wint.

Winter (1885 b) 32 : Sacc. Svll. Fung. X : 129.

on Cephalaria attenuata R. & S., Boschberg, MacOwan, Type (Rabenh, Fung, Eur. 3984) 4324, 21968, Kew.

Cephalaria ustulata R. & S., Rosslyn, Wager, 23152.

Phyllosticta Colae Verw. & du Pless.

Verwoerd & du Plessis (1933) 229 : Nel (1942) 103.

on Cola acuminata Schott. & Endl., Univ. Bot. Gard., Stellenbosch, du Plessis, Type, (Stell. 648; v. d. Byl 2661).

Phyllosticta degenerans Svd.

H. & P. Sydow (1912 a) 42; Sacc. Syll, Fung. XXV: 24.

on Pachycarpus sp., Dundee, Doidge, 1056, Type.

Phyllosticta Delphinii Clem.

Hopkins (1938 a) 117, (1939 a) 17.

on Delphinium cultorum Voss, Salisbury (Rh. 2016, 2020).

Phyllosticta Dianthi West.

Hopkins (1938 a) 117, (1939 a) 17; Doidge & Bottomley (1931) 17. on Dianthus caryophyllus Linn., Pretoria, Wager, 21246; Salisbury (Rh. 1815, 1998).

Phyllosticta Dioscoreae Cooke

on Dioscorea malifolia Bkr., Schagen, Liebenberg, 26313.

Phyllosticta Doxanthae Verw. & du Pless.

Verwoerd & du Plessis (1932) 316. on **Bignonia capreolata** Linn., Stellenbosch (Stell. 192) Type.

Phyllosticta Dryopteris Verw. & du Pless.

Verwoerd & du Plessis (1931) 292.

on **Dryopteris** sp., Stellenbosch, du Plessis (Stell. 477) Type.

Phyllosticta Eriobotryae Thuem.

on Eriobotrya japonica Lindl., Stellenbosch, Dippenaar.

Phyllosticta ficicola Pat.

Verwoerd & Dippenaar (1931) 292. on **Ficus carica** Linn., Stellenbosch, *du Plessis* (Stell. 473).

Phyllosticta gossypina Ell. & Mart.

Hopkins (1938 a) 117, (1939 a) 22.

sub Phyllosticta? Malkoffii Bubak, Eyles (1926) 637; Hopkins (1930) 523.

on Gossypium sp., Natal, Fuller, 1288; Glendale, Bindura, Darwendale, Hopkins; general in Rhodesia, Eyles, Hopkins.

Phyllosticta helvola (Berk. & Curt.) Tassi

on Annona senegalensis Pers., Tzaneen, Sampson, 5582.

Phyllosticta hesperidearum Penz.

Eyles (1926) 636.

on Citrus sinensis Osbeck, Mazoe, Eyles.

Phyllosticta hibiscina Ell. & Everh.

Hopkins (1939 a) 22.

on Hibiscus esculentus Linn., Banket, Hopkins.

Phyllosticta idaecola Cooke

Verwoerd (1929 b) 14; Doidge & Bottomley (1931) 29; Nel (1942) 103.

on Hibiscus rosa-sinensis Linn., Stellenbosch, Verwoerd (Stell. 103; v. d. Byl 1184), Dippe naar (Stell. 981).

Phyllosticta latospora Verw. & du Pless.

Verwoerd & du Plessis (1933) 230; Nel (1942) 103.

on Terminalia catappa Linn., Univ. Bot. Gard., Stellenbosch, du Plessis, Type (Stell. 652; v. d. Byl 2662).

Phyllosticta Magnoliae Sacc.

Verwoerd & du Plessis (1931) 293: Nel (1942) 103.

on Magnolia grandiflora Linu., Stellenbosch, Verwoerd (Stell, 425): Salisbury, v. d. Byl 2743.

Phyllosticta mali Prill. & Delacr.

on Pyrus malus Linn., Zwartkopjes, 734.

Phyllosticta Medicaginis (Fuck.) Sacc.

on Medicago sativa Linn., Jongensklip, Dippenaar,

Phyllosticta Nemophilae Dippenaar

Dippenaar (1931 c) 284.

on Nemophila insignis Benth., Stellenbosch, Verwoerd (Stell. 447). Nemophila sp., Stellenbosch, Dippenaar 33, Type (Stell. 944).

Phyllosticta Nepenthecearum Tassi

Verwoerd & du Plessis (1933) 230 : Nel (1942) 103.

on Nepenthes Goettingiana, Univ. Bot. Gard., Stellenbosch (Stell. 646; v. d. Byl 2663). Nepenthes gracilis Korthals, Stellenbosch (Stell. 633). Nepenthes Outramiana Williams, Stellenbosch (Stell. 638).

Phyllosticta Nicotianae Ell. & Everh.

Eyles (1924 b) 747, (1926) 649; Hopkins (1931 b) 55, 81, (1938 a) 117, (1939 a) 28; Nel (1942) 103.

on **Nicotiana Tabacum** Linn., Salisbury, *Eyles* (v. d. Byl 1325): Marandellas, Norton, Macheke, Lydiate, Banket, Concession, Mazoe, Inyazura, Lomagundi and Salisbury, *Hopkins, Eyles*.

Phyllosticta Odinae P. Henn. & Evans

Hennings (1908) 273; Sacc. Syll. Fung. XXII: 826.

on Lannea discolor (Sond.) Engl., Waterberg, Pole Evans, 44, Type: Barberton, Burtt Davy, 376, Kew.

Phyllosticta orbicularis Ell. & Everh.

? on Cucurbita Pepo Linn., Pretoria Distr., Malan, 33928.

Phyllosticta Owaniana Wint.

Winter (1885 b) 31 : Sacc. Syll. Fung. X : 120.

on Brabejum stellatifolium Linn., foot of Table Mt., MacOwan, Kew ex Herb. Winter.

Phyllosticta Perseae Ell. & Mart.

Doidge & Bottomley (1931) 10

on Persea americana Mill., Irene, Doidge, 2273.

Phyllosticta Persicae Sacc.

Cardoso (1945) 153.

on Prunus persica Sieb. & Zucc., Lourenço Marques, Guimarāis.

Phyllosticta phaseolina Sacc.

Eyles (1926) 631; Hopkins (1930) 415; Doidge & Bottomley (1931) 25.

on Mucuna pruriens DC., Umvukwes, Salisbury, Eyles.

Phaseolus limensis Macf., Umhlanga Rocks, Wager.

Phaseolus vulgaris Linn., Pretoria Distr., Doidge & Bottomley.

Phyllosticta prunicola Sacc.

Pole Evans (1906 a) 133; Doidge & Bottomley (1931) 9.

on Prunus Armeniaca Linn., Basutoland, Doidge & Bottomley, Potchefstroom and Pretoria, Pole Evans.

Prunus persica Sieb. & Zucc., Moçambique, Cardoso.

Phyllosticta Psidii Tassi

Verwoerd & du Plessis (1931) 292.

on Psidium Guajava Linn., Stellenbosch, Verwoerd (Stell. 477); Paarl, du Plessis (Stell. 552).

Phyllosticta pyrina Sacc.

Hopkins (1938 a) 117.

on Pyrus malus Linn., Umtali, Eyles 4248.

Phyllosticta rhoina Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 20; Sacc. Syll. Fung. III: 17.

on Rhus viminalis Vahl, Somerset East, MacOwan 1406, Type, 20816, Kew.

Phyllosticta Richardiae Halst.

van der Byl (1922 d) 287; Nel (1942) 103.

on Zantedeschia aethiopica Spreng., Stellenbosch, v. d. Byl 210.

Phyllosticta Rumicis Kalchbr.

? Nomen nudum in Herb. MacOwanianum.

on Rumex conglomeratus Murr., nr. Somerset East, MacOwan 1180, 21811.

Phyllosticta solitaria Ell. & Everh.

on Pyrus malus Linn., Invanga, Hopkins (Rh. 4357).

Phyllosticta sorghina Sacc.

P. Hennings (1903) 167.

on Sorghum vulgare Pers., Kakele R., between Kassinga and Goudkopje, Baum.

Phyllosticta Stanhopeae Allesch.

Verwoerd & du Plessis (1933) 230; Nel (1942) 103.

on Stanhopea oculata Lindl., Univ. Bot. Gard., Stellenbosch, du Plessis, (Stell. 639; v. d. Byl 2664).

Phyllosticta straminella Bres.

Hopkins (1938 a) 117, (1939 a) 40.

as Phoma straminella, Eyles (1926) 646.

on Rheum Rhaponticum Linn., Pretoria, Bottomley, 17025; Salisbury (Rh. 828, 2057); Theydon (Rh. 3035); Gwelo, Eyles; Lyndhurst, Johannesburg, Garnett 33920.

11101-20

Phyllosticta Tabaci Pass.

Hopkins (1931 b) 56, 81, (1938 a) 117, (1939 a) 28.

on Nicotiana tabacum Linn., Rhodesia, general.

Phyllosticta Terminaliae P. Henn.

P. Hennings (1903) 167.

on Terminalia Baumii Engl. & Gilg., between Kutue and Sobi, Baum 764, Type, Kew.

Phyllosticta Theobromae Alm. & Cam.

Verwoerd & du Plessis (1933) 231; Nel (1942) 103.

on **Theobroma Cacao** Linn., Univ. Bot. Gard., Stellenbosch, du Plessis, (Stell. 613; v. d. Byl 2665).

Phyllosticta Violae Desm.

van der Byl (1922 d) 287; Doidge & Bottomley (1931) 65; Verwoerd (1931 a) 301; Nel (1942) 103.

on Viola odorata Linn., Johannesburg, Daly, 10120; Salisbury (Rh. 529); Bloemfontein, Verwoerd; Stellenbosch, v. d. Byl; Elsenburg, v. d. Byl 89.

Phyllosticta sp.

Hopkins (1932) 464.

on Acroceras macrum Stapf, Rhodesia, Hopkins.

Phyllosticta sp.

Evles (1926) 638: Hopkins (1930) 524.

on Annona reticulata Linn., Southern Rhodesia, Eyles.

Phyllosticta sp.

Evles (1926) 644; Hopkins (1930) 526.

on Arachis hypogaea Linn., Enterprise, Eyles.

Phyllosticta sp.

Hopkins (1930) 418.

on Citrus sinensis Osbeck, Southern Rhodesia, Hopkins.

Phyllosticta sp.

Verwoerd (1929 b) 5.

on Cyclamen europaeum Linn., Bloemfontein, Verwoerd; Stellenbosch, Verwoerd.

Phyllosticta sp.

Hopkins (1930) 526.

on Hibiscus sp., Southern Rhodesia, Hopkins.

Phyllosticta sp.

van der Byl (1925 b) 196.

on Olea foveolata E. Mey., Knysna, v. d. Byl.

Phyllosticta sp.

Hopkins (1930) 416.

on Physalis peruviana Linn., Southern Rhodesia, Hopkins.

Phyllostictina concentrica (Sacc.) v. Höhn, var. lusitanica Alm.

Verwoerd & du Plessis (1931) 293.

on Hedera Helix Linn., Stellenbosch, Verwoerd (Stell. 254).

Pyrenochaeta Vanillae Verw. & du Plessis

Verwoerd & du Plessis (1933) 231; Nel (1942) 104.

on Vanilla planifolia Andr., Univ. Bot. Gard., Stellenbosch, du Plessis, Type (Stell. 635; v. d. Byl 2697).

PHAEOSPORAE.

Chaetomella Artemisiae Cooke

Cooke (1882 a) 123; Sacc. Syll. Fung. III: 322.

on Artemisia afra Jacq., Inanda, Medley Wood 572, Type, 10173, Kew.

Chaetomella Tritici Ten. & Dan.

on Avena sativa Linn., roots, Stellenbosch, Gorter, 33354.

Cincinnobella sp.

on Englerula Macarangae P. Henn. on Macaranga capensis, Eshowe, Laughton, 33112.

Coniothyrina Agaves (Dur. & Mont.) Petr. & Syd.

du Plessis (1933 f) 206; Nel (1942) 101.

on Agave americana Linn., Jongensklip, Caledon, du Plessis (Stell. 619: v. d. Byl 2682).

Conjothyrium Fuckelii Sacc.

Hopkins (1930) 649; Doidge & Bottomley (1931) 55; Cardoso (1937) 156,

(1938) 75, (1939) 45, (1945) 162.

on Rosa sp., Stutterheim, Hodgson, 23697: Aliwal North, Bekker, 15502; Bergville, Voortman, 25460: Modderbee, Turner, 25459; Heidelberg, Weakley, 25480: Tarlton, Walshe, 26636; Springs, Hogg, 26635; Benoni, v. d. Berg, 30446; Bethal, Bean, 15501: Bloemfontein, Tidmarsh, 23345, Bottomley, 25926: Maseru, Wacher, 25933; Maraisberg, Haywood, 33767; Southern Rhodesia, Hopkins; Sul do Save, Cardoso; Lourenço Marques, Frias.

on Pyrus malus Linn., Bethlehem, v. d. Merwe, 27268.

Coniothyrium insigne Syd.

H. Sydow (1924 c) 431; van der Byl (1925 b) 196; Petrak & Sydow (1927) 384;
J. Phillips (1931) 160: Nel (1942) 101.

on Ocotea bullata E. Mey., Knysna, v. d. Byl 1380, Type.

Conjothyrium occultum Syd.

H. Sydow (1937) 281.

on Phyllachora Doidgeae Syd. on Cymbopogon marginatus (Steud.) Stapf: Donkerpoort, Doidge & Bottomley, 29744.

Phyllachora heterospora P. Henn., on Panicum maximum Jacq., Schagen, Liebenberg, 26096.

Coniothyrium palmicolum (Fr. pr. p.) Starb.

Cardoso (1945) 159.

on Cocos nucifera Linn., on leaves, Zambesi region (det. S. da Camara).

Coniothyrium rafniicola (P. Henn.) Petrak

Petrak & Sydow (1927) 396.

Sphaeropsis rafniicola P. Hennings (1898) 295; Sacc. Syll. Fung. XVI: 906. on Rafnia sp., Piquetberg, Schlechter.

Cytoplea Adeniae du Plessis

du Plessis (1933 f) 206 ; Nel (1942) 101.

on Adenia sp., Stellenbosch, du Plessis, Type (Stell. 799; v. d. Byl 2668).

Epistigme nidulans Syd.

H. Sydow (1924 c) 432; Petrak & Sydow (1927) 321; Nel (1942) 102. on **Rhus viminalis** Vahl, Genadendal, *Verwoerd*, Type (Stell, 112; v. d. Byl 1255).

Haplosporella hesperidica Speg.

on Citrus sinensis Osbeck, Durban, Doidge, 27292, Wayne, 17019.

Lasmeniella globulifera (Rabenh.) Petrak & Syd.

Lasmeniella Pterocarpi Petrak (1929) 395.

associated with

Endodothella Deightonii Syd., on Albizzia gummifera (Gmel.) C. A. Sm., Verulam, Pole Evans, 6829: Phoenix, Wager, 33097.

Phyllachora Halsei Doidge on Acacia robusta Burch., Umzinto, McClean, 30116; on Acacia Benthami Roxb., Scottburgh, Halse, 30380; on Acacia Gerrardi Benth., Nkwaleni Valley, McClean, 33089.

Phyllachora Pterocarpi Syd. on Pterocarpus rotundifolius (Sond.) Druce, Schagen, Liebenberg, 26014; Nelspruit, Doidge, 32402.

Oothecium Macarangae Petr.

(Conidial form of Englerula Macarangae P. Henn.) on Macaranga capensis Sim, Eshowe, Laughton, 34112.

Oothecium stylosporum (Cooke) Doidge

Doidge (1942) 327.

? Asterina stylospora Cooke (1882 a) 129; Sacc. Syll. Fung. IX: 393.

Oothecium consimile Syd., H. Sydow (1930) 443.

on Trema guineensis (Schum.) Ficalho, Inanda, Medley Wood 564. Type. 793, 9499, 10191, Kew; Verulam, Pole Evans, 6801; Krantzkloof, Doidge, 9101; Eshowe, Laughton, 33516.

Sphaeropsis corticalis (Kalchbr. & Cooke) Sacc.

Sacc. Syll. Fung. (1884) 302.

Macrodiplodia corticale Kalchbrenner & Cooke (1880) 18; Medley Wood (1898) 18. on bark, Somerset East, MacOwan 522; Natal, Medley Wood 138, Type, Kew ex Herb. Kalchbr.

Sphaeropsis malorum Peck

Pole Evans (1908 b); Verwoerd (1929 b) 13; Doidge & Bottomley (1931) 28; Verwoerd & Dippenaar (1930 b) 1-16; du Plessis (1936) 16; Eyles (1926) 630.

Haplosporella mali (West.) Petrak & Sydow, Hopkins & Bacon (1938) 453. see also *Physalospora obtusa* (Schw.) Cooke

on Cydonia oblonga Mill., fairly common in the Cape Province.

Pyrus communis Linn., Inyanga (Rh. 3751); Umtali (Rh. 3431); Stellenbosch, Dippe-

naar (Stell. 986); Berlin, 26581.

Pyrus malus Linn., Johannesburg, Pole Evans, 14108, Rocher, 17792, Ordish, 25982; Mountain View, 1875; Baviaans Kloof, Pole Evans, 2444; Pyramids, Leith, 26338; Henley-on-Klip, Hendey, 26643; White River, Talbot, 2380; Godwan River, Wager, 25996; Pietersburg, Munnik, 7085; Lichtenburg, du Preez, 30130; Aliwal North, Kinlock, 18051; Joubertina, Bottomley, 33268; Krakeel, Pienaar, 2380; Groot Drakenstein, Pickstone, 9172; Elsenburg, Tribolet, 9786; Simondium, Baker, 12519; Montagu, George, Elgin, Verwoerd; Stellenbosch, Verwoerd (Stell. 319); Grahamstown, Wallace, 17281; Kruis Rivier, Rens, 24911; Maritzburg, J. M. Sim, 10078; Town Bush Valley, Dungan, 20670; Buccleuch, J. M. Sim, 9784 b, 10046; Muden, Röttcher, 2199, 2374; Nottingham Road, Greene (v. d. Byl 648) 31875; Cashel (Rh. 3437); M'soneddi (Rh. 3485, 3530, 3532); Salisbury (Rh. 3626).

Vitis vinifera Linn., Worcester, Verwoerd; Constantia, du Plessis (Stell. 1047); Breede

Rivier, Verwoerd (Stell. 384); Stellenbosch, Verwoerd (Stell. 393).

Sphaeropsis Mappae Cooke

Cooke (1882 a) 123.

on Macaranga capensis Benth., Inanda, Medley Wood 619, Type, 804, 10657, Kew.

Sphaeropsis sp.

Doidge & Bottomley (1931) 29.

on Psidium Guajava Linn., on fruit, Transvaal.

HYALODIDYMAE.

Ascochyta Alkekengi Massal:

on **Physalis peruviana** Linn., Stellenbosch, *Dippenaar* (Stell. 839, 850); Paarl, *du Plessis* (Stell. 820).

Accochyta atropunctata Wint.

Winter (1885 b) 32; Sacc. Syll. Fung. X: 299.

on Osteospermum moniliferum Linn., Table Mt., MacOwan.

Ascochyta Calpurniae Wint.

Winter (1885 b) 32; Sacc. Syll. Fung. X: 296.

on Calpurnia sylvatica E. Mey., Boschberg, MacOwan, Type.

Ascochyta Caricae Pat.

Hopkins (1943) 182.

Phoma caricina Hopkins (1938 c) 128, (1938 a) 115, (1939 a) 9.

on Carica Papaya Linn., Salisbury (Rh. 3544) 4465; Hartley, Hopkins (Rh. 4961); Shamva, Glendale, Hopkins; Zeerust, Wickert, 34326.

Ascochyta Cherimoliae Thuem.

Hopkins (1938 a) 116.

on Annona reticulata Linn., Salisbury, Eyles 6698.

Ascochyta citricola McAlp.

Eyles (1926) 633; Hopkins (1930) 417.

on Citrus sinensis Osbeck, Mazoe, Eyles; Southern Rhodesia, Hopkins.

Ascochyta Kentiae Maubl.

Verwoerd & du Plessis (1933) 222 : Nel (1942) 101.

on Roystonia regia O. F. Cook, Univ. Bot. Gard., Stellenbosch, du Plessis, (Stell. 637; v. d. Byl 2675).

Ascochyta Nicotianae Pass.

on **Nicotiana Tabacum** Linn., seedlings, Wellington and Elsenburg, *Dipperaar*, (Stell, 1005, 1029).

Ascochyta Papaveris Oud.

on Papaver nudicaule Linn., on leaf and flower, South-western Cape, Dippenaar.

Ascochyta parasitica Fautr.

Hopkins (1938 a) 116, (1939 a) 4, on **Althaea rosea** Cay., Concession (Rh. 1930).

Ascochyta Pisi Lib.

Van der Byl (1922 d) 287; Verwoerd (1929 b) 16, 20, (1931 a) 300: Doidge & Bottomley (1931) 47: Hopkins (1930) 528, (1938 a) 116, (1939 a) 21, 32, (1943) 188: Dippenaar (1931) 9: Nel (1942) 101.

on Pisum sativum Linn., Stellenbosch, Buller, 8830, r. d. Byl 30, Verwoerd (Stell, 360), Dippenaar (Stell, 596, 833, 1006), Slabbert (Stell, 895): Umhlanga Rocks, Cavendish, Phoenix, Wager: Kentani, Pegler 2443, 10991: Duivelskloof, Wager, 25448: Pretoria, Doidge: Bloemfontein, Verwoerd: Southern Rhodesia, Hopkins.

Glycine Max Merr., Salisbury (Rh. 2334).

? on Lupinus angustifolius Linn., Štellenbosch, Dippenaar (Stell. 979).

on Phaseolus aureus Roxb., Natal.

Phaseolus limensis Macf., Cedara, v. d. Byl 1111, 1115; Salisbury (Rh. 2341).

Vigna unguiculata (L.) Walp., Cedara, Staples (Stell, 32) 15429; Potchefstroom, Saunders 27575.

Corrollospora maritima Werd.

Nel (1942) 101.

on wood from an old wreck, washed up on beach, Bloubergstrand, v. d. Byl 2628.

Darluca filum (Biv.) Cast.

Cooke (1879 b) 70, (1880) 14; Kalchbrenner (1882 a) 147; Sacc. Syll. Fung. III: 410; P. Hennings (1903) 168: Hopkins (1938 a) 116, (1939 a) 51.

Darluca vagans Cast., von Thuemen (1878 a) 358.

see also Eudarluca australis Speg.

on Accidium Oxalidis Thuem, on Oxalis purpurata Jacq., Somerset East, MacOwan 1042.

?onAecidium Vignae Cooke on Sphenostylis marginata E. Mey., Inanda, Medley Wood 115 Kew. (almost certainly an immature stage of Parodiella perisporioides, fide Kew), on Melampsora Ricini Pass, on Ricinus communis Linn., Skinner's Court. Pole Evans, 384.

Puccinia erythraeënsis Pazschke on *Hyparrhenia filipendula* Stapf. Southern Rhodesia, *Hopkins*.

Puccinia graminis Pers. on Dactulis glomerata L., Skinner's Court, 392.

Puccinia oahuensis Ell. & Everh. on Digitaria Pentzii Stent, Salisbury (Rh. 2085).

Puccinia Pruni-spinosae Pers., on Prunus salicina Lindl., Kokstad, Paine, 32503

Pucciniosira Dissotidis Wakef., on Dissotis longicauda Cogn., Kampuluvu, Baum 800.

Uredo sp. on Pycreus polystachyus Beauv., Knysna, Bottomley, 32424.

Uromyces appendiculatus (Pers.) Link on Phaseolus vulgaris Linn., Natal, Medley Wood 89.

Uromyces caryophyllinus (Schrank.) Wint. on Dianthus caryophyllus Linn., Rustenburg, Stroth, 25927.

Uromyces leptodermus Syd. on Brachiaria dictyoneura Stapf, Salisbury, (Rh. 3399).

Uromyces Ipomoeae (Thuem.) Berk, on Ipomoea oenotheroides (L.f.) Rafin, Klein Vis Rivier, MacOwan 1226.

Common on Uredineae in wet seasons, especially in the uredo-sori.

PHAEODIDYMAE.

Botryodiplodia Oncidii (P. Henn.) Petrak & Syd.

Verwoerd & du Plessis (1933) 223.

on Oncidium concolor Hook., Stellenbosch, du Plessis (Stell, 612).

Botryodiplodia Palmarum (Cooke) Petrak & Svd.

Petrak & Sydow (1926) 164.

Macrophoma Palmarum (Cooke) Berl. & Vogl., H. & P. Sydow (1909) 546; Cardoso (1945) 159.

on Acanthophoenix rubra H. Wendl., Durban, v. d. Byl 496, 31779.

Cocos nucifera Linn., Maracuene, Howard, 488; Zambesi Region (det. S. da Camara); Inhaca Is., Mogg. 34153.

Botryodiplodia Theobromae Pat.

Hopkins (1930) 650, (1938 a) 116, (1939 a) 4, 6, 12, 13, 16, 34; Cardoso (1945) 160. on Aleurites Fordii Hemsl., Salisbury (Rh. 2541).

Araucaria braziliana A. Rich., Salisbury (Rh. 1694).

Citrus maxima Merr., Macequece (Rh. 899, 991, 992, 993).

Citrus sinensis Osbeck, Rhodesia, general, Hopkins.

Cupressus arizonica Greene, M'Sasa (Rh. 1546).

Cupressus macrocarpa Hartw., Salisbury (Rh. 2316).

Dillenia indica Linn., Lourenço Marques, Tinoco.

Eriobotrya japonica Lindl., Capetown, Davies, 18181.

Pittosporum undulatum Vent., Salisbury (Rh. 636, 1261).

Thea sinensis Linn., Rhodesia, Hopkins.

Diplodia Aurantii Catt.

Doidge & van der Plank (1936) 18: Hopkins (1938 a) 116, (1939 a) 11, 13.

on Citrus maxima Merr., on twigs, Umtali (Rh. 1081).

Citrus sinensis Osbeck, on twigs or isolated from fruit, Umtali (Rh. 996); Pretoria, Doidge.

Diplodia clematidea Sacc.

Sacc. Svll. Fung. III (1884) 368.

Diplodia Clematidis Kalchbrenner & Cooke (1880) 19, not Saccardo.

on Clematis brachiata Thunb., Somerset East, MacOwan 1358, Kew.

Diplodia herbarum (Corda) Lév.

Dippenaar (1931 c) 287.

on Dianthus caryophyllus Linn., Stikland, Dippenaar.

Diplodia lichenopsis Cooke & Mass.

Verwoerd (1929 b) 23; Doidge & Bottomley (1931) 52; Nel (1942) 101.

on Acacia saligna Wendl., Somerset Strand, Verwoerd (Stell. 88: v. d. Byl 1168); Stellenbosch, du Plessis (Stell. 983).

Diplodia Monsterae Verw. & du Pless.

Verwoerd & du Plessis (1930 a) 327.

on Monstera deliciosa Liebm., Stellenbosch, Verwoerd (Stell. 387) Type.

Diplodia natalensis Pole Evans

Pole Evans (1910 a): Sacc. Syll. Fung. XXII: 992: Eyles (1926) 633: Doidge (1929 b) 323: Doidge & Bottomley (1931) 27, 34, 39, 43, 45, 64; Doidge & van der Plank (1936) 18: Bates (1937 a) 157, (1937 b) 176, 194; Hopkins (1938 a) 116, (1939 a) 11, 13, (1943) 178, 182.

on Aleurites Fordii Hemsl., Salisbury, Hopkins.

Citrus Limonia Osbeck, Verulam, Pole Evans; Nelspruit, Loest, 33556, 33557.

Citrus maxima Merr., Umtali (Rh. 1080, 1082, 1083); Mazoe, Bates.

Citrus nobilis Lour. var. deliciosa Sw., Natal coast.

Citrus sinensis Osbeck, Warner Beach, Pole Evans, 7382: Pretoria, Bredell, 5131: Mazoe, Bates (Rh. 1487) 25956: Godwan River, Loest, 29975: Martizburg, Wager, 33298; Zebediela, Loest, 33558: Umtali, Hopkins (Rh. 1003).

Poncirus trifoliata Raf., on twigs, Durban.

Diplodia palmicola Thuem.

Pole Evans (1914) 154: Cardoso (1939) 44, (1945) 159.

on Cocos nucifera Linn., Zambesi Region (det. S. da Camara): Moçambique, Cardoso; Quelimane, Pole Evans; Nhula, Guimarāis.

Diplodia pinea (Desm.) Kickx.

H. & P. Sydow (1909) 547; Fisher (1912) 389, (1931 a) 301; Verwoerd (1929 b) 22, (1931 a) 301; Doidge & Bottomley (1931) 50; Nel (1942) 102; Hopkins (1943) 188.

Sphaeropsis pinicola Speg., Laughton (1936) 377.

Macrophoma pinea (Desm.) Petrak & Sydow (1926) 116.

on Araucaria braziliana A. Rich., Salisbury, Hopkins.

Pinus canariensis C. Smith, Fort Cunynghame, 6605.

Pinus caribaea Morelet, Brooklands, Bottomley, 32046.

Pinus halepensis Mill., Fort Cunynghame, 6591. 6668: Evelyn Valley Plantation, D.F.O., 8946: Stutterheim, Laughton, 33390.

Pinus leiophylla Schlecht. & Cham., Cedara, D.F.O., 14692, 17012.

Pinus longifolia Roxb., Waterfall Estate, nr. Sabie, Bottomley, 32047.

Pinus Montezumae Lamb, Cedara, D.F.O., 14826.

Pinus muricata Don., Cedara, D.F.O., 14827.

Pinus oocarpa Schiede, Cedara, D.F.O., 14829.

Pinus oocarpa var. microphylla, Cedara, D.F.O., 14830.

Pinus palustris Mill., Fort Cunynghame, 6669.

Pinus patula Schiede, Pilgrim's Rest, D.F.O., 26632, Bottomley, 32048; Brooklands. Bottomley, 32043; Rosehaugh, Bottomley, 32044; near Sabie, Bottomley, 32045.

Pinus pinaster Ait., Harrismith, 913: Cedara, Fisher, 2101, D.F.O., 14832, 17010;
 Nqadu Heights, D.F.O., 5158, 14822: Fort Cunynghame, 6606; Kokstad, D.F.O., 10038; Fort Donald, D.F.O., 18026; George, D.F.O., 26859; Kleinplaat. George, Knysna, Laughton, 33283; Knysna, Laughton, 33237.

Pinus pinaster var. Hamiltoni, Cedara, D.F.O., 12513.

Pinus pseudostrobus Lindl., Cedara, D.F.O., 17011.

Pinus pseudostrobus var. tenuifolia, Cedara, D.F.O., 14828.

Pinus radiata Don., Fort Cunynghame, 6691; Evelyn Valley Plantation, D.F.O., 8947; Ntywenka Plantation, D.F.O., 26308; Stutterheim, Laughton, 33402; Isidenge Plantation, D.F.O., 26172; Hogsback, D.F.O., 26857, Kew; Katberg, D.F.O., 27357; Geelhoutboomberg, D.F.O., 26858, Kew: Brooklands, Bottomley, 32042; Cedara, D.F.O., 14831; Woodbush, D.F.O., 15445; Belfast, D.F.O., 11333; Lourenço Marques, Hardenberg, 21244; Knysna, Verwoerd (Stell. 415), J. Phillips (v. d. Byl 2477); Mtao, Hopkins.

Pinus Sabiniana Dougl., Fort Cunynghame, 6671. Pinus Thunbergii Parl., Fort Cunynghame, 6671.

Pinus spp., White River, Gazalet, 25893; Maritzburg, D.F.O., 30846; Komgha, Crewe, 27812; Durban, v. d. Byl 395.

Diplodia sarmentorum Fr.

on Citrus sinensis Osbeck, bark of dead Valencia Late twigs, Mazoe, Bates, 33580, and in culture, 34007.

Diplodia tubericola (Ell. & Ev.) Taubenh.

U.S. Dept. Agric. (1941) 58.

? as Diplodia sp., U.S. Dept. Agric. (1932) 354.

on Ipomoea batatas Poir., intercepted in United States on tubers from South Africa; not recorded locally.

Diplodia variispora Died.

on Syzygium cordatum Hochst., Eshowe, McClean, 33092.

Diplodia Vignae Sacc.

Saccardo (1904) 7; Sacc. Syll. Fung. XXII: 995. on **Vigna unguiculata** (L.) Walp., Lourenço Marques, *Moller*.

Diplodia Zeae (Schw.) Lév.

Pole Evans (1911 b) 258; van der Byl (1914), (1916 b); Mitchell (1918 a) 425;
Eyles (1926) 642; Theiler (1927) 1; Doidge & Bottomley (1931) 36; Verwoerd (1931 a) 301; Watt & Breijer-Brandwyk (1932) 215; Steyn (1934) 171, 173; Hopkins (1938 a) 116, (1939 a) 49; Cardoso (1939) 45, (1945) 149; Nel (1942) 102.

Diplodia Maydis Sacc., Pole Evans (1913 b) 172.

on Zea Mays Linn., Mooi River, 5177; Ixopo, Pole Evans, 5628, Schofield (v. d. Byl 504) 30787; Potchefstroom, Burtt Davy, 924, 12246, Verwoerd (Stell. 79); Middelkop, Mogg, 20440, 20997; Pretoria, 33368, de Villiers, 25472, 25425; Roodekuil Estate, Warmbaths, Bottomley, 18132; Malkerns, Carrington, (v. d. Byl 395 a) 19844; Bloemfontein, Verwoerd; Pretoria, 33368; Piet Retief, Sands, 33892; Hunyani (Rh. 1094); Salisbury, Mundy, 14110, (Rh. 1376); Chakari (Rh. 1370); Arcturus (Rh. 1374); Norton (Rh. 1397); Moçambique, Cardoso; Umbeluzi, Oliveira.

Microdiplodia rikatliensis Petrak

Petrak (1927) 293.

on Dialium Schlechteri Harms., Rikatli, Junod, 11726, Type.

HYALOPHRAGMIAE.

Septoriella striiformis (Syd.) Sacc.

Sacc. Svll. Fung. XXV: 480.

Linochorella striiformis Syd., H. & P. Sydow (1912 a) 44; Doidge & Bottomley (1931 57.

on Heteropogon contortus R. & S., Skinner's Court, Pole Erans, 1179, Type.

Stagonospora Atriplicis (West.) Lind

Hopkins (1939 a) 45.

on Syzygium guineense (Willd.) DC., Umtali, Hopkins.

Stagonospora cryptogea Svd.

H. Sydow (1939 a) 190.

on Phyllachora Doidgeae Syd. on leaves of Cymbopogon marginatus Stapf. Donkerpoort, Doidge & Bottomley, 29744, Type.

Stagonospora Kentiae Maubl.

Hopkins (1938 a) 118.

on Phoenix sp., Salisbury, (Rh. 798).

Stagonospora nerinicola Dipp.

Dippenaar (1931 c) 286 : Nel (1942) 106.

on Nerine sarniensis Herb., Stellenbosch, Dippenaar (Stell, 523, 918, 919; v. d. Byl 2613) Type; Wynberg, Verwoerd (Stell, 404).

Phaeophragmiae.

Hendersonia Magnoliae Sacc.

Verwoerd & du Plessis (1931) 291 : Nel (1942) 102.

on Magnolia grandiflora Linn., Wynberg, Verwoerd (Stell. 465; v. d. Byl 2743).

Hendersonia Osteospermi Wakef.

Wakefield (1922) 165: van der Byl (1925 b) 196; Nel (1942) 102, on **Osteospermum** sp., Keurboomsrivier, v. d. Byl 409.

Hendersonia Rubi West.

Pole Evans (1914) 151.

on Rubus loganobaccus Bailey, Stellenbosch.

Hendersonia sparsa Wint.

Winter (1885 b) 33 : Sacc. Svll. Fung. X : 328.

on Bobartia spathacea Ker., Table Mt., MacOwan, Type.

Hendersonia Wistariae Cooke

Verwoerd & du Plessis (1931) 291.

on Wisteria sinensis Sweet, Stellenbosch, du Plessis, (Stell. 474).

Hendersonula toruloidea Nattrass

Bates (1937 b) 200; Fawcett (1936) 464,

on Citrus sinensis Osbeck, fruit, Mazoe, Bates.

PHAEODICTYAE.

Thyrococcum humicola Buchanan

on Triticum aestivum Linn., roots, Stellenbosch, Gorter, 33364.

SCOLECOSPOREA.

Cryptogene Parodiellae Syd.

H. Sydow (1939 b) 240; Hopkins (1939 a) 51.

on Parodiella perisporioides (Berk. & Curt.) Speg. on Dolichos lupiniflorus N.E. Br., Sinoia, Hopkins 2239, 2832, Type, 31052 a, 31053 a.

Cryptogenella Parodiellae Syd.

H. Sydow (1939 b) 241; Hopkins (1939 a) 51.

on Parodiella perisporioides (B. & C.) Speg. on Dolichos lupiniflorus N.E. Br., Sinoia, Hopkins 2239, 2832, Type, 31052 b, 31053 b.

Linochora Doidgei Syd.

H. & P. Sydow (1912 a) 43.

on Restio sp., Bain's Kloof, Doidge, 1219.

Septoria Antirrhini Desm.

Verwoerd (1929 b) 25, (1931 a) 301; Doidge & Bottomley (1931) 57; Nel (1942)

on **Antirrhinum majus** Linn., Pretoria, Wager, 21576; Port Elizabeth, Bishop, 33238; Wellington, Davies, 27265; Bloemfontein, Verwoerd; Claremont, Verwoerd (Stell. 358); Stellenbosch, Dippenaar (Stell. 970), v. d. Byl 2064; Elsenburg, Dippenaar (Stell. 1002); Hopefield, v. d. Byl 2601.

Septoria Apii Chester

Doidge & Bottomley (1931) 17; Hopkins (1938 a) 117, (1939 a) 5.

Septoria Petroselini Desm. var. Apii Br. & Cav., Verwoerd (1929 b) 10, (1931 a) 300.

on Apium graveolens Linn. var. dulce DC., Pretoria, Pole Evans, 6923, 6970, Doidge, 27677; Stellenbosch, Verwoerd (Stell. 8) and du Plessis; Dieprivier, Cape Flats, Wellington, Verwoerd; Port Elizabeth, Barron, 33900; Cavendish, Wager, 32714; Johannesburg, 33901; Pinetown, Wager; Salisbury, Hopkins; Rhodesia general, Hopkins.

Septoria Apii-graveolentis Dorogin

U.S. Dept. Agric. (1944) 32.

on Apium graveolens Linn. var. dulce DC., intercepted in the United States on material from South Africa.

Septoria Aracearum Sacc.

? as Septoria Ari Desm., Doidge & Bottomley (1931) 10; Nel (1942) 104.

? as Septoria Richardiae, Verwoerd (1929 b) 7.

on Zantedeschia aethiopica (L.) Spreng., Kentani, Pegler 2359, Kew; Stellenbosch, Eyles (Stell. 37), du Plessis (Stell. 939); Somerset West, Kuilsrivier, Frenchhoek, Wellington, Verwoerd; Paarl, du Plessis (Stell. 835); Tulbagh, Dippenaar (Stell. 504, 938); Storms River, Laughton, 34222.

Zantedeschia sp., Stellenbosch, Eyles (v. d. Byl 1116); Wellington, Doidge, 985.

Septoria Atriplicis (West.) Fuck.

Verwoerd & du Plessis (1931) 295.

on Chenopodium murale Linn., Umtata, Pegler 2401, 9736; Stellenbosch, v. d. Byl 99, Verwoerd (Stell. 322), du Plessis (Stell. 876), Dippenaar (Stell. 869); Paarl, Verwoerd (Stell. 466); Ceres, Verwoerd (Stell. 467).

Septoria Avenae Frank

Verwoerd & du Plessis (1933) 232.

on Avena sativa Linn., Stellenbosch, Dippenaar (Stell. 630): Malmesbury, Moorreesburg, Verwoerd & du Plessis.

Septoria Azaleae Vogl.

Verwoerd (1931 a) 300.

on Rhododendron indicum Sweet, Bloemfontein, Verwoerd.

Septoria Bambusae Verw. & du Pless.

Verwoerd & du Plessis (1931) 295; Verwoerd (1931 a) 301.

on Bambusa Balcooa Roxb., Stellenbosch, Verwoerd (Stell, 468) Type; Brandfort, Verwoerd (Stell, 291).

Septoria Buddleiae Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 20; Sacc. Syll. Fung. III: 498.

Depazea Buddleyae Thuem., von Thuemen (1876 b) 571, (1879) 127.

on Buddleia salvifolia Lam., Somerset East, MacOwan 1251 c, Type (Thuem. Myc. Univ. 1093; Rabenh. Fung. Eur. 2894) Kew.

Septoria Byliana Syd.

H. Svdow (1924 a) 238 : Nel (1942) 104.

on Gunnera perpensa Linn., Genadendal, Verwoerd, Type (Stell. 143; v. d. Byl 1279).

Septoria capensis Wint.

Winter (1885 b) 33 : Sacc. Svll. Fung. X : 350.

on Zizyphus mucronata Willd., Cape, MacOwan; ? Schagen, Liebenberg, 32877.

Septoria Caryophylli Scalia

on Dianthus caryophyllus Linn., Nelspruit, Stanford, 30639.

Septoria Cephalariae Kalchbr.

in Herb. Kew, nom. nud.

on Cephalaria attenuata (L.f.) R. & S., Cape, MacOwan 1338, Kew.

Septoria cercosporioides Trail

Dippenaar (1931 c) 285; Nel (1942) 104.

on Chrysanthemum Leucanthemum Linn., Stellenbosch, Verwoerd (Stell. 420), du Plessis (Stell. 506, 935), v. d. Byl 2609.

Septoria Chenopodii West.

Nel (1942) 104.

on Chenopodiaceae undet., Helderberg, Stellenbosch, v. d. Byl 99.

Septoria Chrysanthemi Allesch.

Cardoso (1945) 161.

Septoria chrysanthemella Sacc., Verwoerd (1929 b) 10; Doidge & Bottomley (1931) 16, 56; Hopkins (1938 a) 117, (1939 a) 10, (1943) 182; Cardoso (1939) 45.

on Chrysanthemum maximum Ram., Pretoria, Doidge, 29950, 32806, Wager, 22832.

Chrysanthemum morifolium Ram., Pretoria, Bottomley, 21249, 23226, 25428, 33491; Johannesburg, Hingst, 28611; Maritzburg, Mayne, 9689; Wellington, Verwoerd; Salisbury (Rh. 1099); General in Southern Rhodesia, Hopkins; Moçambique, Cardoso; Lourenço Marques, Mota.

Septoria Citri Pass.

Bates (1937 b) 202; U.S. Dept. Agric. (1941) 63.

on Citrus Limonia Osbeck, intercepted in the United States on lemons from South Africa. ?on Citrus sinensis Osbeck, Mazoe, Bates.

Septoria Citrulli Ell. & Everh.

on Cucurbita Pepo Linn., Cedarmont, Garnett, 10030.

Septoria Cotyledonis Wakef.

Wakefield (1931) 203; Nel (1942) 104.

on Cotyledon orbiculata Linn., Elsenburg, v. d. Byl 890, Kew.

Septoria Cucurbitacearum Sacc.

Hopkins (1938 a) 117.

on Cucurbita Pepo Linn., Concession (Rh. 347); Salisbury (Rh. 2295).

Septoria Dianthi Desm.

Eyles (1926) 632; Doidge & Bottomley (1931) 17, 60; Verwoerd (1931 a) 301; Hopkins (1938 a) 117, (1939 a) 17; Nel (1942) 104.

Ascochyta Dianthi Berk., Doidge & Bottomley (1931) 17.

on Dianthus barbatus Linn., Bloemfontein, Verwoerd.

Dianthus caryophyllus Linn., Pretoria, Pole Evans, 131; Vereeniging, 1527; Duivelskloof, Guebille, 23700; Grahamstown, Jolly, 29925; Uitenhage, Schmutz, 23399; Nelsrust, Dickenson, 10720; Maritzburg, Schultz, 29716; Ladysmith, Bright, 34163. 29717, Smutz, 30428; Mamathes, Hean, 30769; Bloemfontein, Verwoerd; Stellenbosch, Verwoerd (Stell. 189), du Plessis (Stell. 868), v. d. Byl 1887; French Hoek, Dippenaar (Stell. 937); Salisbury, Eyles (Rh. 2344, 2905); Moçambique, Cardoso; Lourenço Marques, Mota.

Septoria Doehlii Syd.

as Septoria sp., v. d. Byl (1922 d) 187.

? on Silene gallica Linn., Kentani, Pegler 2451, 10995; Stellenbosch, v. d. Byl.

Septoria Drummondii Ell. & Everh.

Verwoerd (1929 b) 22, (1931 a) 301; Hopkins (1938 a) 117, (1939 a) 33; Doidge

& Bottomley (1931) 50.

on Phlox Drummondii Hook., Pretoria, *Doidge*, 26085; Prinshof, *Hean*, 30650; Johannesburg, *Rainier*, 30252, Schreiber, 34179; Durban, *McClean*, 30775; Sunnyside, Pretoria, *Bathurst*, 33761; Bloemfontein, *Verwoerd*; Salisbury (Rh. 1598) Kew.

Septoria Evansii Syd.

H. & P. Sydow (1912 c) 442; Sacc. Syll. Fung. XXV: 450.

on Chrysophyllum Magalismontanum Sond., Wapadsnek, Pienaar, Type, 1975: Barberton, r. d. Byl, 5133.

Septoria fructigena Berk. & Curt.

Septoria Passiflorae Louw (1941) 33.

on Passiflora edulis Sims., Elim, Thomas, 33453; Entumeni, Fry, 33775; Frenchhoek, Louw (Stell, 1063); Stellenbosch, Nel (Stell, 841); George, Clifton (Stell, 1037).

Passiflora quadrangularis Linn., Durban, 1014; Elim, Mingard, 28647.

Passiflora quitensis, Frenchhoek, Stellenbosch, Louw.

Part of the type collection of Septoria Passiflorae Louw was examined at the I.M.I. and found not to differ from S. fructiquea Berk. & Curt.

Septoria Gerberae Syd.

H. & P. Sydow (1912 a) 43: Sacc. Syll. Fung. XXV: 416: Doidge & Bottomley (1931) 11; Verwoord (1931 a) 301: Dippenaar (1931 c) 286; Hopkins (1938 a) 117, (1939 a) 20, (1943) 185; Nel (1942) 105.

on Gerbera Burmanni Cass., Stellenbosch, Dippenaar (Stell. 913).

Gerbera discolor Sond., Salisbury, Hopkins (Rh. 5553).

Gerbera Jamesoni Bolus, Pretoria, Pole Evans, 24, Doidge, 9697; Barberton, Doidge, 2013; Kaapmuiden, Hulley, 27579; Durban, v. d. Byl 484, 1284, 31773; Maritzburg, Schmutz, 30097; Chase Valley, Wager, 33286; Grootfontein, nr. Harrismith, v. d. Byl, 2312; Bloemfontein, Verwoord; Paarl, Cape Town, Caledon, Wynberg, Verwoord; Stellenbosch, Verwoord (Stell, 58); Salisbury, Hopkins (Rh. 137) Kew; general in Southern Rhodesia, Hopkins.

Septoria Gladioli Pass.

on Gladiolus sp., Stellenbosch, Dippenaar (Stell. 1000).

Septoria Gomphocarpi P. Henn.

P. Hennings (1902) 39.

on Gomphocarpus sp., Clanwilliam, Diels 571 a, Type.

Septoria graminum Desm.

van der Byl (1922 d) 287.

on Triticum aestivum Linn., Stellenbosch, v. d. Byl; Elim, 2098.

Septoria Gymnosporiae Syd.

H. & P. Sydow (1912 a) 43: van der Byl (1926 c) 289. on Gymnosporia deflexa Sprague, Driefontein, *Doidge*, 1828, Type.

Septoria Helianthi Ell. & Kellerm.

Doidge & Bottomley (1931) 59; Verwoerd (1931 a) 300; Hopkins (1938 a) 117, (1939 a) 22: Nel (1942) 104.

on Helianthus annuus Linn., Maritzburg, Pole Evans. 1385: Barberton, Parsons. 24902; Bloemfontein, Verwoerd; Stellenbosch, Dippenaar (Stell. 511), v. d. Byl 1401; fairly common in the Union of South Africa, Doidge & Bottomley; Salisbury, Hopkins (Rh. 1366) Kew; Mtepetepa, Hopkins.

Septoria Helichrysi Syd.

H. & P. Sydow (1912) 443; Sacc. Syll. Fung. XXV: 416.

on Helichrysum acutatum DC., Nelspruit, Liebenberg, 26040.

Helichrysum nudifolium var. leiopodium (DC.) Moeser, The Thorns, Pole Evans, 1525.

Septoria Knowltoniae Verw. & Dipp.

Verwoerd & Dippenaar (1930 a) 327.

on Knowltonia vesicatoria Sims, Gordons Bay, Verwoerd (Stell. 72), Type.

Septoria Lactucae Pass.

Hopkins (1938 a) 117, (1939 a) 24.

on Lactuca sativa Linn., Bethal, Floquet, 26631; Gillitts, Wager, 33199; Verulam, Wager; Durban, Wager; Stellenbosch, Dippenaar (Stell. 1034); Salisbury (Rh. 2154).

Septoria Lolii (Cast.) Sacc.

Dippenaar (1931 c) 286; Nel (1942) 104.

on Lolium sp., Tulbagh, Duthie (Stell. 507, 905; v. d. Byl 2598).

Septoria longispora Miyake

Cardoso (1945) 150.

on Oryza sativa Linn., leaves, Chonguene, Ribeiro Mendes.

Septoria Lycopersici Speg.

Burtt-Davy (1904) 296; van der Byl (1922 d) 287, (1926 c) 289; Verwoerd (1929 b) 27, (1931 a) 301; Doidge & Bottomley (1931) 64; Hopkins (1938 a) 117,

(1939 a) 25; Nel (1942) 105.

on Lycopersicum esculentum Mill., Harden Heights, Pole Evans, 1980; Cavendish, Wager, 32463; Kilgobbin, Fannin, 31830; Grahamstown, Dewar, 262, Schonland, 21984; Kentani, Pegler 1982, 8856; Stellenbosch, Verwoerd (Stell. 9), v. d. Byl 641; Kuils River, Bosman (Stell. 510); Paarl, Wellington, Verwoerd; Christiana, Quin, 1225; Haenertsburg, 105; Pretoria, Burtt Davy, 98, Pole Evans, 221, 396, Doidge, 9695; Johannesburg, 235; Grasmere, Kennard, 27378; Nelspruit, 86, 6602 and Liebenberg, 26034; Zandfontein, Pretoria Distr., Kresfelder, 15459; New Agatha, McCallum, 26331; Bloemfontein, Verwoerd; Salisbury, Hopkins (Rh. 491) Kew; general in Southern Rhodesia, Hopkins.

Lycopersicum pimpinellifolium Mill., Pretoria, Hean, 32658.

Septoria Meliae Syd.

H. & P. Sydow (1912 c) 443; Sacc. Syll. Fung. XXV: 441.

on Melia Azedarach Linn., Maritzburg, Pole Evans, 1393.

Septoria Nesodes Kalchbr.

Kalchbrenner & Cooke (1880) 20; Sacc. Syll. Fung. III: 531.

Depazea Nesodes Thuem., von Thuemen (1875) 380.

Spĥaeria Nesodes Berk. & Br. f. Hydrocotyles asiaticae von Thuemen (1875) 380.

on Hydrocotyle asiatica Linn., nr. Somerset East, MacOwan 1115, Type (Thuem. Myc. Univ. 1186; Rabenh. Fung. Eur. 3494; S.A.M. 35139) 3834, 20916, 21953, 21975, Kew; Schagen, Liebenberg, 26078; Deepwalls, Bottomley, 32255; Eshowe, Laughton, 33517.

Septoria nodorum Berk.

Verwoerd (1930) 1; Doidge & Bottomley (1931) 67.

on **Triticum aestivum** Linn. Malmesbury. Verwoerd: Stellenbosch, Dippenaar 33363, Verwoerd (Stell. 439); Paarl, Louw (Stell. 940).

Septoria Oenotherae West.

Nel (1942) 105.

on Oenothera sp., Stellenbosch, Dippenaar (v. d. Byl 2699).

Septoria Ornithogali Pass.

on Ornithogalum lacteum Jacq., Kentani, Pegler 2346, 9080, Kew.

Septoria Osteospermi Dipp.

Dippenaar (1931 c) 285; Nel (1942) 105.

on Osteospermum moniliferum Linn., Stellenbosch, Dippenaar, Type (Stell, 872, 891; v. d. Byl 2608), Verwoerd (Stell, 406); Tulbagh, Dippenaar (Stell, 999).

Septoria Passerini Sacc.

Dippenaar (1931 c) 286.

on Hordeum murinum Linn., Ceres, Dippenaar (Stell. 501, 502, 968).

Septoria Pelargonii Svd.

H. & P. Sydow (1912 c) 443: van der Byl (1922 d) 287; Sacc. Syll. Fung. XXV: 425: Doidge & Bottomley (1931) 26, 49; Verwoerd (1929 b) 21.

on Pelargonium angulosum Ait., Stellenbosch, Verwoerd (Stell. 118).

Pelargonium cucullatum Ait., Cape Town, 695, Type.

Pelargonium sp.. Constantia, 9191: Stellenbosch, Brain, (v. d. Byl 221). du Plessis (Stell. 656); Paarl, Wynberg, Wellington, Verwoerd; Bloemfontein, Verwoerd; Genadendal, Verwoerd (Stell. 144), v. d. Byl 1282.

Septoria perforans McAlp.

Verwoerd & du Plessis (1931) 296.

as Septoria sp., Verwoerd (1929 b) 12.

on Cryptostemma calendulaceum R. Br., Stellenbosch, Verwoerd (Stell. 411), Dippenaar (Stell. 867, 977).

Septoria Petroselini Desm.

Pole Evans (1906 a) 139; Verwoerd (1929 b) 20; Doidge & Bottomley (1931)

46: Hopkins (1938 a) 118, (1939 a) 32: Nel (1942) 105.

on Petroselinum hortense Hoffm., Maritzburg, Doidge, 1991: Pretoria. Burtt Davy, 175: Stellenbosch, Dieprivier, Verwoerd; Hopefield, v. d. Byl 1001; Salisbury (Rh. 2542).

Septoria Pisi West.

Verwoerd (1929 b) 20; van der Byl (1922 d) 287; Doidge & Bottomley (1931) 47; Nel (1942) 105.

on **Pisum sativum** Linn.. Cyferbult Siding, I Ons, 18120; Brooklyn, Pretoria, Schaefer, 33756; Stellenbosch, Verwoerd (Stell. 101; v. d. Byl 80, 1179); Elgin, Verwoerd; Paarl (Stell. 505); Grahamstown, Pringle, 34234.

Septoria Podocarpi Thuem.

von Thuemen (1878 a) 357; Sacc. Syll. Fung. III: 507. on **Podocarpus latifolius** R.Br., Grahamstown, *MacOwan 1253*, Type.

Septoria Polygoni-lapathifolii v. d. Byl.

van der Byl (1928 b) 186; Nel (1942) 105.

on **Polygonum lapathifolium** Linn., Oudtshoorn, v. d. Byl 2489, Type; ? Debbe's Ravine, Bosman, 32902.

Septoria pyricola Desm.

Doidge & Bottomley (1931) 49; Dippenaar (1931 c) 285; Nel (1942) 105.

on Pyrus communis Linn., Kingwilliamstown, Dreyer, 1183, Kelly, 9533; Belmont Valley, Doidge, 10953; Misgund, Stone, 18098; Stellenbosch, du Plessis (v. d. Byl 2604; Stell. 503, 942), Dippenaar (Stell. 969, 1001); Piquetberg, Dippenaar (Stell. 1038); Joubertina, Reineike, 34001; Elgin, Louw (Stell. 1054).

Septoria ranunculacearum Lév.

Verwoerd (1929 b) 24, (1930 a) 300; van der Byl (1925 b) 196; Nel (1942) 105.

on Ranunculus Cooperi Oliv., Umhlanga Rocks, Wager, 32709.

Ranunculus sp., Bloukransrivier, v. d. Byl 1376; Bloemfontein, Verwoerd.

Septoria Ribis Desm.

on Ribes sp., Johannesburg, 1516.

Septoria Rubi West.

Van der Byl (1922 d) 287; Verwoerd (1929 b) 8; Doidge & Bottomley (1931) 13; Nel (1942) 105.

on Rubus cuncifolius Pursh., Maritzburg, 30429.

Rubus loganobaccus Bailey, Stellenbosch, v. d. Byl 220.

Rubus ursinus Cham. & Schlecht., Stellenbosch, Buller, 6932, 7368, Verwoerd (Stell. 36).

Rubus spp., Stellenbosch, Somerset West, Piquetberg, Wynberg, Verwoerd: George, Reinecke (Stell. 1039, 1040), Dippenaar (Stell. 1035); (Thornless Youngberry) Krakeel, Reinecke, 34150, 34214.

Septoria scabiosicola Desm.

Kalchbrenner (1882 a) 146; Hopkins (1939 a) 41.

on Scabiosa columbaria Linn., Cape, MacOwan; Schagen, Liebenberg, 26175; Salisbury, Hopkins.

Septoria Schlechteriana P. Henn.

Hennings (1898) 295; Sacc. Syll. Fung. XVI: 969. on Asclepias fruticosa Linn., Windhoek, Schlechter, Type, Kew.

Septoria Sparmanniae Verw. & du Pless.

Verwoerd & du Plessis (1931) 296; Nel (1942) 105.

on **Sparmannia africana** Linn., f., Bloukransrivier, v. d. Byl 2700, Type; Noetze, J. Phillips (v. d. Byl 2231).

Septoria Thuemenii Sacc.

Sacc. Svll. Fung. III: 498.

Depazea Buddleiae Thuem., von Thuemen (1876 b) 571.

on Buddleia auriculata Benth., Boschberg, MacOwin 1251, Type (Thuem, Myc. Univ. 1093) 20917, 21952.

Septoria Tritici Desm.

Verwoerd (1929 b) 28, (1931 a) 3001; Doidge & Bottomley (1931) 67.

on Triticum aestivum Linn., Paarl, Verwerd (Stell, 367); Stellenbosch, Malmesbury, Verwoerd: Bloemfontein, Verwoerd.

Septoria umbelliferarum Kalchbr.

Kalchbrenner & Cooke (1880) 20: Sacc. Syll. Fung. III: 528. on Umbelliferae undet., Somerset East, MacOwan 1393, Type, Kew.

Septoria Vignae P. Henn.

Wickens (1937) 690: Hopkins (1938 a) 118, (1939 a) 47. on Vigna unguiculata (L.) Walp., Matopos (Rh. 3217).

Septoria zeina Stout

? on Sorghum vulgare Pers., Salisbury, Hopkins (Rh. 4428).

Septoria sp.

Eyles (1926) 633.

on Cissus sp., Southern Rhodesia, Eyles.

Septoria sp.

on Eucomis punctata L'Herit., Kentani, Pegler 2378, Kew.

GENUS DUBIUM.

Levieuxia natalensis Fr.

Fries (1848) 32; Sacc. Syll. Fung. III: 321; von Höhnel (1910 b) 654; Petrak & Sydow (1927) 89.

on bark, Natal, Wahlberg, Kew ex Herb. Berk.

NECTRIOIDACEAE.

HYALOSPORAE.

Zythia Welwitschiae P. Henn.

P. Hennings (1903) 168; Sacc. Syll. Fung. XVIII: 409. on Welwitschia Bainesii (Hook. f.) Carr., Buraco nr. Mossamedes, Baum 1 a, Type, Kew.

PHAEOSPORAE.

Harknessia uromycoides Speg.

Doidge & Bottomley (1931) 23.

on Eucalyptus amygdalina Lab., Irene, Doidge, 2261.

LEPTOSTROMATACEAE.

HYALOSPORAE.

Gloeodes pomigena (Schw.) Colby

Doidge & Bottomley (1931) 8; Hopkins (1938 a) 118, (1939 a) 39; Hopkins & Bacon (1938) 408.

on **Pyrus malus** Linn., fruit, Highbury, *Mingay*, 2707; Belfast, *Hall*, 33117; Salisbury (Rh. 1539); Umtali (Rh. 3435); Inyanga, M'Soneddi, *Hopkins*.

Leptothyrium Evansii Sydi

H. & P. Sydow (1912 c) 443.

on Encephalartos sp., Mountain Rise, Doidge, 864, Type.

Leptothyrium Pomi (Mont. & Fr.) Sacc.

Doidge & Bottomley (1931) 7.

on **Pyrus malus** Linn., Belfast, *Hall*, 33118; Donnybrook, *Dearlove*, 17078; Haenertsburg, *Bottomley*.

?Melasmia confluens (Kalchbr. & Cooke) v. Höhn.

von Höhnel (1910 a) nr. 490.

Asterina confluens Kalchbrenner & Cooke (1880) 33; Sacc. Syll. Fung. I: 49. Doidge (1942 a) 325.

on Canthium ciliatum O. Kze., Boschberg, MacOwan 1259, 1331 (Thuem. Myc. univ. 775, sub Meliola Psilostomae Thuem.) Kew.

Melasmia Parinarii P. Henn.

Hennings (1903) 168; Sacc. Syll. Fung. XVIII: 425.

on Parinarium Mobola Oliv., between Kubango and Kassinga, Baum 924, Kew.

Sirothecium Citri Bitanc.

as Gloeodes pomigena (Schw.) Colby, van der Plank (1933) 3.

as Leptothyrium Pomi (Mont. & Fr.) Sacc., Doidge & Bottomley (1931) 45.

conidial form of Stomiopeltis Citri Bitanc.

on Citrus sinensis Osbeck, Nelspruit, Loest, 33483: Chase Valley, Wager: Gillits, Wager: common on fruit in northern and eastern Transvaal and in Natal, v. d. Plank.

PHAEOSPORAE.

Asterostomella eugenicola Doidge

Doidge (1942 a) 330, 338.

on Eugenia natalitia Sond., Hogsback, Henderson, 11340, Type.

Asterostomella Visci Doidge

Doidge (1942 a) 330, 338.

on Viscum obscurum Thunb., Assegai Bush, Doidge, 17237, Type: Langholm Estates.

Doidge, 12366; Belmont Valley, Doidge, 10951; Knysna, Bottomley, 32114, 32237.

SCOLESCOSPORAE.

Leptostromella Acaciae Svd.

H. & P. Sydow (1912 a) 43: Sacc. Syll. Fung. XXV: 522: van der Byl (1926 c) 289.

on Acacia Rehmanniana Schinz, legumes, Pietersburg, Doidge, 1843, Type.

Thyrinula eucalyptina Petrak & Syd.

Petrak & Sydow (1924) 373 : Doidge (1942 a) 275. see also Lembosiopsis eucalyptina Petrak & Syd.

on Eucalyptus gigantea Dehnh., Jessievale, D.F.O., 17266. Eucalyptus globulus Lab., Woodbush, Doidge, 17753.

Genus dubium

Sacidium Gomphocarpi Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 20; Sacc. Syll. Fung. III: 651. on Asclepias fruticosa Linn., Somerset East, MacOwan 1434, Type, Kew.

EXCIPULACEAE.

HYALOSPORAE.

Schizothyriella Eylesiana v. d. Bvl

van der Byl (1928 b) 187 ; Hopkins (1938 a) 119 ; Nel (1942) 98. - on Vangueria sp., Salisbury, $Eyles\ 5282,$ Type (v. d. Byl 2505).

HYALOPHRAGMIAE.

Oncospora bullata Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 19; Sacc. Syll. Fung. III: 691; Nel (1942) 98; Doidge (1948 a) 878.

Conidial form of Bulgariastrum bullatum (Kalchbr. & Cooke) Doidge.

on Capparis citrifolia Lam.. Somerset East, MacOwan 23. Type: Kaffraria, MacOwan, Kew; Alexandria, Doidge, 22346; Knysna Heads, Schonland, 12512; Knysna, Bottomley, 32260, 32241, Laughton, 34302, 34311, 34314: The Wilderness, Doidge, 17122; Bonza Bay, Bottomley, 26680: Kingwilliamstown, Weale (ex Herb. McOwan) 20806; Port Alfred, Wager, 28827: Kowie, Stent, 7789: Grahamstown, Hansford, 33476: Kasouga River, Archibald, 33522; Bushman's River, Archibald, 33521.

Capparis Flanagani Gilg. & Ben., Boschberg, MacOwan 1273 a. 20982; Bushman's River, Archibald, 33523.

Capparis Gueinzii Sond., Uitenhage, Pienaar, 2362.

Capparis sp., Keurboom, v. d. Byl 367, 1360; Knysna, Duthie (v. d. Byl 61).

Oncospora viridans Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 20; Nannfeldt (1932) 86: Doidge (1948 a) 876. Sphaeropsis abnormis Berk. & Thuem., von Thuemen (1881) no. 1675. Ephelis viridans (Kalchbr. & Cooke) Sacc. Syll. Fung. III: 691.

Sphaeropsis enormis Sacc. Svll. Fung. X: 254.

Conidial form of Bulgariastrum africanum Syd.

on Capparis Rudatisii Gilg. & Ben.. Somerset East, MacOwan 1273 b. Type. 20814, Kew; Uitenhage, MacOwan (Thuem. Myc. Univ. 1675) 21977; Alexandria, Doidge, 22373.

SCOLECOSPORAE.

Pilidium Eucleae (Kalchbr. & Cooke) Sacc.

Sacc. Syll. Fung. III: 689; Nel (1942) 98.

Protostegia Eucleae Kalchbrenner & Cooke (1880) 19.

Septoria Eucleae Kalchbr., in mss.

on Euclea divinorum Hiern., Cango Valley, *Doidge*, 10895; Maritzburg, *Bews*, 11028; Assegai Bush, *Doidge*, 17241; Diep Rivier, Knysna, *J. Phillips*, 20384; Blauwkrantz Valley, *Pentz*, 30925.

Euclea lanceolata E. Mey., Pretoria, Pole Evans, 11793, Mogg, 23634; Zilikats Nek, Doidge, 13088; Fairy Glen, Doidge, 23429; Waterkloof Ravine, Mogg, 23474; Hartebeestpoort, Young, 21020; Buffalo Bay, J. Phillips (v. d. Byl 2216); Waterkloof Ridge, Talbot, 35125.

Euclea natalensis A.DC., Xumeni Forest, Morgan & Doidge, 29834; Debbe's Ravine, Reinecke, 29877; Schagen, Liebenberg, 26578, 29909; Nelspruit, Liebenberg, 26039.

Euclea racemosa Murr., Alexandria, Doidge, 22431; Uitenhage, Doidge, 22409.

Euclea undulata A.D.C., Boschberg, *MacOwan 1340*, *1409* (Rabenh. Fung. Eur. 3989) 4329, 21966, 22032, Kew.

Euclea spp., Barberton, v. d. Byl, 5135; Knysna, Bottomley, 32124; Entabeni, Luughton, 33596; Piesanghoek, Watson, 35150.

MELANCONIALES.

MELANCONIACEAE.

HYALOSPORAE.

Colletotrichum Agaves Cav.

Doidge & Bottomley (1931) 56; Nel (1942) 99.

on Agave sisalana Perr., Winkle Spruit, Gessner (v. d. Byl 497) 9767, 31780: Durban, v. d. Byl 197.

Colletotrichum anonicola Speg.

Verwoerd (1929 b) 11; Doidge & Bottomley (1931) 22; Nel (1942) 99.

on Annona reticulata Linn., Stellenbosch, Verwoerd (Stell. 71; v. d. Byl 1178). Annona chrysophylla Boj., Schagen, Liebenberg, 32906.

Colletotrichum Antirrhini Stew.

Wickens (1937) 690: Hopkins (1938 a) 118, (1939 a) 5,

? on Antirrhinum Majus Linn., Bulawayo (Rh. 3158).

Colletotrichum atramentarium (Berk. & Br.) Taubenh.

Doidge & Bottomley (1931) 52; Hopkins (1932) 464, (1938 a) 118, (1939 a) 43; Wickens (1937) 690.

Vermicularia varians Ducom., Doidge (1914) 879; Eyles (1936) 465.

on Solanum Melangena Linn. var. esculentum Nees, Rhodesia, Wickens.

Solanum tuberosum Linn., Pretoria, *Doidge*, 7730; Plettenberg Bay, *Derbyshire*, 14821; Sinoia, *Eyles*; Salisbury (Rh. 2166, 3503); Trelawney (Rh. 3310).

Colletotrichum brachytrichum Del.

Verwoerd & du Plessis (1933) 223; Nel (1942) 99.

on **Theobroma Cacao** Linn., Univ. Bot. Gard., Stellenbosch, du Plessis (Stell. 636; v. d. Byl 2678).

Colletotrichum Camelliae Mass.

Hopkins (1938 a) 118, (1939 a) 45, (1943) 181.

on Camellia japonica Linn., Penhalonga (Rh. 3447). Thea sinensis Linn., Chipinga (Rh. 518, 520).

Colletotrichum Carica Stev. & Hall

Doidge & Bottomley (1931) 23.

on Ficus carica Linn., fruit rot, Cape, Transvaal, Natal.

Colletotrichum cereale Manns

on Lepturus cylindricus Trin., Signal Hill, Thompson, 14675 a. Lolium perenne Linn., Signal Hill, Thomson, 14675 b.

Colletotrichum circinans (Berk.) Vogl.

on Allium Cepa Linn., Natal. Fuller, 1972; Grootfontein, Cape, 2360; Oudtshoorn, Pont, 34172.

Colletotrichum coffeanum Noack

Hopkins (1932) 463.

sub Glomerella cinqulata (Stonem.) Spauld. & v. Schrenk., Hopkins (1938 a) 101, (1939 a)

on Coffea sp., Bindura (Rh. 1652); Chipinga (Rh. 2379).

Colletotrichum Dematium (Fr.) Grove

Vermicularia Dematium Fr., Kalchbrenner (1882 a) 146.

on Allium Schoenoprasum Linn., Somerset East, MacOwan (S.A.M. 35110). Carex petitiana A. Rich., Somerset East, MacOwan 1353. Lycopersicum esculentum Mill., Pretoria, v. d. Merwe, 34428.

Colletotrichum falcatum Went.

Stevenson & Rands (1938) 263; McMartin (1941) 587, (1943) 51.

on Saccharum officinarum Linn., Mt. Edgecombe, McMartin, 33572; Eshowe, McMartin; Upper Tongaat, Tongaat, Powerscourt, Empangeni, McMartin.

Colletotrichum gloeosporioides Penz.

Burtt-Davy (1905) 286; Eyles (1926) 633: Doidge (1929 b) 324; Verwoerd (1929 b) 15, (1931 a) 301; Doidge & Bottomley (1931) 10, 27, 33, 39, 43: Doidge & van der Plank (1936) 17: Bates (1937 b) 189; Hopkins (1938 a) 118; Cardoso (1935) 184, (1937) 155, (1938) 75, (1939) 44, (1945) 151–153.

sub Glomerella cingulata (Stonem.) Spauld. & v. Schrenk, Hopkins (1939 a) 11, 12. on Citrus Limonia Osbeck, fruit, twigs and leaves, Malagazi, Wager, 32713: Tshokwane, Liebenberg, 30961: Citrusdal, Verwoerd (Stell. 386): Salisbury, Hopkins (Rh. 174)
Kew: Trelawney, Mazoe, Hopkins: Rhodesia, Pallister, 12495: Umbeluzi, Cardoso.

Citrus maxima Merr., twigs and fruit, Acornhoek, Campbell, 17049; Mazoe, Rusapi, Hopkins; Magude, Cardoso.

Citrus nobilis Leur. var. deliciosa Sw.. Town Bush Valley, Kent, 24888; Wellington, du Plessis (Stell. 594); Salisbury, Hopkins (Rh. 54, 1537); Xinavane, Cardoso; Quelimane, Guimarāis.

on Citrus sinensis Osbeck, fruit and twigs, Clumber, Long, 19861: Somerset East, Brown 11805; Weenen, Williams, 8403; Johannesburg, Greathead, 7347; Premier Mine, Dickson, 15665; Wolhuter's Kop, 1462; de Kroon, Doidge, 17023: Rustenburg, Johnson, 8942; Nelspruit, Hall, 6675, Esselen, 24887; White River, Brembridge, 24336; Acornhoek, Lawton, 20380; Athol, Forbes, 441; Piet Retief, Hansen, 317: Pienaar's Poort, Pearse, 11233; Vredefort, Caldecott, 7348; Pretoria, 189: Umtali, Salisbury, Mazoe, Eyles; Mazoe, Bates; general in Southern Rhodesia, Hopkins; Manhiça, Howard, 489; Umtali, Baker, 7399; Magude, Cardoso; Lourenço Marques, de Sousa Quelimane, Guimarãis.

on Citrus spp., Lourenço Marques, de Sousa, Frias Umbeluzi, Cardoso Magude, Cardoso;

Xinavane, Cardoso.

isolated from

Mangifera indica Linn., surface of leaf, Mazoe, Bates 343 a, 34004.

on **Persea americana** Mill., Pinetown, *Cockerton*, 26603; Nelspruit, *Hall*, 25371; Godwan River, *Murray*, 28267; Alkmaar, *Blatt*, 30934; Capetown market, *Verwoerd*.

Colletotrichum Glycines Hori

sub Glomerella Glycines (Hori) Lehm. & Wolf, Bottomley (1932) 107.

on Glycine Max Merr., Cedara, Staples, 24341.

Melilotus alba Desr., Groenkloof, du Preez, 27594.

Colletotrichum Gossypii South.,

Eyles (1924) 593, (1926) 637; Verwoerd (1929 b) 11.

sub Glomerella Gossypii (South.) Edgert., Hopkins (1930) 523; Doidge & Bottomley

(1931) 20 : Cardoso (1937) 152, (1938) 76, (1939) 44.

on Gossypium spp., Pretoria, Burtt Davy, 174; Maritzburg, Doidge, 853; Louis Trichardt, Hennings; Magut, Parsons; Stellenbosch, Verwoerd (Stell. 236); Lourenço Marques, J. A. Evans; Bulawayo, Rusapi, Eyles, Hopkins; Sul do Save, Cardoso.

Colletotrichum graminicolum (West.) Wilson

Hopkins (1939 a) 50.

on Sorghum halepense Pers., Wonderboom, Pole Evans, 1520.

Sorghum sudanense Stapf, Rhodesia, Mundy, Kew.

Zea Mays Linn., Mazoe, Hopkins.

Colletotrichum Kickxiae Verw. & du Pless.

Verwoerd & du Plessis (1933) 223; Nel (1942) 99.

on Funtumia elastica Stapf, Univ. Bot. Gard., Stellenbosch, du Plessis, Type (Stell. 609; v. d. Byl 2679).

Colletotrichum lagenarium (Pass.) Ell. & Halst.

Pole Evans (1907 f) 681; Eyles (1926) 638; Verwoerd (1929 b) 88; Doidge & Bottomley (1931) 21, 66; Hopkins (1938 a) 118, (1939 a) 15.

Gloeosporium lagenarium Pass., Nel (1942) 99.

on Citrullus vulgaris Schrad., Skinner's Court, Stent, 233; Ermelo, Brink (v. d. Byl 1328); Koffiefontein, Blakeney, 27380.

Cucumis sativus Linn., Pretoria, Doidge, 24912; Stellenbosch, Verwoerd: Charter, Eyles; Salisbury (Rh. 2061); Cavendish, Wager.

Cucurbita Pepo Linn., Buffelspoort, Doidge, 30760.

Colletotrichum lindemuthianum (Sacc. & Magn.) Bri. & Cav.

Pole Evans (1906 a) 134 : Verwoerd (1929 b) 8, (1931 a) 301 : Doidge & Bottomley (1931) 25 ; Hopkins (1932) 464, (1938 a) 118, (1939 a) 7, 32, 47 : Cardoso (1937) 156, (1939) 45, (1945) 156.

sub Glomerella lindemuthianum (Sacc. & Magn.) Shear, Doidge & Bottomley (1931) 21. on Brachystegia Randii Bak. f., Salisbury (Rh. 2079).

Crotalaria juncea Linn., Glendale (Rh. 360); Salisbury (Rh. 1282).

Phaseolus coccineus Linn., common and widespread.

Phaseolus vulgaris Linn.. Pretoria, 735: Barberton, 90: Piesanghoek. Watson, 25443; Nelspruit, Wilhelm, 10719; Durban, McClean, 24884: Oudtshoorn, George, Verwoord: Bloemfontein, Verwoord: Salisbury (Rh. 234, 745); Umvukwes (Rh. 737); Umtali (Rh. 3455); Lourenço Marques, Hardenberg, 17270; Umbelusi, Guimarāis; Manhiça, Mota.

Vigna unguiculata (L.) Walp., Cedara, Staples 15431, 15437; Salisbury (Rh. 1986).

Colletotrichum malvarum Braun & Casp.

Hopkins (1938 a) 118, (1939 a) 4, on **Althaea rosea** Cav., Salisbury (Rh. 492, 556).

Colletotrichum nigrum Ell. & Halst.

Cardoso (1945) 156.

on Capsicum frutescens Linn., Lourenço Marques, Nascimento.

Colletotrichum omnivorum Halst.

Eyles (1926) 632: Hopkins (1930) 415. on **Desmodium spirale** DC., stems, Salisbury, Eyles.

Colletotrichum Orchidearum Allesch.

Verwoerd & du Plessis (1933) 224; Nel (1942) 99.

on Bifrenaria Harrisoniae Reichb., in greenhouse, Stellenbosch, du Plessis (Stell. 653).
Catasetum macrocarpum Rich., in greenhouse, Stellenbosch, du Plessis (Stell. 661).
Catasetum maculatum Kunth., in greenhouse, Stellenbosch, du Plessis (Stell. 607).
Cattleya Alfredi Hort., in greenhouse, Stellenbosch, du Plessis (Stell. 643).
Cattleya Imperatrix Hort., in greenhouse, Stellenbosch, du Plessis (Stell. 641).
Cattleya Rembrandt Hort., in greenhouse, Stellenbosch, du Plessis (Stell. 645).
Cattleya Suzanne Hort., in greenhouse, Stellenbosch, du Plessis (Stell. 642).
Cattleya Thayeriana Hort., in greenhouse, Stellenbosch, du Plessis (Stell. 644).
Cattleya sp., in greenhouse, Stellenbosch, du Plessis (Stell. 644).
Cyrtopodium punctatum Tinal, in greenhouse, Stellenbosch, du Plessis (Stell. 647).
Ornithidium densum Reichb., in greenhouse, Stellenbosch, du Plessis (Stell. 634).

Colletotrichum Papayae (P. Henn.) Svd.

Gloeosporium Papayae P. Henn., Eyles (1926) 645: Doidge & Bottomley (1931) 46: Hopkins (1938 a) 119, (1939 a) 9: Nel (1942) 99.

on Carica Papaya Linn., stems, petioles, fruit, Hillarys, Doidge, 1910: East London, Slemert, 23400: Malelane, Atmore. 23677: Wager, 23678; Buffelspoort, Doidge, 23505, 23679, Bottomley, 25455, 25940, 25941: Pretoria, Marais, 30648; Durban, v. d. Byl 216; Winkle Spruit, v. d. Byl 487, 31776: Salisbury, Eyles; Gwelo, Essexvale, Salisbury, Mazoe, Rusapi, Hopkins.

Colletotrichum phomoides (Sacc.) Chester

Doidge & Bottomley (1931) 63; Hopkins (1938 a) 118, (1939 a) 25; Cardoso (1939) 45, (1945) 157.

on Lycopersicum esculentum Mill., fruit, Barberton, Doidge, 15510: Salisbury, (Rh. 1833, 3760); Chester, Hopkins; Umbeluzi, Guimarāis; Mazoe, Bates, (in culture) 34005.

Colletotrichum Pterocelastri Wakef.

Wakefield (1922) 165; van der Byl (1925 b) 196; Nel (1942) 99. on **Pterocelastrus tricuspidatus** Sond., Knysna, v. d. Byl 404, Type, Kew.

Colletotrichum rhodocyclum (Mont.) Petrak

see Glomerella phacidiomorpha (Ces.) Petrak

Colletotrichum Trifolii Bain & Essary

Doidge & Bottomley (1931) 35.

on Medicago sativa Linn., Wonderboom, Pole Evans, 1300; Pretoria, Bottomley, 20442; Potchefstroom, Holmes Smith, 9426; Kirkwood, 15454.

Colletotrichum sp.

sub Colletotrichum atramentarium (Berk. & Br.) Taubenh., Hopkins (1938 a) 118, (1939 a) 16.

on Cyamopsis psoralioides DC., Glendale (Rh. 1250).

Desmodium leiocarpum G. Don., Rhodesia, Hopkins.

Colletotrichum sp.

Hopkins (1932) 466.

on Hydrangea opuloides Koch; Rhodesia, Hopkins.

Gloeosporium affine Sacc.

Verwoerd & du Plessis (1933) 225.

on Coelogyne cristata Lindl., Univ. Bot. Gard., Stellenbosch, du Plessis (Stell. 640). Gongora galeata Reichb., Univ. Bot. Gard., Stellenbosch. du Plessis (Stell. 611).

Gloeosporium amygdalinum Brizi

Doidge (1924 b) 2; Dippenaar (1931 b) 267; Verwoerd (1929 b) 267; Doidge & Bottomley (1931) 4.

on **Prunus communis** Fritsch, Groot Drakenstein, *Doidge, Verwoord* and *Baker*, 9301; Stellenbosch, Paarl, Wellington, Tulbagh, Malmesbury, Piquetberg, Elgin, *Dippenaar*.

Gloeosporium cocophilum Wakef.

on Cocos nucifera Linn., fruit, Inhaca Is., Mogg, 34155.

Gloeosporium crocatum Sacc.

on Euphorbia triangularis Desf., Amanzimtoti, Doidge, 1655; nr. Grahamstown, R. A. Dyer, 23616.

Gloeosporium epicarpii Thuem.

Doidge & Bottomley (1931) 65.

on Juglans regia Linn., Natal and Cape; Zeerust and Pietersburg; Toise River, 709; Kuilfontein, Zeerust Distr., Pringle, 28795.

Gloeosporium fructigenum Berk.

Pole Evans (1906 a) 132: Doidge & Bottomley (1931) 6; Lounsbury (1910) 355.
Gloeosporium Cudoniae Mont., von Thuemen (1878) 357.

sub Glomerella cingulata (Stonem.) Spauld. & v. Schrenk. Hopkins (1938 a) 101, (1939 a) 19, 35, 36, 37, 42.

on Cydonia oblonga Mill., nr. Somerset East, MacOwan: Makoni, Invanga, Hopkins.

Eriobotrya japonica Lindl., Hunter's Road (Rh. 1156); Salisbury, Hopkins.

Punica granatum Linn., Cape Town, Davis, 33264; Mazoe, Hopkins (Rh. 4905).

Prunus salicina Lindl., Salisbury, Hopkins.

Pyrus communis Linn., Pretoria, Doidge & Bottomley; Invanga, Hopkins (Rh. 3748).

Pyrus malus Linn., Clumber, Hulley, 2548: Bedford, 6585: Kingwilliamstown, Kelly, 9532: Umtata, Hart, 12309: Long Kloof, Honeykloof, George, Lounsbury: Mountain Rise, Doidge, 880: Maritzburg, J. M. Sim, 8869: Town Bush Valley, Hodgson, 17193; Pretoria North, Maynard, 15526: Johannesburg, Rocher, 21931: Haenertsburg, 1244 and Long, 29961: Elim, 33119: Salisbury, Hopkins (Rh. 112, 834); Zimbabwe (Rh. 196, 244): Umtali (Rh. 886, 1202); Arcturus (Rh. 3473); Cashel, M'Soneddi, Hopkins,

Rubus rigidus Sm., East London, Flement, 26091.

Solanum incanum Linn., Trelawney, Hopkins.

Solanum melangena Linn. var. esculentum Nees, Trelawney, Hopkins.

Gloeosporium Helichrysi Wint.

Winter (1885 b) 34; Sacc. Svll. Fung. X: 459.

on Helichrysum coriaceum Sond., Tarlton, Liebenberg, 29896.

Helichrysum setosum Haw., Fairy Glen, Doidge, 23619.

Helichrysum undatum Less., Kokstad, Mogg, 12459.

Helichrysum spp., Somerset East, MacOwan; Garstfontein, Doidge, 1417.

Gloeosporium limetticolum Claus.

Cardoso (1937) 155, (1938) 75, (1939) 44.

on Citrus Limonia Osbeck., Sul do Save, Cardoso; Umbeluzi, Cardoso.

Gloeosporium Mangiferae P. Henn.

Hopkins (1938 a) 119, (1939 a) 25.

sub Colletotrichum gloeosporioides Penz., Doidge & Bottomley (1931) 37; Cardoso

(1937) 155, (1938) 75, (1939) 44.

on Mangifera indica Linn., Malvern, 1942: Chase Valley. Wager, 32459: Cavendish, Durban, Wager; Nelspruit, Bester, 26661, 26662, Hall, 8898, Wager, 26664; Pretoria, Pole Evans, 1000; Lourenço Marques, 15536 and da Silva; Sul do Save, Cardoso; Nahotas, Cardoso; Umbeluzi, Guimarãis; Moçambique (Rh. 2356); Umtali (Rh. 2945).

Gloeosporium Musarum Cooke & Mass.

Pole Evans (1906 a) 133; Verwoerd (1929 b) 7; Doidge & Bottomley (1931) 11; Hopkins (1938 a) 119, (1939 a) 26; Cardoso (1939) 44.

sub Glomerella cingulata (Stonem.) Spauld. & v. Schrenk, Hopkins (1943) 187.

on Musa Cavendishii Lamb., common on the Natal coast.

Musa paradisiaca Linn. var. sapientum Ktze., Moçambique, Cardoso; Umtali (Rh. 2211): Goromonzi (Rh. 2444); Mazoe, Salisbury, Umtali, Hopkins; East London, MacOwan, Kew; common on the Natal coast; Klein Brak, Cape Town, Stellenbosch, on fruit exposed for sale, Verwoerd; Mazoe, Bates 291 (in culture) 34009; Manhiça, Guimarāis.

Gloeosporium Myricae Dipp.

Dippenaar (1931 c) 284; Nel (1942) 99.

on Myrica cordifolia Linn., Wemmershoek Siding, Dippenaar, Type (v. d. Byl 2611); French Hoek, Dippenaar (Stell. 412, 925).

Gloeosporium olivarum Alm.

on Olea europaea Linn., Stellenbosch, Dippenaar, 33360.

Gloeosporium Passiflorae Speg.

sub Glomerella cingulata (Stonem.) Spauld. & v. Schrenk, Hopkins (1938 a) 119, (1939 a) 31, (1939 c) 592, (1942) 187.

on Passiflora edulis Sims, White River, Esselen, 24910: Vryheid, Wager, 32717: Amandas (Rh. 2174); Salisbury (Rh. 3711).

Gloeosporium Psidii Del.

Glomerella Psidii (Del.) Sheld., Eyles (1926) 641; Hopkins (1930) 526.

sub Glomerella cingulata (Stonem.) Spauld. & v. Schrenk, Hopkins (1938 a) 101, (1939 a) 36. on **Psidium Guajava** Linn., Shamva and Mazoe, Eyles; Salisbury (Rh. 956): Mataffin, Hall, 34089.

Gloeosporium Ptychospermatis P. Henn.

Verwoerd & du Plessis (1933) 226.

on Kentia sp., Stellenbosch, Verwoerd (Stell. 397); ? Uitenhage, Smith, 26411.

Gloeosporium Sansevieriae Verw. & du Pless.

Verwoerd & du Plessis (1931) 291.

on Sansevieria zeylanica Willd., Univ. Bot. Gard., Stellenbosch, Verwoerd (Stell. 427), Type.

Gloeosporium Sclerocarvae Pole Evans

nom. nud., Doidge & Bottomley (1931) 38.

on Sclerocarya caffra Sond., on fruit, Warmbaths, Doidge, 911: Zoutpansberg, Thomsen, 18056.

Gloeosporium venetum Speg.

Hopkins (1939 a) 622.

sub Plectodiscella veneta Burkh., Hopkins (1939 a) 41.

on Rubus loganobaccus Bailey, Umtali and Inyanga, Hopkins. Rubus spp., Gonubie, Flement, 26092; S. Rhodesia, Hopkins.

Gloeosporium sp.

Bottomley (1915) 371-374.

on Schinus molle Linn., Maritzburg, Schmutz, 8288: Grahamstown, Haines, 13024.

Myxosporium corticola Edgert.

Doidge & Bottomley (1931) 8.

on Pyrus malus Linn., on twigs, Natal and Transvaal.

Vermicularia Capsici Syd.

on Phaseolus acutifolius Gray var. latifolius Freem, Immerpan, P. v. Zyl, 25365.

Vermicularia herbarum West, f. Dianthi West,

Vermicularia Dianthi West., Kalchbrenner & Cooke (1880) 19; Kalchbrenner (1882 a) 146.

Vermicularia herbarum West., Sacc. Syll. Fung. III: 226.

on Dianthus sp., Somerset East, MacOwan 1435, Kew.

PHAEOSPORAE.

Melanconium Fourcroyae Svd.

H. & P. Sydow (1912 c) 443; Sacc. Syll. Fung. XXV: 580. on Furcraea gigantea Vent., Durban, *Doidge*, 2157, Type.

Melanconium Sacchari Mass.

van der Byl (1921 h) 125; McMartin (1937 b), (1937 a) 126, (1938) 215; Stevenson & Rands (1938) 281; Nel (1942) 99.

on Saccharum officinarum Linn. Durban, Smith, 7357, McClean, 23084: Mount Edgecombe, McMartin, 33573: Durban (Stell. 327); Natal Coast, v. d. Byl 549.

Stichospora disciformis Petrak

Petrak (1927) 195.

on Myrica conifera Burm. f., Krantzkloof, v. d. Byl 8396. Type. Conidial form of Stichodothis disciformis (Wint.) Petrak.

HYALODIDYMAE.

Actinonema Rosae (Lib.) Fr.

Pole Evans (1906 a) 141; Verwoerd (1929 b) 25, (1931 a) 300; van der Byl (1922 d) 287. Doidge & Bottomley (1931) 55; Cardoso (1939) 45, (1945) 162. Diplocarpon Rosae Wolf, Hopkins (1938 a) 103, (1939 a) 41; Cardoso (1938) 76.

on Rosa spp. Pretoria. Pole Evans, 140, Gower, 17092, Hean, 30637. Mogg. 31289, 32384; Standerton, Wahl. 23698; Phoenix, Wager, 33201; Kentani, Pegler 2376, 9309, Kew, Pegler 2403, 9741; Steynsburg, 28520; Bloemfontein, Potts, 9754; Bloemfontein, Verwoerd; Stellenbosch, Verwoerd (Stell. 96), Dippenaar (Stell. 858, 859), v. d. Byl; Newlands, Paarl, Wellington, Verwoerd; Malagazi, Isipingo Valley, Umtentwini, Verulam, Wager; Lourenço Marques, Mota; Manhiça, Guimarãis; Salisbury, Umtali, Stapleford, Hopkins (Rh. 221) Kew.

Marssonina Fragariae (Sacc.) Kleb.

on Fragaria sp., Boksburg, Sanders, 33433.

Marssonina Juglandis (Lib.) Magn.

Doidge & Bottomley (1931) 66.

? as Cercospora Juglandis Kellerm. & Swing., Doidge & Bottomley (1931) 66. on Juglans sp., Haenertsburg, Bester, 28609; Natal and Transvaal, Doidge & Bottomley.

Marssonina Populi Magn.

sub Marssonia Castagnei (Desm. & Mont.) Sacc., Verwoerd (1929 b) 23; Doidge & Bottom-ley (1931) 51.

as Marsonia Populi, Nel (1942) 99.

on Populus alba Linn., Claremont, 606; Woodbush, D.F.O., 7103.

Populus canescens Sm., Oudtshoorn, Verwoerd (Stell. 221).

Populus spp., Claremont, Wynberg, Ladismith, *Verwoerd*: Stellenbosch, *Verwoerd* (v. d. Byl 1048); fairly common in Natal and the south-western Cape, *Doidge & Bottomley*.

Marssonina sp.

on Terminalia sericea Burch., Schagen, Liebenberg, 32822.

PHAEODIDYMAE.

Didymosporina africana Syd.

H. Sydow (1924 c) 433; Nel (1942) 99.

on Rhus viminalis Vahl., Genadendal, Verwoerd (v. d. Byl 1299) Type.

Didymosporium congestum Syd.

H. & P. Sydow (1912 a) 45; Sacc. Syll. Fung. XXV: 585; Doidge & Bottomley (1931) 53.

on Protea caffra Meisn., Diepkloof, *Doidge*, 930, Type; Commando Nek, *Pole Evans*, 12453; Pretoria, *Mogg*, 23486; White Heather Mine, K. M. Putterill, 32756.

Didymosporium latum Svd.

H. & P. Svdow (1912 a) 44; Sacc. Svll. Fung. XXV: 585.

on Faurea saligna Harv., Transvaal, Thomsen, 743, Type; Conradie's Kloof, Wager, 32409.

Neobarclaya congesta (Berk. & Br.) Petch

Laughton (1948) 831.

Neobardaya natalensis Syd., P. Sydow (1899 a) (134); Medley Wood (1898) 12; Sacc. Syll, Fung. XVI: 1012.

Pestalozzia Evansii P. Hennings (1908) 273.

on Syzygium cordatum Hochst., Durban, Medley Wood, 6446, 374, 9476: Nelspruit, Pole Evans, 11024; Eshowe, McClean, 33092; Barberton, Pole Evans, 234, 1152, Doidge, 2009.

HYALOPHRAGMIAE.

Entomosporium maculatum Lév.

Lounsbury (1908) 26; Doidge (1911) 694; Verwoerd (1929 b) 24; Doidge & Bottomley (1931) 35, 54.

sub Fabraea maculata Atk., Verwoerd (1929 b) 21; Doidge & Bottomley (1931) 49, 54,

35; Hopkins (1938 a) 104, (1939 a) 37.

on Cydonia oblonga Mill., Pretoria 455, Bottomley, 22838, Reinecke, 23187; Magaliesberg, 25918; Engelbrechtsdrift, Engelbrecht, 27289; Johannesburg, Godlonton, 24920; Rosettenville, Macfie, 17074; Klip River, Hodgson, 1081; Volksrust, 391; Nelspruit, v. Elden, 26103; Potgietersrust, de Villiers, 32493; Haenertsburg, Naudé, 29962; Brandfort, Verwoerd (Stell. 307); Cape, Lounsbury; Stellenbosch, Dippenaar (Stell. 521, 865); Niet-voor-by, Stellenbosch, v. d. Byl 2202; Salisbury (Rh. 2504); Umtali, Eyles 4279; Macheke (Rh. 3145).

Eriobotrya japonica Lindl., Pretoria, 1526, 6897; Newlands, Lounsbury, 453; Cape, without locality, 925; Stellenbosch, du Plessis (Stell. 545); Allerton, Pole Evans, 5611.

Pyrus communis Linn., Pretoria, Pole Evans, 255, 401, v. d. Byl, 2323: Kokstad, Paine, 32001: Klein Brak, Verwoerd; Umtali, Eyles 4280: Stellenbosch, Dippenaar (Stell. 522, 866): Bethlehem, v. d. Merwe, 24949.

Pseudodiscosia Dianthi Höst. & Laub.

on Dianthus caryophyllus Linn., Duivelskloof, Graham, 25353, 25354.

Septogloeum Acaciae Verw. & du Pless.

Verwoerd & du Plessis (1931) 295, not Sydow.

on Acacia litakunensis Bursh, Pretoria, Verwoerd (Stell, 293, v. d. Byl 293) 33263.

Septogloeum bullatum Syd.

H. & P. Sydow (1912 a) 44: van der Byl (1926 c) 289; Sacc. Syll. Fung. XXV: 591.

on Combretum gazense Swynn. & Bak., Ledzee, Doidge, 1811: Letaba, Liebenberg, 32733. Combretum glomeruliferum Sond., Wonderboom, r. d. Byl. 2217: Donkerpoort, Bottomley, 33921.

Septogloeum concentricum Syd.

on Sanseviera sp., Kentani, Pegler 2383, 9421.

Septogloeum Manihotis Zimm.

Cardoso (1939) 45.

on Manihot utilissima Pohl., Moçambique, Cardoso.

Septogloeum Mori (Lév.) Bri. & Cav.

Van der Byl (1922 d) 287; Verwoerd (1929 b) 17, (1931 a) 301; Doidge & Bottom-lev (1931) 38.

on Morus alba Linn.. Kingwilliamstown. Lounsbury, 198: Amanzi, 20315: Maseru, Wacher, 23195; Christiana, Maartens, 24944: Kimberley, Store, 25921.

Morus nigra Linn., Pretoria, Botha-Reed, 26108: Štellenbosch, Verwoerd: Bloemfontein, Verwoerd: Tulbagh, Dippenaar (v. d. Byl 2429).

Morus spp., Pretoria, 685: Klip River, Hodgson, 1082: Moorddrift, Smit, 33375; Potgietersrust, Maguire, 28738; Amsterdam, Naudé, 31082: Nelspruit, v. Wyk, 27364; Versfeld, 49; Jansenville, McLaughlin, 29838; Kimberley, Havenga, 25358: Sebalabala, Hean, 32143: Klapmuts, v. d. Byl 644; Stellenbosch, Eyles (v. d. Byl 1323), Verwoerd (Stell. 19); Somerset West, Dippenaar (Stell. 1065); Durban, v. d. Byl 218, 31935.

Septogloeum punctatum Wakef.

Wakefield (1931) 204; Nel (1942) 100.

on Syzygium cordatum Hochst., Durban, v. d. Byl 323, Type, Kew.

PHAEOPHRAGMIAE.

Coryneum Cocoes P. Henn.

Cardoso (1945) 159.

on Cocos nucifera Linn., on leaves, Zambesi region (det. S. da Camara).

Coryneum Dovyalidis v. d. Byl

van der Byl (1929 a) 318; Hopkins (1938 a) 119, (1939 a) 18; Nel (1942) 99. on **Dovyalis** sp., Salisbury, *Eyles 5283* (Rh. 2060; v. d. Byl 2517, 2518) Type; Marandellas, *Green* (Stell, 328).

Corvneum Kunzei Corda

conidial form of Pseudovalsa longipes (Tul.) Sacc., q.v.

Cryptostictis Dryopteris Verw. & du Pless.

Verwoerd & du Plessis (1931) 290. on **Dryopteris** sp., Stellenbosch, *du Plessis* (Stell. 476) Type.

Monochaetia Camelliae Miles

Pestalozzia Camelliae Pass., Nel (1942) 100. on Camellia japonica Linn., Paarl, du Plessis (Stell. 618; v. d. Byl 2704).

Monochaetia Cydoniae Pole Evans & Doidge

Kew Bull. (1908) 428; Sacc. Syll. Fung. XXV: 610. on Cydonia oblonga Mill., twigs, Pretoria, *Pole Evans*, Kew, Type.

Pestalotia Aloës Trinch.

du Plessis (1933 f) 209; Laughton (1948) 822. on **Aloe** spp., Stellenbosch, du Plessis (Stell. 813), Dippenaar (Stell. 900).

Pestalotia Burchelliae Laughton

Laughton (1948) 821.

on Burchellia bubalina (Linn. f.) Sims, leaves, Garden of Eden, Knysna, F. S. Laughton, 34912, Type; Town Hill, Knysna, Laughton, 34908.

Pestalotia caffra Svd.

H. & P. Sydow (1914 b) 266 ; Sacc. Syll. Fung. XXV : 606 ; Guba (1932) $3\dot{6}2$; Laughton (1948) 822.

on Mimusops caffra E. Mey., leaves, Isipingo, Doidge, 6630, Type.

Pestalotia Cassinis Laughton

Laughton (1948) 822.

on Cassine sphaerophylla O. Ktze., Brenton, Knysna, Laughton, 34916, Type; Buffalo Bay forest, Laughton, 34914.

Pterocelastrus tricuspidatus Sond., Knysna, Laughton, 34915.

Pestalotia disseminata Thuem.

Laughton (1948) 823.

on Eucalyptus diversicolor F. Muell., on stems, Kruisfontein, Laughton, 34911.
Eucalyptus Lehmanni Preiss., leaves, Fort Cunnynghame, D.F.O., 23701.
Eucalyptus sp., Storms River, D.F.O., 11288.

Pestalotia Encephalartos Laughton

Laughton (1948) 823.

on Encephalartos villosus (Gaertn.) Lem., living and dead leaflets, Durban, *Pole Evans*, 2031, Type: Malvern, 861.

Stangeria eriopus Nash, Mountain Rise, Doidge, 864.

Pestalotia funerea Desm.

Fisher (1912) 390; Eyles (1926) 632; Doidge & Bottomley (1931) 9, 22, 50; Hopkins (1938 a) 119, (1939 a) 16; Verwoerd (1931 a) 301; Laughton (1948) 823.

on Cedrus Deodara Loud., Cedara, 5172.

Chamaecyparis Lawsoniana Parl., Cedara, Fisher.

Cupressus arizonica Greene, Ermelo, D.F.O., 28790.

Cupressus lusitanica Mill., Cedara, Fisher.

Cupressus torulosa Don., Estcourt, Erxleben, 28535.

Juniperus virginiana L., Cedara, 2246.

Juniperus sp., Richmond, Gordon, 29920.

Pinus halepensis Mill., without locality, 23216: Fort Cununghame, 700.

Pinus spp., Bloemfontein, Verwoerd; Cedara, Fisher.

Widdringtonia sp., Marandellas, Eyles,

Pestalotia Gossypii Hori

Laughton (1948) 824.

(?) on Gossypium sp., Mbabane, G.V.O., 14646.

Pestalotia Guepini Desm.

Hopkins (1938 a) 119, (1939 a) 34: Laughton (1948) 824.

on Camellia japonica L., Stellenbosch, Dippenaar, (Stell. 932, 933): Paarl du Plessis (Stell. 618) 34585.

Pittosporum undulatum Vent., Salisbury (Rh. 1500, 1591).

Pestalotia Laughtonae Doidge

in Laughton (1948) 824.

on Cassine sphaerophylla O. Ktze., Brenton, Knysna, Laughton, 35145, Type.

Pterocelastrus tricuspidatus Sond., Knysna, Laughton, 35416.

Pestalotia Laurophylli Laughton

Laughton (1948) 824.

on Laurophyllus capensis Thunb., living leaves, Garden of Eden, Knysna. Laughton, 34913.

Pestalotia macrochaeta (Speg.) Guba

Laughton (1948) 825.

sub Pestalozzia funerea Desm., Fisher (1912) 390.

on Pinus caribaea Morelet. Dukuduku, D.F.O., 27660.

Pinus patula Schiede, Spitzkop, Cape, D.F.O., 30447, 32073.

Pinus pinaster Ait., Cedara, Fisher, 2100.

Pinus radiata Don., Zwartkop, Hayter, 7767.

Pinus spp., Komgha, Crewe, 27812; Maritzburg, Kelly, 11868.

Pestalotia Mangiferae P. Henn.

Laughton (1948) 825.

Pestalozzia virgatula Kleb., Hopkins (1938 a) 119; (1939 a) 25; (1943) 186. on Mangifera indica Linn., Bindura (Rh. 1025); Barberton, Harris & Todd, 1911.

Pestalotia Micheneri Guba

Laughton (1948) 825.

on Araucaria Cunninghamii Sweet, Eshowe, D.F.O., 15461.

Pestalotia Milletiae Laughton

Laughton (1948) 825.

on Milletia? Sutherlandi Harv., living leaflets, Eshowe, Laughton, 33437, Type.

Pestalotia neglecta Thuem.

Laughton (1948) 826.

on Euonymus japonica Linn., f., living leaves, Johannesburg, Walter Webber, 34922,

Pestalotia Ocoteae Laughton

Laughton (1948) 826.

as Pestalotia sp., J. Phillips (1934) 289, (1931) 160.

on Ocotea bullata E. Mey., immature fruits, Deepwalls, J. Phillips, 17824, Type.

Pestalotia palmarum Cooke

Pole Evans (1914) 154; United States Dept. Agric. (1932) 354; Cardoso (1945) 159; Laughton (1948) 827.

on Cocos nucifera Linn., Lourenço Marques, Hardenburg, 22559; Zambesi Region, (det. S. da Camara); Inhaca Is., Mogg, 34145; Quelimane, Pole Evans, Guimarāis.

Phoenix reclinata Jacq., Lourenço Marques, 487; intercepted in United States on material from South Africa.

Pestalotia Pelargonii Laughton

Laughton (1948) 827.

on Pelargonium cordatum L'Herit., Garden of Eden, Knysna, Laughton, 34918, Type.

Pestalotia peregrina Ell. & Mart.

on Pinus longifolia Roxb., Xumeni, D.F.O., 25914.

Pinus sp., Maritzburg, D.F.O., 30847.

Pestalotia Podocarpi Laughton

Laughton (1948) 827.

on Podocarpus latifolius R. Br., on living leaves, Garden of Eden, Knysna, Laughton, 34917, Type.

Pestalotia Psidii Pat.

Hopkins (1938 a) 119, (1939 a) 36; Laughton (1948) 828.

as Pestalozzia sp., Hopkins (1930) 526.

on Psidium Guajava Linn., Mataffin, Hall, 34090: Amandas, Shamva, Bindura, Concession and Umtali, Hopkins.

11101-21

Pestalotia Pterocelastri Laughton

Laughton (1948) 828.

on Pterocelastrus tricuspidatus Sond., Knysna, Laughton, 25143, Type.

Pestalotia quercina Guba

Laughton (1948) 829.

as Pestalozzia sp., Doidge & Bottomley (1931) 41. on Quercus sp., Irene, Doidge, 2270, D.F.O., 2071.

Pestalotia Rapaneae Laughton

Laughton (1948) 829.

on Rapanea melanophleos Mez., Storms River, Doidge, 17171, Type; Garden of Eden, Knysna, Laughton, 34433, 34910.

Pestalotia Theae Shaw

Hopkins (1938 a) 119, (1939 a) 45.

on Thea sinensis Linn., Chipinga, (Rh. 518).

Pestalotia Trichocladi Laughton

Laughton (1948) 829.

on Trichocladus crinitus Pers., Storms River, Doidge, 17169, Type, and le Roux, 34307.

Pestalotia versicolor Speg.

on **Persea americana** Mill., twigs, Nahoon Valley, *Jackson*, 33754: isolated from scab on fruit, Durban, *McClean*: Grahamstown, *Gowie*.

on underground timber in mine, Robinson Deep (T.R.L. 513 det. Baarn).

Pestalotia Watsoniae Verw. & Dipp.

Verwoerd & Dippenaar (1930 a) 327; Laughton (1948) 830.

on Watsonia rosea Ker. var. alba, Stellenbosch. Verwoerd (Stell. 297). Type: Verwoerd (Stell. 931) 34586.

Pestalotia Zahlbruckneriana P. Henn.

Hennings (1900 a) 3; Sacc. Syll. Fung. XVI: 1017; Laughton (1948) 830. on Strelitzia parvifolia Dryand, inflorescence, Port Alfred, Penther 1610.

Pestalotia sp., nr. P. Guepini Desm.

Doidge & van der Plank (1936) 22.

isolated from:

Citrus sinensis Osbeck, rotting fruits, from White River and Zebediela, Doidge.

Pestalotia spp.

isolated from

Cydonia oblonga Mill., fruit, Mazoe, Bates 390, 34015.

on Gossypium sp., stem, Rhodesia, Hopkins (Hopkins 1931: 665).

isolated from

Litchi chinensis Sonn., ripe and immature fruit, Natal coast and eastern Transvaal, Bottomley.

on **Psorospermum** sp., Salisbury, Eyles (Eyles 1926: 646).

Scolecosporium pedicillatum Dearn. & Overl.

on Olea Europaea Linn., Elsenburg, Gorter (Stell. 1056).

Stilbospora Faureae Syd.

H. & P. Sydow (1912 c) 443.

on Faurea saligna Harv., Barberton, v. d. Byl, 5139, 5621

SCOLECOSPORAE.

Cylindrosporium castanicolum (Desm.) Berl.

on Castanea dentata Borkh., Johannesburg, Clayden, 34195.

Castanea sativa Mill., Cedara, Fisher, 6576; Tzaneen, McCallum, 30096, D.F.O., 30492.

Cylindrosporium Chrysanthemi Ell. & Dearn.

Doidge & Bottomley (1931) 18.

on Chrysanthemum morifolium Ram., Maritzburg.

Cylindrosporium Juglandis Wolf

Hopkins (1938 a) 119, (1939 a) 23.

on Juglans sp., Melsetter (Rh. 2646).

Cylindrosporium Kilimandscharicum Allesch.

on Commelina sp., nr. Gogwana Mouth, Kentani, Pegler 2341, 9098, Kew.

Cylindrosporium Padi Karst.

Doidge & Bottomley (1931) 18.

on Prunus Avium Linn., Belfast.

Cylindrosporium Ribis Davis

Verwoerd & du Plessis (1933) 225: Nel (1942) 99.

on Ribes sativum Syme, Stellenbosch, Verwoerd (Stell. 416; v. d. Byl 2672).

Libertella ! Rhois Kalchbr.

in Herb., ? nom. nud.

on Rhus MacOwani School., Cape, MacOwan 1056, Kew.

MONILIALES.

(Hyphomycetae).

ACTINOMYCETACEAE.

Actinomyces africanus (Pijper & Pullinger) Nannizzi

Nannizzi (1934) 4:8; Dodge (1936) 754; Erikson (1935) 18, 36; St. John-Brooks (1936) 8.

Nocardia africana Pijper & Pullinger (1927) 153-156.

on Man: isolated in a case of mycetoma pedis involving bones, in a South African native.

Actinomyces bovis Harz

on Cattle: causing actinomycosis or lumpy jaw in cattle: occurs fairly commonly in South Africa.

Actinomyces dermatonomus Bull.

Stevn (1931) 205: Mason & Bekker (1934) 211.

on **Sheep:** causing a condition in merino sheep known as "lumpy wool". The disease assumes serious proportions during certain seasons: outbreaks have occurred in **East** Griqualand, the eastern and south-western districts of the Cape. A large number of cases occurred in the Humansdorp district in 1932; there have been isolated outbreaks in the Karroo districts.

Actinomyces Foulertoni (Chalmers & Christopherson) Sartory & Bailly

Nocardia Foulertoni Chalmers & Christopherson, Pijper (1919) 83.

on Man: isolated from chronic abscess in neck of native patient. Bethal, Pijper.

Actinomyces Leishmani (Chalmers & Christopherson) Sartory & Bailly.

Dodge (1936) 740.

Streptothrix sp., Birt & Leishman (1902) 121.

Actinomyces Leishmanii Erikson (1935) 203: St. John-Brooks (1936) 10.

on Man: isolated from nodules in lung and from pericardial fluid of patient from Ladysmith, Natal, Birt & Leishman.

Actinomyces Madurae (Vincent) Lachner-Sandoval

St. John-Brooks (1936) 10.

Nocardia indica Chalmers & Christopherson, Welchman & Pitie (1921) 6.

Discomuces Madurae Gedoelst, Welchman & Pirie, l.c.

on Man: isolated from "Madura foot" of male M'sutu native, Johannesburg; other cases reported, but organism not identified.

Actinomyces mineaceus (Kruse) Lachner-Sandoval

Actinomyces ruber Sartory & Bailly, Davel (1931) 18.

isolated from red spots on butter wrappers and butter liners, producing a red colour on the butter surface: locality not indicated.

Actinomyces Pijperi (Castellani & Chalmers) Sartory & Bailly

Doidge (1936) 755.

Nocardia sp., Pijper (1917 d) 50-53, (1917 c) 141, 142.

Nocardia Pijperi Castellani & Chalmers (1919) 1060.

Discomuces Pijperi Neveu-Lemaire (1921) 44.

on Man: found in mycopurulent sputum of a patient with chronic bronchitis, Pijper.

Actinomyces pretorianus (Pijper & Pullinger) Nannizzi

Nannizzi (1934) 4: 38; Erikson (1935) 30, 37; Dodge (1936) 747; St. John Brocks (1936) 11.

Nocardia pretoriana Pijper & Pullinger (1927) 153-156.

on Man: isolated from a mycetoma of the shoulder of a native patient. Pipper & Pullinge-

Actinomyces scabies (Thaxt.) Gussow

Doidge & Bottomley (1931) 52; Hopkins (1938 a) 119, (1939 a) 43; Cardoso (1945) 158.

Oospora scabies Thaxter, Pole Evans (1906 a) 140.

Actinomyces chromogenus Gasp., Verwoerd (1929 b) 23.

Actinomyces sp., Verwoerd (1929 b) 16; Doidge & Bottomley (1931) 37.

on Beta vulgaris Linn., roots, Stellenbosch, Verwoerd; Port Elizabeth.

Solanum tuberosum Linn., extremely common and widespread on tubers in the Union and in Southern Rhodesia; Kromrivier, S. G. Smith, 24901; Rubbervale, 25498.

Actinomyces transvalensis (Pijper & Pullinger) Nannizzi

Doidge (1936) 756; Erikson (1935) 28, 37; St. John-Brooks (1936) 12.

Nocardia transvalensis Pijper & Pullinger (1927) 153-156.

on Man: found in mycetoma pedis in a South African native, Pretoria, Piper & Pullinger.

Actinomyces spp.

Nocardia spp., Piper (1917 c) 141, (1917 d) 50-53.

on Man: (1) isolated from sputum of a patient suffering from chronic bronchitis.

(2) isolated from urinary sediment in case of cystitis.

Actinomyces spp.

Ferreira (1941) 33.

on Man: several cases of actinomycosis reported from Moçambique territory, 1925–1930; 7 cases from Moçambique, one from Tete, 7 from Memba; 22 cases from Angoche in 1931.

MUCEDINACEAE.

HYALOSPORAE.

Acremonium verticillatum Link

Verwoerd & du Plessis (1933) 222. on **Pinus** sp., Stellenbosch (Stell. 628).

Acremonium sp.

Doidge & Bottomley (1931) 9.

on Helianthus tuberosus Linn., tubers, south-western Cape and northern Transvaal, Bottom-ley.

Aspergillus amstelodami (Mangin) Thom & Church

van der Byl (1920 e) 3.

from sugar, Natal coast, v. d. Bul.

on underground mine timbers, Robinson Deep (T.R.L. 527, det. Baarn).

Aspergillus candidus Link

Hopkins (1938 a) 119.

on cheese, Salisbury (Rh. 1952).

Aspergillus carbonarius (Bain.) Thom

du Plessis (1936) 14.

on Vitis vinifera Linn., berries, south-western Cape, du Plessis.

Aspergillus eburneus Biourge

on underground timber, Springs Mines (T.R.L. 851, det. Thom).

Aspergillus flavus Link

van der Byl (1921 e) 232 : Hopkins (1938 a) 120, (1939 a) 30, (1939 b) 117. on **Nicotiana tabacum** Linn., cured leaf, Darwendale (Rh. 2666); Salisbury (Rh. 2667); Banket (Rh. 2687, 3001).

on Termite comb, Pretoria, Pole Evans, 1253.

isolated from air in sugar mills, Natal coast, v. d. Byl.

isolated from coconut matting, New State Areas, Bowen (T.R.L. 349) 32393.

isolated from flannel bag used underground, Crown Mines (T.R.L. 1417, det. Thom).

Aspergillus fumigatus Fres.

Walker (1913) 199, (1915) 540; van der Byl (1920 e) 4; Hopkins (1938 a) 120; Nel (1942) 100.

isolated from **Struthio australis** (ostrich) from bone cavities, lungs and intestinal tract, Bedford, Albany and Alexandria districts, Walker.

isolated from Spheniscus demursus (penguin) from air sacs, Zoological Gardens, Pretoria, Simpson, Robinson.

isolated from Anatidae undet., (duck) from air sac, Salisbury (Rh. 1831), occasionally found causing a disease in various aviary birds, *Robinson*, isolated from sugar, Natal coast, v. d. Byl 907, 14258.

Aspergillus glaucus Link

Medley Wood (1897) 17: Hopkins (1938 a) 120.

on Corylus avellana Linn., nuts, Pretoria, 23649.

Nicotiana Tabacum Linn., cured leaf, Cape, de Villiers, 701.

Caryopemon cruciger Steph. in seeds of Abrus precatorius Linn.. Pretoria. Pole Evans, 23618.

on cheese, Salisbury (Rh. 1953).

on matrix unspecified, Natal, Medley Wood 44.

Aspergillus glaucus (group) nr. A. amstelodami Mang.

on sterilised oats used for culturing false codlin moth, Cedara, Ripley.

Aspergillus sp. (Aspergillus minutus Gilman & Abbott prox.)

on flannel bag used underground, Durban Roodepoort Deep (T.R.L. 906, det. Thom).

Aspergillus niger van Tiegh.

van der Byl (1920 e) 4, (1920 c) 103, (1922 d) 283; Doidge & Bottomley (1931) 42, 43; Doidge & van der Plank (1936) 16; du Plessis (1936) 15: Bates (1937 b) 176, 189; Hopkins (1938 a) 120, (1939 a) 13, 49, 50, (1943) 182; Hopkins & Bacon (1938) 458; Verwoerd (1931 a) 301: Cardoso (1937) 152; Nel (1942) 100; Pirie (1940) 46; Cluver (1941) 49.

on Allium Cepa Linn., bulbs, Stellenbosch, v. d. Byl 95; Bloemfontein, Verwoerd.

Arachis hypogaea Linn., rotting nuts, Springbok Flats, Bottomley, Sellschop.

Citrus Limonia Osbeck, fruit, Mazoe, Bates.

Citrus sinensis Osbeck, fruit, Mazoe, Bates; Pretoria, Doidge.

Gardenia sp., fruit, banks of Limpopo River, near junction with the Magalaquin, Mogg, 23647. Mangifera indica Linn., Moçambique, Cardoso.

Pyrus malus Linn., fruit, Rhodesia, Hopkins & Bacon.

Vitis vinifera Linn., berries, south-western Cape, du Plessis; Bulawayo, (Rh. 1779).

Zea Mays Linn., Bulawayo (Rh. 2135).

on rotting fruit, common in Moçambique, Cardoso.

on Man: isolated from ear (Otitis externa) Johannesburg, H. I. Lurie.

isolated from air in sugar mills, v. d. Byl 905, 14260; on artificial medium used for culturing insects, Cedara, Ripley.

on flannel bag used underground in mine, Durban Roodepoort Deep (T.R.L. 215; in ventilation tubing, Crown Mines (T.R.L. 1410, det. Thom).

Aspergillus ochraceus (series) near Aspergillus melleus Yukawa

Doidge & van der Plank (1936) 16.

on Citrus Limonia Osbeck, fruit, Zilikaats Nek, Irvine.

Aspergillus parasiticus Speare

van der Byl (1921 e) 233.

isolated from air in sugar mills, Natal coast, v. d. Byl.

Aspergillus repens (Corda) Sacc.

van der Byl (1920 e) 3; Nel (1942) 100.

? as **Aspergillus repens-glaucus** (series) van der Byl (1921 e) 233, (1920 e) 3; Nel (1942) 100.

from air in, sugar mills and from sugar, Natal Coast, v. d. Byl 901, 902, 14257.

Aspergillus Sartoryi Syd.

Sartory & Sydow (1913) 156 ; Herter (1913) 286 ; Sacc. Syll. Fung. XXV : 662. isolated in gold mines, Johannesburg.

fide Herter, l.c., this is Aspergillus flavus Link.

Aspergillus sulphureus (Fres.) Thom & Church

Hopkins (1938 a) 120.

on Nicotiana Tabacum Linn., cured leaf, M'Soneddi (Rh. 2405).

Aspergillus Sydowi (Bain. & Sartory) Thom & Church

Stevenson & Rands (1938) 252.

on sugar, forming a velvety, blue green mould, South Africa.

on sterilised oats used for culturing larvae of false codlin moth, Cedara, Ripley.

Aspergillus terreus Thom

van der Byl (1920 e) 4; Nel (1942) 100.

isolated from sugar, Natal coast, v. d. Byl 904, 14261.

Aspergillus versicolor (Vuill.) Tirab.

on Man: isolated from cases of eczema (contaminant) Johannesburg, H. I. Lurie. on flannel bag used underground in mine, Durban-Roodepoort Deep (T.R.L. 1495 det. Thom). on canvas, Transvaal Rubber Co., Johannesburg, (T.R.L. 902, det. Thom).

Aspergillus Welwitschiae (Bres.) P. Henn.

Hennings (1903) 168; Wehmer (1907) 394; Thom & Church (1926) 178.

Ustilago Welwitschiae Bresadola, Sacc. Syll. Fung. XIV: 411: Verwoerd (1926 b) 31, (1928 b) 239; Zundel (1938) 318.

on Welwitschia Bainesii (Hk. f.) Carr., between Mossamedes and Koroka River, Baum, Kew: Buraco, Baum 1: Goanekontas, nr. Swakop in the Namib, Krige (v. d. Byl 2499): Mossamedes, Möller.

Aspergillus sp.

Doidge & van der Plank (1936) 16. on Citrus sinensis Osbeck, fruit, Pretoria, *Doidge*.

Aspergillus sp.

Verwoerd (1929 b) 12.

on Ficus carica Linn., fruit, George, Verwoerd.

Aspergillus sp.

Verwoerd (1929 b) 12.

on Passiflora quadrangularis Linn., fruit, Cape Town, Verwoerd.

Aspergillus spp.

van der Byl (1920 c); McMartin (1937 b).

on Saccharum officinarum Linn., cuttings, Natal, McMartin; on sugar, Natal coast, v. d. Byl.

Aspergillus sp.

on Furcaspis Proteae Brain on Faurea saligna, Rustenburg, Munro, 26137. Coccid. undet., 28447.

Beauveria Bassiana (Bals.) Vuill.

Schaefer (1936).

on Cactoblastis cactorum Berg, larvae & chrysalis, Uitenhage, Petty, 33422.

Nomadacris septemfasciata Serv., St. Lucia Bay, Pole Evans, 27654: Cambridge, Magistrate; Pondoland, Schaefer: widely distributed in the Union, Schaefer.

Beauveria globulifera (Speg.) Picard

McMartin (1935 b) 178.

Sporotrichum globuliferum Speg., Cooper (1899) 685.

as Sporotrichum sp., Howard (1902) 446.

on Nomadacris septemfasciata Serv., Natal coast, McMartin: Alfred County, Cooper.

Botrytis Allii Munn.

Doidge & Bottomley (1931) 42.

on Allium Cepa., Linn., bulbs, Molteno, Bottomley; Mara, Transvaal; Joubertina, Reinecke, 34157; Willowmore, du Plessis, 34429.

Botrytis cinerea Pers.

Van der Byl (1922 d) 287;
V. A. Putterill (1923) 335;
Verwoerd (1929 b) 5, 8, 12, 13;
Hopkins (1930) 418, (1943) 185;
Dippenaar (1931 a) 7, 8;
Doidge & Bottomley (1931) 22, 26, 28, 34;
Doidge & van der Plank (1936) 17;
du Plessis (1936).

Monilia cinerea, Nel (1942) 100. as Botrytis sp., Hopkins (1939 a) 49.

on Amaryllis Belladonna Linn., bulb, Kenilworth, Verwoerd.

Arachis hypogaea Linn., Durban, v. d. Byl 317.

Brassica oleracea Linn. var. botrytis Linn., Pretoria, 5128. Citrus Limonia Osbeck, fruit, Groot Drakenstein, Doidge.

Citrus sinensis Osbeck, fruit, Groot Drakenstein, Doidge; Mazoe, Bates; Rhodesia, Hopkins.

Cyclamen indicum Linn., bulbs, Cape Town, Stellenbosch, Verwoerd.

Dahlia pinnata Cav., Harden Heights, Pole Evans, 1392.

Euphorbia pulcherrima Willd., south-western Cape, Dippenaar.

Ficus carica Linn., fruit, common in the Pretoria Distr., Bottomley.

Fragaria sp., Pretoria, Doidge, 33386; Mulder's Drift, Bottomley; Salisbury, Hopkins. Gladiolus sp., corm, George, Verwoord.

Lathyrus odoratus Linn., Stellenbosch, v. d. Byl, 1893.

Lupinus angustifolius Linn., Stellenbosch, Dippenaar.

Medicago sativa Linn., Wynberg, Dippenaar.

Primula malacoides Franch., Pretoria, Bottomley, 34203.

Psidium guajava Linn., south-western Cape, Dippenaar.

Pyrus malus Linn., fruit, south-western Cape, Dippenaar.

Rosa spp., buds, south-western Cape, Dippenaar.

Rubus pinnatus Willd., fruit, Hopevale, Doidge.

Vitis vinifera Linn., berries, south-western Cape, V. A. Putterill, du Plessis; Stellenbosch, v. d. Byl 1139, Verwoerd; Robertson, Verwoerd (Stell. 377); Tulbagh, Verwoerd; Pretoria, Bottomley; Salisbury, Hopkins (Rh. 3778).

Botrytis Fabae Sard.

Gorter (1941) 168.

on Vicia Faba Linn., Cape Flats, Gorter; Stellenbosch, Gorter, 33353.

Cephalosporium Sacchari Butl.

Van der Byl (1918 e), (1921 h) 125; McMartin (1937 b) 267, (1938) 214, (1943) 52; Stevenson & Rands (1938) 258.

on Saccharum officinarum Linn., stems, Natal coast, v. d. Byl, McMartin.

Cephalosporium sp.

on Irene ditricha (Kalchbr. & Cooke) Doidge on Cassine papillosa, Deepwalls, Donage, 17216 b.
Irene natalensis Doidge on Dovyalis rhamnoides, van Staden's Pass, Doidge, 17256 a.
Irene Peglerae Doidge on Halleria lucida, Storms River, Doidge, 17182 a.

Meliola rhoina Doidge on Harpephyllum caffrum, Howieson's Poort, Doidge, 10958 b; on Rhus villosa, Umkomaas, Bottomley, 11892 b; Ruccleuch, Doidge, 11590 b.

Meliola torta Doidge on Trichocladus crinitus, Storms River, Doidge, 17170 d.

Meliola Woodiana Sacc., on Canthium ventosum, van Staden's Pass, Doidge, 10881 c. See also Calonectria Cephalosporii Hansf., of which the conidial stage is a species of Cephalosporium.

Gliocladium deliquescens Sopp.

Doidge & van der Plank (1936) 21.

isolated from Citrus sinensis Osbeck, fruit from White River, Zebediela, Sunday's River, Doidge.

Gliocladium penicilloides Corda

on Citrus nobilis var. deliciosa Sw., twigs, East London, Turner, 25955.

Gliocladium roseum (Link) Bainier

Cardoso (1938) 74.

Penicillium roseum Link, Cardoso (1937) 152, (1945) 151.

on Citrus sinensis Osbeck, twigs, Upington; !! fruit, sul do Save, Cardoso; Magude, Cardoso; Lourenço Marques, Guimarāis.

on underground mine timber, Robinson Deep (T.R.L. 375, det. Baarn). ? on Argyroploce leucotreta Meyr, pupa, Letaba Estates, Rinder, 27301.

Metarrhizium anisopliae (Metsch) Sorokin

Lewin (1936) 3-7.

on Nomadacris septemfasciata Serv., Pondoland, Schaefer; Mogambique, Lea; Northern Rhodesia, Lewin.

Sciobius granosus Gyl., larva & pupae, Muden, Ripley.

Monilia sitophila (Mont.) Sacc.

van der Byl (1921 e) 233.

on **Zea Mays** Linn., cobs. Estcourt, Nel, 33570; on cooked mealie meal, Marikana, Turner, 33552.

isolated from air in sugar mills, Natal coast, v. d. Byl; from air in Crown Mines (T.R.L. 815).

Oidiopsis taurica Lév.

see Lèveillula taurica (Lév.) Arn.

Oidium abelmoschi Thuem.

on Hibiscus esculentus Linn., Daspoort, 393.

Oidium Chrysanthemi Rabenh.

Verwoerd (1929 b) 10, (1931 a) 301; Doidge & Bottomley (1931) 19; Hopkins (1938 a) 120, (1939 a) 10.

on Chrysanthemum morifolium Ram., fairly common throughout the Union of South Africa, Doidge & Bottomley; Stellenbosch, Verwoerd (Stell. 394); Wellington, Somerset West and Caledon, Verwoerd; Bloemfontein, Verwoerd; Salisbury, Hopkins (Rh. 1093, 1098) Kew; Umtali (Rh. 1936).

Oidium Hortensiae $J\phi$ rstad

Hopkins (1939 a) 23, (1930) 506.

as *Oidium* sp., Hopkins (1938 a) 120.

on Hydrangea opuloides Koch, Port Elizabeth, Pringle, 23681; Vereeniging, Brandmüller, 28802; Johannesburg, Orr, 27572; Durban, McClean, 30672; Stellenbosch, du Plessis (Stell. 516); Salisbury, Hopkins (Rh. 1603, 1787).

The perfect stage, which has been described as Microsphaeria polonica Siemaszko, has

not been found in South Africa.

Oidium Lycopersicum Cooke & Mass.

on Lycopersicum esculentum Mill., northern Transvaal, not uncommon.

Oidium Mangiferae Berthal

as Oidium sp., Doidge & Bottomley (1931) 37; Hopkins (1938 a) 120, (1939 a) 26.

on Mangifera indica Linn., Mataffin, Hall, 26584, Wager, 26593; Duiwelskloof, v. d. Merwe, 22551, Murray & Drysdale, 26413; Salisbury (Rh. 615, 3276); Umtali, Hopkins (Rh. 1018, 228) Kew; Theydon (Rh. 3371).

Oidium quercinum Thuem.

sub Microsphaera Alni (Wallr.) Wint., Hopkins (1938 a) 100.

sub Microsphaera Alni var. extensa, Hopkins (1939 a) 40.

? as Phyllactinia corylea in Nel (1942) 14.

? as Oidiopsis taurica in Nel (1942) 101.

? as Oidium sp., in Nel (1942) 161.

on Quercus spp., Groenkloof, v. d. Vyver, 21242; Norwood, Johannesburg, Weintroub, 33349; Knysna, D.F.O., 13021; Stellenbosch, Verwoerd (Stell. 163); Ceres, Tulbagh, Wellington, Caledon, Verwoerd; Durban, v. d. Byl 58; Stellenbosch, v. d. Byl 2104; Derdepoort, 17084; Norwood, Weintroub, 33349; Umtali (Rh. 1021); Salisbury (Rh. 2224, 2879); Inyanga & Stapleford, Hopkins.

Oidium Solani auct.

on Solanum tuberosum Linn., Mokeetsi, Wilkinson, 26595; Worcester, Dippenaar; fairly common in the northern Transvaal; Sarnia, Rood; Seaview and Durban, Wager; Salisbury (Rh. 1754).

Oidium Tahaci Thuem.

H. & P. Sydow (1909) 547; van der Byl (1922 d) 283; Moore (1926) 452; Verwoerd (1929 b) 27; Doidge & Bottomley (1931) 62; Eyles (1926) 649. sub Erysiphe cichoracearum DC., Hopkins (1931 b) 49, (1938 a) 100, (1939 a) 28.

on Nicotiana Tabacum Linn., Pretoria 190, 15033; Daspoort, 258; Buffelspoort, Doidge & Bottomley, 32763; Rustenburg, v. d. Byl, 2197, Doidge, 15412; Piet Retief, 184; Nelspruit, Wager, 27583; Tzaneen, Burtt Davy, 135; Barberton, 398; Grahamstown, Dewar, 276; Stellenbosch, Verwoerd (Stell. 423); Oudtshoorn, Barrydale, Ladismith, Verwoerd; Mt. Murambala, Shire River, Howard, 643; Salisbury, Eyles 2053, (Rh. 1235, 1367, 1762, 2112, 2693) 15512; Concession (Rh. 110, 111, 211); Glendale (Rh. 211, 230); M'Soneddi (Rh. 766); Umvukwes (Rh. 3428); Marandellas, Eyles.

Nicotiana rustica Linn., Riversdale, du Plessis (Stell. 871).

Oidium Tuckeri Berk.

see Uncinula necator (Schw.) Burr.

Oidium Verbenae Thom & Bolle

Verwoerd (1931 a) 301.

as Oidium sp., Doidge & Bottomley (1931) 65; Hopkins (1938 a) 120, (1939 a) 47.

as Oidium erysiphoides Fr., Kalchbrenner & Cooke (1880) 23.

on Verbena hybrida Voss, Durban, McClean, 30671; Bloemfontein, Verwoerd; Somerset East, MacOwan 493; Johannesburg, Barlow, 33746; Umhlanga Rocks, Wager; Stellenbosch, du Plessis (Stell. 514); Salisbury, Hopkins, (Rh. 1365).

Oidium sp. (on Asclepiadaceae).

on Asclepias sp., Riversdale, du Plessis (Stell. 802).

Oidium sp. (on Balsaminaceae).

on Impatiens balsamina Linn., Durban, McClean, 32383. Impatiens sp., Salisbury (Rh. 868).

Oidium sp. (on Bignoniaceae).

on Bignonia capreolata Linn., Stellenbosch, Dippenaar (Stell. 1008).

Oidium sp. (on Borraginaceae).

on Trichodesma africanum R. Br., Louis Trichardt, Fitzgerald, 26849.

Oidium sp. (on Burseraceae).

on Balsamodendron epobalsamum Kunth., Lourenco Marques, Mota (Cardoso, 1945: 161).

Oidium spp. (on Compositae).

Hopkins (1938 a) 100, 120, (1939 a) 20, 41, 47, 51 (some sub Erysiphe cichorace rum DC.)

on Aster Amellus Linn., Stellenbosch, du Plessis (Stell, 803).

Dimorphotheca sp., Fauresmith, Henrici, 32111.

Euryops multifidus DC., Fauresmith, Henrici, 33081.

Gaillardia pulchella Foug., Wynberg, Verwoerd: Durban, v. d. Byl. 32499.

Gerbera Jamesoni Bolus, Salisbury (Rh. 2136, 2695).

Helipterum roseum Benth., Durban.

Senecio cruentus DC., Natal.

Senecio latifolius DC., Salisbury (Rh. 2499): Vumba, Hopkins.

Senecio spp., Garstfontein. Pienaar, 1423; Boovsens. Burtt Davy, 774.

Sonchus spp., Stellenbosch, Dippenaar (Stell. 519); Salisbury (Rh. 1796).

Tripteris pachypteris Harv., Grootfontein, Gill, 30664.

Veronia amygdalina Del., Salisbury (Rh. 3008).

Zinnia spp., Johannesburg, Bottomley, 33919: Umhlanga Rocks, Wager: Salisbury (Rh. 443, 1869, 1979).

Oidium spp. (on Euphorbiaceae).

Van der Byl (1922 d) 288; Verwoerd (1931 a) 300; Hopkins (1938 a) 120, (1939 a)

on Euphorbia sp., Stellenbosch, v. d. Byl; Bloemfontein, Verwoerd. Pedilanthus tithymaloides Poit., Salisbury (Rh. 1836).

Oidium sp. (on Geraniaceae).

on Erodium moschatum L'Hérit., Elsenburg, du Plessis (Stell. 584). Pelargonium sp., Garstfontein, Erasmus, 1943.

Oidium spp. (on Labiatae).

Hopkins (1938 a) 120, (1939 a) 24.

on Leucas martinicensis R.Br., Concession (Rh. 1330, 1344); Salisbury (Rh. 543); Banket (Rh. 570) Wonderboom, *Pole Evans*, 1297; very common in Natal. Teucrium riparium Hochst., Maritzburg, *Pole Evans*, 1435.

Oidium spp. (on Leguminosae : Caesalpineae).

on Afzelia quanzensis Welw., Lourenço Marques, Mota; Matola, Guimarāis (Cardoso 1945 : 159).

Bauhinia Galpinii N.E.Br., Pretoria, 32446.

Bauhinia sp., Duivelskloof, Liebenberg, 32722.

Cassia occidentalis Linn., Schagen, Wager, 26204; Lourenço Marques, Howard, 674, 971.
 Isoberlinia globifera (Benth.) Hutch., Mnondo, Hopkins (Hopkins 1943: 185; as Erysiphe sp. in Hopkins 1932: 463).

Schotia latifolia Jacq., Bonza Bay, Bottomley, 26681.

Oidium spp. (on Leguminosae : Papilionaceae).

sub Erysiphe Polygoni DC., Hopkins (1938 a) 190, (1939 a) 18, 48; Bottomley (1932) 20; Nel (1942) 14; Eyles (1926) 630; Doidge & Bottomley (1931) 21, 32, 57.

on Crotalaria juncea Linn., Onderstepoort, v. d. Walt, 34191; Umvukwes, Hopkins (Hopkins 1943: 183).

Dolichos biflorus Linn., Salisbury, Hopkins.

Dolichos lupiniflorus N.E.Br., M'Soneddi (Rh. 1914); Salisbury (Rh. 2142).

Glycine Max Merr., Cedara, Staples.

Tamarindus indica Linn., Lourenço Marques, Mota (Cardoso 1945: 160).

Tephrosia transvaalensis Hutch. & Burtt Davy, Louis Trichardt, Fitzgerald, 26850.

Vicia Faba Linn., Ofcalaco; Umbeluzi, Guimarāis (Cardoso 1945: 160).

Vigna unguiculata (L.) Walp., Cedara, Staples, 15427; Concession (Rh. 1343) Kew; Matopos (Rh. 2893); Amandas (Rh. 3226); Salisbury, Eyles (v. d. Byl 2053).

Vigna vexillata Benth., Pyramids, Mogg, 33231.

Voandzeia subterranea Thouars, Stegi, Young, 9694; Cedara, Staples, 17057; Natal, Curson, 34173.

Oidium sp. (on Loganiaceae).

on **Buddleia salvifolia** Lam., Pretoria, van Nouhuys, 21053: Garstfontein, Doidge, 1373; Pelindaba, Doidge & Bottomley, 32818; The Willows, Doidge & Bottomley, 32788: Barberton, Pole Evans, 1858.

Oidium sp. (on Malvaceae).

on Sida cordifolia Linn., Lourenço Marques, Howard, 970.

Oidium sp. (on Moraceae).

on Cannabis sativa Linn., Potchefstroom, v. d. Byl, 2258.

Oidium sp. (on Ranunculaceae).

on Helleborus niger Linn., Wolseley, Dippenaar (Stell. 518).

Oidium sp. (on Rosaceae).

on Prunus salicina Lindl., Stellenbosch, Dippenaar.

Oidium sp. (on Scrophulariaceae).

on Linaria sp., Salisbury (Rh. 945) Kew,

Oidium spp. (on Solanaceae).

Hopkins (1939 a) 32, 33, 42, (1943) 184.

on Datura ferox Linn., Umtali, Hopkins.

Datura Stramonium Linn., Bon Accord. Mogg. 32435; Rhenosterfontein, Nylstroom, Turner, 33230.

Petunia hybrida Vilm., Salisbury, (Rh. 1769).

Physalis angulata Linn., Salisbury, Hopkins.

Solanum indicum Linn., Melsetter, Swynnerton, 10712.

Solanum melongena var. esculentum Nees, Salisbury (Rh. 1760): Durban, Wager.

Oidium spp. (on Sterculiaceae).

on **Dombeya cymosa** Harv., Table Mt., Natal, Fuller, 1678. **Hermania** sp., Pretoria, 896.

Oospora Citri-aurantii Ferraris

Doidge (1929 b) 323; Doidge & Bottomley (1931) 45; Doidge & van der Plank (1936) 21; Bates (1937 a) 157, (1937 b) 176, 185; Hopkins (1938 a) 120, (1939 a) 13; Cardoso (1939) 44, (1945) 151; St. John-Brooks (1936) 90.

on Citrus sinensis Osbeck, fruit, Rustenburg, *Doidge*: Mazoe, *Bates*: Riversdale, S. Rhodesia (Rh. 1033, 1043): Moçambique, *Cardoso*.

Oospora fimicola (Cost. & Matruch.) Cub. & Meg.

Monilia finicola Cost. & Matruch., Bottomley (1939) 27. on mushroom beds, Cambridge, McNish, 29943; Pretoria, Hall, 30293.

Oospora Fusidium (Thuem.) Sacc. & Vogl.

Sacc. Syll. Fung. IV: 21.

Torula Fusidium (Thuem., von Thuemen (1877) 412.

on Encephalartos cycadifolius Lehm, living leaves, Boschberg, MacOwan 1328 (Thuem. Myc. Univ. 1381; S.A.M. 35181) 21979.

Oospora lactis (Fres.) Sacc.

Oidium lactis Fres., Doidge (1910) 26.

isolated from kaffir beer made from maize, **Zea Mays** Linn. and "Mabele" **Sorghum caff-rorum** Beauv., *Doidge*; ? from gelatinous scum in Citrus by-products factory, Mazoe, *Bates 394*, 34014.

Oospora pustulans Owen & Wakef.

on Solanum tuberosum Linn., Underberg, Wager, Verwoerd.

Ovularia bistortae (Fuck.) Sacc.

on Polygonum aviculare Linn., Elsenburg, Gorter (Stell. 1083).

Ovularia Lolii Volkart

on Lolium temulentum Linn. Elgin, Dippe naar (Stell. 1015, 1016).

Ovulariopsis moricola Del.

Hopkins (1930) 528.

sub *Phyllactinia corylea* (Pers.) Karst., Hopkins (1938 a) 100, (1939 a) 26; Cardoso (1945) 154.

on Morus sp., Durban, McClean, 30762; Salisbury (Rh. 882, 1551); Lourenço Marques, Guimarāis.

Ovulariopsis Papayae v. d. Byl

van der Byl (1921 b) 189; Hopkins (1938 a) 120, (1939 a) 9; Doidge & Bottomley (1931) 46.

? as Phyllactinia corylea (Pers.) Karst., Cardoso (1939) 44, (1945) 155.

on Carica Papaya Linn., Durban, v. d. Byl, 32018, McClean, 21586, 22089, Bottomley, 30750; Stella Bush, Wager, 32458; Maritzburg, Wager, 32457; Valencia, de Beer, 26337; Barberton, Pole Evans, 1920; Boschrand Citrus Estates, Wager, 26570; Letaba, Cousins, 27547; Salisbury (Rh. 763, 983, 1521, 1532); Shamva, Trelawney, Banket, Umtali, Hopkins; Salisbury, Hopkins (Rh. 214) Kew; Mbabane, Smith (Stell. 56); Lourenço Marques, Guimarāis.

Ovulariopsis Passiflorae Syd.

? as Oidiopsis taurica in Nel (1942) 101.

on Passiflora sp., Koodoo's Poort, Pole Evans, 1414; ? Bethlehem, v. d. Merwe (v. d. Byl 1444).

Ovulariopsis sp.

on Chenopodium ambrosioides Linn., without locality, 541.

Ovulariopsis sp.

sub Phyllactinia corylea (Pers.) Karst., Hopkins (1938 a) 100, (1939 a) 33.

on Phlox Drummondii Hook., Settlers, 33474, Kraamwinkel, 33229; Salisbury Hopkins (Rh. 3596).

Ovulariopsis sp.

on Zantedeschia aethiopica (L.) Spreng., Pretoria, 60 c, Terry, 34158; Barberton, Doidge, 2011; Zeerust, Wolmarans, 26702.

Paecilomyces aureo-cinnamomeum (Biourge) Thom

isolated from coconut matting used underground in mine, New State Areas, *Bowen* (T.R.L. 350, det. Baarn) 33294.

Paecilomyces varioti Bainier

Thom (1930) 544-546; Doidge & van der Plank (1936) 21; Stevenson & Rands (1938) 288.

Penicillium divaricatum Thom, van der Byl (1920 c) 1, (1921 e) 232.

isolated from

Citrus sinensis Osbeck, rotting fruit from Rustenburg, Sunday's River, Groot Drakenstein, Doidge.

from air in fruit inspection sheds, V. A. Putterill.

from air in sugar mills, v. d. Byl, 14259.

Paecilomyces sp.

isolated from brattice cloth used underground in mine. New Modderfontein, (T.R.L. 1403, det. Thom).

Penicillium acidoferum Sopp.

isolated from Citrus sinensis Osbeck, decaying fruit, Cedara, Ripley.

Penicillium sp. (Penicillium Adametzi Zal. prox.)

isolated from ventilation tubing, Crown Mines (T.R.L. 1419, det. Thom).

Penicillium brevi-compactum Dierckx

on brattice cloth, underground in mine, New Modderfontein (T.R.L. 759, det. Thom).

Penicillium citrinum Thom

Thom (1930) 256, 258. isolated from fruit, Cape Town, V. A. Putterill.

Penicillium coryphilum Dierckx.

Thom (1930) 254.

isolated from air in fruit packing and inspection sheds, Cape Town, V. A. Putterill.

Penicillium cyclopium Westling

du Plessis (1936) 384-385, as *Penicillium cyclopodium* West. isolated from **Vitis vinifera** Linn., berries, south-western Cape, du Plessis.

Penicillium digitatum Sacc.

Pole Evans (1908 e) 126; Verwoerd (1929 b) 9, 15, 19; Doidge & Bottomley (1931) 34, 44; Doidge & van der Plank (1936) 21; Bates (1937 a) 157, (1937 b) 176, 184; Hopkins (1938 a) 120; Cardoso (1938) 76, (1937) 152, (1945) 151, 152, 153; St. John-Brooks (1936) 93.

on Carica Papaya Linn., fruit, south-western Cape, Dippenaar.

Citrus Limonia Osheck, on fruit, common and widespread; Sul do Save, Cardoso: Lourenço Marques, Cardoso.

Citrus maxima Merr., common on fruit : Magude, Cardoso.

Citrus nobilis Lour. var. deliciosa Sw., common on fruit : Lourenço Marques, Soares.

Citrus sinensis Osbeck, common and widespread on fruit, the most common cause of rotting in stored fruit: Mazoe (Rh. 290); Riversdale, S. Rhodesia (Rh. 1035, 1036, 1047, 1263); Mazoe, Bates; Magude, Cardoso; Lourenço Marques, Cardoso.

Physalis peruviana Linn., fruit, Stellenbosch, Verwoerd.

Var. californicum Thom.

Doidge & van der Plank (1936) 21.

isolated from

Citrus sinensis Osbeck, fruit from Sunday's River and Groot Drakenstein, Doidge: Oppaslaagte, Lowe, 30659.

Penicillium Duclauxii Delacr.

isolated underground in mine. Simmer & Jack Mines, (T.R.L. 360, det Baarn; *Penicillium Duclauxii* prox. fide Thom).

Penicillium elongatum Dierckx.

du Plessis (1936) 14.

isolated from Vitis vinifera Linn., berries, south-western Cape. du Plessis.

Penicillium expansum Link emend. Thom

V. A. Putterill (1923 a) 332; Doidge & Bottomley (1931) 6; du Plessis (1936) 14: Hopkins (1939 a) 39.

as Penicillium sp., Verwoerd (1929 b) 6.

on Pyrus malus Linn., decaying fruit, common throughout South Africa, especially on fruit in cold storage; Cape Town, Elgin, Stellenbosch, Villiersdorp, Verwoerd; Salisbury. Hopkins.

Vitis vinifera Linn., berries, south-western Cape. V. A. Putterill, du Plessis.

Penicillium funiculosum Thom

Thom (1930) 464, 465.

as Penicillium sp., Doidge & Bottomley (1931) 50.

isolated from Ananas comosus Merr., fruit, Bathurst Distr., Bottomley.

Penicillium sp. (between Penicillium Gilmanii Thom & P. guttulosum)

isolated from coat of mine native, Randfontein Estates (T.R.L. 423 a, det. Thom).

Penicillium Gladioli Machacek

Hopkins (1938 a) 120, (1939 a) 20.

on Gladiolus spp., corms, Salisbury (Rh. 1437, 1706); on corms imported from Holland, Port Elizabeth, Bottomley, 30706.

Penicillium glaucum Link

on Corylus Avellana Linn., nuts, Pretoria, 23651.

Penicillium Gratioti Sartory

Sartory (1913) 161; Thom (1930) 338; Sacc. Syll. Fung. XXV: 681.

Penicillium glaucum Link, Herter (1913) 289.

from gold mine (6th level, City Deep Mine) Witwatersrand, Pole Evans, 5587.

Penicillium sp. (Penicillium Hagemi Zal. prox.)

isolated from flannel used underground in mine, Durban Roodepoort Deep, Lurie (T.R.L. 214) 33287; van Rhyn Deep (T.R.L. 217, det. Thom).

Penicillium sp. (Penicillium intricatum Thom prox.)

isolated from flannel used underground in mine, Witwatersrand (T.R.L. 220, det. Thom) 33288; Roodepoort Deep (T.R.L. 1496, det. Thom).

Penicillium italicum Wehm.

V. A. Putterill (1921) 531; Verwoerd (1929 b) 15, 19, (1931 a) 301; Doidge & Bottomley (1931) 34, 43; Doidge & van der Plank (1936) 21; Bates (1937 a) 157, (1937 b) 176, 184; Hopkins (1938 a) 120, (1939 a) 11; Cardoso (1938) 76, (1937) 52.

on Citrus Limonia Osbeck, fruit, common in the Union of South Africa and in Southern

Rhodesia.

Citrus maxima Merr., fruit, Sunday's River and Groot Drakenstein, Doidge.

Citrus nobilis var. deliciosa Sw., fruit, fairly common.

Citrus sinensis Osbeck, common throughout the Union of South Africa and Southern Rhodesia; Sul do Save, Cardoso; Magude, Cardoso.

Prunus persica Sieb. & Zucc., Rosebank, V. A. Putterill.

Prunus salicina Lindl., Rosebank, V. A. Putterill.

Penicillium janthinellum Biourge

isolated from brattice cloth used underground in mine, Modderfontein Deep (T.R.L. 1401, det. Thom)

Penicillium lanosum Westling

isolated from brattice cloth used underground in mine, Modderfontein Deep, (T.R.L. 761, det. Thom).

Penicillium? luteo-viride Biourge

Thom (1930) 462.

isolated from air in fruit-packing and inspection sheds, Cape Town, V. A. Putterill.

Penicillium luteum Zukal

isolated from coat of mine native, Randfontein Estates (T.R.L. 426, det. Baarn).

Penicillium luteum (series)

Doidge & van der Plank (1936) 22.

on Citrus sinensis Osbeck, fruit, Barclayvale, Doidge.

Penicillium notatum Westling.

in cultivation at Medical Research Institute, Johannesburg.

? isolated from ventilation tubing, Crown Mines (T.R.L. 1422, det. Thom).

Penicillium oxalicum Currie & Thom

Hopkins (1938 a) 120.

on Zea Mays Linn., grain, Hunyani (Rh. 1094); Fort Victoria (Rh. 1164); Amandas (Rh. 1660); Salisbury (Rh. 1713); ? Johannesburg, 187.

Penicillium palitans Westling

isolated from flannel used underground in mine, Durban Roodepoort Deep (T.R.L. 226, det. Thom).

Penicillium? Petchii Sartery & Bainier

Thom (1930) 454.

as Penicillium sp., Doidge & Bottomlev (1931) 50.

isolated from Ananas comosus Merr., fruits, Bathurst Distr., Bottomley.

Penicillium pinophilum Hedgcock

Thom (1930) 462, 463.

as Penicillium sp., Doidge & Bottomley (1931) 50.

isolated from Ananas comosus Merr., fruit, Bathurst Distr., Bottomley.

Penicillium purpurogenum Stoll.

van der Byl (1920 e) 4.

isolated from sugar, Natal coast, v. d. Byl, 14262.

Penicillium Putterillii Thom

Thom (1930) 368.

isolated from air in fruit-packing and inspection sheds, Cape Town, V. A. Putterill,

Penicillium Roqueforti Thom

Davel (1940-1943).

introduced in culture for the manufacture of Roquefort cheese.

Penicillium roseo-citrinum Biourge

Thom (1930) 323.

isolated from air in fruit inspection and packing sheds, Cape Town, V. A. Putterill.

Penicillium rugulosum Thom var. aureomarginatum

isolated from coconut matting, underground in mine, New State Areas (T.R.L. 351).

Penicillium sp. (Penicillium simplicissimum (Oud.) Thom prox.)

isolated from ventilation tubing, Crown Mines (T.R.L. 1416, det. Thom).

Penicillium solitum Westling

isolated from canvas used underground in mine, Randfontein Estates (T.R.L. 222).

Penicillium tardum Thom

Thom (1930) 485.

isolated from air in fruit-packing and inspection sheds, Cape Town, V. A. Putterill; from underground mine timber, Durban Roodepoort Deep (T.R.L. 248, det. Thom).

Penicillium verrucosum Dierckx.

Doidge & van der Plank (1936) 22.

on Citrus sinensis Osbeck, Zebediela and northern Transvaal, Doidge.

Penicillium viridicatum (series).

Thom (1930) 392, 393.

isolated from air in fruit inspection and packing sheds, Cape Town, V. A. Putterill.

Penicillium spp.

Doidge & van der Plank (1936) 22.

on Citrus sinensis Osbeck, numerous unidentified species isolated from rotting fruit, these were not pathogenic.

Penicillium sp.

McMartin (1937 b).

on Saccharum officinarum Linn., cuttings, Natal coast, McMartin.

Physospora rubiginosa Fr.

Kalchbrenner & Cooke (1880) 24; Sacc. Syll. Fung. IV: 89.

Rhinotrichum rubiginosum (Fr.) Lloyd (1916 d) L. 63: 4; van der Byl (1922 d) 228. on surface of dead wood, Somerset East, MacOwan 1387, 21996; Stellenbosch, Duthie 85, 31342; Fountains Valley, Bottomley, 28461.

Rhinotrichum Curtisii Berk. & Curt.

on dead wood and bark, Town Bush Valley, Rump 319 a, 461 a, 28678, 28979; poplar bush near Wonderboom, Doidge & Bottomley, 28726; de Beer's Rust, Doidge & Hean, 30695; Boschfontein, Doidge & Bottomley, 33204.

Scopulariopsis sphaerospora F. Zach

on Man: isolated from cases of eczema (probably a contaminant) Johannesburg, H. L. Lurie.

Sorosporella uvella (Krass.) Giard.

on Euxoz segetis Schiff, (Cutworm) larvae, Natal, Ripley.

Sorosporella sp.

on Gryllus sp., (Cricket) Pretoria, Schaefer.

Sphaceloma ampelinum de Bary

Doidge & Bottomley (1931) 27; Cardoso (1939) 45, (1945) 155.

Phoma ampelinum de Bary, Pole Evans (1906 a) 137.

Gloeosporium ampelophagum (Pass. Sacc.,) Lounsbury (1906) 29; Pole Evans (1908 d) 577; van der Byl (1922 d) 287; Eyles (1926) 651; Verwoerd (1929 b) 12, (1931 a) 301; Doidge & Bottomley (1931) 27; Hopkins (1938 a) 119, (1939 a) 48; Nel (1942) 99; Cardoso (1937) 155.

on Vitis vinifera Linn., Constantia, 34: Stellenbosch, Wellington, Paarl, Wynberg, Constantia, Stormsvlei, Verwoerd; Stellenbosch, du Plessis, (Stell. 207), van der Byl 100; Bloemfontein, Verwoerd; Natal, 447; Pretoria, 225, Hawke, 15056, Smit, 15653, v. d. Merwe, 27355, Bottomley, 32637; Krugersdorp, 15057; Nelspruit, McGregor, 24876; Barberton, Winter, 142: The Downs, Murray, 30886; Lourenco Marques, Howard, 972, Santos & Arcas; Umbeluzi & Quelimane, Guimarāis; Bulawayo (Rh. 56); Rusape (Rh. 719); Salisbury & Selukwe, Eyles; Gwelo, Hopkins; Durban, v. d. Merwe (v. d. Byl 647) 31874; Mahlabatini, Gerstner.

Sphaceloma Fawcetti Jenkins

Verwoerd (1929 b) 15; Doidge & Bottomley (1931) 27, 34, 45, 56; Bates (1937 b) 206; Hopkins (1938 a) 103; Cardoso (1937) 155, (1938) 75, (1939) 44, (1945) 151, 152, 153.

Elsinoe Fawcetti Bitancourt & Jenkins, Hopkins (1939 a) 12.

as Sporotrichum Citri Butler, Hopkins (1930) 417; Cardoso (1935) 184.

as Cladosporium Citri in Nel (1942) 97.

on Citrus aurantium Linn., Ofcalaco, Douglas. 25475: Amatikulu. Ardington, 15036.
Citrus Limonia Osbeck, leaves, twigs and fruit, Ginginhlovu, Goldsmith, 2150; East London, Kruize, 25432: White River, Cazalet, 24908, Connaughton, 6966: Hammans Kraal, 921; Warmbaths, 698, 922; Nelspruit, Wager, 32774; eastern Transvaal, Doidge, 32768; Duivelskloof, Wager, 25449; Piquetberg, Verwoerd; Phoenix, Wager; Golden Valley, Muden, Wager; Salisbury (Rh. 1041); Shamva (Rh. 2280); Odze (Rh. 3538); Umtali, Hopkins; Mazoe, Bates; Xinavane, Cardoso; Chinhangwanine,

Chobela, Umbeluzi, Guimarāis, Cardoso; Lourenco Marques, Botelho.

Citrus maxima Merr., Amatikulu, Ardington, 15036; Verulam, Esselen, 23683. Citrus nobilis var. deliciosa Sw., Bathurst, Clark, 30983, 31006, Lourenço Marques, Silva. Citrus sinensis Osbeck, fruit, Buccleuch, Doidge; Magude, Xinavane, Umbeluzi, Cardoso. Citrus sp., Swaziland, v. d. Byl 1322.

Sphaceloma Perseae Jenkins

Jenkins (1934 a) 75, (1934 b) 859; Hopkins (1938 a) 121, (1939 a) 32.

as Sphaceloma sp., Doidge & Bottomley (1931) 10.

on Persea americana Mill., Grahamstown, Gowie, 29882; Duivelskloof, Mills, 30984; Shamva (Rh. 1259, 2280).

Sphaceloma Poinsettiae Jenkins

on Euphorbia pulcherrima Willd., Southern Rhodesia, Hopkins.

Sphaceloma Rosarum (Pass.) Jenkins

Hopkins (1938 a) 121, (1939 a) 40.

on Rosa spp., Salisbury (Rh. 2148, 2719); Stapleford (Rh. 2730); Bulawayo, (Rh. 3124); Kinross, Way, 34002.

Sphaceloma Violae Jenkins

Massey & Jenkins (1935); Jenkins (1938) 86.

Gloeosporium Violae Berk. & Br., Hopkins (1938 a) 119, (1939 a) 48.

on Viola odorata Linn., Greytown, Doidge, 28709; Estcourt, Erxleben, 33080; Pretoria, Jordaan, 28807, Kresfelder, 30982; Balfour, Moore, 33154; Johannesburg, 30864, Pretoria, Bottomley, 33604; Grahamstown, Kannemeyer, 33979; Umtali, Hopkins, (Rh. 1935); Salisbury, Banket, Gwelo, Hopkins.

Sphaceloma sp.

? Elsinoe Pyri (Woron.) Jenkins, Sphaceloma stage, Hopkins (1939 a) 39. on Pyrus malus Linn., leaves, Umtali, Hopkins.

Sporotrichum Carougeaui Langeron

Piper (1931) 390; St. John-Brooks (1936) 124.

on Man: isolated from superficial lesions of the skin, Pipper.

Sporotrichum Citri Butler

Doidge & Butler (1924) 119.

isolated from **Citrus Limonia** Osbeck, leaves, associated with *Sphaceloma Fawcetti* Jenkins. Kew.

Sporotrichum epiphyllum Link

Kalchbrenner (1882 b) 27; Sacc. Syll. Fung. IV: 97. on **Pelargonium** sp., dying leaves, Somerset East, *MacOwan 1171*.

Sporotrichum paranense Marchion.

Cardoso (1937) 153, (1939) 44.

on Nomadacris septemfasciata Serv., Lourenço Marques, Cardoso; Moamba, Vianna; Mungari, Frias; Muguene, Vieira; Impamputo, Cardoso; Quelimane, Cardoso.

Sporotrichum roseum Link

on Pyrus communis Linn., twigs, Pretoria, 20674.

Sporotrichum Schencki Matruchot

Robinson & Parkin (1929) 24.

on Horse: isolated from skin lesions, Pretoria, Robinson & Parkin.

Var. Beurmanni (Matruchot & Ramond) Dodge

Sporotrichum Beurmanni Matruchot & Ramond, Pijper & Pullinger (1927 b) 914; Dangerfield & Gear (1941) 128; du Toit (1942) 2; St. John-Brooks (1936) 124.

Rhinocladium Beurmanni Vuill., Goldberg & Pijper (1931) 140.

as Sporotrichum Schencki Matruchot, Ferreira (1941) 41.

on Man: isolated from lesions in numerous cases of "spototrichosis" amongst natives working underground in gold mines on the Witwaterstand; 74 cases from Simmer & Jack Mines and Robinson Deep; about 650 cases amongst natives and some Europeans at Venterspost; Randfontein Estates, Geldenhuis Deep, Blyvooruitzicht; Johannesburg (T.R.L. 1766) 33499; Modderfontein East (T.R.L. 1764): Johannesburg (T.R.L. 1433, det. Baarn) 34229; Consolidated Main Reef Mines (T.R.L. 1908); from lesions on European from Kanye, Bechuanaland; from wrist of European woman, Port Elizabeth, Harington; several cases amongst natives in Moçambique, Ribeiro, Ferreira.

isolated from underground mine timbers, Consolidated Main Reef Mines (T.R.L. 1802)

33498; Venterspost (T.R.L. 1801).

from spore catch in mine. Venterspost. Simson (T.R.L. 1807): the only spore catch culture of this fungus, on about 300 petri dishes exposed over a period of 2 years.

Trichoderma lignorum (Tode) Harz

Doidge & van der Plank (1936) 23: Bates (1937 b) 176, 198: Hopkins (1938 a 121, (1939 a) 13.

Trichoderma viride Pers., Hopkins (1941) 1.

on Citrus Limonia Osbeck, fruit, Mazoe, Bates.

Citrus sinensis Osbeck, fruit, Mazoe, Bates: isolated from rotting fruit from Letaba.
White River, Zebediela, Rustenburg, Muden, Sunday's River, Groot Drakenstein,
Doidge: from roots, northern Transvaal, Doidge.

Solanum tuberosum Linn., tubers, southern Rhodesia, Hopkins.

isolated from discoloured wood of orange boxes, eastern Transvaal. Doidge.

from underground mine timber, Durban Roodepoort Deep (T.R.L. 249, det. Baarn) from coat of mine native, Randfontein Estates (T.R.L. 427, det. Baarn).

Verticillium albo-atrum Reinke & Berth.

Hopkins (1938 a) 121, (1939 a) 44: Doidge & Bottomlev (1931) 53.

on Gossypium sp., Kakamas, Moore, 27657: Perde Eiland and Bassonsdrift, Gutsche Moore; Upington, Agric, officer: Pongola, Moerdyk.

?onSolanum Melongena var. esculentum Nees, Tulbagh, Dippenaar.

on Solanum tuberosum Linn., Salisbury (Rh. 1891); Cape, Loidge & Bottomley.

Verticillium pulvinulum Kalchbr. & Cooke

Kalchbrenner (1882 b) 27: Sacc. Syll. Fung. IV: 151.

on Aloe sp., dving leaves, Somerset East, MacOwan 1170.

Verticillium terrestre (Pers.) Sacc.

on Triticum aestivum Linn., Stellenbosch, Gorter, 33365.

Verticillium sp.

Hopkins (1931 b) 61.

on Nicotiana Tabacum Linn., roots, Rhodesia, Hopkins.

Verticillium sp.

Hopkins (1939 a) 51; Bottomley (1939) 26.

on Pholiota sp., cultivated mushrooms, Rhodesia, Hopkins (Verticillium agaricinum Corda aff.)

Psalliota sp., Groenkloof, Winkworth, 30705.

HYALODIDYMAE.

Cephalosporiopsis parasitica Hansf.

on Irene inermis (Kalchbr. & Cooke) on Buddleia salvifolia, Buccleuch, J. M. Sim, 10146 b.

Cylindrocladium scoparium Morgan

on Acacia mollissima Willd., base of stem of seedlings and young trees, Natàl midlands, Ledeboer.

Mycogone aurantiaca Cam.

da Camara (1918) 11; Sacc. Syll. Fung. XXV: 716; Cardoso (1945) 159. on? rhizomorphs of Agaricaceae or Polyporaceae undet., Zambesi region.

Mycogone sp.

on Russula cyanoxantha (Schaeff. ex Secr.) Fr., Kirstenbosch, *Pocock* (E. L. Stephens 360 34495.

Rhynchosporium secalis (Oud.) Davis

N. J. G. Smith (1937) 286.

on **Hordeum vulgare** Linn., Stellenbosch, Albany, Knysna, Humansdorp and Stockenstroom districts. N. J. G. Smith.

Trichothecium roseum Link

Cephalothecium roseum Corda, Eyles (1926) 645, 647; Doidge & Bottomley (1931) 8, 44; Hopkins (1930) 649, (1938 a) 120, (1939 a) 13, 16; Doidge & van der Plank. (1936) 17.

on Citrus sinensis Osbeck, fruit, Riversdale, S. Rhodesia (Rh. 1043, 1068); Pretoria. Doidge Corylus avellana Linn., nuts, Pretoria, 23648.

Dahlia pinnata Cav., tuber, Salisbury (Rh. 1832).

Fragaria sp., fruit, Salisbury (Rh. 97).

Passiflora sp., dead stems, Pretoria, Fouche, 14142.

Prunus salicina Lindl., Umvukwes, Eyles.

Pyrus communis Linn., stems, Pretoria, 20673.

Pyrus malus Linn., fruit, Transvaal, Doidge & Bottomley.

Rosa sp., Mazoe, Eyles.

Ravenelia MacOwaniana Pazschke, aecidial galls, Groenkloof, Howlett, 12799.

Scleroderma Cepa Pers., Fountains Valley, Bourquin, 21097, Bottomley & Louwrens, 28582.

on sterilised oats, used for culturing insect larvae, Cedara, Ripley.

HYALOPHRAGMIAE.

Eriomycopsis Asterinae Hansf.

Hansford (1942) 466.

on Asterina Scolopiae Doidge on Scolopia Zeyheri, Hogsback, K. M. Putterill, 30084 a. Asterina tertia var. africana Doidge on Hypoestes verticillaris, Claridge, Doidge, 8998 a

Eriomycopsis Bomplandi Speg.

Hansford (1942) 468.

on Asterina Hendersoni Doidge on Hex capensis, van Staden's Pass, Doidge, 10884 a.

Asterina natalitia Doidge on Eugenia zuluensis, Umzinto. Wager, 32683 d.

Irene natalensis Doidge on Scolopia Mundtii, Haenertsburg, Doidge, 1772 a.

Irene Nuxiae Syd. on Lachnopylis floribunda, Storms River, Doidge, 17181 a.

Irene scabra Doidge on Trichocladus drinitus, Izelini Forest, 116 II a: on Trichocladus; ellipticus Hogsback, Henderson, 11338 a; Pirje Forest, Doidge, 12298 a.

Meliola Cryptocaryae Doidge on Cryptocarya transrualensis, Woodbush, Doidge, 28325 a. Meliola ganglifera Kalchbr. on Curtisea faginea, Woodville Forest, Doidge, 10933 c.

Deepwalls, Bottomley, 32229 b.

Meliola Goniomae Doidge on Gonioma Camassi, Deepwalls, Bottomley, 32122 a.

Meliola oleicola Doidge on Olea laurifolia, Pirie Forest, Doidge, 22410 a.

Meliola torta Doidge on Trichocladus crinitus, Storms River, Doidge, 17170 c: Deepwalls, Doidge, 17195 c.

Meliola Woodiana Sacc. on Canthium ventosum, Deepwalls, Doidge, 17219 a. This is possibly the conidial form of Calonectria Ugandae Hansf.

Eriomycopsis flagellata Hansf.

Hansford (1942) 465.

on Meliola torta Doidge on Trichocladus crinitus, Izelini Forest, Emmett, 9064 c.

Eriomycopsis Meliolae Hansf.

Hansford (1942) 468.

on Meliola Toddaliae Doidge on Teclea natalensis, Buccleuch, Doidge, 11564 b.: Pirie Forest, Doidge, 12287 b.: Alexandria, Doidge, 22353 b.

Eriomycopsis minima Hansf.

Hansford (1942) 465.

on Irene Nuxiae Syd. on Lachnopylis floribunda, Keurkloof Forest, Doidge, 17107 a

Irene Podocarpi Doidge on Podocarpus falcatus Storms River, 17166 b.

Irene Strophanthi Doidge on Strophanthus speciosus, Woodbush, Doidge, 1781 b. Winkle Meliola capensis (Kalchbr. & Cooke) Theiss. & Syd., on Hippobromus pauciflorus, Spruit, Pole Evans, 1402 a.

Meliola comata Doidge on Pyrenacantha scandens, Woodville Forest. Doidge, 11020 d.

Meliola ganglifera Kalchbr. on Curtisia faginea, Deepwalls, Bottomley. 32229 c.

Meliola rhoina Doidge on Harpephyllum caffrum. East London. Doidge. 10926 b : Pirie Forest. Doidge. 12269 b : on Rhus longispina, Kowie, Doidge, 12360 a.

Eriomycopsis Ugandae Hansf.

Hansford (1942) 467.

on Irene scabra Doidge on Trichocladus ellipticus, Pirie Forest, Doidge, 12298 b.

Piricularia Oryzae Bri. & Cav.

Cardoso (1937) 154, (1938) 75, (1939) 45, (1945) 150. on **Oryza sativa** Linn., Sul do Save, *Cardoso*; Zavala, *Cardoso*.

Ramularia Primulae Thuem.

on **Primula polyantha** Mill., Balfour, Transvaal, *Mostert*, 28711; Johannesburg, *Bottomley*; Pretoria, *Doidge*, 33995, 34044.

Ramularia Richardiae Kalchbr.

Kalchbrenner & Cooke (1880) 23; Sacc. Syll. Fung. IV: 217. on **Zantedeschia aethiopica** (L.) Spreng., Bindura, *Hopkins* (Rh. 4911). **Zantedeschia albo-maculata** (Hk,) Baill., Somerset East, *MacOwan 493*, 1116, 22017, Kew.

Ramularia Rumicis Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 23; Sacc. Syll. Fung. IV: 215. on Rumex nepalensis Spreng., Somerset East, MacOwan 1180, Kew.

HYALODICTYAE

Coniodictyum Evansii (Magn.) v. Höhn.

von Höhnel (1910 d) 590.

Hyalodema Evansii Magnus (1910) 379; Sacc. Syll. Fung. XXII: 1330; Hopkins (1938 a) 120, (1939 a) 51.

on Zizyphus jujuba Lam., Concession (Rh. 146).

Zizyphus mucronata Willd., Zoutpansberg, Burtt Davy, 92; Nelspruit, Hall, 2537; Fountains, Pole Evans, 1006; Garstfontein, Pienaar, 1214; Hartebeestpoort, Doidge, 20611; Johannesburg, Krause, 30667; Cramond, Pole Evans, 5648; Maritzburg, J. M. Sim, 15019, Rump 438, 30223; Kentani, Pegler 1966, 8789, Kew; Marikana, Pallister, 11812; Buccleuch, J. M. Sim, 11240; Dundee, Jansen, 10095.

SCOLECOSPORAE.

Cercosporella Brassicae (Fautr. & Roum.) v. Höhn.

on Brassica Rapa Linn., Underberg, Wager, 34108: Himeville, Wager, 34109.

Cercosporella delicatissima (Kalchbr. & Cooke) Chupp.

Chupp & Doidge (1948) 884.

Cercospora delicatissima Kalchbrenner & Cooke (1880) 24.

Asteroma pullum Kalchbrenner, von Thuemen (1875) 380.

on Priva Meyeri Jaub. & Spach., on leaves, Boschberg, MacOwan 1109, Type, 22013, Kew.

Cercosporella Ekebergiae Syd.

H. & P. Sydow (1914 b) 267.

on Ekebergia sp., Verulam, Pole Evans, 6799, Type.

Cercosporella Gossypii Speg.

Ramularia areola Atk., Pole Evans (1908 c) 124; Cardoso (1946) 158.

on Gossypium sp., Quelimane, Cardoso; Swaziland, Pole Evans.

Cercosporella herpotrichioides Fron.

on Triticum aestivum Linn., Jongensklip, Gorter (Stell, 1049).

STAUROSPORAE.

Titaea Doidgeae Hansf.

Hansford (1946 a) 208 .

on Irene Nuxiae Syd. on Lachnopylis floribunda, Entabene, Wager, 26139 a.

HELICOSPORAE.

Helicomyces cinereus Mass.

on dead wood, Kenilworth, Cape. Pearson; record at Kew.

DEMATIACEAE.

AMEROSPORAE.

Acremoniella sp.

Hopkins (1931 c) 665.

on Gossypium sp., bolls, Southern Rhodesia, Hopkins.

Acrospeira macrosporoidea (Berk.) Wiltsh.

on underground mine timber, Robinson Deep (T.R.L. 522, det. Baarn).

Basisporium gallarum Molliard

on Zea Mays Linn., cobs, Prinshof, Gorter, 35552.

Chloridium Meliolae Hansf.

on Meliola Carissae Doidge on Carissa bispinosa, Kowie, Doidge, 12361 b.

Coniosporium Schiraianum (Svd.) Bubak

on Arundinella Ecklonii Nees, Tugela Valley nr. Mont aux Sources, Doidge, 14164.

Fusella zambesiana Torrend

Torrend (1914) 69; Sacc. Syll. Fung. XXV: 758. on bark of an unknown tree, Zumbo, A. Cruz.

Gomphinaria Pedrosoi (Brumpt) Dodge

Hormodendron Pedrosoi Brumpt, Simson, Harington & Barnetson (1943) 191. on Man: isolated from lesions on foot and thigh of native female, Umtata.

Hormodendron cladosporioides (Fres.) Sacc.

van der Byl (1920 c) 14 ; Stevenson & Rands (1938) 275. on sugar, Natal coast, $v.\ d.\ Byl.$

Hormodendron resinae Lindau

on coconut matting, underground in mine, New State Areas (T.R.L. 225, det. Baarn).

Lacellina graminicola (Berk. & Br.) Petch.

Hopkins (1939 a) 6. on **Aristida** sp., Marandellas, *Hopkins*.

?Madurella sp.

McMurtrie (1914) 164.

on Man: from mycetoma with black grains, on foot of native woman, Transkei, McMurtrie.

Memnoniella echinata (Riv.) Gall.

sub Stachybotrys subsimplex Cooke, Bisby (1943) 140.

isolated from Citrus sinensis Osbeck, rind section from surface of sterilised fruit, Mazoe, Bates 262.

Menispora cylindrica Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 24; Sacc. Syll. Fung. III: 326. on Rapanea melanophleos Mez., leaves, Somerset East, MacOwan 1352, Type.

Nigrospora Oryzae (Berk. & Br.) Petch

isolated from Citrus sinensis Osbeck, surface washings from fruit, Mazoe, Bates 191, 206, 256.

Nigrospora Panici Zimm.

isolated from Passiflora edulis Sims, base rot, Mazoe, Bates 356.

Nigrospora sphaerica (Petch) Sacc.

Hopkins (1938 a) 123, (1939 a) 30.

as Epicoccum sp., Hopkins (1931 c) 667.

on Oryza sativa Lina., inflorescence, Wellesley (Rh. 1303).

Citrus sinensis Osbeck, isolated from surface washings from immature fruit, Mazoe,

Bates 273, 288.

Periconia Doidgeae Hansf.

Hansford (1944) 124, (1946 a) 213.

on Asterina Syzygii Doidge on Syzygium Gerrardi, Woodbush, Doidge, 17755, Type.

Periconia pycnospora Fres.

Hopkins (1938 a) 123.

on Citrus sinensis Osbeck, twigs, Umtali (Rh. 1005).

Periconiella velutina (Wint.) Sacc.

Sacc. Syll. Fung. IV: 275; Doidge & Bottomley (1931) 68; Nel (1942) 97.

Periconia velutina Winter (1884 b) 174.

on Brabejum stellatifolium Linn., foot of Table Mt., MacOwan, Type (Rabenh. Wint. Fung. Eur. 3181) 3522, Kew; Berg River, nr. Wellington, Doidge (Syd. Fung. exot. 46) 2060, 5239, Kew; Wellington, Doidge, 1036, Stoneman, 2238, 10999; Genadendal, Verwoerd (Stell. 126, v. d. Byl 1288); Stellenbosch, Verwoerd (v. d. Byl 891).

Pullularia pullulans (de Bary) Berkh.

Hopkins (1938 a) 123.

on Vitis sp., Salisbury, Eyles 6699.

Stachybotrys atra Corda

isolated from canvas waterbag, Johannesburg (T.R.L. 1477).

Stachybotrys subsimplex Cooke emend. Bisby

Bisby (1943) 138.

isolated from Citrus sinensis Osbeck, rind section from surface of sterilised orange, Mazoe, Bates 259.

Stachylidium Theobromae Turcz.

Hopkins (1943) 187.

on Musa paradisiaca var. sapientum Ktze., Pilgrim's Rest, Cooper, 33239; Pretoria, Loidge, 24950; Graskop, Gilliam, 25916; Mazoe, Bates.

Thielaviopsis basicola (Berk. & Br.) Ferraris

on Cichorium Intybus Linn., Alexandria, Extension Officer, 33262, Erasmus, 33459.

Thielaviopsis paradoxa (de Seyn.) v. Höhn.

McMartin (1937 a) 126, (1937 b) 267, (1938) 215; Cardoso (1939) 44, (1945) 155.

on Amanas comosus Merr., fruit, Bathurst, Hean, 33274.

Musa sp., Manhiça, Guimarāis.

Saccharum officinarum Linn., Natal coast, McMartin, 30248.

Torula herbarum Link

Hopkins (1938 a) 123.

on Citrus sp., roots, Salisbury (Rh. 2742).

Torula Sacchari Corda

on sterilised oats used for breeding larvae of false codlin moth, Cedara, Ripley.

Trichosporium purpureum Mass.

? on dead wood and bark, Krugersdorp Distr., J. Phillips 33429.

DIDYMOSPORAE.

Bispora effusa Peck

Lurie (1932) 275.

on wood (mine timbers) Springs Mine, Lurie.

Cladosporium Aphidis Thuem.

on Aphides on Sorghum caffrorum, Maritzburg, Fuller, 1226.

Cladosporium asteromatoides Sacc.

on Cassia laevigata Willd., pods, Mountain Rise, Doidge, 1674; Pretoria, 918.

Cladosporium baccae Verw. & Dipp.

Verwoerd & Dippenaar (1930 a) 327.

on Vitis vinifera Linn., ripe berries, Stellenbosch, Verwoerd 392.

Cladosporium Berkheyae Syd.

H. & P. Sydow (1914 b) 267.

on Berkheya latifolia Wood & Evans, Fairy Glen, Bottomley, 23472. Berkheya speciosa O. Hoffm., Cramond, Pole Evans, 6852.

Cladosporium carpophilum Thuem.

Pole Evans (1909) 446; Eyles (1926) 644; Verwoerd (1929 b) 6, (1931 a) 301; Doidge & Bottomley (1931) 9, 41, 47; Hopkins (1938 a) 122.

on Prunus Armeniaca Linn., fruit, Bethal, Howell, 15651: Donnybrook, Morgan, 28523; Joubertina, Reinecke, 30472; Paarl, Stellenbosch, Wellington, Bloemfontein, Verwoord; South-western Cape, Dippenaar; Bembesi (Rh. 1212, 1213); Umtali (Rh. 2950); Lindley District, v. d. Merwe, 34113.

Prunus persica Sieb. & Zucc., fruit, common in the Transvaal; Bloemfontein, Verwoerd; Invanga, Eules.

Prunus persica var. nucipersica, Lindley Distr., v. d. Merwe, 34086.

Prunus salicina Lindl., ? Pretoria Distr., Bottomley.

Cladosporium cucumerinum Ell. & Arth.

Verwoerd (1929 b) 11.

on Cucumis Melo Linn., Villiersdorp, Dippenaar (Stell. 525). Cucumis sativus Linn., Villiersdorp, Verwoerd; Wynberg, Dippenaar.

Cladosporium elatum (Harz.) Nannf.

on underground mine timber, Durban Roodepoort Deep (T.R.L. 300, det. Baarn).

Cladosporium fulvum Cooke

on Lycopersicum esculentum Mill., Stella Bush, Wager, 33197; Cavendish, Wager. Solanum auriculatum Ait., Town Bush Valley, Doidge, 1623; Maritzburg, Pole Evans, 1391; Xumeni Forest, Morgan & Doidge, 29831.

Cladosporium herbarum Link

Berkeley (1876 a) 176; Eyles (1924) 594, (1926) 639, 647; Doidge & Bottomley (1931) 42; Doidge & van der Plank (1936) 17; Hopkins (1938 a) 123, (1939 a) 15, 19, 41, 44, 46, 50; Cardoso (1939) 44.

Bnletus subflammeus Berk., on pileus, Cape, Eaton.

Aoena sativa Linn., leaf, Maritzburg, Doidge & Bottomley.

Bouhinia sp., Essexvale (Rh. 1216, 1316).

Caarca Papaya Linn., Buffelspoort, Bottomley, 25943, 25945.

Citrus sinensis Osbeck, fruit, Pretoria, Doidge; Riversdale, S. Rhodesia (Rh. 1034).

Coffea sp., Mocambique, Cardoso.

Crotalaria juncea Linn., Concession (Rh. 946).

Euphorbia pulcherrima Willd., Salisbury (Rh. 1600).

Fragaria sp., fruit, Umtali (Rh. 2431).

Gossypium sp., twigs, Marandellas, Chilimanzi, Eyles.

Passiflora edulis Sims, Langholm Estates, Bottomley, 20353; Vryheid, Gresty, 26701; East Griqualand, McClean, 30448.

Phytolacca octandra Linn., Xumeni Forest, Morgan & Doidge, 29826.

Rosa sp., Lomagundi, Mazoe, Eyles.

Secale cereale Linn. Salisbury (Rh. 474).

Sorghum sudanense Stapf, Salisbury (Rh. 2980).

Triticum aestivum Linn., Barberton. Pole Evans, 1001; Salisbury, Hopkins.

Zea Mays Linn., Barberton, Pole Evans, 1001; Salisbury, Concession, Chakari, Gatooma, Norton, Hopkins.

Cladosporium laxum Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 24: Sacc. Syll. Fung. IV: 358. on **Printzia pirifolia** Less., dving leaves. Somerset East. *MacDwan* 1394, Type, Kew.

Cladosporium macrocarpum Preuss.

Sacc. Svll. Fung. IV: 352.

on rotting mushrooms, e.g. Amanita sp., in South Africa.

Cladosporium Melanophloei Thuem.

von Thuemen (1877) 412; Sacc. Svll. Fung. IV: 358.

on Rapanea melanophleos Mez., leaves, near Grahamstown, MacOwan 1255, Type,

Cladosporium pisicolum Snyder

on Pisum sativum Linn., Stellenbosch, Dippenaar; Verulam, Wager; Muden, Wager.

Cladosporium tenuissimum Cooke

on **Zea Mays** Linn., glumes, Grahamstown, Schonland, 21981, det. Massee: Buffelspoor Doidge & Bottomley, 32810.

Cladosporium Vignae Rac.

Hopkins (1938 a) 123, (1939 a) 48,

on Vigna unguiculata (Linn.) Walp., legumes, Concession (Rh. 811).

Cladosporium Zeae Peck.

Eyles (1926) 642; van der Byl (1922 d) 288; Doidge & Bottomley (1931) 36; Nel (1942) 97.

on Zea Mays Linn., Stellenbosch, v. d. Byl 486; Salisbury, Eyles; Natal and Transvaal, Doidge & Bottomley.

Cladosporium sp.

Eyles (1926) 651.

on Vitis vinifera, Salisbury, Eyles.

Cladosporium sp.

van der Byl (1921 e) 232.

solated from air in sugar mills, Natal coast, v. d. Byl.

Cordana Musae (Zimm.) v. Höhn.

Cardoso (1939) 44.

on Musa sp., Notocote, Guimarāis.

Cordana pauciseptata Preuss.

isolated from Passiflora edulis Sims, base rot, Mazoe, Bates.

Cordana sp.

Bates (1938) 57.

on Citrus sinensis Osbeck, fruit, Mazoe, Bates.

Cycloconium oleaginum Cast.

on Olea europaea Linn., Elsenburg, Gorter (Stell. 1057).

Fusicladium Crataegi Aderh.

Fusicladium pirinum (Lib.) Fuck., var. pyracanthae.

on Pyracantha coccinea Roem., Johannesburg, Lounsbury, 1293; Claremont, 1412; Maritz-burg, Carter, 27700, 28315.

Fusicladium dendriticum (Wallr.) Fuck.

MacOwan (1889) 181; Pole Evans (1906 a) 132, (1906 b) 827; Lounsbury (1908) 17: Doidge & Bottomley (1931) 8.

Venturia inaequalis (Cooke) Wint., van der Byl (1922) 284; Verwoerd (1929 b) 6; Doidge & Bottomley (1931) 8; Hopkins (1938 a) 102, (1939 a) 39.

on Pyrus malus Linn., French Hoek, Lounsbury, 1223, Verwoerd; Uniondale, Kritzinger, 17827; Stellenbosch, Lounsbury, v. d. Byl, Verwoerd, du Plessis (Stell. 785); Ceres, Louw (Stell. 1058); Elgin, Villiersdorp, Verwoerd; Albany, Bathurst, Fort Beaufort Victoria East, Kingwilliamstown, Komgha Districts, Lounsbury; Trapp's Valley, Gunn, 12845; Somerset East, Gedye, 24905, 24907; Belmont Valley, Doidge, 10952; Joubertina, Reinecke, 30469; Bankop, 1167; Viljoensdorp, Viljoen, 15052; Maritzburg, Spence, 20437; Mooi River, Wager; Haenertsburg, Thompson, 20665; Groot-

spelonken, Payne, 21230; Haenertsburg, 11510, Wolff, 30786, 30788; Salisbury (Rh.

Fusicladium Eriobotryae Cav.

961 a).

Doidge & Bottomley (1931) 35.

Fusicladium dendriticum (Wallr.) Fuck. var. Eriobotryae.

on Eriobotrya japonica Lindl., fruit, Wynberg, Cloete, 18062.

Fusicladium fuliginosum Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 24; Medley Wood (1898) 12; Sacc. Syll. Fung. X: 599.

on Greyia Sutherlandi Hk. & Harv., Natal, Medley Wood 9, Type, 10416, Kew.

Fusicladium pirinum (Lib.) Fuck.

Pole Evans (1906 a) 139, (1906 b) 827; Lounsbury (1908) 17; Nel (1942) 97.

Venturia pirina Aderh., van der Byl (1922 d) 284; Verwoerd (1929 b) 21; Hopkins (1930) 647; Doidge & Bottomley (1931) 49.

as Fusicladium dendriticum (Wallr.) Fuck., MacOwan (1889) 181.

on Pyrus communis Linn., Grahamstown, Schonland, 21982; Belmont Valley, Doidge, 10947; Kingwilliamstown, Dreyer, 1185; Constantia, 40; Seymour, Dewar, 10029; Stellenbosch, Lounsbury, v. d. Byl, Verwoerd; Uniondale, Avontuur, Swellendam, Cape Town, George, Oudtshoorn, Graaff Reinet, Uitenhage, Queenstown, Kingwilliamstown, Lounsbury; French Hoek, Ceres, Groot Drakenstein, Verwoerd; Elsenberg, v. d. Byl 2; Haarlem, Theron, (Stell. 915); Rhodesia, Hopkins.

Passalora Protearum Kalchbr. & Cooke

Cooke (1890 b) 6; Sacc. Syll. Fung. X: 597. on Leucadendron argenteum R. Br., Cape, MacOwan.

PHRAGMOSPORAE.

Brachysporium Faureae P. Henn.

P. Hennings (1903) 169; Sacc. Syll. Fung. XVIII: 592. on Faurea speciosa Welw., Kutsi, Baum 889, Type, Kew.

Brachysporium pulviniforme Syd.

H. & P. Sydow (1914 b) 267; Sacc. Syll. Fung. XXV: 834. on Rhus tomentosa Linn., St. James, Pole Erans, 5575.

Clasterosporium carpophilum (Lév.) Aderh.

Hopkins (1939 a) 35.

as Cladosporium carpophilum Thuem., Pole Evans (1913 b) 172; Doidge & Bottomley (1931) 5, 9, pro parte.

Coryneum Beijerinckii Oud., Verwoerd & du Plessis (1932) 313.

on Prunus armeniaca Linn., Somerset East, Scott, Stegman & Mills, 33927.

Prunus communis Fritsch, twigs and leaves, Henley-on-Klip, Hendey, 24335; Grahamstown, Kelly, 10034; Elsenberg, Dippenaar (Stell, 840).

Prunus persica Sieb. & Zucc., twigs and leaves, Pretoria, Levch, 25444: Potgietersrust, Davis, 21577: Johannesburg, Derksen, 17031: Rosebank, Doidge, 1216; Orchard Siding, Dicey, 2545, 18080; The Willows, v. d. Waal & Reesse, 25337: Paarl, du Plessis (Stell, 598).

Clasterosporium Celastri (Thuem.) Sacc.

Saccardo Svll. Fung. IV: 390.

Sporidesmium Celastri Thuem., von Thuemen (1878 a) 357.

on Gymnosporia buxifolia Szysz., spines of dying branches, Boschberg, MacOwan 1282, Type.

Clasterosporium clavatum (Lév.) Sacc.

Doidge & Bottomlev (1931) 19.

on Dactylis glomerata Linn., Skinner's Court. Sampson. 115.

Clasterosporium densum Svd.

H. & P. Svdow (1912 c) 444; Sacc. Syll. Fung. XXV: 808. on Faurea speciosa Welw., Lemana, Doidge, 1788, Type.

Curvularia intermedia Boedijn

isolated from Citrus sinensis Osbeck, surface washings from fruit, Mazoe, Bates 284.

Curvularia lunata (Wakker) Boedijn

Doidge & van der Plank (1936) 18.

isolated from

Citrus sinensis Osbeck, rotting fruit, Pretoria, *Doidge*: surface washings from fruit, Mazoe, *Bates* 283.

? from Triticum aestivum Linn., Bethlehem, Sellschop, 30495.

Curvularia maculans (Bancroft) Boedijn

isolated from Citrus sinensis Osbeck, surface washings from fruit, Mazoe, Bates 278.

Curvularia spicifera (Bain.) Boedijn

isolated from-

Cynodon transvaalensis Burtt Davy, Johannesburg, Roderick, 30246.

Triticum aestivum Linn., Bethlehem, Sellschop, 30494.

Man: isolated from several cases of eczema, probably a contaminant, Johannesburg,

Curvularia sp.

isolated from Triticum aestivum Linn., Bethlehem, Sellschop, 30494.

Dendryphium MacOwanianum Thuem.

Von Thuemen (1877) 412; Kalchbrenner (1882 b) 27; Sacc. Syll. Fung. IV: 490. on Cuscuta cassytoides Nees, Boschberg, MacOwan 1285, Type (8.A.M. 35203) Kew.

Helminthosporium accedens Syd.

H. & P. Sydow (1904 b) 173; Sacc. Syll. Fung. XVIII: 589. on **Dolichos Baumii** Harms., Moulonge, *Baum*, Type.

Helminthosporium bicolor Mitra

on Sorghum halepense Pers., Prinshof, Codd, 30432.

Triticum aestivum Linn., Clarens, Sellschop, 30458; Bethlehem, Sellschop, 30496.

Helminthosporium Brizae Nisikado

on Briza maxima Linn., Port Elizabeth, K. M. Putterill, 28530.

Helminthosporium capense Thuem.

von Thuemen (1876 b) 570; Hansford (1943) 47, (1946 a) 214.

Cercospora capensis (Thuem.) Sacc. Syll. Fung. IV: 469.

on Irene calostroma (Desm.) v. Höhn., on Cliffortia strobilifera, van Staden's Pass, Pole Evans, 11442 a.

Irene inermis (Kalchbr. & Cooke) Theiss. & Syd., on *Buddleia auriculata*, Marwaqa Forest, *Doidge*, 30901 a.

Irene natalensis Doidge on Scolopia Mundtii, Louis Trichardt, V. A. Putterill, 11827 a.

Irene Peddieae Doidge on Peddiea africana, Woodbush, K. M. Putterill, 32465 b.

Irene Peglerae Doidge on Halleria lucida, Deepwalls, Doidge, 17200 b, 17201 a.

Irene speciosa Doidge on Gymnosporia sp., Woodbush, Doidge, 1740 a.

Meliola Carissae Doidge on Carissa bispinosa, Langholm Estates, Doidge, 12341 a, Kowie, Doidge, 12361 a.

Meliola ganglifera Kalchbr. on *Curtisia faginea*, Woodville Forest, *Doidge*, 10933 b; Storms River, *Doidge*, 17180 b.

Meliola littoralis Syd., on Canthium sp., Deepwalls, Doidge, 17196 b: on Gardenia globosa, Umgeni, Medley Wood, 9038 a; on Psychotria capensis, Umkomaas. Bottomley, 11891 b.

Meliola Loxostylidis Doidge on Loxostylis alata, Mayville, Medley Wood, 9026 b: van Staden's Pass, Doidge, 10921 a.

Meliola oleicola Doidge on Olea laurifolia, Tabankulu, D.F.O., 9103 c; Buccleuch, Doidge, 11557 b.

11101-22

Meliola Osyridis Doidge on Osyris abyssinica, Grahamstown, MacOwan 1256: on Rhoio-carpus capensis, Langholm Estates, Doidge, 12349 b; van Staden's Pass, Doidge, 17253 b.

Meliola petiolaris Doidge on Olea laurifolia, Buccleuch, Doidge, 11558 b.

Meliola rhoina Doidge on Harpephyllum caffrum, Kentani, Pegler, 8851 b.: Howieson's Poort, Doidge, 22353 a.

Meliola Toddaliae Doidge on Teclea natalensis. Pirie Forest, Doidge, 12287 a: Alexandria, Doidge, 22353 a.

Meliola Woodiana Sacc. on Canthium ventosum, van Staden's Pass, Doidge, 10880 b; Deepwalls, Doidge, 17219 c; Durban, Bottomley, 11385 b.

Meliola sp. on Cunonia capensis Linn., nr. Grahamstown, MacOwan 1262, Type (S.A.M. 35202) 20771 b, Type collection.

Helminthosporium Cynodontis Marign.

Smith & Putterill (1932) 294.

? sub Helminthosporium satirum Pam. King & Bakke, Hopkins (1938 a) 123, (1939 b) 16.

on Cynodon Bradleyi Stent, Redan, Wilson, 29976; Pretoria, Bottomley, 30242.

Cynodon Dactylon Linn., Pilgrim's Rest, Gardner, 27359: Grahamstown and Pretoria, N. J. G. Smith & K. M. Putterill.

Cynodon transvaalensis Burtt Davy, Bulawayo (Rh. 2260).

Helminthosporium dematoideum Bubak & Wrobl.

Stent, Pretoria, v. d. Merwe, 28779, K. M. Putterill, 30241.
 Cynodon Dactylon Linn., Pilgrim's Rest, Gardner, 27359; Pretoria, Naude, 27358.
 Cynodon transvaalensis Burtt Davy, Johannesburg, Roderick, 30250; Pretoria, K. M. Putterill, 30243.
 Triticum aestivum Linn., Ferreira, Sellschop, 30498.

Helminthosporium Dolichi Syd.

H. & P. Sydow (1904 b) 173; Sacc. Syll. Fung. XVIII: 588. on **Dolichos euryphyllus** Harms, between Kulei and Kutsi. *Baum*.

Helminthosporium dorycarpum Mont. (group)

Hansford (1946 a) 214.

on Irene atra Doidge on Eugenia zuluensis, Xumeni Forest, Doidge, 32234 b.
Irene natalensis Doidge on Scolopia Mundtii, Haenertsburg, Doidge, 17772 c.
Irene Peddieae Doidge on Peddiea africana, Woodbush, K. M. Putterill, 32465 c.
Irene Podocarpus Doidge on Podocarpus Henkelii, Xumeni Forest, Doidge, 32216 a.
Irene Rinoreae Doidge on Rinorea natalensis, Karkloof, Doidge, 14969 a.
Irene scabra Doidge on Trichocladus ellipticus, Pirie Forest, Doidge, 12298 c.
Meliola bifida Cooke on Osyridicarpus natalensis, Winter's Kloof, Doidge, 9020 a.
Meliola comata Doidge on Pyrenacantha scadens, Woodville Forest, Doidge, 11020 b;
Storm's River, Doidge, 17192 a.

Meliola Excoecariae Doidge on Sapium Simii, Buccleuch, Doidge, 11566 a.

Meliola furceillata Doidge on Allophylus monophyllus, Buccleuch, Doidge, 11577 a.

Meliola oleicola Doidge on Olea foveolata, Kowie, Doidge, 12364 c; Knysna, Bottomley.
32269 a.

Meliola torta Doidge on Trichocladus ellipticus, Deepwalls, Doidge, 17195 a.

Helminthosporium gramineum Rabenh.

Pole Evans (1906 a) 133; Smith & Rattray (1930) 344; Smith & Putterill (1933) 204.

on **Hordeum vulgare** Linn., Branddraai, Lydenburg, Sellschop, 30861, 30862; Aylesbury, N. J. G. Smith, 25889; Grahamstown, N. J. G. Smith, 25888; Albany, Knysna and Bathurst districts, Smith & Rattray; Stellenbosch, Dippenaar (Stell. 855, 856).

Helminthosporium halodes Drechsl.

on Triticum aestivum Linn., Brits, K. M. Putterill, 30434.

Helminthosporium Leersii Atk.

on Urochloa helopus Stapf, Barberton, Wager, 26148; Nelspruit distr., Liebenberg, 26182.

Helminthosporium leucostylum Drechsl.

Smith & Putterill (1933) 198.

on Eleusine indica (L.) Gaertn., Acton Homes, L. A. Doidge, 25908; White River, Cazalet, 23689; Vereeniging, L. C. Turner, 10036.

Helminthosporium Miyakei Nisikado

on Eragrostis curvula Nees, Maritzburg, T. R. Sim, 7761.

Helminthosporium Oryzae Breda de Haan

Cardoso (1945) 150.

on Oryza sativa Linn., Moçambique Cardoso; Chonguene, Ribeiro Mendes: Bilene, Oliveira.

Helminthosporium Palmetto Gerard

? on Meliola palmicola Wint., on Phoenix reclinata. Port Shepstone. Pole Evans, 5607 a.

Helminthosporium Ravenelii Berk. & Curt.

van der Byl (1926 c) 289; Hopkins (1938 a) 123, (1939 a) 45.

Helminthosporium crustaceum, P. Henn. Nel (1942) 97.

on Sporobolus capensis (Willd.) Kunth., on inflorescence, Harden Heights, Pole Evans, 1453; Cedara, Baker, 6692; Mooi River, Campbell, 20371; Tweedie, Pole Evans, 9764, Mogg, 10065, 11643; Mid-Illovo, v. d. Byl 74, 9769, Power, 31783; Eshowe, Parkins, 2201; Lemana, Doidge, 1826; Woodbush, v. d. Byl; Nelspruit, Pienaar, 10097; Kentani, Pegler 1916, 6921, Kew; Durban, v. d. Byl 236; Stella Bush, v. d. Byl, 32003.

Sporobolus fimbriatus Nees, Kentani, Pegler, 6667.

Sporobolus pyramidalis Beauv., Xumeni Forest, Morgan & Doidge, 29835; Salisbury, Eyles 2087, 13995; Bulawayo (Rh. 1520); Concession (Rh. 1625); Shamva (Rh. 2681).

Helminthosporium rostratum Drechsl.

on Triticum aestivum Linn., Bethlehem, Sellschop, 30456; Ferreira, Sellschop, 30460.

Helminthosporium Sacchari (v. Breda) Butler

van der Byl (1921 h) 123; Stevenson & Rands (1938) 273; McMartin (1940) 653. on Saccharum officinarum Linn., coast of Natal and Zululand, v. d. Byl: Mt. Edgecombe, McMartin, 30245, 30988.

Helminthosporium sativum Pammel King & Bakke

Smith & Rattray (1930) 344; Doidge & Bottomley (1931) 11, 67; Verwoerd (1931 a) 301; Hopkins (1938 a) 123, (1939 a) 7, 16, 46 (1943) 185.

on Hordeum vulgare Linn., Stone's Hill, N. J., G. Smith, 25890; Lydenburg, Sellschop, 30860; Louis Trichardt, Sellschop, 30857, 30858, 30859; Bloemfontein, Verwoerd; Grahamstown, Stellenbosch, Bathurst, Komgha, Smith & Rattray; Umtali, Hopkins. Triticum aestivum Linn., Bethlehem, Sellschop, 30493, 30497; Lydenburg, Pons, 30421, 30990, 30991; Chakari (Rh. 1194).

lon Bambusa sp., Salisbury (Rh. 1709).

Helminthosporium sigmoideum Cav.

on Oryza sativa Linn., Moçambique, Cardoso.

Helminthosporium stenospilum Drechsl.

McMartin (1940) 653.

on Saccharum officinarum Linn., Mt. Edgecombe, McMartin.

Helminthosporium teres Sacc.

Smith & Rattray (1930) 343; Smith & Putterill (1932) 290; Cardoso (1939) 45. on Hordeum vulgare Linn., Cedara, Stellenbosch, Port Elizabeth, Mossel Bay, between Heidelberg, Cape, and Caledon, Smith & Rattray; Grahamstown, N. J. G. Smith, 25885, Kew; Pretoria, 693; Elim, Cape, Fletcher, 8411; Belmont Valley, N. J. G. Smith, 25884; Swellendam, N. J. G. Smith, 25886, 25887; Louis Trichardt, Sellschop, 30377, 30855, 30856; Moçambique, Cardoso; Umbeluzi, Frias.

Helminthosporium turcicum Pass.

Burtt Davy (1905) 286; Pole Evans (1906 a) 135; Doidge & Bottomley (1931) 36; Verwoerd (1931 a) 301; Hopkins (1938 a) 123, (1939 a) 30, 50, 80; Nel (1942) 97.

on **Sorghum caffrorum** Beauv., Bloemfontein, Verwoerd; Dalton, Angus (v. d. Byl 235) 31789.

Sorghum halepense Pers., Prinshof, K. M. Putterill, 30431, 30432, 30710, Liebenberg, 28600; Ashburton, Pope Ellis, 10099.

Sorghum sudanense Stapf, Cedara, Staples, 15462: Maritzburg, Ersleben, 15448: Prinshof, K. M. Putterill, 30709: Durban, v. d. Byl 235; Southern Rhodesia, Mundy, Kew.
 Sorghum verticilliflorum Stapf, Dalton, Angas, 9729: Prinshof, K. M. Putterill, 30708.

Zea Mays Linn., Southern Rhodesia, Mundy, 890; Gwelo, Salisbury, Simoona. Banket, Concession, Shamva, Lonely Mine, Norton. Hopkins: Cedara, Fisher, 2187; Naboomspruit, McKay, 20386; Hunter's Road, Hopkins (Rh. 189).

? on Panicum novemnerve Stapf, Salisbury (Rh. 796).

Helminthosporium sp.

Chupp & Doidge (1948) 890.

Cercospora phaeocarpa Mitter, Hopkins (1943) 180.

on Bauhinia Thonningii Schum., Concession, Hopkins (Rh. 1621).

Helminthosporium sp.

on Gymnosporia senegalensis Loes., Mazoe, Hopkins (Rh. 4087).

Helminthosporium sp.

Verwoerd (1929 b) 7.

on Bambusa Balcooa Roxb., Stellenbosch, Verwoerd.

Helminthosporium sp.

on **Man**: isolated as a contaminant from cases of athlete's foot, Johannesburg, H. I. Lurie & N. J. G. Smith.

Heterosporium Avenae Oud.

on Avena sativa Linn., Swellendam (Stell. 1082).

Heterosporium echinulatum (Berk.) Cooke

Pole Evans (1908 e) 123 ; Verwoerd (1929 b) 9, (1931 a) 301 ; Doidge & Bottomley (1931) 16.

on **Dianthus caryophyllus** Linn., Natal, Fuller, 1046; Gillitts, Cook, 25505; Durban, McClean, 30505; Uitenhage, Schmutz, 25474, 25479; Bloemfontein, Verwoerd; Stellenbosch, Somerset West, Verwoerd.

Heterosporium gracile (Wallr.) Sacc.

Verwoerd (1929 b) 14, (1931 a) 301; Doidge & Bottomley (1931) 31; Nel (1942) 97.

on Iris germanica Linn., Pretoria, Doidge, 20401, 25158, Bottomley, 33978; Durban, Mc-Clean, 25911; Brandfort, Verwoerd (Stell. 222, v. d. Byl 2184); Stellenbosch, Verwoerd.

Heterosporium groenlandicum Allesch.

on Papaver nudicaule Linn., Pretoria, Doidge, 26336.

Heterosporium Munduleae Syd.

H. & P. Sydow (1912 a) 45; van der Byl (1926 c) 289.

on Mundulea sericea (Willd.) Greenway, Zoutpansberg, Doidge, 1812.

Heterosporium Ornithogali Klotzsch

U.S. Dept. Agric, (1932) 354, (1942) 44.

on Ornithogalum thyrsoides Jacq. on plants from South Africa, intercepted in the United States of America; not recorded locally.

Heterosporium Secalis Dippenaar

Dippenaar (1931 c) 286; Nel (1942) 97.

on **Secale cereale** Linn., Stellenbosch, *Dippenaar* (Stell. 982, v. d. Byl 2610); Stellenbosch, *Verwoerd* (Stell. 419).

Spondylocladium atrovirens Harz.

U.S. Dept. Agric. (1928) 229.

on **Solanum tuberosum** Linn., on tubers from South Africa intercepted in the United States of America.

Stigmina verruculosa Syd.

H. & P. Sydow (1912 c) 444: Doidge & Bottomley (1931) 66.

on Acacia mollissima Willd., leaves, Harden Heights, Pole Evans, 1382, 5647, Type; Sevenoaks, Osborn, 23199.

DICTYOSPORAE.

Alternaria Allii Nolla

Cardoso (1945) 156.

on Allium Cepa Linn., leaves, Umbeluzi, Grilo: Mocuba, Grilo.

Alternaria Brassicae (Berk.) Bolle

Doidge & Bottomlev (1931) 14, 17; Hopkins (1943) 180.

on Brassica oleracea Linn., general in Southern Rhodesia, Hopkins.

Brassica oleracea var. Botrytis Linn., Perseverance, 28480; Godwan River, Warner Beach, Doidge & Bottomley; Salisbury, Glendale, Msoneddi, Shamva, Hopkins.

Brassica oleracea var. gemmifera DC., Invanga, Hopkins.

Var. Phaseoli Brum.

Hopkins (1938 a) 121.

on Canavalia ensiformis DC., Salisbury (Rh. 1707).

Alternaria circinans (Berk. & Curt.) Bolle

Hopkins (1938 a) 121, (1939 a) 8, 17.

on Brassica oleracea Lina., Darwindale (Rh. 312); Salisbury (Rh. 768, 819); Essexyale (Rh. 1315).

Alternaria Citri Ellis & Pierce

Doidge (1929 a), (1929 b) 320: Doidge & Bottomley (1931) 34, 44; Doidge & van der Plank (1936) 15; Bates (1937 a) 157, (1937 b) 176, 192, 206; Cardoso (1937) 155, (1938) 74; Hopkins (1938 a) 121, (1939 a) 11, 12, 13 (1943) 182, (1945) 151; Wager (1939 a).

on Citrus aurantifolia Sw., Mazoe, Bates; Verulam, Wager, 32509. Citrus Limonia Osbeck, Buffelspoort, Turner, 20349; Verulam, Wager, 32508; Marikana, Doidge: Stellenbosch, Verwoerd (Stell, 148); Salisbury (Rh. 1601, 2381) Kew; Macheke (Rh. 2285): Bulawayo (Rh. 3350): Mazoe, Bates: Sul do Save, Cardoso. Citrus nobilis var. deliciosa Sw., Mazoe, Bates (Rh. 214).

Citrus sinensis Osbeck, Steenbokfontein, Poultney, 25446; common on fruit in the Union of South Africa, Doidge) Moorreesburg, Visser (Stell. 84): Sul do Save, Cardoso; Mazoe, Bates; Xinavane, Guimarāis.

Citrus sp., Moçambique, Cardoso.

Alternaria crassa Rands

Hopkins (1938 a) 121, (1939 a) 17, (1943) 184; Nel (1942) 96.

on Datura Metel Linn., Pretoria, Pole Evans, 11509.

Datura Stramonium Linn., Parys, Mansveldt, 18104; Nelspruit, Liebenberg, 26067; Sinoia (Rh. 533); Salisbury (Rh. 1493, 1761); Mtepetepa (Rh. 1850); Shamva (Rh. 2841); Southern Rhodesia, Hopkins (v. d. Byl 2540).

Datura Tatula Linn., Southern Rhodesia, Hopkins.

Alternaria cucumerina (Ell. & Everh.) Elliott

Macrosporium cucumerinum Ell. & Everh., Doidge & Bottomley (1931) 39.

on Citrullus vulgaris Schrad., Fort Beaufort, Wager: Stellenbosch & Hermanus, Dippenaar. Cucumis Melo Linn., Kraaifontein, Cape.

Cucurbita Pepo Linn., Umhlanga Rocks, Wager.

Alternaria Dianthi Stev. & Hall.

Doidge & Bottomley (1931) 17.

on **Dianthus caryophyllus** Linn., Maritzburg, Schultz, 29715; Durban, Wager, 33273; Grahamstown, N. J. G. Smith, 26361; Duivelskloof, Graham, 25354; Tzaneen, Muller, 33757; Port Elizabeth, Venter, 34156.

Alternaria gossypina (Thuem.) Hopkins

Hopkins (1931 a) 136, (1938 a) 121, (1939 a) 21.

? as Alternaria sp., Cardoso (1938) 75; Doidge & Bottomley (1931) 20.

on Gossypium sp., general in Southern Rhodesia, Hopkins; ? Sul do Save, Cardoso.

Alternaria herculea (Ell. & Mart.) Elliott

U.S. Dept. Agric. (1937) 80.

on Brassica oleracea Linn., intercepted in United States on material from South Africa. Brassica rapa Linn., Cape Flats, Dippenaar.

Alternaria longipes (Ell. & Everh.) Tisd. & Wadk.

Mason (1928 a) 19; Doidge & Bottomley (1931) 62; Hopkins (1931 b) 58, 82, (1938 a) 121, (1939 a) 27.

Macrosporium longipes Ell. & Everh. Verwoerd (1929 b) 27; Moore (1926) 452.

on **Nicotiana Tabacum** Linn., Zwartkopjes, *Zwaard*, 18102; Barberton, *Gass*, 17056; Piet Retief, 16996; Kwambonambi, *Curphy*, 15670; Oudtshoorn, *Verwoord*; general in Southern Rhodesia, *Hopkins*.

Alternaria macrospora Zimm.

Hopkins (1938 a) 121, (1939 a) 6, 9, 20, 22, 51, (1943) 181.

? as *Macrosporium* sp., Verwoerd (1931 a) 301; Cardoso (1938) 76.

on Aster sp., Salisbury (Rh. 1797).

?onCallistephus chinensis Nees, Salisbury, Hopkins.

on Carthamus tinctorius Linn., Salisbury, Hopkins.

Gerbera Jamesoni Bolus, Darwendale (Rh. 1395); Salisbury (Rh. 1499, 1788).

Gossypium sp., Salisbury (Rh. 1790, 2041); ? Sul do Save, Cardoso.

Zinnia sp., Salisbury (Rh. 1909, 3161, 3400); ? Bloemfontein, Verwoerd.

Alternaria oleracea Milbrath

on Brassica oleracea Linn., Verulam, James (comm. Wager).

Alternaria Solani (Ell. & Mart.) Jones & Grout

Doidge (1915 b) 53; van der Byl (1922 d) 288; (1926 c) 289; Doidge & Bottomley (1931) 52, 63; Verwoerd (1931 a) 301; Hopkins (1930) 651, (1938 a) 121, (1939 a) 25, 42, 43; Cardoso (1937) 154, (1938) 75, (1939) 45, (1945) 158.

Macrosporium Solani Ell. & Mart., Verwoerd (1929 b) 23, 27; Nel (1942) 97.

on Lycopersicum esculentum Mill., Gillitts, Wager, 33200; widespread and common in the Union of South Africa, Doidge & Bottomley; Stellenbosch, v. d. Byl 639, Verwoerd; Cape Town, Wynberg, Claremont, Kenilworth, Paarl, Wellington, Verwoerd; Bloemfontein, Verwoerd; Clanwilliam, Dippenaar, (Stell. 1012); Tzaneen, van Velden, 33551; Southern Rhodesia, Hopkins.

Solanum melongena Linn. var. esculentum Nees, Hartebeestpoort, Plowes, 32783;

Salisbury, Hopkins.

Solanum tuberosum Linn., Cedara, 23485; Camperdown, Gavin, 31987; Groenkloof, Doidge, 9696; Umhlanga Rocks, Wager; Sarnia, Wilks: Ravenshill, Eland, 6596; Settlers, 1273; Belfast, Lewis, 63; Alkmaar, Hamilton Fowle, 549; Pretoria, Hean,

30646; Grahamstown, Mally, 21986, Dewar, 201; Fort Beaufort, Mildenhall, 10118; Stellenbosch, Paarl, Wellington, Ceres, Kuilsrivier, Verwoerd; Bloemfontein, Verwoerd; Salisbury, Gwebi, Eldorado, Umtali, Hunyani, Hopkins; Xalasi, Howard, 742; Sul do Save, Cardoso; Manhiça, Cherinda, Pinheiro & Cardoso; Moamba, Cabral: Umbeluzi, Oliveira.

Alternaria Solani (group).

Hopkins (1930) 416, (1938 a) 122, (1939 a) 26, 27.

on Nicandra physaloides Gaertn., Mtepetepa (Rh. 1848); Salisbury (Rh. 1895). Nicotiana Tabacum Linn., Concession, Salisbury, Marandellas, Bromley, Hopkins. Physalis peruviana Linn., Rhodesia, Hopkins.

Alternaria tabacina (Ell. & Everh.) Hori

Eyles (1926) 650; Doidge & Bottomley (1931) 63; Hopkins (1931 b) 57, 83.

Macrosporium tabacinum Ell. & Eyerh., Eyles l.c.; Verwoord (1929 b) 27; Nel (1942) 97.

on Nicotiana rustica Linn., Natal, 31996.

Nicotiana Tabacum Linn., Barberton, Wilson, 6578; Rustenburg, 18134; Neethling's Hof, Louw, 9698; Oudtshoorn, Verwoord (v. d. Byl 1241); George, Stellenbosch, Verwoord; Marandellas, Lydiate, Salisbury, Eyles.

Alternaria tenuis Nees

Mason (1928) 20; Doidge (1929 a), (1929 b) 322; Doidge & Bottomley (1931) 77, 85, (1938 a) 122, (1939 a) 4, 6, 28.

on Allium Cepa Linn., leaf, Chipinga (Rh. 2696); Salisbury, Hopkins.

Avena sativa Linn., leaf, Lowdale (Rh. 259).

Citrus Limonia Osbeck, Marikana, Doidge.

Citrus nobilis Lour. var. deliciosa Sw., fruit from southern Rhodesia, purchased in England, Wiltshire.

Citrus sinensis Osbeck, fruit, Southern Rhodesia.

Coffea sp., Concession (Rh. 906).

Datura Stramonium Linn., capsule, Salisbury (Rh. 1658).

?onGymnosporia buxifolia Szysz., Kentani, Pegler 2344, Kew. on Nicotiana Tabacum Linn., general in Southern Rhodesia, Hopkins.

Triticum aestivum Linn., glumes, Stellenbosch, Gorter, 33352.

Alternaria Violae Gall. & Dors.

Doidge & Bottomley (1931) 65; Hopkins (1938 a) 122, (1939 a) 16, 48.

on Viola odorata Linn., Pretoria, Pole Evans, 58, 961; Irene, Pole Evans, 93; Kentani, Pegler 1906, 6572, Kew; Umtali (Rh. 1935): Salisbury (Rh. 1945).

2 on Dahlia pinnata Cav., Salisbury (Rh. 1599).

Alternaria sp.

Hopkins (1930) 528.

on Avena sativa Linn., Southern Rhodesia, Hopkins.

Alternaria spp.

Doidge & van der Plank (1936) 15.

isolated from Citrus sinensis Osbeck, decaying fruit, Pretoria, Doidge.

Alternaria sp.

Hopkins & Bacon (1938) 458. on **Pyrus malus** Linn., fruit, Southern Rhodesia.

Coniothecium chomatosporum Corda

Pole Evans (1907 e) 680; van der Byl (1915 b) 649; Verwoerd (1929 b) 5, (1931 a) 301; Doidge & Bottomley (1931) 6, 49; Hopkins (1938 a) 123, (1939 a) 38; Hopkins & Bacon (1938) 456; Cardoso (1937) 155, (1939) 44.

on Pyrus communis Linn., Westminster, Bottomley, 20618; Inyanga (Rh. 3750).

Pyrus malus Linn., Johannesburg, Rocher, 21935, Brinton, 17300, Schoeman, 19868; Boons, v. d. Bergh, 19841; Florida, Joubert, 25934; Magaliesberg, Mason, 25457, Orpen, 19850; Henley-on-Klip, Woodhouse, 23680, Life, 25456, Hendey, 26640; Amersfoort, Phillips, 15537; De Deur, Woodhouse, 27659; Bethlehem, 33371; Lauterwater, Bottomley, 33267, Haines, 33759; Carlton, Harris, 18075; Misgund, Reinecke, 33464; Stellenbosch, George, Verwoerd; Salisbury (Rh. 1114, 1459); Cashel (Rh. 2437, 3437); Melsetter (Rh. 3439, 3449); Sul do Save, Cardoso; Lourenço Marques, Cardoso.

Coniothecium Citri McAlp.

Hopkins (1930) 417, (1938 a) 123. on Citrus Limonia Osbeck, Rhodesia, *Hopkins*. Citrus sinensis Osbeck, Eldorado (Rh. 662).

Conjothecium MacOwanii Sacc.

Sacc. Syll. Fung. IV: 512; van der Byl (1922) 288; Hopkins (1938 a) 123; Nel (1942) 97.

Coniothecium punctiforme Winter (1885 b) 33, not Corda.

on Protea angolensis Welw., Salisbury, Eyles 6692.

Protea grandiflora Thunb., at foot of Table Mt., MacOwan, Type; Kalk Bay, Mitchell, 17075; Klapmuts, v. d. Byl 113, 529, 6847, 31798; Glencairn, Glover; 9768.

Protea sp., Ceres, Reinecke (v. d. Byl 923) Kew.

Leucospermum conocarpum R. Br., Stellenbosch, Verwoerd (Stell. 28).

Coniothecium scabrum McAlp.

V. A. Putterill (1923 b) 405; Eyles (1926) 636; Doidge & van der Plank (1936) 17; Hopkins (1937 a) 123, (1939 a) 13. on Citrus aurantium Linn., fruit, Stellenbosch, V. A. Putterill. isolated from Citrus sinensis Osbeck, Pretoria, Doidge, 28273; Mazoe, Eyles.

Coniothecium sp.

Eyles (1926) 641. on **Gunnera** sp., leaf, Odzani, *Eyles*.

Fumago vagans Pers.

Hopkins (1938 a) 123, (1939 a) 8, 22, 39. on Gossypium sp., Salisbury (Rh. 2040).

Prunus salicina Lindl., Rusapi, Eyles 6682.

Pyrus malus Linn., Salisbury, Hopkins.

Widdringtonia sp., Marandellas (Rh. 3505).

Macros porium Camelliae Cooke & Mass.

Dippenaar (1931 c) 288.

on Camellia japonica Linn., Stellenbosch, Dippenaar (Stell. 400).

Macrosporium carotae Ell. & Langl.

as Alternaria Brassicae (Berk) Sacc., Doidge & Bottomley (1931) 17. ? as Alternaria circinans (Berk. & Curt.) Bolle, Hopkins (1938 a) 121.

? as Alternaria macros pora (group) Hopkins (1941) 1, (1943) 184.

on Daucus carota Linn., var. sativa DC., Čedara, Fisher, 1168, Staples, 15435; Kilgobbin, Fannin (v. d. Byl 582) 31831; Merensky, Dekenah, 30244; Plaston, Grobler, 30921; Umbogintwini, Čavendish, Verulam, Wager; Horns Nek, Pont, 34205; ? Selukwe (Rh. 1727); ? general in Southern Rhodesia, Hopkins.

Macrosporium Citri McAlp.

Evles (1926) 636; Verwoerd (1931 a) 301; Nel (1942) 97.

on Citrus sinensis Osbeck, bark, Mazoe, Eyles.

Citrus spp., Bloemfontein, Verwoerd; Stellenbosch, Verwoerd (v. d. Byl 1312), Brain (v. d. Byl 2111).

Macrosporium cladosporioides Desm.

Doidge & Bottomley (1931) 42; van der Byl (1922 d) 288; Nel (1942) 97.

on Allium Cepa Linn., Aliwal North, Pienaar, 2008. Beta vulgaris Linn., Stellenbosch, v. d. Byl 642.

Macrosporium commune Rabenh.

Hopkins (1930) 524.

? as Macrosporium sp., Eyles (1926) 644.

on Carica Papaya Linn., Barberton, Pole Evans, 1566; ? Salisbury, Eyles. Gladiolus sp., Southern Rhodesia, Hopkins.

Prunus persica Sieb. & Zucc., Windhoek, Fickling, 30829.

Macrosporium Eucalypti P. Henn.

on Eucalyptus saligna Sm., Naboomspruit, Black, 21575.

Macrosporium Iridis Cooke & Ell.

van der Byl (1922) 288; Nel (1942) 97.

on Iris sp., Stellenbosch, v. d. Byl 638.

Macrosporium lanceolatum Mass.

Massee (1910 a) 5; Sacc. Svll. Fung. XXII: 1408.

on Agave sisalana Perr., leaves, Moçambique, Johnson.

Macrosporium Maydis Cooke & Ellis.

Doidge & Bottomley (1931) 36; van der Byl (1922 d) 288.

? as Macrosporium sp., Hopkins (1930 a) 527.

on Zea Mays Linn., Kingwilliamstown, Burtt Davy, 1274; Stellenbosch, v. d. Byl; ? Southern Rhodesia, Hopkins.

Macrosporium nigricantium Atk.

Eyles (1924 a) 594; Cardoso (1945) 158.

on Gossypium sp., Rhodesia, Eyles; Massinga, Gomes e Souza; Caniçado, Barrados.

Macrosporium nobile Vize.

on **Dianthus caryophyllus** Linn., Pretoria, Cross, 2083; Louis Trichardt, Brown, 23338; Pinetown, Badcock, 20402.

Macrosporium Oleae Berl. & Vogl.

on Olea europaea Linn., Stellenbosch, Gorter, 33361.

Macrosporium Phaseoli Fautr.

Doidge & Bottomley (1931) 25.

on Phaseolus vulgaris Linn., Cape Province.

Phaseolus coccineus Linn., Cape Province.

Macrosporium Porri Ell.

Eyles (1926) 643; Hopkins (1930) 528, (1939 a) 4.

on Allium Cepa Linn., Selukwe (Rh. 1531); Invazura (Rh. 2161); Headlands, Eyles,

Macrosporium punctatum Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 23; Sacc. Syll. Fung. IV: 537.

on Allium schoenoprasum Linn., Somerset East, MacOwan R. 21, Type, Kew.

Macrosporium sarcinula Berk.

Massee (1906 b) 195; du Plessis (1933 b) 9; Dippenaar (1939) 101; Verwoerd (1931 a) 301.

on Allium Cepa Linn., Bloemfontein, Verwoerd; Stellenbosch, du Plessis (Stell. 527); French Hoek, Dippenaar (Stell. 885).

Cucumus Melo Linn., Cape, det. Massee.

Lactuca sativa Linn., Cape Flats, Dippenaar.

Macrosporium tomato Cooke

Cardoso (1937) 155, (1938) 75, (1939) 45, (1945) 157.

on Lycospersicum esculentum Mill., Umbeluzi, Guimarāis; Catembe, Viana.

Macrosporium Vitis Sorok.

Doidge & Bottomlev (1931) 28.

on Vitis vinifera Linn., Cradock, Dewar, 318; Kenilworth, Pole Erans, 394; Rustenburg.

Macrosporium spp. undet.

Eyles (1926) 632 ; Verwoerd (1929 b) 8, 10, 12, (1931 a) 301 ; van der Byl (1922 d) 287.

on Brachystegia sp., Salisbury, Eyles.

Cyphomandra betacea Sendt., Stellenbosch, v. d. Byl.

Eriobotrya japonica Lindl., Stellenbosch, v. d. Byl.

Helianthus annuus Linn., Bloemfontein, Verwoerd.

Passiflora quadrangularis Linn., Genadendal, Verwoerd.

Pennisetum spicatum Koern., Bloemfontein, Verwoerd.

Populus sp., Stellenbosch, v. d. Byl.

Senecio cruentus DC., Stellenbosch, Verwoerd.

Vicia Faba Linn., Bloemfontein, Verwoerd; Stellenbosch and Somerset West, Verwoerd.

Mystrosporium Alliorum Berk.

Doidge & Bottomley (1931) 42. on Allium Cepa Linn., Grevtown, Wilson, 5143.

Mystrosporium aterrimum Berk. & Curt.

Kalchbrenner & Cooke (1880) 23.

on Gymnosporia buxifolia Szysz., Somerset East, MacOwan 1282 (S.A.M.).

Mysterosporium polytrichum Cooke

Kalchbrenner & Cooke (1880) 23; Sacc. Svll. Fung. IV: 541.

Mustrosporium velutinum Kalchbrenner & Cooke I.c.

on Aloe sp., Klein Vis Rivier nr. Somerset East, MacOwan 500; Cape, MacOwan 1224, Kew.

Sporidesmium polymorphum Corda

Kalchbrenner (1882 b) 27; Sacc. Syll. Fung. IV: 501. on bark, Somerset East, MacOwan 1432, 20801.

Stemphylium Eugeniae Verw. & du Pless.

Verwoerd & du Plessis (1933) 232.

on Eugenia sp., Rhodesia, v. d. Byl 2724, Type (Stell. 649).

Stemphylium phyllogenum (Kalchbr. & Cooke) Sacc.

Sacc. Svll. Fung. IV: 521; P. & H. Sydow (1910) 349.

Epochnium phyllogenum Kalchbrenner & Cooke (1882 b) 21; Sacc. Syll. Fung. VII: 585

Uromyces lugubris Kalchbrenner (1882 b) 21; Sacc. Syll. Fung. VII: 585. on undetermined plant, Durban, Medley Wood 15, 39, Type, 10424, Kew.

Stemphylium sp.

van der Byl (1920 c) 5.

on sugar, Natal coast, v. d. Byl.

Stigmella graminicola Linder

on Rhynchelytrum repens (Willd.) Hubb., Amanzimtoti, Doidge, 1608.

Tetraploa aristata Berk. & Br.

on Syzygium cordatum Hochst., Eshowe, McClean, 33103 b.

Scolecosporae

Cercospora Apii Fres.

Chupp & Doidge (1948), 881

as Cercospora sp., Hopkins (1930) 416.

on Apium graveolens Linn. var. dulce D., Cedara, 2099; S. Rhodesia, Hopkins.

Cercospora arachidicola Hori

Woodroof (1933) 632, 634; Hopkins (1938 a) 122, (1939 a) 5; Chupp & Doidge (1948), 881

sub Cercospora personata (Berk. & Curt.) Ell., Eyles (1926) 644; Mason (1928) 36; Hopkins (1930 a) 526.

on Arachis hypogaea Linn., Gwebi and Salisbury, Eyles 4987, 5001 (Rh. 481, 836, 2122); Bindura, Hopkins (Rh. 1619); Marandellas, Hopkins (Rh. 1474).

Cercospora Argyrolobii Chupp & Doidge

Chupp & Doidge (1948) 881

on Argyrolobium Wilmsii Harms., Nelspruit, Liebenberg, 26075.

Cercospora Bauhiniae Syd.

Chupp & Doidge (1948), 882

Cercospora latimaculans Wakefield, Hopkins (1932) 463.

as Cercospora sp., Hopkins (1930) 415.

on Bauhinia Galpinii N.E. Br., Tzaneen, Liebenberg, 32734; Nelspruit, Liebenberg, 26057; Schagen, Liebenberg, 32879.

Bauhinia macrantha Oliv., Rhodesia, Hopkins.

Cercospora beticola Sacc.

Doidge & Bottomley (1931) 12, 37; Verwoerd (1929 b) 8, (1931 a) 301; Hopkins (1938 a) 122, (1939 a) 7, (1943) 150; Nel (1942) 96; Chupp & Doidge (1948) 882.

on Beta vulgaris Linn., Pretoria 661; Pyramids, Bottomley, 30933; Potchefstroom, 23494; Schagen, Liebenberg, 26180; Kentani, Pegler 2389, 9429, Kew; Natal, 1078; Cedara, Staples, 15430; Maritzburg, Erxleben, 17006, 17008; Thornville Junction, Slatter 23180; Bloemfontein, Verwoerd; Stellenbosch, Verwoerd (Stell. 206, v. d. Byl 115 a); Kuilsrivier, Wynberg, Dieprivier, Paarl, Wellington, Verwoerd; Avondale (Rh. 711); Salisbury (Rh. 1742); Mooi River, v. d. Byl, 31976.

Beta vulgaris var. Cicla Linn., Pretoria, Wager, 23218, Naude, 27574; Bindura, Bulawayo, Salisbury, Inyanga, Hopkins; Frames Drift, Barron, 33883.

Cercospora bolleana (Thuem.) Speg.

. Doidge & Bottomley (1931) 23; Hopkins (1938 a) 122, (1939 a) 19.

on Ficus carica Linn., Potgietersrust, de Villiers, 32491; ? Pretoria, Eastwood, 103. Ficus sp., Iron Mine Hill (Rh. 296).

Cercospora Byliana Syd.

H. Sydow (1924 c) 433; van der Byl (1926 c) 289; Chupp & Doidge (1948). 882 on Allamanda cathartica Linn., Woodbush, v. d. Byl 1508.

Cercospora caffra Syd.

H. & F. Sydow (1914 b) 267; Sacc. Syll. Fung. XXV: 868; Chupp & Doidge (1948) 882.

on Sclerocarya caffra Sond., Nelspruit, Hall, 6618; Schagen, Liebenberg, 26353.

Cercospora canescens Ell. & Mart.

Pole Evans (1906 a) 1345; Hopkins (1938 a) 122, (1939 a) 18, 32; Chupp & Doidge (1948) 882.

on Dolichos biflorus Linn., Salisbury (Rh. 2143).

Dolichos sp., Nelspruit, Liebenberg, 26070.

Phaseolus vulgaris Linn., Salisbury, *Eyles* 4999 (Rh. 1798, 1987, 3950).

Cercospora Carotae (Pass.) Solh.

en Daucus Carota Linn, var. sativa DC., Stellenbosch, Dippentur (Stell, 1062); Bulawayo, Hopkins (Rh. 5957 a).

Cercospora Caryae Chupp & Doidge

Chupp & Doidge (1948) 882.

on Carya Pecan Engl. & Graebn., Plaston, Wager, 28264; Alkmaar, 25441, Type.

Cercospora Cassinopsidis Wint.

Winter (1885 b) 34; Sacc. Syll. Fung. IV: 469; Chupp & Doidge (1948) 883. on Cassinopsis capensis Sond., Somerset East, MacOwan, Type.

Cercospora Cichorii J. J. Davis

on Cichorium Intybus Linn., Alexandria, Erasmus, 33203, 32809.

Cercospora circumscissa Sacc.

Verwoerd (1929 b) 10, (1931 a) 301; Doidge & Bottomley (1931) 18.

Chupp & Doidge (1948) 883.

en Prunus Avium Linn., Kingwilliamstown, Dreger, 1187; Bloemfontein, Verwoerd; Stellenbosch, Verwoerd.

Cercospora Clerodendri Miyake

Chupp & Doidge (1948) 883.

en Clerodendron Myricoides R. Br. var. cuneatum Pears., Nelspruit, Liebenberg, 26012.

Cercospora Cluytiae Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 24; Sacc. Syll. Fung. IV: 473; Chupp & Doidge (1948) 883.

on Cluytia pulchella Linn., Somerset East, MacOwan 1352, Type 1325 b, Kew.

Cercospora coffeicola Berk. & Cooke

Hopkins (1938 a) 122. (1939 a) 14; Cardoso (1939) 44, (1945) 159; Chupp & Doidge (1948) 884.

on Coffea sp., Nelspruit. Liebenberg, 26022; Concession (Rh. 907); Umtali (Rh. 912, 2735, 2946); Mualama. Guimarāis; Chiperone, Grilo.

Cercospora columnaris Ell. & Everh.

Chupp & Doidge (1948) 883.

Isariopsis griseola Sacc., Doidge (1920 c) 119; Doidge & Bottomley (1931) 25;

Hopkins (1941) 1, (1943) 188.

on Phaseolus vulgaris Linn.. Pretoria. Doidge. 11387; Barberton, Watts. 15; Winkle Spruit, Doidge, 2504; Southern Rhodesia, Hopkins; Cedara, Staples, 15428; Umhlanga Rocks, Wager; Salisbury, Hopkins.

Cercospora Commelynae Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 24; Sacc. Syll. Fung. IV: 478; Chupp & Doidge (1948) 883.

on Commelina benghalensis Linn., Somerset East, MacOwan 1346, Type, Kew as Septoria Commelynes Kalchbr. & Cooke.

Commelina sp., Stella Bush, Mariott, 32777.

Cercospora Corchori Sawada

Chupp & Doidge (1948) 884. on Corchorus tridens Linn., Nelspruit, Liebenberg, 26001, 26309.

Cercospora cruenta Sacc.

Hopkins (1930) 415; Doidge & Bottomley (1931) 25; Chupp & Doidge (194). on Phaseolus vulgaris Linn., Potchefstroom, 23497; Southern Rhodesia, *Hopkins*. ? on Vigna unguiculata (L.) Walp., Maritzburg, *Erxleben*, 17009.

Cercospora Curtisiae Chupp & Doidge

Chupp & Doidge (1948) 884. on Curtisia faginea Ait., Knysna, Reinecke, 32077, Type.

Cercospora Demetrioniana Wint.

Chupp & Doidge (1948) 884. on Crotalaria intermedia Klotzsch, Nelspruit, *Liebenberg*, 25970. Crotalaria juncea Linn., Nelspruit, *Liebenberg*, 26676.

Cercospora Dissotidis Chupp & Doidge.

Chupp & Doidge (1948) 884. on **Dissotis incana** Triana, Tweedie, Mogg, 11651, Type.

Cercospora Dovyalidis Chupp & Doidge.

Chupp & Doidge (1948) 885. on **Dovyalis Zeyheri** Warb., Groenkloof, Pretoria, *Doidge*, 7298, Type.

Cercospora egenula (Syd.) Chupp & Doidge

Chupp & Doidge (1948) 885. Cercoseptoria egenula Syd., H. Sydow (1935) 235. on Solanum panduraeforme E. Mey., Nelspruit, Liebenberg, 25999, Type.

Cercospora Faureae Chupp & Doidge

Chupp & Doidge (1948) 885. on Faurea speciosa Welw., Concession, *Hopkins* (Rh. 1620) Type.

Cercospora Fici Heald & Wolf

 $\begin{array}{c} {\rm Chupp} \ \& \ {\rm Doidge} \ (1948) \ 885. \\ {\rm on} \ {\bf Ficus} \ {\bf Sycomorus} \ {\rm Linn., \ Nelspruit}, \ Liebenberg, \ 26345. \end{array}$

Cercospora fukushiana (Mats.) Yam.

Chupp & Doidge (1948) 885; Hopkins (1943) 185. on Impatiens balsamina Linn., on leaves, Salisbury, Hopkins (Rh. 4472).

Cercospora fusca Rand.

Cardoso (1945) 160. on Carya pecan Engl. & Graebn., Umbeluzi, Oliveira.

Cercospora fusimaculans Atk.

Chupp & Doidge (1948) 886.

on Brachiaria serrata Stapf, Kaalfontein, Pole Evans, 10081.

Cercospora gossypina Cooke

Hopkins (1939 a) 22.

on Gossypium sp., Darwendale, Salisbury, Hopkins.

Cercospora grandissima Rang.

Hopkins (1938 a) 122, (1939 a) 16; Chupp & Doidge (1948) 886.

as Cercospora sp., Hopkins (1930) 524.

on Dahlia pinnata Cav., Salisbury (Rh. 507), 24359.

Cercospora guliana Sacc.

Chupp & Doidge (1948) 886.

as Cercospora circumscissa Sacc., Verwoerd (1929 b) 5; Doidge & Bottomley (1931) 5; Dippenaar (1931 b) 267; Nel (1942) 96.

on Prunus communis Fritsch, Klerksdorp, 779; without locality, Thomsen, 1177; Louwscreek, Bradbury, 24891; Kirkwood, Knights-Rayson, 26634; Klein Brak, Knysna, George, Dippenaar; Stellenbosch, Verwoerd (Stell. 366); Paarl, Verwoerd; Knysna, Reinecke (Stell. 907; v. d. Byl 1676); Stellenbosch, Roos (v. d. Byl 1342); Stellenbosch, Dippenaar (Stell. 889; v. d. Byl 2580).

Cercospora Haemanthi Kalchbr.

Kalchbrenner & Cooke (1880) 24; Medley Wood (1898) 11; Sacc. Svll. Fung.

IV: 477; Chupp & Doidge (1948) 886.

on Haemanthus magnificus Herb., Pretoria, Pole Erans, 1203; Garstfontein, Doidge, 1378; Buffelspoort, Doidge, 28615; Derdepoort, Doidge & Bottomley, 33933.

Haemanthus natalensis Pappe, Maritzburg, Doidge, 867.

Haemanthus puniceus Linn., Boschberg, MacOwan 1020, Type (S.A.M. 35105): Natal, Medley Wood; Kentani, Pegler 2406, 2398, 9772, 9738.

Cercospora Halleriae Chupp & Doidge

Chupp & Doidge (1948) 886.

on Halleria lucida Linn., Barberton, v. d. Byl, 7377, Type.

Cercospora Henningsii Allesch.

Hopkins (1943) 186.

on Manihot utilissima Pohl., Mazoe, Bates.

Cercospora heteromalla Syd.

H. Sydow (1924 c) 433; van der Byl (1926 c) 289; Nel (1942) 96; Chupp & Doidge (1948) 886.

on Rubus rosaefolius Sm., Woodbush, v. d. Byl 1533, Type, 34280.

Cercospora insulana (Sacc.) Chupp

Chupp & Doidge (1948) 886.

on Limonium sinuatum Mill., Pretoria, Wager, 21247.

Cercospora Jussieuae Atk.

Chupp & Doidge (1948) 887.

on Jussieua suffruticosa Linn. var. angustifolia Lam., Nelspruit, Liebenberg, 26066.

Cercospora Kiggelariae Syd.

H. Sydow (1924 c) 434; Nel (1942) 96; Chupp & Doidge (1948) 887.

on Kiggelaria africana Linn., Stellenbosch, Brain (v. d. Byl 1449), Type, Verwoerd (Stell. 308; v. d. Byl 2677); Schagen, Liebenberg, 26315.

Cercospora Kopkei Krug.

on Saccharum officinarum Linn., Mt. Edgecombe, McMartin.

Cercospora leoni Savul & Rayss.

Chupp & Doidge (1948). 887

Septosporium heterosporum Ell. & Gall., Chupp & Doidge, l.c.

on Vitis vinifera Linn., leaves, Maracuene, Howard, 975; Upington, Hugo, 33155, du Plessis (Stell. 1045, 1046); Marchand, Kakamas, Valentin, 33898.

Cercospora Leonotidis Cooke

Cooke (1879 b) 72; Kalchbrenner & Cooke (1880) 24; Sacc. Syll. Fung. IV: 470; Chupp & Doidge (1948) 887.

on Leonotis leonitis R. Br., Inanda, Medley Wood 5, Type, 10175.

Cercospora Liebenbergii Syd.

H. Sydow (1935) 235; Chupp & Doidge (1948) 887.

on Rauwolfia caffra Sond., Schagen, Liebenberg, 26177, Type, 30964.

Cercospora longipes Butl.

on **Saccharum officinarum** Linn., common on Natal coast on the variety Co. 281, *McMartin*: Mt. Edgecombe, *McMartin*.

Cercospora malayensis Stev. & Solh.

Hopkins (1939 a) 22; Chupp & Doidge (1948) 888.

as Cercospora gossypina Cooke, Hopkins (1938 a) 122.

as Cercospora sp., Eyles (1926) 641.

on **Hibiscus cannabinus** Linn., Schagen, *Liebenberg*, 26312; Nelspruit, *Liebenberg*, 26674; Salisbury (Rh. 773, 1233) 34262, Kew; Concession (Rh. 808); Shamwa (Rh. 1252); Sinoia, *Hopkins* (Rh. 548) 34274.

Cercospora melaena Syd.

H. Sydow (1924 c) 434; Nel (1942) 96; Chupp & Doidge (1948) 888.

on Flemingia Grahamiana W. & A., Woodbush, v. d. Byl 1522, Type, and Doidge, 32911.

Cercospora melanochaeta Ell. & Everh.

Chupp & Doidge (1948) 888.

on Gymnosporia buxifolia Szysz., Verulam, v. d. Byl, 6946; Kentani, Pegler 2405, 9771; Schagen, Liebenberg, 26350; Escombe, Hean, 33214.

Cercospora Momordicae McRae

Chupp & Doidge (1948) 888.

on Momordica foetida Schum. & Thom., Kentani, Pegler 2453, 11679.

Cercospora Musae Zimm.

Chupp & Doidge (1948) 888.

Cercospora Musae Massee, Massee & Wakefield (1914) 159.

on Musa sp., Gondola, Moçambique (Rh. 5766).

Cercospora myrticola Speg.

Chupp & Doidge (1948) 888.

Cercospora Murti Eriks., H. Sydow (1924 c) 435 : Nel (1942) 96.

? as Cercospora purpurea-cincta in Nel (1942) 96.

on Myrtus communis Linn., Blauwylei, Wellington, Doidge, 2066; Hopefield, r. d. Byl 1327 and ? r. d. Byl 908, 2025.

Cercospora Nicotianae Ell. & Ev.

Eyles (1924) 747, (1926) 649; Mason (1928) 36; Hopkins (1931) 51; Doidge &

Bottomlev (1931) 62; Chupp & Doidge (1948) 888.

on Nicotiana Tabacum Linn.. Swaziland, Gray, 894; Zomba, Nyasaland; Salisbury, Hopkins (Rh. 532, 1801, 1803, 3786), 34260, 34267, 34268, 34276; Trelawney, Hopkins (Rh. 3304); Eldorado, Hopkins (Rh. 1767).

Cercospora obtecta Svd.

H. Svdow (1935) 235; Chupp & Doidge (1948) 888.

on Annona semegalensis Pers., Nelspruit, Liebenberg, 26043, Type.

Cercospora occidentalis Cooke

Chupp & Doidge (1948) 889.

on Cassia delagoensis Harv., Nelspruit, Liebenberg, 26033; Schagen, Liebenberg, 26352.

Cercospora Oliniae Verw. & Dipp.

Verwoerd & Dippenaar (1930 a) 326; Chupp & Doidge (1948) 889.

on Olinia cymosa Thunb., Stellenbosch, Dippenaar, Type (Stell. 391, 887, 888; v. d. Byl 2583) 34282.

Cercospora omphacodes Ell. & Holw.

Doidge & Bottomlev (1931) 50; Chupp & Doidge (1948) 889.

on Phlox Drummondi Hk., Cramond, Hill, 6836.

Cercospora Pachycarpi Chupp & Doidge

Chupp & Doidge (1948) 889.

on Pachycarpus Schinzianus N. E. Br., Wonderboom, v. d. Byl, 2208.

Cercospora Pareirae Speg.

Chupp & Doidge (1948) 889.

on Cissampelos mucronata A. Rich., Schagen, Liebenberg, 26314.

Cercospora Pastinacae (Sacc.) Peck

Cercospora Apii Fres. var. Pastinacae Sacc., Doidge & Bottomley (1931) 46. on Pastinaca sativa Linn., Cedara.

Cercospora Persicariae Yam.

Chup & Doidge (1948) 889.

? on Polygonum tomentosum Willd., Nels River nr. Nelspruit, Liebenberg, 26011.

Cercospora personata (Berk. & Curt.) Ell.

Mason (1928) 36; Doidge & Bottomley (1931) 48; Cardoso (1945) 151; Chupp & Doidge (1948) 890.

Septogloeum Arachidis Rac., v. d. Byl (1920 d) 528, (1922 d) 287; Verwoerd (1929 b) 48.

on Arachis hypogaea Linn., Skinner's Court, 993, 1287; Hartebeestpoort Exp. Sta., Sell-schop, 32136, 32137; Crecy, Sellschop, 30649; Nelspruit, Liebenberg, 26675; Immerpan, Steen, 25364; Barberton, Parsons, 25363; Northern Flats, Dros, 25924; Cedara, Staples, 17060; Maritzburg, Erxleben, 15447; Stellenbosch, Verwoerd (Stell. 20); Settlers, Haywood, 30654; Sao Paulo, de Messano, Howard, 978; Umbeluzi, Guimarāis.

Cercospora phaeocarpa Mitter

Chupp & Doidge (1948) 890. on Baukinia Thonningii Schum., Concession, *Hopkins* (Rh. 1621) 34265

Cercospora Pouzolziae Syd.

H. Sydow (1935) 236; Chupp & Doidge (1948) 890. on **Pouzolzia hypoleuca** Wedd., Nelspruit, *Liebenberg*, 26013, Type.

Cercospora pretoriensis Chupp & Doidge

Chupp & Doidge (1948) 890.

on Gomphrena decumbens Jacq. var. genuina Stüchlik, Skinner's Court, 1937; Pretoria, Doidge, 775, 6593, Type; Donkerpoort, Doidge & Bottomley, 32767; Wonderboom, Doidge & Bottomley, 32789; Schagen, Liebenberg, 26316.

Cercospora Protearum Cooke

Cooke (1883 b) 39; Sacc. Syll. Fung. IV: 473; van der Byl (1922 d) 288; Solheim (1929) 31; Nel (1942) 96; Chupp & Doidge (1948) 890.

Cercospora Protearum var. Leucospermi Cooke l.c. Cercospora Protearum var. Leucadendri Cooke l.c.

on **Leucospermum conocarpum** R.Br., Hottentot's Holland, *MacOwan 1456*, Type (Rabenh. Wint. Fung. Eur. 3589) 3929, Kew; St. James, *Pole Evans*, 5570; Stellenbosch, *Duthie* (v. d. Byl 62).

Leucadendron argenteum R.Br., Table Mt., *MacOwan 1457*, Kew; Kirstenbosch, *Pearson*, 8354.

Cercospora psychotriaecola Chupp & Doidge

Chupp & Doidge (1948) 891

on Psychotria capensis Vatke, Mambatini, nr., Nelspruit, Mogg, 32773.

Cercospora punctiformis Sacc. & Roum.

Chupp & Doidge (1948) 891

on Cynanchum natalitium Schlecht., Isipingo, Doidge, 6642

Cercospora Resedae Fuck.

Nel (1942) 96: Chupp & Doidge (1948) 891.

on Reseda odorata Linn., Hopefield, v. d. Byl 1272; Kentani, Pegler 2390, 9428, Kew Barberton, 439.

Cercospora Rhoicissi Syd.

H. & F. Sydow (1912 c) 444; Sacc. Syll. Fung. XXV: 894; Chupp & Doidge (1948) 891.

on Rhoicissus erythrodes (Fres.) Planch., Barberton, Louisbury, 1275, Type.

Cercospora riachueli Speg.

Chupp & Doidge (1948) 891.

on Cissus sp., Schagen. Liebenberg, 26178.

Cercospora richardiaecola Atk.

Hopkins (1938 a) 122, (1939 a) 40; Chupp & Doidge (1948) 891.

on Zantedeschia aethiopica (L.) Spreng., Pretoria, Bottomley, 14269; Salisbury (Rh. 1214). Zantedeschia angustiloba (Schott.) Engl., Pretoria, Bottomley, 14271.

Zantedeschia Elliotiana (Knight) Engl., Salisbury: Rusapi, Hopkins (Rh. 4688).

Zantedeschia melanoleuca (Hk. f.) Engl., Avondale, Salisbury, Townsend (Rh. 1214) 34261.

Zantedeschia Rehmanni Engl., Pretoria, Bottomley, 14270.

Zantedeschia sp., Maritzburg, Schmutz, 30098.

Cercospora ricinella Sacc. & Berl.

Chupp & Doidge (1948) 892.

Cercosporina ricinella (Sacc. & Berl.) Speg., Cardoso (1939) 44.

on Ricinus communis Linn., Nelspruit, Liebenberg, 26010; Moçambique, Cardoso.

Cercospora rubro-tincta Ell. & Everh.

Chupp & Doidge (1948) 892.

on Prunus persica Sieb. & Zucc., Potchefstroom, 23496.

Cercospora scitula Svd.

H. Svdow (1935) 236; Chupp & Doidge (1948) 892.

on Annona senegalensis Pers., Nelspruit, Liebenberg, 26027, Type.

Cercospora Sesami Zimm.

Chupp & Doidge (1948) 892.

on Ceratotheca triloba E. Mey., Schagen, *Liebenberg*, 26179. Pretrea zanguebarica J. Gav. Nelspruit, *Liebenberg*, 26048.

Cercospora Solani-melongenae Chupp

Chupp & Doidge (1948) 892.

Cercospora Solani-melongenae Hori, nom. nud.

on Solanum Melongena Linn., var. esculentum Nees, Cavendish, Wager.

Cercospora Sorghi Ell. & Everh.

Chupp & Doidge (1948) 892.

on Cymbopogon afronardus Stapf, Nelspruit, Liebenberg, 26061.

Cymbopogon excavatus Stapf, Wolwekloof, Bottomley, 29953; Schagen, Liebenberg, 32910.

Cercospora sphaeroidea Speg.

H. & F. Sydow (1909) 547; Chupp & Doidge (1948) 893.
on Cassia delagoensis Harv., Umbelusi, Howard, 522.

Cercospora Stizolobii Syd.

Chupp & Doidge (1948) 893.

on Stizolobium Deeringianum Bort., Salisbury, Hopkins (Rh. 5302) 33969.

Cercospora transvaalensis Syd.

H. Sydow (1935) 237; Chupp & Doidge (1948) 893. on Acalypha petiolaris Hochst., Nelspruit, *Liebenberg*, 26002, Type.

Cercospora Tremae (Stev. & Solh.) Chupp.

Chupp & Doidge (1948) 893.

on Trema guineensis (Schum.) Ficalho, Durban, Doidge, 1671.

Cercospora vaginae Krueg.

Stevenson & Rands (1938) 260.

on Saccharum officinarum Linn., South Africa, without locality; occurs commonly throughout coastal belt of Natal. McMartin.

Cercospora Violae Sacc.

Burtt-Davy (1904) 296; Eyles (1926) 651; Verwoerd (1929 b) 27; Doidge & Bottomley (1931) 65; Hopkins (1938 a) 122, (1939 a) 48; Chupp & Doidge (1948) 893.

on Viola odorata Linn., Pretoria, Faure, 884, Pole Evans, 6678, Wager, 21580; Potchefstroom, 23495; Barberton, 440; Fort Hare, Lyle, 25422; Idutywa, Imray, 22343; Knysna, Laughton, 34216; Cramond, Pole Evans, 1497; Donnybrook, Morgan, 28610; Pyramids, Bottomley, 33444, Hean, 33490; Stellenbosch, Verwoerd (Stell. 308); Salisbury, Eyles 2998, 14015, Mitchell (Rh. 1314, 1602) Kew; Lourenço Marques, Howard, 651.

Viola tricolor Linn., Claremont, Cape, 741.

Cercospora Vitis (Lév.) Sacc.

Chupp & Doidge (1948) 893.

Cercospora viticola (Ces.) Sacc., Doidge & Bottomley (1931) 28; Hopkins (1938 a) 122, (1939 a) 48.

on Vitis vinifera Linn., Pretoria, Bottomley, 32636, 33489; Vaalwater, Waterberg, Farrant, 30765; Buffelspoort, Bottomley, 32701; Middelburg, Transvaal, 612; Vaalwater, Farrant, 30765; Kingwilliamstown, Mally, 462, 1182, 1173; Verulam, James, 33299; Eshowe, Pole Evans, 2025; Ezulweni, Swaziland, Douglas, 26378; Modder River, Dreyer, 283; Kentani, Pegler, 9740; Gwelo (Rh. 2048); Salisbury (Rh. 1535, 1988, 1820).

? on Cissus Rhodesiae Gilg. & Brandt., Salisbury, Hopkins (Rh. 1210).

Cercospora Withaniae Syd.

H. & P. Sydow (1912 c) 444; Sacc. Syll. Fung. XXV: 891; Chupp & Doidge (1948) 893.

on Withania somnifera Dun., Bluff, Durban, Doidge, 1672.

Cercospora Zizyphi Petch

Chupp & Doidge (1948) 893.

on Zizyphus mucronata Willd., Barclayvale, Lichenberg, 32880; Schagen, Liebenberg, 26347 32876; Tzaneen, Liebenberg, 32726.

Cercospora sp.

Hopkins (1930 a) 415.

on Cucumis sativus Linn., Southern Rhodesia, Hopkins.

Cercospora sp.

Hopkins (1930 a) 414.

on Helianthus tuberosus Linn., Southern Rhodesia, Hopkins.

STAUROSPORAE.

Triposporium Stapeliae du Plessis

du Plessis (1933 c) 9, 12 : Nel (1942) 98.

on Caralluma sp., Bot. Gard., Stellenbosch, Herre.

Duvalia cordercyi N.E.Br., Bot. Gard., Stellenbosch, Herre & du Plessis.

Duvalia parviflora N.E.Br., Bot. Gard., Stellenbosch, Herre & du Plessis.

Duvalia sp., Bot. Gard., Stellenbosch, Herre & du Plessis.

Hoodia Bainii Dver, Bot. Gard., Stellenbosch, Herre & du Plessis.

Hoodia Gordoni Sweet, Bot. Gard., Stellenbosch, Herre & du Plessis.

Huernia longituba N.E.Br., Bot, Gard., Stellenbosch, Herre & du Plessis,

Huernia oculata Hook, f., Bot, Gard., Stellenbosch, du Plessis (Stell, 788; v. d. Byl 2711).

Sarcophagophilus Winklerianus Dinter, Bot. Gard., Stellenbosch, Herre & du Plessis.

Stapelia desmetiana N.E.Br., Bot. Gard., Stellenbosch, Herre & du Plessis.

Stapelia Leendertziae N.E.Br., Bot. Gard., Stellenbosch, Herre & du Plessis.

Stapelia Schinzii Berg. & Schlecht., Bot. Gard., Stellenbosch, Herre & du Plessis (Stell. 787)

Stapelia spp., Bot. Gard., Stellenbosch, Herre & du Plessis (Stell. 791, 793, 794).

Tavaresia grandiflora Berg., Bot. Gard., Stellenbosch, Herre & du Plessis (Stell. 790).

Trichocaulon annulatum N.E.Br., Bot. Gard., Stellenbosch, Herre & du Plessis.

Trichocaulon cactiforme N.E.Br., Bot. Gard., Stellenbosch, du Plessis (Stell. 789; v. d. Bvl 2712).

Trichocaulon sinus-Luderitzii Dinter, Bot. Gard., Stellenbosch, Herre & du Plessis.

Trichocaulon spp., Bot. Gard., Stellenbosch, Herre & du Plessis.

According to du Plessis, l.c., this fungus also occurs on Tricaulon spp., Stapelia spp. and other succulent Asclepiadaceae in the Barkly East, Kuruman, Omaruru, Prieska, Tumeb and Windhoek districts.

TUBERCULARIACEAE.

MUCEDINAE

Amerosporae.

Beniowskia sphaeroidea (Kalchbr. & Cooke) Mason

Mason (1928) 26; Doidge & Bottomley (1931) 26, 40; Hopkins (1938 a) 123, (1939 a) 31, 42.

Ceratium sphaeroideum Kalchbrenner & Cooke (1880) 22; Sacc. Syll. Fung. IV: 597. Beniowskia Penniseti Wakefield (1916) 75.

Aegerita Penniseti P. Henn., Doidge & Bottomley l.c.; Eyles (1926) 640; Nel (1942) 106.

Albugo sp., Eyles (1926) 629.

on Cymbopogon marginatus (Steud.) Stapf, Somerset East, MacOwan 1284, Kew.

Cenchrus ciliaris Linn., George, Moore, 20300.

Pennisetum purpureum Schum., Westfalia Estates, F. du Toit, 25930; Hartley, Eyles 3325, 15520.

Pennisetum sp., Salisbury, Eyles (v. d. Byl 1804).

Setaria nigrirostris Dur. & Schinz, Belfast, *Doidge*, 560; Sandymount, *Wallace*, 10019. Setaria sphacelata Stapf & Hubb., Pretoria, *Hean*, 30700.

Setaria verticillata Beauv., Salisburv, Eyles 2065, 14002; Mazoe (Rh. 2300).

Tubercularia Fici Edgert.

Eyles (1926) 639; Hopkins (1930) 524. on **Ficus** sp., Salisbury, *Eyles*.

Tubercularia minor Link

Verwoerd & du Plessis (1933) 233.

on Acacia saligna Wendl., Mossel Bay, Vorster (Stell, 818).

Tubercularia vulgaris Tode

Medley Wood (1898) 19.

Sphaeria tremelloides Linn., Thunberg (1800) 183, (1823) 756.

on Rhus sp., on bark, Boschberg, MacOwan 1096 (S.A.M. 35210) 20826; Natal. Medley Wood 462, 10024, 10615.

on host unknown, Cape, Thunberg.

Tuberculina malvacearum Speg.

H. & P. Sydow (1909) 547.

on Puccinia heterospora Berk. & Curt., on Sida cordifolia, Moçambique, Howard, 676.

Tuberculina persicina (Ditm.) Sacc.

Tubercularia persicina Ditm., von Thuemen (1877) 413.

on Aecidium dubiosum Svd., on Senecio mikanioides, Boschberg, MacOwan.

Volutella Dianthi (Halst.) Atk.

Doidge & Bottomlev (1931) 16.

on Dianthus caryophyllus Linn., Duivelskloof, v. d. Merwe, 25450, Olivier, 28723, Graham, 25353.

Volutella sp.

on Citrus sinensis Osbeck, isolated from surface washings from fruit, Mazoe, Bates 255, 34024.

DIDYMOSPORAE.

Patouillardella Rumicis Verw. & du Pless.

Verwoerd & du Plessis (1933) 227; Nel (1942) 107. on **Rumex** sp., Ceres, *Dippenaar*, Type (Stell. 659; v. d. Byl 2690).

PHRAGMOSPORAE.

Bactridium flavum Kunze & Schum.

van der Byl (1925 b) 196 : Nel (1942) 106, on old wood, Knysna, *Duthie* 53 (v. d. Byl 1098).

Cylindrocarpon album (Sacc.) Wollenw. var. crassum Wollenw. isolated from **Persea americana** Mill., Maritzburg, Schultze, 28410.

Fusarium angustum Sherb.

du Plessis (1933 b) 9 ; Doidge (1938) 407 ; Doidge & van der Plank (1936) 18, isolated from

Allium Cepa Linn., south-western Cape, du Plessis.

Arachis hypogaea Linn., pods, Pretoria, F. du Toit.

Citrus I imonia Osbeck, fruit, Sundays River, Doidge; roots, Zebediela, Doidge, 28434, 28445; Steenbokfontein, Turner, 28427; Marikana, Doidge, 28426: Acornhoek, Doidge: Bonnievale, Doidge.

Citrus sinensis Osbeck, fruit from White River, Zebediela, Rustenburg, Letaba, Groot Drakenstein, Muden, Doidge: roots, Villiersdorp, Doidge.

Gossypium sp., sten, Rustenburg, Wager.

Lycopersicum esculentum Mill., stems and petioles, Gqaga, Wager; Tonetti, Wager.

Pinus sp., discoloured wood, Hogsback, Lurie.
Polygala speciosa Gem., stem, Durban, McClean.

from soil in Citrus orchards, Kosterfontein, Esselen, 28419; Boskoppies, Doidge, 28441.

Fusarium argillaceum (Fr.) Sacc.

du Plessis (1933 b) 12.

isolated from

Solanum tuberosum Linn., tubers, Ceres, du Plessis.

Fusarium avenaceum (Fr.) Sacc.

Doidge (1938) 348.

on Puccinia ranulipes Doidge on Asparagus laricinus (teleuto-sori), Wonderboom, Doidge & Bottomley, 28735.

isolated from

Avena sativa Linn., roots, Stellenbosch, Gorter, 33355.

Cucumis Melo Linn., fruit, Cape Town, Rattray.

Eleusine indica (L.) Gaertn., stems, Acton Homes, L. A. Doidge.

Triticum aestivum Linn., Clarens, K. M. Putterill; South-western Cape, Dippenaar.

Form 1. Wollenw. & Reinking.

Doidge (1938) 349; Wollenweber (1935) no. 1134.

isolated from

Citrus sp., bark, Godwan River, Marloth.

Euphorbia crassipes Marloth, stems, Willeston, Herne, 25950, 28379.

on Paspalum dilatatum Poir, ovaries infected with Claviceps Paspali, Cedara, Gill, 25473, 28436; Eshowe, v. d. Plank, 25864; Hlatikulu, Thomas, 31085; Pyramids, Mogg, 32439; Derdepoort, Doidge & Bottomley, 33936.

Paspalum distichum Linn., ovaries infected with Claviceps Paspali, Durban, Kent, 21105;

Umbilo, Kent, 23699; Pyramids, Mogg, 32442.

Fusarium bulbigenum Cooke & Mass.

Doidge (1938) 412.

isolated from

Allium sativum Linn., bulb of wilting plant, Eikenhof, Doidge, 28362.

Freesia sp., discoloured corms, Pretoria, Hofs.

Gladiolus sp., discoloured corms, Louis Trichardt, Koker.

Nicotiana Tabacum Linn., discoloured stems of wilting plants, Rustenburg, Moore. from soil, Pretoria, Kammerman.

Var. blasticola (Rostr.) Wollenw.

du Plessis (1933 d) 6.

isolated from

Solanum tuberosum Linn., rotting tubers, Ceres, Paarl, Stellenbosch, du Plessis.

Var. Lycopersici (Brushi) Wollenw. & Reinking

Wager (1933 a) 240; Doidge (1938) 416; Doidge & van der Plank (1936) 18.

Fusarium Lycopersici Brushi, Eyles (1926) 650; Hopkins (1930) 651; Doidge & Bottomlev (1931) 63.

isolated from

Carica Papaya Linn., stem, Buffelspoort, Doidge.

Citrus sinensis Osbeck, fruit, Letaba, Doidge.

Dianthus caryophyllus Linn., stem, Pretoria, Doidge, 28390; Salisbury, Hopkins.

Lycopersicum esculentum Mill., Nelspruit, Karino, Boulders, Wager, 28428; Gqaga, Wager; Duivelskloof, Doidge; Karino, Pursglove; Clanwilliam, Dippenaar; Shamva, Eyles; Southern Rhodesia, Hopkins.

Var. niveum (E.F.Sm.) Wollenw.

Doidge (1938) 419, 456.

isolated from

Citrullus vulgaris Schrad., stems, Witpoort, Doidge: Biesjesvlei, Lichtenburg, Uitenhage, Haines

Var. tracheiphilum (E.F.Sm.) Wollenw.

Hopkins (1938 a) 125, (1939 a) 24.

on Lupinus sp., roots, Salisbury (Rh. 330, 361).

Fusarium chlamydosporum Wollenw. & Reinking

Doidge (1938) 346 ; Wollenweber & Reinking (1935) 47, 48. isolated from

Brachiaria pubifolia Stapf, ovaries, Nelspruit, Liebenberg, 26670.

Nomadacris septemfasciata Serv., South-west Africa, Wollenweber.

from underground mine timber, Durban Roodepoort Deep (T.R.L. 429, det. Baarn).

Fusarium ciliatum Link

Doidge (1938) 343.

on **Ephichloe cinerea** Berk. & Br., on *Sporobolus capensis* and *Eragrostis plana*, Thorneville Junction, *Doidge*, 865; Mooi River, *Mogg*, 10063; Cramond, *Pole Evans*, 1369; Fairy Glen, *Lounsbury*, 17651; Acton Homes, *L. A. Doidge*, 25897; Hopevale, *Morgan*, 27749.

Fusarium coccophilum (Desm.) Wollenw. & Reinking

Wollenweber & Reinking (1935) 34; Wollenweber (1935) no. 1126; Doidge (1938) 335.

Fusarium coccinellum Kalchbrenner, von Thuemen (1876 b) 426; Sacc. Syll. Fung. IV: 696; Wollenweber (1930) nos. 782, 861.

Sphaerostilbe flammea Tul., conidiophoro, Kalchbrenner (1882 a) 146; Medley Wood (1898) 19.

Nectria sp., Kalchbrenner (1882 a) 146.

Fusarium baccharidicola P. Henn., Wollenweber (1930) no. 865.

as Sphaerostilbe coccophila Tul., van der Byl (1926 c) 286; Verwoerd, (1931 a) 299.

as Microcera coccophila Desm., Pole Evans (1908 e) 126.

on Aonidiella aurantii Mask., on leaves and twigs of Citrus spp., Maritzburg, Kelly, 12174, v. d. Vyver, 26322; without locality, 25438; Hilton Road, Cogan, 10121; Moçambique, Howard, 650; Duivelskloof, Doidge, 1845, 28877; Elim, Doidge, 20344, Nyenhuis, 27561, Turner, 20587; Bredasdorp, Turner, 20602; Alkmaar, Turner, 18191; Richmond, Tedder, 15479; Mt. Silinda, Lounsbury, 25973; New Agatha, Wager, 27689; Tzaneen, Turner, 26568; White River, Kritzinger, 12815; Inzana, Walton, 30757; on twigs of Rosa spp., Ravenshill, Eland, 25932; Maritzburg, Fouché, 27282, v. d. Vyver, 26406; Salisbury, Bates (Rh. 6782) 35293.

Aspidiotus furcillae Brain, on bark of Acacia Karroo, Somerset East, MacOwan (Thuem. Myc. Univ. 782) 21956, Kew; Boschberg, MacOwan 1059, (S.A.M. 35213) 20913, Kew. Aspidiotus perniciosus Comst., on twigs of Purus communis, Chasedene, Maritzburg,

v. d. Vyver, 21932.

Aspidiotus rapax Comst., on twigs of Ribes sp., Haenertsburg, Doidge, 1684; on Aleurites Fordii, Umhlali, Gill, 28656.

Chionaspis sp., Victoria Falls, Lounsbury, 25974.

Lepidosaphes Gloveri Pack., on twigs of Citrus sp., Chase Valley, r. d. Plank; Port St. Johns, Fraser, 26323

Parlatoria zizyphi Lucas, on Citrus sinensis Verulam, James, 35553.

Coccidae undet., Natal, Medley Wood 106, 157; on Canthium sp., Cape, Lounsbury, 193, 205.

Fusarium coeruleum (Lib.) Sacc.

du Plessis (1933 d) 10; Doidge (1938) 453; Hopkins (1938 a) 124, (1939 a) 43. isolated from

Solanum tuberosum Linn., tubers, George, Paarl, Stellenbosch, Ceres, da Plessis: Borrow-dale (Rh. 2935); Salisbury, Hopkins.

Lycopersicum esculentum Mill., fruit, Mazoe, Bates, 33366.

Fusarium conglutinans Wollenw.

Hopkins & Pardy (1944) 63.

isolated from

Brassica oleracea Linn., stems of seedlings, Umtali, Hopkins & Pardy.

Var. Callistephi Beach

Doidge (1938) 410; Doidge & Bottomley (1931) 10.

Fusarium conglutinans var. majus Wollenw., Wager (1932 a) 301.

isolated from

Callistephus chinensis Nees, stems of wilting plants, Pretoria, Cross, 18187, Mathews, 23167, Doidge, 25912, Greenstein, 32721, v. d. Merwe, 28437, Wager, 25913; Heidelberg, Theunissen, 30468; Durban, McClean: Cavendish, Wager.

Fusarium culmorum (W.G.Sm.) Sacc.

Wollenweber (1931) 360; Doidge & Bottomley (1931) 67; Doidge (1938) 380; Hopkins (1932) 467, (1938 e) 622, (1939 a) 44, 46.

isolated from

Dianthus caryophyllus Linn., stems, Rumbavi (Rh. 70); Salisbury, Hopkins.

Lolium temulentum Linn., stems of dving plants, Waaikraal, Wager.

Solanum tuberosum Linn., Borrowdale (Rh. 1373); Salisbury (Rh. 1439, 1891).

Triticum aestivum Linn., stems and roots, Waaikraal, Wager: Stellenbosch, Gorter, 33356; Chakari (Rh. 1326).

on Sphacelotheca Sorghi (Link) Clint. on Sorhgum caftrorum Beauv., Ixopo, Storey, 17272.

Fusarium decemcellulare Brick

Doidge (1938) 339; Doidge & van der Plank (1936) 18.

isolated from

Epichloe cinerea Berk. & Br. on Sporobolus capensis, Acton Homes, L. A. Doidge. Citrus sinensis Osbeck, fruit, Zebediela, Doidge.

Fusarium Dianthi Prill. & Del.

Doidge (1938) 431.

isolated from

Dianthus caryophyllus Linn., stems of wilting plants, Bethlehem, Elim, Politsi, Durban Gölden Valley nr. Cookhouse, *Doidge*.

Fusarium sp. (Fusarium dimerum Penz. prox.)

isola ted from

brattice cloth used underground in mines, Modderfontein Deep (T.R.L. 1402, det. Thom)

Fusarium diversisporum Sherb.

Bates (1937 b) 206; Hopkins (1938 a) 124, (1939 a) 13.

isolated from

Citrus sinensis Osbeck, fruit, Mazoe, Bates.

Fusarium Equiseti (Corda) Sacc.

Doidge (1938) 356; Doidge & van der Plank (1936) 19.

isolated from

Citrus sinensis Osbeck, fruit, Zebediela, Doidge.

Cucumis sativus Linn., stem of wilting plant, Uitenhage, Haines.

 $\textbf{Lycopersicum esculentum Mill., Pretoria, } Wager; \ \mathbf{Gqaga}, \ Wager.$

Striga lutea Lour., from stems of dying plants, Ixopo, Mack.

Var. bullatum (Sherb.) Wollenw.

Doidge (1938) 359.

isolated from

Mesembrianthemum sp., stems of succulent plant, Pretoria, Wager, 28448.

Fusarium expansum Schlecht.

on Phaeochorella Parinarii (P. Henn.) Theiss. & Syd., on Parinarium mobola, Entabeni, Laughton, 33436.

Fusarium graminearum Schwabe

Stevn (1934) 175; Doidge (1938) 382; Gorter (1943) 181.

isolated from

Triticum aestivum Linn., Stellenbosch, Gorter, 33357.

Zea Mays Linn., Louis Trichardt, Leemann, 28442, 26582; Rustenburg, Watts, 24866; from maize meal, Bethal.

Fusarium heterosporum Nees var. congoense Wollenw.

Wollenweber (1931) 350; Wollenweber & Reinking (1935) 72; Doidge (1938) 371; Hopkins (1939 a) 7, (1943) 179.

Fusarium congoense Wollenweber (1916) nos. 306, 307, (1917) 20, 54, (1918) 736.

Fusarium heterosporium var. congoense f. l. Wollenweber (1931) 350.

Fusarium conquense var. septatius Wollenweber (1924) no. 612.

? as Fusarium heterosporum Nees, Pole Evans (1906 a) 139; Nel (1942) 106; Hopkins (1938 a) 124, (1939 a) 47.

on ovaries (infected with smut or ergot).

of Bothriochloa glabra A. Camus, Bulawayo, Hopkins.

Brachiaria brizantha Stapf, Barberton, Mogg. 7771: White River, Loest, 28598: Salisbury, Eyles (v. d. Byl 1801) 11858, Walters, 8868.

Bromus catharticus Vahl., Zandspruit, Gillespie, 284, 285.

Cenchrus ciliaris Linn., Prinshof, Mogg, 26147.

Cynodon Dactylon Pers., Skinner's Court, Mogg, 11673; without locality, Burtt Davy, 577.

Digitaria eriantha Steud., Butterworth, Pegler, 7743.

Digitaria monodactyla (Nees) Stapf, Groenkloof, Pole Evans, 11874.

Digitaria Pentzii Stent, Durban, Clurkson, 23864; Prinshof, Liebenberg, 25339; Donker-poort, Doidge & Bottomley, 29765.

Digitaria sp., Grahamstown, Liebenberg, 27514.

Hyparrhenia hirta Stapf, Garstfontein, Pienaar, 8905.

Lolium multiflorum Lam., Nottingham Road, McClean, 31023.

Panicum laevifolium Hack., Tzaneen. 6: Struben's Valley. Roo lep port, Schrefer. 33765.

Panicum maximum Jacq., Kentani, Pegler, 6649, 6919: Butterworth, Pegler, 7738; Maritzburg, Sim, 7760; Groenkloof, Pole Evans, 9058; Barberton, Wager, 26152; Nelspruit, Liebenberg, 26669; Durban, Medley Wood 824, Kew.

Setaria nigrirostris Dur. & Sch., Leeuwpoort, Burtt Davy, 480, Kew.

Setaria perennis Hack., Groenkloof. Phillips, 11878: Grahamstown, Liebenberg, 30457.

Setaria sphacelata Stapf & Hubb., Garstfontein, Pienaur, 8906; Pretoria, Liebenberg, 32195.

Sorghum caffrorum Beauv., Clercqsvlei, Transvaal.

?onUrochloa mosambicensis Dandy, Salisbury (Rh. 2086).

Fusarium javanicum Koord.

Wollenweber & Reinking (1935) 181; Doidge & Kresfelder (1932) 299; Doidge (1938) 443.

isolated from

Cucurbita maxima Duch., stems of wilting plants, Hennops River and Daspoort, Kresfelder, 28414; Uitenhage, Haines.

Cucurbita Pepo Linn., stems of wilting plants, Hennops River and Daspoort, Kresfelder.

Var. radicicola Wollenw.

isolated from

Chrysanthemum cinerariifolium Viz., crown rot, Mazoe, Bates, 33367.

Pelargonium sp., discoloured rhizome, Pretoria, Wager.

Solanum tuberosum Linn., tubers, Umhlanga Beach, v. d. Plank.

Fusarium lateritium Nees

Bates (1937 b) 206; Doidge (1938) 385; Doidge & van der Plank (1936) 19.

Fusarium putaminum Thuem., Pole Evans (1913 b) 176.

isolated from

Carica Papaya Linn., fruit, Bokfontein, Doidge, 28429.

Citrus Limonia Osbeck, fruit, Rustenburg, Doidge.

Citrus sinensis Osbeck, fruit, Zebediela, Doidge, 28431, 28395; Muden, Rustenburg, White River, Letaba, Sunday's River, Doidge; from twigs, Hankey, v, d. Plank; 28423; Ofcalaco, v. d. Plank; from bark, de Wildt, Doidge; Elandshoek, Simmonds; Mazoe, Bates; buds in nursery stock, White River, Esselen.

Euphorbia crassipes Marloth, rotting stem, Willeston, 28378, 28391, 28444.

Prunus persica Sieb. & Zucc., fruit, Orchard Siding, Dicey, 5637.

Ceroplastes sp., on Acacia sp., Grahamstown, N. J. G. Smith, 28443.

Lepidosaphes Gloveri Pack. on Citrus sp., v. d. Plank, 28391.

Var. longum Wollenw.

Doidge & van der Plank (1936) 19; Doidge (1938) 389; Hopkins (1938 a) 124, (1939 a) 14.

isolated from

Citrus Limonia Osbeck, fruit, Sunday's River, Doidge.

Citrus sinensis Osbeck, fruit, Sunday's River, Doidge; bark, Letaba, 28417.

Coffea arabica Linn., berries, Lemana, Watson; stems, Umtali (Rh. 1010).

Var. maius Wollenw.

Hopkins (1938 a) 124, (1939 a) 13.

isolated from

Citrus sinensis Osbeck, fruit, Mazoe, Bates.

Fusarium Lini Bolley

Hopkins (1930) 527.

isolated from

Linum usitatissimum Linn., stem, Southern Rhodesia, Hopkins.

Fusarium moniliforme Sheld.

Wollenweber (1931) 391; Doidge & Bottomley (1931) 36, 62; Doidge & van der Plank (1936) 19; Doidge (1938) 393; Hopkins (1938 a) 124, (1938 e) 622; McMartin (1943) 52.

Fusarium moniliforme var. erumpens Wollenw. & Reinking, Hopkins (1938 a) 124, (1939 a) 13; Bates (1937 b) 206.

isolated from

Allium Cepa Linn., bulb, Pretoria, Wager.

Ananas comosus Merr., fruit, Bathurst, Doidge.

Brassica oleracea Linn., stems, Buffelspoort, Doidge.

Citrus maxima Merr., fruit, Mazoe, Bates.

Citrus sinensis Osbeck, fruit, Sunday's River, Rustenburg, Doidge; Mazoe, Bates.

Eleusine indica Gaertn., stems, Acton Homes, L. A. Doidge.

Ficus carica Linn., fruit, Pretoria Distr.

Gossypium sp., stems of seedlings, Rustenburg, Moore.

Lycopersicum esculentum Mill., seed, Pretoria, Wager, 28403.

Musa paradisiaca Linn. var. sapientum Kze., fruit, Acornhoek, Boyce.

Nicotiana Tabacum Linn., seedlings, Rustenburg, Moore.

Persea americana Linn., roots, Malelane, Wager.

Phlox Drummondii Hk., stems, Pretoria, Doidge.

Pisum sativum Linn., stem, Carnarvon, Wager.

Pyrus malus Linn., fruit, Vereeniging, Bottomley.

Saccharum officinarum Linn., Eshowe, Upper Tongaat, Tongaat, Mt. Edgecombe, Umhloti, McMartin.

Solanum tuberosum Linn., tubers, Umhlanga Beach, v. d. Plank.

Sorghum caffrorum Beauv., grain, Pretoria, F. du Toit.

Sorghum dochna (Forsk.) Snowd. var. technicum (Koern.) Snowd., stem, Pretoria, $F.\ du$ Toit.

Striga lutea Lour., stems, Pretoria, F. du Toit.

Triticum aestivum Linn., stems, Losperfontein, Leemann.

Zea Mays Linn., stem and cob. Potchefstroom, Sellschop, 28664, 28665, 28666; Bethal, Doidge, 28382; Settlers, E. du Toit; Louis Trichardt, Pretoria, Immerpan, Warmbaths.

from eggs showing discoloured patches on the membrane, Port Elizabeth, Bottomley.

Var. subglutinans Wollenw.

Wollenweber & Reinking (1935) 100; Doidge & van der Plank (1936) 19; Doidge (1938) 398; Watt & Breijer-Brandwyk (1932) 215; Hopkins (1938 a) 124, (1938 e) 622; Cardoso (1945) 149, 155.

isolated from

Brassica oleracea Linn., stems, Buffelspoort, Turner.

Citrus sinensis Osbeck, fruit, Rustenburg, Doidge. Crotalaria juncea Linn., stems, Nelspruit, Retief, 32129; Kat River, Wager.

? Cydonia oblonga Mill., fruit rot, Mazoe, Bates 391.

Kniphofia sp., capsules, Loskop, Galpin, 28385.

Musa sp., Manhiça, Guimarāis.

Pyrus malus Linn., fruit, Vereeniging, Bottomley.

Saccharum officinarum Linn., leaf, Natal coast, McClean: Eshowe and Mount Edge-combe, McMartin.

Zea Mays Linn., leaves and cob, Bethal, 28381: Klip River, Watts, 28413; Potchefstroom, Sellschop, 28666; Kinross, 28406; Pretoria, Doidge; Piet Retief, Leemann; Salisbury (Rh. 3417, 3422); Umbeluzi, Oliveira.

Nomadacris septemfasciata Serv., South West Africa, Wollenweber.

Fusarium orthoceras App. & Wollenw.

Doidge & Bottomley (1931) 64; du Plessis (1933 d) 7; Bates (1937 b) 206; Doidge (1938) 405; Hopkins (1938 a) 124, (1939) 13.

Fusarium orthoceras var. albido-violaceum (Dasz.) Wollenw., du Plessis (1933 d) 8.

isolated from

Citrus sinensis Osbeck, fruit, Mazoe, Bates.

Solanum tuberosum Linn., tubers, Mokeetsi, Doidge; Pretoria, Wager; Leslie, Doidge; Cedara, Gill; Mt. Edgecombe, v. d. Plank; Stellenbosch, Paarl, George, du Plessis; stem, Molteno, Wager; Stellenbosch, du Plessis.

Var. longius (Sherb.) Wollenw.

Hopkins (1939 a) 46.

isolated from

Triticum aestivum Linn., foot rot, Headlands, Hopkins.

Fusarium oxysporum Schlecht.

Lounsbury (1909) 45; Doidge & Bottomley (1931) 64; Doidge & van der Plank (1936) 19; Doidge (1938) 421; Hopkins (1939 a) 13; Cardoso (1945) 158.

as Fusarium oxysporum f.1. Wollenw., Bates (1937 b) 206; Hopkins (1930) 649, (1938 a) 124, (1939 a) 13.

isolated from

Avena sativa Linn., Stellenbosch, 33358.

Carica Papaya Linn., seedlings, eastern Transvaal, Wager, 28363.

Citrus sinensis Osbeck, fruit, Sundays River, Doidge, 28354, 28356; Groot Drakenstein, Doidge, 28351, 28352, 28353; White River, Doidge; Mazoe, Bates.

Coffee robusta Hort., stems, Hartebeestpoort, Koch, 28435.

Cucumis Melo Linn., fruit, Cape Town, Rattray.

Ipomoea batatas Lam., tuber, Humansdorp, Wager.

Lathyrus odoratus Linn., seedlings, Pretoria, Doidge.

Passiflora edulis Sims, Pretoria, Doidge.

Phormium tenax Forst., Umblatuzi Estates, Wager.

Rheum rhaponticum Linn., Rhodesia, Hopkins.

Solanum tuberosum Linn., tubers, Windhoek, Pretoria, Klerksdorp, Port Elizabeth, Doidge; Mokeetsi, Wager; Paarl, Stellenbosch, du Plessis; Stellenbosch, Verwoerd (Stell. 312); Baale, Manhiça, Guimarāis.

Form. 1. Wollenw.

du Plessis (1933 d) 9 ; Doidge (1938) 423 ; Hopkins (1938 a) 124, (1939 a) 43. isolated from

Solanum tuberosum Linn., haulms and tubers of wilting plants, de Wildt, Wager; Moord-drift and Planknek, Doidge; Darling, du Plessis; Gwelo (Rh. 90); Bulawayo (Rh. 113); Salisbury (Rh. 709); Macheke (Rh. 1134); Marandellas, (Rh. 3619).

Form 7. Wollenw.

Doidge (1938) 425.

Fusarium Cepae Han'z. em. Link & Bailey, du Plessis (1933 a); Nel (1942) 166. isolated from

Allium Cepa Linn., roots and bulbs, Caledon, Ceres, Cape Peninsula, French Hoek, Riversdale, Tulbagh, du Plessis; Stellenbosch, du Plessis; (Stell. 557; v. d. Byl 2666); dying seedlings, Pyramids, Mogg, 28393; bulbs and leaf bases, Nelspruit, Wager, 28433.

Allium Cepa var. solaninum Alef., south-western Cape, du Plessis.

Allium porrum Linn., south-western Cape, du Plessis.

Allium sativum Linn., south-western Cape, du Plessis.

Form 8. Snyder.

Doidge (1938) 427.

Fusarium vasinfectum Atk. var. Pisi v. Hall, Hopkins (1930) 529.

isolated from

Pisum sativum Linn., stems of wilting plants, Tygerpoort, *Fourie*; Southern Rhodesia, *Hopkins*.

Var. aurantiacum (Link.) Wollenw.

du Plessis (1936) 15; Doidge (1938) 428.

isolated from

Antirrhinum majus Linn., stems, Johannesburg, Wager.

Arachis hypogaea Linn., pods, Pretoria, F. du Toit.

Brassica oleracea Linn., stems of wilting plants, Witpoortije, Doidge.

Cupressus Iusitanica Mill., seedlings, Xumeni Forest, D.F.O.

Phaseolus vulgaris Linn., stems, Nelspruit, Wager; Swaziland.

Pinus longifolia Roxb., seedlings, northern Transvaal, Bottomley.

Pinus palustris Mill., seedlings, St. Lucia Bay, D.F.O.

Pinus taeda Linn., seedlings, St. Lucia Bay, D.F.O.

Vitis vinifera Linn., berries, south-western Cape, du Plessis.

Var. cubense (E. F. Sm.) Wollenw.

isolated from

Musa Cavendishii Lamb., Cavendish, Wager; Coedmore, Wager.

Musa paradisiaca Linn. var. sapientum Kze., Mount Edgecombe, Storey.

Musa spp., Verulam, Phoenix, Winkle Spruit, Storey.

Var. Gladioli Massey

Doidge (1938) 430.

isolated from

Gladiolus sp., corms and leaf bases, Pretoria, Doidge; Hartebeestpoort, Sieling, 34548; Umtali, Hopkins (Rh. 6281).

Var. Nicotianae Johns.

Moore (1926) 428; Doidge (1938) 424; Doidge & Bottomley (1931) 62.

isolated from

Nicotiana Tabacum Linn., stems, Buffelspoort, Moore.

Fusarium redolens Wollenw., f.l. Wollenw.

Doidge (1938) 440.

isolated from

Lycopersicum esculentum Mill., seed, Pretoria, Wager.

Fusarium reticulatum Mont. f.l. Wollenw.

isolated from canned, pasteurized cheese, Durban, Wickens.

Fusarium sambucinum Fuck.

Wollenweber (1931) 352; du Plessis (1933 d) 12; Doidge (1938) 375.

Doidge & van der Plank (1936) 20.

Fusarium roseum Kalchbrenner (1882 b) 27; Sacc. Syll. Fung. IV: 699.

sub Fusarium granulari Kalchbr. in museo bot. Berolini ex herb. Winter et in Herb. S.A.M; Wollenweber (1916) no. 313.

on Datura Stramonium Linn., dry stems, Somerset East, MacOwan 1068 (S.A.M. 35314), isolated from

Citrus sinensis Osbeck, fruit. White River, Zebediela, Sundays River, Groot Drakenstein, Rustenburg, Doidge; from air in pack house, Zebediela, 28439.

Lycopersicum esculentum Mill., petioles, Gqaga, 28421.

Solanum tuberosum Linn., tubers, Ceres, du Plessis.

Lepidosaphes Gloveri Pack. on Citrus twigs, Chase Valley, v. d. Plank, 28438.

Form 2. Wollenw.

Doidge & van der Plank (1936) 20; Doidge (1938) 20.

isolated from

Citrus sinensis Osbeck, fruit, Groot Drakenstein, Pickstone, 28350, 28357; Rustenburg, Doidge, 28355; White River, Doidge.

Lepidosaphes Gloveri Pack., Chase Valley, v. d. Plank, 28415.

Form 6. Wollenw.

Wollenweber & Reinking (1935) 78; Doidge (1938) 380. on Nomadacris septemfasciata Serv., South West Africa, Wollenweber.

Fusarium Scirpi Lamb. & Fautr.

Doidge & van der Plank (1936) 20 ; Doidge (1938) 360 ; Hopkins (1938 a) 125. isolated from

Allium Cepa Linn., seedlings, Pyramids, Mogg.

Antirrhinum majus Linn., stems, Wepener, Wager.

Arachis hypogaea Linn., pods, Pretoria, F. du Toit.

Callistephus chinensis Nees, stems, Pretoria, Wager; Hennops River, Havenga.

Carica Papaya Linn., fruit, Buffelspoort, Warmbaths.

Centaurea Cyanus Linn., stem, Johannesburg, Wager.
 Citrus Limonia Osbeck, roots, Elandshoek, Simmonds, 28411; Bonnievale, v. d. Hoek, 28430.

Citrus maxima Merr., bark, Patentie.

Citris nobilis Lour. var. deliciosa Sw., twig, East London, Turner.

Citrus sinensis Osbeck, fruit, Zebediela, Rustenburg, Groot Drakenstein, Muden, Doidge; bark, Godwan River; r. d. Plank; Letaba Estates, Matthew.

Crotalaria juncea Linn., stems, Pretoria, F. du Toit.

Cucumis sativus Linn., fruit, Nelspruit, Wager; stems, Port Elizabeth, Haines.

Cucurbita Pepo Linn., fruit, Irene, Bottomley.

Dianthus caryophyllus Linn., stems, Golden Valley, Cape, Wager; Pretoria, Wager, 28424; Hartebeestpoort; Duivelskloof, Wager.

Eleusine indica Gaertn., stems, Acton Homes, L. A. Doidge.

Euphorbia crassipes Marloth, stems, Willeston.

Kentia sp., stem, Uitenhage.

Lathyrus odorata Linn., Pretoria, Doidge.

Limonium sp., Nelspruit, Wager.

Lychnis viscosa Linn., Pretoria, Doidge.

Lycopersicum esculentum Mill., stems, Windhoek, Wager; petioles, Gqaga; stems, Karino, Wager, 28432; blossom end rot of fruit, Pyramids.

Matthiola incana R. Br., stem, Johannesburg, Wager.

Musa paradisiaca L. var. sapientum Kze., fruit, Acornhoek, Boyce.

Papaver nudicaule Linn., crown, Pretoria, Wager.

Phlox Drummondii Hk., stem, Pretoria, Doidge.

Pinus sp., seedlings, Heidelberg, 28392.

Pisum sativum Linn., stems, Carnarvon, Wager.

Pteridium aquilinum (L.) Kuhn, White River, Wager.

Pyrus malus Linn., fruit, Vereeniging, Bottomley.

Solanum tuberosum Linn., tubers, Pretoria.

Zea Mays Linn., roots, Shamva (Rh. 403, 421).

Icerya purchasi Mask., on Mentha sp., Grahamstown, N. J. G. Smith.

Nomadacris septemfasciata Serv., eggs, Pretoria, Brooks.

Var. acuminatum (Ell. & Everh.) Wollenw.

Wollenweber (1931) 335; Doidge (1938) 366, 468; Hopkins (1938 a) 125.

Fusarium (Fusidium) Aloes Kalchbrenner & Cooke (1880) 23; Sacc. Syll. Fung. IV: 721; Wollenweber (1916) no. 167.

on Aloe arborescens Mill., Somerset East, MacOwan 1170, 1473, Kew.

isolated from

Dianthus caryophyllus Linn., stems, Bethlehem, Sterkstroom, Estcourt.

Nicotiana Tabacum Linn., rotting leaf, Banket (Rh. 3795).

Phaseolus sp., Myamba.

Solanum tuberosum Linn., tubers imported from Germany.

Vitis vinifera Linn., superficial on bark, eastern Transvaal.

Zea Mays Linn., stem, Lourenço Marques, Fuller, 23222; Fremier Mine, Leemann.

Var. compactum Wollenw.

Doidge & van der Plank (1936) 20; Doidge (1938) 364.

isolated from

Antirrhinum majus Linn., stem, Pretoria, Wager.

Campanula Medium Linn., stem, Kimberlev, Wager.

Citrus sinensis Osbeck, fruit, Rustenburg, Zebediela, Letaba, Doidge.

Cucumis sativus Linn., fruit, Nelspruit, Wager.

Lathyrus odoratus Linn., seedlings, Pretoria, Wager, 28416.

Limonium sp., stems, Nelspruit, Wager, 28377.

Matthiola incana R. Br., stem, Johannesburg, Wager, 28412.

Papaver Rhoeas Linn., stem., Pretoria, Wager, 28425.

Striga lutea Lour., stem, Ixopo, Mack.

Var. filiferum (Preuss.) Wollenw.

Wollenweber & Reinking (1935) 69; Doidge (1938) 368; Hopkins (1939 a) 21. isolated from

Allium Cepa Linn., seedlings, Pyramids, Mogg, 28418.

Gossypium sp., boll rot, Gatooma, Hopkins.

Nomadacris septemfasciata Serv., South-west Africa, Wollenweber.

Fusarium semitectum Berk. & Rav. var. majus Wollenw.

Doidge & van der Plank (1936) 20 : Doidge (1938) 353.

Fusarium incarnatum (Rob.) Sacc., Evles (1926) 633.

isolated from

Citrus Limonia Osbeck, fruit, Sunday's River.

Citrus sinensis Osbeck, fruit, White River, Zebediela, Letaba, Sundays River, Doidge; twigs, Hankey, v. d. Plank, 28400; bark, Mazoe, Eyles.

Dianthus caryophyllus Linn., stems, Durban, McClean.

Musa paradisiaca Linn., var. sapientum Kze., fruit, Acornhoek, Boyce.

Striga lutea Lour., stems, Ixopo, Mack.

Glossina sp., Zululand, Harris, 28446.

Nomadacris septemfasciata Serv., Pretoria.

from eggs with discoloured membrane, Port Elizabeth.

Fusarium Solani (Mart.) Appel & Wollenw.

Lounsbury (1909) 43: du Plessis (1932), (1933 d) 11; Bates (1937 b) 206; Doidge (1938) 447; Hopkins (1938 a) 125, (1939 a) 13, 21, 44; Nel (1942) 107.

isolated from

Allium Cepa Linn., bulbs and stems, Stellenbosch, du Plessis (v. d. Byl 2655); Nelspruit Wager, 28383.

Carica Papaya Linn., stem. Maritzburg, Wager, 28389; Malelane, Wager, 28374, 28375.

Citrus Limonia Osbeck, roots, Louis Trichardt; Bathurst, v. d. Plank; Hankey, v. d. Plank, 28371; Acornhoek, 28396; Tzaneen, Wager; Elandshoek, 28372; Coegapoort, v. d. Plank.

Citrus maxima Merr., Patentie, v. d. Plank, 28401; Coegapoort, v. d. Plank.

Citrus sinensis Osbeck, bark and roots. Letaba; Mazoe, Bates, 28394; Villiersdorp, 28360; fruit, Mazoe, Bates.

Dianthus caryophyllus Linn., stem, Pretoria, Doidge.

Gilia rubra Heller, stem, Acton Homes, Doidge.

Gladiolus sp., corm, Pretoria.

Godetia sp., roots, Salisbury (Rh. 2698).

Phaseolus vulgaris Linn', stems, Swaziland.

Solanum tuberosum Linn., tubers, Ceres, George, Paarl, Stellenbosch, du Plessis; Odzi (Rh. 1438).

Tropaeolum majus Linn., stems, Pretoria.

Zea Mays Linn., stem, Waterberg, Sellschop.

Var. Martii (Appel & Wollenw.) f.l. Wollenw.

Doidge & van der Plank (1936) 20; Doidge (1938) 450.

isolated from

Allium Cepa Linn., bulb, Pretoria, Bottomley.

Carica Papaya Linn., stems, Maritzburg, Wager; Buffelspoort, Wager, 28373; Nelspruit, Wager.

Centaurea moschata Linn., stems, Pretoria, Wager.

Citrus Limonia Osbeck, roots, Grahamstown, v. d. Plank, 28376; Louisvale, Turner, 28398; Addo, 28368; Citrusdal, Turner, 28369; Kakamas, Gutsche; Hankey, v. d. Plank; Kruis Rivier, v. d. Plank, 28397; Gamtoos Valley, v. d. Plank; Godwan River, Marloth; Swanepoelsrust, 28366; Plaston, Esselen; White River and Buffelspoort, Turner; Avonmore and Kosterfontein, ; Esselen Magaliesberg, v. d. Plank; Airlie, v. d. Plank; White River, Esselen, 28370; Ofcalaco, v. d. Plank; Elandshoek; Boskoppies.

Citrus maxima Merr., bark, Patentie, v. d. Plank.

Citrus sinensis Osbeck, bark and wood, Letaba Estates; Boschrand, Turner; Elandsdrift, Turner; Klaver, V. A. Putterill; Villiersdorp, 28358, 28361; Frantzina's Rust, v. d. Plank; fruit, Sundays River, White River, Rustenburg, Letaba, Zebediela, Doidge.

Delphinium cultorum Voss, crown, Pretoria, Bottomley; Qumbu.

Lathyrus odoratus Linn., stems of seedlings, Pretoria, Doidge.

Matthiola incana R. Br., stems, Uitenhage, Wilson; Durban, McClean, 28365.

Medicago sativa Linn., stem, Pietersburg, Wager, 28386.

Penstemon gloxinoides Hort., stem, Pretoria.

Phaseolus acutifolius Grav var. latifolius Freem., Immerpan, Sellschop.

Phaseolus vulgaris Linn., Mvamba.

Pisum sativum Linn., stems of wilting plants.

Rheum rhaponticum Linn., crown, Balfour, Transvaal, Wager, 28404.

Solanum tuberosum Linn., stems, Moorddrift and Pretoria.

Tropaeolum majus Linn., stem, Pretoria, Doidge, 28449.

Nomadacris septemfasciata Serv., eggs, Pretoria, Brookes. 28364.

Var. Martii (Appel & Wollenw.) f. 2. Snyder.

Hopkins (1938 b) 417, (1939 a) 24.

isolated from

? Lathyrus odoratus Linn., stems of wilting seedlings, Salisbury, Hopkins.

Fusarium sporotrichioides Sherb.

isolated from

Triticum aestivum Linn., base of culm, Stellenbosch, Gorter, 33359.

Fusarium stilboides Wollenw.

Doidge & van der Plank (1936) 21; Doidge (1938) 391.

isolated from

Carica Papaya Linn., fruit, Bathurst.

Citrus sinensis Osbeck, fruit, White River, Doidge. Coffea arabica Linn., berries, Lemana, Watson, 28408.

Fusarium vasinfectum Atk.

Doidge (1938) 432; Cardoso (1937) 154 (1939) 44, (1945) 158.

isolated from

Gossypium sp., stem, Mbabane, Moore: Rustenburg, Moore: Pietersburg, Doidge; Kaffirskraal, Bottomley; Maxixe, Cardoso; Massinga, Gomes e Souza. Hibiscus sabdariffa Linn., stem, Schagen, Wager.

Form 2. Wollenw. & Reinking

Doidge & van der Flank (1936) 21 : Doidge (1938) 434 : Hopkins (1938 a) 125. as Fusarium vasinfectum Atk., Hopkins (1930) 647, 649, (1939 a) 15.

isolated from

Antirrhinum majus Linn., Southern Rhodesia, Hopkins.

Citrus Limonia Osbeck, roots, Bonnievale, r. d. Hoek, 28402; Prudential Estates, 28440.
Citrus sinensis Osbeck, bark, Grahamstown, Jolly, 28420; Letaba Estates; roots, Villiersdorp, 28359; fruit, Sundays River, White River, Doidge.

Crotalaria juncea Linn., roots, Mazoe (Rh. 758); Sinoia (Rh. 759).

Matthiola incana R. Br., stems, Uitenhage, Wilson.

Mesembrianthemum sp., stem, Pretoria, Wager.

Penstemon gloxinoides Hort., stem, Rhodesia, Hopkins.

Sesamum orientale Linn., stems, Pretoria, F. du Toit.

Var. lutulatum (Sberb.) Wollenw.

Doidge (1938) 436.

isolated from

Centaurea moschata Linn., stems, Pretoria, Wager, 28405.

Lathyrus odoratus Linn., stems, Pretoria, Doidge.

Pisum sativum Linn., stems, eastern Transvaal, Wager.

Var. zonatum (Sherb.) f.l. (Link & Bailey) Wollenw. Doidge (1938) 438.

isolated from

Lycopersicum esculentum Mill., stem, Matatiele, Wager, 28387.

Var. zonatum (Sherb.) f. 2 (Link & Bailey) Wollenw.

Doidge (1938) 439.

isolated from

Allium Cepa Linn., bulbs and leaf bases, Nelspruit, wager, 28384; Eikenhof, Bottomley: Pretoria, Wager, 28407.

Fusarium sp. (Fusarium vasinfectum Atk. prox.)

Hopkins (1932) 465.

on Cyamopsis psoraleoides DC., Southern Rhodesia, Hopkins.

Fusarium sp.

Hopkins (1930) 524.

isolated from

Eschscholzia californica Cham., Southern Rhodesia, Hopkins.

Fusarium sp.

J. Phillips (1924) 289.

on Ocotea bullata E. Mev., fruits, Knvsna, J. Phillips.

STAUROSPORAE.

Tetracium rectisporum (Cooke & Mass.) Petch

on Lepidosaphes Gloveri Pack on Citrsu sinensis, Maritzburg, v. d. Vyver, 26320, Kelly, 12175; Chase Valley, v. d. Plank, 26136; Durban, Doidge, 27293, Wager, 33497; Gottberg, 26698; Verulam, Wager, 35554; Bathurst, Hepburn, 35281.

Lepidosaphes pinnaeformis Bouché on Citrus sinensis, Maritzburg, Fouche, 27283; Town

Bush Valley, v. d. Vyver, 26320.

Parlatoria Zizvphi Lucas on Citrus sinensis, Verulam, Wager, 35554.

DEMATIEAE.

AMEROSPORAE.

Epicoccum Chrysanthemi du Plessis

du Plessis (1933 c) 6, 11 : Nel (1942) 106.

on Chrysanthemum sp., Paarl, du Plessis (Stell. 797; van der Byl 2667).

Epicoccum granulatum Lenz.

Hopkins (1930) 418.

on Citrus sinensis Osbeck, causing leaf spot, Rhodesia, Hopkins.

Epicoccum humicola (Buchanan) Sacc.

isolated from Triticum aestivum Mill., Stellenbosch, Gorter, 33364.

Epicoccum neglectum Desm.

? on Oryza sativa Linn., Umhlatuzi Valley, Wager, 33957.

Epicoccum nigrum Link.

Hopkins (1931 c) 665.

on Gladiolus sp., corms, Rhodesia, Hopkins.

Epicoccum purpurascens Ehrenb.

Hopkins (1938 a) 124, (1939 a) 22.

Citrus nobilis Lour. var. deliciosa Sw., twig, East London, Turner, 25954.

Gossypium sp. ('yellow lint rot') Gatooma, Salisbury, Concession, Hopkins. from butter showing red discolouration, Pretoria.

Hadotrichum Phragmitis Fuck.

on Phragmites communis Linn., Kentani, Pegler 2312, Kew.

Myrothecium verrucaria Alb. & Schw.

Preston (1943) 166.

isolated from

Citrus sinensis Osbeck, surface washings from fruit, Mazoe, Bates 162, 34013.

Papularia sphaerosperma (Fr.) v. Höhn.

Hopkins (1939 a) 33.

on Phragmites communis Trin., Penhalonga, Hopkins.

on underground mine timber, Robinson Deep (T.R.L. 347, det. Baarn).

DIDYMOSPORAE.

Pucciniopsis caffra Wakef.

Wakefield (1931) 205.

on Erica caffra Linn., van Staden's Pass, Doidge, 10865, Type, Kew; Howieson's Poort, Doidge, 10964.

Pucciniopsis sp.

on Syzygium cordatum Hochst., Eshowe, McClean, 33092.

Trichodochium disseminatum Syd.

on Rapanea melanophleos Mez., Woodbush, Doidge, 29881; Mariepskop, Scott, 34035.

PHRAGMOSPORAE.

Exosporium Celastri Kalchbr.

Kalchbrenner & Cooke (1880) 24; Sacc. Syll. Fung. IV: 756. on **Gymnosporia buxifolia** Szysz., Somerset East. *MacOwan* 1396, 20815, Kew.

Exosporum palmiyorum Sacc.

Hopkins (1938 a) 124, (1939 a) 33; Doidge & Bottomley (1931) 45. on **Phoenix reclinata** Jacq., Durban; Umtali (Rh. 2944, 3143).

DICTYOSPORAE.

Cerebella Cynodontis Syd.

H. & P. Sydow (1912 a) 45; Hopkins (1938 a) 124, (1943) 183.

associated with Sphacelia stage of Claviceps sp.

on Cynodon Dactylon Pers., ovaries, Pretoria, 682; Skinner's Court, Mogg. 11675; Donker-poort, Doidge & Bottomley, 29773; Rietondale, Liebenberg, 33079; Kentani, Pegler, 2189; Fort Beaufort, Creyer, 32075; Estcourt, West, 29959; near Zoo, Pretoria, E. J. Scott, 34104; Univ. Exp. Farm, Pretoria, E. J. Scott, 34105; Salisbury, Hopkins (Rh. 4847).

Cynodon plectostachyum Pilg., S. Rhodesia.

Cerebella spp.

associated with Sphacelia stage of Clavicens Digitariae Hansf.

on Digitaria eriantha Steud. Mountain Rise, Doidge, 1622; Prinshof, Mogg. 25462; Liebenberg, 25370; Grahamstown, C. D. B. Liebenberg, 27515.

Digitaria Pentzii Stent, Donkerpoort, Doidge & Bottomley, 29763.

Digitaria ternata Stapf, Kentani, Pegler, 7742.

associated with Sphacelia stage of Claviceps Paspali Stev. & Hall.

on Paspalum scrobiculatum L. var. Commersonii, Mtunzini, Mogg, 17046.

associated with Sphacelia stage of Claviceps sp.

on Brachiaria brizantha Stapf, Krabbefontein, Mogg. 8400; Nelspruit, Pienaar, 10100; White River, Liebenberg, 26673, Loest, 28598.

associated with Sphacelia stage of Claviceps sp.

on Panicum obscurans Stapf, Xumeni Forest, Doidge, 32220.

associated with Sphacelia stage of Claviceps sp. on

on Cyperus rotundus Linn., Üniv. Exp. Farm, Pretoria, E. J. Scott, 34103. Cyperus sp., Mt. Edgecombe, McMartin, 35160.

associated with Sphacelia sp. on Andropogoneae.

on Bothriochloa glabra A. Camus, Pienaar's River, Thomson, 15061.

Bothriochloa insculpta, A. Camus, Olifants River, Pole Evans, 14169; Prinshof, Mackay, 20370; Louis Trichardt, Mitchell, 25359; The Willows, Schaefer, 34080.

Cymbopogon elegans, Spreng, Buccleuch, J. M. Sim, 9742.

Cymbopogon marginatus Stapf, Tzaneen, v. d. Byl 1489 (as Tolyposporium Volkensii P. Henn. in van der Byl 1926 c: 287 and Nel, 1942: 59).

Cymbopogon sp., Krabbefontein, Mogg, 8401.

Heteropogon contortus, R. & S., Potgietersrust, Maine, 11720.

Hyparrhenia filipendula Stapf, Nottingham Road, v. d. Byl 66, 566 (as Tolyposporium Volkensii in van der Byl 1926 c: 287 and Nel 1942: 59).

Hyparrhenia glauca Stent, The Willows, Schaefer, 34082.

Hyparrhenia hirta Stapf, Groenkloof, Mackay, 20415; Irene, Pole Evans, 20427; The Willows, Schaefer, 34081.

Hyparrhenia Tamba, Anderss., Fountains Valley, Mogg, 34079; Camperdown, Franks, 6690.

Hyparrhenia sp., S. Rhodesia (as *Cerebella Andropogonis* Ces., Hopkins 1938 a: 124, 1939 a: 45); Cedara, *Baker*, 6679.

Miscanthidium sp., Kentani, Pegler, 6922.

Themeda triandra. Forsk., Salisbury (Rh. 2144, as Cerebella Andropogonis Ces. in Hopkins 1938 a: 124, 1939 a: 45).

associated with Sphacelia sp. on Paniceae.

on Cenchrus ciliaris Linn., Salisbury, Hopkins (as Cerebella cenchroides Subram. in Hopkins 1939 a: 10, 31).

Panicum deustum Thunb., Xumeni Forest, Doidge, 34118.

Panicum maximum Jacq. Groenkloof, *Pole Evans*, 9057; Kentani, *Pegler*, 6648, 6918, 7739; Munnik, E.J. Scott, 34114.

Pennisetum spicatum Koern., Visgat, Letaba, Curson, 28822; without locality, Sec. for Native Affairs, Kew.

Urochloa pullulans, Stapf, Salisbury (Rh. 1983, 2013, 2084).

Urochloa trichopus, Stapf, Munnik, E. J. Scott, 34115; Salisbury, Hopkins (as Cerebella Panici Earle in Hopkins 1938 a: 124, 1939 a: 47).

STAUROSPORAE.

Spegazzinia Meliolae Zimm.

Doidge (1920 c) 118; Doidge & Sydow (1928) 451; Nel (1942) 107; Hansford (1946 a) 220.

on Asterina natalitia Doidge on Eugenia zuluensis, Umzinto, Wager, 32683 c.

Balladynastrum glabrum Hansf., on Canthium Gueinzii, Woodbush, Doidge, 1744 c.

Irene Peddieae Doidge on Peddiea africana, Woodbush, K. M. Putterill, 32465 a.

Irene scabra Doidge on Trichocladus crinitus, Izelini Forest, 11611 c; Stutterheim, Laughton, 33540; Deepwalls, Bottomley, 32209; on Trichocladus ellipticus, Hogsback, K. M. Putterill, 30087.

Irene Strophanthi Doidge on Strophanthus speciosus, Xumeni Forest, Doidge, 32215 a.

Meliola Behniae Syd. on Behnia reticulata, Woodbush, Doidge, 28466 a.

Meliola Carissae Doidge on Carissa bispinosa, Storms River, Doidge, 17189 a; Pirie Forest, Doidge, 22397 a.

Meliola claviculata Doidge on Oncoba sp., Quelimane, Pole Evans, 7388.

Meliola furcillata Doidge on Allophylus monophyllus, Buccleuch, Doidge, 11577 b.

Meliola Goniomae Doidge on Gonioma Camassi, Deepwalls, Bottomley, 32122 b.

Meliola Ochnae Doidge on Ochna natalitia, Tabankulu, D.F.O., 9103; Pirie Forest, Doidge, 22410 b.

Meliola Toddaliae Doidge on Teclea natalensis, Buccleuch, Doidge, 11564 a.

Meliola torta Doidge on Trichocladus crinitus, Deepwalls, Doidge, 17195 b; Storms River, Doidge, 17170 b; Izelini Forest, Emmett, 9066 a.

Meliola transvaalensis Doidge on Myrsine africana, Woodbush, Doidge, 17746 a.

Meliola Woodiana Sacc. on Canthium sp., Xumeni Forest, Doidge, 33502.

STILBACEAE.

HYALOSTILBEAE.

AMEROSPORAE.

Gibellula aranearum (Schw.) Svd.

Petch (1932) 390.

Gibellula Haygarthii, van der Byl (1922 a) 149. on a spider of the family Lycosidae, Krantzkloof, Haygarth.

Isaria coralloidea Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 22; Sacc. Syll. Fung. IV: 593. on rotten wood, Somerset East, MacOwan 69, Type, Kew.

Isaria Psychidae Pole Evans

Pole Evans (1912a) 281, (1912b) 63; Pole Evans & Bottomley (1918) 193; Skaife (1920) 298; Nel (1942) 106.

on Acanthopsyche Junodi Heyl on Acacia mollissima, Cramond, Mackenzie, 2179, Type. 7083; Ukasini Estates, Glasse, 5597; Ladysmith, Gunn, 11535; Kentani, Pegler 1919; Cedara, Skaife & Ripley, Kew; Krantzkloof, Haygarth (v. d. Byl 392).

Isaria sp.

on Gonipterus scutellatus Gyl., Stellenbosch, Brain.

Isaria sp.

Skaife (1925) 298; Schaefer (1936) 7.

on Locustana pardalina Walk., South West Africa, Skaife.

Isaria sp.

on Naudaurelia tyrrhaea Cram., chrysalis, Vereeniging, Brandmuller.

Stilbum aurantio-cinnabarinum Speg.

Wakefield (1936) 53.

Sphaerostilbe rosea Kalchbr., Kalchbrenner & Cooke (1880) 26; Sacc. Syll. Fung. II: 517.

Stilbum Kalchbrenneri Saccardo, Svll. Fung. IV: 570.

sub Sphaerostilbe incarnata Kalchbr. in Herb. MacOwanianum.

on Acacia cyclops Cunn., Varkensvlei, Dippenaar (Stell. 1059).

Acacia Karroo Hayne, Boschberg, Somerset East, MacOwan 1118, 20829, Kew.

Acacia sp., Kenilworth, Pearson.

Carya Pecan Engl. & Graebn., Cedara, Fisher, 2152.

on host undet.. Kloof Nek, Hφeg 81, Kew; Garstfontein, Pienaar, 2151.

Stilbum caespitosum Welw. & Curr.

Welwitsch & Curry (1868) 291; Lorrain Smith (1901) 478. Cilicipodium caespitosum (Welw. & Curr.) Saccardo IV: 577. on Ficus sp., bark, near Lopollo, Welwitsch 131.

Stilbum cineripes Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 22; Sacc. Syll. Fung. IV: 574. on bark, Natal, Medley Wood 214, Type, Kew.

Stilbum cinnabarinum Mont.

van der Byl (1925 b) 196; Verwoerd (1931 a) 301; Hopkins (1938 a) 125; Nel (1942) 106.

on **Bambusa** sp., Salisbury, Eyles 4093 (Stell. 271; v. d. Byl 2348). **Populus** sp., on bark, Frenchhoek, Bosman (v. d. Byl 1710). on host undet., Bloemfontein, Verwoerd; Knysna, v. d. Byl 368.

Stilbum connatum Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 22; Medley Wood (1898) 19; Sacc. Syll. Fung. IV: 573.

on wood, Somerset East, MacOwan 126 (fide Kalchbr. & Cooke, l.c., type is MacOwan 196); Natal, Medley Wood 516, 10650, Kew.

Stilbum fimetarium Pers.

Kalchbrenner (1882 b) 27; Sacc. Syll. Fung. IV: 572. on dung of *Procavia capensis* (dassie), Somerset East, *MacOwan 1178*.

Var. Simiarum Kalchbr.

Kalchbrenner (1882 b) 27. on dung of *Papioursinus* sp. (baboon) Somerset East, *MacOwan 1382*, Kew.

Stilbum lateritium Berk.

Montagne (1847) 176; Sacc. Syll. Fung. IV: 571. on branches, Zuureberg, nr. Bontjesrivier, *Drège 9462*.

Stilbum physaroides Kalchbr.

Cooke (1890 b) 6; Sacc. Syll. Fung. IV: 575, X: 684. on stems of herbaceous plants, Cape, MacOwan, "Kalchbr. 469", Kew.

GENUS DUBIUM.

Polycephalum aurantiacum Kalchbr. & Cooke

Kalchbrenner & Cooke (1880) 23; Sacc. Syll. Fung. IV: 576.

on rotten wood, Somerset East, MacOwan 1353, Kew.

Fide Thaxter, 1892: 401, this is probably a synonym for *Chondromyces aurantiacus* (Berk. & Curt.) Thaxt.; Chondromyces is a genus of the Myxobacteriaceae. See also Ainsworth & Bisby (1943) 241.

PHRAGMOSPORAE.

Arthrosporium parasiticum Wint.

on Irene inermis (Kalchbr. & Cooke) Theiss. & Syd. on Buddleia pulchella, Buccleuch, Doidge, 11568 a.

Irene Peglerae Doidge on Halleria lucida, Deepwalls, Doidge, 17200 a.

Meliola littoralis Syd. on Psychotria capensis, Umkomaas, Bottomley, 11891 a.

Meliola sp. on Barleria obtusa, Amanzimtoti, Doidge, 6623 a.

Meliola Woodiana Sacc. on Canthium ventosum. Durban, Bottomley, 11385 d; Keurkloof Forest, Doidge, 17110 a; on Canthium spinosum. Keurkloof Forest, Doidge, 17119 b.

PHAEOSTILBEAE.

PHRAGMOSPORAE.

Arthobotryum melanoplaca Berk. & Curt.

Hansford (1941 a) 218.

on Meliola torta Doidge on Trichocladus crinitus, Izelini Forest, Emmett, 9064 c.

Isariopsis Fuckelii (Thuem.) du Plessis

du Plessis (1942 a), (1942 b) 62.

on Vitis vinifera Linn., Stellenbosch, Wellington, du Plessis.

EREMASCACEAE IMPERFECTAE.

Candida bethaliensis (Pijper) Dodge

Dodge (1936) 229, 231.

Monilia sp., Pijper (1917 a) 129.

Monilia bethaliensis Pijper, Castellani & Chalmers (1919) 1091.

on Man: isolated from sputum of patient suffering from cough, periods of feverishness, bronchitis, hyperleucocytosis, Pijper.

"One is suspicious that the extremely slender mycelium of Candida bethaliensis belongs to Actinomyces" Dodge, 1936: 229.

? Candida Krusei (Castellani) Basgal

Monilia Krusei Castellani & Chambers (group) Pijper (1923) 108. on Man: isolated from sputum in cases of bronchomoniliasis, Pijper.

? Castellania balcanica (Castellani & Chalmers) Dodge

Monilia balcanica Castellani & Chalmers (group) Piper (1923) 108.

on Man: isolated from sputum, in a number of cases of bronchomoniliasis, Pipper.

Castellania linguae-pilosae (Lucet) Dodge

Cryptococcus linguae-pilosae Castellani & Chalmers

on Man: isolated from several cases of black tongue, Johannesburg, H. I. Lurie.

? Castellania pseudolondinensis (Castellani & Chalmers) Dodge

Monilia pseudolondinensis Castellani & Chalmers (group), Pijper (1923) 108. on Man: isolated from sputum in two cases of bronchomoniliasis, Pijper.

? Castellania pseudotropicalis (Castellani) Dodge

Monilia pseudotropicalis Castellani & Chalmers (group) Pijper (1923) 108. on Man: isolated from sputum, in two cases of bronchomoniliasis, Pijper.

? Castellania sp.

Monilia sp., Pijper (1917 a) 130.

on **Man**: isolated from sputum of patient complaining of a chronic cough and emaciation, *Pijper*.

Geotrichum rugosum (Castellani) Dodge

Dodge (1936) 219, 225.

Monilia rugosa Castellani & Chalmers, Pijper (1916) 249, (1917) 249.

on Man: isolated from cases of thrush, Pijper.

Dodge, l.c., states that it is quite possible that the organism described by Pijper under the name *Monilia rugosa* was *Mycoderma pararugosum* (Castellani & Douglas) Dodge, instead of that species.

Geotrichum spp.

on underground mine timber, Robinson Deep (T.R.L. 471, det. Baarn). isolated from gelatinous scum in Citrus by-products factory, Mazoe, *Bates 393*, 34010.

Mycotoruloides triadis Langeron & Talice

Candida triadis (?) Langeron, Ferreira (1942).

on Man: isolated from pus from an infection of a finger, Moçambique, Ferreira.

? Parendomyces zeylanicus (Castellani) Dodge

Monilia zeylanica Castellani & Chalmers (group) Pijper (1923) 108.
on Man: isolated from sputum in a number of cases of bronchomoniliases, Pijper.

SACCHAROMYCETACEAE IMPERFECTAE.

Cryptococcus histolyticus Stoddard & Cutler

Torula histolytica Stoddard & Cutler, Gray (1936) 13; Sampson & Farren (1942) 246. on Man; isolated from lesion in the brain of a European woman, Port Elizabeth and of Eurafrican male, Uitenhage, Gray; from cerebro-spinal fluid of an Indian youth, Durban, Sampson & Farren; another case reported from Southern Rhodesia.

Cryptococcus sp.

Hahn (1933) 369; St. John-Brooks (1936) 57.

on Man: isolated from spinal fluid in fatal case of blastomycotic meningitis, Pretoria, Piper.

Torulopsis glutinis (Fres. em. Harrison) Dodge

Torula glutinis Pringsh. & Bilewsky, Davel (1931) 18. causing red colouration on butter and cheese; no locality indicated.

Torulopsis mucilaginosa (Jörg.) Ciferri & Redaelli

Rhodotorula mucilaginosa (Jörg.) Harrison isolated from coat of mine native, Randfontein Estates (T.R.L. 424, det. Baarn).

Torulopsis utilis (Henneberg) Lodder

used in the manufacture of "food yeast" products, Germiston.

Genus of doubtful position.

Malassezia furfur (Robin) Baillon

Microsporon furfur Robin, Lister (1932) 33, (1939) 45; Pirie (1940) 46.

on **Man**: found in skin scrapings from a rash on body of one patient (1931); two cases in 1938, one in 1939; quite common in Johannesburg, H. I. Lurie.

TRICHOPHYTONEAE.

(GYMNOASCACEAE IMPERFECTAE).

Achorion Schoenleini (Lebert) Remak

Spencer Lister (1930) 48; Pirie (1940) 46; Cluver (1941) 49.

on Man: isolated on numerous occasions from cases of favus, Johannesburg, H. I. Lurie.

Ectotrichophyton mentagrophytes (Robin) Castellani & Chalmers

Trichophyton mentagrophytes Gedoelst

on Man: isolated from several cases of ringworm on body and face, and from cases of athlete's foot, Johannesburg, H. I. Lurie.

Endodermophyton africanum Dodge

Dodge (1936) 490.

Endodermophyton sp., Pijper (1918) 45-47.

on Man: isolated from scales on body, a form of "tinea imbricata", South Africa, Pipper.

Epidermophyton floccosum (Harz) Langeron & Milochevitch

on Man: isolated from several cases of athlete's foot and from skin lesions, Johannesburg, H. I. Lurie.

Epidermophyton interdigitale (Priestley) McCarthy

Shapiro (1941) 877.

on Man: causing "athlete's foot", one of the commonest minor ailments in the army; observed in Transvaal military hospitals, Shapiro.

Epidermophyton purpureum (Bang) Dodge

Trichophyton purpureum Bang

on Man: ? isolated from a case of "athlete's foot", Johannesburg, H. I. Lurie.

Epidermophyton rubrum Castellani

Spencer Lister (1930) 49, (1932) 33, (1933) 42, and following years; Pirie (1940)

46; Ferreira (1942) 47.

on Man: isolated from several cases of "athlete's foot" and from skin lesions, Johannesburg, H. I. Lurie: from two cases of dermatitis, one showing ring and disk-like patches about the face, neck, body and limbs, the other affecting fingers, including nails; from several cases of "ringworm"; from a case of "eczema marginatum" Moçambique, Ferreira.

Favotrichophyton violaceum (Sabouraud) Dodge

Trichophyton violaceum Sabouraud

on Man: isolated from a case of "ringworm" of scalp, Johannesburg, H. I. Lurie.

Megatrichophyton roseum (Bodin) Dodge

Trichophyton roseum Sabouraud

on Man: isolated from two cases of onychomycosis and from one case of "athlete's foot," Johannesburg, H. I. Lurie.

Microsporum Audouini Gruby

Spencer Lister (1930) 48, (1931) 48, (1932) 32, (1933) 42.

on Man: the most common cause of ringworm, Johannesburg, H. I. Lurie; found in numerous cases of ringworm recorded in the reports of the South African Institute for Medical Research.

Trichophyton sulfureum Sabouraud

on Man; isolated from two cases of rash on groin and from one case of "athlete's foot", Johannesburg, H. I. Lurie.

MYCELIA STERILIA.

Himantia stellifera Johnston

van der Byl (1919) 204, (1921 h) 122; McMartin (1937 b) 267, 353, (1938) 214; Stevenson & Rands (1938) 275.

on Imperata cylindrica Beauv., Natal and Zululand, v. d. Bul.

Saccharum officinarum Linn., Natal and Zululand, v. d. Byl; Natal, McMartin.

Rhizoctonia crocorum (Pers.) DC.

Doidge & Bottomley (1931) 35; Hopkins (1938 a) 125, (1939 a) 34.

Helicobasidium purpureum Pat. (Rhizoctonia stage) Hopkins (1938 a) 110, (1939 a) 21,

on Glycine Max Merr., roots, Salisbury (Rh. 1277).

Medicago sativa Linn., roots, Avondale (Rh. 2313); Shangani (Rh. 860); N'karini, Weenen, Glasse, 2540, v. d. Byl (v. d. Byl 584) 31833; Transvaal.

Pinus longifolia Roxb., Salisbury (Rh. 1109) Hopkins.

Rhizoctonia lamellifera Small

Hopkins (1933 b) 65, (1938 a) 125, (1939 a) 13, 26, 34, (1943) 182; Laughton (1936) 381.

isolated from

Acacia mollisima Willd., Albert Falls.; widespread in Natal and eastern Transvaal,

Citrus maxima Merr., Umtali, Hopkins; Moçambique (Rh. 878, 992).

Citrus sinensis Osbeck, Mazoe, Hopkins (Rh. 571, 572, 577, 584, 585, 590, 591, 594, 610, 869, 1060, 1506).

Mangifera indica Linn., Salisbury, Hopkins (Rh. 883).

Medicago sativa Linn., Salisbury, Hopkins (Rh. 2992).

Pinus echinata Mill., Tokai, Laughton.

Pinus muricata Don., Tokai, Laughton.

Pinus pinaster Ait., Hout Bay, Laughton.

Pinus radiata Don., Tokai, Laughton; Salisbury (Rh. 2388).

Pittosporum undulatum Vent., Salisbury (Rh. 936, 1261).

Rhizoctonia Solani Kühn.

Verwoerd (1931 a) 301; Hopkins (1939 a) 125, (1939 a) pp., (1943) 183.

Rhizoctonia sp., Doidge & Bottomley (1931) 16.

on Antirrhinum majus Linn., Salisbury (Rh. 2310, 2481, 3394).

Cynodon Dactylon Pers., general in the Transvaal, common on bowling greens, Bottom-

ley; Premier Mine, 15673; Salisbury, Bulawayo, Selukwe, Hopkins.

Dianthus caryophyllus Linn., destructive, especially in the northern Transvaal, Bottomley; Duivelskloof; Benoni, Naude, 33899; Johannesburg, Hughes, 20685: Brits. 28542.

Gossypium sp., Salisbury (Rh. 960, 977-; Swaziland, Lockie, 30099.

Lactuca sativa Linn., Salisbury (Rh. 1381).

Lycopersicum esculentum Mill., Rhodesia, general, Hopkins.

Nicotiana Tabacum Linn., Rhodesia general, Hopkins.

Solanum tuberosum Linn., very common on tubers throughout the Union; Bloemfontein, Verwoerd; Rhodesia, Hopkins; Port Elizabeth, Voisin, 26334; Sterkfontein, Bloemfontein Distr., Lyon, 19845; Stellenbosch, Verwoerd (Stell. 332); on stems and roots, Umhlanga Rocks, Wager.

Rhizoctonia spp.

Doidge & Bottomley (1931) pp.; Laughton (1936) 381; McMartin (1937) 267, 353, (1938) 215.

sub Rhizoctonia Solani Kuhn, Hopkins (1938 a) 125, (1939 a) pp.

on Beta vulgaris Linn. (sugar beet) Pretoria, 20310, 20312.

Cynodon Dactylon Pers., causing "dollar spot" on bowling and putting greens, Transvaal, Bottomley: Pretoria, Home, 27343.

Matthiola incana R. Br., Southern Rhodesia, Hopkins.

Pinus longifolia Roxb., Salisbury (Rh. 460).

Pinus pinaster Ait., Ermelo, Laughton.

Pinus radiata Don., Stapleford, Hopkins (Rh. 1013).

Saccharum officinarum Linn., Natal, McMartin.

on seedlings of indigenous trees. Knysna, Laughton; and on underground parts of many other plants; see host index.

Sclerotium cepivorum Berk.

du Plessis (1933 b) 7.

on Allium Cepa Linn., bulb, Stellenbosch, du Plessis: Caledon, Villiersdorp, Paarl, Dippenaar; Jackson's Drift, Muller; Wolseley, du Plessis (Stell. 593); Southern Rhodesia, Hopkins.

Sclerotium Delphinii Welch

sub Sclerotium Rolfsii Sacc., Hopkins (1939 a) 17.

? on Delphinium cultorum Voss, Pretoria, Doidge: Marylands (Rh. 37); Salisbury (Rh. 2641, 2794).

Sclerotium Rolfsii Sacc.

Moore (1926) 455; Doidge & Bottomley (1931) pp.; McMartin (1938) 215; Hopkins (1938 a) 125, (1939 a) pp., (1943) 184; Bottomley (1932) 20.

as Sclerotium sp., Eyles (1926) 633; Verwoerd (1929 b) 6.

on Arachis hypogaea Linn., Settlers, Haywood, 30500; Rutland Siding, Sellschop, 30647; Naboomspruit, 30699; Wesselsnek, 33895; Nutfield, Sellschop; Salisbury, Eyles (Rh. 1234, 1313, 2359); Arcturus (Rh. 423); common and destructive.

Dianthus caryophyllus Linn., Transvaal and Natal, destructive; Sanddrift, Brits, Terblanche, 31046; Salisbury, Hopkins.

Pyrus malus Linn., Town Bush Valley and Edendale, Doidge; Godwan River; Laingsburg, Verwoord; M'Soneddi, Hopkins.

also found on underground plants of numerous plants, for which see host list.

HOST INDEX.

In the host index, the object has been to record for each host—plant or animal—every fungus known to grow upon it in southern Africa and mentioned in the list of fungi. Sub-

strata of Myxomycetes and Lichens are not included.

Many of the fungi are active parasites, especially the leaf-inhabiting species; about those found on woody parts of plants less is known. The fructifications of these species develop on standing trees or on fallen trunks and branches in forests and plantations, on fence posts or on timber, particularly that used in mines. Many are saprophytes, others are wound parasites; little is known about the parasitism of these fungi, especially those found in the indigenous forest, although notes on a few species will be found in literature to which reference has been made. All are therefore included in the host list where the name of the host is known.

The genera of host plants (except fungi) are arranged as nearly as possible in the sequence indicated by Engler and Prantl in Die Natürlichen Pflanzenfamilien, the seed plants as interpreted by Dalla Torre and Harms' Genera Siphonogamarum. This method is adopted by Dr. E. P. Phillips in his Genera of South African Flowering Plants', and the phanerograms in the National Herbarium, Pretoria are arranged in the same sequence. An exception has been made in the case of the genera Agave, Dracaena, Phormium and Sanseviera, which are grouped in the family Agavaceae proposed by Hutchinson.

Grateful thanks are due to colleagues in the phanerogamic herbarium, who gave much assistance with the indentification of host plants and in applying to host names the International Rules of Botanical Nomenclature. In particular, I am indebted to Miss L. C. Chippindall for a revision of the names of grasses and to Miss I. C. Verdoorn who very kindly undertook the revision of the nomenclature of the rest of the indigenous plants; considerable help in this task was given by Miss Edwina Phillips and Miss H. van der Linde.

Where fungus species were described originally on plants of which the nomenclature

has been altered, such synonyms are listed.

For names of cultivated plants, reference has been made to L. H. Bailey's Manual of Cultivated Plants (1924) and to 'Cultivated Plants of the British Empire and the Anglo-Egyptian Sudan' by H. C. Sampson (Kew Bull. Add. Series XII).

For a revision of the names of insect hosts I am indebted to Mr. H. K. Munro who is in

charge of the Insect collections of the Division of Entomology.

An alphabetical list of genera gives ready reference to the page in the systematic list on which each host genus is to be found.

FUNGI.

ASCOMYCETES.

ERYSIPHACEAE.

Erysiphe cichoracearum DC. -

Cicinnobolus Cesatii de Bary

Sphaerotheca fuliginea (Schlecht.) Salm.

Cicinnobolus Cesatii de Bary

Uncinula necator (Schwein.) Burr.

Cicinnobolus Cesatii de Bary

MELIOLACEAE.

Balladyna velutina (Berk. & Curt.) v. Höhn.

Echidnodes lembosioides Doidge

Balladynastrum glabrum Hansf.

Spegazzinia Meliolae Zimm.

Irene atra Doidge

Helminthosporium dorycarpum Mont. (group)

Irene calostroma (Desm.) v. Höhn.

Calonectria Cephalosporii Hansf. Dimerium africanum Hansf. Helminthosporium capense Thuem.

Irene ditricha (Kalchbr. & Cooke) Doidge

Cephalosporium sp.

Irene glabra (Berk. & Curt.) Doide

Dimerium africanum Hansf.

Irene inermis (Kalchbr. & Cooke) Theiss. & Syd.

Dimerium piceum (Berk. & Curt.) Theiss. Dimerium Langloisii (Ell. & Everh.) Theiss. Cephalosporiopsis parasitica Hansf.

Helminthosporium capense Thuem.

Arthrosporium parasiticum Wint.

Irene natalensis Doidge

Paranectria minuta Hansf. Dimerium africanum Hansf. Cephalosporium sp. Eriomycopsis Bomplandi Speg.

Helminthosporium capense Thuem.

Helminthosporium dorycarpum Mont. (group)

Irene Nuxiae Syd.

Calonectria Cephalosporii Hansf. Dimerium africanum Hansf. Eriomycopsis Bomplandi Speg. Eriomycopsis minima Hansf. 'Titaea Doidgeae Hansf.

Irene Peddieae Doidge

Dimerium africanum Hansf. Helminthosporium capense Thuem. Helminthosporium dorycarpum Mont. (group) Spegazzinia Meliolae Zimm.

Irene Peglerae Doidge

Calonectria Cephalosporii Hansf.
Dimerium piceum (Berk. & Curt.) Theiss.
Dimerium pulveraceum (Speg.) Theiss.
Phaeophragmeriella meliolicola (Syd.) Hansf.
Cephalosporium sp.
Helminthosporium capense Thuem.
Arthrosporium parasiticum Wint.

Irene Podocarpi Doidge

Calonectria capensis Doidge Calonectria Cephalosporii Hansf. Eriomycopsis minima Hansf. Helminthosporium dorycarpum Mont. (group).

Irene Rinoreae Doidge

Dimerina parasitica (Sacc.) Hansf. Helminthosporium dorycarpum Mont. (group)

Irene scabra Doidge

Calonectria Ugandae Hansf.

Phaeophragmeriella Meliolae (Stev.) Hansf.
Trichothyrium dubiosum (Bomm. & Rouss.) Theiss.
Eriomycopsis Bomplandi Speg.
Eriomycopsis Ugandae Hansf.
Helminthosporium dorycarpum Mont. (group)
Spegazzinia Meliolae Zimm.

Irene speciosa Doidge

Helminthosporium capense Thuem.

Irene Strophanthi Doidge

Eriomycopsis minima Hansf. Spegazzinia Meliolae Zimm.

Meliola Behniae Syd.

Trichothyrium dubiosum (Bomm. & Rouss.) Theiss. Spegazzinia Meliolae Zimm.

Meliola bifida Cooke.

Helminthosporium dorycarpum Mont. (group)

Meliola Bosciae Doidge

Dimerium africanum Hansf.

Meliola buxicola Doidge

Calonectria Cephalosporii Hansf.

Meliola capensis (Kalchbr. & Cooke) Theiss.

Dimerium africanum Hansf. Eriomycopsis minima Hansf.

Meliola capnodioides Thuem.

Calonectria Cephalosporii Hansf. Dimerium piceum (Berk. & Curt.) Theiss.

Meliola Carissae Doidge

Paranectria minuta Hansf. Chloridium Meliolae Hansf. Helminthosporium capense Thuem. Spegazzinia Meliolae Zimm.

Meliola claviculata Doidge

Spegazzinia Meliolae Zimm.

Meliola comata Doidge

Dimerium africanum Hansf.
Dimerium subferrugineum Syd.
Philonectria ugandense Hansf.
Trichothyrium dubiosum (Bomm. & Rouss.) Theiss.
Eriomycopsis minima Hansf.
Helminthosporium dorycarpum Mont. (group)

Meliola Cryptocaryae Doidge

Dimerium piceum (Berk. & Curt.) Theiss. Eriomycopsis Bomplandi Speg.

Meliola Excoecariae Doidge

Nectria meliolopsicola P. Henn. Helminthosporium dorycarpum Mont. (group)

Meliola furcillata Doidge

Helminthosporium dorycarpum Mont. (group) Spegazzinia Meliolae Zimm.

Meliola ganglifera Kalchbr.

Dimerium piceum (Berk. & Curt.) Theiss. Eriomycopsis Bomplandi Speg. Eriomycopsis minima Hansf. Helminthosporium capense Thuem.

Meliola Goniomae Doidge

Nectria perpusilla Sacc. Dimerium africanum Hansf. Dimerium subferrugineum Syd. Eriomycopsis Bomplandi Speg. Spegazzinia Meliolae Zimm.

Meliola Hippocrateae Doidge

Calanectria Cephalosporii Hansf. Dimerium piceum (Berk. & Curt.) Theiss.

Meliola littoralis Syd.

Calonectria Cephalosporii Hansf.
Dimerium piceum (Berk. & Curt.) Theiss.
Echidnodes lembosoides Doidge
Helminthosporium capense Thuem.
Arthrosporium parasiticum Wint.

Meliola Loxostylidis Doidge

Coleroa Woodii Hansf. Helminthosporium capense Thuem.

Meliola Merrillii Svd.

Dimerium leonense Hansf.

Meliola Ochnae Doidge

Spegazzinia Meliolae Zimm.

Meliola oleicola Doidge

Dimerium africanum Hansf.
Dimerium piceum (Berk. & Curt.) Theiss.
Eriomycopsis Bomplandi Speg.
Helminthosporium capense Thuem.
Helminthosporium dorycarpum Mont. (group)
Spegazzinia Meliolae Zimm.

Meliola Osyridis Doidge

Calonectria Cephalosporii Hansf. Paranectria minuta Hansf. Dimerium africanum Hansf. Dimerium leonense Hansf. Dimerium piceum (Berk. & Curt.) Theiss. Helminthosporium capense Thuem.

Meliola palmicola Wint.

? Helminthosporium Palmetto Gerard.

Meliola peltata Doidge

Dimerium baccharidicolum (P. Henn.) Sacc. Dimerium piceum (Berk. & Curt.) Theiss.

Meliola petiolaris Doidge

Helminthosporium capense Thuem.

Meliola Popowiae Doidge

Dimerium leptosporum Speg. Philonectria ugandense Hansf.

Meliola rhoina Doidge

Dimerium africanum Hansf. Dimerium piceum (Berk. & Curt.) Theiss. Calloriopsis gelatinosa (Ell. & Mart.) Syd. Cephalosporium sp. Eriomycopsis minima Hansf. Helminthosporium capense Thuem.

Meliola Toddaliae Doidge

Dimerium africanum Hansf. Eriomycopsis Meliólae Hansf. Helminthosporium capense Thuem. Spegazzinia Meliolae Hansf.

Meliola torta Doidge

Dimerium piceum (Berk. & Curt.) Theiss.
Phaeophragmeriella Meliolae (Stev.) Hansf.
Cephalosporium sp.
Eriomycopsis Bomplandi Speg.
Eriomycopsis flagellata Hansf.
Helminthosporium dorycarpum Mont. (group)
Spegazzinia Meliolae Zimm.
Arthobotryum melanoplaca Berk. &Crut.

Meliola transvaalensis Doidge

Spegazzinia Meliolae Zimm.

Meliola Woodiana Sacc.

Dimerina parasitica (Sacc.) Hansf.
Dimerium africanum Hansf.
Dimerium piceum (Berk. & Curt.) Speg.
Malacaria meliolicola Syd.
Cephalosporium sp.
Eriomycopsis Bomplandi Speg.
Helminthosporium capense Thuem.
Arthrosporium parasiticum Wint.
Spegazzinia Meliola Zimm.

Meliola sp. nr. M. capnodioides Thuem.

Calonectria Cephalosporii Hansf. Dimerium minutum (Pat.) Sacc. Dimerium piceum (Berk. & Curt.) Theiss. Arthrosporium parasiticum Wint.

Meliola sp. (on Cunonia)

Helminthosporium capense Thuem.

Schiffnerula compositarum (Theiss.) Petrak

Dimerium baccharidicolum (P. Henn.) Sacc.

Schiffnerula Gymnosporiae Hans.f

Chaetodimerina Schiffnerulae Hansf. Trichothyrium elegans Doidge

Schiffnerula radians (Syd.) Hansf.

Trichothyrium elegans Doidge.

HYPOCREACEAE.

Claviceps Digitariae Hansf.

Fusarium heterosporum Nees var. congoense Wollenw.

Claviceps Paspali Stev. & Hall

Fusarium avenaceum (Fr.) Sacc. f.l. Wollenw. & Reinking

Claviceps spp.

Fusarium heterosporum Nees var. congoense Wollenw.

Epichloe cinerea Berk. & Br.

Calonectria rigidiuscula (Berk. & Br.) Sacc, Fusurium ciliatum Link Fusurium decemcellulare Brick

SPHAERIACEAE.

Englerula Macarangae P. Henn.

Cicinnobella sp.

Parodiella perisporioides (Berk. & Curt.) Speg.

Cryptogene Parodiellae Syd. Cryptogenella Parodiellae Syd.

PHYLLACHORACEAE.

Endodothella Deightonii Syd.

Lasmeniella globulifera (Rabenh.) Petrak & Syd.

Phaeochorella Parinarii (P. Henn.) Theiss. & Syd. Fusarium expansum Schlecht.

Phyllachora Cynodontis (Sacc.) Niessl.
Cryptodidymosphaeria clandestina Syd.

Phyllachora Doidgeae Syd.

Cryptodidymosphaeria clandestina Syd. Pleospora Doidgeae Petrak Coniothyrium occultum Syd. Stagonospora cryptogea Syd.

Phyllachora Evansii Syd.

Cryptodidymosphaeria clandestina Syd.

Phyllachora Halsei Doidge

Lasmeniella globulifera (Rabenh.) Petrak & Syd.

Phyllachora heterospora P. Henn.

Cryptodidymosphaeria clandestina Syd. Coniothyrium occultum Syd.

Phyllachora Pterocarpi Syd.

Lasmeniella globulifera (Rabenh.) Petrsk & Syd.

Phyllachora Tricholaenae P. Henn.

Cryptodidymosphaeria clandestina Svd.

Phyllachora spp.

Cryptodidymosphaeria clandestina Syd.

XYLARIACEAE.

Hypoxylon rubiginosum Pers, ex Fr.

Tympanopsis euomphala (Berk. & Curt.) Starb.

Hypoxylon sp.

Nectria episphaeria Tode ex Fr.

MICROTHYRIACEAE.

Asterinella Pterocelastri Doidge

Trichothyrium elegans Doidge

ASTERINACEAE.

Asterina africana (v. d. Byl) Doidge var. Kiggelariae Doidge Phaeodimeriella plumbea Doidge

Asterina Bottomleyae Doidge

Phaeodimeriella Asterinarum (Speg.) Theiss.

Asterina gerbericola Doidge

Dimerium africanum Hansf. Phaeodimeriella plumbea Doidge Mycolangloisia nitida (Doidge) Hansf.

Asterina Grewiae Cooke

Phaeodimeriella Grewiae (Theiss.) Hansf.

Asterina Hendersoni Doidge

Calonectria Ugandae Hansf. Dimerium leptosporum Speg. Phaeodimeriella Asterinarum (Speg.) Theiss. Eriomycopsis Bomplandi Speg.

Asterina natalitia Doidge

Eriomycopsis Bomplandi Speg. Spegazzinia Meliolae Zimm.

Asterina peraffinis Speg.

Phaeodimeriella parvulum (Cooke) Hansf.

Asterina Scolopiae Doidge

Phaeodimeriella Asterinarum (Speg.) Theiss. Eriomycopsis Asterinae Hansf.

Asterina Streptocarpi Doidge

Dimerium pulveraceum (Speg.) Theiss. Mycolangloisia nitida (Doidge) Hansf.

Asterina Syzygii Doidge

Phaeophragmeriella transvaalensis (Doidge) Hansf. Periconia Doidgeae Hansf.

Asterina tertia Rac. var. africana Doidge

L'imerium piceum (Berk. & Curt.) Theiss. Phaeodimeriella plumbea Doidge Eriomycopsis Asterinae Hansf.

BASIDIOMYCETES.

USTILAGINACEAE.

Sphacelotheca Sorghi (Link) Clint.

Fusarium culmorum (W.G.Sm.) Sacc.

Ustilago bromivora (Tul.) Fischer

Fusarium heterosporum Nees var. congoense Wollenwr.

Ustilaginaceae indet.

Fusarium heterosporum Nees var. congoense Wollenwr.

PUCCINIACEAE.

Puccinia Digitariae Pole Evans

Darluca filum (Biv.) Cast.

Puccinia Eragrostidis-superbae Doidge

Eudarluca australis Speg. Darluca filum (Biv.) Cast.

Puccinia erythraeënsis Pazschke

Darluca filum (Biv.) Cast.

Puccinia graminis Pers.

Darluca filum (Biv.) Cast.

Puccinia heterospora Berk. & Curt.

Tuberculina malvacearum Speg.

Puccinia Pruni-spinosae Pers.

Darluca filum (Biv.) Cast.

Puccinia ranulipes Doidge

Fusarium avenaceum (Fr.) Sacc.

Puccinia spp. indet.

Darluca filum (Biv.) Cast.

Pucciniosira Dissotidis Wakef.

Darluca filum (Biv.) Cast.

Ravenelia MacOwaniana Paschke (aecidium)

Trichothecium roseum Link

Uromyces appendiculatus (Pers.) Link

Darluca filum (Biv.) Cast.

Uromyces caryophyllinus (Schrank.) Wint.

Darluca filum (Biv.) Cast.

Uromyces leptodermus Syd.

Darluca filum (Biv.) Bern.

Uromyces Ipomoeae (Thuem.) Berk.

Darluca filum (Biv.) Cast.

Aecidium dubiosum Syd.

Tuberculina persicina (Ditm.) Sacc.

Aecidium Oxalidis Thuem.

Darluca filum (Biv.) Cast.

Aecidium Vignae Cooke

Darluca filum (Biv.) Cast.

Uredo spp. indet.

Darluca filum (Biv.) Cast.

MELAMPSORACEAE.

Melampsora Ricini Pass.

Darluca filum (Biv.) Cast.

POLYPORACEAE.

Boletus subflammeus Berk.

Cladosporium herbarum Link

Boletus sp. indet.

Hypomyces chrysospermus Tul.

Fomes sp. indet.

Asterostroma cervicolor Mass.

Polyporus sp. indet.

Trametes Sycomori P. Henn.

Polyporaceae indet.

? Mycogone aurantiaca da Cam.

AGARICACEAE.

Amanita sp.

Cladosporium macrocarpum Preuss.

Pholiota sp.

Verticillium sp.

Psaliota sp.

Verticillium sp.

Russula cyanoxantha (Schaeff. ex Scer.) Fr.

Mycogone sp.

Agaricaceae indet.

? Mycogone aurantiaca da Cam. Cladosporium macrocarpum Preuss.

LYCOPERDACEAE.

Geasteropsis Conrathi Hollós

Phoma Geasteropsidis Hollós

SCLERODERMATACEAE.

Scleroderma Cepa Pers.

Trichothecium roseum Link

FUNGI IMPERFECTAE.

MONILIACEAE.

Oidium sp.

Cicinnobolus Cesatii de Bary

STILBACEAE.

Isaria Psychidae Pole Evans

Melanospora parasitica Tul.

LICHENES.

STICTACEAE.

Lobaria pulmonaria Hoffin. f. pleurocarpa Cromb.

Celidium stictarum (deNot.) Tul.

Sticta aurata (Sm. & Sow.) Ach.

Abrothallus Parmeliarum (Sommerf.) Nyl.

LECIDEACEAE.

Lecidea callaina Stizenb.

Tryblidaria capeusis (Stizenb.) Vouaux

Lecidea sp. indet.

Pharcidia Psorae (Anzi) Wint.

PERTUSARIACEAE.

Pertusaria sp. indet.

Mycobilimbia quaternella (Nyl.) Vouaux forma

PARMELIACEAE.

Parmelia hottentotica Ach.

Eurotium herbariorum (Wigg.) Link

Parmelia perforata S. F. Gray

Nesolechia perforans (Stizenb.) Vouaux

Parmelia rudicta Ach.

Homostegia Piggotii (Berk. & Br.) Karst.

Parmelia subcaperatula Nyl.

Mycobilimbia acervata (Stizenb.) Vouaux

BRYOPHYTA.

HEPATICAE.

Riccia sp.

Olpidiopsis Ricciae du Pless.

PTERIDOPHYTA.

FILICALES.

HYMENOPHYLLACEAE.

Trichomanes pyxidiferum Linn.

Micropeltis Trichomanis P. Henn.

CYATHEACEAE.

Cyathea Dregei O. Ktze.

Phyllachora Hieronymi P. Henn.

POLYPODIACEAE.

Aspidium capense Willd.

=Polystichum adiantiforme (Forsk.) J. Sm.

Asplenium nidus Linn.

Phyllosticta Asplenii Jaap

Dryopteris inaequalis (Schl.) O. Kotze. ,

Echidnodes africana Doidge

Dryopteris spp. indet.

Macrophoma Dryopteris Verw. & du Pless. Phyllosticta Dryopteris Verw. & du Pless. Cryptostictis Dryopteris Verw. & du Pless.

Hypolepis sparsisora (Schrad.) Kuhn.

Echidnodes Hypolepidis Doidge

Oleandra articulata (Swartz) Presl.

Entyloma Oleandrae P. Henn.

Pellaea hastata Link.

=Pellaea viridis (Forsk.) Prantl

Pellaea viridis (Fosrk.) Prantl.

Milesina nervisequa Syd.

Polypodium lycopodioides Linn.

Milesina Dieteliana (Syd.) P. Magn.

Polystichum adiantiforme (Forsk.) J. Sm.

? Milesina nervisequa Svd.

Pteridium aquilinum (Linn.) Kuhn

Pythium aphanidermatum (Eds.) Fitz. Uredinopsis macrosperma (Cooke) P. Magn. Fusarium Scirpi Lamb. & Fautr.

Pteris aquilina Linn.

=Pteridium aquilinum (Linn.) Kuhn.

MARATTIALES.

MARATTIACEAE.

Marattia fraxinea Sm.

Metasphaeria caffra (Thuem.) Petrak

SPERMATOPHYTA.

GYMNOSPERMAE.

CYCADACEAE.

Encephalartos villosus (Gaertn.) Lem.

Pestalotia Encephalartos Laughton

Encephalartos sp. indet.

Leptothyrium Evansii Syd.

Stangeria eriopus Nash

Dothiopsis Stangeriae Verw. & du Pless. Pestalotia Encephalartos Laughton

Cycadaceae indet.

Omphalia paurophylla (Berk.) Sacc.

TAXACEAE.

Podocarpus elongatus L'Hérit.

Corynelia uberata Fr. ex Ach. Tripospora tripos (Cooke) Lindau Fomes connatus (Fr.) Gillet Gloeoporus dichrous (Fr.) Bres.

Podocarpus falcatus R. Br.

Irene Podocarpi Doidge Meliola peltata Doidge Corynelia uberata Fr. ex Acharius Tripospora tripos (Cooke) Lindau

Podocarpus gracilior Pilg.

Irene Podocarpi Doidge Corynelia uberata Fr. ex Acharius

Podocarpus Henkelii Stapf.

Irene Podocarpi Doidge Meliola peltata Doidge Corynelia uberata Fr. ex Acharius

Podocarpus latifolius R. Br.

Irene Podocarpi Doidge
Meliola peltata Doidge
Corynelia uberata Fr. ex Acharius
Tripospora tripos (Cooke) Lindau
Xylaria tabacina (Kickx) Berk.
Fomes geotropus Cooke
Fomes glaucoporus Lloyd
Ganoderma oroflavum (Lloyd) Humphrey & Leus.
Gloeoporus conchoides Mont.
Polyporus immaculatus Lloyd
Trametes glabrescens (Berk.) Mont.
Lentinus Sajor-Caju Fr.
Septoria Podocarpi Thuem.
Pestalotia Podocarpi Laughton

Podocarpus milanjianus Rendl.

Corynelia uberata Fr. ex Acharius

Podocarpus Thunbergii Hk.

=Podocarpus latifolius R. Br.

Podocarpus spp. indet.

Aleurodiscus disciformis (DC. ex Fr.) Pat. Fomes connatus (Fr.) Gillet Fomes geotropus Cooke Ganoderma applanatum (Pers.) Pat. Lenzites betulina (Linn. ex Fr.) Fr. Trametes albotexta Lloyd Dothiorella congesta (Lév.) Sacc.

PINACEAE.

Araucaria braziliana A. Rich.

Armillaria mellea (Vahl. ex Fr.) uél. Botryodiplodia Theobromae Pat. Diplodia pinea (Desm.) Kichx.

Araucaria Cunninghamii Sweet

Pestalotia Micheneri Guba

Cedrus Deodara Loud.

Thelephora intybacea Pers. ex Fr. Thelephora terrestria Ehrhenb. ex Fr. Pestalotia funerea Desm.

Chamaecyparis Lawsoniana Parl.

Pestalotia funerea Desm.

Cryptomeria japonica D. Don

Phomopsis juniperovora Hahn

Cupressus arizonica Greene

Phomopsis juniperovora Hahn Botryodiplodia Theobromae Pat. Pestalotia funerea Desni.

Cupressus lusitanica Mill.

Armillaria mellea (Vahl ex Fr.) Quél. Pestalotia funerea Desm. Fusarium oxyporum Schlecht, var. aurantiacum (Link.) Wollenwr.

Cupressus macrocarpa Hartw.

Polyporus gilvus (Schw.) Fr. Phomopsis juniperovora Hahn Botryodiplodia Theobromae Pat.

Cupressus torulosa Don

Phomopsis juniperovora Hahn Pestalotia funerea Desm.

Cupressus sp. indet.

Pythium ultimum Trow Armillaria mellea (Vahl ex Fr.) Quél.

Juniperus procera Hochst.

Armillaria mellea (Vahl ex Fr.) Quél. Phomopsis juniperovora Hahn

Juniperus virginiana Linn.

Phomopsis juniperovora Hahn Pestalotia funerea Desm.

Juniperus sp., indet.

Pestalotia funerea Desm.

Pinus canariensis C. Smith

Diplodia pinea (Desm.) Kickx

Pinus caribaea Morelet

Thelephora terrestris Ehrhenb. ex Fr. Armillaria mellea (Vahl ex Fr.) uél. Diplodia pinea Kickx Pestalotia macrochaeta (Speg.) Guba

Pinus Coulteri D. Don

Pythium ultimum Trow

Pinus echinata Mill.

Rhizoctonia lamellifera Small

Pinus halepensis Mill.

Phoma pinastrella Sacc. Diplodia pinea (Desm.) Kickx Pestalotia funerea Desm. Pestalotia peregrina Ell. & Mart.

Pinus insignis Dougl.

=Pinus radiata Don

Pinus leiophylla Schlecht. & Cahm.

Diplodia pinea (Desm.) Kickx.

Pinus longifolia Roxb.

Helicobasidium compactum Boedyn Armillaria mellea (Vahl ex Fr.) Quél. Diplodia pinea (Desm.) Kickx Pestalotia peregrina Ell. & Mart. Fusarium oxysporum Schlecht. var. aurantiacum (Link) Wollenwr. Rhizoctonia crocorum (Pers.) DC. Rhizoctonia sp.

Pinus luchuensis Mayr.

Helicobasidium compactum Boedyn

Pinus Montezumae Lamb.

Diplodia pinea (Desm.) Kickx

Pinus muricata Don

Diplodia pinea (Desm.) Kickx Rhizoctonia lamellifera Small

Pinus oocarpa Schiede

Diplodia pinea (Desm.) Kickx

Pinus oocarpa Schiede var. microphylla

Diplodia pinea (Desm.) Kickx

Pinus palustris Mill.

Armillaria mellea (Vahl ex Fr.) Quél. Diplodia pinea (Desm.) Kickx Fusarium oxysporum Schlecht, var. aurantiacum (Link) Wollenwr.

Pinus patula Schiede

Diplodia pinea (Desm.) Kickx Pestalotia macrochaeta (Speg.) Guba

Pinus pinaster Ait.

Stereum hirsutum (Willd. ex Fr.) Fr. Armillaria mellea (Vahl. ex Cr.) Quél. Schizophyllum commune Fr. Phoma pinastrella Sacc. Diplodia pinea (Desm.) Kickx Pestalotia macrochaeta (Speg.) Guba Rhizoctonia la mellifera Small Rhizoctonia sp.

Pinus pinaster Ait var. Hamiltonii Parl.

Diplodia pinea (Desm.) Kickx

Pinus pseudostrobus Lindl.

Diplodia pinea (Desm.) Kickx

Pinus pseudostrobus Lindl. var. tenuifolia

Diplodia pinea (Desni.) Kickx

Pinus radiata Don.

Pythium ultimum Trow

Lophodermium Pinastri (Schrad. ex Fr.) Chev.
Thelephora terrestris Ehrhenb. ex Fr.
Lenzites Palisoti Fr.
Phoma pinastrella Sacc.
Diplodia pinea (Desm.) Kickx
Pestalotia macrochaeta (Speg.) Cuba
Rhizoctonia lamellifera Small
Rhizoctonia sp.

Pinus Sabiniana Dougl.

Diplodia pinea (Desm.) Kickx

Pinus taeda Linn.

Thelephora terrestris Ehrhenb. ex. Fr. Fusarium oxysporum Schlecht. var. aurantiacum (Link) Wollenwr.

Pinus Thunbergii Parl.

Naemacyclus niveus (Pers. ex Fr.) Sacc. Diplodia pinea (Desm.) Kickx

Pinus spp. indet.

Pythium ultimum Trow Naemacyclus niveus (Pers. ex Fr.) Sacc. Exidia purpurea cinerea MacOwan & Kalchbr. Dacryomyces tortus Dugy Conjophora atrocinerea Karst. Coniophora puteana (Schum. ex Fr.) Karst. Coniophorella olivacea (Fr.) Karst. Peniophora gigantea (Fr.) Mass. Stereum hirsutum (Willd. ex Fr.) Fr. Thelephora penicillata Lloyd Thelephora terrestris Ehrhenb. ex Fr. Lenzites betulina (Linn. ex Fr.) Fr. Merulius lacrymans (Wulf ex Fr.) Fr. Polyporus immaculatus Lloyd Polyporus rusticus Llovd Polystictus sanguineus (Linn. ex Fr.) Fr. Trametes proteus (Berk.) Fr. Trametes trabea (Pers. ex Fr.) Bres. Flammula hybrida (Fr.) Gillet Flammula sapinea (Fr.) uél. ? Hypholoma capnoides (Fr.) uél. Lentinus lepideus Fr. Lentinus stuppeus Klotzsch Panus stipticus (Bull. ex Fr.) Fr. Schizophyllum commune Fr. Diplodia pinea (Desm.) Kickx Pestalotia funerea Desm. Pestalotia macrochaeta (Speg.) Guba Pestalotia peregrina Ell. & Mart. Acremonium verticillatum Link Fusarium angustum Sherb. Fusarium oxysporum Schlecht. var. aurantiacum (Link) Wollenwr. Fusarium Scirpi Lamb. & Fautr.

Widdringtonia sp. indet.

Pestalotia funerea Desm. Fumago vagans Pers.

11101-24

GNETACEAE.

Welwitschia Bainesii (Hook, f.) Carr.

Dothidella Welwitschii A.L.Sm. Sphaerulina Worsdelii Mass. Phoma Welwitschiae Mass. Zythia Welwitschiae P. Henn. Aspergillus Welwitschiae (Bress.) P. Henn.

Welwitschia mirabilis Hook. f.

=Welwitschia Bainesii (Hook, f.) Carr.

ANGIOSPERMAE.

MONOCOTYLEDONAE.

PANDANACEAE.

Pandanus sp. indet.

Schizophyllum commune Fr.

GRAMINEAE.

MAYDEAE.

Euchlaena mexicana Schrad.

Puccinia Maydis Bereng.

Zea Mays Linn.

300

Physoderma Maydis Miyabe

Rhizopus nigricans Ehrhenb.

Sclerospora indica Butler

Gibberella Fujikuroi (Saw.) Wollenwr.

Gibberella Fujikuroi (Saw.) Wollenwr. var. subglutinans Edwards

Gibberella Saubinetii (Mont.) Sacc.

Sorosporium Reilianum (Kuhn) McAlp.

Ustilago Zeae (Beckm.) Unger

Puccinia Maydis Bereng.

Ganoderma lucidum (Leyss. ex Fr.) Karst.

Macrophomina Phaseoli Maubl.

Diplodia Zeae (Schw. Lév.

Colletotrichum graminicolum (West.) Wilson

Aspergillus niger van Tiegh.

Monilia sitophila (Mont.) Sacc.

Penicillium oxalicum Currie & Thom

Basisporium gallarum Molliard

Cladosporium herbarum Link

Cladosporium tenuissimum Peck

Cladosporium Zeae Peck

Helminthosporium turcicum Pass.

Macrosporium Maydis Cooke & Ellis

Fusarium graminacearum Schwabe

Fusarium moniliforme Sheld.

Fusarium moniliforme Sheld. var. subglutinans Wollenw.

Fusarium Scirpi Lamb. & Fautr.

Fusarium Scirpi Lamb. & Fautr. var. acuminatum (Ell. & Everh.) Wollenw.

Fusarium Solani Mart.

Andropogoneae.

Amphilophis glabra A. Camus

=Bothriochloa glabra A. Camus

Amphilophis insculpta Stapf.

=Botriochloa insculpta A. Camus

Andropogon amplectens Nees

? Balansia Trachypogonis Boidge Uromyces Clignyi Pat. & Har.

Andropogon arundinaceus Willd.

=Sorghum arundinaceum Stapf

Andropogon eucomus Nees

Puccinia Eucomi Doidge

Andropogon finitimus Wochst.

=Hyparrhenia finitima Stapf

Andropogon gayanus Kunth

Sphaecelotheca Andropogonis (Opiz) Bubak Puccinia versicolor Diet. & Holw.

Andropogon gayanus Kunth var. squamulatus Stapf Puccinia versicolor Diet. & Holw.

Andropogon huillensis Rendl.

Puccinia Eucomi Doidge

Andropogon macrolepis Hack pr.p.

=Hyparrhenia dissoluta (Nees) Hubb.

Andropogon papillosus Hochst.

Dicathium papillosum Stapf.

Andropogon Ruprechtii Hack.

=Hyparrhenia dissoluta (Nees) Hubb.

 $And ropogon\ Schoenanthus\ {\rm Linn}.$

 $= \hbox{Cymbopogon Schoenanthus Spreng.}$

Andropogon shirensis Hochst.

Puccinia erythraeënsis Pazschke

Andropogon sorghum Brot. var. caffrorum =Sorghum caffrorum Beauv.

Andropogon sp. indet.

Puccinia erythraeënsis Pazschke

Anthistiria imberbis Retz

=Themeda triandra Forsk.

Bothriochloa glabra A. Camus

Sphacelotheca Andropogonis (Opiz) Bubak Sphacelotheca Doidgeae Zundel Puccinia Amphilophidis Doidge Fusarium heterosporum Nees var. congoense Wollenw. Cerebella sp.

Bothriochloa insculpta A. Camus

Sphacelotheca Amphilophidis Syd. Puccinia Amphilophidis Doidge

Bothriochloa sp. indet.

Sphacelotheca Doidgeae Zundel

Chrysopogon montanus Trin. var. tremulus Stapf.

Phyllachora Chrysopogonis Syd.

Cymbopogon afronardus Stapf

Puccinia erythraeënsis Pazschke Cercospora Sorghi Ell. & Everh.

Cymbopogon elegans Spreng.

Sorosporium Holstii P. Henn, Cerebella sp.

Cymbopogon excavatus Stapf.

Phyllachora Doidgeae Syd. Sphacelotheca natalensis Zundel Puccinia erthraeënsis Pazschke Cercospora Sorghi Ell. & Everh.

Cumbopogon Humbolbtii Spreng.

=Hyparrhenia bracteata Stapf

Cymbopogon marginatus (Steud.) Stapf

Phyllachora Doidgeae Syd. Puccinia erythraeënsis Pazschke Beniowskia sphaeriodea (Kalchbr. & Cooke) Mason Cerebella sp.

Cymbopogon plurinodis Stapf

Sorosporium pretoriaënse Zundel Sphacelotheca concentrica Zundel Sphacelotheca Moggii Zundel Puccinia erythraeënsis Pazschke

Cymbopogon Schoenanthus Spreng.

Sphacelotheca Andropogonis (Opiz) Bubak

Cymbopogon spp. indet.

Sorosporium Willdemanianum P. Henn. Sphacelotheca Zilligii Zundel Cerebella sp.

Dicanthium papillosum Stapf

Sphacelotheca Dinteri (Syd.) Zundel

Elvonurus argenteus Nees

Phyllachora Elyonuri Doidge Ustilago Elinonuri P. Henn. & Evans

Elyonurus glaber Phill. var. villosus Phill.

Phyllachora Elyonuri Doidge

Erianthus giganteus (Walt.) Muhl.

Ustilago scitaminea Svd.

Erianthus saccharoides Michx.

=Erianthus giganteus (Walt.) Muhl.

Hemarthria altissima (Poir.) Stapf. & Hubb.

Sphacelotheca densa (McAlp.) Ciferri Puccinia Rottboelliae Syd. Uredo Rottboelliae Diet.

Heteropogon contortus R. & S.

Sphacelotheca monilifera (Ell. & Everh.) Clint. Puccinia versicolor Diet. & Holw. Septoriella striiformis (Syd.) Sacc. Cerebella sp.

Heteropogon melanocarpus Benth.

Pucinia versicolor Diet. & Holw.

Hyparrhenia auctus (Stapf) Stent

Sorosporium proliferatum Zundel Puccinia erythraënsis Pazschke

Hyparrhenia bracteata Stapf

? Ustilago Rabenhorstiana Kühn

Hyparrhenia Buchananii Stapf

Sphacelotheca tenuis (Syd.) Zundel Pucinia erythraeënsis Pazschke

Hyparrhenia cymbaria Stapf

Phyllachora Doidgeae Syd.

Puccinia erythraeënsis Pazschke Puccinia versicolor Diet. & Holw.

Hyparrhenia dissoluta (Nees) Hubb.

Sorosporium Clintonii Zundel Sorosporium Everhartii Ell. & Call. Sphacelotheca Andropogonis (Opiz) Bubak Sphacelotheca Evansii Zundel Sphacelotheca Ruprechtii Syd. Puccinia erythraeënsis Pazschke

Hyparrhenia filipendula Stapf

Ustilago Hyparrheniae Hopkins Puccinia erythraeënsis Pazschke Cerebella sp.

Hyparrhenia filipendula Stapf var. pilosa Stapf

Puccinia erythraeënsis Pazschke

Hyparrhenia finitima Stapf

Ustilago Andropogonis-finitimi Maubl.

Hyparrhenia glauca Stent

Puccinia erythraeënsis Pazschke Cerebella sp.

Hyparrhenia hirta Stapf

Phyllachora Doidgeae Syd. Ustilago puellaris Syd. Puccinia erythraeënsis Pazschke Fusarium heterosporum Nees var. congoense Wollenw.

Hyparrhenia Newtonii Stapf

? Puccinia Rottboelliae Syd.

Hyparrhenia Ruprechtii Fourn.

=Hyparrhenia dissoluta (Nees) Hubb.

Hyparrhenia Tamba Anderss.

Sorosporium austro-africanum Zundel Sorosporium Clintonii Zundel Sorosporium Tembuti P. Henn. & Evans Sorosporium Zundelianum Ciferri Puccinia erythraeënsis Pazschke Cerebella sp.

Hyparrhenia spp. indet.

Sorosporium Healdii Zundel Sphacelotheca tenuis (Syd.) Zundel Puccinia erythraeënsis Pazschke Pucciiia versicolor Diet. & Holw. Fusarium heterosporum Nees var. congoense Wollenw. Cerebella sp.

Imperata arundinacea Cyr.

—Imperata cylindrica Beauv.

Imperata cylindrica Beayv.

Ustilago scitaminea Syd. Puccinia rufipes Diet. Himantia stellifera Johnston

Imperata cylindrica Beauv, var. Koenigii Dur. & Sch.

Puccinia rufipes Diet.

Imperata cylindrica Beauv. var. Thunbergii Hack.

Ustilago scitaminea Syd. Puccinia Imperatae Doidge Puccinia rufipes Diet.

Ischaemum arcuatum Stapf

Phyllachora Bottomlevae Doidge

Miscanthidium capense Stapf

Phyllachora Miscanthidii Doidge? Ustilago gigaspora Mass. Puccinia Miscanthidii Doidge

Miscanthidium junceum Stapf

Puccinia Miscanthidii Doidge

Miscanthidium Sorghum (Nees) Stapf

Phyllachora Miscanthidii Doidge Puccinia Miscanthidii Doidge

Miscanthidium sp.

Cerebella sp.

Monocymbium ceresiiforme Stapf

Phyllachora Doidgeae Syd. Puccinia versicolor Diet. & Holw.

Rottboellia compressa Linn. f.

Puccinia Rottboelliae Svd.

Rottboellia exaltata Linn. f.

Sphacelotheca flagellata (Svd.) Zundel

Puccinia Rottboelliae Syd. Uredo Rottboelliae Diet.

Rottboellia fasciculata Lam.

=Hemarthria altissima (Poir). Stapf & Hubb.

Saccharum officinarum Linn.

Pythium sp. Gibberella fujikuroi Saw. var. subglutinans Edwards Leptosphaeria Sacchari van Breda Ustilago scitaminea Svd. Puccinia Kuhnii Butl. Odontia saccharicola Burt. Marasmius sp. Schizophyllum commune Fr. Cytospora Sacchari Butl. Colletotrichum falcatum Went. Melanconium Sacchari Mass. Aspergillus sp. Cephalosporium Sacchari Butl. Penicillium sp. Cercospora Kopkei Krüg. Cercospora longipes Butl. Cercospora Vaginae Krüg. Helminthosporium Sacchari (v. Breda) Butl. Helminthosporium stenospilum Drechsl. Thielaviipsis paradoxa (de Seyn.) v. Höhn. Fusarium moniliforme Sheld. Fusarium moniliforme Sheld, var. sublutinans Wollenw. Himantia stellifera Johnston Rhizoctonia sp. Sclerotium Rolfsii Sacc.

Saccharum spontaneum Linn.

Puccinia Kuhnii (Krüg.) Butler

Schizachyrium semiberbe Nees

Phyllachora Schizachyrii Doidge Uredo Schizachyrii Doidge

Sorghum arundinaceum Stapf

Sorosporium Simii Pole Evans Sphacelotheca Sorghi (Link) Clint.

Sorghum caffrorum Beauv.

Sclerospora Sorghi (Kulk) Wet & Upp. Clarvoiceps sp. Sorosporium fliferum (W. Busse) Zundel Sorosporium Reilianum (Kuhn) McAlp. Sphacelotheca cruenta (Kuhn) Potter Sphacelotheca Sorghi (Link) Clint.
Puccinia purpurea Cooke
Helminth osporium turcicum Pass.
Fusarium culmorum (W.G.Sm.) Sacc.
Fusarium heterosporum Nees var. congoense Wollenw.
Fusarium moniliforme Sheld.

Sorghum dochna (Forsk.) Snowd, var. melliferum Snowd. Sphacelotheca Sorghi (Link) Clint.

Sorghum dochna (Forsk.) Snowd, var. technicum (Koern.) Snowd.

Fusarium moniliforme Sheld.

Sorghum Durra Stapf

Sclerospora Sorghi (Kulk) West & Upp.

Sorghum halepense Nees non Pers.

—Sorghum verticilliflorum Stapf

Sorghum halepense Pers.

Sclerospora Sorghi (Kulk) West & Upp. Sorosporium Reilianum (Kuhn) McAlp. Colletotrichum graminicolum (West.) Wilson Helminthosporium turcicum Pass. Helminthosporium bicolor Mitra

Sorghum sudanense Stapf

Sclerospora Sorghi (Kulk) West. & Upp. Puccinia purpurea Cooke
Phoma insidiosa Tassi
Colletotrichum graminicolum (West.) Wilson
Cladosporium herbarum Link
Helminthosporium turcicum Pass.

Sorghum versicolor Anders.

Sphacelotheca transvaalensis Zundel

Sorghum verticilliflorum Stapf

Sclerospora Sorghi (Kulk) West. & Upp. Sorosporium Simii Evans Sphacelotheca cruenta (Kuhn) Potter Puccinia purpurea Cooke Helminthosporium turcicum Pass.

Sorghum virgatum (Hack.) Stapf

Puccinia purpurea Cooke

Sorghum vulgare Pers.

Phyllosticta sorghina Sacc. Septoria zeina Stout Sorghum vulgare Pers var. caftrorum Hubb. & Rehd. —Sorghum caffrorum Beauv.

Sorghum spp. indet.

Leptosphaeria Sacchari v. Breda Sphacelotheca Sorghi (Link) Clint. Puccinia purpurea Cooke

Themeda Forskalii Hack.

=Themeda triandra Forsk.

Themeda triandra Forsk.

Claviceps sp.
Phyllachora anthistiriicola Syd.
Sorosporium Holstii P. Henn.
Sphacelotheca Vryburgii Zundel
Puccinia versicolor Diet. & Holw.
Cerebella sp.

Trachypogon plumosus Nees

Balansia Trachypogonis Doidge Ustilago Trachypogonis Zundel Puccinia eythraeënsis Pazschke

Urelytrum sguarrosum Hack.

Balansia Trachypogonis Doidge

Andropogoneae indet.

? Sorosporium Flanaganianum Zundel Sorosporium pseudomaranguense Zundel Sphacelotheca Andropogonis (Opiz) Bubak Puccinia erythraeënsis Pazschke Puccinia versicolor Diet. & Holw.

PANICEAE.

Acroceras macrum Stapf

Ustilago Rabenhorstiana Kuhn? Tilletia Ayresii Berk. ex Mass. Phyllosticta sp.

Alloteropsis semialata Hitch. var. Ecklonii Stapf Phyllachora stritula Theiss. & Syd.

Anthephora pubescens Nees

Sphacelotheca Anthephorae (Syd.) Zundel

Axonopus semialatus Hook. var. Ecklonii Stapf
—Alloteropsus semialatus Hitch. var. Ecklonii Stapf

Brachiaria brizantha Stapf

Claviceps sp.

Phyllachora sanguinolenta Theiss. & Syd.

Sorosporium Brachiariae Hopkins

Uromyces leptodermus Syd.

Fusarium heterosporum Nees var. congoense Wollenwr.

Cerebella sp.

Brachiaria dictyoneura Stapf

Claviceps sp.

Uromyces leptodermus Syd.

Brachiaria erucaeformis Griseb.

Uromyces leptodermus Svd.

Brachiaria Isachne Stapf

=Brachiaria erucaeformis Griseb

Brachiaria nigropedata Stapf

Claviceps sp.

Brachiaria pubifolia Stapf

Fusarium chlamydosporum Wollenw. & Reinking

Brachiaria serrata Stapf

Phyllachora sanguinolenta Theiss. & Syd.

Uromyces leptodermus Syd.

Cercospora fusimaculans Atk.

Brachiaria sp. indet.

Claviceps sp.

Cenchrus ciliaris Linn.

Claviceps sp.

Sorosporium Cenchri (Bref.) Zundel

Beniowskia sphaeriodea (Kalchbr. & Cooke) Mason

Fusarium heterosporum Nees var. congoense Wollenw.

Cerebella sp.

Digitaria argyrograpta Stapf

Sorosporium inconspicuum (Evans) Zundel

Digitaria Brazzae Stapf

Claviceps Digitariae Hansf.

Epichloe cinerea Berk. & Br.

Pĥyllachora digitaricola Doidge

Digitaria debilis Willd.

Puccinia oahuensis Ell. & Everh.

Uromyces Peglerae Pole Evans

Digitaria decumbens Stent

Puccinia oahuensis Ell. & Everh.

Digitaria diagonalis Stapf

Epichloe cinerea Berk. & Br.

Digitaria eriantha Steud.

Claviceps Digitariae Hansf.
Phallachora Digitariae Syd.
Puccinia oahuensis Ell. & Everh.
Fusarium cscrosporum Nees var. congoense Wollenw.
Cerebella sp.

Digitaria eriantha Steyd. var. stolonifera Stapf

Phyllachora Digitariae Syd.

Digitaria gazensis Rendl.

Ustilago Digitariae (Kunze) Rabenh.

Digitaria glauca Stent

Claviceps Digitariae Hansf.

Digitaria horizontalis Willd.

Puccinia oahuensis Ell. & Everh.

Digitaria longiflora Pers.

Phyllachora digitaricola Doidge

Digitaria milanjiana Stapf

Claviceps Digitariae Hansf.

Digitaria monodactyla Stapf

Claviceps Digitariae Hansf.
Phyllachora digitaricola Doidge
Sorosporium inconspicuum (Evans) Zundel
Fusarium heterosporum Nees var. congoense Wollenw.

Digitaria Pentzii Stent

Claviceps Digitariae Hansf. Phyllachora Digitariae Syd. Sorosporium inconspicuum (Evans) Zundel Puccinia oahuensis Ell. & Everh. Fusarium heterosporum Nees var. congoense Wollenw. Cerebella sp.

Digitaria sanguinalis Scop.

Phyllachora digitaricola Doidge Uromyces Peglerae Pole Evans

Digitaria seriata Stapf

Phyllachora Digitariae Syd.

Digitaria setivalva Stent

Puccinia oahuensis Ell. & Everh. Uromyces Peglerae Pole Evans

Digitaria Smutsii Stent

Claviceps Digitariae Hansf. Phyllachora Digitariae Syd. Puccinia oahuensis Ell. & Everh.

Digitaria ternata Stapf

Claviceps Digitariae Hansf. Ustilago Rabenhorstiana Kuhn Uromyces Peglerae Pole Evans Cerebella sp.

Digitaria spp. indet.

Claviceps Digitariae Hansf.
Uromyces Peglerae Pole Evans
Sorosporium inconspicuum (Evans) Zundel
Puccinia oahuensis Ell. & Everh.
Fusarium heterosporum Nees var. congoense Wollenw.

Echinochloa colona Link

Cintractia Crus-Galli (Tracy & Earle) Magn.

Echinochloa Crus-Galli Beauv.

Sphacelotheca Panici-miliacei (Pers.) Bubak Ustilago trichophora (Link) Kunze

Echinochloa Holubii Stapf

Ustilago Crus-Galli Tracy & Earle Ustilago Holubii Syd.

Echinochloa pyramidalis Hitch. & Chase

Ustilago trichophora (Link) Kunze

Melinis minutiflora Beauv.

Phyllachora melinicola Syd.

Melinis tenuinervis Stapf

Phyllachora melinicola Syd. Cintractia Melinis Zundel

Melinis sp. indet.

Phyllachora melinicola Syd.

Oplismenus africanus Beauv.

=Oplismenus hirtellus Beauv.

Oplismenus hirtellus Beauv.

Puccinia advena Syd.

Panicum Crus-Galli Linn.

=Echinochloa Crus-Galli Geauv.

Panicum deustum Thunb.

Phyllachora heterospora P. Henn. Uromyces leptodermus Syd. Cerebella sp.

Panicum Helopus Trin.

=Urochloa panicoides Beauv.

Panicum laevifolium Hack

Sorosporium afrum Syd.
Sorosporium harrismithense Zundel
Tilletia Ayresii Berk. ex Mass.
Uromyces leptodermus Syd.
Fusarium heterosporum Nees var. congoense Wollenw.

Panicium longijubatum (Svd.) Zundel

Sorosporium versatilis (Syd.) Zundel Tilletia verucosa Cooke & Mass.

Panicum maximum Jacq.

Claviceps sp.
Phyllachora heterospora P. Henn,
Sorosporium Paniei McKinnon
Tilletia Ayresii Berk. ex Mass,
Uromyces leptodermus Syd.
Fusarium heterosporum Nees var. congoense Wollenw.
Cerebella sp.

Panicum meyerianum Nees

Uromyces leptodermus Syd.

Panicum miliaceum Linn.

Sphacelotheca Panici-miliacei (Pers.) Bubak

Panicum natalense Hochst.

Epichloe cinerea Berk. & Br.

Panicum novemnerve Stapf.

? Helminthosporium turcicum Pass.

Panicum obscurans Stapf

Claviceps sp. Cerebella sp.

Panicum repens Linn.

? Ustilago Digitariae (Kunze) Rabenh.

Panicum Stapfianum Fourcade

Phyllachora sanguinolenta Theiss. & Syd. var. macrospora Syd.

Panicum minus Stapf

=Panicum Stapfianum Fourcade

Panicum trichopus Hochst.

=Urochloa trichopus Stapf

Panicum spp. indet.

Sphacelotheca Panici-miliacei (Pers.) Bubak Fusarium heterosporum Nees var. congoense Wollenw.

Paspalum dilatatum Poir.

Claviceps Paspali Stev. & Hall Fusatium avenaceum (Fr.) Sacc. f.l. Wollenw. & Reinking

Paspalum distichum Linn.

Claviceps Paspali Stev. & Hall Fusarium avenaceum (Fr.) Sacc. f.l. Wollenw. & Reinking

Paspalum scrobiculatum Linn. var. Commersoni Stapf

Claviceps Paspali Stev. & Hall Phyllachora Winkleri Syd. Cerebella sp.

Paspalum urvillei Steud.

Claviceps Paspali Stev. & Hall

Paspalum sp. indet.

Claviceps Paspali Stev. & Hall.

Penicillaria spicata Willd.

=Pennisetum typhoides Stapf & Hubb.

Pennisetum cenchroides Nees

=Cenchrus ciliaris Linn.

Pennisetum macrourum Trin.

Claviceps purpurea (Fr.) Tul. Phyllachora Penniseti Syd.

Pennisetum purpureum Schum.

Beniowskia sphaeroidea (Kalchbr. & Cooke) Mason

Pennisetum sphacelatum Dr. & Sch.

Claviceps purpurea (Fr.) Tul. Phyllachora Penniseti Syd.

Pennisetum spicatum Koern.

Sclerospora graminicola (Sacc.) Schroet.
Tolyposporium Penicillariae Bref.
Puccinia Penniseti Zimm.
Macrosporium sp.
Cerebella sp.

Pennisetum typhoides Stapf & Hubb.

Sclerospora graminicola (Sacc.) Schroet. Tolyposporium Penicillariae Bref. Puccinia Penniseti Zimm.

Pennisetum spp. indet.

Claviceps purpurea (Fr.) Tul. Beniowskia sphaerioidea (Kalchbr. & Cooke) Mason Fusarium heterosporum Nees var. congoense Wollenw.

Rhynchelytrum repens (Willd.) Hubb.

Phyllachora Tricholaenae P. Henn. Diorchidium Tricholaenae Syd. Stigmella graminicola Linder

Rhynchelytrum setifolium Chiov.

Phyllachora Tricholaenae P. Henn.

Setaria aurea A. Br.

=Setaria sphacelata Stapf & Hubb.

Setaria Chevalieri Stapf

Ustilaginoidea Setariae Bref. Phyllachora Evansii Syd.

Setaria flabellata Stapf

Claviceps sp.
Phyllachora transvaalensis Doidge
Ustilago Evansii P. Henn.

Setaria glauca Beauv.

Tilletia echinosperma Ains.

Setaria italica (L. Beauv.

Ustilago Crameri Koern.

Setaria Lindenbergiana Stapf.

Phyllachora Evansii Svd.

Setaria nigrirostris Dur. & Schinz

Epichloe cinerea Berk. & Br.
Phyllachora transvaalensis Doidge
Beniowskia sphaeroidea (Kalchbr. & Cooke) Mason
Fusarium heterosporum Nees var. Congoense Wollenw.

Setaria pallidifusca Stapf & Hubb.

Ustilago verruculosa Wakef. Uromyces Setariae-italicae (Diet.) Yoshino

Setaria perennis Hack

Claviceps sp.
Sorosporium Setariae McAlp.
Fusarium heterosporum Nees var. congoense Wollenw.

Setaria sphacelata Stap & Hubb.

Claviceps sp.
Ustilaginoidea Setariae Bref.
Phyllachora transvaalensis Doidge
Ustilago Evansii P. Henn.
Tilletia echinosperma Ains.
Beniowskia sphaeroidea (Kalchbr. & Cooke) Mason
Fusarium heterosporum Nees var. congoense Wollenw.

Setaria sulcata Raddi

=Setaria Chevalieri Stapf

Setaria verticillata Beauv.

Sclerospora graminicola (Sacc.) Schroet. Uromyces Setariae-italicae (Diet.) Yoshino Beniowskia sphaeroidea (Kalchbr. & Cooke) Mason

Setaria spp. indet.

Ustilago Evansii P. Henn. Fusarium heterosporium Nees var. congoense Wollenw.

Stenotaphrum glabrum Trin.

=Stenotaphrum secundatum (Walt.) Kunze

Stenotaphrum secundatum (Walt.) Kunze

Ustilago affinis Ell. & Everh. Uredo Stenotaphri Syd.

Tricholaena Monachme Stapf. & Hubb.

Phyllachora Tricholaenae P. Henn.

Tricholaena rosea Nees

=Rhynchelytrum repens (Willd.) Hubb.

Urochloa bulbodes Stapf

Sorosporium afrum Syd. Uromyces leptodermus Syd.

Urochloa mosambicensis (Hack) Dandy

Phyllachora sanguinolenta Theiss. & Syd. Uromyces leptodermus Syd. . . Fusarium heterosporum Nees var. congoense Willenw.

Urochloa panicoides Beauv.

Phyllachora sanguinolenta Theiss. & Syd. Sorosporium verecundum (Syd.) Zundel Sphacelotheca pretoriense (Evans) Zundel Uromyces leptodermus Syd. Helminthosporium Leersii Atk.

Urochloa pullulans Stapf

Phyllachora sanguinolenta Theiss. & Syd. var. microspora Syd. Uromyces leptodermus Syd. Cerebella sp.

Urochloa trichopus Stapf

Sorosporium africanum Syd. Sorosporium cryptum McAlp. Ustilago Urochloana Zundel Uromyces leptodermus Syd. Cerebella sp.

Urochloa sp. indet.

Uromyces leptodermus Syd.

Paniceae indet.

Sorosporium Hotsonii Zundel

ARUNDINELLAE.

Arundinella Ecklonii Nees

Phyllachora Arundinellae Doidge Puccinia Arundinellae Barcl. Coniosporium Schiraianum (Syd.) Bubak

Arundinella sp. indet.

Ustilaginoidea mossambicensis P. Henn.

Loudetia simplex (Nees) Hubb.

Phyllachora Loudetiae Doidge Sorosporium consanguineum Ell. & Everh.

Tristachya hispida (Thunb.) K.Schum.

Tolyposporium Tristachydis (Syd.) Zundel Puccinia Tristachyae Doidge

Tristachya Rehmanni Hack.

Epichloe cinerea Berk. & Br. Tolyposporium Tristachydis (Syd.) Zundel Puccinia Tristachyae Doidge

AVENEAE.

Arrhenatherum elatius (Linn.) Mert. & Koch

Puccinia graminis Pers.

Avena fatua Linn.

Puccinia graminis Pers.

Avena sativa

Ervsiphe graminis DC. Ophiobolus herpotrichus (Fr.) Sacc. Pyrenophora Avenae Ito Ustilago Avenae (Pers.) Jens. Ustilago levis (Kellerm. & Swing.) Magn. Puccinia coronata Corda Puccinia graminis Pers. Chaetomella Tritici Ten. & Dan. Septoria Avenae Frank Alternaria tenuis Nees Alternaria sp. Cladosporium herbarium Link Heterosporium Avenae Oud. Fusarium avenaceum (Fr.) Sacc. Fusarium oxysporum Schlecht. Sclerotium Rolfsii Sacc.

Danthonia papposa Nees

Ustilago Danthoniae Kalchbr.

Danthonia stricta Schrad.

? Ustilago Danthoniae Kalchbr.

ARUNDINEAE.

Arundo Donax Linn.

Puccinia torosa Thuem.

Phragmites communis Trin.

Puccinia Magnusiana Koern. Puccinia Phragmitis (Schum.) Koern. Hadotrichum Phragmitis Fuck. Papularis sphaerospoerma (Fr.) v. Höhn. AGROSTEAE.

Agrostis lachnantha Nees

Puccinia graminis Pers.

STIPEAE.

Aristida aequiglumis Hack.

Puccinia Eylesii Doidge

Aristida barbicollis Trin. & Rupr.

Puccinia Bottomlevae Doidge

Aristida canescens Henr.

Puccinia aristidicola P. Henn. Puccinia Bottomleyae Doidge

Aristida congesta R. & S.

Puccinia aristidicola P. Henn.

Aristida curvata Trin. & Rupr.

Puccinia Bottomleyae Doidge

Aristida junciformis Trin. & Rupr.

Sorosporium consanguineum Ell. & Everh. Puccinia Bottomleyae Doidge Puccinia Eylesii Doidge

Aristida scabrivalvis Hack.

Puccinia Bottomleyae Doidge Puccinia Eylesii Doidge

Aristida transvaalensis Henr.

Puccinia Eylesii Doidge

Aristida spp. indet.

Sorosporium consanguineum Ell. & Everh. Puccinia Eylesii Doidge Lacellinia graminicola (Berk. & B.) Petch.

Stipa Dregeana Steud. var. elongata Stapf

Meliola Panici Earle Ophiobolus Stipae Doidge

ZOYSIAE.

Perotis indica (Linn.) O. Ktze.

Phyllachora Perotidis Doidge

Tragus Berteronianus Schult.

Ustilago Tragana Zundel

SPOROBOLEAE.

Sporobolus capensis (Willd.) Kunth

Epichloe cinerea Berk. & Br. Ustilago Schlechteri P. Henn. Puccinia luxuriosa Syd. Puccinia tosta Arth. Uromyces tenuicutis McAlp. Helminthosporium Ravenelii Berk. & Curt.

Sporobolus fimbriatus Nees

Puccinia tosta Arth. Helminthosporium Ravenelii Berk. & Curt.

Sporobolus fimbriatus Nees var. latifolius Stent Puccinia tosta Arth.

Sporobolus pectinatus Hack.

Puccinia luxuriosa Svd.

Sporobolus pyramidalis Beauv.

Phyllachora Morganae Doidge Uromyces tenuicutis McAlp. Helminthosporium Ravenelii Berk. & Curt.

Sporobolus spp. indet.

Phyllachora Morganae Doidge Ustilago Schlechteri P. Henn.

ERAGROSTEAE.

Bewsia biflora Goossens

Epichloe cinerea Berk. & Br.

Eragrostis abyssinica Link

 $=\!Eragrostis\ tef\ (Zucc.)\ Trotter$

Eragrostis aspera Nees

Sclerospora Butleri Weston Tilletia transvaalensis Zundel

Eragrostis Atherstonei Stapf

Uromyces Eragrostidis Tracy

Eragrostis chalcantha Trin.

Puccinia Eragrostidis-chalcanthae Doidge

Eragrostis chloromelas Steud.

Epichloe cinerea Berk. & Br. Uromyces Eragrostidis Tracy

Eragrostis curvula Nees

Epichloe cinerea Berk. & Br. Phyllachora eragrostidicola Doidge Phyllachora sp. Uromyces Eragrostidis Tracy Helminthosporium Miyakei Nisikado

Eragrostis gangetica Steud.

Phyllachora eragrostidicola Doidge

Eragrostis happula Nees var. divaricata Stapf Puccinia Eragrostidis-superbae Doidge

Eragrostis japonica Trin.

Ustilago Eragrostidis-japonicana Zundel

Eragrostis Lehmanniana Nees

Phyllachora eragrostidicola Doidge

Eragrostis plana Nees

Epichloe cinerea Berk. & Br.

Eragrostis ?porosa Nees

Ustilago Dregeana Tul.

Eragrostis robusta Stent

Epichloe cinerea Berk. & Br. Phyllachora eragrostidicola Doidge

Eragrostis sclerantha Nees

Epichloe cinerea Berk. & Br.

Eragrostis superba Peyr.

Phyllachora superba Doidge Puccinia Eragrostidis-superbae Doidge Uromyces Eragrostidis Tracy

Eragrostis tef (Zucc.) Trotter

Uromyces Eragrostidis Tracy

Eragrostis spp. indet.

Sclerospora Butleri Weston Epichloe cinerea Berk. & Br. Phyllachora eragrostidicola Doidge Phyllachora sp.

Pogonarthria squarrosa (Licht.) Pilg.

Puccinia Pogonarthriae (Syd.) Hopkins

CHLORIDEAE.

Chloris gayana Kunth.

Phyllachora Cynodontis (Sacc.) Niessl. var. Chloridis P. Henn. Tolyposporium Chloridis P. Henn. Puccinia Chloridis Speg.

Chloris pycnothrix Trin.

Phyllachora Cynodontis (Sacc.) Niessl. var. Chloridis P. Henn. Puccinia Chloridis Speg.

Chloris virgata Swartz

Ustilago Liebenbergii Zundel Puccinia Chloridis Speg. Uromyces Chloridis Doidge

Chloris sp. indet.

Phyllachora chloridicola Speg. Puccinia Chloridis Speg.

Ctenium concinnum Nees

Epichloe cinerea Berk. & Br.

Cynodon Bradleyi Stent

Ustilago Cynodontis P. Henn. Helminthosporium Cynodontis Marign. Helminthosporium dematoideum Bubak & Wrobl.

Cynodon Dactylon Pers.

Balansia Cynodontis Syd.
Claviceps sp.
Phyllachora Cynodontis (Sacc.) Niessl.
Ustilago Cynodontis P. Henn.
Puccinia Cynodontis Desm.
Curvularia spicifera (Bain.) Boedyn
Helminthosporium Cynodontis Marign.
Helminthosporium dematoideum (Bain.) Boedyn
Fusarium heterosporum Nees var. congoense Wollenw.
Cerebella Cynodontis Syd.
Rhizoctonia Solani Kühn
Rhizoctonia sp.

Cynodon hirsutus Stent

Phyllachora Cynodontis (Sacc.) Niessl.

Cynodon hirsutus Stent var. parviglumus Stent

Ustilago Cynodontis P. Henn.

Cynodon incompletus Nees

Phyllachora Cynodontis (Sacc.) Niesel.

Ustilago Cynodontis P. Henn. Lentinus stuppeus K'otzsch.

Cynodon plectostachyum Pilg.

Balansia Cynodontis Syd. Claviceps sp. Phyllachora Cynodontis (Sacc.) Niesel Cerebella Cynodontis Syd.

Cynodon transvaalensis Burtt Davy

Balansia Cynodontis Syd.
Pleospora gramineum Died.
Curvularia spicifera (Bain.) Boedyn
Helminthosporium Cynodontis Marign.
Helminthosporium dematoideum Bubak & Wrobl.
Rhozoctonia Solani Kühn.

Cynodon sp. indet.

Ustilago Cynodontis P. Henn. Fusarium heterosporum Nees var. congoense Wollenw. Sclerotium Rolfsii Sacc.

Dactyloctenium aegyptiacum Willd.

=Dactyloctenium aegyptium (Linn.) Beauv.

Dactyloctenium aegyptium (Linn.) Beauv.

Ustilago Dactyloctaenii P. Henn.

Dactyloctenium geminatum Hack.

Ustilago Dactyloctaenii P. Henn.

Eleusine indica (Linn.) Gaertn.

Helminthosporium leucostylum Drechsl. Fusarium avenaceum (Fr.) Sacc. Fusarium moniliforme Sheld. Fusarium Scirpi Lamb. & Fautr.

Leptocarydion Vulpiastrum Stapf.

Phyllachora Leptocarydii Syd.

Microchloa caffra Nees

Epichloe cinerea Berk. & Br.

Trichoneura grandiglumis (Rendl) Stapf. & Hubb.

Uromyces Trichoneurae Doidge Ustilago Trichoneurana Zundel

PAPPOPHOREAE.

Enneapogon brachystachyus Stapf

Sphacelotheca modesta (Syd.) Zundel

Enneapogon cenchroides (Licht.) Hubb.

Sphacelotheca Pappophori (Pat.) Zundel

Enneapogon scaber Lehm.

Sphacelotheca Pappophori (Pat.) Zundel

ORYZEAE.

Oryza sativa Linn.

Leptosphaeria Salvinii Catt.
Piricularia Oryzae Bri. & Cav.
Phoma glumarum Ell. & Tracy
Septoria longispora Miyake
Helminthosporium Oryzae van Breda
Helminthosporium sigmoideum Cav.
Nigrospora sphaerica (Petch) Sacc.
Epicoccum neglectum Desm.

PHALARIDEAE.

Ehrharta bulbosa Sm.

Claviceps sp.

Ehrharta calycina Sm.

Uredo Ehrhartae-calycinae Doidge Claviceps sp.

Ehrharta capensis Thunb.

Claviceps sp.

Ehrharta erecta Lam. var. natalensis Stapf.

Ustilago Ehrhartana Zundel

Ehrharta gigantea Thunb.

Uromyces Ehrhartae-giganteae Doidge

Ehrharta sp. indet.

Phyllachora sp. Ustilago Sladenii Pole Evans

Phalaris arundinacea Linn.

Claviceps sp.

Phalaris tuberosa Linn.

Claviceps sp.

FESTUCEAE.

Brachypodium flexum Nees

Claviceps sp. Phyllachora Brachypodii Roum. Cerebella sp.

Briza maxima Linn.

Phyllachora sp.
Tilletia Viennotii Syd.
Helminthosporium Brizae Nisikado

Bromus brevis Steud

Ustilago bromvora (Tul.) Fisch. v. Waldh.

Bromus catharticus Vahl

Ustilago bromivora (Tul.) Fisch. v. Waldh. Fusarium heterosporum Nees var. congoense Wollenw.

Bromus patulus Mert. & Koch.

Puccinia bromina Erikss

Bromus rigidus Roth.

Puccinia bromina Erikss. Puccinia graminis Pers.

Bromus unioloides H.B.Cl.

=Bromus catharticus Vahl

Bromus sp. indet.

Puccinia bromina Erikss.

Dactylis glomerata Linn.

Puccinia graminis Pers. Clasterosporium clavatum (Lév.) Sacc.

Festuca elatior Linn.

Claviceps purpurea (Fr.) Tul. Puccinia graminis Pers.

Festuca scabra Vahl

Claviceps purpurea (Fr.) Tul.

Fingerhuthia africana Lehm.

Ustilago Fingerhuthiae Syd.

Poa annua Linn.

Puccinia coronata Corda Puccinia Poarum Niels.

HORDEAE.

Aegilops cylindrica Host.

Puccinia triticina Erikss.

Elymus sp. indet.

Urocystis Agropyri (Preuss.) Schroet.

Hordeum murinum Linn.

Puccinia anomala Rostr. Puccinia graminis Pers. Septoria Passerinii Sacc.

Hordeum nodosum Linn.

Puccinia graminis Pers.

Hordeum vulgare Linn.

Erysiphe graminis DC.
Ustilago Hordei (Pers.) Lagerh.
Ustilago nuda (Jens.) Kellerm. & Swing.
Puccinia graminis Pers.
Rhynchosporium secalis (Oud.) Davis
Helminthosporium gramineum Rabenh.
Helminthosporium sativum Pammel King & Bakke
Helminthosporium teres Sacc.

Hordeum vulgare Linn, var. trifurcatum (Schlecht.) Alefeld

Puccinia anomala Rostr.

Hordeum sp. indet.

Puccinia anomala Rostr. Puccinia graminis Pers. Schlerotium Rolfsii Sacc.

Lepturus cylindricus Trin.

Colletotrichum cereale Manns

Lolium italicum A. Br.

=Lolium multiflorum Lam.

Lolium multiflorum Lam.

Claviceps purpurea (Fr.) Tul. Puccinia coronata Corda Fusarium heterosporum Nees var. congoense Wollenw.

Lolium perenne Linn.

Puccinia coronata Corda Puccinia graminis Pers. Colletotrichum cereale Manns

Lolium temulentum Linn.

Puccinia graminis Pers. Ovularia Lolii Volkart Fusarium culmorum (W.G.Sm.) Sacc.

Lolium sp. indet.

Septoria Lolii (Cast.) Sacc.

Secale africanum Stapf

Puccinia dispersa Erikss. & Henn.

Secale cereale Linn.

Urocystis occulta (Wallr.) Rabenh. Puccinia dispersa Erikss. & Henn. Puccinia graminis Pers. Cladosporium herbarum Link. Heterosporium Secalis Dipp.

Triticum aestivum Linn.

Erysiphe graminis DC. Gibberella Saubinetii (Mont.) Sac. pr. p. Ophiobolus graminis Sacc. Ustilago Tritici (Pers.) Rostr. Tilletia foetans (Berk. & Curt.) Trel. Tilletia Tritici (Bjerk.) Wint. Urocystis Tritici Koern. Puccinia graminis Pers. Puccinia triticina Erikss. Septoria graminum Desm. Septoria nodorum Berk. Septoria Tritici Desm. Thyrococcum humicola Buchanan Cercosporella herpotrichioides Fron. Verticillium terrestre (Pers.) Sacc. Cladosporium Herbarum Link ? Curvularia lunata (Wakker) Boedyn Curvularia spicifera (Bain.) Boedyn Curvularia sp. Helminthosporium bicolor Mitra Helminthosporium dematoideum Drechsl. Helminthosporium halodes Drechsl. Helminthosporium rostratum Drechsl. Helminthosporium sativum Pamm. King & Bakke Alternaria tenuis Nees Fusarium avenaceum (Fr.) Sacc. Fusarium culorum (W.G.Sm.) Sacc. Fusarium graminearum Schwabe Fusarium orthoceras App. & Wollenw. var. longius (Sherb.) Wollenw. Fusarium moniliforme Sheld. Fusarium semitectum Berk. & Rav. var. majus Wollenw. Fusarium sporotrichioides Sherb. Epicoccum humicola (Buchanan) Sacc. Rhizoctonia sp.

Triticum dicoccum Schrank.

Urocystis Tritici Koern.

Triticum durum Desf.

Urocystis Tritici Koern.

Triticum Timopheeni Zhuk (hybrid) Puccinia triticina Erikss.

Triticum turgidum Linn. Urocystis Tritici Koern.

Triticum vulgare Vill.

=Triticum aestivum Linn.

BAMBUSEAE.

Arundinaria tesselata Munro Phyllachora permutata Petrak

Bambusa Balcooa Roxb.

Septoria Bambusae Verw. & du Pless.

Helminthosporium sp.

Bambusa spp. indet.

? Helminthosporium sativum Pamm. King & Bakke
Stilbum cinnabarinum Mont.

Gramineae indet.

Pyrenophora horrida Syd.
Puccinia graminis Pers.

CYPERACEAE.

Bulbostylis Burchellii C.B.Cl.

Puccinia Bulbostylidis Doidge

Carex aethiopica Schkuhr Farvsia olivacea (DC.) Svd.

Carex cernua Boott, var. austro-africana Kuk Puccinia Caricis-cernuae Doidge

Carex clavata Thunb.

Farysia olivacea (DC.) Syd.

Carex petitiana A. Rich.

Metasphaeria cumana (Sacc. & Speg.) Sacc.
Uredo Caricis -petitianae Doidge
Vermicularia Demarium Fr.

Carex phacota Spreng.

Farysia olivacea (DC.) Syd.

Carex spicato-paniculata C.B.Cl. Farysia olivacea (DC.) Syd. Carex sp. indet.

Farysia olivacea (DC.) Syd.

Cladium jamaicense Crantz

=Cladium Mariscus R. Br.

Cladium Mariscus R. Br.

Meliola argentina Speg.

Cyperus albostriatus Schrad.

Puccinia Morganae Doidge

Cyperus difformis Linn.

Uredo eypericola P. Henn.

Cyperus esculentus Linn.

Claviceps sp.

Puccinia canaliculata (Schw.) Lagerh, var. tenuis Doidge

Cyperus fastigiatus Rottb.

Puccinia Cyperi-fastigiati Doidge

Cyperus longus Linn, var. tenuiflorus Boeck.

Uredo cypericola P. Henn.

Cyperus mariscus Nees

=Cyperus albostriatus Schrad.

Cyperus rotundus Linn.

Claviceps sp.

Cerebella sp.

Cyperus tenuifforus Rottb.

=Cyperus longus Linn. var. tenuiflorus Boeck.

Cyperus usitatus Burch.

Puccinia Pottsii Doidge

Cyperus spp. indet.

Cintractia togoensis P. Henn.

Puccinia Cyperi-tagetiformis (P. Henn.) Kern

Puccinia Pegleriana Doidge

Puccinia transvaalensis Doidge

Uredo cypericola P. Henn.

Cerebella sp.

Fimbristylis exilis R. & S.

Cintractia axicola (Berk.) Cornu

Fuirena chlorocarpa Ridley
Puccinia fuirenella Doidge

Fuirena coerulescens Steud.

Puccinia fuirenella Doidge

Fuirena pubescens (Lam.) Kunth Puccinia fuirenella Doidge

Kyllinga melanosperma Nees Puccinia kyllingicola Doidge

Mariscus congestus C.B.Cl.
Puccinia hennopsiana Doidge

Mariscus sieberianus Nees Ustilago Mariscana Zundel

Pycreus lanceus (Thunb.) Turrill Uredo sp.

Pycreus polystachyus Beauv. Uredo sp.

Rhynchospora aurea Vahl Cintractia leucoderma P. Henn.

Rhynchospora dolichostyla K. Schum.
Cintractia leucoderma P. Henn.

Schoenoxiphium sparteum (Wahl.) Kuk Puccinia Schoenoxiphii Doidge

Scirpus corymbosus Roth. Uredo Scirpi-corymbosi Doidge

Scirpus costatus Bock Claviceps sp.

Scirpus maritimus Linu. Uredo Scirpi-maritimi Doidge

Scleria Dregeana Kunth Puccinia Scleriae-Dregeanae Doidge

PALMAE.

Acanthophoenix rubra H. Wendl

Botryodiplodia Palmarum (Cooke) Petr. & Syd.

Caryota urens Linn.

Pleospora Kentiae Maubl.

Cocos nucifera Linn.

Ganoderma applanatum (Pers.) Pat.
Conothyrium palmicolum (Fr. pr. p.) Starb.
Botryodiplodia Palmurum (Cooke) Petr. & Syd.
Diplodia palmicola Thuem.
Gloeosporium cocophilum Wakef.
Coryneum Cocoes P. Henn.
Pestalotia palmarum Cooke

Kentia sp. indet.

Pleospora Kentiae Maubl. Gloeosporium Ptychospermatis P. Henn. Fusarium Scirpi Lamb. & Fautr.

Phoenix canariensis Chaub.

Graphiola Phoenicis (Moug.) Poit.

Phoenix dactylifera Linn.

Anthostomella capensis Doidge Graphiola Phoenicis (Moug.) Poit.

Phoenix reclinata Jacq.

Meliola palmicola Wint.
Graphiola Phoenicis (Moug.) Poit.
? Poria Ravenalae (Berk. & Br.) Coke
Marasmius candidus (Bolt. ex Fr.) Fr.
Schizophyllum commune Fr.
Pestalotia palmarum Cooke
Exosporium palmarum Cooke

Phoenix sp. indet.

Stagonospora Kentiae Maubl.

Roystonia regia O.F. Cook

Assochyta Kentiae Maubl.

Palmae indet.

Pleospora Kentiae Maubl.

ARACEAE.

Monstera deliciosa Liebm.

Diplodia Monsterae Verw. & Dipp.

11101-25

Stylochiton natalense Schott.

Uromyces Stylochitonis Doidge

Zantedeschia aethiopica (Linn.) Spreng.

Phoma Zantedeschiae Dipp.
Phyllosticta Richardiae Halst.
Septoria Aracearum Sacc.
Ovulariopsis sp.
Ramularia Richardiae Kalchbr.
Cercospora richardiaecola Atk.

Zantedeschia albomaculata (Hk. f.) Baill. Ramularia Richardiae Kalchbr.

Zantedeschia angustiloba (Schott.) Engl. Cercospora richardiaecola Atk.

Zantedeschia Elliotiana (Knight) Engl. Cercospora richardiaecola Atk.

Zantedeschia melanoleuca (Hk.f.) Engl. Cercospora richardiaecola Atk.

Zantedeschia Rehmanii Engl. Cercospora richardiaecola Atk.

Zantedeschia spp. indet.

Septoria Aracearum Sacc. Cercospora richardiaecola Atk.

RESTIONACEAE.

Restio sp. indet.

Linochora Doidgei Syd.

ERIOCAULACEAE.

Eriocaulon sp. indet.

Stereum Ravenelii Berk. & Curt.

COMMELINACEAE.

Aneilema Dregeanum Kunth

Uredo Commelinae Kalchbr.

Aneilema sp. indet.

Uromyces Commelinae Cooke.

Commelina africana Linn.

Uromyces pretoriensis Doidge

Commelina benghalensis Linn.

Uromyces Commelinae Cooke Cercospora Commelynae Kalchbr. & Cooke

Commelina Krebsiana Kunth

Uromyces Commelinae Cooke

Commelina Livingstoni C.B.Cl.

Uromyces Commelinae Cooke

Commelina madagascarica C.B.Cl.

Uredo Commelinae Kalchbr.

Commelina spp. indet.

Uredo Commelinae Kalchbr. Uredo Commelinae Kalchbr. Uromyces Commelinae Cooke Cylindrosporium Kilimandscharicum Allesch. Cercospora Commelynae Kalchbr. & Cooke

BROMELIACEAE.

Ananas comosus Merr.

Penicillium funculosum Thom Penicillium? Petchii Sartory & Bain. Penicillium pinophilum Hedgeock Thielaviopsis paradoxa (de Seyn.) v. Höhn. Fusarium moniliforme Sheld.

Billbergia sp. indet.

Pleospora Billbergiae Verw. & du Pless.

ZINGIBERACEAE.

Kaempferia Ethelae Medley Wood

Uredo Kaempferiae Svd.

Kaempferia sp. indet.

Uredo Kaempferiae Syd.

Zingiber officinale Roscoe

Sclerotium Rolfsii Sacc.

JUNCACEAE.

Juneus capensis Thunb.

Cintractia capensis (Reess) Ciferi Cintractia piluliformis (Berk.) P. Henn.

Juneus lomatophyllus Spreng.

Cintractia capensis (Reess) Ciferri Puccinia Junci-oxycarpi Doidge Juneus oxycarpus E. Mey.

Puccinia Junci-oxycarpi Doidge

Juneus punctorius Linn. f.

? Puccinia Junci-oxycarpi Doidge

Juneus spp. indet.

Cintractia piluliformis (Berk.) P. Henn. Puccinia Junci-oxycarpi Doidge

LILIACEAE.

Agapanthus africanus Hoffm.

Mycosphaerella Agapanthi (Kalchbr. & Cooke) Lindau Macrophoma Agapanthi Trav.

Agapanthus umbellatus L'Her.

=Agapanthus africanus Hoffm.

Agapanthus sp. indet.

Phoma Agapanthi (Thuem.) Sacc.

Albuca altissima Dryand

Ustilago Vaillanti Tul. Uromyces Albucae Kalchbr. & Cooke

Albuca aurea Jacq.

Uromyces Albucae Kalchbr. & Cooke

Albuca fastigiata Dryand

Ustilago Vaillanti Tul.

Albuca juncifolia Bkr.

Uromyces Albucae Kalchbr. & Cooke

Albuca minor Linn.

Uromyces Albucae Kalchbr. & Cooke

Albuca spp.

Uromyces Albucae Kalchbr. & Cooke

Allium ascalonicum Linn.

Peronospora destructor (Berk.) Casp.

Allium Cepa Linn.

Peronospora destructor (Berk.) Casp. Pleospora herbarum (Pers.) Rabehn. Phoma terrestris Hans. Phyllosticta Cepae Verw. & du Pless. Colletotrichum circinans (Berk.) Vogl.

Aspergillus niger v. Tiegh.

Botrytis Allii Munn.

Alternaria Allii Nolla

Alternaria tenuis Nees

Macrosporium cladosporioides Desm.

Macrosporium Porri Ell.

Macrosporium sarcinula Berk.

Mystrosporium Alliorum Berk.

Fusarium angustum Sherb.

Fusarium bulbigenum Cooke & Mass.

Fusarium moniliforme Sheld.

Fusarium oxysporum Schlecht. f.7. Wollenw.

Fusarium Scirpi Lamb. & Fautr.

Fusarium Scirpi Lamb. & Fautr. var. filiferum (Preuss.) Wollenw.

Fusarium Solani (Mart.) Appel & Wollenw.

Fusarium Solani (Mart.) Appel & Wollenw. var. Martii f.l. Wollenw.

Fusarium vasinfectum Atk. var. zonatum Sherb. f.2. (Link & Bailey) Wollenw.

Rhizoctonia sp.

Sclerotium cepivorum Berk.

Sclerotium Rolfsii Sacc.

Allium Cepa Linn, var. solaninum Alef.

Fusarium oxysporum Schlecht. f.7. Wollenw.

Allium Dregeanum Kunth

? Puccinia Allii (D.C.) Rud.

Allium Porrum Linn.

Mycosphaerella schoenoprasi (Rabenh.) Schroet. Fusarium oxysporum Schlecht. f.7. Wollenw.

Allium sativum Linn.

Puccinia Allii (D.C.) Rud.

Fusarium bulbigenum Cooke & Mass.

Fusarium oxysporum Schlecht. f. 7. Wollenw.

Allium Schoenoprasum Linn.

Vermicularia Dematium Fr.

Macrosporium punctatum Kalchbr. & Cooke

Aloe affinis Berg.

Leptosphaeria Verwoerdiana du Pless.

Macrophoma Aloes Scalia

Aloe africana Mill.

Montagnella maxima Mass.

Aloe arborescens Mill.

Placoasterella Rehmii (P. Henn.) Theiss. & Syd.

Polystictus sanguineus (Linn. ex. Fr.) Fr. Fusarium Scirpi Lamb. & Fautr. var. acuminatum (Ell. & Everh.) Wollenw.

Aloe arborescens Mill. var. natalensis

Placoasterella Rehmii (P. Henn.) Theiss. & Syd. Uromyces Aloes (Cooke) Magn. Polystictus sanguineus (Linn. ex Fr.) Fr.

Aloe ausana Dinter

=Aloe variegata Linn.

Aloe Barbertoniae Pole Evans

Uromyces Aloes (Cooke) Magn.

Aloe Baumii Engl. & Gilg.

Uromyces Aloes (Cooke) Magn.

Aloe cryptopoda Bkr.

Montagnella maxima Mass.

Aloe Davyana Schön.

Uromyces Aloes (Cooke) Magn.

Aloe dolomitica Groen.

Montagnella maxima Mass.

Aloe ferox Will

Montagnella maxima Mass. Uromyces Aloes (Cooke) Magn.

Aloe grandidentata Salm.

Uromyces Aloes (Cooke) Magn.

Aloe Greatheadii Schönl.

Uromyces Aloes (Cooke) Magn.

Aloe Greenii Bkr.

Uromyces Aloes (Cooke) Magn.

Aloe latifolia Haw.

Uromyces Aloes (Cooke) Magn. Phyllosticta Aloes Kalchbr.

Aloe lineata (Ait.) Haw.

Anthostomella nigro-annulata (Berk. & Curt.) Sacc. Mycosphaerella Aloes Svd.

Aloe Marlothii Berger

Uromyces Aloes (Cooke) Magn. Polystictus sanguineus (Linn. ex Fr.) Fr.

Aloe microstigma Salm.

Didymosphaeria clavata du Pless.

Aloe mitriformis Mill.

Dothidea aloicola P. Henn. Placoasterella Rehmii (P. Henn.) Theiss. & Syd. Cytosporella Aloes du Pless. Macrophoma Aloes Scalia

Aloe natalensis Wood & Evans

=Aloe arborescens Mell, var. natalensis

Aloe platylepis Bkr.

Montagnella maxima Mass.

Aloe purpurascens (Ait.) Haw.

Uromyces Aloes (Cooke) Magn.

Aloe saponaria (Ait.) Haw.

Uromyces Aloes (Cooke) Magn.

Aloe striata Haw.

Uromyces Aloes (Cooke) Magn.

Aloe striatula Haw.

Leptosphaeria Verwoerdiana du Pless. Macrophoma Aloes Scalia

Aloe Thraskii Bkr.

Uromyces Aloes (Cooke) Magn.

Aloe transvaalensis O. Kze.

Uromyces Aloes (Cooke) Magn.

Aloe umbellata Salm.

=Aloe saponaria Haw.

Aloe variegata Linn.

Pythium ultimum Trow Macrophoma Aloes Scalia

Aloe spp. indet.

Placoasterella Rehmii (P. Henn.) Theiss. & Syd. Montagnella maxima Mass.

Physalospora Bylii du Pless.
Pleospora herbarum (Pers.) Rabenh.
Uromyces Aloes Cooke
Polystictus cinnabarinus (Jacq. ex Fr.) Cooke
Polystictus regius (Miq.) Cooke
Polystictus sanguineus (Linn. ex Fr.) Fr.
Macrophoma Aloes Scalia
Pestalotia Aloes Trinch.
Verticillium pulvinulum Kalchbr. & Cooke
Mystrosporium polytrichum Cooke

Anthericum ciliatum Linn. f.

Puccinia polycampta Svd.

Anthericum hispidum Linn.

Puccinia polycampta Syd.

Anthericum longipedunculatum Steud.

Puccinia polycampta Syd.

Anthericum revolutum Linn.

Puccinia polycampta Svd.

Anthericum triphyllum Bkr.

Rhizoctonia sp.

Anthericum spp. indet.

Aecidium Antherici P. Henn. & Evans Puccinia polycampta Svd.

? Uromyces Bylianus Doidge

? Uromyces Krantzbergensis Doidge

Asparagus asparagoides (Lmn.) Druce

Aecidium Schlechterianum P. Henn. Puccinia Myrsiphylli (Thuem.) Wint.

Asparagus Cooperi Bkr.

Puccinia Asparagi DC.

Asparagus falcatus Linn.

Puccinia phyllocladiae Cooke

Asparagus laricinus Burch.

Puccinia ranulipes Doidge

${\it Asparagus medeoloides Thumb.}$

=Asparagus asparagoides (Linn.) Druce

Asparagus plumosus Bkr.

Microcyclus kentaniensis Doidge Puccinia Asparagi DC.

Asparagus sarmentosus Linn.

Puccinia Phyllocladiae Cooke.

Asparagus striatus Thunb.

Hysterostomella tenella Syd.

Asparagus subulatus Thunb.

Hysterostomella tenella Syd.

Asparagus spp. indet.

Polystomella caulicola Doidge Diatrype caulina Syd. ? Aecidium capense Berk. & Curt.

Behnia reticulata F. Didrichs

Meliola Behniae Syd.

Bulbine aloöides Willd.

Uromyces Bulbinis Thuem.
? Aecidium Bulbinis P. Henn, & Evans

Bulbine asphodeloides Roem. & Schult.

Aecidium Bulbinis P. P. Henn. & Evans

Bulbine favosa Roem. & Schult.

Aecidium Bulbinis P. Henn. & Evans

Bulbine latifolia Roem. & Schult.

Uromyces Bulbinis Thuem.

Bulbine narcissifolia Salm.

Aecidium Bulbinis P. Henn. & Evans

Bulbine praemorsa Roem. & Schult.

Uromyces Bulbinis Thuem.

Bulbinella robusta Kunth

Puccinia contecta Syd.

Chlorophytum comosum Bkr.

Aecidium Hartwegiae Thuem.

Chlorophytum Sternbergianum Steud.

=Chlorophytum comosum Bkr.

Chlorophytum sp.

Aecidium Hartwegiae Thuem.
? Uromyces Bylianus Doidge

Dipcadi viride Moench.

Aecidium Dipcadi-viridis Doidge

Drimia pusilla Jacq.

Puccinia Drimiae v.d.Byl.

Drimiopsis maculata Lindl.

Uromyces Drimiopsidis Doidge

Eriospermum cernuum Bkr.

Uromyces Eriospermi Kalchbr. & Cooke

Eriospermum dissitiflorum Schlecht.

Uromyces Eriospermi Kalchbr. & Cooke

Eriospermum graminifolium Duthie

Uromyces Eriospermi Kalchbr. & Cooke

Eriospermum lanceaefolium Jacq.

Uromyces Eriospermi Kalchbr. & Cooke

Eriospermum latifolium Jacq.

Tubercinia Eriospermi Svd.

Eriospermum Mackenii Bkr.

Uromyces Eriospermi Kalchbr. & Cooke

Eriospermum parvifolium Jacq.

Uromyces Eriospermi Kalchbr. & Cooke

Eriospermum pubescens Jacq.

Uromyces Eriospermi Kalchbr. & Cooke Tubercinia Eriospermi Syd.

Eriospermum spp. indet.

Uromyces Eriospermi Kalchbr. & Cooke Tuburcinia Eriospermi Syd.

Eucomis punctata L'Hérit.

Ustilago Vaillanti Tul. Septoria sp.

Eucomis sp. indet.

Puccinia amadelpha Svd.

Hartwegia comosa Nees

=Chlorophytum comosum Bkr.

Haworthia altilinea Haw.

Uromyces Aloes (Cooke) Magn.

Haworthia Reinwardtii Haw.

Uromyces Aloes (Cooke) Magn.

Haworthia retusia (Linn.) Haw.

Uromyces Aloes (Cooke) Magn.

Haworthia sp.

Uromyces Aloes (Cooke) Magn.

Kniphofia aloöides Mönch.

? Phyllachora Kniphofiae (Kalchbr. & Cooke) Sacc.

Kniphofia sp. indet.

Fusarium moniliforme Sheld. var. subglutinans Wollenw.

Lachenalia orchidioides Ait.

Uromyces Lachenaliae Doidge

Lachenalia pendula Ait.

Uromyces Lachenaliae Doidge

Lachenalia reflexa Thunb.

Uromyces Lachenaliae Doidge

Lachenalia tricolor Thunb. var. Nelsoni Bakr.

Uromyces Lachenaliae Doidge

Lachenalia unicolor Jacq.

Uromyces Lachenaliae Doidge

Lachenalia unifolia Jacq.

Uromyces Lachenaliae Doidge

Lachenalia spp. indet.

Uromyces Lachenaliae Doidge

Lilium philippense Bkr.

Phytophthora parasitica Dast.

Massonia latifolia Linn, f.

Uromyces Massoniae Doidge

 ${\it Ornithogalum\ altissimum\ Linn}.$

=Urginea altissima Bkr.

Ornithogalum aureum Curt.

Puccinia Ornithogali-thyrsoidis Diet.

Ornithogalum barbatum Jacq.

Uromyces Maireanus Syd.

Ornithogalum Ecklonii Schl.

Aecidium Ornithogaleum Bubak

Ornithogalum flavovirens Bkr.

Uromyces Maireanus Syd.

Ornithogalum lacteum Jacq.

Ustilago Peglerae Bubak & Syd. Septoria Ornithogali Pass.

Ornithogalum pilosum Linn. f.

Puccinia Ornithogali-thyrsoidis Diet.

Ornithogalum Roodeae Phill.

Uromyces Maireanus Syd.

Ornithogalum thyrsoides Jacq.

Puccinia Ornithogali-thyrsoidis Diet. Heterosporium Ornithogali Klotzsch

Ornithogalum virens Lindl.

Puccinia Ornithogali-thyrsoidis Diet.

Ornithogalum sp. indet.

Uromyces Maireanus Syd.

Ornithoglossum glaucum Salisb.

Urocystis Ornithoglossii (Syd.) Zundel

Polyxena ensifolia (Thunb.) School.

Uromyces Lachenaliae Doidge

Scilla Kraussii Bkr.

Ustilago Vaillanti Tul.

Scilla natalensis Planch.

Ustilago Vaillanti Tul.

Scilla prasina Bkr.

Uromyces circinalis Kalchbr. & Cooke

Scilla saturata Bkr.

Aecidium Doidgei Syd.

Scilla sp. mdet.

Ustilago Vaillanti Tul.

Smilax Kraussiana Mesn.

Puccinia Kraussiana Cooke

Urginea altissima Bkr.

Puccinia Kalchbrenneriana de Toni Uromyces saginatus Syd. Phoma Ornithogali Thuem.

Urginea exuviata Steinn.

Uromyces stellenbossiensis v.d.Byl

Urginea spp. indet.

Uromyces saginatus Syd. Aecidium Urgineae P. Henn. & Evans

Liliaceae indet.

Uromyces Bylianus Doidge Uromyces Krantzbergensis Doidge

AGAVACEAE.

Agave americana Linn.

Allantonectria miltina (Mont.) Weese Diatrypella Agaves Syd. Coniothyrina Agaves (Dur. & Mont.) Petr. & Syd.

Agave rigida Mill. var. sisalana Engelm.

=Agave sisalana Perr.

Agave sisalana Perr.

Colletotrichum Agaves Cav. Macrosporium lanceolatum Mass.

Dracaena Hookeriana K. Koch

Morenoina Dracaenae Doidge

Dracaena sp. indet.

Uromyces Holubii Doidge

Furcraea gigantea Vent.

Melanconium Fourcrovae Syd.

Phormium tenax Forsk.

Glomerella phacidiomorpha (Ces.) Petr. Fusarium oxysporum Schlecht.

Sanseviera zeylanica Willd.

Gloeosporium Sansevierae Verw. & du Pless.

Sanseviera Sp. indet.

Septogloeum concentricum Syd.

HAEMODORACEAE.

Pauridia hypoxidoides Harv.

Puccinia stellenboschiana v.d.Byl

AMARYLLIDACEAE.

Amaryllis Belladonna Linn.

Botrytis cinerea Pers.

Brunswigia Cooperi Bkr.

? Aecidium Brunswigiae P. Henn.

Brunswigia sp. indet.

Aecidium Brunswigiae P. Henn.

Clivia miniata Regel

Physalospora Cliviae Syd.

Crinum capense Herb.

=Crinum longifolium Thunb.

Crinum Forbesianum Herb.

Aecidium Crini Kalchbr.

Crinum longifolium (Linn.) Thunb.

Aecidium Crini Kalchbr.

Crinum Moorei Hk. f.

Aecidium Crini Kalchbr.

Crinum spp. indet.

Aecidium Crini Kalchbr.

Cyrtanthus angustifolium (Linn. f.) Ait.

Aecidium Crini Kalchbr.

Haemanthus coccineus Linn.

Uromyces badius Syd.

Haemanthus magnificus Herb.

Cercospora Haemanthi Kalchbr.

Haemanthus natalensis Pappe

Cercospora Haemanthi Kalchbr.

Haemanthus pumilio Jacq.

Uromyces badius Syd.

Haemanthus puniceus Linn.

Cercospora Haemanthi Kalchbr.

Haemanthus rotundifolius Gawl.

Uromyces badius Syd.

Haemanthus spp. indet.

Uromyces badius Kalchbr.

Hypoxis acuminata Bkr.

Puccinia Pole-Evansii Doidge

Hypoxis argentea Harv.

Puccinia Pole-Evansii Doidge

Hypoxis costata Bkr.

Puccinia Pole-Evansii Doidge Urocystis Hypoxidis Thaxt.

Hypoxis Gerrardi Bkr.

Puccinia Pole-Evansii Doidge

Hypoxis latifolia Hk.

Uromyces Hypoxidis Cooke

Hypoxis oligotricha Bkr.

Uromyces Hypoxidis Cooke

Hypoxis rigidula Bkr.

Puccinia Pole-Evansii Doidge

Hypoxis villosa Linn. f.

Uromyces Hypoxidis Cooke

Hypoxis spp. mdet.

Puccinia Pole-Evansii Doidge Uromyces Hypoxidis Cooke

Ianthe aquatica (Linn. f.) Williams
Puccinia stellenboschiana v.d.Byl

Ianthe flaccida Nel

Puccinia stellenboschiana v.d.Byl

Nerine sarniensis (Linn.) Herb. Stagonospora nerinicola Dipp.

DIOSCORACEAE.

Dioscorea malifolia Bkr.

Phyllosticta Dioscoreae Cooke

IRIDACEAE.

Acidanthera exasapa Bkr.

=Engysiphon exscapus (Thunb.) Lewis

Acidanthera pallida Pax

=Tritonia pallida Ker.

Anapalina revoluta N.E.Br.

Uromyces Antholyzae Svd.

Antholyza aethiopica Linn,

=Pentamenes aethiopica (Linn.) Phill.

Antholyza nervosa Thunb.

=Anapalina revoluta N.E.Br.

? Antholyza sp. indet.

Uromyces Antholyzae Syd.

Aristea capitata Ker.

Puccinia dehiscens Syd.

Aristea corymbosa Benth.

=Nivenia corymbosa (Ker.) Bkr.

Aristea Schizolaena Harv.

? Puccinia dehiscens Syd.

Aristea sp. indet.

Puccinia dehiscens Syd.

Babiana disticha Ker.

Uromyces Gladioli P. Henn.

Babiana stricta Ker.

Uromyces Gladioli P. Henn.

Bobartia spathacea Ker.

Didymosphaeria spatharum Wint. Hendersonia sparsa Wint.

Dierama pendulum Bkr.

Puccinia Dieramae Syd. Uromyces Dieramatis Doidge

Dierama pulcherrimum Bkr.

Uromyces Dieramatis Doidge

Dierama spp. indet.

Puccinia Dieramae Syd. Uromyces Dieramatis Doidge

Engysiphon exscapus (Thunb.) Lewis Uromyces Ixiae (Lév.) Wint.

Ferraria viscaria Schinz

Aecidium clarum Syd.

Ferraria sp. indet.

Uromyces Ferrariae Doidge

Freesia spp. indet.

Uromyces Ecklonii Bubak Uromyces Freesiae Bubak Fusarium bulbigenum Cooke & Mass.

Geissorhiza imbricata (de la R.) Ker. Uromyces Gladioli P. Henn.

Geissorhiza rupestris Schlecht.
Uromyces Gladioli P. Henn.

Geissorhiza secunda Ker.

Uromyces Gladioli P. Henn.

Gladiolus angustus Linn.

Uromyces Gladioli P. Henn.

Gladiolus blandus Ait.

Uromyces Gladioli P. Henn.

Gladiolus cochleatus Swett

Uromyces Gladioli P. Henn.

Gladiolus crassifolius Bkr.

Uromyces Gladioli P. Henn.

Gladiolus cuspidatus Jacq.

Uromyces Gladioli P. Henn.

Gladiolus debilis Ker.

Uromyces Gladioli P. Henn.

Gladiolus Ecklonii Lehm.

? Uromyces Gladioli P. Henn.

Gladiolus formosus Klatt

Uromyces Gladioli P. Henn.

Gladiolus hirsutus Jacq.

Uromyces Gladioli P. Henn.

Gladiolus Ludwigii Pappe

Puccinia McCleanii Doidge

Gladiolus orchidiflorus Andr.

Uromyces Gladioli P. Henn.

Gladiolus psittacinus Hk.

Uromyces transversalis (Thuem.) Wint.

Gladiolus recurvus Linn.

Uromyces Gladioli P. Henn.

Gladiolus Saundersii Kk. f.

Uromyces transversalis (Thuent.) Wint.

Gladiolus spp. indet.

Uromyces Gladioli P. Henn.
Uromyces transversalis (Thuem.) Wint.
Urocystis Gladioli Wernham
Septoria Gladioli Pass.
Botrytis cinerea Pers.
Penicillium Gladioli Machacek
Macrosporium commune Rabenh.
Fusarium bulbigenum Cooke & Mass.

Fusarium oxysporum Schlecht. var. Gladioli Massey Fusarium Solani (Mart.) Appel & Wollenw. Epicoccum nigrum Link

Homeria Breyniana (Linn.) Lewis Puccinia Moraeae P. Henn.

Homeria Breyniana (Linn.) Lewis var. ochroleuca Salisb.
Uredo Moraeae Kalchbr.
Rhoma micrethecia Thuem.

Homeria cillina Vent.
=Homeria Bryeniana (Linn.) Lewis

Homeria collina var. ochroleuca Salisb.

—Homeria Breyniana var. ochroleuca Salisb.

Homeria pallida Bkr.
Puccinia Moraeae P. Henn.

Homeria spp. indet.

Puccinia Moraeae P. Henn.

Uredo Homeriae Kalchbr.

Iris germanica Linn.

Puccinia Iridis (DC) Wallr.

Heterosporium gracile (Wallr.) Sacc.

Iris sp. indet.

Macrosporium Iridis Cooke & Ell.

Ixia furcata Ker.
Uromyces Ixiae (Lév.) Wint.

Ixia leucantha Jacq.
Uromyces Ixiae (Lév.) Wint.

Ixia lutea Bkr.
Uromyces Ixiae (Lév.) Wint.

Ixia maculata Thunb.
Uromyces Ixiae (Lév.) Wint.

Ixia paniculata Del.
Uromyces Ixiae (Lév.) Wint.

Ixia patens Ait.
Uromyces Ixiae (Lév.) Wint.

Ixia polystachya Linn.

Uromyces Ixiae (Lév.) Wint.

Ixia scariosa Thunb. var. longifolia Bkr.

Uromyces Ixiae (Lév.) Wint.

Ixia scillaris Linn.

=Tritonia scillaris Bkr.

Ixia splendida Lewis

Uromyces Ixiae (Lév.) Wint.

Lapeyrousia corymbosa Ker.

Uromyces Ixiae (Lév.) Wint.

Lapeyrousia cruenta Bkr.

Uromyces Anomathecae Cooke

Lapeyrousia delagoensis Bkr.

Uromyces Ixiae (Lév.) Wint.

Lapeyrousia grandiflora Bkr.

Uromyces Anomathecae Cooke

Melasphaerula graminea Ker.

Uromyces Ixiae (Lév.) Wint.

Moraea edulis Ker.

? Puccinia Moraeae P. Henn.

Moraea grandiflora Eckl.

=Homeria Breyniana (Linn.) Lewis var. ochroleuca Salisb.

Moraea spathulata Klatt.

Uromyces Moraeae Syd.

Moraea ramosa Ker.

? Uromyces Gladioli P. Henn.

Moraea tricuspis Ker.

Puccinia capensis Diet.

Nivenia corymbosa (Ker.) Bkr.

Puccinia dehiscens Syd.

Pentamenes aethiopica (Linn.) Phill.

Uromyces kentaniensis Doidge Aecidium Antholyzae Bubak

Romulea rosea Ecklon

Uromyces Gladioli P. Henn.

Romulea sp. indet.

Uromyces Gladioli P. Henn.

Sparaxis bulbifera Ker.

Uromyces Ixiae (Lév.) Wint.

Sparaxis grandiflora Ker.

Uromyces Ixiae (Lév.) Wint.

Sparaxis lineata Sweet.

=Sparaxis tricolor Ker.

Sparaxis tricolor Ker.

Uromyces Sparaxidis Syd.

Sparaxis sp. indet.

Uromyces Sparaxidis Syd.

Tritonia lineata Ker.

Uromyces transversalis (Thuem.) Wint.

Tritonia pallida Ker.

Uromyces Zeyheri Bubák

Tritonia scillaris Baker

Uromyces Zeyheri Bubák

Tritonia securigera Ker.

Uromyces transversalis (Thuem.) Wint.

Tritonia squalida Ker.

Uromyces transversalis (Thuem.) Wint.

Tritonia sp. indet.

Uromyces transversalis (Thuem.) Wint.

Watsonia angusta Ker.

. Uromyces transversalis (Thuem.) Wint.

Watsonia densiflora Bkr.

Uromyces transversalis (Thuem.) Wint.

Watsonia meriana Müll.

Uromyces transversalis (Thuem.) Wint.

Watsonia rosea Ker. var. alba.

Pestalotia Watsoniae Verw. & Dipp.

Watsonia sp. indet.

Uromyces transversalis (Thuem.) Wint.

Iridaceae indet.

Puccinia Gladioli-crassifolii Doidge

MUSACEAE.

Musa Cavendishii Lamb

Gloeosporium Musarum Cooke & Mass. Fusarium oxysporum Schlecht. var. cubense (E.F.Sm.) Wollenw.

Musa paradisiaca Linn. var. sapientum Kuntze

Rhizopus nigricans Ehrhenb. (fruit rot)

Pythium deBaryanum Hesse

Glomerella cingulata (Stonem.) Spauld. & v. Schrenk

Macrophomina Phaseoli (Maubl.) Ashby

Gloeosporium musarum Cooke & Mass.

Stachylidium Theobromae Turcz.

Fusarium moniliforme Sheld.

Fusarium oxysporum Schlecht. var. cubense (E.F.Sm.) Wollenw.

Fusarium semitectum Berk. & Rav. var. majus Wollenw.

Fusarium Scirpi Lamb. & Faurt.

Musa spp. indet.

Armillaria mellea (Vahl ex Fr.) Quél.

Thielaviopsis paradoxa (de Seyn.) v. Höhn.

Cirdana Musae (Zimm.) v. Höhn.

Cercospora Musae Zimm.

Fusarium moniliforme Sheld, var. subglutinans Wollenw.

Fusarium oxysporum Schlecht, var. cubense (E.F.Sm.) Wollenw.

Strelitzia angustifolia Dryand

=Strelitzia parvifolia Dryand

Strelitzia augusta Thunb.

Phyllachora Strelitziae (Cooke) Sacc.

Strelitzia parvifolia Dryand

Pestalozzia Zahlbruckneriana P. Henn.

Strelitzia sp. indet.

Solenia minima Cooke & Phill.

ORCHIDACEAE.

Ansellia africana Lindl.

Asterina raripoda Doidge

Bifrenaria Harrisoniae Reichb.

Colletotrichum Orchidearum Allesch.

Catasetum macrocarpum Rich.

Colletotrichum Orchidearum Allesch.

Catasetum maculatum Kunth

Colletotrichum Orchidearum Allesch.

Cattleya Alfredi Hort.

Colletotrichum Orchidearum Allesch.

Cattleya Imperatrix Hotr.

Colletotrichum Orchidearum Allesch.

Cattleva Rembrandt Hort.

Colletotrichum Orchidearum Allesch.

Cattleva Suzanne Hort.

Colletotrichum Orchidearum Allesch

Cattleya Thayeriana Hort.

Colletotrichum Orchidearum Allesch.

Cattleya sp. indet.

Colletotrichum Orchidearum Allesch.

Coelogyne cristata Lindl.

Gloeosporium affine Sacc.

Corycium nigrescens Sond.

Aecidium Corycii Doidge

Cyrtopodium punctatum Lindl.

Colletotrichum Orchidearum Allesch.

Disa micrantha Bolus

=Monadenia micrantha Lindl.

Gongora galeata Reichb.

Gloeosporium affine Sacc.

Monadenia comosa Reichb. f.

Puccinia aurea Wint.

Monadenia micrantha Lindl.

Uredo Disae v.d. Byl

Oncidium concolor Hk.

Botrodiplodia Oncidii (P. Henn.) Petr. & Syd.

Oncidium Lanceanum Lindl.

Uredo Oncidii P. Henn.

Ornithidium densum Reichb.

Colletotrichum Orchidearum Allesch.

Satyrium carneum R. Br.

Puccinia Satyrii Syd.

Satyrium coriifolium Sweet

Uredo Satyrii Mass.

Satyrium neglectum Schlecht.

Puccinia Satyrii Syd.

Scuticaria Hadwenii Hort. ex Planch.

Macrophoma cattlevicola P. Henn.

Stanhopea oculata Lindl.

Phyllosticta Stanhopeae Allesch.

Vanda tricolor lindl.

Trichosphaeria Vandae Verw. & du Pless.

Vanilla planifolia Andr.

Pyrenochaeta Vanilla Verw. & du Pless.

DICOTYLEDONEAE.

PIPERACEAE.

Piper capensis Linn. f.

Amazonia asterinoides (Wint.) Theiss.

Piper sp. indet.

Xylosorium Piperii Zundel

SALICACEAE.

Populus alba Linn.

Melampsora aecidioides Schroet. Stereum purpureum (Pers. ex Fr.) Fr. Marssonina Populi Magn.

Populus alba Linn. var. pyramidalis Bunge Taphrina aurea Sadeb.

Populus balsamifera Linn.

Valsa sordida Nitschke Cytospora chrysosperma (Pers.) Fr.

Populus canescens Sm.

Valsa sordida Nitschke Cytospora chrysosperma (Pers.) Fr. Marssonina Populi Magn.

Populus nigra Linn. var. italica du Roi Taphrina aurea Sadeb.

Populus spp. indet.

Taphrina aurea Sadeb. Nectria sp. Diatrypella pretoriensis Doidge Valsa sordida Nitschke Didymosphaeria populina Vuill. Melampsora aecidioides Schroet. Stereum umbrinum Berk. & Curt. Ganoderma lucidum (Levss. ex Fr.) Fr. Polyporus conchatus Lloyd Polystictus biformis (Klotzsch) Fr. Trametes Proteus (Berk.) Fr. Trametes trabea (Pers. ex Fr.) Bres. Crepidotis mollis (Schaeff. ex Fr.) uel. Claudopus proteus Kalchbr. Schizophyllum commune Fr. Cytospora chrysosperma (Pers.) Fr. Marssonina Populi Magn. Macrosporium sp. Stilbum cinnabarinum Mont.

Salix babylonica Linn.

Clitocybe sp.

Salix capensis Thunb.

Valsa salicina (Pers.) Fr. Melampsora vitellinae Thuem.

Salix spp. indet.

Valsa salicina (Pers.) Fr.

Hypoxylon mediterraneum (deNot.) Miller Stereum spadiceum Fr.
Fomes badius (Berk.) Cooke
Fomes salicinus (Pers. ex Fr.) Kickx.
Ganoderma applanatum (Pers.) Pat.
Ganoderma fulvellum Bres.
Ganoderma lucidum (Leyss. ex Fr.) Karst.
Lenzites Palisoti Fr.
Polyporus ochroporus v. d. Vyl
Polystictus occidentalis (Klotzsch) Fr.
Polystictus polyzonus (Pers.) Cooke
Polystictus sanguineus (linn. ex Fr.) Fr.
Polystictus velutinus (Pers. ex Fr.) Cooke
Polystictus versicolor (Linn. ex Fr.) Fr.
Pleurotus ostreatus (Jacq. ex Fr.) uel.

MYRICACEAE.

Myrica conifera Burm. f.

Stichodothis disciformis (Wint.) Petr. Stichospora disciformis Petr.

Myrica cordifolia Linn.

Stichodothis disciformis (Wint.) Petr. Cryptomyces Myricae (Mont.) Sacc. Gloeosporium Myricae Dipp.

Myrica linearis C.DC.

Stichodothis disciformis (Wint.) Petr.

Myrica quercifolia Linn.

Stichodothis disciformis (Wint.) Petr.

Myrica sp. indet.

Stichodothis disciformis (Wint.) Petr.

JUGLANDACEAE.

Carya Pecan Engl. & Graebn.

Cercospora Caryae Chupp & Doidge Cercospora fusca Rand Stilbum aurantio-cinnabarinum Speg.

Juglans regia Linn.

Gloeosporium epicarpii Thuem.

$\textbf{Juglans} \ \mathrm{spp.} \ \mathrm{indet}.$

Schizophyllum commune Fr. Cylindrosporium Juglandes Wolf Marssonina Juglandis (Lib.) Magn.

BETULACEAE.

Corylus Avellana Linn.

Aspergillus glaucus Link Penicillium glaucum Link Trichothecium Roseum Link

FAGACEAE.

Castanea dentata Borkh.

Cylindrosporium castanicolum (Desm.) Berl

Castanea sativa Mill.

Cylindrosporium castanicolum (Desm.) Berl.

Quercus Robur Linn.

Ustulina vulgaris Tul.
Microstroma album (Desm.) Sacc.
Stereum hirsutum (Wild. ex Fr.) Fr.
Polyporus sulphureus (Bull. ex Fr.) Fr.

Quercus sessiliflora Salisb.

Microstroma album (Desm.) Sacc.

Quercus spp. indet.

Pseudovalsa longipes (Tul.) Sacc. Hypoxylon mediterraneum (deNot.) Miller Exidea purpureo-cinerea MacOwan & Kalchbr. Hormomyces aurantiacus Bon. Microstroma album (Desm.) Sacc. Stereum hirsutum (Willd. ex Fr.) Fr. Stereum Kalchbrenneri Sacc. Steruem purpureum (Pers, ex Fr.) Fr. Stereum vellereum Berk. Daedalea quercina (Linn. ex Fr.) Fr. Fomes annosus (Fr.) Gillet Ganoderma applanatum (Pers.) Pat. Ganoderm lucidum (Levss. ex Fr.) Karst. Lenzites baetulina (Linn. ex Fr.) Fr. Polyporus adustus (Willd. ex Fr.) Fr. Polyporus gilvus (Schw.) Fr. Polyporus sulphureus (Bull. ex Fr.) Fr. Polystictus sanguineus (Linn. ex Fr.)Fr. Polystictus subiculoides Llovd Polystictus zonatus Fr. Trametes proteus (Berk.) Fr. Trametes suaveolens (Linn. ex Fr.) Fr. Armillaria mellea (Vahl ex Fr.) uel. Mycena galericulata (Scop. ex Fr.) S. F. Gray Schizophy commune Fr. Corvneum Kunzei Corda Pestalotia quercina Guba Oidium quercinum Thuem.

ULMACEAE.

Celtis Kraussiana Bernh.

Uncinula polychaeta Berk. & Curt. ex Ellis Daldinia Eschscholzii (Ehrh. ex Fr.) Rehm Stereum fasciatum (Schw.) Fr. Daedalea Eatoni Verk. Daedalea MacOwani Kalchbr. Fomes connatus (Fr.) Gillet Ganoderma applanatum (Pers.) Pat. Ganoderma colossum (Fr.) Bres. Lenzites betulina (Linn. ex Fr.) Fr. Lenzites Palisoti Fr. Polyporus Patuoillardii (Rick.) Theiss. Polystictus zonatus Fr. Trametes Mevenii (Klotzsch)? Lloyd Trametes suaveolens (Linn. ex Fr.) Fr. Trametes subflava Lloyd Schizophyllum commune Fr.

Sponia quineensis Planch.

=Trema guineensis (Schum.) Ficalho

Trema guineensis (Schum.) Ficalho

Fomes yucatanensis (Murr.) Sacc. Oothecium stylosporum (Cooke) Doidge Cercospora Tremae (Stev. & Solh.) Chupp

MORACEAE.

Artocarpus integra Merr.

Rhizopus ? Artocarpi (Berk. & Curt.) Rac.

Cannabis sativa Linn.

Oidium sp.

Ficus Burkei Miq.

Phyllachora nervisequens (Lingelsh.) Petr.

Ficus Burtt-Davyi Hutch.

Phyllachora nervisequens (Lingelsh.) Petr.

Ficus capensis Thub.

Phyllachora amaniensis P. Henn. Phyllachora grammica P. Henn. Phyllachora Howardiana Petr. Phyllachora nervisequens (Lingelsh) Petr.

Ficus carica Linn.

Saccharomyces sp.
Phyllachora Howardiana Petr.
Cerotelium Fici (Cast.) Arth.

Phoma Fici-caricae Verw. & du Pless. Phomopsis cinerescens (Sacc.) Trav. Phyllosticta ficicola Pat. Colletotrichum Carica Stev. & Hall Aspergillus sp. Botrytis cinerea Pers. Cereospora bolleana (Thuem.) Speg. Fusarium moniliforme Sheld.

Ficus gnaphalocarpa A. Rich

Phyllachora ?repens (Corda(Sacc.

Ficus ingens Miq.

Phyllachora ?repens (Corda) Sacc.

Ficus mallatocarpus Warb.

Phyllachora ficuum Niessl.

Ficus natalensis Hochst.

Phyllachora nervisequens (Lingelsh) Petr.

Ficus Petersii Warb.

Uncinula aspera Loidge

Ficus Pretoriae Burtt Davy

Phyllachora Pretoriae Doidge Cerotelium Fici (Cast.) Arth.

Ficus Sycomorus Linn.

Phyllachora ficuum Niessl Cercospora Fici Heald & Wolf

Ficus trachyphyllus Fenzl

=Ficus gnaphalocarpa A. Rich

Ficus spp indet..

Phyllachora nervisequens (Lingelsh) Petr. Trametes hydnoides (Seart ex Fr.) Fr.? Trametes lactinea (Berk.) Fr.
Trametes Proteus (Berk.) Fr.
Schizophyllum commune Fr.
Cercospora bolleana (Theum.) Speg.
Tubercularia Fici Edgert.
Silbum caespitosum Welw. & Curr.

Morus alba Linn.

Daedalea biennis (Bull ex Fr.) Fr. Septogloeum Mori (Lev.) Bri. & Cav. Morus nigra Linn.

Septogloeum Mori (Lev.) Bri. & Cav.

Morus spp. indet.

Stereum Schomburgkii Berk. Ovulariopsis moricola Del. Septogloeum Mori (Lev.) Bri. & Cav.

URTICACEAE.

Fleurya sp. indet.

Asterina Fleuryae Doidge

Pouzolzia hypoleuca Wedd.

Cercospora Pouzolziae Syd.

Urtica Lobulata E. Mev.

Ophiobolus Urticae (Rabenh.) Sacc.

Urtica Meyeri Wedd.

=Urtica lobulata E. Mev.

PROTEACEAE.

Brabejum stellatifolium Linn.

Capnodium fuligo Berk. & Desm. Phyllosticta Owaniana Wint. Periconiella velutina (Wint.) Sacc.

Faurea McNaughtonii Phill.

Hysterostoma Faureae Doidge

Faurea saligna Harv.

Didymosporium latum Syd. Stilbospora Faureae Syd.

Faurea speciosa Welw.

Brachysporium Faureae P. Henn. Clasterosporium densum Syd. Cercospora Faureae Chupp & Doidge

Grevillea robusta Cunn.

Polyporus gilvus (Schw.) Fr. Polystictus subiculoides Lloyd Armillaria mellea (Vahl ex Fr.) Fr. Grevillea sp. indet.

Trametes albotexta Lloyd

Hakea sp. indet.

Pythium ultimum Trow

Leucadendron argenteum R. Br.

Schizophyllum commune Fr. Passalora Protearum Kalchbr. & Cooke Cercospora Protearum Cooke

Leucadendron spp. indet.

Aphysa senniana (Sacc.) 1 oidge Entopeltis interrupta (Wint.) v. Höhn.

Leucospermum conocarpum R. Br.

Entopeltis interrupta (Wint.) v. Höhn. Coniothecium MacOwani Sacc. Cercosporam Protearum Cooke

Protea abvssinica Willd.

Teratosphaeria fibrillosa Syd. Leptosphaeria Protearum Syd.

Protea aculis Thunb.

 Aphysa senniana (Sacc.) Doidge Phyllachora Proteae Wakef.

Protea angolensis Welw.

Conjothecium MacOwani Sacc.

Protea argentea Linn.

=Leucadendron argenteum R. Br.

Protea barbigera Meisn.

Leptosphaeria Protearum Syd. Oligostroma maculiformis (Wint.) 1 oidge

Protea caffra Meisn.

Aphysa senniana (Sacc.) Doidge Teratosphaeria fibrillosa Syd. Oligostroma maculiformis (Wint.) Doidge Didymosporium congestum Syd.

Protea cynaroides Linn.

Entopeltis interrupta (Wint.) v. Höhn. Leptosphaeria Protearum Syd. Oligostroma maculiformis (Wint.) Doidge

Protea Flanagani Phill.

Oligostroma maculiformis (Wint.) Doidge Aphysa senniana (Sacc.) Doidge

Protea grandiflora Thunb.

Oligostroma maculiformis (Wint.) Doidge Teratosphaeria fibrillosa Syd. Coniothecium MacOwanii Šacc.

Protea lepidocarpodendron Linn.

Leptosphaeria Protearum Syd. Aphysa senniana (Sacc.) Doidge Entopeltis interrupta (Wint.) v. Höhn.

Protea lepidocarpon Sims

=Protea lepidocarpodendron Linn.

Protea melaleuca R. Br

=Protea lepidocarpodendron Linn.

Protea mellifera Thunb.

Phyllachora Proteae Wakef. Leptosphaeria Protearum Syd. Aphysa senniana (Sacc.) Doidge

Protea neriifolia R. Br.

Oligostroma maculiformis (Wint.) Doidge

Protea pulchella Andr.

Aphysa senniana (Sacc.) Doidge

Protea Rouppelliae Meisn.

Oligostroma maculiformis (Wint.) Doidge

Protea scabra R. Br.

Aphysa senniana (Sacc.) Doidge

Protea spp. indet.

Oligostroma maculiformis (Wint.) Doidge Leptosphaeria Protearum Syd. Aphysa senniana (Sacc.) Doidge

LORANTHACEAE.

Loranthus Dregei Eckl. & Zeyr.

Mycosphaerella Ldranthi Syd. Asterina loranthicola Syd. Aecidium Cookeanum de Toni

Loranthus Zeyheri Harv.

Aecidium Cook eanum de Toni

Loranthus spp. indet.

Asterina loranthicola Syd. Aecidium Cookeanum de Toni Pestalotia sp.

Viscum anceps E. Mev.

Meliola arcuata Doidge

Viscum nervosum Hochst.

Clypeosphaeria natalensis Doidge Aecidium Cookeanum de Toni

Viscum obscurum Thunb.

Asterostomella Visci Doidge

SANTALACEAE.

Colpoon compressum Berg.

=Osyris abyssinica Hochst.

Osyridicarpus natalensis A. DC.

Meliola bifida Cooke Asterina polythyria Doidge Puccinia Stonemanniae Syd. & Evans

Osvris abvssinica Hochst.

Meliola Osyridis Doidge Dimerina Osyridis (Wint.) Theiss. Diplochorella amphimelaena (Mont.) Theiss. & Syd. Paranectria parasitica Wint.

Osyris compressa A. DC.

=Osyris abyssinica Hochst.

(fide Burtt Davy in Transvaal Flora, the Cape species is Osyris compressa and is distinct from O. abyssinica).

Rhoiocarpos capensis A. DC.

Meliola Osyridis Doidge

Thesium hystrix A. W. Hill

Puccinia Stonemanniae Syd. & Evans

Thesium impeditum A. W. Hull

Puccinia Stonemanniae Syd. & Evans

11101-26

Thesium strictum Berg.

Puccinia Stonemanniae Dyd. & Evans

Thesium triflorum Thunb.

Puccinia Stonemanniae Syd. & Evans

Thesium spp. indet.

Puccinia Stonemanniae Syd & Evans.

BALANOPHORACEAE.

Sarcophyte sanguinea Sparm.

Nectria leocarpoides Kalchbr. & Cooke

POLYGONACEAE.

Polygonum aviculare Linn.

Peronospora Rumicis Corda Uromyces Polygoni (Pers.) Fuck. Ovularia bistortae (Fuck.) Sacc.

Polygonum lapathifolium Linn.

Septoria Polygoni-lapathifolii v. d. Byl

Polygonum lapathifolium Linn, var. glabrum Burtt Davy Melanopsichium austro-americanum (Speg.) G. Beck

Polygonum tomentosum Willd.

Puccinia Polygoni-amphibii Pers. Uromyces Polygoni (Pers.) Fuck. Cercospora ? Persicariae Yam.

Rheum Rhaponticum Linn.

Phytophthora parasitica Dast.
Pythium ultimum Trow
Puccinia Phragmitis (Schum.) Koern. (I)
Phyllosticta straminella Bres.
Fusarium oxysporum Schlecht.
Fusarium Solani Mart. var. Martii Appel & Wollenw. f. l. Wollenw.
Rhizoctonia sp.

Rumex acetosella Linn.

Puccinia Phragmitis (Schum.) Koern. (I)

Rumex conglomeratus Murr.

Puccinia Phragmitis (Schum.) Koern. (I) Phyllosticta Rumicis Kalchbr.

Rumex crispus Linn.

Uromyces Rumicis (Schum.) Wint.

Rumex Ecklonianus Meisn.

Puccinia Phragmitis (Schum.) Koern (I)

Rumex nepalensis Spreng.

Puccinia Phragmitis (Schum.) Koern. (I) Uromyces Rumicis (Schum.) Wint. Ramularia Rumicis Kalchbr. & Cooke

Rumex obtusifolius Linn. var. capensis MacOwan

=Rumex nepalensis Spreng.

Rumex Woodii N. E. Br.

Uromyces Rumicis (Schum.) Wint.

Rumex spp. indet.

Puccinia Phragmitis (Schum.) Koern. (I) Patuoillardia Rumicis Verw. & du Pless.

CHENOPODIACEAE.

Beta vulgaris Linn.

Uromyces Betae (Pers.) Lev. Phoma Betae Frank Phyllosticta Betae Oud. Actinomyces scabies (Thaxt.) Gussow Cercospora beticola Sacc. Macrosporium cladosporioides Desm. Rhizoctonia sp. Sclerotium Rolfsii Sacc.

Beta vulgaris Linn, var. cicla Linn.

Cercospora beticola Sacc.

Caroxylon Salsola Thunb.

=Salsola aphylla Linn. f.

Chenopodium ambrosioides Linn.

Peronospora effusa (Grev.) Rabenh. Ovulariopsis sp.

Chenopodium foetidum Schrad.

Peronospora effusa (Grev.) Rabenh.

Chenopodium murale Linn.

Peronospora effusa (Grev.) Rabenh. Septoria Atriplicis (West.) Fuck.

Chenopodium spp. indet.

Peronospora effusa (Grev.) Rabenh.

Salsola aphylla Linn. f.

Cystopus Schlechteri Syd.

Spinacia oleracea Linn.

Peronospora effusa (Grev.) Rabenh.

Chenopodiaceae indet.

Septoria Chenopodii West.

AMARANTACEAE.

Achyranthes aspera Linn.

Cystopus Bliti de Bary

Achyranthes sp. indet.

Cystopus Bliti de Bary

Amaranthus angustifolius Lam.

Cvstopus Bliti de Bary

Amaranthus tricolor Linn.

Pythium aphanidermatum (Eds.) Fitz.

Celosia argentea Linn.

Pythium aphamidermatum (Eds.) Fitz.

Cyathula globulifera Moq.

Cystopus Bliti de Barry

Gomphrena decumbens Jacq. var. genuina Stuchlik

Cercospora pretoriensis Chupp & Doidge

Gomphrena globosa (Flor. Cap. non Linn.)

=Gomphrena decumbens Jacq. var. genuina Stuchlik

PHYTOLACCACEAE.

Gisekia pharnaceoides Linn.

Exobasidium Giseckiae Allesch.

Phytolacca octandra Linn.

Cladosporium herbarum Link

AIZOACEAE.

Aizoon rigidum Linn.

Cystopus austro-africanus (Syd.) Sacc. & Trott.

Delosperma herbeum N.E.Br.

Puccinia Mesembryanthemi MacOwan

Delosperma spp. indet.

Pythium ultimum Trow Puccinia Mesembryanthemi MacOwan

Dinteranthus microspermus (Dint. & Derenb.) Schwant.

Pythium ultimum Trow.

Fenestraria aurantiaca N.E.Br.

Pythium ultimum Trow

Galenia africana Linn.

Puccinia Galeniae Diet.

Galenia sarcophylla Fenzl.

Puccinia Galeniae Diet.

Mesembryanthemum micranthum Haw.

=Psilocaulon parviflorum (Jacq.) L. Bolus

Mesembryeae spp. indet.

Peronospora Mesembryanthemi Verw.

Pythium ultimum Trow

Saccharomyces sp.

Fusarium avenaceum (Fr.) Sacc. f. l. Wollenw. & Reinking

Fusarium Equiseti (Corda) Sacc. var. bullatum (Sherb.) Woollenw.

Fusarium vasinfectum Atk. f.2. Wollenw. & Reinking

Psilocaulon granulicaule N. E. Br.

Puccinia Mesembryanthemi MacOwan

Psilocaulon parviflorum (Jacq.) L. Bolus

Puccinia Mesmbryanthemi MacOwan

Tetragonia arbuscula Fenzl.

Aecidium Tetragoniae Doidge

Tetragonia expansa Thunb.

Puccinia Tetragoniae McAlp. var. austro-africana Doidge

PORTULACACEAE.

Portulaca oleracea Linn.

Cystopus Portulação de Bary

Portulacaria afra Jacq

Lentinus Zeyheri Berk.

Talinum caffrum (Thunb.) E. & Z.

Aecidium talinophilum Syd.)

CARYOPHYLLACEAE.

Dianthus barbatus Linn.

Uromyces caryophyllinus (Schrank.) Wint.

Dianthus caryophyllus Linn.

Phytophthora cactorum (Leb. & Cohn) Schroet.

Pleospora Dianthi de Not.

Uromyces caryophyllinus (Schrank) Wint.

Diplodia herbarum (Corda) Lev.

Phyllosticta Dianthi Desm.

Septoria Caryophylli Scalia

Septoria Dianthi Desm.

Pseudodiscosia Dianthi Höst. & Laub.

Alternaria Dianthi Stev. & Hall

Heterosporium echinylatum (Berk.) Cooke

Macrosporium nobile Vize

Fusarium bulbigenum Cooke & Mass. var. Lycopersici (Brushi) Wollenw. & Reinking

Fusarium culmorum (W. G. Sm.) Sacc.

Fusarium Dianthi Prill. & Delacr.

Fusarium Scirpi Lamb. & Fautr.

Fusarium Scirpi Lamb. & Fautr. var. acuminatum (Ell. & Everh.) Wollenw.

Fusarium semitectum Berk. & Rav. var. majus Wollenw.

Fusarium Solani (Mart.) Apepl & Wollenw.

Volutella Dianthi (Halst.) Atk.

Rhizoctonia Solani Kuhn.

Sclerotium Rolfsii Sacc.

Dianthus crenatus Thunb.

Uromyces caryophyllinus (Schrank) Wint.

Dianthus plumarius Linn.

Pythium ultimum Trow

Dianthus Zeyheri Sond.

Uromyces carvophyllinus (Schrank) Wint.

Dianthus spp. indet.

Uromyces caryophyllinus (Schrank) Wint.

Vermicularia herbarum West, f. Dianthi West,

Lychnis Viscaria Linn.

Fusarium Scirpi Lamb. & Fautr.

Silene capensis Otth.

Puccinia Behensis Otth.

Silene gallica Linn.

? Septoria Doehlii Svd.

Silene spp. indet.

Puccinia Behenis Otth. Uromyces inaequialtus Lasch.

Spergula arvensis Linn.

Peronospora obovata Bon.

RANUNCULACEAE.

Aquilegia spp. indet.

? Erysiphe Aquilegiae DC. Sclerotium Rolfsii Sacc.

Clematis brachiata Thunb.

Metasphaeria brachiata (Kalchbr. & Cooke) Sacc. Coleosporium Clematidis Barcl.
Aecidium Clematidis-brachiatae Doidge
Aecidium Englerianum P. Henn. & Lindau
Diplodia Clematidea Sacc.

Clematis montana Buch.-Ham.

Macrophoma Clematidis Togn.

Clematis Oweniae Harv.

Coleosporium Clematidis Barcl.

Clematis spp. indet.

Aecidium Englerianum P. Henn. & Lindau

Delphinium ajacis (Wallr.) Rabenh.

Erysiphe nitida (Wallr.) Rabenh.

Delphinium cultorum Voss

Phytophthora parasitica Dast.
Pythium deBaryanum Hesse
Pythium ultimum Trow
Erysiphe nitida (Wallr.) Rabenh.
Phoma tingens Cooke & Mass.
Phyllosticta Delphinii Clem.
Fusarium Solani Mart. var. Martii Appel & Wollenw. f. l. Wollenw.
Sclerotium Delphinii Welch

Helleborus niger Linn.

Oidium sp.

Knowltonia glabricarpellata Huth.

? Erysiphe nitida (Wallr.) Rabenh.

Knowltonia vesicatoria Sims.

Meliola Knowltoniae Doidge Septoria Knowltoniae Verw. & Dipp.

Ranunculus Cooperi Oliv.

Septoria Ranunculacearum Lév.

Ranunculus pinnatus Harv. non Poir.

=Ranunculus pubescens Thunb.

Ranunculus pubescens Thunb.

Fabraea litigiosa (Desm.) Sacc. Aecidium ranunculacearum D('.

Ranunculus sp. indet.

Septoria ranunculacearum Lev.

MONIMIACEAE.

Xymalos monospora (Harv.) Baill.

Meliola rigida Doidge
Diatrype auristroma Doidge
Phragmothyriella parenchymatica Doidge
Trichopeltula kentaniensis Doidge
Clavaria Kunzei Fr.
Hydnum sp.
Fomes rimosus (Berk.) Cooke
Fomes Robinsoniae (Murr.) Sacc. & Trott.
Fomes robustus Karst.
Polystictus sanguineus (Linn. ex Fr.) Fr.

LAURACEAE.

Cinnamomum Camphora Nees & Ebrem.

Diatrypella pretoriensis Doidge Valsaria Batesii Doidge

Cinnamomum zevlanicum Nees

Leptosphaeria Cinnamomi Shirai & Hara

Cryptocarya latifolia Sond.

Meliola Cryptocaryae Doidge

Cryptocarya transvaalensis Burtt Davy

Meliola Cryptocaryae Doidge Meliola dactylipoda Syd.

Cryptocarya Woodii Engle.

Meliola Cryptocaryae Doidge. Meliola dactylipoda Syd. Asterina Woodiana Doidge

Cryptocarya spp. indet.

Meliola Cryptocaryae Doidge Ganoderma applanatum (Pers.) Pat.

Octoea bullata E. Mey.

Xylaria polymorpha (Pers. ex Fr.) Grev. Lembosia Phillipsii Doidge Chaetopeltopsis sp.
Eubelonis Octoeae v. d. Byl Fomes geotropus Cooke Fomes hornodermus (Mont.) Cooke Ganoderma applanatum (Pers.) Pat. Lenzites betulina (Linn. ex Fr.) Fr. Lenzites Palisoti Fr.
Trametes Meyenii (Klotzsch)? Lloyd. Coniothyrium insigne Syd. Pestalotia Ocoteae Laughton Fusarium sp. Rhizoctonia sp.

Ocotea sp. indet.

Fomes geotropus Cooke

Rhizopus nigricans Ehrhenb.

Fusarium moniliforme Sheld.

Persea americana Mill.

Phytophthora Cinnamomi Rands Pythium de Baryanum Hesse Pythium ultimum Trow Pythium vexans de Bary Botryosphaeria Ribis (Tode ex Fr.) Gross . & Dugg. var. chromogena Shear, Stev. & Wilcox. Glomerella congulata (Stonem.) Spauld. & v. Schrenk. Melanops Perseae (Doidge) Petr. Hexagona rigida Berk. Polystictus occidentalis (Klotzsch) Fr. Lentinus stuppeus Klotzsch Phyllosticta Perseae Ell. & Mart. Colletotrichum gloeosporioides Penz Pestalotia versicolor Speg. Sphaceloma Perseae Jenkins Cylindrocarpon album (Sacc.) Wollenw. var crassum Wollenw.

PAPAVERACEAE.

Eschscholzia californica Cham.

Fusarium sp.

Papaver nudicalue Linn.

Pythium ultimum Trow Erysiphe communis (Wallr.) Link Heterosporium groenlandicum Allesch. Heterosporium groenlandicum Allesch. Fusarium Scirpi Lamb. & Fautr. Ascochyta Papaveria Oud.

Papaver Rhoeas Linn.

Pythium oligandrum Drechsl. Ervsiphe communis (Wallr.) Link Entyloma fuscum Schroet. Fusarium Scirpi Lamb. & Fautr. var compactum Wollenw.

Papaver somniferum Linn.

Entyloma fuscum Schroet.

CRUCIFERAE

Amoracia rusticana Gaertn.

Cystopus candidus de Bary

Brassica Napus Linn.

Cystopus candidus de Bary

Brassica nigra Koch

Cystopus candidus de Bary

Brassica oleracea Linn. var. acephala DC.

Plasmodiophora Brassicae Woron. Peronospora parasitica (Pers.) Tul. Phoma lingam Desm.

Brassica oleracea Linn. var. botrytis Linn.

Sclerotinia scelrotiorum (Lib.) de Bary Mycosphaerella brassicaecola (de Bary) Lindau Phoma lingam Desm. Botrytis cinerea Pers. Alternaria Brassicae (Berk.) Sacc.

Brassica oleracea Linn, var. capitata Linn,

Plasmodiophora Brassicae Woron. Peronospora parasitica (Pers.) Tul. Pythium oligandrum Drechsl. Pythium ultimum Trow Mycosphaerella brassicaecola (de Bary) Lindau Pleospora herbarum (Pers.) Rabenh. Phoma lingam Desm. Phyllosticta Brassicae West. Alternaria Brassicae (Berk.) Sacc. Alternaria circinans (Berk. & Curt.) Bolle Alternaria herculea (Ell. & Mart.) Élliott Alternaria oleracea Milbraith Fusarium moniliforme Sheld.

Fusarium moniliforme Sheld. var. subglutinians Wollenw.

Fusarium conglutinans Wollenw. Fusarium oxysporum Schlecht. var. aurianticum (Link) Wollenw. Rhizoctonia sp.

Brassica oleracea Linn. var. gemmifera DC.

Plasmodiophora Brassicae (Berk.) Sacc. Alternaria Brassicae (Berk.) Sacc.

Brassica Rapa Linn.

Plasmodiophora Brassicae Woron. Cystopus candidus de Bary Peronospora parasitica (Pers.) Tul. Erysiphe communis (Wallr.) Link Cercosporella Brassicae (Fautr. & Roum.) v. Höhn. Alternaria herculea (Ell. & Mart.) Elliott

Brassica sp. indet.

Cystopus candidus de Bary

Cardamine africana Linn.

Cystopus candidus de Bary

Cochlearia Armoracia Linn.

=Amoracia rusticana Gaertn., Mey & Scherb.

Heliophila Meyeri Sond.

Cystopus candidus de Bary

Heliophila spp. indet.

Cystopus candidus de Bary

Iberis sp. indet.

Plasmodiophora Brassicae Woron.

Lepidium sp. indet.

Cystopus candidus de Bary

Matthiola incana R. Br.

Sclerotinia sclerotiorum (Lib.) de Bary Fusarium Scirpi Lamb. & Fautr. Fusarium Scirpi Lamb. & Fautr. var compactum Wollenw. Fusarium Solani Mart. var. Martii Appel & Wollenw. f. l. Wollenw. Fusarium vasinfectum Atk. f. 2 Wollenw. & Reinking Rhizoctonia sp.

Raphanus Rhaphanistrum Linn.

Peronospora parasitica (Pers.) Tul.

Raphanus sativus Linn.

Cystopus candidus de Bary Peronospora parasitica (Pers.) Tul.

Sisymbrium gariepinum Burch.

Cystopus candidus de Barv

Sisymbrium sp. indet.

Cystopus candidus de Bary

CAPPARIDACEAE.

${\it Boscia~caffra~Sond.}$

=Maerua racemulosa (A.P.DC.) Gilg. & Ben.

Capparis citrifolia Lam.

Asterina capparidicola Doidge Asterina elegans Doidge Microthyrium maculicolum Doidge Bulgariastrum bullatum Doidge Oncospora bullata Kalchbr. & Cooke

Capparis corymbifera E. Mey.

=Capparis tomentosa Lam.

Capparis Flanagani Gilg. & Ben.

Oncospora bullata Kalchbr. & Cooke

Capparis Gueinzii Sond.

Asterina elegans Doidge Asterina sphaerasca Thuem. Asterina Woodii Doidge Oncospora bullata Kalchbr. & Cooke

Capparis Rudatisii Gilg. & Ben.

Bulgariastrum africanum Kalchbr. & Cooke Oncospora viridans Kalchrb. & Cooke

Capparis tomentosa Lam.

Meliola Bosciae Doidge

Capparis Volkameriae DC.

Asterina capparidicola Doidge

Capparis Zevheri Turcz

Asterina capparidicola Doidge

Capparis spp. indet.

Oncospora bullata Kalchbr. & Cooke

Gynandropsis pentaphylla CD.

Sorodiscus radicicolus Iv. Cook

Maerua Legatii Burtt Davy

Hysterostomella Bosciae Doidge

Maerua racemulosa (A.P.DC.) Gilg. & Ben.

Meliola Bosciae Doigde Hysterostomella Bosciae Doidge Asterina Peglerae Doidge

Maerua spp. indet.

Meliola Bosciae Doidge Asterina Peglerae Doidge

Niebuhria pedunculata Hochst.

=Maerua raemculosa (A.P.DC.) Gilg. & Ben.

RESEDACEAE.

Reseda odorata Linn.

Cercospora Resedae Fuck.

NEPENTHACEAE.

Nepenthes Goetlingiana

Phyllosticta Nepenthecearum F. Tassi

Nepenthes gracilis Korthals

Phyllosticta Nepenthecearum F. Tassi

Nepenthis Outramiana Williams

Phyllosticta Nepenthecearum F. Tassi

CRASSULACEAE.

Cotyledon orbiculata Linn.

Septoria Cotyledonis Wakef.

Cotyledon sp. indet.

Phytophthora parasitica Dast.

Crassula arborescens (Mill.) Willd.

Septobasidium sp.

Crassula spathulata Thunb.

Puccinia exanthematica MacOwan

SAXIFRAGACEAE.

Choristylis rhamnoides Harv.

Meliola Choristylidis Doidge

Hydrangea opuloides Koch

Macrophoma sp. Colletotrichum sp. Oidium Hortensiae J ϕ rstad Rhizoctonia sp.

Montinia acris Linn.

=Montinia caryophyllacea Thunb.

Montinia caryophyllacea Thunb.

Puccinia deformans Wint.

Ribes nigrum Linn.

Leptosphaeria anceps Sacc.

Ribes rubrum Linn.

Leptosphaeria anceps Sacc.

Ribes sativum Syme

Cylindrosporium Ribis Davis

Ribes sp. indet.

Septoria Ribis Desm.

PITTOSPORACEAE.

Pittosporum undulatum Vent.

Botryodiplodia Theobromae Pat. Pestalotia Guepini Desm. Rhizoctonia lamellifera Small

Pittosporum viridiflorum Sims

Meliola polytricha Kalchbr. & Cooke

Pittosporum sp. indet.

Botryodiplodia Theobromae Pat.

CUNONIACEAE.

Cunonia capensis Linn.

Meliola sp. Schiffnerula radians (Syd.) Hansf. ? Fomes pinicola (Sw. ex Fr.) Cooke Ganoderma applanatum (Pers.) Pat.

Platylophus trifoliatus Don.

Stigmatea Platylophi Verw. & Du Pless. Fistulina africana v. d. Byl. Fomes Robinsoniae (Murr.) Sacc. & Trott.

HAMAMELIDACEAE.

Trichocladus crinitus Pers.

Irene scabra Doidge Meliola torta Doidge Scorias sp. Asterina Trichocladi Doidge Pestalotia Trichocladi Laughton

Trichocladus ellipticus E. & Z.

Irene scabra Doidge Asterinella contorta (Doidge) Hansf. Lembosia piriensis Doidge

Trichocladus spp. indet.

Stereum fasciatum (Schw.) Fr. Fomes McGregori Bres. Ganoderma applanatum (Pers.) Pat. Polyporus ochroleucus Berk.

ROSACEAE.

Agrimonia Eupatoria Linn. var. capensis Harv.

Pucciniastrum Agrimoniae (Diet.) Tranzsch.

Alchemilla Rehmannii Engl.

Uromyces Alchemillae (Pers.) Lév.

Cliffortia ferruginea Linn, f.

Irene calostroma (Desm.) v. Höhn.

Cliffortia strobilifera Murr.

Irene calostroma (Desm.) v. Höhn.

Cydonia oblonga Mill.

Sphaeropsis malorum Peck
Entomosporium maculatum Lev.
Gloeosporium fructigenum Berk.
Monochaetia Cydoniae Pole Evans & Doidge
Pestalotia sp.
Fusarium moniliforme Sheld. var. subglutinans Wollenw.

Eriobotrya japonica Lindl.

Armillaria mellea (Vahl ex Fr.) Quél, Phyllosticta Eriobotryae Thuem. Botryodiplodia Theobromae Pat. Entomosporium maculatum Lév. Gloeosporium fructigenum Berk. Fusicladium Eriobotryae Cav. Macrosporium sp.

Fragaria vesca Linn.

Mycosphaerella Fragariae (Tul.) Lindau

Fragaria spp. indet.

Rhizopus nigricans Ehrhenb.
Sphaerotheca macularis (Wallr.) Jacz.
Mycosphaerella Fragariae (Tul.) Lindau
Marssonina Fragariae (Sacc.) Kleb.
Botrytis cinerea Pers.
Trichothecium roseum Link
Cladosporium herbarum Link
Rhizoctonia sp.
Sclerotium Rolfsii Sacc.

Geum capense Thunb.

Sphaerella geicola Kalchbr. & Cooke

Leucosidea sericea Eckl. & Zevh.

Irene calostroma (Desm.) v. Höhn.

Parinarium capense Harv.

Phaeochorella Parinarii (P. Henn.) Theiss. & Syd.

Parinarium curatellifolium Planch.

Phaeochorella Parinarii (P. Henn.) Theiss. & Syd.

Parinarium mobola Oliv.

Phaeochorella Parinarii (P. Henn.) Theiss. & Syd. Armillaria mellea (Vahl. ex Fr.) Quél. Melasmia Parinarii P. Henn.

Parinarium sp. indet.

Phacidium nitidum Welw. & Curr.

Prunus Armeniaca Linn.

Rhizopus nigricans Ehrhenb.
Taphrina Mume Nish.
Sphaerotheca pannosa var. Persicae Woron.
Sclerotinia sclerotiorum (Lib.) de Bary
Calosphaeria princeps Tul.
Valsaria Eucalypti (Kalchbr. & Cooke) Sacc.
Puccinia Pruni-spinosae Pers.
Stereum purpureum (Pers. ex Fr.) Fr.
Polyporus gilvus (Schw.) Fr.
Trametes cingulata Berk.

Trametes Proteus (Berk.) Fr.
Armillaria mellea (Vahl ex Fr.) Quél.
Schizophyllum commune Fr.
Cytospora leucostoma Sacc.
Phyllosticta prunicola Sacc.
Cladosporium carpophilum Thuem.
Clasterosporium carpophilum (Lév.) Aderh.
Sclerotium Rolfsii Sacc.

Prunus avium Linn.

Armillaria mellea (Vahl ex Fr.) Quél. Schizophyllum commune Fr. Cytospora leucostoma Sacc. Cylindrosporium Padi Karst. Cercospora circumscissa Sacc.

Prunus communis Fritsch

Puccinia Pruni-spinosae Pers. Stereum purpureum (Pers. ex Fr.) Fr. Polystictus versicolor (Linn. ex Fr.) Fr. Gloeosporium amygdalinum Brizi. Cercospora guliana Sacc. Clasterosporium carpophilum (Lév.

Prunus persica Sieb. & Zucc.

Rhizopus nigricans Ehrhenb. Taphrina deformans (Fuck.) Tul. Spherotheca pannosa (Wallr.) Lev. var. persicae Woronich. Sclerotinia? fructicola (Wint.) Rehm Calosphaeria princeps Tul. Puccinia Pruni-spinosae Pers. Septobasidium natalense Couch Stereum purpureum (Pers. ex Fr.) Fr. Fomes annosus (Fr.) Gillet Polystictus versicolor (Linn. ex Fr.) Fr. Trametes roseola Pat. & Har. Armillaria mellea (Vahl ex Fr.) Quél. Schizophyllum commune Fr. Cytospora leucostoma Sacc. Phoma Persicae Sacc. Phyllosticta Persicae Sacc. Phyllosticta prunicola Sacc. Penicillium italicum Wehm. Cercospora rubrotineta Ell. & Everh. Cladosporium carpophilum Thuem. Clasterosporium carpophilum (Lév.) Aderh. Macrosporium commune Rabenh. Fusarium lateritium Nees

Prunus persica Sieb. & Zucc. var. nucipersica Schneid.

Calosphaeria princeps Tul. Taphrina deformans (Fuck.) Tul. Puccinia Pruni-spinosae Pers. Cladosporium carpophilum Thuem.

Prunus salicina Lindl. (and hybrids).

Rhizopus nigricans Ehrhenb. Taphrina Pruni (Fuck.) Tul. Sclerotinia ? fructicola (Wint.) Rehm Valca leucostoma (Pers.) Fr. Puccinia Pruni-spinosae Pers. Septobasidium natalense Couch Septobasidium sp. Stereum purpureum (Pers, ex Fr.) Fr. Polystictus occidentalis (Klotzsch) Fr. Armillaria mellea (Vahl ex Fr.) uel. Schizophyllum commune Fr. Cytospora leucostoma Sacc. Gloeosporium fructigenum Berk. Oidium sp. Penicillium italicum Wehm. Trichothecium roseum Link. Cladosporium carpophilum Thuem. Fumago vagans Pers.

Prunus sp. indet.

Armillaria mellea (Vahl ex Fr.) Quél.

Pygeum africanum Hook. f.

Irene calostroma (Desm.) v. Höhn.

Pyracantha coccinea Roem.

Fusicladium Crataegi Aderh.

Pyrus communis Linn.

? Nectria galligena Bres.
Fracchaea heterogena Sacc.
Mycosphaerella sentina (Fr.) Schroet.
Calosphaeria princeps Tul.
Corticium salmonicolor Berk. & Br.
Stereum purpureum (Pers. ex Fr.) Fr.
Ganoderma applanatum (Pers.) Pat.
Sphaeropsis malorum Peck.
Septoria pyricola Desm.
Entomosporium maculatum Lév.
Gloeosporium fructigenum Berk.
Sporotrichum roseum Link.
Trichothecium roseum Link.
Coniothecium chomatosporum Corda
Fusicladium pirinum (Lib.) Fuck.

Pyrus malus Linn.

Rhizopus nigricans Ehrhenb.

Elsinoe Pyri (Woron.) Jenk.
 Podosphaera leucotricha (Ell. & Everh.) Salm.
 Nectria cinnabarina (Tode) Fr.
 Nectria galligena Bres.
 Diaporthe perniciosa Marchal
 Eutypella stellulata (Fr.) Sacc.
 Valsa leucostoma (Pers.) Fr.
 Botryosphaeria Ribis (Tode ex Fr.) Gross. & Dugg.
 var. chromogena Shear, Stev. & Wilcox

Fracchiaea heterogenea Sacc. Physalospora obtusa (Schw.) Cooke Corticium lactum (Karst.) Bres. Corticium salmonicolor Berk. & Br. Stereum purpureum (Pers. ex Fr.) Fr. Septobasidium pedicellatum (Schw.) Pat. Peniophora cinerea (Fr.) Cooke Hexagona tenuis (Hook.) Fr. Trametes devexa Berk. Armillaria mellea (Vahl ex Fr.) Quél. Schizophyllum commune Fr. Coniothyrium Fuckelii Sacc. Cytospora leucostoma Sacc. Fusicoccum africanum v. d. Byl Macrophoma curvispora Peck. Phoma Pomi Pass. Phomopsis perniciosa Grove Phyllosticta Mali Prill. & Delacr. Phyllosticta pyrina Sacc. Phyllosticta solitaria Ell. & Everh. Sphaeropsis malorum Peck. Gloeodes pomigena (Schw.) Colby Leptothyrium Pomi (Mont. & Fr.) Sacc. Gloeosporium fructigenum Berk. Myxosporium corticola Edgert. Aspergillus niger v. Tiegh. Botrytis cinerea Pers. Penicillum expansum Link Trichothecium roseum Link. Coniothecium chomatosporum Corda Fumago vagans Pers. Fusicladium dendriticum (Wallr.) Fuck. Alternaria sp. Fusarium moniliforme Sheld. Fusarium moniliforme Sheld. var subglutinans Wollenw. Fusarium Scirpi Lamb. & Fautr. Sclerotium Rolfsii Sacc.

Rosa canina Linn.

Sphaerotheca pannosa (Wallr.) Fuck.

Rosa centifolia Linn.

Phragmidium disciflorum (Tode) James

Rosa laevigata Michx.

Sphaerotheca pannosa (Wallr.) Lev.

Rosa spp. indet.

Sphaerotheca pannosa (Wallr.) Lev.
Leptosphaeria coniothyrium (Fuck.) Sacc.
Botryosphaeria Ribis (Tode ex Fr.) Gross. & Dugg.
var. chromogena Shear, Stev. & Wilcox.
Phragmidium disciflorum (Tode) James
Phomopsis sp.
Actinonema Rosea (Lib.) Fr.
Coniothyrium Fuckelii Sacc.
Botrytis cinerea Pers.
Sphaceloma Rosarum (Pass.) Jenk.
Cladosporium herbarum Link.
Trichothecium roseum Link.

Rubus Adolfi-Friederici Engl.

Kuehneola albida (Kuhn) Magn.

Rubus cuneifolius E Merc.

Septoria Rubi West

Rubus loganobaccus Bailey

Hendersonia Rubi West Septoria Rubi West Gloeosporium venetum Speg.

Rubus Ludwigii Eckl. & Zeyh.

Hamaspora longissima (Thuem.) Koern.

Rubus pinnatus Willd.

Irene calostroma (Desm.) v. Höhn. Pseudothyridaria moroides Syd. Rosellinia aquila (Fr.) deNot. Hamaspora longissima (Thuem.) Koern. Botrytis cinerea Pers.

Rubus rigidus Sm.

Irene calostroma (Desm.) v. Höhn. Hamaspora longissima (Thuem.) Koern. Kuehneola albida (Kuhn) Magn. Gloeosporium fructigenum Berk.

Rubus rosaefolius Sm.

Irene calostroma (Desm.) v. H $\ddot{\mathbf{o}}$ hn. Cercospora heteromalla Syd.

Rubus transvaalensis C. E. Gust

Irene calostroma (Desm.) v. Höhn. Hamospora longissima (Thuem.) Koern. Kuehneola albida (Kuhn) Magn.

Rubus ursinus Cham. & Schlecht.

Phragmidium violaceum (Schultz) Wint. Septoria Rubi West.

Rubus vitifolius Cham. & Schlecht.

=Rubus ursinus Cham. & Schlecht.

Rubus spp. indet.

Rhizopus nigricans Ehrhenb. Hamaspora longissima (Theum.) Koern. Kuehneola albida (Kuhn) Magn. Phragmidium violaceum (Theum.) Koern. Gloeosporium venetum Speg. Septoria Rubi West.

CONNARACEAE.

Cnestis natalensis Planch. & Sond.

Meliola Cnestidis Doidge

MENISPERMACEAE.

Cissampelos mucronata A. Rich

Cercospora Pareirae Speg.

Stephania abyssinica (Dill. & Rich.) Walp.

Parastigmatea nerviseta Doidge

Stephania hernandifolia Walp.

=Stephania abyssinica (Dill. & Rich.) Walp.

MAGNOLIACEAE.

Magnolia grandiflora Linn.

Phyllosticta Magnoliae Prill. & Delacr. Hendersonia Magnolial Sacc.

ANNONACEAE.

Annona chrysophylla Boj.

Colletotrichum anonicoloa Speg.

Annona reticulata Linn.

Phyllosticta sp. Ascochyta Cherimoliae Thuem. Colletotrichum anonicola Speg.

Annona senegalensis Pers.

Phyllosticta helvola (Berk. & Curt.) Tass. Cercospora obtecta Syd. Cercospora scitula Syd.

Artabotrys Monteiroae Oliv.

Sphaerophragmium Artabotrydis Doidge

Popowia caffra (Sond.) Hk. f. & Thoms.

Meliola Popowiae Doidge Trichasterina Popowiae Doidge Puccinia Popowiae Doidge

Annonaceae indet.

Uropyxis Gerstneri Doidge

LEGUMINOSAE. Caesalpiniae.

Afzelia quanzensis Welw.

Polystictus occidentalis (Klotzsch) Fr. Oidium sp.

Andradia arborea Sim

=Dialium Schlechteri Harms.

Bauhinia Galpinii N. E. Br.

Nematospora Coryli Pegl. Uromyces Rhodesicus Wakef. Oidium sp. Cercospora Bauhiniae Syd.

Bauhinia macrantha Oliver

Uromyces Rhodesicus Wakef. Cercospora Bauhiniae Syd.

Bauhinia punctata Bolle

=Bauhinia Galpinii N. E. Br.

Bauhinia reticulata DC.

=Bauhinia Thonningii Schum.

Bauhinia Thonningii Schum.

Uromyces Schinzianus P. Henn. Phyllosticta Bauhiniae-reticulatae P. Henn. Helminthosporium (Cercospora phaeocarpa Mitter)

Bauhinia spp. indet.

Uromyces Rhodesicus Wakef.

Oidium sp. Cladosporium herbarum Link

Berlinia sp. indet.

? Hypoxylon malleolus Berk. & Rav. Polystictus hirsutus (Wulf ex Fr.) Fr.

Brachystegia Randii Bak. f.

Erysiphe Brachystegiae Doidge
Phyllachora Brachystegiae Doidge
Xylaria allantoidea Berk.
Fomes geotropus Cooke
Fomes hornodermus (Mont.) Cooke
Hexagona Pobeguini Har.
Lenzites Palisoti Fr.
Trametes corrugata (Pers.) Bres.
Colletolrichum lindemuthianum (Sacc. & Magn.) Shear

Brachystegia spp. indet.

Parodiopsis Brachystegiae (P. Henn.) Arn. Phyllachora Brachystegiae Doidge Hypoxylon malleolus Berk. & Rav. Macrosporium sp.

Burkea africana Hk.

Phyllactinia Evansii Doidge Fomes rimosus (Berk.) Cooke

Caesalpinia sepiaria Roxb.

Neopeckia Caesalpiniae Doidge Exidia Duthei Lloyd

Cassia delagoensis Harv.

Ravenelia Baumiana P. Henn. Cercospora occidentalis Cooke Cercospora sphaeroidea Speg.

Cassia goratensis Fres.

Ravenelia Baumiana P. Henn.

Cassia laevigata Willd.

Cladosporium asteromatoides Sacc.

Cassia mimosoides Linn.

Uromyces Cassiae-mimosoidis Doidge

Cassia occidentalis Linn.

Oidium sp.

Cassia singucana Delile

=Cassia goratensis Fres.

Cassia sp. indet.

Ravenelia le Testui Maubl.

Copaifera Baumiana Harms.

Parodiopsis Brachystegiae (P. Henn.) Arn.

Copaifera Gorskiana Benth.

Daldinia concentrica (Bolt. ex Fr.) Ces. & deNot.

Copaifera Mopane Kirk

Ganoderma lucidum (Leyss, ex Fr.) Karst. Hexagona speciosa Fr.

Delonix regia Raf.

Ganoderma lucidum (Leyss. ex Fr.) Karst. Armillaria mellea (Vahl ex Fr.) Quél. Phomopsis sp.

Dialium Schlechteri Harms

Phyllachora rikatliensis (Doidge) Petr. Microdiplodia rikatliensis Petr.

Isoberlinia globifera Hutch. & Burtt Davy

Oidium sp.

Peltophorum africanum Sond.

Phyllachora Peltophori Syd.

Schotia latifolia Jacq.

Chaetothyrium capense (Doidge) Hansf. Fomes rimosus (Berk.) Cooke Polystictus ochraceus (Pers.) Lloyd Trametes hispida Bagl. Trametes lactinea (Berk.) Fr. Oidium sp.

Schotia speciosa Jacq.

Phyllachora Schotiae Doidge

MIMOSEAE.

Acacia ataxacantha DC.

Eutypella Acaciae Doidge Ravenelia Halsei Doidge

Acacia Benthami Roxbr.

Phyllachora Halsei Doidge

Acacia Burkei Bonth.

Ravenelia escharoides Syd. Septobasidium protractum Syd.

Acacia caffra (Thunb.) Willd.

Ravenelia Peglerae Pole Evans Ravenelia Pienarii Doidge

Acacia cyclops Cunn.

Stilbum aurantio-cinnabarinum Speg.

Acacia decurrens Willd.

Nectria coccinea (Pers.) Fr. Daldinia concentrica (Bolt. ex Fr.) Ces. & deNot. Stereum hirsutum (Willd. ex Fr.) Fr. Amauroderma rugosum (Blume & Nees). Ganoderma applanatum (Pers.) Pat. Lenzites Palisoti Fr. Polyporus fruticum Berk. & Curt. Polystictus hirsutus (Schw.) Cooke Polystictus occidentalis (Klotzsch) Fr. Polystictus polyzonus (Pers.) Cooke Polystictus sanguineus (Linn. ex Fr.) Fr. Polystictus versicolor (Linn. ex Fr.) Fr. Trametes cingulata Berk. Trametes Meyenii (Klotzsch)? Lloyd Trametes trabea (Pers. ex Fr.) Bres. Trametes violacea Lloyd Schizophyllum commune Fr.

Acacia decurrens Willd. var. dealbata F. v. M.

Trametes Meyenii (Klotzsch)? Lloyd

Acacia detinens Burch.

Ravenelia transvaalensis Doidge Septobasidium protractum Syd.

Acacia Gerrardi Benth.

Phyllachora Halsei Doidge Ravenelia Evansii Syd.

Acacia Gillettae Burtt-Davy

Ravenelia modesta Doidge

Acacia Giraffae Burch.

Hysterographium Acaciae Doidge

Acacia hirtella E. Mey

Ravenelia natalensis Syd. & Evans Septobasidium protractum Syd.

Acacia Karroo Hayne

Patellaria atrata (Hedw.) Fr.
Ravenelia inornata Diet.
Ravenelia MacOwaniana Pazschke
Stereum hirsutum (Willd. ex Fr.) Fr.
Daedalea Eatoni Berk.
Fomes rimosus (Berk.) Cooke
Ganoderma lucidum (Leyss. ex Fr.) Fr.
Hexagona crinigera Fr.
Lenzites Palisoti Fr
Trametes capensis Lloyd
Omphalia integrella (Pers. ex Fr.) uel.
Schizophyllum commune Fr.
Stilbum aurantio-cinnabarinum Speg.

Acacia litakunensis Burch.

Hysterographium spinicolum Doidge Aecidium litakunensis Doidge Septogloeum Acaciae Verw. & du Pless. (non Sy

Acacia melanoxylon R. Br.

Daldinia concentrica (Bolt. ex Fr.) Ces. & deNot. Corticium laetum (Karst.) Bres.
Fomes pectinatus (Klotzsch) Gillet
Ganoderma applanatum (Pers.) Pat.
Lenzites Palisoti Fr.
Polyporus gilvus (Schw.) Fr.
Polystictus zonatus Fr.
Schizophyllum commune Fr.

Accacia mollissima Willd.

Hypocrea subcitrina Kalchbr. & Cooke Megalonectria pseudotricha (Schw.) Speg. Hypoxylon exutans Cooke Guepinia spathularia (Schw.) Fr. Hymenochaete tristicula (Berk. & Br.) Mass. Stereum bicolor Fr. Stereum fasciatum (Schw.) Fr. Stereum hirsutum (Willd. ex Fr.) Fr. Stereum sanguinolentum (Alb. & Schw. ex Fr.) Fr. Stereum vellereum Berk. Hydnum setosum (Pers.) Bres. Irpex modestus Berk. ex Cooke Daedalea Eatoni Berk. Amauroderma rugosum (Blume & Nees) Favolus spathulatus (Jungh.) Bres. Fomes lividus (Kalchbr.) Cooke Ganoderma applanatum (Pers.) Pat. Ganoderma lucidum (Leyss. ex Fr.) Karst. Lenzites betulina (Linn. ex Fr.) Fr. Lenzites Palisoti Fr. Polyporus Acaciae v. d. Byl Polyporus Doidgeae Wakef.

Polystictus aratus (Berk.) Cooke Polystictus hirsutulus (Schw.) Cooke Polystictus hirsutus (Wulf ex Fr.) Fr. Polystictus occidentalis (Klotzsch) Fr. Polystictus pergameus Fr. Polystictus subiculoides Lloyd Polystictus sanguineus (Linn. ex Fr.) Fr. Polystictus velutinus (Pers. ex Fr.) Cooke Poria attenuata Peck Poria vaporaria (Fr.) Cooke Poria vulgaris (Fr.) Cooke Trametes cingulata Berk. Trametes gibbosa (Pers. ex Fr.) Fr. Trametes griseo-lilacina v. d. Byl Trametes lactinea (Berk.) Fr. Trametes Meyenii (Klotzsch)? Llovd Trametes Proteus (Berk.) Fr. Trametes roseola Pat. & Har. Lentinus stuppeus Klotzsch Schizophyllum commune Fr. Cylindrocladium scoparium Morgan Stigmina verruculosa Svd. Rhizoctonia lamellifera Small Rhizoctonia sp.

Acacia mossambicensis Bolle

Ravenelia escharoides Syd.

Acacia pallens Rolfe

Septobasidium protractum Syd.

Acacia pennata Willd.

? Ravenelia pretoriensis Syd.

Acacia Rehmanniana Schinz

Ravenelia Evansii Syd. Leptostromella Acaciae Syd.

Acacia robusta Burch.

Phyllactinia Acaciae Syd. Phyllachora Halsei Doidge Ravenelia Evansii Syd. Lasmeniella globulifera (Rabenh.) Petr. & Syd.

Acacia saligna Wendl.

Exidia purpurea-cinerea MacOwan & Kalchbr. Schizophyllum commune Fr. Diplodia lichenopsis Cooke & Mass. Tubercularia minor Link

Acacia stolonifera Burch.

Ravenelia modesta Doidge Aecidium Burtt-Davyi Doidge

Acacia uncinata Engl.

Aecidium Dinteri Doidge

Acacia Woodii Burtt Davy

Ravenelia Evansii Syd.

Acacia sp. (Near Acacia arabica Willd.=A. Benthami Roxbr.)

Ravenelia deformans (Maubl.) Diet.

Acacia spp. indet.

Aecidium spinicolum Doidge
Ravenelia Evansii Syd.
Septobasidium protractum Syd.
Stereum hirsutum (Willd. ex Fr.) Fr.
Daedalea Dregeana Mont.
Daedalea Hobbsii v. d. Byl
Ganoderma lucidum (Leyss. ex Fr.) Karst.
Polyporus adustus (Willd. ex Fr.) Fr.
Polystictus flavus (Jungh.) Fr.
Polystictus versicolor (Linn. ex Fr.) Fr.
Trametes cingulata Berk.
Schizophyllum commune Fr.
? Cytospora verrucula Sacc. & Berl.
Stilbum aurantio-cinnabarinum Speg.

Albizzia amara Boiv.

Ganoderma lucidum (Leyss. ex Fr.) Karst. Trametes corrugata (Pers.) Bres.

Albizzia fastigiata Oliv.

=Albizzia gummifera (Gmel.) C. A. Sm.

Albizzia gummifera (Gmel.) C. A. Sm.

Endodothella Deightonii Syd.
Ravenelia minima Cooke
Microstroma Albizziae Syd.
Ganoderma applanatum (Pers.) Pat.
Ganoderma lucidum (Leyss. ex Fr.) Karst.
Hexagona tenuis (Hook.) Fr.
Polystictus occidentalis (Klotzsch) Fr.
Lasmeniella globulifera (Rabenh.) Petr. & Syd.

Albizzia versicolor Welw. ex. Oliv.

Ravenelia Bottomleyae Doidge

Albizzia versicolor Welw. ex Oliv. var **mossambicensis** Schinz Microstroma Albizziae Syd.

Dichrostachys glomerata (Forsk.) Chiov.

Endodothella natalensis Doidge Ravenelia Dichrostachydis Doidge

Dichrostachys nutans Benth.

=Dichrostachys glomerata (Forsk.) Chiov.

Dichrostachys nyassana Taub.

Mycosphaerella Dichrostachydis v. d. Byl

Elephantorrhiza Burchellii Benth.

=Elephantorrhiza elephantina (Burch.) Skeels

Elephantorrhiza elephantina (Burch.) Skeels

Ravenelia Elephantorrhizae Doidge

PAPILIONACEAE.

Aeschynome nyassana Taub.

Parodiella perisporioides (B. & C.) Speg.

Alysicarpus violaceus (Forsk.) Schindl.

Uromyces Alysicarpi Wakef. & Hansf.

Alysicarpus sp. indet.

Uromyces Alysicarpi Wakef. & Hansf.

Arachis hypogaea Linn.

Rhizopus nigricans Ehrhenb.
Pythium ultimum Trow
Phyllosticta sp.
Aspergillus niger v. Tiegh.
Botrytis cinerea Pers.
Cercospora arachidicola Hori
Cercospora personata (Berk. & Curt.) Ellis
Fusarium angustum Sherb.
Fusarium oxysporum Schlecht. var aurantiacum (Link) Wollenw.
Fusarium Scirpi Lamb. & Fautr.
Sclerotium Rolfsii Sacc.

Argyrolobium amplexicaule (E. Mey.) Dummer

Uromyces Argyrolobii Doidge

Argyrolobium Wilmsii Harms.

Cercospora Argyrolobii Chupp & Doidge

Aspalathus pachyloba Benth.

Uromyces Bolusii Mass.

Aspalathus sp. indet.

Uromyces Bolusii Mass.

Baphia obovata Schinz

Uredo kampuluvensis P. Henn.

Baphia Goossensi de Wild. var. grandifolia de Wild.

Meliola sp.

Borbonia parviflora Lam.

Uromyces ventosa Syd.

Borbonia sp. indet.

Uromyces ventosa Syd.

Cajanus Cajan Millsp.

Uromyces Dolicholi Arth.

Calpurnia sylvatica E. Mev.

Ravenelia glabra Kalchrb. & Cooke Ascochyta Calpurniae Wint.

Canavalia ensiformis DC.

Alternaria Brassicae (Berk.) Bolle var. Phaseoli Brum.

Canavalia obtusifolia DC.

Phyllosticta Canavaliae v. d. Byl

Ceratonia siliqua Linn.

Septobasidium sp. nr. S. Curtisii (Berk. Desm.) Boed. & Steinm.

Crotalaria agatiflora Scheunf.

Irpex flavus Klotzsch

Crotalaria australis Bak. f.

Uromyces Harmsianus (P. Henn.) Doidge

Crotalaria dura Wood & Evans

Parodiella perosporioides (Ber.k & Curt.) Speg.

Crotalaria excisa Bak. f.

? Uredo Lotononi Doidge

Crotalaria intermedia Klotzsch

Cercospora demetrioniana Wint.

Crotalaria juncea Linn.

Gibberella Fujikuroi Sawada var. subglutinans Edwards Mycosphaerella pinodes (Berk. & Br.) Stone Pleurage Brassicae (Klotzsch) Kuntze Nematospora Coryli Pegl. Oidium sp. Colletotrichum lindemuthianum (Sacc. & Magn.) Shear Cercospora demetrioniana Wint. Cladosporium herbarum Link

Fusarium moniliforme Sheld. var. subglutinans Wollenw.

Fusarium Scirpi Lamb. & Fautr.

Fusarium vasinfectum Atk. f.2. Wollenw. & Reinking

Crotalaria lachnoclada Harms

Uredo crotalariicola P. Henn.

Crotalaria lanceolata E. Mey.

Uromyces Harmsianus (P. Henn.) Doidge

Crotalaria sp. indet.

Aecidium Dielsii P. Henn.

Cyamopsis psoraloides DC.

Colletotrichum sp. Fusarium sp., near F. vasinfectum Atk.

Dalbergia armata E. Mey.

Phyllachora puncta (Cooke) Doidge Sphaerophragmium Dalbergiae Diet.

Desmodium hirtum G. & P.

Parodiella perisporioides (Berk. & Curt.) Speg.

Desmodium Leiocarpum G. Don.

Colletotrichum sp.

Desmodium scalpe DC.

Synchitrium Dolichi (Cooke) Gaumann

Desmodium spirale DC.

Colletotrichum omnivorum Halst.

Dolichos axillaris E. Mey.

=Dolichos biflorus Linn.

Dolichos Baumii Harms

Helminthosporium accedens Syd.

Dolichos biflorus Linn.

Synchitrium Dolichi (Cooke) Gaumann Oidium sp. Cercospora canescens Ell. & Mart.

Dolichos euryphyllus Harms

Helminthosporium Dolichi Svd.

Dolichos falciformis E. Mev.

Uromyces Vignae Barcl.

Dolichos gibbosus Thunb.

Uromyces Vignae Barel.

Dolichos lupiniflorus N. E. Br.

Uromyces Vignae Barcl. Oidium sp.

Dolichos spp. indet.

Synchitrium Dolichi (Cooke) Gaumann.
? Phyllachora circinata (Kalchbr. & Cooke) Theiss. & Syd. Cercospora canescens Ell. & Mart.

Eriosema caianoides Benth.

Uromyces Rhynchosiae Cooke

Eriosema cordatum E. Mev.

Parodiella perisporioides (Berk. & Curt.) Speg. Uromyces Rhynchosiae Cooke

Eriosema Englerianum Harms.

Parodiella perisporioides (Berk. & Curt.) Speg.

Eriosema salignum E. Mey.

Parodiella perosporioides (Berk. & Curt.) Speg. Uromyces Rhynchosiae Cooke

Eriosema spp. indet.

Uromyces Rhynchosiae Cooke

Erythina caffra Thunb.

Phyllactinia Erythrinae Doidge Septobasidium mompa (Tanaka) Rac.

Flemingia Grahamiana Wight & Arn.

Uromyces Rhynchosiae Cooke Cercospora melaena Syd.

Glycine javanica Linn.

Synchitrium Dolichi (Cooke) Gaumann

Glycine Max Merr.

Peronospora trifoliorum de Bary Corticium vagnum Berk. & Curt. Ascochyta Pisi Lib. Colletotrichum Glycines Hori Macrophomina Phaseoli (Maubl.) Ashby Phoma sp. Oidium sp. Sclerotium Rolfsii Sacc. Rhizoctonia crocorum (Pers.) DC.

Indigofera hilaris E. & Z.

Parodiella perisporioides (Berk. & Curt.) Speg. var. microspora Theiss. & Syd.

Indigofera malacostachys Benth.

Parodiella perisporioides (Berk. & Curt.) Speg. var. microspora Theiss. & Syd.

Indigofera natalensis Bolus

Meliola Indigoferae Syd.

Indigofera neglecta N. E. Br.

Parodiella perisporioides (Berk. & Curt.) Speg. var. microspora Theiss. & Syd. Uredo Indigoferae Doidge

Indigofera pretoriana Harms

Uredo Indigoferae Doidge

Indigofera tristis E. Mey.

Parodiella perisporioides (Berk. & Curt.) Speg. var microspora Theiss. & Syd.

Indigofera spp. indet.

Parodiella perisporioides (Berk. & Curt.) Speg. var. microspora Theiss. & Syd. Ravenelia Indigoferae Tranzsch. Uromyces ermelensis Doidge Uredo Indigoferae Doidge

Lathyrus odoratus Linn.

Pythium ultimum Trow? Prysiphe Martii Lev. Botrytis cinerea Pers. Fusarium oxysporum Schlecht. Fusarium Scirpi Lamb. & Fautr.

11101 - 27

Fusarium Scirpi Lamb. & Fautr. var. compactum Wollenw.
Fusarium Solani Mart. var. Martii (App. & Wollenw.) f. l. Wollenw.
Fusarium Solani Mart. var. Martii (App. & Wollenw.) f. l. Wollenw.
and ? f. 2. Snyder
Fusarium vasinfectum Atk. var. lutulatum (Sherb.) Wollenw.
Rhizoctonia sp.

Lebeckia Candolleana Walp.

Aphysa Lebeckiae (Verw. & Dipp.) Doidge

Lebeckia sericea Thunb.

Aecidium Lebeckiae P. Henn.

Lebeckia Simsiana E. & Z.

Accidium Lebeckiae P. Henn.

Lessertia depressa Harv.

Diachora Lessertiae (Doidge) Petr.

Lessertia perennans DC.

Diachora Lessertiae (Doidge) Petr.

Lessertia stricta Bolus

Diachora Lessertiae (Doidge) Petr.

Lonchocarpus Capassa Rolfe

Uredo Lonchocarpi Doidge

Lonchocarpus sp. indet.

Aecidium Menyharthi P. Henn.

Lotononis corymbosa Benth.

Uredo Lotononi Doidge

Lotononis cytisoides Benth.

Uredo Lotononi Doidge

Lotononis hirsuta Schinz.

Uredo Lotononi Doidge

Lotononis oxyptera Benth.

Uredo Lotononi Doidge

Lotononis sp. indet.

Uredo Lotononi Doidge

Lupinus albus Linn.

Sclerotium Rolfsii Sacc.

Lupinus angustifolius Linn.

Sclerotinia sclerotiorum (Lib.) de Bary ? Ascochyta Pisi Lib. Botrytis cinerea Pers.

Lupinus spp. indet.

? Erysiphe Pisi DC. Fusarium bulbigenum Cooke & Mass. var. tracheiphilum (E. F. Sm.) Wollenw.

Medicago aschersoniana Urb.

Uromyces striatus Schroet.

Medicago sativa Linn.

Peronospora trifoliorum de Bary
Neocosmospora vasinfecta E. F. Sm. var. tracheiphila E. F. Sm.
Pleospora herbarum (Pers.) Rabenh.
Pseudopeziza Medicaginis (Lib.) Sacc.
Uromyces striatus Schroet.
Phyllosticta Medicaginis (Fuck.) Sacc.
Colletotrichum Trifolii Bain & Essary
Botrytis cinerea Pers.
Fusarium angustum Sherb.
Fusarium Solani Mart. var. Martii (App. & Wollenw.) f. 1. Wollenw.
Rhizoctonia crocorum (Pers.) DC.
Rhizoctonia lamellifera Small

Melilobium sp. indet.

Aecidium australe Berk.

Melilotus alba Desr.

Colletotrichum Glycines Hori

Milletia caffra Meisn.

Diorchidium Woodii Kalchbr. & Cooke Fomes rimosus (Berk.) Cooke

Milletia Sutherlandi Harv.

Xylaria castorea Berk. Pestalotia Milletiae Laughton

Mucuna coriacea Baker

Uromyces Mucunae Rabenh.

Mucuna irritans Burtt Davy

Uromyces Mucunae Rabenh.

Mucuna pruriens (Linn.) DC.

Uromyces Mucunae Rabenh. Phyllosticta phaseolina Sacc. Mucuna utilis Wall ex Wright

=Mucuna pruriens (Linn.) DC.

Mucuna sp. indet.

Uromyces Mucunae Rabenh.

Mundulea sericea (Willd.) Greenway

Ravenelia stictica Berk. & Br. Heterosporium Munduleae Syd.

Mundulea suberosa Benth.

=Mundulea sericea (Willd.) Greenway

Ormocarpum trichocarpum (Taub.) Harms

Uropyxis Steudneri P. Magn. var. rhodesica Doidge

Phaseolus acutifolius Gray var. latifolius Freem.

Uromyces appendiculatus (Pers.) Link

Vermicularia Capsici Syd.

Fusarium Solani (Mart.) Myar. Martii (App. & Wollenw.) f. l. Wollenw.

Phaseolus aureus Roxb.

Phoma subcircinata Ell. & Everh.

Ascochyta Pisi Lib.

Colletotrichum lindemuthianum (Sacc. & Magn.) Bri. & Cav.

Phaseolus coccineus Linn.

Uromyces appendiculatus (Pers.) Link.

Colletotrichum lindemuthianum (Sacc. & Magn.) Bri. & Cav.

Macrosporium Phaseoli Fautr.

Phaseolus limensis Macf.

Phyllosticta phaseolina Sacc.

Ascochyta Pisi Lib.

Phaseolus vulgaris Linn.

Haplosporangium bisporale Thaxt.

Pythium de Barvanum Hesse var. Pelargonii Braun

Pythium spinosum Sawada

Pythium ultimum Trow

Ashbya Gossypii (Ashby & Nowell) Guill.

Nematospora Corvli Pegl.

Uromyces appendiculatus (Pers.) Link

Phoma circinata Ell. & Everh.

Phyllosticta phaseolina Sacc.

Colletotrichum lindemuthianum (Sacc. 7 Magn.) Br. & Cav.

Macrosporium Phaseoli Fautr.

Cercospora canescens Ell. & Mart.

Cercospora columnaris Ell. Everh.

Cercospora cruenta Sacc.

Fusarium oxysporum Schlecht. var aurantiacum (Link) Wollenw.

Fusarium Solani (Mart.) Appel & Wollenw.

Fusarium Solani var. Martii (Appel & Wollenw.) f. 1. Wollenw.

Sclerotium Rolfsii Sacc.

Phaseolus spp. indet.

? Phyllachora circinata (Kalchbr. & Cooke) Theiss. & Syd. Fusarium Scirpi Lamb. & Fautr. var. acuminatum (Ell. & Everh.) Wollenw.

Pisum sativum Linn.

Peronospora Viciae (Berk.) de Bary

Pythium acanthicum Dreschsl.

Pythium ultimum Trow

Erysiphe Pisi DC.

Mycosphaerella pinodes (Berk. & Br.) Stone

Ascochyta Pisi West.

Septoria Pisi West.

Cladosporium pisicolum Snyder

Fusarium moniliforme Sheld.

Fusarium oxysporum Schlecht. f. 8 Snyder

Fusarium Scirpi Lamb. & Fautr.

Fusarium Solani (Mart.) Appel & Wollenw. var. Martii (App. & Wollenw.)

f. 1. Wollenw.

Fusarium vasinfectum Atk. var. lutulatum (Sherb.) Wollenw.

Sclerotium Rolfsii Sacc.

Pseudarthria Hookeri Wight & Arn.

Uromyces Pseudarthriae Cooke

Psoralea decumbens Ait.

Parodiella perisporioides (Berk. & Curt.) Speg.

Uromyces Psoraleae Peck

Psoralea obliqua E. Mev.

Uromyces Psoraleae Peck

Psoralea polysticta Benth.

Uredo Psoraleae-polystictae Doidge

Psoralea sp. indet.

Uromyces Psoraleae Peck

Pterocarpus angolensis DC.

Phyllachora Pterocarpi Syd. Hexagona Pobeguini Har.

Pterocarpus erinaceus Pior.

Phyllachora Pterocarpi Syd.

Pterocarpus rotundifolius (Sond.) Druce

Uncinula incrassata Salm. Phyllachora Pterocarpi Syd. Pseudothis Pterocarpi Syd.

Lasmeniella globulifera (Rabenh.) Petr. & Svd.

Pterocarpus sericeus Nenth.

=Pterocarpus rotundifolius (Sond.) Druce

Pterocarpus sp. indet.

Phyllachora Pterocarpi Svd.

Rafnia amplexicaulis E. Mev.

Aecidium resinaecolum (Rud.) Wint.

Rafnia angulata Thunb.

Aecidium resinaecolum (Rud.) Wint. var. tumefaciens Wint.

Rafnia perfoliata E. Mev.

Didymosphaeria Rafniae Verw. & du Pless. Aecidium resinaecolum (Rud.) Wint.

Rafnia sp. indet.

Aecidium resinaecolum (Rud.) Wint. Coniothyrium rafniicola (P. Henn.) Petr.

Rhynchosia adenodes E. & Z.

=Rhynchosia effusa (E. Mey.) Druce

Rhychosia caribaea DC.

Aphysa Rhynchosiae (Kalchbr. & Cooke) Theiss. & Syd. Uromyces Rhynchosiae Cooke

Rhynchosia effusa (E. Mey.) Druce

Uromyces Rhynchosiae Cooke

Rhynchosia Harmsiana Schlecht.

Uromyces Rhynchosiae Cooke

Rhynchosia komatiensis Harms

Aphysa Rhynchosiae (Kalchbr. & Cooke) Theiss. & Syd.

Rhynchosia Memnonia DC. var. prostrata Harv.

Uromyces Rhynchosiae Cooke

Rhynchosia orthodanum Benth.

=Rhynchosia sordida (E. Mey.) Schinz

Rhynchosia picta Burtt Davy

Aphysa Rhynchosiae (Kalchbr. & Cooke) Theiss. & Syd.

Rhynchosia secunda (Thunb.) E. & Z.

Uromyces Rhynchosiae Cooke

Rhynchosia sordida (E. Mev.) Schinz

Uromyces Rhynchosiae Cooke

Rhynchosia totta (Thunb.) DC.

Uromyces Rhynchosiae Cooke

Rhynchosia spp. indet.

Synchitrium Dolichi (Cooke) Gaumann Aphysa Rhynchosiae (Kalchbr. & Cooke) Theiss. & Syd. Uromyces Rhynchosiae Cooke

Sesbania sp. indet.

? Uromyces Argyrolobii Doidge

Sphenostylis angustifolia Sond.

Phyllactinia Sphenostylidis Doidge Parodiella perisporioides (Berk. & Curt.) Speg. Puccinia Tristachyae Doidge (I)

Sphenostylis erecta Hutch.

Puccinia Tristachyae Doidge (I)

Sphenostylis marginata E. Mey.

Aecidium Vignae Cooke

Sphenostylis sp. indet.

Aecidium Vignae Cooke

Stizolobium Deeringianum Bort.

Uromyces Mucunae Rabenh. Cercospora Stizolobii Syd.

Stylosanthes mucronata Willd.

Uredo Stylosanthis P. Henn.

Sutherlandia frutescens R. Br.

Physalosporina Sutherlandiae (Kalchbr. & Cooke) Petr.

Tamarindus indica Linn.

Stereum Schomburgkii Berk. Oidium sp. Tephrosia elongata E. Mev.

Ophiodothella edax (Berk. & Br.) v. Höhn.

Tephrosia Heckmanniana Harms.

Ravenelia Tephrosiae Kalchbr.

Tephrosia macropoda (E. Mev.) Harv.

Ravenelia Tephrosiae Kalchbr.

Tephrosia Nyasae Bak. f.

Phyllachora Tephrosiae Syd.

Tephrosia Transvaalensis Hutch. & Burtt Davy

Oidium sp.

Tephrosia sp. indet.

Parodiella perisporioides (Berk. & Curt.) Speg.

Trifolium alexandrinum Linn.

Sclerotium Rolfsii Sacc.

Trifolium tomentosum Linn.

Uromyces Trifolii (Hedw. f.) Lev.

Trifolium sp.

? Pseudopeziza Trifolii (Biv.-Bern.) Fuck.

Viborgia armata Harv.

=Wiborgia armata Harv.

Viborgia obcordata Thunb.

=Wiborgia obcordata Thunb.

Vicia Faba Linn.

Uromyces Fabae (Pers.) de Bary Botrytis Fabae Sard. Oidium sp.

Macrosporium sp.

Sclerotium Rolfsii Sacc.

Vigna angustifolia Benth.

=Sphenostvlis angustifolia Sond.

Vigna luteola (Jacq.) Benth.

Synchitrium Dolichi (Cooke) Gaumann

Vigna marginata Benth.

=Sphenostylis marginata E. Mey.

Vigna sinensis Endl.

=Vigna unguiculata Endl.

Vigna stenophylla Burtt Davy

Uromyces Vignae Barcl.

Vigna triloba (Thunb.) Walp.

Synchitrium Dolichi (Cooke) Gaumann

Vigna unguiculata Endl.

Rhizopus nigricans Ehrhenb.
Uromyces Vignae Barcl.
Corticium vagum Berk. & Curt.
Ascochyta Pisi Lib.
Diplodia Vignae Sacc.
Septoria Vignae P. Henn.
Colletotrichum lindemuthianum (Sacc. & Magn.) Br. & Cav.
Oidium sp.
Cladosporium Vignae Rac.
Cercospora cruenta Sacc.

Vigna vexillata Benth.

Oidium sp.

Vigna sp. indet.

Uromyces Vignae Barcl.

Virgilia oroboides (Berg) Salter

Tremella lutescens Pers. ex Fr. Fomes geotropus Cooke Fomes rymosus (Berk.) Cooke

Voandzeia subterranea Thouars

Oidium sp.

Wiborgia armata Harv.

Aecidium Viborgiae P. Henn.

Wiborgia obcordata Thunb.

Aecidium Viborgiae P. Henn.

Wisteria sinensis Sweet

Hendersonia Wistariae Cooke

Zornia tetraphylla Mich.

Puccinia Zorniae (Diet.) MacAlp.

Leguminosae indet.

Meliola Indigoferae Syd. Schneepia radiata Doidge Phyllachora circinata (Kalchbr. & Cooke) Theiss, & Syd. Ravenelia Woodii Pazschke Polyporus gilvus (Schw.) Fr.

GERANIACEAE.

Erodium moschatum L'Hér.

Oidium sp

Monsonia attenuata Harv.

Puccinia Monsoniae (Svd.) Doidge

Monsonia biflora DC.

Puccinia Monsoniae (Svd.) Doidge

Monsonia brevirostrata R. Knuth

Puccinis Monsoniae (Svd.) Doidge

Monsonia spp. indet.

Puccinia Monsoniae (Svd.) Doidge

Pelargonium aconitiphyllum E. & Z.

Puccinia granularis Kalchbr. & Cooke

Pelargonium alchemilloides (Linn.) Ait.

Puccinia granularis Kalchbr. & Cooke

Pelargonium amatymbicum E. & Z.

Puccinia granularis Kalchbr. & Cooke

Pelargonium angulosum Ait.

Septoria Pelargonii Syd.

Pelargonium Burtoniae L. Bolus

Puccinia granularis Kalchbr. & Cooke

Pelargonium cordatum L'Hen

Pestalotia Pelargonii Laughton

Pelargonium cucullatum (Linn.) Ait.

Puccinia granularis Kalchbr. & Cooke Septoria Pelargonii Syd. Pelargonium hirsutum (Berm. f.) Ait. var. melananthum Harv. Puccinia granularis Kalchbr. & Cooke

Pelargonium hortorum Bailey
Puccinia Pelargonii-zonalis Doidge

Pelargonium longifolium (Burm. f.) Jacq Puccinia granularis Kalchbr. & Cooke

Pelargonium tabulare (Linn.) L'Herit.

Puccinia granularis Kalchbr. & Cooke

Pelargonium triste (Linn.) Ait.
Puccinia granularis Kalchbr. & Cooke

Pelargonium zonale (Linn.) Ait. Cyphella Pelargonii Kalchbr.

Pelargonium spp. indet.

Puccinia granularis Kalchbr. & Cooke
Septoria Pelargonii Syd.
Oidium sp.

Ordium sp. Sporotrichum epiphyllum Link Fusarium javanicum Koord, var. radicicola Wollenw.

OXALIDACEAE.

Oxalis Bowiei Lindl.

Aecidium Oxalidis Thuem.

Oxalis breviscapa Jacq.

Aecidium Oxalidis Thuem.

Oxalis cernua Thunb.

Peronospora Oxalidis Verw. & du Pless.

Oxalis corniculata Linn.

Puccinia Maydis Bereng. (I)

Oxalis lanata Linn. f.

Aecidium Oxalidis Thuem.

Oxalis obliquifolia Steud.

Aecidium Oxalidis Thuem.

Oxalis obtusa Jacq.

Aecidium Oxalidis Thuem.

Oxalis purpurea Linn.

Aecidium Oxalidis Thuem.

Oxalis spp. indet.

Peronospora Oxalidis Verw. & du Pless. Phomopsis oxalina (Ell. & Everh.) Syd.

TROPAEOLACEAE.

Tropaeolum majus Linn.

Pythium ultimum Trow Leveillula taurica (Lév.) Arn. Pleospora Tropaeoli Halst. Fusarium Solani (Mart.) Appel. & Wollenw.

LINACEAE.

Linum africanum Linn.

Melampsora Lini (Ehrhenb) Lév.

Linum usitatissimum Linn.

Melampsora Lini (Ehrhenb) Lév. Fusarium Lini Bolley

ZYGOPHYLLACEAE.

Augea capensis Thunb.

Uredo Augeae Pole Evans

Zygophyllum foetidum Schrad

Uromyces Trollipi Kalchbr. & MacOwan

 ${\bf Zygophyllum\ orbiculatum\ Welw.}$

Naevia rotundata Wain.

 $\textbf{Zygophyllum} \ \mathrm{sp.\ indet}.$

Uromyces Trollipi Kalchbr. & MacOwan

RUTACEAE.

Barosma scoparia E. & Z.

Meliola microthecia Theum.

Calodendron capense Thunb.

Polyporus gilvus (Schw.) Fr.

Citrus aurantifolia $\operatorname{Swingle}$

Diaporthe Citri (Fawc.) Wolf. Phomopsis Citri Fawc. Alternaria Citri Ell. & Pierce

Citrus aurantium Linn.

Sphaceloma Fawcetti Jenkins Coniothe ium scabrum McAlp.

Citrus Limonia Osbeck

Phytophthora citrophthora (R. E. & E. H. Sm.) Legn.

Capnodium salicinum Mont.

Sclerotinia sclerotiorum (Lib.) de Bary

Glomerella cingulata (Stonem.) Spauld. & v. Schrenk

Mycosphaerella gibelliana Passer.

Septobasidium Carestianum Bres. var. natalensis Couch

Trametes Meyenii (Klotzsch)? Lloyd

Macrophomina Phaseoli (Maubl.) Ashby

Phoma citricarpa McAlp.

Phomopsis Citri Fawc.

Diplodia natalensis Pole Evans

Septoria Citri Passer.

Colletotrichum gloeosporioides Penz.

? Gloeosporium limetticolum Claus.

Aspergillus niger v. Tiegh.

Aspergillus ochraceus (series) near Aspergillus melleus Yukawa

Botrytis cinerea Pers.

Penicillium digitatum Sacc.

Penicillium italicum Wehm.

Sphaceloma Fawcetti Jenkins

Sporotrichum Citri Butler

Trichoderma lignorum (Tode) Harz

Alternaria Citri Ellis & Pierce

Alternaria tenuis Nees

Coniothecium Citri McAlp.

Fusarium angustum Sherb.

Fusarium lateritium Nees

Fusarium lateritium Nees var. longum Wollenw.

Fusarium Scirpi Lamb. & Fautr.

Fusarium semitectum Berk & Rav. var. majus Wollenw.

Fusarium Solani (Mart.) Appel & Wollenw.

Fusarium Solani (Mart.) var. Martii (Appel & Wollenw.) f. l. Wollenw.

Fusarium vasinfectum Atk, f. 2. Wollenw. & Reinking

Rhizoctonia spp.

Citrus maxima Merr.

Phytophthora cactorum (Leb. & Cohn) Schroet.

Phytophthora citrophthora (R. E. & E. H. Sm.) Leon

Hypomyces Ipomoeae (Halst.) Wollenw.

Sclerotinia sclerotiorum (Lib.) de Bary

Capnodium salicinum Mont.

Glomerella cingulata (Stonem.) Spauld. & v. Schrenk.

Valsaria Eucalypti (Kalchbr. & Cooke) Sacc.

Stomiopeltis Citri Bitanc.

Septobasidium Carestianum Bres, var. natalense Couch

Septobasidium pseudopedicellatum Burt.

Phoma citricarpa McAlp.

Phomopsis Citri Fawe.

Botryodiplodia Theobromae Pat.

Diplodia aurantii Catt.

Diplodia natalensis Pole Evans

Colletotrichum gloeosporioides Penz.

Penicillium digitatum Sacc. Penicillium italicum Wehm.

Sphaceloma Fawcetti Jenkins

Fusarium Scirpi Lamb & Fautr.

Fusarium Solani (Mart.) Appel & Wollenw.

Fusarium moniliforme Sheld.

Fusarium Solani (Mart.) var. Martii (Appel & Wollenw.) f. l. Wollenw.

Rhizoctonia lamellifera Small

Citrus nobilis Lour. var. deliciosa Swingle

Phytophthora citrophthora (R. E. & E. H. Sm.) Leon.

Capnodium salicinum Mont.

Diatrypella natalensis Doidge

Phoma citricarpa McAlp.

Diplodia natalensis Pole Evans

Colletotrichum gloeosporioides Penz.

Gliocladium penicilloides Corda

Penicillium digitatum Sacc.

Penicillium italicum Wehm.

Sphaceloma Fawcetti Jenkins

Alternaria Citri Ellis & Pierce

Alternaria tenuis Nees

Epicoccum purpurascens Ehrhenb.

Fusarium Scirpi Lamb. & Fautr.

Citrus Paradisi Macf.

"Grape fruit"; a horticultural race of Citrus maxima Merr, here listed under the latter species.

Citrus sinensis Osbeck

Rhizopus nigricans Ehrhenb.

Phytophthora citrophthora (R. E. & E. H. Sm.) Leon.

Phytophthora Syringae Kleb.

Pythium irregulare Buism.

Pythium ultimum Trow

Auerswaldia examinans (Mont. & Berk.) Sacc.

Sporormia minima Auersw.

Sporormia setosa Wint.

Capnodium salicinum Mont.

Pleospora disrupta McAlp.

Pleospora herbarum (Pers.) Rabenh.

Glomerella cingulata (Stonem.) Spauld. & v. Schrenk.

Diatrypella Morganae Doidge

Diatrypella natalensis Doidge

Eutypella citricola Syd.

Peroneutypella infinitissima (Kalchbr. & Cooke) Doidge

Botryosphaeria Ribis (Tode ex Fr.) Gross. & Dugg.

Daldinia concentrica (Bolt. ex Fr.) Ces. & de Not.

Stomiopeltis Citri Bitanc.

Stictis radiata Pers. ex Fr.

Septobasidium Carestianum Bres. var. natalense Couch

Septobasidium pseudopedicillatum Burt

Daedalea Eatoni Berk.

Ganoderma lucidum (Leyss. ex Fr.) Karst.

Polystictus hirsutus (Wulf ex Fr.) Fr.

Polystictus occidentalis (Klotzsch) Fr.

Trametes cervina (Schw.) Bres.

Armillaria mellea (Vahl ex Fr.) Quél.

Macrophomina Phaseoli (Maubl.) Ashby

Phoma citricarpa McAlp.

Phoma flaccida McAlp.

Phomopsis Citri Fawc.

Phyllosticta hesperidearum Penz.

Phyllosticta sp.

Haplosporella hesperidica Speg.

Ascochyta citricola McAlp.

Botryodiplodia Theobromae Pa.

Diplodia Aurantii Catt.

Diplodia natalensis Pole Evans

Diplodia sarmentorum Fr.

Hendersonula toruloidea Nattrass

Septoria Citri Pass.

Sirothecium Citri Bitanc.

Colletotrichum gloeosporioides Penz.

Pestalotia sp. near Pestalotia Guepini Desm.

Aspergillus niger v. Tiegh.

Aspergillus sp.

Botrytis cinerea Pers.

Gliocladium deliquescens Sopp.

Oospora Citri-aurantii Ferraris

Paecilomyces varioti Bain.

Penicillium acidoferum Sopp.

Penicillium digitatum Sacc.

Penicillium digitatum Sacc. var. californicum Thom

Penicillium italicum Wehm

Penicilliuim luteum (series)

Penicillium verrucosum Dierckx

Penicillium spp.

Sphaceloma Fawcetti Jenkins

Trichoderma lignorum (Tode) Harz

Trichothecium roseum Link

Memnoniella echinata (Riv.) Gall.

Nigrospora Oryzae (Berk. & Br.) Petch

Nigrospora sphaerica (Petch) Sacc.

Periconia pycnospora Fres.

Stachybotrys subsimplex Cooke emend. Bisby

Cladosporium herbarum Link

Cordana sp.

Curvularia intermedia Boedijn

Curvularia lunata (Wakker) Boediin

Curvularia maculans (Bancroft) Boedijn

Alternaria Citri Ellis & Pierce

Alternaria tenuis Nees

Alternaria sp.

Coniothecium Citri McAlp.

Coniothecium scabrum McAlp.

Macrosporium Citri MaAlp.

Volutella sp.

Fusarium angustum Sherb.

Fusarium bulbigenum Cooke & Mass.

var. Lycopersici (Brushi) Wollenw. & Reinking

Fusarium decemcellulare Brick

Fusarium diversisporum Sherb.

Fusarium Equiseti (Corda) Sacc.

Fusarium lateritium Nees

Fusarium lateritium Nees var. longum Wollenw.

Fusarium lateritium Nees var. majus Wollenw.

Fusarium moniliforme Sheld.

Fusarium moniliforme Sheld, var. subglutinans Wollenw.

Fusarium orthoceras Appel & Wollenw.

Fusarium oxysporum Schlecht.

Fusarium sambucinum Fuck.

Fusarium sambucinum Fuck. f. 2. Wollenw.

Fusarium Scirpi Lamb. & Fautr.

Fusarium Scirpi Lamb. & Faurt. var. compactum Wollenw.

Fusarium semitectum Berk. & Rav., var. majus Wollenw.

Fusarium Solani (Mart.) Appel & Wollenw.

Fusarium Solani (Mart.) var. Martii (Appel. & Wollenw.) f. 1. Wollenw.

Fusarium stilboides Wollenw.

Fusarium vasinfectum Atk. f. 2. Wollenw. & Reiuking

Epicoccum granulatum Lenz

Myrothecium verrucaria Alb. & Schw.

Rhizoctonia lamellifera Small

Citrus spp. indet.

Phytophthora citrophthora (R. E. & E. H. Sm.) Leon.

Pythium aphanidermatum (Eds.) Fitz.

Capnodium salicinum Mont.

Ganoderma applanatum (Pers.) Pat.

Ganoderma lucidum (Leyss. ex Fr.) Karst.

Trametes Meyenii (Klotzsch)? Lloyd

Armillaria mellea (Vahl ex Fr.) Quél.

Diplodia natalensis Pole Evans

Colletotrichum gloeosporioides Penz.

Torula herbarum Link

Alternaria Citri Ellis & Pierce

Macrosporium Citri McAlp.

Fusarium avenaceum (Fr.) Sacc. f. 1. Wollenw. & Reinking

Clausena anisata (Willd.) Hook. f.

Asterina clausenicola Doidge

 ${\it Clausena\ in a equal is\ Benth.\ var.\ abyssinica\ Engl.}$

=Clausena anisata (Willd.) Hook. f.

Fagara capensis Thunb.

Meliola Toddaliae Doidge Stereum involutum Klotzsch ex Fr. Hexagona tenuis (Hook.) Fr. Polyporus gilvus (Schw.) Fr. Lentinus stuppeus Klotzsch

Fagara Davyi Verdoorn

Meliola Toddaliae Doidge Puccinia Fagarae Doidge

Fagara magalismontana Engl.

Meliola Toddaliae Doidge Rhynchosphaeria Fagarae Doidge

Poncirus trifoliata Raf.

Diplodia natalensis Pole Evans

Teclea natalensis (Sond.) Engl.

Meliola Toddaliae Doidge Asterinella Tecleae Doidge Lembosia Wageri Doidge Phyllachora Tecleae Doidge

Toddalia aculeata Pers.

=Toddalia asiatica Lamk.

Toddalia asiatica Lamk.

Puccinia lemanensis Doidge

Toddalia lanceolata Lamk.

=Vepris lanceolata G. Don.

Toddalia natalensis Sond.

=Teclea natalensis (Sond.) Engl.

Vepris lanceolata (Lamk.) G. Don.

Meliola Toddaliae Doidge Asterina Vepridis Doidge Puccinia kentaniensis Pole Evans Stereum Schomburgkii Berk.

Xanthoxylon capense Harv.

=Fagara capensis Thunb.

Xanthoxylon sp. indet.

Puccinia Fagarae Doidge

SIMARUBACEAE.

Kirkia Wilmsii Engl.

Cytospora sp.

BURSERACEAE.

Balsamodendron opobalsamum Kunth.

Oidium sp.

Commiphora caryaefolia Olic.

Uredo Balsamodendri Cooke

Commiphora sp. indet.

Uromyces paradoxus Syd.

MELIACEAE.

Cedrela odorata Linn.

Armillaria mellea (Vahl ex Fr.) Quél.

Cedrela Toona Roxb.

Armillaria mellea (Vahl ex Fr.) Quél.

Cedrela sp. indet.

Trametes albotexta Llovd

Ekebergia capensis Sparm.

Corticium armeniacum Sacc. Ganoderma lucidum (Leyss. ex Fr.) Karst. Fomes Robinsoniae (Murr.) Sacc. & Trott.

Ekebergia pterophylla Hofmeyr

Irene Ekebergiae Doidge

Ekebergia spp. indet.

Aecidium sp. Cercosporella Ekebergiae Syd.

Khaya nyassica Stapf

Fomes rimosus (Berk.) Cooke

Melia Azedarach Linn.

Auricularia polytricha (Mont.) Sacc. Fomes conchatus (Pers. ex Fr.) Gillet. Fomes lividus (Kalchbr.) Cooke Fomes rimosus (Berk.) Cooke Ganoderma applanatum (Pers.) Pat. Trametes Proteus (Berk.) Fr. Septoria Meliae Syd.

Melia dubia Cav.

Armillaria mellea (Vahl ex Fr.) Quél.

Ptaeroxylon obliquum (Thunb.) Radlk.

Meliola Ptaeroxyli Doidge Fomes glaucoporus Lloyd Fomes rimosus (Berk.) Cooke Ganoderma lucidum (Leyss. ex Fr.) Karst. Trametes incondita Fr.

Ptaeroxylon utile E. & Z.

=Ptaeroxylon obliquum (Thunb.) Radlk.

Trichilia Dregeana E. Mey.

Cocconia concentrica Syd.

Trichilia emetica Vahl

Meliola sinuosa Doidge Cocconia concentrica Syd. Asterina Trichiliae Doidge Polyporus Trichiliae v. d. Byl

Trichilia sp. indet.

Armillaria mellea (Vahl ex Fr.) Quél.

MALPIGHIACEAE.

Acridocarpus natalitius Juss.

Meliola Acridocarpi Doidge

POLYGALACEAE

Polygala Ohlendorfiana E. & Z.

Uredo Polygalae Kalchbr.

Polygala speciosa Sim

Fusarium angustum Sherb.

Polygala sp. indet.

Uredo Polygalae Kalchbr.

EUPHORBIACEAE.

Acalypha angustata Sond.

Erysiphe Jatrophae Doidge Puccinia Acalyphae Doidge Puccinia Evansii P. Henn. Aecidium acalyphicolum Doidge

Acalypha ciliata Forsk.

Uncinula Eylesii Doidge

Acalypha decumbens Thunb.

Asterina radio-fissilis (Sacc.) Theiss. Puccinia Evansii P. Henn.

Acalypha penduncularis E. Mey.

Aecidium acalyphicolum Doidge

Acalypha petiolaris Hochst.

Cercospora transvaalensis Syd.

Acalypha punctata Meisn.

Puccinia Evansii P. Henn.

Acalypha spp. indet.

Puccinia Evansii P. Henn.

Aleurites Fordii Hemsl.

Septobasidium sp. near Septobasidium Curtisii (Berk. & Desm.) Boed. & Steinm. Botryodiplodia Theobromae Pat. Diplodia natalensis Pole Evans

Aleurites montana (Lour.) Wilson

Macrophomina Phaseoli (Maubl.) Ashby

Cluytia daphnoides Lam.

Uromyces Strauchii Doidge

Cluytia Galpini Pax

Uromyces Cluytiae Kalchbr. & Cooke

Cluytia hirsuta E. Mey.

Uromyces Cluytiae Kalchbr. & Cooke

Cluytia monticola S. Moore

Uromyces Cluvtiae Kalchbr. & Cooke

Cluytia pulchella Linn.

Meliola Cluytiae v. d. Byl Uromyces Cluytiae Kalchbr. & Cooke Cercospora Cluytiae Kalchbr. & Cooke

Cluytia virgata Pax & K. Hoffm.

Aecidium Cluytiae Doidge

Cluytia sp. indet.

Uromyces Cluytiae Kalchbr. & Cooke

Croton gratissimum Burch.

Schroeteriaster Doidgeae Syd.

Croton rivularis Muell.

Asterina crotoniensis (Doidge) Ryan

Croton sylvaticus Hohst.

Phyllachora Crotonis (Cooke) Sacc. Schroeteriaster stratosus (Cooke) Syd.

Croton sp. indet.

Daldinia Eschscholzii (Ehrhenb. ex Fr.) Rehm

Ctenomeria capensis (Thunb.) Harv.

Asterina radio-fissilis (Sacc.) Theiss.

Dalechampia capensis Spreng. f.

Asterina radio-fissilis (Sacc.) Theiss.

Drypetes arguta Hutch.

Asterina Excoecariae Doidge

Erythrococca berberidea Prain

Asterina radio-fissilis (Sacc.) Theiss.

Euphorbia crassipes Marloth

Fusarium avenaceum (Fr.) Sacc. f. l. Wollenw. & Reinking Fusarium Scirpi Lamb. & Fautr.
Fusarium lateritium Nees
Fusarium moniliforme Sheld.

Euphorbia Gueinzii Boiss.

· Uromyces natalensis Magn.

Euphorbia heterophylla Linn.

Melampsora Helioscopiae Wint. (sensu lato)

Euphorbia inaequilatera Sond.

Uromyces proëminens (DC.) Lev.

Euphorbia Kraussiana Bernh.

Melampsora Helioscopiae Wint. (sensu lato)

Euphorbia macra Hiern.

Aecidium sp.

Euphorbia mauretanica Linn.

Aecidium Pottsii Doidge

Euphorbia natalensis Bernh.

Aecidium kakelense P. Henn.

Euphorbia prostrata Ait.

Uromyces euphorbiicola (Berk. & Curt.) Tranzsch.

Euphorbia pulcherrima Willd.

Heterochaete andina Pat. & Lagerh. Botrytis cinerea Pers. Sphaceloma Poinsettiae Jenkins Cladosporium herbarum Link

Euphorbia Schinzii Pax

Phragmodothis asperata Syd.

Euphorbia striata Thunb.

Aecidium kakelense P. Henn. Melampsora Helioscopiae Wint. (sensu lato)

Euphorbia triangularis Desf.

Pleospora Dyeri Doidge Gloniella natalensis Doidge Gloeosporium crocatum Sacc.

Euphorbia tuberosa Linn.

Puccinia Euphorbiae P. Henn.

Euphorbia spp. indet.

Peronospora Euphorbiae Tuck Ascostratum insigne Syd. Pleomassaria gigantea Syd. Melampsora helioscopiae Wint. (sensu lato) Aecidium kakelense P. Henn. Phoma cyclospora Sacc. Oidium sp.

Excoecaria caftra Sim

=Sapium Simii O. Ktze.

Fluggea microcarpa Blume

=Fluggea virosa (Roxb.) Baill.

Fluggea virosa (Roxb.) Baill.

Masseeëlla Flueggeae Syd. Aecidium Fluggeae Doidge

Jatropha natalensis Mull. Arg. Erysiphe Jatrophae Doidge

Jatropha Woodii O. Ktze.
Erysiphe Jatrophae Doidge

Jatropha Zeyheri Sond.

Erysiphe Jatrophae Doidge

Macaranga capensis Benth.

Englerula Macarangae P. Henn.
Oothecium Macarangae Petrak
Sphaeropsis Mappae Cooke

Manihot utilissima Pohl
Septogloeum Manihotis Zimm.
Cercospora Henningsii Allesch.

Mappa capensis Baill.

=Macaranga capensis Benth.

Pedilanthus tithymaloides Poit.
Oidium sp.

Ricinus communis Linn.

Melampsora Ricini Pass.
Cercospora ricinella Sacc. & Berl.

Sapium reticulatum (Hochst.) Pax Physalospora Sapii Doidge

Sapium Simii O. Ktze.
Meliola Excoecariae Doidge

Tragia rupestris Sond.
Puccinia Tragiae Cooke

Tragia spp. indet.
Puccinia Tragiae Cooke

BUXACEAE.

Buxus MacOwani Oliv.

Meliola buxicola Doidge

ANACARDIACEAE.

Harpephyllum caffrum Bernh.
Meliola rhoina Doidge

Lannea discolor (Sond.) Engl.

Uredo rhoina Syd. Phyllosticta Odinae P. Henn. & Evans

Laurophyllus capensis Thunb.

Pestalotia Laurophylli Laughton

Loxostylis alata Spreng.

Meliola Loxostylidis Doidge Dimeriella Woodii Hansf.

Mangifera indica Linn.

Glomerella cingulata (Stonem.) Spauld. & v. Schrenk. Chaetopeltopsis sp.
Polyporus gilvus (Schw.) Fr.
Gloeosporium Mangiferae P. Henn.
Pestalotia virgatula Kleb.
Aspergillus niger v. Tiegh.
Oidium Mangiferae Berthal
Rhizoctonia lamellifera Small

Odina discolor Send.

=Lannea discolor (Sond.) Engl.

Rhus crenata Thunb.

Meliola rhoina Doidge

Rhus discolor E. Mev.

Phyllactinia rhoina Doidge

Rhus Gueinzii Sond.

Meliola rhoina Doidge

Rhus laevigata Herb.

=Rhus viminalis Vahl

Rhus longispina E. & Z.

Meliola rhoina Doidge

Rhus lucida Linn.

Echidnodes rhoina Doidge

Rhus MacOwani School.

Meliola rhoina Doidge Libertella ? Rhois Kalchbr.

Rhus mucronata Thunb.

Echidnodes rhoina Doidge

Rhus mucronata Thunb. var. villosa Meliola rhoina Doidge

Rhus natalensis Bernh.

Meliola rhoina Doidge

Rhus pyroides Burch. var. transvaalensis Schon. Phyllactinia rhoina Doidge

Rhus refracta E. & Z. Meliola rhoina Doidge

Rhus Schlechteri Diels.

Echidnodes rhoina Doidge

Rhus tomentosa Linn.

Meliola Dummeri Hansf, var. brachyodonta Hansf. Brachysporium pulviniforme Syd.

Rhus viminalis Vahl

Stereum Kalchbrenneri Sacc Fomes Carvophylli (Rac.) Bres. Fomes McGregori Bres. Fomes pectinatus (Klotzsch) Gillet Fomes rimosus (Berk.) Cooke Fomes senex (Nees & Mont.) Cooke Ganoderma applanatum (Pers.) Pat. Ganoderma lucidum (Leyss. ex Fr.) Karst. Gloeoporus dichrous (Fr.) Bres. Polyporus gilvus (Schw.) Fr. Trametes devexa Berk. Trametes Keetii v. d. Byl Trametes Proteus (Berk.) Fr. Phyllosticta rhoina Kalchbr. & Cooke Epistigme nidulans Syd. Didymosporina africana Syd.

Rhus spp. indet.

Meliola rhoina Doidge Asterina Peglerae Doidge Uromyces barbeyanus P. Henn. Exobasidium hesperidium Maire Fomes rimosus (Berk.) Cooke Trametes suaveolens (Linn. ex Fr.) Fr. Schizophyllum commune Fr. Tubercularia vulgaris Tode

Schinus molle Linn.

Trametes Proteus (Berk.) Fr. Gloeosporium sp.

Sclerocarva caffra Sond.

Saccharomyces sp. Gloeosporium Sclerocaryae Pole Evans Cercospora caffra Syd.

A QUIFOLIACEAE.

Ilex capensis Sond. & Harv.

=Ilex mitis (Linn.) Radlk.

Tlex mitis (Linn.) Radlk.

Meliola Knysnae Doidge Asterina Bottomleyae Doidge Asterina Hendersoni Doidge Asterina nodosa Doidge Grammothele mappa Berk. & Curt.

CELASTRACEAE.

Cassine aethiopica Thunb.

Polyrhizon Bewsii Doidge

Cassine capenis Linn.

Meliola Evansii Doidge Parenglerula MacOwaniana (Thuem.) v. Höhn. Asterinella dissiliens Syd.

Cassine croceum O. Kuntze

Meliola Evansii Doidge Asterinella dissiliens Syd. Tremella ?frondosa Fr. Fomes rimosus (Berk.) Cooke

Cassine eucleaeformis O. Kuntze

Meliola Evansii Doidge

Cassine Kraussiana Bernh.

Parenglerula MacOwaniana (Thuem.) v. Höhn. Asterinella dissiliens Syd.

Cassine laurifolium (Harv.) Davison.

Echidnodes durbana (v. d. Byl) Hansf.

Cassine papillosa O. Kuntze

Meliola Evansii Doidge Parenglerula MacOwaniana (Thuem.) v. Höhn. Asterinella dissiliens Syd.

Cassine sphaerophylla O. Ktze.

Polyrhizon Bewsii Doidge Pestalotia Cassinis Laughton Pestalotia Laughtonae Doidge

Cassine sp. indet.

Asterinella dissiliens Syd. Fomes rimosus (Berk.) Cooke Polystictus sanguineus (Linn. ex Fr.) Fr.

Catha edulis Forsk.

Cylcoschizon fimbriatum Doidge

Celastrus spp.

=Gymnosporia spp.

Elaeodendron spp.

=Cassine spp.

Euonymus japonicus Linn f.

Pestalotia neglecta Thuem.

Gymnosporia acuminata Szysz.

Meliola Evansii Doidge Polyrhizon Celastri Doidge

Gymnosporia albata Sim

Meliola Evansii Doidge Theissenula Woodiana Doidge Septobasidium pedicellatum (Schw.) Pat.

Gymnosporia buxifolia Szysz.

Parenglerula MacOwaniana (Thuem.) v. Höhn. Schiffnerula Gymnosporiae Hansf.
Asterinella dissiliens Syd.
Septobasidium grandispinosum Couch Clasterosporium Celastri (Thuem.) Sacc.

Alternaria tenuis Nees
Mystrosporium aterrimum Berk. & Curt.
Cercospora melanochaeta Ell. & Everh.
Exosporium Celastri Kalchbr.

Gymnosporia cordata Sim

Irene gloriosa Doidge

Gymnosporia deflexa Sprague

Septoria Gymnosporiae Svd.

Gymnosporia elliptica Davison

Parenglerula MacOwaniana (Thuem.) v. Höhn.

Gymnosporia fasciculata Loes.

Eudimeriolum Gymnosporiae Hansf.

Gymnosporia Harveyana Loes.

Asterinella dissiliens Syd.

Gymnosporia nemorosa Szysz.

Parenglerula MacOwaniana (Thuem.) v. Höhn. Schiffnerula Gymnosporiae Hansf. Asterinella dissiliens Syd.

Gymnosporia peduncularis L. Bolus

Daldinia concentrica (Bolt. ex Fr.) Ces. & deNot. Asterinella dissiliens Syd. Tremella hemifoliacea Lloyd Exidea purpureo-cinerea MacOwan & Kalchbr. Daedalea Eatoni Berk. Fomes Robinsoniae (Murr.) Sacc. & Trott. Polystictus hirsutus (Wulf ex Fr.) Fr.

Gymnosporia procumbens Loes.

Asterinella dissiliens Syd. Bulliardella capensis Doidge

Gymnosporia rubra Loes.

Parenglerula MacOwaniana (Thuem.) v. Höhn.

Gymnosporia senegalensis Loes.

Parenglerula MacOwaniana (Thuem.) v. Höhn.' Asterinella dissiliens Syd. var. senegalensis Doidge Helminthosporium sp.

Gymnosporia spp. indet.

Irene ditricha (Kalchbr. & Cooke) Doidge
Irene speciosa Doidge
Parenglerula MacOwaniana (Thuem.) v. Höhn.
Schiffnerula Gymnosporiae Hansf.
Dimeriella annulata Syd.
Eudimeriolum Gymnosporiae Hansf.
Treubiomyces Celastri Doidge
Asterinella dissiliens Syd.
Microthyriella transvaalensis Doidge
Grammothele mappa Berk. & Curt.
Trametes suaveolens (Linn. ex Fr.) Fr.

Lauridia reticulata E. & Z.

Asterina dissiliens Syd.

Pleurostylia capensis Ohv.

Irene ditricha (Kalchbr. & Cooke) Doidge Asterinella dissiliens Syd. Scolecopeltis Strauchii Dodige Fomes rimosus (Berk.) Cooke

Pseudocassine transvaalensis (Burtt Davy) Bredell

Asterinella dissiliens Svd.

Pterocelastrus Galpini Loes.

Polyrhizon Pterocelastri Doidge Asterinella Pterocelastri Doidge

Pterocelastrus tricuspidatus Sond.

Meliola Evansii Doidge Leptosphaeria Pterocelastri Doidge Asterinella Pterocelastri Doidge Phycopsis africana Syd. Ganoderma applanatum (Pers.) Pat. Colletotrichum Pterocelastri Wakef. Pestalotia Pterocelastri Laughton

Putterlickia pyracantha Endl.

Asterinella dissiliens Syd.

Putterlickia verrucosa Szysz.

Asterinella dissiliens Syd.

Putterlickia sp. indet.

Parenglerula MacOwaniana (Thuem.) v. Höhn.

Salacia Gerrardi Harv.

Anthostomella Salaciae Doidge

Salacia Kraussii Hochst.

Uredo Celastrineae Cooke & Mass.

HIPPOCRATEACEAE.

Hippocratea Schlechteri Loes.

- Meliola Hippocrateae Doidge

ICACINACEAE.

Apodytes dimidiata E. Mey.

Meliola Apodytis v. d. Byl Meliola campylotricha Syd. Meliola cladophila Syd. Fomes geotropus Cooke Polyporus caesius (Schrad. ex Fr.) Fr. Rhizoctonia sp. Cassinopsis capensis Sond.

Anthostomella Cassinopsidis Kalchbr. & Cooke Sphaerella Cassinopsidis Kalchbr. & Cooke Diatrype MacOwaniana Thuem. Cercospora Cassinopsidis Wint.

Cassinopsis tinifolia Harv.

Meliola campylotricha Syd.

Pyrenacantha scandens Planch.

Meliola comata Doidge

SAPINDACEAE.

Allophylus erosus Radlk.

Meliola Allophyli Doidge

Allophylus melanocarpus (Arn.) Radlk.

Meliola furcillata Doidge

Allophylus monophyllus Radlk.

Meliola furcillata Doidge Trichopeltula kentaniensis Doidge

Atalaya natalensis R. A. Dyer

Meliola Atalavae Doidge

Cardiospermum Helicacabum Linn.

Aecidium Helicacabum Linn.

Cardiospermum microcarpum E. Mey. non H. B. K.

Deinbollia oblongifolia Radlk.

Meliola Doidgeae Syd.

Dodonaea viscosa Linn.

? Uncinula circinata Cooke & Peck

Hippobromus alatus E. & Z.

=Hippobromus pauciflorus (Linn.) Radlk.

Hippobromus pauciflorus (Linn.) Radlk.

Meliola capensis (Kalchbr. & Cooke) Theiss.

Litchi chinensis Sonn.

Saccharomyces sp. Pestalotia sp.

Sapindus oblongifolius Sond.

=Deinbollia oblongifolia Radlk.

Schmidelia monophylla Pressl.

=Allophylus monophyllus Radlk.

MELIANTHACEAE.

Bersama lucens (Hochst.) Szysz.

Phyllachora Melianthi (Thuem.) Sacc.

Bersaa Swinnyi Phill.

Phyllachora Melianthi (Thuem.) Sacc.

Bersama Tysoniana Oliv.

Phyllachora Melianthi (Thuem.) Sacc.

Melianthus major Linn.

Phyllachora Melianthi (Thuem.) Sacc. Sphaerella MacOwaniana Wint.

GREYIACEAE.

Greyia Sutherlandii Hk. & Harv.

Fusicladium fuliginosum Kalchbr. & Cooke

BALSAMINACEAE.

Impatiens balsamina Linn.

Oidum sp.

Cercospora fukushiana (Mats.) Yam.

Impatiens capensis Thunb. non Meerb.

=Impatiens Duthieae L. Bolus

Impatiens Duthiae L. Bolus

Meliola Impatientis Doidge Aecidium Impatientis-capensis Doidge

Impatiens sp. indet.

Oidium sp.

RHAMNACEAE.

Rhamus prinoides L'Hérit.

Clypeolella rhamnicola Doidge Endophyllum MacOwani Pole Evans

Scutia Commersoni Brong.

=Scutia myrtina (Burm.) Kurz

Scutia indica Brong.

=Scutia myrtina (Burm.) Kurz

Scutia myrtina (Burm.) Kurz

Nematostigma obducens Syd. Phragmothyriella parenchymatica Doidge

Zizyphus jujuba Lam.

Coniodictyum Evansii (Magn.) v. Höhn.

Zizyphus mucronata Wolld.

Schiffnerula sp. Cronartium Zizyphi Syd. & Butl. Ganoderma lucidum (Leyss. ex Fr.) Karst. Septoria capensis Wint. Coniodictyum Evansii (Magn.) v. Höhn. Cercospora Zizyphi Petch

HETEROPYXIDACEAE.

Heteropyxis natalensis Harv.

Asterina van der Bylii Werd.

 ${\it Heteropyxis\ ruto-rhamnoides\ nom.\ nud.}$

=Heteropyxis natalensis Harv.

VITACEAE.

Cissus Rhodesiae Gilg. & Brandt.

Aecidium Vitis A. L. Sm. Cercospora Vitis (Lev.) Sacc.

Cissus zombensis (Bkr.) Gilg. & Brandt

Aecidium Vitis A. L. Sm.

Cissus sp. indet.

Septoria sp. Cercospora riachueli Speg.

Parthenocissus quinquefolia Planch.

Plasmopora viticola (Berk. & Curt.) Berl. & de Toni

Rhoicissus cuneifolius (E. & Z.) Planch.

? Schiffnerula sp.

Rhoicissus erythrodes Planch.

Cercospora Rhoicissi Syd.

Rhoicissus rhomboideus (E. Mey.) Planch.

Meliola Merrillii Syd. Skierka robusta Doidge

Vitis vinifera Linn.

Rhizopus nigricans Ehrenb. Plasmora viticola (Berk. & Curt.) Berl. & de Toni Kloeckerospora uvarum Niehaus Uninula necator (Schw.) Burr. Guignardia Bidwellii Vi. & Rav. Botryosphaeria Vitis (Schulz) Sacc. Exobasidium Vitis Prill. & Delacr. Claudopus proteus Kalchbr. Dothiorella reniformis Vi. & Ray. Fusicoccum viticolum Reddick Phoma flaccida McAlp. Sphaeropsis malorum Peck Aspergillus carbonarius (Bain.) Thom. Aspergillus niger v. Tiegh. Botrytis cinerea Pers. Oidium Tuckeri Berk. Penicillium cyclopium Westling Penicillium elongatum Dierckx Penicillium expansum Link. em. Thom Sphaceloma ampelinum de Bary Cladosporium Baccae Verw. & Dipp. Cladosporium spp. Cercospora leoni Savul & Rayss. Cercospora Vitis (Lev.) Sacc. Macrosporium Vitis Sorok. Fusarium oxysporum Schlecht, var. aurantiacum Wollenw. Isariopsis Fuckelii (Thuem.) du Pless.

Vitis spp. indet.

Aecidium Vitis A. L. Sm. Pullularia pullulans (de Bary) Berkh. Schizophyllum commune Fr.

TILIACEAE.

Corchorus tridens Linn.

Cercospora Corchori Sawada

Corchorus trilocularis Linn.

? Erysiphe communis (Wallr.) Link

Corchorus sp. indet.

Corticium vagum Berk. & Curt. Rhizoctonia sp.

Grewia caffra Meisn.

Stigmatea Grewiae P. Henn. Ravenelia atrides Syd.

11101 - 28

Grewia flava DC.

Uredo Grewiae Pat. & Har.

Grewia kwebensis N. E. Br.

Ravenelia atrides Svd.

Grewia lasiocarpa E. Mev.

Asterina delicata Doidge

Grewia monticola Sond.

Ravenelia atrides Svd.

Grewia occidentalis Linn.

Phyllachora Grewiae (Kalchbr.) Theiss. & Syd. Asterina delicata Doidge Ravenelia atrides Syd.

Sparmannia africana Linn. f.

Septoria Sparmanniae Verw. & du Pless.

Triumfetta Sonderi Ficalho & Hiern

Erysiphe communis (Wallr.) Link

MALVACEAE.

Abutilon angulatum (G. & P.) Mast.

Puccinia Abutili Berk. & Br.

Abutilon indicum (Linn.) Sweet

Puccinia Abutili Berk. & Br.

Abutilon Sonneratianum Sweet

Puccinia Abutili Berk. & Br.

Abutilon sp. indet.

Puccinia Abutili Berk. & Br.

Althea rosea Cay.

Pythium ultimum Trow Puccinia malvacearum Mont. Ascochyta parasitica Fautr. Colletotrichum malvarum Braun. & Casp.

Gossypium spp. indet.

Rhizopus nigricans Ehrenb. Ashbya Gossypii (Ashby & Nowell) Guill. Nematospora Coryli Pegl. Glomerella Gossypii (South.) Edgert. Mycosphaerella gossypina (Cooke) Atk. Cerotelium Gossypii Arth.

Macrophomina Phaseoli (Maubl.) Ashby

Phyllosticta gossypina Ell. & Mart.

Colletotrichum Gossypii (South.) Edgert.

Pestalotia ? Gossypii Hori

Pestalotia sp.

Acremoniella sp.

Verticillium alboatrum Reinke & Berth.

Cercosporella Gossypii Speg.

Cladosporium herbarum Link

Alternaria gossypina (Thuem.) Hopkins

Alternaria macrospora Zimm.

Alternaria sp.

Macrosporium nigricantium Atk.

Fumago vagans Pers.

Cercospora gossypina Cooke

Fusarium angustum Sherb.

Fusarium moniliforme Sheld.

Fusarium Scirpi Lamb. & Fautr. var. filiferum (Preuss.) Wollenw.

Fusarium vasinfectum Atk.

Epicoccum purpurascens Ehrenb.

Rhizoctonia Solani Kuhn.

Sclerotium Rolfsii Sacc.

Hibiscus asper Hk. f.

=Hibiscus cannabinus Linn.

Hibiscus cannabinus Linn.

Aecidium Garckeanum P. Nenn.

Cercospora mayalensis Stev. & Solh.

Hibiscus esculentus Linn.

Phyllosticta hibiscina Ell. & Everh.

Oidium abelmoschi Thuem.

Hibiscus pedunculatus Cav.

Asterina diplocarpa Cooke var. Hibisci Doidge

Hibiscus rosa-sinensis Linn.

Phyllosticta idaecola Cooke

Hibiscus Sabdariffa Linn.

Phytophthora parasitica Dast.

Fusarium vasinfectum Atk.

Hibiscus tiliaceus Linn.

Phyllachora minuta P. Henn.

Hexagona tenuis (Hook.) Fr.

Pleurotus ostreatus (Jacq. ex Fr.) Quél.

Hibiscus spp. indet.

Pythium acanthicum Drechsl.
Pythium splendens Braun
Puccinia heterospora Berk. & Curt.
Lentinus flabelliformis (Bolt. ex Fr.) Fr.
Phyllosticta sp. indet.

Malva parviflora Linn.

Puccinia Malvacearum Mont.

Malva rotundifolia Linn.

Puccinia Malvacearum Mont.

Malvastrum grossulariaefolium Gray & Harv.

Puccinia Malvacearum Mont.

Sida cordifolia Linn.

Asterina diplocarpa Cooke Puccinia heterospora Berk. & Curt. Oidium sp.

Sida Dregei Burtt Davy

Puccinia heterospora Berk. & Curt.

Sida Hislopii Burtt Davy & Gr.

Asterina Pavoniae Werd.

Sida Hoepfneri Gurke

Puccinia heterospora Berk. & Curt.

Sida longipes E. Mey.

=Sida Dregei Burtt Davy

Sida rhombifolia Linn.

Asterina diplocarpa Cooke Puccinia heterospora Berk. & Curt.

STERCULIACEAE.

Cola acuminata Schott. & Endl.

Phyllosticta Colae Verw. & du Pless.

Cola natalensis Oliv.

Hysterostoma Colae Hansf.

Dombeya Burgessiae Gerr.

Phyllachora Burgessiae Doidge

Dombeya cymosa Harv.

Oidum sp.

Dombeya natalensis Sond.

Uredo Dombeyae Doidge

Dombeya pulchra N. E. Br.

Phyllachora Burgessiae Doidge Phyllachora Dombeyae Syd.

Dombeya rotundifolia (Hochst.) Harv.

Phyllachora Dombeyae Syd.

Dombeya sp. indet.

Fomes rimosus (Berk.) Cooke Oidium sp.

Firmiana simplex Wight

Ashbya Gossypii (Ashby & Nowell) Guill.

Hermannia sp. indet.

Oidium sp.

Sterculia sp. indet.

Tryblidaria Breutelii Rehm.

Theobroma Cacao Linn.

Colletotrichum brachytrichum Del. Phyllosticta Theobromae Alm. & Cam.

DILLENIACEAE.

Dillenia indica Linn.

Botryodiplodia Theobromae Pat.

OCHNACEAE.

Ochna arborea Burch.

Cocconia capeniss Doidge

Ochna Holstii Engl.

Phyllachora microstegia Syd.

Ochna natalitia Engl. & Gilg.

Meliola Ochnae Doidge

Ochna O'Connorii Phillips

Meliola Ochnae Doidge Phyllachora microstegia Syd.

Ochna pulchra Hook.

Ophiodothella Liebenbergii Doidge

GUTTIFERAE.

Garcinia Livingstonei T. And.

Polystictus sanguineus (Linn. ex Fr.) Fr.

Psorospermum sp. indet.

Pestalotia sp.

THEACEAE.

Camellia japonica Linn.

Pleospora Camelliae Dipp. Colletotrichum Camelliae Mass. Monochaetia Camelliae Mill. Pestalotia Guepini Desm. Macrosporium Camelliae Cooke & Mass.

Thea sinensis Linn.

Mycosphaerella Theæ Shaw Armillaria mellea (Vahl ex Fr), Quél, Botryodiplodia Theobromae Pat, Colletotrichum Camelliae Mass, Pestalotia Theae Shaw

HYPERICACEAE.

Hypericum aethiopicum Thunb.

Melampsora Hypericorum Wint, var. australis Doidge

Hypericum Lalandii Choisv

Melampsora Hypericorum Wint, var. australis Doidge Puccinia Hyperici Doidge

Hypericum leucoptychodes Steud.

Uredo Hyperici-leucoptychodes Doidge

Hypericum natalense Wood & Evans

Uromyces Hyperici-frondosi (Schw.) Arth.

Hypericum Sonderi Bredell

Melampsora Hypericorum Wint, var. australis Doidge

DIPTEROCARPACEAE.

Monotes africanus (Welw.) A. DC.

Gorgoniceps kuitoënsis P. Henn.

Monotes dasyanthus Gilg.

Baumiella caespitosa P. Henn.

Monotes glaber Sprague

Baumiella caespitosa P. Henn.

VIOLACEAE.

Rinorea ardesiaeftora Welw.

=Rinorea natalensis Engl.

Rinorea natalensis Engl.

Irene Rinoreae Doidge Asterina Rinoreae Doidge

Viola abyssinica Steud.

Asterina undulata Doidge

Viola odorata Linn.

Phyllosticta Violae Desm.
Sphaceloma Violae Jenkins
Alternaria Violae Gall. & Dors.
Cercospora Violae Sacc.
Sclerotium Rolfsii Sacc.

Viola tricolor Linn.

Erysiphe cichoracearum DC. Cercospora Violae Sacc. Rhizoctonia sp.

FLACOURTIACEAE.

Aberia caffra Harv. & Sond.

=Dovyalis caffra Warb.

Dovvalis caffra Warb.

Phyllachora Aberiae P. Henn.

Dovyalis rhamnoides Harv.

Irene natalensis Doidge Phyllachora Aberiae P. Henn. Diatrype Dovyalidis Doidge Palwania Dovyalidis (Doidge) Nel

Dovvalis rotundifolia Harv.

Irene natalensis Doidge

Dovyalis Zeyheri Warb.

Cercospora Dovyalidis Chupp & Doidge

Dovyalis zizyphoides E. Mey.

=Dovyalis rhamnoides Harv.

Dovyalis spp. indet.

Phyllachora Aberiae P. Henn. Coryneum Dovyalidis v. d. Byl

$\textbf{Homalium}\ sp.$

Daldinia concentrica (Bolt. ex Fr.) Ces. & de Not. Polystictus sanguineus (Linn. ex Fr.) Fr. Poria contigua (Pers. ex Fr.) Cooke.

Kiggelaria africana Linn.

Asterina africana (v. d. Byl) Doidge var. Kiggelariae Doidge Fomes pectinatus (Klotzsch) Gillet Fomes rimosus (Berk.) Cooke Cercospora Kiggelariae Syd.

Kiggelaria sp.

Nectria coccinea (Pers.) Fr.

Oncoba sp. indet.

Meliola claviculata Doidge Asterina africana (v. d. Byl) Doidge

Rawsonia lucida Harv. & Sond.

Lembosina Rawsoniae Doidge

Scolopia Mundtii Warb.

Irene natalensis Doidge
Meliola Scolopiae Doidge
Asterina Scolopiae Doidge
Asterina uncinata Doidge
Microthyrium ranulisporum Doidge
Fomes Čaryophylli (Rac.) Bres.
Fomes connatus (Fr.) Gillet
Fomes McGregori Bres.
Fomes rimosus (Berk.) Cooke
Ganoderma applanatum (Pers.) Pat.
Polyporus gilvus (Schw.) Fr.
Polyporus Patouillardii (Rick) Theiss

Scolopia Zeyheri (Szysz.) Nees

Meliola Scolopiae Doidge Asterina Scolopiae Doidge Gamoderma lucidum (Leyss. ex Fr.) Karst.

Scolopia Zeyheri (Szysz.) Nees var. spinosa

Asterina Scolopiae Doidge

Scolopia sp. indet.

Meliola Scolopiae Doidge

Trimeria alnifolia Planch.

=Trimeria grandifolia (Hochst.) Warb.

Trimeria grandifolia (Hochst.) Warb.

Asterina Grewiae Cooke

Trimeria trinervis Harv.

Asterina Grewiae Cooke var. zonata Doidge

Xvlotheca Kraussiana Hochst.

Asterina africana (v. d. Byl) Doidge

PASSIFLORACEAE.

Adenia sp. indet.

Cytoplea Adeniae du Pless.

Passiflora edulis Sims

Glomerella cingulata (Stonem.) Spauld. & v. Schrenk. Gloeosporium Passiflorae Speg.
Phoma Passiflorae Peuz. & Sacc.
Septoria fructigena Berk. & Curt.
Nigrospora Panici Zimm.
Cladosporium herbarum Link
Cordana pauciseptata Preuss.
Fusarium oxysporum Schlecht.

Passiflora quadrangularis Linn.

Phoma Passiflorae Penz. & Sacc. Septoria fructigena Berk. & Curt. Aspergillus sp. Macrosporium sp.

Passiflora quitensis? Hort.

Septoria fructigena Berk. & Curt.

Passiflora sp. indet.

Ovulariopsis Passiflorae Syd. Trichothecium roseum Link

CARICACEAE.

Carica Papaya Linn.

Pythium aphanidermatum (Eds.) Fitz. Pythium irregulare Buisman Pythium myriotylum Drehsl. Pythium splendens Braun Pythium vexans de Bary Pythium ultimum Trow Neocosmospora vasinfecta E. F. Sm. Phomopsis Papayae Frag. & Cif. Phyllosticta Caricae-Papaye Allesch. Ascochyta Caricae Pat. Ovulariopsis Papayae v. d. Byl Penicillium digitatum Sacc.

Cladosporium herbarum Link

Macrosporium commune Rabenh.

Fusarium bulbigenum Cooke & Mass.

var. Lycopersici (Brushi) Wollenw. & Reinking

Fusarium Solani (Mart.) Appel & Wollenw.

Fusarium Solani (Mart.) Appel & Wollenw. var. Martii (App. & Wollenw.)

f. 1. Wollenw.

Fusarium lateritium Nees.

Fusarium oxysporum Schlecht.

Fusarium Scirpi Lamb. & Fautr.

Fusarium stilboides Wollenw.

Rhizoctonia sp.

BEGONIACEAE.

Begonia sp. indet.

Phyllosticta Begoniae Brun.

CACTACEAE.

Opuntia sp. indet.

Didymosphaeria opulenta (deNot.) Sacc.

OLINIACEAE.

Olinea cymosa Thunb.

Asterina reticulata Kalchbr. & Cooke emend. Doidge

Tremella ! frondosa Fr.

Tremella lutescens Pers, ex Fr.

Stereum Kalchbrenneri Sacc.

Stereum vellereum Berk.

Schizophyllum commune Fr.

Cercospora Oliniae Verw. & Dipp.

Olinia emarginata Burtt Davy

Asterina reticulata Kalchbr. & Cooke emend. Doidge

Olinia radiata Hofmeyr & Phill.

Asterina reticulata Kalchbr. & Cooke emend. Doidge

Olinia sp. indet.

Asterina reticulata Kalchbr. & Cooke emend. Doidge

THYMELEACEAE.

Gnidia microcephala Meisn.

Puccinia Gnidiae Doidge

Peddiea africana Harv.

Irene Peddieae Doidge Meliola peddieïcola Hansf. Schiffnerula sp. Pleomassaria Peddieae Doidge Stomiopeltella africana Doidge

PUNICACEAE.

Punica Granatum Linn.

Gloeosporium fructigenum Berk.

RHIZOPHORACEAE.

Cassipourea Gerrardi Alston

Hysterostoma microspora Doidge

Cassipourea verticillata N. E. Br.

Scolecopeltis Cassipoureae Doidge

COMBRETACEAE.

Combretum Baumii Engl. & Gilg.

Asterina Combreti Syd. Uredo longaensis P. Henn.

Combretum erythrophyllum Burch.

=Combretum glomeruliflorum Sond.

Combretum gazense Swyn. & Bak.

Septogloeum bullatum Syd.

Combretum glomeruliflorum Sond.

Asterina Combreti Syd. Stereum hirsutum (Willd. ex Fr.) Fr. Ganoderma lucidum (Leyss. ex Fr.) Karst. Polyporus gilvus (Schw.) Fr. Septogloeum bullatum Syd.

Combretum holosericeum Sond.

Ganoderma lucidum (Levss. ex Fr.) Karst.

Combretum Kraussii Hochst.

Asterina Combreti Syd. Polyporus gilvus (Schw.) Fr.

Combretum Zeyheri Sond.

Phyllactinia Combreti Doidge Uncinula combreticola Doidge Uredo combreticola Doidge

Combretum spp. indet.

Stereum purpureum (Pers. ex Fr.) Fr. Polystictus pinsitus Fr.

Terminalia Baumii Engl. & Gilg.

Phyllosticta Terminaliae P. Henn.

Terminalia catappa Linn.

Phyllosticta latospora Verw. & du Pless.

Terminalia sericea Burch.

Marssonina sp.

MYRTACEAE.

Eucalyptus amygdalina Labille

Harknessia uromycoides Speg.

Eucalyptus coriacea A. Cunn.

Lembosiopsis eucalyptina Petr. & Syd.

Eucalyptus corynocalyx F. Meull.

Mycosphaerella Moelleriana (Thuem.) Lindau

Eucalyptus diversicolor F. Muell.

Mycosphaerella Moelleriana (Thuem.) Lindau Stereum hirsutum (Willd. ex Fr.) Fr. Lenzites betulina (Linn. ex Fr.) Fr. Polyporus gilvus (Schw.) Fr. Pestalotia disseminata Thuem.

Eucalyptus ficifolia F. Muell.

Trametes roseola Pat. & Har.

Eucalyptus gigantea Denhh.

Mycosphaerella Moelleriana (Thuem.) Lindau Lembosiopsis eucalyptina Petr. & Syd. Poria vaporaria (Fr.) Cooke Thyrinula eucalyptina Petr. & Syd.

Eucalyptus globulus Lab.

Mycosphaerella Moelleriana (Thuem.) Lindau Valsaria Eucalypti (Kalchbr. & Cooke) Sacc. Lembosiopsis eucalyptina Petr. & Syd. Stereum hirsutum (Willd. ex Fr.) Fr. Stereum Kalchbrenneri Sacc. Lenzites aspera Klotzsch Lenzites Palisoti Fr. Polyporus subradiatus Lloyd Polystictus sanguineus (Linn. ex Fr.) Fr. Cortinarius multiformis Fr. Schizophyllum commune Fr. Thyrinula eucalyptina Petr. & Syd.

Eucalyptus gomphocephala DC.

Polyporus gilvus (Schw.) Fr.

Eucalyptus hemiphloia F. Muell.

Lembosiopsis eucalyptina Petr. & Syd.

Eucalyptus Lehmanii Preiss.

Pestalotia disseminata Thuem.

Eucalyptus macrorhyncha F. Muell.

Lentinus stuppeus Klotzsch

Eucalyptus maculata Hook.

? Mycosphaerella Moelleriana (Thuem.) Lindau

Eucalyptus Maideni F. Muell.

Mycosphaerella Moelleriana (Thuem.) Lindau Stereum Hirsutum (Willd. ex Fr.) Fr.

Eucalyptus obliqua L'Her.

Lembosiopsis eucalyptina Petr. & Syd. Polyporus sulphureus (Bull. ex Fr.) Fr. Lentinus stuppeus Klotzsch

Eucalyptus paniculata Sm.

Stereum hirsutum (Willd. ex Fr.) Fr. Lenzites Palisoti Fr. Armillaria mellea (Vahl ex Fr.) Quél, Lentinus stuppeus Klotzsch

Eucalyptus regnens F. Muell.

Lembosiopsis eucalyptina Petr. & Syd.

Eucalyptus robusta Kl.

Lentinus stuppeus Klotzsch

Eucalyptus rostrata Schlecht.

Polyporus gilvus (Schw.) Fr.

Eucalyptus saligna Sm.

Mycosphaerella Moelleriana (Thuem.) Lindau Irpex flavus Klotzsch Macrosporium Eucalypti P. Henn.

Eucalyptus sideroxylon Cunn.

Polyporus gilvus (Schw.) Fr. Lentinus stuppeus Klotzsch

Eucalyptus Stuartiana F. Muell.

Mycosphaerella Moelleriana (Thuem.) Lindau

Eucalyptus tereticornis Sm.

Mycosphaerella Moelleriana (Thuem.) Lindau

Eucalyptus viminalis Lab.

Cytospora Australiae Speg.

Eucalyptus spp. indet.

Hypocrea sulphurella Kalchbr. & Cooke Mycosphaerella Moelleriana (Thuem.) Lindau Sphaerulina Eucalypti Verw. & du Pless. Lembosiopsis eucalyptina Petr. & Syd. Exidia purpureo-cinerea MacOwan & Kalchbr. Guepinia spathularia (Schw.) Fr. Peniophora cremea (Bres.) Sacc. & Syd. Peniophora setigera (Fr.) Bres. ex Bourd. & Galz. Stereum bicolor Fr. Stereum fasciatum (Schw.) Fr. Stereum hirsutum (Willd, ex Fr.) Fr. Stereum transvaalium v. d. Byl Stereum umbrinum Berk. & Curt. Irpex deformis Fr. Irpex flavus Klotzsch Fomes annosus (Fr.) Gillet Fomes lividus (Kalchbr.) Cooke Ganoderma applanatum (Pers.) Pat. Lenzites betulina (Linn. ex Fr.) Fr. Lenzites Palisoti Fr. Polyporus gilvus (Schw.) Fr. Polyporus pocula (Schw.) Berk. & Curt. Polyporus subradiatus Lloyd Polyporus sulphureus (Bull. ex Fr.) Fr. Polystictus glauco-effusus Lloyd Polystictus leoninus (Klotzsch) Fr. Polystictus ochraceus (Pers.) Lloyd Polystictus sanguineus (Linn. ex Fr.) Fr. Polystictus subiculoides Llovd Polystictus versicolor (Linn. ex Fr.) Fr. Polystictus vinosus (Berk.) Cooke Trametes cingulata Berk. Trametes Proteus (Berk.) Fr. Crepidotus mollis (Schaehh. ex Fr.) Quél. Panus stipticus (Bull .ex Fr.) Fr. var. farinaceus (Schum. ex Fr.) Rea Schizophyllum commune Fr. Pisolithus tinctorius (Pers.) Coker & Couch Macrophomina Phaseoli (Maubl.) Ashby Pestalotia disseminata Thuem.

Eugenia apiculata DC.

Cryptoniyces Eugeniacearum (Corda) Sacc.

Eugenia capensis Harv.

Phyllachora Peglerae Doidge Phyllachora Woodiana Doidge

Eugenia cordata Laws.

=Syzygium cordatum Hochst.

Eugenia Gerrardi Sm.

=Syzygium Gerrardi (Harv.) Hochst.

Eugenia natalitia Sond.

Phyllachora goyazensis P. Henn. Asterina natalitia Doidge Echidnodes transvaalensis Doidge Cryptomyces Eugeniacearum (Corda) Sacc. Asterostomella eugenicola Doidge.

Eugenia Zeyheri Harv.

Irene Zeyheri Doidge Phyllachora capensis Doidge Asterina Zeyheri Doidge Scolecopeltis Eugeniae Doidge Fomes badius (Berk.) Cooke

Eugenia zuluensis Dummer

Irene atra Doidge Meliola cylindripoda Doidge Phyllachora capensis Doidge Didymella zuluensis Doidge Asterina natalitia Doidge Echidnodes natalensis Doidge

Eugenia spp. indet.

Calonectria leucorrhodina (Mont.) Speg. Cryptomyces Eugeniacearum (Corda) Sacc. Panus stipticus (Bull. ex Fr.) Fr. var. farinaceus (Schum. ex Fr.) Rea Stemphylium Eugeniae Verw. & du Pless.

Myrtus communis Linn.

Cercospora myrticola Speg.

Psidium Guajava Linn.

Botryosphaeria Ribis (Tode ex Fr.) Gross. & Dugg. & Wilcox var. chromogena Shear, Stev. Phyllosticta Psidii E. Tassi Sphaeropsis sp. Gloeosporium Psidii Del. Pestalotia Psidii Pat. Botrytis cinerea Pers.

Syncarpia glomulifera Med.

Armillaria mellea (Vahl ex Fr.) Quél.

Syzygium cordatum Hochst.

Chaetothyrium Syzygii Hansf. Diplodia variispora Died. Neobarclaya congesta (Berk. & Br.) Petch Septogloeum punctatum Wakef. Tetraploa aristata Berk. & Br. Pucciniopsis sp.

Syzygium Gerrardi (Harv.) Hochst.

Meliolina arborescens Syd. Asterina pemphidioides Cooke Asterina Syzygii Doidge Fomes rimosus (Berk.) Cooke Fomes senex (Nees & Mont.) Cooke Armillaria mellea (Vahl ex Fr.) Quél.

Syzygium guineense (Willd.) DC.

Polyporus gilvus Schw.) DC. Stagonospora atriplicis (West.) Lind.

Syzygium Legatii Burtt Davy & Greenway Meliolina arborescens Syd.

Syzygium sp. indet.

Polyporus gilvus (Schw.) Fr.

MELASTOMATACEAE.

Dissotis incana (E. Mev.) Triana

Pucciniosira Dissotidis Wakef. Cercospora Dissotidis Chupp & Doidge

Dissotis longicaudata Cogn.

Pucciniosira Dissotidis Wakef.

Dissotis princeps (Bonpl.) Triana

Pucciniosira Dissotidis Wakef.

ONAGRACEAE.

Clarkia elegans Dougl.

Phytophthora parasitica Dast. Pythium ultimum Trow

Epilobium flavescens E. Mey.

Puccinia Krookii P. Henn.

Epilobium hirsutum Linn.

Puccinia Krookii P. Henn.

Godetia spp. cult.

Phytophthora cryptogea Pethybr. & Laff. Phytophthora parasitica Dast. Fusarium Solani (Mart.) Appel & Wollenw.

Jussieua suffruticosa Linn. var. angustifolia Lam.

Cercospora Jussieuae Atk.

Oenothera biennis Linn.

Uromyces capensis Doidge

Oenothera spp. indet.

Puccinia Oenotherae Vize Septoria Oenotherae West.

HALORRHAGIDACEAE.

Gunnera perpensa Linn.

Septoria Byliana Syd.

Gunnera sp. indet.

Coniothecium sp.

ARALIACEAE.

Cussonia spicata Thunb.

Meliola leptidea Syd. Asterina ferruginosa Doidge Stomiopeltella petiolaris Doidge Aecidium Cussoniae Kalchbr.

Cussonia umbellifera Sond.

Asterina ferruginea Doidge

Cussonia spp. indet.

Uredo Cussoniae Cooke Volvaria bombycina (Schaeff. ex Fr.) Quél.

Hedera Helix Linn.

Phyllostietina concentrica (Sacc.) v. Höhn. var. lusitanica Alm.

UMBELLIFERAE.

Alepidea amatymbica E. & Z.

Aecidium albilabrum Kalchbr.

Alepidea capensis (Berg) R. A. Dyer

Aecidium albilabrum Kalchbr.

Alepidea ciliaris (Linn.) de Lar.

=Alepidea capensis (Berg.) R. A. Dyer

Alepidea serrata E. & Z.

Aecidium albilabrum Kalchbr.

Alepidea sp. indet.

Puccinia Alepideae Doidge

Apium graveolens Linn. var. dulce DC.

Septoria Apii Chester Septoria Apii-graveolentis Dorogin Cercospora Apii Fres. Rhizoctonia sp.

Daucus carota Linn, var. sativa DC.

Phoma Rostrupii Fres, var. Carotae Pass, Macrosporium Carotae Ell. & Langl. Cercospora Carotae (Pass.) Solh. Sclerotium Rolfsii Sacc.

Glia gummifera Sond.

=Ruthea gummfiera (L.) Bolle

Heteromorpha arborescens Cham. & Schlecht.

Uromyces Heteromorphae Thuem. Caeoma Heteromorphae Doidge Stereum hirsutum (Willd. ex Fr.) Fr. Polystictus sanguineus (Linn. ex Fr.) Fr.

Heteromorpha involucrata Conrath.

Uromyces Heteromorphae Thuem.

Heteromorpha pubescens Burtt Davy

Uromyces Heteromorphae Thuem.

Heteromorpha transvaalensis Schltr. & Wolff

Uromyces Heteromorphae Thuem.

Heteromorpha trifoliata E. & Z.

Daldinia Eschscholzii (Ehrenb. ex Fr.) Rehm Uromyces Heteromorphae Thuem.

Hydrocotyle asiatica Linn.

Septoria nesodes Kalchbr.

Hydrocotyle bonariensis Lam.

Puccinia Hydrocotyles (Link) Cooke

Hydrocotyle verticillata Thunb.

Puccinia Hydrocotyles (Link) Cooke

Hydrocotyle sp. indet.

Puccinia Hydrocotyles (Link) Cooke

Lichtensteinia sp. indet.

Caeoma Lichtensteiniae Doidge

Pastinaca sativa Linn.

Cercospora Pastinacae (Sacc.) Peck

Petroselinum hortense Hoffm.

Septoria Petroselini Desm.

Peucedanum capense Sond.

Uromyces Heteromorphae Thuem.

 $\textbf{Peucedanum galbanum} \ (Linn.) \ Benth. \ \& \ Hook.$

Uromyces Heteromorphae Thuem.

Peucedanum Zeyheri Sond.

Uromyces Heteromorphae Thuem.

Peucedanum spp. indet.

Uromyces fioranus Sacc.

Aecidium sp.

Polemannia grossulariaefolia E. & Z.

Uromyces Polemanniae Kalchbr. & Cooke

Polemannia mentana Schltr. & Wolff

Uromyces Polemanniae Kalchbr. & Cooke

Ruthia gummifera (Linn.) Bolle

Uredo Gliae Lindr.

Sanicula europaea Linn.

Asterina Saniculae Doidge

Trachymene coerulea R. Graham

Erysiphe umbelliferarum de Bary

Umbelliferae indet.

Septoria umbelliferarum Kalchbr.

CORNACEAE.

Curtisia faginea Ait.

Meliola ganglifera Kalchbr.
Echidnodes Curtisiae Doidge
Fomes Caryophylli (Rac.) Bres.
Fomes connatus (Fr.) Gillet
Fomes rimosus (Berk.) Cooke
Fomes yucatanensis (Murr.) Sacc.
Ganoderma applanatum (Pers.) Pat.
Ganoderma oroflavum (Lloyd) Humphrey & Leus
Polyporus arcularius (Batsch ex Fr.) Fr.
Polyporus durus Jungh.
Polyporus ochroleucus Berk.
Polyporus varius Fr.
Polystictus perennis (Linn. ex Fr.) Fr.
Trametes Proteus (Berk.) Fr.
Cercospora Curtisiae Chupp & Doidge

ERICACEAE.

Azaea indica Linn.

=Rhododendron indicum Sweet

Erica Brownleeae Bolus

Dimerosporiopsis Engleriana P. Henn.

Erica caffra Linn.

Pucciniopsis caffra Wakef.

Erica cristaeflora Salisb.

Dimerosporiopsis Engleriana P. Henn.

Erica holosericea Salisb.

Dimerosporiopsis Engleriana P. Henn.

Erica imbricata Linn.

Dimerosporiopsis Engleriana P. Henn.

Erica leucopelta Tausch.

Dimerosporiopsis Engleriana P. Henn.

Erica obliqua Thunb.

Dimerosporiopsis Engleriana P. Henn.

Erica peltata Andr.

Dimerosporiopsis Engleriana P. Henn.

Erica spp. indet.

Dimerosporiopsis Engleriana P. Henn.

Rhododendron indicum Sweet

Septoria Azaleae Vogl.

Rhododendron spp. indet.

Exobasidium Vaccinii (Fuck.) Woron. Macrophoma Falconieri P. Henn.

Scyphogyne inconspicua Brogn.

Dimerosporiopsis Engleriana P. Henn.

MYRSINACEAE.

Maesa rufescens A. DC.

Vestergrenia chaenostoma (Sacc.) Theiss.

Myrsine africana Linn.

Meliola transvaalensis Doidge Sphaerella Myrsinis Kalchbr. & Cooke Scolecopeltis Morganae Doidge Scolecopeltis Myrsinis Doidge

Myrsine melanophleos R. Br.

=Rapanea melanophleos Mez.

Rapanea melanophleos Mez.

Elmerococcum Peglerae (Pole Evans) Doidge Coryneliospora fructicola (Pat.) Fitz. Phyllachora myrsinicola Doidge MacOwaniella myrsinicola Doidge Polystictus biformis (Klotzsch) Fr. Pestalotia Rapaneae Laughton Cladosporium Melanophloei Thuem. Menispora cylindrica Kalchbr. & Cooke Trichodochium disseminatum Syd.

PRIMULACEAE.

Cyclamen indicum Linn.

Phyllosticta sp. Botrytis cinerea Pers.

Primula malacoides Franch.

Botrytis cinerea Pers.

Primula polyantha Mill.

Ramularia Primulae Thuem.

PLUMBAGINACEAE.

Limonium latifolium Kuntze

Pythium vexans de Bary Uromyces Limonii (DC.) Lev.

Limonium sinuatum Mill.

Cercospora insulana (Sacc.) Chipp

Limonium sp. indet.

Fusarium Scirpi Lamb. & Fautr. Fusarium Scirpi Lamb. & Fautr. var. compactum Wollenw.

Statice latifolia Sm.

=Limonium latifolium Kuntze

SAPOTACEAE.

Chrysophyllum magalismontanum Sond.

Asterina Bosmanae Doidge Pseudographis Chrysophylli Doidge Septoria Evansii Syd.

Chrysophyllum natalense Sond.

Asterina opaca Syd.

Mimusops caffra E. Mev.

Phyllachora placida (Syd.) Theiss. Uromyces Mimusops Cooke Pestalotia caffra Syd.

Mimusops obovata Sond.

Schiffnerula sp. Asterinella Mimusopsidis Doidge

Mimusops Zeyheri Sond.

Diatrype auristroma Doidge Hypoxylon rubiginosum Pers. ex. Fr. Uromyces Mimusops Cooke Poria contigua (Pers. ex Fr.) Cooke

Sideroxylon inerme Linn.

Titanella grandis Syd. Asterina robusta Doidge Macrophomina limbalis Syd.

Sideroxlon sp.

Phyllachora Baumii P. Henn.

EBENACEAE.

Diospyros mespiliformis Hochst.

Aecidium Diospyri A. L. Sm.

Euclea divinorum Hiern.

Pilidium Eucleae (Kalchbr. & Cooke) Sacc.

Euclea Kellau Hochst.

Cronartium Gilgianum P. Henn.

Euclea lanceolata E. Mey.

Palawania orbiculata (Syd.) Doidge Cronartium Gilgianum P. Henn. Pilidium Eucleae (Kalchbr. & Cooke) Sacc.

Euclea macrophylla E. Mey.

Palawaniella orbiculata (Syd.) Doidge Cronartium Gilgianum P. Henn.

Euclea natalensis A. DC.

Ispinga areolata Doidge Palwania orbiculata (Syd.) Doidge Cronartium Gilgianum P. Henn. Pilidium Eucleae (Kalchbr. & Cooke) Sacc.

Euclea racemosa Murr.

Palawania orbiculata (Syd.) Doidge Pilidium Eucleae (Kalchbr. & Cooke) Sacc.

Euclea undulata Thunb.

Pilidiun Eucleae (Kalchbr. & Cooke) Sacc.

Euclea spp. indet.

Palawania orbiculata (Syd.) Doidge Pilidium Eucleae (Kalchbr. & Cooke) Sacc.

Maba natalensis Harv.

Aecidium bicolor Sacc.

Royena lucida Linn.

Daldinia concentrica (Bolt. ex Fr.) Ces. & de Not. Stigmatopeltis Royenae Doidge Fomes Caryophylli (Rac.) Bres.

Royena pallens Thunb.

Aecidium Royenae Cooke & Mass.

Royena villosa Linn.

Dimerium myriadeum (Cooke) Theiss. Aecidium Royenae Cooke & Mass.

Ebenaceae indet.

Aecidium sp.

OLEACEAE.

Fraxinus angustifolia Vahl

Phomopsis samarorum (Desm.) v. Höhn.

Jasminum angulare Vahl

Meliola gemellipoda Doidge Asterina ervsiphoides Kalchbr. & Cooke emend. Doidge Ferrarisia Jasmini Doidge

Jasminum microphyllum Bkr.

Aecidium longaense P. Henn.

Jasminum multipartitum Hochst.

Asterina erysiphoides Kalchbr. & Cooke emend. Doidge Uromyces Hobsoni Vize

Jasminum pubescens Willd.

Meliola gemellipoda Doidge

Jasminum streptopus E. Mev.

Meliola jasminicola P. Henn. Meliola oleicola Doidge var. Jasmini Doidge Meliola xumenensis Doidge Calopeltis Jasmini Doidge

Jasminum tortuosum Willd.

Asterina erysiphoides Kalchbr. & Cooke emend, Doidge Puccinia exhauriens Thuem.

Olea africana Mill.

Dimerina verrucicola (Wint.) Theiss.
Asterodothis solaris (Kalchbr. & Cooke) Theiss.
Hysterostoma orbiculata Syd.
Hysterographium Fraxini Pers. & de Not. var. Oleastri Desm.
Fomes glaucoporus Lloyd
Fomes rimosus (Berk.) Cooke
Fomes yucatanensis (Murr.) Sacc.
Ganoderma lucidum (Leyss. ex Fr.) Karst.
Pleurotus olearius (DC. ex Fr.) Gill.
Coleophoma Oleae (DC.) Petr. & Syd.

Olea capensis Linn.

Perischizon oleifolium (Kalchbr. & Cooke) Theiss. Rosenscheldia horridula Doidge Meliola oleicola Doidge Meliola petiolaris Doidge Balladynella confusa (Doidge) Hansf. Microcallis Oleae Hansf. Mycosphaerella Byliana Syd. Sphaerulina oleifolia v. d. Byl

Asterodothis solaris (Kalchbr. & Cooke) Theiss. Hysterostoma orbiculata Syd. Cocconia porrigo (Cooke) Sacc. Ceuthospora Oleae Kalchbr. & Cooke

Olea europaea Linn.

Macrophoma Oleae Berl. & Vogl. Gloeosporium olivarum Alm. Scolecosporium pedicellatum Dearn. & Overh. Macrosporium Oleae Berl. & Vogl. Cycloconium oleaginum Cast.

Olea exasperata Jacq.

Balladynella confusa (Doidge) Hansf. Asterodothis solaris (Kalchbr. & Cooke) Theiss. Hysterostoma capense Syd.

Olea foveolata E. Mey.

Meliola oleicola Doidge Daldinia concentrica (Bolt. ex Fr.) Ces. & de Not. Asterodothis solaris (Kalchbr. & Cooke) Theiss. Hysterostomella opaca (Syd.) Doidge Ganoderma applanatum (Pers.) Pat. Phyllosticta sp.

Olea laurifolia Lam.

Perischizon oleifolium (Kalchbr. & Cooke) Svd. Meliola oleicola Doidge Meliola petiolaris Doidge Balladynella confusa (Doidge) Hansf. Sphaerulina oleifolia v. d. Byl Daldinia concentrica (Bolt. ex Fr.) Ces. & de Not. Asterodothis solaris (Kalchbr. & Cooke) Theiss. Cocconia porrigo (Cooke) Sacc. Eupelte amicta Syd. Auricularia auricula-judae (Fr.) Secretan Stereum hirsutum (Willd. ex Fr.) Fr. Stereum lobatum (Kunze) Fr. Irpex vellereus Berk. & Br. Ptychogaster sp. Daedalea stereoides Fr. Fomes McGregori Bres. Fomes minutulus P. Henn. Fomes rimosus (Berk.) Cooke Fomes robustus Karst. Ganoderma applanatum (Pers.) Pat. Ganoderma Emini P. Henn. Ganoderma fulvellum Bres. Ganoderma lucidum (Leyss. ex Fr.) Karst. Hexagona Friesiana Speg. Lenzites aspera Klotzsch Lenzites betulina (Linn. ex Fr.) Fr.

Lenzites Palisoti Fr.
Polyporus cuticularis (Bull. ex Fr.) Fr.
Polyporus sulphureus (Bull. ex Fr.) Fr.
Polyporus virgatus Berk. & Curt.
Polystictus ochraceus (Pers.) Lloyd
Polystictus sanguineus (Linn. ex Fr.) Fr.
Polystictus zonatus Fr.
Trametes albotexta Lloyd.
Trametes glabrescens (Berk.) Fr.
Lentinus dactyliophorus Lev.
Lentinus Sajor-caju Fr.

Olea macrocarpa C. H. Wright

Perischizon oleifolium (Kalchbr. & Cooke) Svd.

Olea Peglerae C. H. Wright

Meliola oleicola Doidge Balladynella confusa (Doidge) Hansf.

Olea rerrucosa Link

=Olea africana Mill.

Olea Woodiana Knobl.

Perischizon oleifolium (Kalchbr. & Cooke) Syd. Rosenscheldia horridula Doidge Asterodothis solaris (Kalchbr. & Cooke) Theiss.

Olea spp. indet.

Meliola oleicola Doidge
Hypoxylon hypomiltum Mont.
Xylaria tabacina (Kickx) Berk.
Cocconia porrigo (Cooke) Sacc.
Patella scutellata (L.) Morgan
Ptychogaster sp.
Stereum Kalchbrenneri Sacc.
Fomes rimosus (Berk.) Cooke
Fomes Robinsoniae (Murr.) Sacc. & Trott.
Fomes yucatanensis (Cooke) Sacc.
Polystictus cinnabarinus (Jacq. ex Fr.) Fr.
Polystictus sanguineus (Linn. ex Fr.) Fr.
Schizophyllum commune Fr.
Rhizoctonia sp.

SALVADORACEAE.

Azima tetracantha Lam.

Meliola Azimae Doidge

LOGANIACEAE.

Buddleia auriculata Benth.

Irene inermis (Kalchbr. & Cooke) Theiss. & Syd. Phyllosticta auriculata Kalchbr. & Cooke Septoria Thuemenii Sacc.

Buddleia pulchella N. E. Br.

Irene inermis (Kalchbr. & Cooke) Theiss. & Syd.

Buddleia salvifolia Lam.

Irene inermis (Kalchbr. & Cooke) Theiss. & Syd. Septoria Buddleiae Kalchbr. & Cooke Oidium sp.

Buddleia sp. indet.

Sclerotium Rolfsii Sacc.

Chilianthus arboreus A. DC.

Irene implicata Doidge Asterinella inconspicua (Doidge) Hansf.

Chilianthus dysophyllus A. DC.

Irene inermis (Kalchbr. & Cooke) Theiss. & Syd.

Gomphostiqma scoparioides Turcz

=Gomphostigma virgata (Linn. f.) O. Ktze

Gomphostigma virgata (Linn. f.) O. Ktze.

Aecidium Gomphostigmae Doidge

Lachnopylis floribunda (Benth.) C. A. Sm.

Irene Nuxiae Syd. Stereum Kalchbrenneri Sacc. Polyporus grammocephalus Berk.

Lachnopylis tomentosa (Sond.) C. A. Sm.

Irene Nuxiae Syd.
Microcallis Nuxiae (Doidge) Hansf.

Lachnopylis spp. indet.

Schiffnerula sp. Armillaria mellea (Vahl ex Fr.) Quél.

Nuxia fioribundia Benth.

=Lachnopylis floribunda (Benth.) C. A. Sm.

Nuxia tomentosa Sond.

=Lachnopylis tomentosa (Sond.) C. A. Sm.

Strychnos Gerrardi N. E. Br.

Xylaria ianthino-velutina Mont.

Strychnos Henningsii Gilg.

Puccinia lindaviana P. Henn. Polyporus gilvus (Schw.) Fr.

Strychnos spp. indet.

Xylaria carpophila Pers. ex Fr. Xylaria heloidea Penz. & Sacc.

GENTIANACEAE.

Limnanthemum Thunbergianum Griseb.

Phaeosphaerella congregata (Syd.) Doidge

APOCYNACEAE.

Acokanthera spectabilis H. k f.

Echidnodes Acokantherae Doidge

Acokanthera venenata G. Don.

Echidnodes Acokantherae Doidge

Acokanthera sp. indet.

Hysterostoma Acocantherae (P. Henn.) Theiss. & Syd.

Allamanda cathartica Linn.

Cercospora Byliana Syd.

Carissa arduina Lam.

=Carissa bispinosa (Linn.) Desf.

Carissa bispinosa (Linn.) Desf.

Leveillina Arduinae Kalchbr. & Cooke Meliola Carissae Doidge Erikssonia Carissae Doidge MacOwaniella congesta (Wint.) Doidge Echidnodes Acokantherae Doidge Trichopeltula Carissae Doidge Phyllosticta Carissae Kalchbr. & Cooke

Carissa grandiflora A. DC.

MacOwaniella congesta (Wint.) Doidge

Carissa haematocarpa (E. & Z.) DC.

MacOwaniella congesta (Wint.) Doidge

Carpodinus leucantha K. Schum.

Uredo Carpodini P. Henn.

Conopharyngia elegans Stapf

Puccinia callistea Svd.

Conopharyngia ventricosa Stapf

Micropeltis stigma Cooke Puccinia Tabernaemontanae Berk. & Br.

Funtumia elastica Stapf

Colletotrichum Kickxiae Verw. & du Pless.

Gonioma Camassi (E. & Z.) E. Mey.

Meliola Goniomae Doidge Nummularia Kalchbrenneri (Sacc.) Miller Fomes Robinsoniae (Murr.) Sacc. & Trott.

Kickxia elastica Preuss

=Funtumia elastica Stapf

Oncinotis inandensis $Wood\ \&\ Evans$

Meliola Oncinotidis Doidge Asterina aulica Syd.

Rauwolfia caffra Sond.

Cercospora Liebenbergii Syd.

Strophanthus speciosus Reber

Irene Strophanthi Doidge

Voacanga Thouarsii Roem. & Schult.

Puccinia callistea Syd.

ASCLEPIADACEAE.

Asclepias albens Schltr.

Puccinia Pachycarpi Kalchbr. & Cooke

Asclepias fruticosa Linn.

Uredo Asclepiadis-fruticosa Doidge Septoria Schlechteriana P. Henn. Sacidium Gomphocarpi Kalchbr. & Cooke

Asclepias sp. indet.

Oidium sp.

Caralluma sp. indet.

Triposporium Stapeliae du Pless.

Cryptolepis capensis Schltr.

Uredo Cryptolepidis Cooke

Cryptolepis oblongifolia Schltr.

Uredo Ectadiopsis Cooke

Cryptolepis obtusa N. E. Br.

Uredo Cryptolepidis Cooke

Cynanchum ellipticum (Harv.) R. A. Dyer

Schiffnerula Doidgeae Hansf. Asteroma pallidum Kalchbr.

Cynanchum natalitium Schlecht.

Cercospora puntciformis Sacc. & Roum.

Cynoctonium capense E. Mey. (Cynanchum capense Thunb. non Linn. f.) =Cynanchum ellipticum (Harv.) R. A. Dver

Duvalia corderoyi N. E. Br.

Triposporium Stapeliae du Pless.

Duvalia parviflora N. E. Br.

Pythium ultimum Trow Triposporium Stapeliae du Pless.

Duvalia sp. indet.

Triposporium Stapeliae du Pless.

Ectadiopsis oblongifolia Benth.

=Cryptolepis oblongifolia Schltr.

Gomphocarpus fruticosus Sims

=Asclepias fruticosa Linn.

Gomphocarpus sp. indet.

Septoria Gomphocarpi P. Henn.

Hoodia Bainii Dver

Triposporium Stapeliae du Pless.

Hoodia Gordoni Sweet

Triposporium Stapeliae du Pless.

Huernia longituba N. E. Br.

Triposporium Stapeliae du Pless.

Huernia oculata Hook, f.

Triposporium Stapeliae du Pless.

Pachycarpus grandiflorus E. Mev.

Puccinia Pachycarpi Kalchbr. & Cooke

Pachycarpus Schinzianus N. E. Br.

Puccinia Schlechteri P. Henn. Cercospora Pachycarpi Chupp & Doidge

Pachycarpus sp. indet.

Phyllosticta degenerans Syd.

Sarcophagophilus Winklerianus de Pless.

Triposporium Stapeliae du Pless.

Secamone alpini Schultes

Asterina secamonicola Doidge

Secamone frutescens Decne.

Meliola perpusilla Syd. var. congoensis Beeli Schiffnerula Doidgeae Hansf.

Stapelia desmetiana N. E. Br.

Triposporium Stapeliae du Pless.

Stapelia gemmiflora Mass. var. hircosa N. E. Br.

Phoma Stapeliae Kalchbr. & Cooke

Stapelia Leendertziae N. E. Br.

Triposporium Stapeliae du Pless.

Stapelia Schinzii Berg. & Schlecht.

Triposporium Stapeliae du Pless.

Stapelia spp. indet.

Pythium de Baryanum Hesse Pythium ultimum Trow Triposporium Stapeliae du Pless.

Tavaresia grandiflora Berger

Triposporium Stapeliae du Pless.

Tavaresia sp. indet.

Pythium ultimum Trow.

Trichocaulon annulatum N. E. E. Br.

Triposporium Stapeliae du Pless.

Trichocaulon cactiforme N. E. Br.

Triposporium Stapeliae du Pless.

Trichocaulon sinus-Luderotzii Dinter

Triposporium Stapeliae du Pless.

Trichocaulon spp. indet.

Phytophthora parasitica Dast. Triposporium Stapeliae du Pless.

Tylophora Flanagani Schlecht.

Schiffnerula Doidgeae Hansf. Asterina peraffinis Speg.

Asclepiadaceae indet.

Schiffnerula Doidgeae Hansf.

CONVOLVULACEAE.

Batatas paniculata Choisy

=Ipomoea paniculata (Linn.) R. Br.

Convolvulus ulosepalus Hall f.

Cystopus Ipomoeae-panduranae (Schw.) Stev. & Swing.

Cuscuta cassytoides Nees

Dendryphium MacOwanianum Thuem.

Dichondra repens Forsk.

Puccinia Dichondrae Mont.

Evolvulus alsinoides Linn.

Puccinia desertorum Svd.

Hewittea bicolor Wight

Coleosporium Ipomoeae Burr.

Ipomoea albivenia Sweet

Puccinia Ipomoeae-panduratae (Schw.) Svd.

I pomoea argyreoides Choisy

=Ipomoea oenotheroides (Linn. f.) Rafin.

Ipomoea batatas Poir.

Rhizopus nigricans Ehrenb. Pythium ultimum Trow Macrophomina Phaseoli (Maubl.) Ashby Diplodia tubericola (Ell. & Everh.) Taubenh. Fusarium oxysporum Schlecht.

Ipomoea cardiosepala Hochst.

Cystopus Ipomoeae-panduranae (Schw.) Stev. & Swing.

Ipomoea convolvuloides Hall

Uromyces Ipomoeae (Thuem.) Berk.

Ipomoea digitata Linn.

=Ipomoea paniculata (Linn.) R. Br.

Ipomoea ficifolia Lindl.

Cystopus Ipomoeae-panduranae (Schw.) Stev. & Swing. Puccinia holosericea Cooke

Ipomoea Greenstockii Rendl.

Uromyces Greenstockii Doidge

Ipomoea holosericea E. Mey.

=Ipomoea ficifolia Lindl.

Ipomoea obscura Ker.

Cystopus Ipomoeae-panduranae (Schw.) Stev. & Swing.

Ipomoea oenotheroides (Linn. f.) Rafin.

Uromyces Ipomoeae (Thuem.) Berk.

Ipomoea Ommanei Rendl.

Uromyces Ipomoeae (Thuem.) Berk.

Ipomoea paniculata (Linn.) R. Br.

Puccinia Batatae Syd.

Ipomoea Wightii Choisy

Puccinia holosericea Cooke

Ipomoea spp. indet.

Cystopus Ipomoeae-panduranae (Schw.) Stev. & Swing. Puccinia holosericea Cooke

Merremia bipinnatipartita Hallier f.

Uromyces comptus Syd.

POLEMONIACEAE.

Gilia rubra Heller

Pythium ultimum Trow Fusarium Solani (Mart.) Appel & Wollenw, Fusarium sp. (Elegans section) Sclerotium Rolfsii Sace.

Phlox Drummondii Hook.

Septoria Drummondii Ell. & Everh. Ovulariopsis sp. Cercospora omphacodes Ell. & Holw. Fusarium moniliforme Sheld. Fusarium Scirpi Lamb. & Fautr. Sclerotium Rolfsii Sacc.

11101-29

HYDROPHYLLACEAE.

Nemophila insignis Benth.

Phyllosticta Nemophilae Dipp.

Nemophila sp. indet.

Phyllosticta Nemophilae Dipp.

BORRAGINACEAE.

Cordia caffra Sond.

Phyllachora caffra Syd.

Cynoglossum grande Dougl.

Aecidium Davyi Syd.

Cynoglossum micranthum Desf.

Aecidium Davyi Syd.

Heliotropium Nelsoni Wright

Aecidium heliotropicolum Talbot

Trichodesma africanum R. Br.

Oidium sp.

VERBENACEAE.

Clerodendron Buchneri Gürke

Aecidium clerodendricolum P. Henn.

Clerodendron glabrum E. Mey.

Hemileia Scholzii Svd.

Clerodendron myricoides R. Br. var. cuneatum Pears.

Cersospora Clerodendri Miyake

Clerodendron sp.

Hemileia Scholzii Svd.

Lantana Camara Linn.

Phoma Lantanae Verw. & du Pless.

Lantana salvifolia Jacq.

Puccinia natalensis Diet. & Syd.

Lippia asperifolia Rich.

Puccinia lippiivora Syd. Aecidium Evansii P. Henn. Lippia scaberrima Sond.

Aecidium Evansii P. Henn.

Lippia sp. indet.

Puccinia lippiivora Syd.

Priva dentata Juss.

=Priva Meyeri Jaub. & Spach.

Priva Meyeri Jaub. & Spach.

Cercosporella delicatissima (Kalchbr. & Cooke) Chupp

Verbena hybrida Voss

Phytophthora cactorum (Leb. & Cohn) Schroet. Oidium Verbenae Thuem. & Bolle

Vitex mooiensis Pearson

Auricularia Emini P. Henn.

LABIATAE.

Becium obovatum N. E. Br.

Puccinia Becii Doidge

Coleus spp. indet.

Pythium de Baryanum Hesse Pythium ultimum Trow

Hemizygia Pretoriae (Gurke) Ashby

Puccinia galerita Doidge

Leonotis dysophila Benth.

Puccinia leonotidicola P. Henn.

Leonotis leonitis R. Br.

Diatrype Leonotidis Doidge Puccinia leonotidicola P. Henn. Cercospora Leonitidis Cooke

Leonotis leonurus R. Br.

Puccinia leonotidicola P. Henn.

Leonotis nepetifolia (Linn.) R. Br.

Puccinia leonotidicola P. Henn.

Leonotis ovata Spreng.

=Leonotis leonitis R. Br.

Leonotis sp. indet.

Puccinia leonotidicola P. Henn.

Leucas glabrata R. Br.

Puccinia Leucadis Svd.

Leucas martinicensis R. Br.

Puccinia Leucadis Syd. Oidium sp.

Mentha aquatica Linn.

Puccinia Menthae Pers.

Mentha longifolia Huds. subsp. capensis Briq.

Puccinia Menthae Pers.

Mentha sylvestris Linn. var. capensis

=Mentha longifolia Huds, subsp. capensis Briq.

Mentha viridis Linn.

Puccinia Menthae Pers.

Ocimum americanum Linn.

Puccinia Ocimi Doidge

Ocimum obovatum E. Mey.

=Becium obovatum N. E. Br.

Ocimum suave Willd.

Puccinia Ocimi Doidge

Orthosiphon Pretoriae Gürke

=Hemizygia Pretoriae (Gürke) Ashby

Orthosiphon sp. indet.

Puccinia pallens Syd.

Plectranthus ciliatus E. Mey.

Meliola capnodioides Thuem.

Plectranthus fruticosus L'Herit.

Mycosphaerella Plectranthi Doidge

Plectranthus floribundus N. E. Br.

Aecidium Plectranthi Barcl.

Plectranthus laxiflorus Benth.

Puccinia Plectranthi Thuem.

Plectranthus spp. indet.

Puccinia luandensis Syd. Puccinia Plectranthi Thuem. Aecidium Plectranthi Thuem.

Pycnostachys purpurascens Briq.

Aecidium Pycnostachydis (Kalchbr.) Syd.

Pycnostachys reticulata Benth.

Aecidium Pycnostachydis (Kalchbr.) Syd.

Salvia runcinata Linn. f.

Puccinia Salviae-runcinatae Doidge

Salvia splendens Ker.

Selerotinia selerotiorum (Lib.) de Bary

Salvia sp. indet.

Puccinia Salviae Ung.

Stachys aethiopica Linn.

Meliola capnodioides Thuem. Puccinia aethiopica Kalchbr. & Cooke

Stachys grandifolia E. Mey.

Puccinia aethiopica Kalchbr. & Cooke

Stachys hyssopoides Burch.

Puccinia aethiopica Kalchbr. & Cooke

Stachys spathulata Burch.

Puccinia aethiopica Kalchbr. & Cooke

Stachys spp. indet.

Meliola capnodioides Thuem. Puccinia aethiopica Kalchbr. & Cooke

Teucrium riparium Hochst.

Oidium sp.

Tinnea eriocalyx Welw.

Aecidium Tinneae P. Henn.

Labiatae indet.

Meliola capnodioides Thuem.

SOLANACEAE.

Capsicum frutescens Linn.

Leveillula taurica (Lév.) Arn. Colletotrichum nigrum Ell. & Halst.

Cyphomandra betacea Sendt.

Macrosporium sp.

Datura ferox Linn.

Oidium sp.

Datura Metel Linn.

Alternaria crassa Rands

Datura Stramonium Linn.

Phomopsis Daturae (Roll. & Fautr.) Sacc. Oidium sp. Alternaria crassa Rands Alternaria tenuis Nees Fusarium sambucinum Fuck. Fusarium sp. (Elegans section) Rhizoctonia sp. Sclerotium Rolfsii Sacc.

Datura Tatula Linn.

Phoma Tatulae Kalchbr. & Cooke Alternaria crassa Rands.

Lycium afrum Linn.

Puccinia afra Wint.

Lycium austrinum Miers.

Puccina Lveii Kalchbr.

Lycium campanulatum E. Mev.

Puccinia afra Wint.

Lycium echinatum Dun.

Eutypella Lycii Doidge

Lycium hirsutum Dun.

Puccinia Lycii Kalchbr.

Lycium oxycladum Miers.

Puccinia Lycii Kalchbr.

Lycium tubulosum Nees

Puccinia Lycii Kalchbr.

(This species of Lycium not traced; not in Index Kewensis, apparently a Ms. name).

Lycium spp. indet.

Puccinia Lycii Kalchbr. Puccinia Verwoerdiana v. d. Byl Uredo sp.

Lycopersicum esculentum Mill.

Rhizopus nigricans Ehrenb.
Phytophthora infestans (Mont.) de Bary
Phytophthora parasitica Dast.
Pythium aphanidermatum (Eds.) Fitz.
Pythium splendens Braun
Pythium ultimum Trow
Phoma destructiva (Plowr.) Jamieson
Phomopsis Phaseoli Grove
Septoria Lycopersici Speg.
Colletotrichum phomoides (Sacc.) Chester
Vermicularia Dematium Fr.
Oidium Lycopersici Cooke & Mass.

Cladosporium fulvum Cooke
Alternaria Solani (Ell. & Mart.) Jones & Grout

Macrosporium Tomato Cooke
Fusarium angustum Sherb.

Fusarium bulbigenum Cooke & Mass.

var. Lycopersici (Brushi) Wollenw. & Reinking.

Fusarium coeruleum (Lib.) Sacc. Fusarium Equiseti (Corda) Sacc.

Fusarium moniliforme Sheld.

Fusarium redolens Wollenw. f. 1. Wollenwr.

Fusarium sambucinum Fuck. Fusarium Scirpi Lamb. & Fautr.

Fusarium vasinfectum Atk. var. zonatum (Sherb.) f. 1. (Link & Bailey) Wollenw.

Rhizoctonia Solani Kuhn.

Lycopersicum pimpinlelifolium ${ m Mill.}$

Septoria Lycopersici Speg.

Nicandra physaloides Gaertn.

Alternaria Solani (group). Rhizoctonia sp.

Nicotiana rustica Linn.

Oidium Tabaci Thuem. Alternaria tabacina (Ell. & Everh.) Hori Sclerotium Rolfsii Sacc.

Nicotiana Tabacum Linn.

Rhizopus arhizus Fischer

Rhizopus nigricans Ehrenb.

Phytophthora parasitica Dast.

Pythium aphanidermatum (Eds.) Fitz.

Pythium de Baryanum Hesse

Pythium ultimum Trow

Pythium sp.

Thielavia basicola Zopf

Phoma sp.

Phyllosticta Nicotianae Ell. & Everh.

Phyllosticta Tabaci Pass.

Ascochyta Nicotianae Pass.

Aspergillus flavus Link.

Aspergillus glaucus Link

Aspergillus sulphureus (Fres.) Thom & Church

Oidium Tabaci Thuem.

Verticillium sp.

Alternaria longpipes (Ell. & Everh.) Tisd. & Wadk.

Alternaria tabacina (Ell. & Everh.) Hori

Alternaria tenuis Nees

Alternaria Solani (group)

Cercospora Nicotiannae Ell. & Everh.

Fusarium bulbigenum Cooke & Mass.

Fusarium moniliforme Sheld.

Fusarium oxysporum Schlecht, var. Nicotianae Johns.

Fusarium Scirpi Lamb. & Fautr. var. acuminatum (Ell. & Everh.) Wollenw.

Rhizoctonia Solani Kuhn

Sclerotium Rolfsii Sacc

Petunia hybrida Vilm.

Oidium sp.

Physalis angulata Linn.

Entyloma australe Speg.

Oidium sp.

Physalis 'Hornemannii'

(Kalchbr. & Cooke 1880: 22) possibly a mis-spelling of Physalis Hermannii

=Physalis angulata.

Physalis minima Linn.

The South African plants previously named *Physalis minima* Linn, are not this species but Physalis angulata Linn.

Physalis peruviana Linn.

Entyloma australe Speg.

Phyllosticta sp.

Ascochyta Alkekengi Massal.

Penicillium digitatum Sacc.

Alternaria Solani (group).

Solanum auriculatum Ait.

Gibberella pulicaris (Fr.) Sacc. Hypocrea trachycarpa Syd. Peroneutypella cylindrica (Kalchbr. & Cooke) Berl. Valsaria natalensis Doidge Hymenochaete tristicula (Berk. & Br.) Mass. Cladosporium fulvum Cooke

Solanum Baumii Dammer

=Solanum panduraeforme E. Mey.

Solanum giganteum Jacq.

Aecidium habunguense P. Henn.

Solanum incanum Linn.

Leveillula taurica (Lév.) Arn. Aecidium habunguense P. Henn. Gloeosporium fructigenum Berk.

Solanum indicum Linn.

Aecidium habunguense P. Henn. Oidium sp.

Solanum Melongena Linn.

Aecidium tubulosum Pat. & Gaill.

Solanum Melongena Linn. var. esculentum Nees

Pythium aphanidermatum (Eds.) Fitz.
Pythium ultimum Trow
Aecidium habunguense P. Henn.
Colletotrichum atramentarium (Berk. & Br.) Taubenh.
Gloeosporium fructigenum Berk.
Oidium sp.
Verticillium? alboatrum Reinke & Berth.
Alternaria Solani (Ell. & Mart.) Jones & Grout
Cercospora solanimelongenae Hori
Sclerotium Rolfsii Sacc.

Solanum panduraeforme E. Mey.

Aecidium habunguense P. Henn. Cercospora egenula (Syd.) Chupp & Doidge

Solanum sup num Dun.

Aecidium habunguense P. Henn.

Solanum tuberosum Linn.

Spongospora subterranea (Wallr.) Lagerh. Synchytrium endobioticum (Schilb.) Perc. Phytophthora infestans (Mont.) de Bary Pythium aphanidermatum (Eds.) Fitz.

Corticium vagum Berk. & Curt.

Colletotrichum atramentarium (Berk. & Br.) Taubenh.

Actinomyces scabies (Thaxt.) Gussow

Oidium Šolani auct.

Oospora pustulans Owen & Wakef. Trichoderma lignorum (Tode) Harz

Verticillium alboatrum Reinke & Berth.

Alternaria Solani (Ell. & Mart.) Jones & Grout

Spondylocladium atrovirens Harz

Fusarium argillaceum (Fr.) Sacc.

Fusarium bulbigenum Cooke & Mass. var. blasticola (Rostr.) Wollenw.

Fusarium coeruleum (Lib.) Sacc.

Fusarium culmorum (W. G. Sm.) Sacc.

Fusarium javanicum Koord, var. radicicola Wollenw.

Fusarium moniliforme Sheld.

Fusarium orthoceras Appel & Wollenw.

Fusarium oxysporum Schlecht.

Fusarium oxysporum Schlecht, f. I. Wollenw,

Fusarium sambueinum Fuck.

Fusarium Scirpi Lamb. & Fautr.

Fusarium Scirpi Lamb. & Fautr. var acuminatum (Ell. & Everh.) Wollenw.

Fusarium Solani (Mart.) Appel & Wollenw.

Fusarium Solani (Mart.) var. Martii (Appel & Wollenw.) f. 1. Wollenw.

Rhizoctonia Solani Kuhn

Sclerotium Rolfsii Sacc.

${\bf Solanum} \ {\rm sp.\ indet}.$

Accidium habunguense P. Henn.

Withania somnifera Dun.

Puccinia Atropae Mont. Cercospora Withaniae Syd.

SCROPHULARIACEAE.

Anastrabe integerrima E. Mev.

Irene Peglerae Doidge

Antirrhinum majus Linn.

Phytophthora cactorum (Leb. & Cohn) Schroet.

Phytophthora parasitica Dast.

Pythium de Barvanum Hesse

Pythium irregulare Buisman

Pythium oligandrum Drechsl.

Pythium spinosum Sawada

Puccinia Antirrhini Diet. & Holw.

Phyllosticta Antirrhini Svd.

Septoria Antirrhini Desm.

Colletotrichum Antirrhini Stev.

Fusarium oxysporum Schlecht, var. aurantiacum (Link) Wollenw.

Fusarium Scirpi Lamb. & Fautr.

Fusarium Scirpi Lamb. & Fautr. var. compactum Wollenw.

Fusarium vasinfectum Atk, f. 2. Wollenw. & Reinking Rhizoctonia Solani Kuhn

Bowkeria cymosa MacOwan

Irene Peglerae Doidge

Bowkeria triphylla Harv.

Irene Peglerae Doidge

Chaenostoma fioribundum Benth.

=Sutera floribunda O. Ktze.

Halleria elliptica Linn.

Irene Peglerae Doidge Pleostomella Halleriae Doidge

Halleria lucida Linn.

Irene Peglerae Doidge Diatrype caminata Kalchbr. & Cooke Diatrypella oligostroma Syd. Eutypella Doidgeae Syd. Daldinia concentrica (Bolt. ex Fr.) Ces. & de Not. Palawania Halleriae (Dipp.) Doidge Pleostomella Halleriae Doidge Cercospora Halleriae Chupp & Doidge

Linaria sp. indet.

Puccinia Antirrhini Diet. & Holw. Oidium sp.

Nemesia strumosa Benth. var. Suttoni Hort.

Cystopus Evansii (Syd.) Sace. & Trott.

Nemesia spp. indet.

Cystopus Evansii (Syd.) Sacc. & Trott. Mycosphaerella Nemesiae Dipp.

Penstemon gloxinoides Hort.

Fusarium Solani (Mart.) var. Martii (Appel & Wollenw.) f. 1. Wollenw. Fusarium vasinfectum Atk. f. 2. Wollenw. & Reinking Sclerotium Rolfsii Sacc.

Striga lutea Lour.

Pythium ultimum Trow Fusarium Equiseti (Corda) Sacc. Fusarium moniliforme Sheld. Fusarium Scirpi Lamb. & Fautr. var. compactum Wollenw. Fusarium semitectum Berk. & Ray. var. majus Wollenw. Sutera floribunda O. Ktze.

Aecidium sp.

BIGNONIACEAE.

Bignonia capreolata Linn.

Phyllosticta Doxanthae Verw. & du Pless. Oidium sp.

Bignonia sp. indet.

Sclerotium Rolfsii Sacc.

Doxantha capreolata Miers

=Bignonia capreolata Linn.

Jacaranda ovalifolia R. Br.

Fumago vagans Pers.

PEDALIACEAE.

Ceratotheca triloba E. Mey.

Cercospora Sesami Zimm.

Pretrea zanguebarica J. Gav

Cercospora Sesami Zimm.

Sesamum orientale Linn.

Fusarium vasinfectum Atk. f. 2. Wollenw. & Reinking

GESNERIACEAE.

Streptocarpus Rexii Lindl.

Asterina Streptocarpi Doidge

Streptocarpus sp. indet.

Asterina Streptocarpi Doidge

ACANTHACEAE.

Acanthopsis sp. indet.

Aecidium Acanthopsidis Syd.

Barleria crassa C. B. Cl.

Aecidium Barleriae Doidge

Barleria obtusa Nees

Meliola sp. near M. capnodioides Thuem. Asterina tertia Rac. var. africana Doidge

Blepharis Buchneri Lindau

Puccinia Blepharidis P. Henn.

Blepharis sp. indet.

? Puccinia Blepharidis P. Henn.

Calophanes Burkei T. Anders.

=Chaetacanthus Burchellii Nees

Chaetacanthus Burchellii Nees

Aecidium Acanthacearum Cooke

Chaetacanthus glandulosus Nees

=Chaetacanthus setiger (Pers.) Lindl.

Chaetacanthus setiger (Pers.) Lindl.

Puccinia Chaetacanthi Doidge

Dicliptera clinopoda Nees

Meliola sp. nr. M. capnodioides Thuem. Asterina tertia Rac. var. africana Doidge

Dicliptera heterostegia Presl.

Asterina tertia Rac. var. africana Doidge

Ecteinanthus prolixus T. Anders.

=Isoglossa prolixa Lind.

Hypoestes antennifera S. Moore

Uredo Hypoestis (Cooke) de Toni

Hypoestes aristata R. Br.

Asterina fimbriata Kalchbr. & Cooke Asterina tertia Rac. var. africana Doidge Uredo Hypoestis (Cooke) de Toni

Hypoestes triflora R. & S.

Aecidium Acanthacearum Cooke

Hypoestes verticillaris R. Br.

Cystopus quadratus Kalchbr. & Cooke Meliola sp. nr. M. capnodioides Thuem. Asterina tertia Rac. var. africana Doidge Puccinia Isoglossae Doidge Uredo Hypoestis (Cooke) de Toni

Hypoestes sp . indet.

Puccinia Isoglossae Doidge

Isoglossa densa N. E. Br.

Aecidium Acanthacearum Cooke

Isoglossa Eckloniana Lind.

Aecidium Acanthacearum Cooke

Isoglossa prolixa Lind.

Uredo Ecteinanthi Kalchbr.

Isoglossa Woodii C. B. Cl.

Meliola sp. nr. M. capnodioides Thuem. Aecidium Acanthacearum Cooke

Isoglossa spp. Indet.

Meliola sp. nr. M. capnodioides Thuem. Aecidium Acanthacearum Cooke

Justicia anagalloides T. Anders.

Meliola sp. nr. M. capnodioides Thuem.

Justicia Bowiei C. B. Cl.

Meliola sp. nr. M. capnodioides Thuem.

Justicia sp. indet.

Aecidium Acanthacearum Cooke

Lepidagathis microchila Lind.

Dimerium Lepidagathis (P. Henn.) Sacc.

Rhinacanthus communis Nees

Meliola acanthacearum Hansf.

Sclerochiton Harveyanus Nees

Schiffnerula Whitfieldiae Hansf. Asterina fimbriata Kalchbr. & Cooke

Thunbergia atriplicifolia E. Mev.

Puccinia Thunbergiae Cooke

Thunbergia lancifolia T. Anders

Puccinia tandaaiënsis Hopkins

Thunbergia natalensis Hk.

Puccinia Thunbergiae Cooke

Thunbergia sp. indet.

Asterina fimbriata Kalchbr. & Cooke

RUBIACEAE.

Ancylanthus fulgidus Welw.

Hemileia Ancylanthi Syd. Aecidium Ancylanthi P. Henn.

Anthospermum hirtum Cruse

Puccinia Anthospermi Svd.

Borreria angustifolia K. Schum.

Puccinia Borreriae Syd.

Borreria dibrachiata K Schum

Puccinia bakoyana Pat. & Har.

Borreria sp. indet.

Puccinia Borreriae Syd.

Burchellia bubalina (Linn. f.) Sims

Diplochorella Burchelliae Syd. Phragmodothella nervisequens Doidge Meliola littoralis Syd. Asterolibertia Burchelliae Doidge Pestalotia Burchelliae Laughton

Burchellia capensis R. Br.

=Burchellia bubalina (Linn. f.) Sims

Canthium abbreviatum S. Moore

Aecidium Baumianum P. Henn.

Canthium capensis Sond.

Asterolibertia megathyria Doidge var. Randiae Doidge

Canthium ciliatum O. Ktze.

Balladyna ugandensis Syd.
Balladyna velutina (Berk. & Curt.) v. Höhn.
Balladynastrum glabrum Hansf.
Meliola littoralis Syd.
Meliola Woodiana Sacc.
Asterina confluens Kalchbr. & Cooke
Asterina Knysnae Doidge
Hemileia Canthii Berk. & Br.
Melasmia confluens (Kalchbr, & Cooke) v. Höhn.

Canthium Gueinzii Sond.

Balladyna tenuis Hansf. Balladyna velutina (Berk. & Curt.) v. Höhn. Balladynastrum glabrum Hansf. Meliola littoralis Syd. Asterolibertia megathyria Doidge var. Randii Doidge Aecidium Plectroniae Cooke

Canthium huillense Hiern.

Hemileia Canthii Berk. & Br. Aecidium plectroniicola P. Henn.

Canthium Mundtianum Cham. & Schlecht.

Meliola littoralis Syd. Meliola Woodiana Sacc. Aecidium Baumianum P. Henn. Aecidium Plectroniae Cooke

Canthium orbiculare Good.

Hemileia Canthii Berk. & Br.

Canthium spinosum O. Ktze.

Balladyna ugandensis Syd. Balladyna velutina (Berk. & Curt.) v. Höhn. Meliola littoralis Syd. Meliola Woodiana Sacc.

Canthium ventosum O. Ktze.

Meliola Woodiana Sacc.

Canthium spp. indet.

Balladyna ugandensis Syd.
Balladyna velutina (Berk. & Curt.) v. Höhn.
Irene glabra (Berk. & Curt.) Doidge
Meliola littoralis Syd.
Henileia Canthii Berk. & Br.
Aecidium Plectroniae Cooke
Heterochaete andina Pat. & Lagerh.
Lopharia mirabilis (Berk. & Br.) Pat.

Cephalanthus natalensis Oliv.

Eurotium herbariorum (Wigg.) Link

Coffea arabica Linn.

Hemileia vastratrix Berk. & Br. Fusarium lateritium Nees var. longum Wollenw. Fusarium stilboides Wollenw.

Coffea robusta Hort.

Fusarium oxysporum Schlecht.

Coffea spp. indet.

Colletotrichum coffeanum Noack Cladosporium herbarum Link Alternaria tenuis Nees Cercospora coffeicola Berk. & Cooke

Fadogia Cienkowskii Schw.

Hemileia Fadogiae Syd. Uredo africana Lagerh.

Fadoqia fuchsioides Welw.

=Temnocalyx fuchsioides (Welw.) Robyns

Fadogia stenophylla Welw.

Aecidium Pachystigmae Doidge

Fadogia tetraqueta K. Krause

Hemiliea Fadogiae Syd.

Fadogia sp. indet.

Hemilieia Fadogiae Syd.

Galium capense Thunb.

Puccinia punctata Link

Galopina aspera Sond.

Puccinia Galopinae Cooke

Galopina circaeoides Thunb.

Meliola Psychotriae Earle

Gardenia globosa Hochst.

Meliola littoralis Syd.

Gardenia Neuberia E. & Z.

Meliola littoralis Syd.

Gardenia Rothmannia Linn. f.

Meliola littoralis Syd.

Gardenia Thunbergiae Linn. f.

Hemileia vastatrix Berk. & Br.

Gardenia sp. indet.

Hemileia vastatrix Berk. & Br. Aspergillus niger v. Tiegh.

Grumilea capensis Sond.

=Psychotria capensis Vatke

Grumilea cymosa E. Mev.

=Psychotria capensis Vatke

Grumilea globosa Hochst.

=Psychotria capensis Vatke

Hedyotis amatymbica Hochst.

=Oldenlandia amatymbica (Hochst.) O. Kze.

Keetia transvaalensis Phillips

=Canthium Gueinzii Sond.

Kranssia coriacea Sond.

=Tricalysia Sonderiana Hiern.

Kraussia floribunda Harv.

Balladyna velutina (Berk. & Curt.) v. Höhn. Aecidium Kraussiae Syd.

Kranssia lanceolata Sond.

=Tricalysia lanceolata (Sond.) Burtt Davy

Kraussia Schlechteri (K. Schum.) Bull.

Aecidium Kraussiae Syd.

Lagynias discolor E. Mev.

Aecidium Vangueriae Cooke

Oldenlandia amatymbica (Hochst.) O. Kze.

Coleosporium Hedyotidis Kalchbr. & Cooke Aecidium pretoriense Doidge

Oldenlandia natalensis (Hochst.) O. Kze.

Puccinia Woodiana Doidge

Oldenlandia sp. indet.

Coleosporium Hedvotidis Kalchbr. & Cooke

Oxyanthus Gerrardi Sond.

Balladyna leonensis Syd. Balladyna ugandensis Syd. Hysterostomella Oxyanthae Doidge Asterina Oxyanthae Doidge

Pachystigma latifolium Sond.

Hemileia Woodii Kalchbr. & Cooke Aecidium Vangueriae Cooke

Pachystigma pygmaeum (Schlecht.) Robyns

Hemileia Woodii Kalchbr. & Cooke Puccinia Vangueriae Doidge

Pachystiqma Zeyheri Sond.

=Pygmaeothamnus Zeyheri (Sond.) Robyns

Pavetta assimilis Sond.

Aecidium Pienarii Doidge Aecidium Transvaaliae P. Henn. & Evans

Pavetta Bowkeri Harv.

Balladyna velutina (Berk. & Curt.) v. Höhn. Meliola littoralis Syd. Balladyna sp.

Pavetta capensis (Houtt.) Bremekamp

Balladyna velutina (Berk. & Curt.) v. Höhn.

Pavetta lanceolata Eckl.

Balladyna velutina (Berk. & Curt.) v. Höhn. Balladynastrum glabrum Hansf.

Pavetta natalensis Soud.

Balladyna velutina (Berk. & Curt.) v. Höhn.

Pavetta obvata E. Mey.

=Pavetta revoluta Hochst.

Pavetta revoluta Hochst.

Balladyna velutina (Berk. & Curt.) v. Höhn. Woodiella natalensis Sacc. & Syd.

Pavetta suluensis Bremekamp

Balladyna velutina (Berk. & Curt.) v. Höhn.

Pavetta spp. indet.

Balladyna velutina (Berk. & Curt.) v. Höhn. Irene glabra (Berk. & Curt.) Poidge Schiffnerula sp.
Aecidium transvaaliae P. Henn. & Evans Aecidium sp.
Polyporus fruticum Berk. & Curt.
Oidium sp.

Pentanisia pentagyna K. Schum.

Puccinia Pentanisiae Cooke var. pentagynae P. Henn.

Pentanisia prunelloides (Klotzsch ex E. & Z.) O. Kze.

Puccinia Pentanisiae Cooke Puccinia pretoriensis Doidge

Pentanisia variabilis Hary.

=Pentanisia prunelloides (Klotzsch ex E. & Z.) O. Kze

Plectronia ciliata Sond.

=Canthium ciliatum O. Kze.

Plectronia Gueinzii Sim.

=Canthium Gueinzii Sond.

Plectronia huillensis K. Schum.

=Canthium huillense Hiern.

Plectronia Mundtiana Poppe

=Canthium Mundtianum Cham. & Schlecht.

Plectronia paucifiora Klotzsch

=Canthium ciliatum O. Kze.

Plectronia spinosa Klotzsch

=Canthium spinosum O. Kze.

Plectronia ventosa Linn.

=Canthium ventosum O. Kze

Psilostoma ciliata Klotzsch

=Canthium ciliatum O. Kze

Psychotria capensis Vatke

Meliola littoralis Syd. Clypeolella Psychotriae Doidge Cercospori palicoureina Petr. & Cif.

Pygmaeothamnus Zeyheri (Sond.) Robyns

Hemileia Fadogiae Syd. Aecidium Pachystigmae Doidge

Randia dumetorum Lam.

Asterolibertia megathyria Doidge var. Randiae Doidge

Randia rudis E. Mey.

Balladynella ugandensis Hansf.

Rubia cordifolia Linn.

Puccinia dimorpha Syd.

Rubia petiolaris DC.

Puccinia dimorpha Syd.

Rubia petiolaris DC. var. heterophylla Sond.

Puccinia dimorpha Syd.

Spermacoce dibrachiata Oliv.

=Borreria dibrachiata (Oliv.) K. Schum.

Tarenna pavettoides (Harv.) Sim.

Asterolibertia Burchelliae Doidge

Temnocalyx fuchsioides (Welw.) Robyns

Aecidium benguellense Lagerh.

Temnocalyx obovatus (N. E. Br.) Robyns

Aecidium benguellense Lagerh.

Tricalysia capensis (Meisn.) Sim

Meliola littoralis Syd. Asterolibertia megathyria Doidge

Hemileia Evansii Syd.

Tricalysia lanceolata (Sond.) Burtt Davy

Balladyna velutina (Berk. & Curt.) v. Höhn.

Protothyrium Tricalysiae Doidge Asterolibertia megathyria Doidge

Tricalysia Sonderiana Hiern

Asterolibertia megathyria Doidge Hemileia Evansii Syd.

Vangueria infausta Burch.

Hemileia Woodii Kalchbr. & Cooke

Aecidium Vangueriae Cooke

Vangueria latifolia Sond.

=Pachystigma latifolium Sond.

Vangueria pygmaea Schlecht.

=Pachystigma pygmaea (Schlecht.) Robyns

Vangueria sp. indet.

Schizothyriella Eylesiana v. d. Byl

Vangueriopsis lanciflora (Hiern) Robyns

Hemileia Woodii Kalchbr. & Cooke

Rubiaceae indet.

Balladyna velutina (Berk. & Curt.) v. Höhn. Irene glabra (Berk. & Curt.) Doidge Aecidium sp. Polyporus fruticum Berk. & Curt.

VALERIANACEAE.

Valeriana capensis Thunb.

Uromyces Valerianae (Schum.) Fuck.

CAPRIFOLIACEAE.

Diervilla florida Sieb. & Zucc.

Daedalea unicolor (Bull, ex Fr.) Fr.

DIPSACEAE.

Cephalaria attenuata (Linn. f.) R. S.

Venturia Cephalariae Kalchbr. & Cooke Phyllosticta Cephalariae Wint. Septoria Cephalariae Kalchbr.

Cephalaria ustulata R. & S.

Aecidium Cephalariae Syd. Phyllosoticta Cephalariae Wint.

Scabiosa atropurpurea Linn.

Rhizoctonia sp.

Scabiosa columbaria Linn.

Septoria scabiosicola Desm.

CUCURBITACEAE.

Cephalandra palmata Cogn.

=Coccinea palmata Cogn.

Cephalandra quinquiloba Sch.

=Coccinea quinqueloba Cogn.

Cephalandra sessilifiora Sond.

=Coccinea sessilifolia Cogn.

Citrullus vulgaris Schrad.

Peronaplasmopara cubensis (Berk. & Curt.) Clint. Erysiphe cichoracearum DC. Didymella Lycopersici Kleb. Colletotrichum lagenarium (Pass.) Ell. & Halst. Alternaria cucumerina (Ell. & Everh.) Elliott Fusarium bulbigenum Cooke & Mass. var. niveum (E. F. Sm.) Wollenw.

Coccinea indica Wight & Arn.

Puccinia Cephalandrae Thuem.

Coccinea palmata Cogn.

Puccinia Cephalandrae Thuem.

Coccinea quinqueloba Cogn.

Puccinia Cephalandrae Thuem.

Coccinea sessilifolia (Sond.) Cogn.

Puccinia Cephalandrae Thuem. Erysiphe cichoracearum DC.

Coccinea sp. indet.

Puccinia Cephalandrae Thuem.

Cucumis Melo Linn.

Peronoplasmopora cubensis (Berk. & Curt.) Clint. Erysiphe cichoracearum DC. Cladosporium cucumerinum Ell. & Arth.fi Alternaria cucumerina (Ell. & Everh.) Elliott Macrosporium sarcinula Berk. Fusarium avenaceum (Fr.) Sacc. Fusarium oxysporum Schlecht.

Cucumis sativus Linn.

Peronoplasmopora cubensis (Berk. & Curt.) Clint.
Erysiphe cichoracearum DC.
Colletotrichum lagenarium (Pass.) Ell. & Halst.
Cladosporium cucumerinum Ell. & Arth.
Cercospora sp.
Fusarium Equiseti (Corda) Sacc.
Fusarium Scirpi Lamb. & Fautr.
Fusarium Scirpi Lamb. & Fautr. yar. compactum Wollenw.

Cucumis sp. indet.

Puccinia Cephalandrae Thuem.

Cucurbita maxima Duch.

Erysiphe cichoracearum DC. Didymella Lycopersici Kleb. Fusarium javanicum Koord.

Cucurbita Pepo Linn.

Pythium aphanidermatum (Eds.) Fitz. Pythium oligandrum Drechsl.

Erysiphe cichoraceaeum DC.

? Phyllosticta orbicularis Ell. & Everh.
Septoria Citrulli Ell. & Everh.
Septoria cucurbitacearum Sacc.
Colletotrichum lagenarium (Pass.) Ell. & Halst.
Alternaria cucumerina (Ell. & Everh.) Elliott
Fusarium javanicum Koord.
Fusarium Scirpi Lamb. & Fautr.

Kedrostis punctulata Cogn.

Puccinia Cephalandrae Thuem.

Lagenaria leicantha Rusby Erysiphe cichoracearum DC.

Luffa cylindrica (Lour.) Roem.

Ervsiphe cichoracearum DC.

Melothria punctata (Thunb.) Cogn. Puccinia Cephalandrae Thuem. Uredo Zehneriae Thuem.

Momordica balsamina Linn. Puccinia Cephalandrae Thuem.

Momordica clematidea Sond. Ervsiphe cichoracearum DC.

Momordica cordifolia Sond.

— Momordica foetida Schum. & Thom

Momordica foetida Schum. & Thom Puccinia Cephalandrae Thuem. Cercospora Momordicae McRae

Sechium edule $\mathrm{Sw}.$

Pythium aphanidermatum (Eds.) Fitz.

Telfairia pedata Hook. ? Didymella Lycopersici Kleb.

Trochomeria macrocarpa Hk. f.
Puccinia Cephalandrae Thuem

Trochomeria sagittata (Harv.) Cogn. Puccinia Cephalandrae Thuem.

Zehneria scabra Sond.

=Melothria punctata (Thunb.) Cogn.

CAMPANULACEAE.

Campanula Medium Linn.

Fusarium Scirpi Lamb. & Fautr. var. compactum Wollenw. Sclerotium Rolfsii Sacc. Rhizoctonia sp.

Lobelia stellarioides Benth. & Hook.

Asterina xumenensis Doidge

COMPOSITAE.

Arctotis sp. indet.

Plasmopora sp.

Artemisia afra Jacq.

Anthostomella africana (Kalchbr. & Cooke) Sacc.
Leptosphaeria cervispora (Kalchbr. & Cooke) Sacc.
Leptosphaeria Owaniae (Kalchbr. & Cooke) Sacc.
Metasphaeria metuloidea (Kalchbr. & Cooke) Sacc.
Pleospora lanceolata (Kalchbr. & Cooke) Sacc.
Pleospora refracta (Kalchbr. & Cooke) Sacc.
Pleospora refracta (Kalchbr. & Cooke) Sacc.
Puccinia Absinthii DC.
Chaetomella Artemisiae Cooke
Macrophoma Artemisiae (Kalchbr. & Cooke) Berl. & Vogl.

Aster amellus Linn.

Oidium sp.

Aster Bakerianus Burtt Davy

? Aecidium flustra Berk. Aecidium Woodianum Doidge Puccinia Feliciae (Syd.) Doidge

Aster Novi-Angliae Linn.

Rhizoctonia sp.

Aster Peglerae Bolus

? Aecidium Woodianum Doidge

Aster spp. indet.

Erysiphe cichoracearum DC. Alternaria macrospora Zimm.

Berkheya (Stobea epitrachys DC).

Puccinia Stoboeae MacOwan var. Woodii Syd.

Berkheya (Stobeoa insignis Harv.)

Puccinia Stoboeae MacOwan

Berkheva Kuntzei O. Hoffm.

Puccinia Stoboeae MacOwan

Berkheva latifolia Wood & Evans

Puccinia Stobocae MacOwan Cladosporium Berkheyae Syd.

Berkheva (Stobea membranifolia DC.)

Puccinia Stoboeae MacOwan

Berkheya seminivea Harv. & Sond.

Puccinia Stoboeae MacOwan var. Woodii Syd.

Berkheva setifera DC.

Puccinia berkheyicola Doidge Puccinia Stoboeae MacOwan yar, Woodii Syd.

Berkheya speciosa O. Hoffm.

Puccinia Stoboeae MacOwan Cladosporium Berkhevae Svd.

Berkheva umbellata DC.

Puccinia Stoboeae MacOwan var. Woodii Syd.

Berkheya spp. indet.

Puccinia Stoboeae MacOwan Puccinia Stoboeae MacOwan var. Woodii Syd.

Bidens pilosa Linn.

Sphaerotheca fuliginea (Schlecht.) Salm. Entyloma Bidentis P. Henn. Uromyces Bidentis L.

Bidens bipinnata Linn.

Entvloma Bidentis P. Henn.

Brachylaena dentata (Thunb.) Less.

=Brachylaena glabra (Linn. f.).Druce

Brachylaena discolor DC.

Cycloschizon Brachylaenae (Rehm.) P. Henn. Uredo Brachylaenae Doidge

Brachylaena elliptica (Thunb.) Less.

Cycloschizon Brachylaenae (Rehm) P. Henn. Uredo Brachylaenae Doidge

Brachylaena glabra (Linn. f.) Druce

Cycloschizon Brachylaenae (Rehm) P. Henn'

Brachylaena nerifolia (Linn.) R. Br.

Cycloschizon Brachylaenae (Rehm) P. Henn. Uredo Brachylaenae Doidge

Brachylaena rotundata S. Moore

Uredo Brachylaenae Doidge

Brachylaena transvaalensis Phill. & Schw.

Uredo Brachylaenae Doidge

Brachylaena spp. indet.

Cycloschizon Brachylaenae (Rehm) P. Henn. Uredo Brachylaenae Doidge

Calendula officinalis Linn.

Rhizoctonia sp.

Calendula sp. indet.

Entyloma Calendulae (Oud.) de Bary

Callistephus chinensis Nees

Pythium ultimum Trow? Alternaria macrospora Zimm.
Fusarium conglutinans Wollenw, var. Callistephi Beach
Fusarium Scirpi Lamb. & Fautr.

Carthamus tinctorius Linn.

Alternaria macrospora Zimm.

Cenia turbinata Per.

Cystopus cubicus (Strauss) de Bary

Centaurea Cvanus Linu.

Puccinia Cyani (Schleich.) Pass. Fusarium Scirpi Lamb. & Fautr. Rhizoctonia sp.

Centaurea moschata Linn.

Phytophthora cactorum (Leb. & Cohn) Schroet.

Fusarium Solani (Mart.) var. Martii (Appel & Wollenw.) f. 1. Wollenw.
 Fusarium vasinfectum Atk. var. lutulatum (Sherb.) Wollenw.

Chrysanthemum cinerariifolium Viz.

Phytophthora cryptogea Pethybr. & Laff. Fusarium javanicum Koord, var. radicicola Wollenw.

Chrysanthemum Leucanthemum Linn.

Septoria cercosporioides Trail

Chrysanthemum maximum Ram.

Septoria Chrysanthemi Allesch. Rhizoctonia sp.

Chrysanthemum morifolium Ram.

Puccinia Chrysanthemi Roze Septoria Chrysanthemi Allesch. Cylindrosporium Chrysanthemi Ell. & Dearn. Oidium Chrysanthemi Rabenh.

Chrysanthemum sp. indet.

Epicoccum Chrysanthemi du Pless.

Cichorium Intybus Linn.

Puccinia Cichorii (DC.) Bell Thielaviopsis basicola (Berk. & Br.) Ferraris Cercospora Cichorii J. J. Davis

Cineraria sp. indet.

Cystopus cubieus (Strauss) de Bary

Conyza incisa Ait.

=Conyza ulmifolia (Burm.) O. Kze

Convza ivarfolia Less.

Aecidium MacOwanianum Thuem.

Conyza limosa O. Hoffm.

Aecidium Hoffmannii Syd.

Conyza pinnata (Linn. f.) O. Kze.

Aecidium Conyzae-pinnatilobatae Syd.

Conyza podocephala DC.

Aecidium Conyzae-pinnatilobatae Syd.

Conyza ulmifolia (Burm.) O. Kze.

Aecidium MacOwanianum Thuem.

Coreopsis sp. indet.

Sphaerotheca fuliginea (Schlecht.) Salm.

Cosmos bipinnatus Cav.

Sphaerotheca fuliginea (Schlecht.) Salm.

Cotula coronopifolia Linn.

Synchitrium Cotulae du Pless.

Cryptostemma calendulaceum R. Br.

Septoria perforans McAlp.

Dahlia pinnata Cav.

Pythium acanthicum Drechsl.
Pythium ultimum Trow
Entyloma Dahliae Syd.
Botrytis cinerea Pers.
Trichothecium roseum Link
? Alternaria Violae Gall. & Dors.
Cercospora grandissima Rang.
Selerotium Rolfsii Sacc.

Denekia capensis Thunb.

Aecidium Denekiae Doidge

Dimorphotheca spectabilis Schlecht.

Puccinia Dimorphothecae Pole Evans

Dimorphotheca Zeyheri Sond.

Puccinia Dimorphothecae Pole Evans Aecidium Serrae Syd.

Dimorphotheca spp. indet.

Cystopus cubicus (Strauss) de Bary Aecidium Serrae Syd. Oidium sp.

Diplopappus asper Less.

=Aster Bakerianus Burtt Davy

Elytropappus rhinocerotis Less.

Aecidium Elytropappi P. Henn. Fomes McGregori Bres.

Euryops multifidus DC.

Oidium sp.

Felicia aspera Burtt Davy

=Aster Bakerianus Burtt Davy

Gaillardia pulchella Foug.

Phoma Gaillardiae du Pless. Oidium sp.

Gerbera ambigua Sch. Bip.

Puccinia Gerberae Pole Evans

Gerhera Burmanni Cass.

Pleospora Gerberae Dipp. Septoria Gerberae Syd.

Gerbera cordata Less.

Asterina gerbericola Doidge

Gerbera discolor Sond.

Puccinia Gerberae Pole Evans Septoria Gerberae Svd.

Gerbera Jamesoni Bolus

Cystopus cubicus (Strauss) de Bary Septoria Gerberae Syd. Oidium sp. Alternaria macrospora Zimm. Sclerotium Rolfsii Sacc.

Gerbera Kraussii Sch. Bip.

Puccinia Gerberae Pole Evans

Gerbera piloselloides Cass.

Asterina gerbericola Doidge

Gerbera plantaginea Harv.

Cystopus cubicus (Strauss) de Bary Puccinia Gerberae Pole Evans

Gerbera spp. indet.

Puccinia Gerberae Pole Evans Puccinia gerbericola Doidge

Helianthus annus Linn.

Cystopus Tragopogonis (Pers.) Schroet. Puccinia Helianthi Schw. Septoria Helianthi Ell. & Kellerm. Macrosporium sp. Sclerotium Rolfsii Sacc.

Helianthus tuberosus Linn.

Acremonium sp. Cercospora sp.

Helichrysum acutatum DC.

Parodiellinopsis transvaalensis Hansf. Puccinia Pienarii Pole Evans Septoria Helichrysi Syd.

Helichrysum capitellatum (Thumb.) Less.

Puccinia Kalchbrenneri de Toni

Helichrysum coriaceum Sond.

Puccinia Kalchbrenneri de Toni var. valida Doidge Gloeosporium Helichrysi Wint.

Helichrysum floccosum Klatt.

=Helichrysum acutatum DC.

Helichrysum latifolium (Thunb.) Less.

Aecidium Helichrysi Doidge

Helichrysum leiopodium DC.

=Helichrysum nudifolium (Linn.) Less. var. leiopodium Moeser

Helichrysum miconiaefolium DC.

Aecidium Helichrysi Doidge

Helichrysum nudifolium (Linn.) Less.

Puccinia Kalchbrenneri de Toni

Helichrysum nudifolium Less. var. leipodium (DC.) Moeser

Puccinia Kalchbrenneri de Toni Puccinia Kalchbrenneri de Toni var. valida Doidge Aecidium Helichrysi Doidge Septoria Helichrysi Syd.

Helichrysum nudifolium Less. var. quinquenerve (Thunb.) Moeser

Puccinia Kalchbrenneri de Toni

Helichrysum pannosum DC.

Puccinia Kalchbrenneri de Toni

Helichrysum petiolatum DC.

Puccinia MacOwani Wint. Aecidium Helichrysi Doidge

Helichrysum quinquenerve Less.

=Helichrysum nudifolium Less. var. quinquenerve (Thunb.) Moeser

Helichrysum setosum Harv.

Gloeosporium Helichrysi Wint.

Helichrysum undatum (Thunb.) Less.

Puccinia Kalchbrenneri de Toni Gloeosporium Helichrysi Wint.

Helichrysum spp. indet.

Leptosphaeria Helichrysi (Cooke) Sacc. Sphaerella maculicola Wint.

! Telimena corticicola Doidge
! Melampsora puccinoiides Wint.
Puccinia Kalchbrenneri de Toni
Puccinia Kalchbrenneri de Toni var. valida Doidge
Puccinia Pienarii Pole Evans
Aecidium Helichrysi Doidge
Septoria Helichrysi Syd.
Gloeosporium Helichrysi Wint.

Helipterum roseum Benth.

Oidium sp.

Hypochaeris radicata Linn.

Puccinia Hypochaeridis Oud.

Lactuca sativa Linn.

Pythium de Baryanum Hesse Sclerotinia sclerotiorum (Lib.) de Bary Septoria Lactucae Pass, Macrosporium sarcinula Berk, Rhizoctonia Solani Kuhn.

Melanthera Brownei Sch. Bip.

Uromyces Melantherae Cooke

Metalasia muricata Less.

Aecidium Metalasiae Svd.

Mikania capensis DC.

Schiffnerula compositarum (Theiss.) Petr.

Nestlera conferta Doidge

Aecidium Nestlerae Doidge

Nidorella hottentotica DC, var. lanata Harv.

Aecidium Nidorellae Doidge

Nidorella mespilifolia DC.

Puccinia aecidiiformis Thuem.

Osteosporum moniliferum Linn.

Aecidium Osteospermi Doidge Ascochyta atropunctata Wint. Septoria Osteospermi Dipp.

Osteospermum sp. indet.

Hendersonia Osteospermi Wakef.

Othonna natalensis Sch. Bip.

Puccinia Othonnae Doidge

Pentzia globosa Less.

Aecidium Pentziae-globosae Doidge

Printzia Huttoni Harv.

Puccinia Printziae Thuem.

Printzia pyrifolia Less.

Cladosporium laxum Kalchbr. & Cooke

Pyrethrum sp. indet. (? =Chrysanthemum cinerariaefolium Vize)
Phytophthora cryptogea Pethybr. & Laff.

Relhania ericoides Cass.

Aecidium Relhaniae Dipp.

Rudbeckia sp. indet.

Rhizoctonia sp.

Scorzonera hispanica Linn.

Cystopus Tragopogonis (Pers.) Schroet.

Senecio angustifolia Willd.

Cystopus cubicus (Strauss) de Bary

Senecio bipinnatus Less.

Puccinia Byliana Dipp.

Senecio Burchellii DC.

Puccinia Byliana Dipp.

Senecio concolor DC.

Aecidium incertum Syd.

Senecio coronatus Harv.

Aecidium Moggii Doidge

11101-30

Senecio cruentus DC.

Oidium sp. Macrosporium sp.

Senecio deltoides Less.

Aecidium anceps Syd.

Senecio fraudulentus Phill. & Sw.

Aecidium permultum Svd.

Senecio inaequidens DC.

Cystopus cubicus (Strauss) de Bary

Senecio integrifolius DC.

Puccinia Byliana Dipp.

Senecio laevigatus Thunb.

Aecidium incertum Svd.

Senecio latifolius DC.

Aecidium dubiosum Syd. Oidium sp.

Senecio littoreus Thunb.

Puccinia Byliana Dipp.

Senicio longifolius Linn.

Didymella intercepta (Kalchbr. & Cooke) Sacc.

Senecio mikanioides Otto

Aecidium dubiosum Svd.

Senecio orbicularis Sond.

Cystopus cubicus (Strauss) de Bary

Senecio pandurifolius Harv.

Puccinia oedipus Cooke

Senecio pellucidus DC. var. ruderalis Harv.

Cystopus cubicus (Strauss) de Bary

Senecio pentactinus Klatt.

Puccinia pentactina Doidge

Senecio pinnulatus Thunb.

Cystopus cubicus (Strauss) de Bary Puccinia Byliana Dipp. Senecio pleistocephalus S. Moore

Aecidium dubiosum Syd.

Senecio quinquelobus DC.

Metasphaeria brachiata (Kalchbr. & Cooke) Sacc. Aecidium anceps Syd.

Senecio serra Sond.

=Senecio fraudulentus Phill. & Sm.

Senecio tamoides DC.

Aecidium dubiosum Svd.

Senecio vulgaris Linn.

Puccinia Byliana Dipp.

Senecio spp. indet.

Cystopus cubicus (Strauss) de Bary Puccinia Byliana Dipp. Puccinia oedipus Cooke Aecidium incertum Syd. Dothiorella Senecionis (Alm. & Cam.) Petr. Oidium sp. Selerotium Rolfsii Sacc.

Sonchus spp. indet.

Puccinia Liebenbergii Doidge Oidium sp.

Spilanthes acmella Linn.

Puccinia africana Cooke

Spilanthes africana DC.

Puccinia africana Cooke

Tarchonanthus sp. indet.

Septobasidium philippense Couch

Tripteris hyoseroides DC.

Colletotrichum sp.

Tripteris pachypteris Harv.

Oidium sp.

Vernonia amygdalina Del.

Oidium sp.

Vernonia angulifolia DC.

Dimeriella claviseta Doidge Puccinia vernoniicola P. Henn.

Vernonia corymbosa Less.

Puccinia inflorescenticola Pole Evans

Vernonia glabra Vatke

Puccinia le Testui Maubl.

Vernonia hirsuta Sch. Bip.

? Puccinia Vernoniae Cooke non Schw.

Vernonia monocephala Harv.

Puccinia Koedoeënsis Doidge Aecidium Vernoniae-monocephalae Doidge

Vernonia podocoma Sch. Bip.

Puccinia inflorescenticola Pole Evans Aecidium Vernoniae-podocomae Doidge

Vernonia senegalensis Less.

Melampsora Junodii Doidge

Vernonia spp. indet.

Puccinia le Testui Maubl.

? Puccinia Vernoniae Cooke
Aecidium banketensis Hopkins

Zinnia elegans Jacq.

Pythium splendens Braun Cercospora Zinniae Ell. & Mart.

Zinnia pauciflora Linn.

Entvloma Zinniae Syd.

Zinnia sp. indet.

Alternaria macrospora Zimm. Oidium sp.

ANIMALIA.

HEXAPODA

ISOPTERA.

TERMITIDAE.

Fungi listed are not parasitic on Termitidae, but definitely associated with these insects and growing on 'comb' in or "fungus garden" in or above, termite nests.

Odontotermes badius Hav.

Xylaria nigripes (Klotzsch) Cooke Collybia albuminosa (Berk.) Petch Entoloma microcarpum (Berk. & Br.) Sacc.

Odontermes transvaalensis Sjost.

Entoloma micoicarpum (Berk. & Br.) Sacc,

Termes vulgaris Hav.

Entoloma microcarpum (Berk. & Br.) Sacc.

Termitidae indet.

Xylaria nigripes (Klotzsch) Cooke Collybia albuminosa (Berk.) Petch Entoloma microcarpum (Berk. & Br.) Sacc. Schulzeria Umkowaan (Cooke & Mass.) Sacc. Podaxis pistillaris (Linn. ex Pers.) Fr. Aspergillus flavus Link

ORTHOPTERA

ACRIDHDAE.

Aeolopus sp. indet.

Empusa Grvlli Fres.

Glaphyracris cyanea Stall.

Empusa Grylli Fres.

Locustana pardalina Walk.

Empusa Grylli Fres. Isaria sp. .

Nomadacris septemfasciata Serv.

Cunninghamella sp.
Mucor exitiosus Mass.
Mucor racemosus Fres.
Empusa Grylli Fres.
Beauveria Bassiana (Bals.) Vuill.
Beauveria globulifera (Speg.) Picard.
Metarrhizium anisopliae (Metsch.) Sorokin

Sporotrichum paranense Marc.

Fusarium chlamydosporum Wollenw. & Reinking

Fusarium moniliforme Sheld, var subglutinans Wollenw.

Fusarium Scirpi Lamb. & Fautr.

Fusarium Scirpi Lamb. & Fautr. var. filiferum (Preuss) Wollenw.

Fusarium semitectum Berk, & Ray, var. majus Wollenw.

Fusarium Solani (Mart.) var. Martii (Appel & Wollenw.) f. 1. Wollenw.

Oedalus sp. indet.

Empusa Grylli Fres.

Acridiidae indet.

Empusa Grylli Fres.

GRYLLIDAE.

Gryllus sp. indet.

Sorosporella sp.

HEMIPTERA

APHIDIDAE.

Aphis spp. indet.

Entomophthora Aphidis Hoffm.

CERCOPIDAE.

Locris arithmetica Walk.

Entomophthora apiculata Thaxt.

COCCIDAE.

Aonidiella aurantii Mask.

Fusarium coccophilum (Desm.) Wollenw. & Reinking

Aspidiotus furcillae Brain

Fusarium coccophilum (Desm.) Wollenw. & Reinking

Aspidiotus perniciosus Comst.

Fusarium coccophilum (Desm.) Wollenw. & Reinking

Aspidiotus rapax Comst.

Fusarium coccophilum Wollenw. & Reinking

Ceroplastes sp. indet.

Fusarium lateritium Nees

Chionaspis sp. indet.

Fusarium coccophilum (Desm.) Wollenw. & Reinking

Dactylopius opuntiae Ckll.

Empusa Lecanii Zimm.

Furcaspis Proteae Brain

Aspergillus sp.

Icerya Purchasi Mask.

Fusarium Scirpi Lamb. & Fautr.

Lepidosaphes Gloveri Pack

Myriangium Montagnei Berk.
Podonectria coccicola (Ell. & Everh.) Petch
Fusarium coccophilum (Desm.) Wollenw. & Reinking
Fusarium lateritium Nees
Fusarium sambucinum Fuck.
Fusarium sambucinum Fuck. f. 2. Wollenw.
Tetracium rectisporum (Cooke & Mass.) Petch

Lepidosaphes pinnaeformis Bouché

Tetracium rectisporum (Cooke & Mass.) Petch

Parlatoria Zizyphi Lucas

Fusarium coccophilum (Desm.) Wollenw. & Reinking Tetracium rectisporum (Cooke & Mass.) Petch

Coccidae indet.

Myriangium Montagnei Berk. Chaetosphaeria insectivora Hansf. Septobasidium spp. listed on various plant hosts are associated with Coccidae. Aspergillus sp. Fusarium coccophilum (Desm.) Wollenw. & Reinking.

PENTATOMIDAE.

Callidea natalensis ! Auct.

Eucantharomyces africanus Thaxt.

Callidea sp. indet.

Eucantharomyces africanus Thaxt.

COLEOPTERA:

BRUCHIDAE.

Caryopemon cruciger Steph.

Aspergillus gla \mathbf{u} ous Link

CARABIDAE.

Brachynus armiger Dej.

Laboulbenia bilabiata Thaxt.

Drypta ruficollis Dej.

Laboulbenia Dryptae Thaxt.

CURCULIONIDAE.

Gonipterus scutellatus Gyl.

Isaria sp.

Sciobius granosus Gyl.

Metarrhizium anisopliae (Metsch) Sorokin

ELATERIDAE.

Elateridae indet. (larvae)

Cordiceps velutipes Mass.

GYRINIDAE.

Orectogyrus suturalis Req.

Laboulbenia anomala Thaxt.

MELOLONTHIDAE.

Trocalus fulgidus Fabr.

Entomophthora apiculata Thaxt.

RUTELIDAE.

Adoretus ictericus Burm.

Entomophthora apiculata Thaxt.

STAPHYLINIDAE

Atheta obtusidius Epp.

Monoicomyces zealandicus Thaxt.

Conosoma angustum Bernh.

Stichomyces capensis Thaxt.

Dolichaon lathrobioides Casteln.

Rhacomyces Dolichaontis Thaxt.

DIPTERA.

ANTHOMYIDAE.

Anthomyidae indet.

Entomophthora apiculata Thaxt.

DIOPSIDAE.

Diopsidae indet.

Rhizomyces confusus Thaxt.

GLOSSINAE.

Glossina sp. indet.

Fusarium semitectum Berk. & Rav. var. majus Wollenw.

MUSCIDAE.

Musca domestica Linn.

Empusa Msucae Cohn

Stomoxys calcitrabs Linn.

Empusa Muscae Cohn

Muscidae indet.

Empusa Muscae Cohn

TIPULIDAE.

Nephrotoma umbripennis Alex.

Empusa glomerata Sorokin

Nephrotoma unicingulata Alex.

Empusa apiculata Thaxt.

HYMENOPTERA.

FORMICIDAE.

Camponotus sp.

Entomophthora coronata (Cost.) Kev.

LEPIDOPTERA.

GEOMETRIDAE.

Geometridae indet.

Entomophthora apiculata Thaxt.

LASIOCAMPIDAE.

Pachypasa capensis Aur.

Entomophthora apiculata Thaxt.

LYCAENIDAE.

Lycaenidae indet.

Entomophthora apiculata Thaxt.

NOCTUIDAE.

Euxoa segetis Schiff.

Entomophthora megasperma Cohn Sorosporella uvella (Krauss) Giard.

Lycophotia muscosa Gever

Entomophthora apiculata Thaxt.

PSYCHIDAE.

Acanthopsyche junodi Heyl

Entomophthora sp. Isaria Psychidae Pole Evans

PYRALIDAE.

Cactoblastis cactorum Berg.

Beauvaria bassiana (Bals.) Vuill.

SATURNIIDAE.

Naudaurelia tyrrhaea Gram.

Empusa sp. Isaria sp.

TORTRICIDAE. .

Argyroploce leucotreta Meyr.

? Gliocladium roseum (Link.) Baun.

PLUTELLIDAE.

Plutella maculipennis Curt.

Entomophthora sphaerosperma Fres.

Hexapoda indet.

Cordyceps flabella Berk. & Curt.

ARACHNIDA.

Lycosidae indet.

Gibellula aranearum (Schw.) Syd.

VERTEBRATAE.

Goldfish (Cyprinus auratus)

Saprolegnia ferax Auct.

Frog (Ranidae indet.)

Saprolegnia ferax Auct.

Aviary Birds

Aspergillus fumigatus Fres.

Common Fowl (eggs)

Fusarium moniliforme Sheld.

Fusarium semitectum Berk. & Rav. var. majus Wollenw.

Duck (Anatidae indet.)

Aspergillus fumigatus Fres.

Ostrich (Struthio australis)

Aspergillus fumigatus Fres.

Penguin (Spheniscus demursus)

Aspergillus fumigatus Fres.

Cattle

Actinomyces bovis Harz

Horse

Rhinosporidium Seeberi (Wernicke) Seeber Sporotrichum Schenckii Matruchot

Mule

Rhinosporidium Seeberi (Wernicke) Seeber

Sheep

Schizosaccharomyces ovis Quin Actinomyces dermatonomus Bull.

Man

Hanseniospora Guillermondii Pijper Rhinosporidium Seeberi (Wernicke) Seeber Histoplasma capsulatum Darling Geotrichum rugosum (Castellani) Dodge Candida bethaliensis (Pijper) Dodge ? Candida Krusei (Castellani) Basgal

Parendomyces zeylanicus (Castellani) Dodge

? Castellania balcanica (Castellani & Chalmers) Dodge Castellania linguae-pilosae (Lucet) Dodge

? Castellania pseudolondinensis (Castellani & Chalmers) Dodge

! Castellanoa pseudotropicalis (Castellani) Dodge

? Castellania sp.

Mycotoruloides triadis Langeron & Talice Saccharomyces spp.

Cryptococcus histolycus Stoddard & Cutler

Cryptococcus sp.

Malassezia furfur (Robin) Baillon

Epidermophyton interdigitale (Priestley) McCarthy

Epidermophyton floccosum (Harz) Langeron & Milochevitch

Epidermophyton ? purpureum (Bang) Dodge

Epidermophyton rubrum Castellani Endodermophyton africanum Dodge

Ectotrichophyton mentogrophytes (Robin) Castellani & Chalmers

Megatrichophyton roseum (Bodin) Dodge

Favotrichophyton violaceum (Sabouraud) Dodge

Trichophyton sulfureum Sabouraud

Microsporum Audouini Gruby

Achorion Schoenleini (Lebert) Remak

Aspergillus niger v. Tiegh.

Aspergillus versicolor (Vuill.) Tirak

Scopulariopsis sphaerospora? Auct.

Madurella sp.

Actinomyces africanus (Pijper & Pullinger) Nannizzi

Actinomyces Foulertoni (Chalmers & Christopherson) Sartory

Actinomyces Leishmani (Chalmers & Christopherson) Sartory & Bailly

Actinomyces Madurae (Vincent) Lachner-Sandoval

Actinomyces Pijperi (Castellani & Chalmers) Sartory & Bailly Actinomyces pretorianus (Pijper & Pullinger) Nannizzi Actinomyces transvaalensis (Pijper & Pullinger) Nannizzi Actinomyces sp.

Sporotrichum Carougeaiu Langeron

Sporotrichum Schencki Matruchot var. Beurmanni (Matruchot & Ramond) Dodge Gomphinaria Pedrosoi (Brumpt) Dodge

Curvularia spicifera (Bain) Boedijn

Helminthosporium sp.

ALPHABETICAL INDEX TO FAMILIES AND GENERA OF HOSTS.

Aberia	894	Anapalina	201	Asparagus	2500
Abutilon	220	Anastrabe	926	A-pidiotus	954
Acacia,	>++	An ctidae	9.58	A . prdenm	7.51
Acalypha	571	An ylanthus	842	Asplenium	751
Acanthaceae	924	Andradia	>45.	Aster	941
Acanthophoenix	789	Andropogon	760	Asterma	746
Acanthopsis	925	Andropogoneae759.	767	Asterinaceae	746
Acanthopsyche	957	Aneilema	790	Asterinella	746
Achyranthes	824	Annona	841	Atalava	552
Acidanthera	804	Annonaceae841,	842	Atheta	956
	912	Ansellia	811		864
Acokanthera			767	Augea	776
Acridiidae953.	954	Anthephora		Avena	
Aeridocarpus	\$71	Anthericum	796	Aveneae	776
Acroceras	7157	Anth-steria	760	Axonopus,	767
Adenia	593	Antholyza	804	Azalea	904
Adoretus	956	Anthomyidae	9.56	Azima	910
Aecidium	749	Anthospermum,	931	Babiana	805
Aegilops	783	Antirrhinum	926	Balanophoraceae	822
Aeolopus	9.53	Aonidiella	9.54	Balladyna	740
Aeschynome	549	Aphididae	954	Balladynastrum	740
Afzelia	>4:3	Aphis	9.54	Balsaminaceae	883
Agapanthus	792	Apium	902	Balsamodendron	870
Agaricaceae749.	750	Apocynaceae	912	Bambusa	786
	501		881	Bambuseae	786
Agavaceae		Apodytes	878		
Agave	801	Aquifoliaceae		Baphia	850
Agrimonia	835	Aquilegia	827	Barleria	928
Agrosteae	777	Araceae	789	Barosma	864
Agrostis	777	Arachis	849	Basidiomycetes,	747
Aizoaceae	854	Arachnida	958	Batatas	916
Aizoon	254	Araliaceae	901	Bauhinia	842
Albizzia	>45	Araucaria	7.54	Becium	919
Albuca	792	Arctotis	941	Begonia	894
Alchemilla	835	Argyrolobium	249	Begoniaceae	894
Alepidea	901	Argyroploce	958	Behnia	797
Aleurites	872	Aristea	804	Berkheya	941
Allamanda	912	Aristida	777	Berlinia	843
Allium	792	Armoracia	830	Ber ama	883
Allophylus	882	Arrhenatherum	776	Beta	823
Alloteropsis	767	Artabotrys	842	Betulaceae	815
	793		941		
Aloe		Artemisia	816	Bewsia	778
Althaea	886	Artocarpus		Bidens	942
Alysicarpus	849	Arundinaria	786	Bifrenaria	811
Amanita	749	Arundineae	776	Bignonia	928
Amarantaceae	854	Arundinella	775	Bignoniaceae	928
Amaranthus	524	Arundinellae	775	Billbergia	791
Amaryllidaceae	802	Arundo	776	Birds	958
Amaryllis	802	Ascomycetes	740	Blepharis	928
Amphilophis	759	Asclepiadaceae 913,	916	Bobartia	805
Anacardiaceae	875	Asclepias	913	Boletus	749
Ananas	791	Aspalathus	850	Borbonia	850
		1			

Borraginaceae	918	Cassipourea	895	Connaraceae	841
Borreria	931	Castanea	815	Conopharyngia	912
Boscia	832	Catesetum	811	Conosoma	956
Bothriochloa	761	Cattle	959	Convolvulaceae	916
Bowkeria	927	Cattleya	811	Convolvulus	916
Brabejum	818	Cedrela	870	Conyza	944.
Brachiaria	768	Cedrus	754	Copaifera	844
Brachylaena	942	Celastraceae	878	Corchorus	885
Brachynus	955	Celastrus	879	Cordia	918
Brachypodium	782	Celosia	824	Coreopsis	944
Brachystegia	843	Celtis	816	Cornaceae	904
Brassica	830	Cenchrus	768	Corycium	841
Briza	783	Cenia	943	Corylus	815
Bromeliaceae	791	Centaurea	943		945
Bromus	783	Cephalandra	938	Cosmos	945
Bruchidae	955	Cephalanthus	932	Cotyledon	833
Brunsvigia	802	Cephalaria	938	Grassula	833
Bryophyta	751	Ceratonia	850	Crassulaceae	833
Buddleia	910	Ceratotheca	928	Crinum	802
Bulbine	797		954		850
Bulbinella	797	Cercopidae Ceroplastes	954	Crotalaria	873
Bulbostylis	786	Chaenostoma	927	Croton	830
Burchellia	931	Chaetacanthus	929		828
	843		754	Cryptocarya	
Burkea	870	Chamaecyparis	823	Cryptolepis	913
Burseraceae		Chenopodiaceae		Cryptomeria	754
Buxaceae	875	Chenopodium	823	Cryptostemma	945
Buxus	875	Chilianthus	911	Ctenium	780
Clark	00.4	Chionaspis	954	Ctenomeria	873
Cactaceae	894	Chlorideae	780	Cucumis	939
Cactoblastis	958	Chloris	780	Cucurbita	939
Caesalpinia	843	Chlorophytum	797	Cucurbitaceae	938
Caesalpiniae	842	Choristylis	834	Cunonia	834
Cajanus	850	Chrysanthemum	944	Cunoniaceae	834
Calendula	943	Chrysophyllum	906	Cupressus	754
Callidea	955	Chrysopogon	761	Curculionidae	956
Callistephus	943	Cichorium	944	Curtisia	904
Calodendron	864	Cineraria	944	Cuscuta	916
Calophanes	929	Cinnamomum,	828	Cussonia	901
Calpurnia	850	Cissampelos	841	Cyamopsis	851
Camellia	890	Cissus	884	Cyathea	751
Campanula	941	Citrullus	938	Cyatheaceae	751
Campanulaceae	941	Citrus	864	Cyathula	824
Camponotus	957	Cladium	787	Cycadaceae	752
Canavalia	850	Clarkia	900	Cyclamen	905
Cannabis	816	Clausena	868	Cydonia	835
Canthium	931	Claviceps	745	Cymbopogon	761
Capparidaceae	832	Clematis	827	Cynanchum	914
Capparis	832	Clerodendron	918	Cynoctonium	914
Caprifoliaceae	938	Cliffortia	835	Cynodon	780
Capsicum	922	Clivia	802	Cynoglossum	918
Carabidae	955	Cluytia	872	Cyperaceae	786
Caralluma	913	Cnestis.	841	Cyperus	787
Cardamine	831	Coccidae954,	955	Cyphomandra	922
Cardiospermum	882	Coccinea	939	Cyprinus	958
Carex	786	Cochlearia	831	Cyrtanthus	802
Carica	893	Cocos	789	Cyrtopodium	811
Caricaceae	893	Coelogyne	811	To	mon
Carissa	912	Coffea	932	Dactylis	783
Caroxylon	823	Cola	888	Dactyloctenium	781
Carpodinus	912	Coleoptera	955	Dactylopius	954
Carthamus	943	Coleus	919	Dahlia	945
Carya	814	Colpoon	821	Dalbergia	851
Caryopemon	955	Combretaceae	895	Dalechampia	873
Caryophyllaceae	826	Combretum	895	Danthonia	776
Caryota	789	Commelina	790	Datura	922
Cassia	843	Commelinaceae	790	Daucus	902
Cassine	878	Commiphora	870	Deinbollia	882
Cassinopsis	882	Compositae	941	Delonix	844

Delosperma	824	Eriocaulaceae	790	Gilia	917
Delphinium	827	Eriocaudon	790	Gisekia	824
Denekia	945	Eriosema	852	Gladiolus	805
Desmodium	851	Eriospermum	798	Glaphyraeris	953
Dialium	844	Erodium	862	Glia	902
Dianthus	826	Erysiphaceae	740	Glossina	956
Dichanthium	762	Erysiphe	740	Glosinae	956
Dichondra	916	Erythrina	852	Glycine	853
Dichrostachys	849	Erythrococca	873	Gnetaceae	758
Dicliptera	929	Eschscholzia	829	Gnidia	894
Dierama	805	Eucalyptus	896	Godetia	901
Diervilla	938	Euchlaena	759	Gold fish	958
Digitaria	768	Euclea	906	Gomphocarpus	914
Dillenia	889	Eucomis	798	Gomphostigma	911
Dilleniaceae	889	Eugenia	898	Gomphrena	824
Dimorphotheca	945	Euphorbia	873	Gongora	812
Dinteranthus	825	Euphorbiaceae	871	Gonioma	913
Diopsidae	956	Euryops	945	Gonipterus	956
Dioscoraceae	804	Euxoa	957	Gossypium	886
Dioscorea	804	Evolvulus	916	Gramineae	786
Diospyros	906	Excorcaria	874	Grevillea	818
Dipcadi	798			Grewia	885
Diplopa ppus	945	Fadogia	933	Greyia	883
Dipsaceae,	938	Fagaceae	815	Greyiaceae	883
Diptera	956	Fagara	869	Grumilea	933
Dipterocarpaceae	890	Faurea	818	Gryllidae	954
Disa	811	Felicia	945	Gryllus	954
Dissotis	900	Fenestraria	825	Gunnera	901
Dodonaea	882	Ferraria	805	Guttiferae	890
Dolichaon	956	Festuca	783	Gymnospermae	752
Dolichos	851	Festuceae	782	Gymnosporia	879
Dombeya	888	Ficus	816	Gynandropsis	833
Dovyalis	891	Filicales	751	Gyrinidae	956
Doxantha	928	Fimbristylis	787		
Dracaena	801	Fingerhuthia	783	Haemanthus	803
Drimia	798	Firmiana	889	Haemodoraceae	802
Drimiopsis	798	Flacourtiaceae	891	Hakea	819
Dryopteris	751	Flemingia	853	Halleria	927
Drypetes	873	Fleurya	818	H alorrhagidaceae	901
Drypta	955	Fluggea	874	Hamamelidaceae	835
Duck	$958 \\ 914$	Fomes	749	Harpephyllum	875
Duvalia		Formicidae	957	Hartwegia	799
Ebenaceae906.	. 907 770	Fowl	958	Haworthia	799
Echinochloa	914	Fragaria	836 908	Hedera	901 934
Ectadiopsis	929	Fraxinus		Hedyotis	
Ecteinanthus	782	Freesia	805 958	Helianthus	946 947
Ehrharta	870	Frog	788	Helichrysum	831
Ekebergia	879	Fuirena	$\frac{760}{740}$	Heliophila	918
Elaeodendron Elateridae	956	Fungi	750	Heliotropium	948
Elephantorrhiza	849	Funtumia	913	Helipterum	827
Eleusine	781	Furcaspis	955	Helleborus Hemarthria	762
Elymus	783	Furcraea	802	Hen.iptera	954
Elyonurus	762	rateraea	002	Hemizygia	919
Elytropappus	945	Gaillardia	946	Hepaticae	751
Encephalartos	752	Galenia	825	Hermannia	889
Endodothella	745	Galium	933	Heteromorpha	902
Englerula	745	Galopina	933	Heteropogon	762
Engysiphon	805	Garcinia	890	Heteropyxidaceae	884
Enneapogon	781	Gardenia	933	Heteropy is	884
Epichloë	745	Geasteropsis	750	Hewittea	916
Epilobium	900	Geissorhiza	805	Hexapoda	953
Eragrosteae	778	Gentianaceae	912	Hibiscus	887
Eragrostis	778	Geometridae	957	Hippobromus	882
Erianthus	762	Geraniaceae	862	Hippocratea	881
Erica	904	Gerbera	946	Hippocrateaceae	881
Ericaceae	904	Gesneriaceae	928	Homalium	892
Eriobotrya	835	Geum	836	Homeria	807

Hoodia	914	Lactuca	948	Malvaceae	886
Hordeae	783	Lagenaria	940	Malvastrum	888
Hordeum	784	Lagynias	934		959
				Man	
Horse	959	Lannea	876	Mangifera	876
Huernia	914	Lantana	918	Manihot	875
Hydrangea	834	Lapeyrousia	808	Mappa	875
Hydrocotyle	902	Lasiocampidae	957	Marattia	752
	918		853		
Hydrophyllaceae		Lathyrus		Marattiaceae	752
Hymenophyllaceae	751	Lauraceae	828	Marattiales	752
Hymenoptera	957	Lauridia	880	Mariscus	788
Hyparrhenia	762	Laurophyllus	876	Massonia	799
	890				
Hypericaceae		Lebeckia	854	Matthiola	831
Hypericum	890	Lecidea	750	Maydeae	759
Hypochaeris	948	Lecideaceae	750	Medicago	855
Hypocreaceae	745	Leguminosae842,	862	Melampsora	749
Hypoestes	929	Leonotis	919	Melampsoraceae	749
		Lepidagathis	930		948
Hypolepis	751			Melanthera	
Hypoxis	803	Lepidium	831	Melasphaerula	808
Hypoxylon	746	Lepidoptera	957	Melastomataceae	900
0 1 0		Lepidosaphes	955	Melia	870
		Leptocarydion	781	Meliaceae	870
Ianthe	804				
Iberis	831	Lepturus	784	Melianthaceae	883
	881	Lessertia	854	Melianthus	883
Icacinaceae		Leucadendron	819	Melilobium	855
Icerya	955	Leucas	920	Melilotus	855
Ilex	878		836		770
Impatiens	883	Leucosidea		Melinis	
	764	Leucospermum	819	Meliola	742
Imperata		Lichenes	750	Meliolaceae	740
Indigofera	853	Lichtensteinia	903	Melolonthidae	956
Ipomoea	916	Liliaceae792,	801	Melothria	940
Irene	740				
Iridaceae804,		Lilium	799	Menispermaceae	841
Iris	807	Limnanthemum	912	Mentha	920
		Limonium	905	Merremia	917
Isaria	750	Linaceae	864	Mesembryanthemum	825
Ischaemum	764	Linaria	927	Mesembryeae	825
Isoberlinia	844				
Isoglossa	929	Linum	864	Metalasia	948
	953	Lippia	918	Microchloa	781
Isoptera		Litchi	882	Microthyriaceae	746
Ixia	807	Lobaria	750	Mikania	948
			941		855
_	0.00	Lobelia		Milletia	
Jacaranda	928	Locris	954	Mimoseae	844
Jasminum	908	Locustana	953	Mimusops	906
Jatropha	875	Loganiaceae	910	Miscanthidium	764
	814	Lolium	784	Momordica	940
Juglandaceae			854		
Juglans	814	Lonchocarpus		Monadenia	812
Juncaceae	791	Loranthaceae	820	Moniliaceae	750
Juneus	791	Loranthus	820	Monimiaceae	828
Juniperus	754	Lotonis	854	Monocymbium	764
	901	Loudetia	775	Monotes	890
Jussieua			876		862
Justicia	930	Loxostylis		Monsonia	
		Luffa	940	Monstera	789
	mo.	Lupinonis	854	Montinia	834
Kaempferia	791	Lycaenidae	957	Moraceae	816
Kedrostis	940		826		808
Keetia	934	Lychnis		Moraea	
	789	Lycium	922	Morus	817
Kentia		Lycoperdaceae	750	Mucuna	855
Khaya	870	Lycopersicum	923	Mule	959
Kickxia	913	Lycophotia	957	Mundulea	856
Kiggelaria	892		958		810
Kirkia	870	Lycosidae	000	Musa	
	799			Musaceae	810
Kniphofia		Maba	907	Musca	957
Knowltonia	827	Macaranga	875	Muscidae	957
Kraussia	934	Maerua	833	Myrica	814
Kyllinga	788				
		Maesa	905	Myricaceae	814
		Magnolia	841	Myrsinaceae	905
Labiatae	919	Magnoliaceae	841	Myrsine	905
Lachenalia	799	Malpighiaceae	871	Myrtaceae	896
	911	Malva	888	Myrtus	899
Lachnopylis	311	ATLENA T CO	000	272 J 1 0 4 5	000

	0.8.3		E-3.1	15.1 1	43.00.0
Naudaurelia	958	Pappophoreae	781	Polygalaceae	871
Nemesia	927	Parinarium	836	Polygonaceae	822
Nemophila	918	Parlatoria	955	Polygonum	822
Neperthaceae	833	Parmelia	7.50	Polypodiaceae	751
Nepenthes	833	Parmeliaceae	750	Polypodium	752
Xephrotoma	957	Parodiella	745	Polyporaceae	749
	804	Parthenocissus	884	Polyporus	749
Nerine	948		772	Polystichum	752
Nestlera		Paspalum	893		800
Nicandra	923	Passiflora		Polyxena	
Nicotiana	924	Passifloraceae	893	Poncirus	869
Nidorella	948	Pastinaca	903	Popowia	842
Niebuhria	833	Pavetta	935	Populus	813
Nivenia	808	Pauridia	802	Portulaca	825
Noctuidae	957	Pedaliaceae	928	Portulacaceae	825
Nomadacria	953	Peddiea	894	Portulacaria	825
	911	Pedilanthus	875	Pouzolzia	818
Nuxia	· · I I		862		928
	12.163	Pelargonium		Pretrea	_
Ochna	889	Pellaea	752	Primula	905
Ochnaceae	889	Peltophorum	844	Primulaceae	905
Ocimum	920	Penguin	958	Printzia	949
Ocotea	829	Penicillaria	772	Priva	919
Odina	876	Pennisetum	772	Protea	819
	954	Penstemon	927	Proteaceae	818
Oedalus	953		809		836
Odontotermes		Pentamenes		Prunus	
Oenothera	901	Pentanisia	935	Psaliota	749
Oidium	750	Pentatomidae	955	Pseudarthria	857
Oldenlandia	934	Pentzia	949	Pseudocassine	881
Olea	908	Perotis	777	Psidium	899
Oleaceae	908	Persea	829	Psilocaulon	825
Oleandra	751	Pertusaria	750	Psilostoma	936
Olinia	894	Pertusariaceae	750	Psoralea	857
	894		903		890
Oliniaceae		Petroselinum		Psorospermum	
Onagraceae	900	Petunia	924	Psychidae	957
Oneidium	812	Peucedanum	903	Psychotria	936
Oncinotis	913	Phaeochorella	746	Ptaeroxylon	871
Oncoba	892	Phalaridae	782	Pteridium	752
Oplismenus	771	Phalaris	782	Pteridophyta	751
Opuntia	894	Phaseolus	856	Pteris	752
	811	Phlox	917	Pterocarpus	857
Orchidaceae			789		
Orectogyrus	956	Phoenix		Pterocelastrus	881
Ormocarpum	856	Pholiota	749	Puccinia	748
Ornithidium	812	Phormium	802	Pucciniaceae	748
Ornithogalum	800	Phragmites	776	Pucciniosira	748
Ornithoglossum	800	Phyllachora	746	Punica	895
Orthoptera	953	Phyllachoraceae	745	Punicaceae	895
Orthosiphon	920	Physalis	924	Putterlickia	881
	782	Phytolacca	824	Pycnostachys	921
Oryza	782		824		
Oryzeae		Phytolaccaceae		Pycreus	788
Osteospermum	949	Pinaceae	754	Pygmaeothamnus	936
Ostrich	958	Pinus	755	Pygeum	838
Osyridicarpos	821	Piper	812	Pyracantha	838
Osyris	821	Piperaceae	812	Pyralidae	958
Othonna	949	Pisum	857	Pyrenacantha	882
Oxalidaceae	863	Pittosporaceae	834	Pyrethrum	849
Oxalis	863		834		838
		Pittosporum		Pyrus	090
Oxyanthus	934	Platylophus	835		
D 1		Plectranthus	920	Quercus	815
Pachycarpus	914	Plectronia	936		
Pachypasa	957	Pleurostylia	881	Rafnia	858
Pachystigma	934	Plumbaginaceae	905	Randia	936
Palmae	789	Plutella	958	Ranidae	958
Pandanaceae	759	Plutellidae	958	Ranunculaceae	827
Pandanus			783		828
	759	Poa		Ranunculus	
Paniceae	775	Podocarpus	753	Rapanea	905
Paricum	771	Pogonarthria	779	Raphanus	831
Papaver	829	Polemannia	903	Rauwolfia	913
Papaveraceae	829	Polemoniaceae	917	Ravenelia	748
Papilionaceae	849	Polygala	871	Rawsonia	892
*					

Relhania	949	Sclerochiton	930	Sutera	928
Reseda	833	Scleroderma	750	Sutherlandia	859
Resedaceae	833	Sclerodermataceae	750	Syncarpia	900
Restic	790	Scolopia	890	Syzygium	900
Restionacea	790	Scorzonera	949		
Rhamnaceae	883	Scrophulariaceae	926	Talinum	825
Rhamnus	883	Scutia	883	Tamarindus	859
Rheum	822	Scuticaria	812	Tarchonanthus	951
Rhinacanthus	930	Scyphogyne	905	Tarenna	937
Rhizophoraceae	895	Secale	785	Tavaresia	915
Rhododendron	905	Secamone	915	Taxaceae	753
Rhoicissus	884	Sechium	940	Teclea	869
Rhoiocarpus	821	Senecio	949	Telfairia	940
Rhus	876	Sesamum	928	Temnocalyx	937
Rhynchelytrum	773	Sesbania	859	Tephrosia	860
Rhynchosia	858	Setaria	773	Terminalia	896
Rhynchospora	788	Sheep	959	Termes	953
Ribes	834	Sida	888	Termitidae	953
Riccia	751	Sideroxylon	906	Tetragonia	825
Ricinus	875	Silene	826	Teucrium	921
Rinorea	891	Simarubaceae	870	Thea	890
Romulea	809	Sisymbrium	832	Theaceae	890
Rosa	839	Smilax	801	Themeda	767
Rosaceae	835	Solanaceae	922	Theobroma	889
Rottboellia	$\frac{764}{907}$	Solanum	$955 \\ 951$	Thesium	821 930
Royena		Sonchus		Thunbergia	
Roystonia	789	Sorghum	765	Thymeleaceae	$894 \\ 885$
Rubia	$\frac{937}{938}$	Sparaxis	809 886	Tiliaceae	921
Rubiaceae931,	840	Sparmannia	827	Tinnea	957
Rubus	949	Spergula	937	Tipulidae Toddalia	869
	822	Spermacoce	752		958
Rumex	749	Spermaphyta Sphacelotheca	747	Trachymene	903
Rutaceae	864	Sphaeriaceae	745	Trachypogon	767
Rutelidae	956		740	Tragia	875
Ruthea	903	Sphaerotheca Spheniscus	958	Tragus	777
Teathea	000	Sphenostylis	859	Trema	816
Saccharum	765	Spilanthes	951	Tricalysia	937
Salacia	881	Spinacia	824	Trichilia	871
Salicaceae	813	Sponia	816	Trichocaulon	915
Salix	813	Sporoboleae	778	Trichocladus	835
Salsola	824	Sporobolus	778	Trichodesma	918
Salvadoraceae	910	Stachys	921	Tricholaena	774
Salvia	921	Stangeria	752	Trichomanes	751
Sanicula	903	Stanhopea	812	Trichoneura	781
Sanseviera	802	Stapelia	915	Trifolium	860
Santalaceae	821	Staphylinidae	956	Trimeria	890
Sapindaceae	882	Statice	906	Tripteris	951
Sapindus	883	Stenotaphrum	774	Tristachya	776
Sapium	875	Stephania	841	Triticum	785
Sapotaceae	906	Sterculia	889	Tritonia	809
Sarcophagophilus	915	Sterculiaceae	888	Triumfettia	886
Sarcophyte	822	Stieta	750	Trocalus	956
Saturniidae	958	Stictaceae	750	Trochomeria	940
Satyrium	812	Stilbaceae	750	Tropaeolaceae	864
Saxifragaceae	834	Stipa	777	Tropaeolum	864
Scabiosa	938	Stipeae	777	Tylophora	916
Schiffnerula	745	Stizolobium	859		
Schinus	877	Stoboea	941	Ulmaceae	816
Schizachyrium	765	Stomoxys	957	Umbelliferae901.	
Schmidelia	883	Strelitzia	810	Uncinula	740
Schoenoxiphium	788	Streptocarpus	928	Uredo	749
Schotia	844	Striga	927	Urelytrum	767
Scilla	800	Strophanthus	913	Urginea	801
Sciobius	956	Struthio	958	Urochloa	775
Scirpus	788	Strychnos	911	Uromyces	748
Scleria	788	Stylochiton	790	Urtica	818
Selerocarya	878	Stylosanthes	859	Urticaceae	818

Ustilaginales747.	748	Viola	891	Xanthoxylon	,869
Ustilago	747	Violaceae	891	Xylariaceae	746
		Virgilia	861	Xylotheca	893
Valeriana	938	Viscum	821	Xymalos	828
Valerianaceae	938	Vitaceae	884		
Vanda	812	Vitex	919		
Vangueria	937	Vitis	885	Zantedeschia	790
Vangueriopsis	938	Voacanga	913	Zea	759
Vanilla	812	Voandzeia	861	Zehneria	941
Vepris	869			Zingiber	791
Verbena	919			Zingiberaceae	791
Verbenaceae	918	Watsonia	809	Zinnia	952
Vernonia	951	Welwitschia	758	Zizyphus	884
Vertebratae	958	Wiborgia	861	Zornia	862
Viborgia	860	Widdringtonia	757	Zoysiae	777
Vicia	860	Wisteria	861	Zygophyllaceae	864
Vigna	860	Withania	926	Zygophyllum	864

LOCALITY INDEX.

The list of localities has been compiled with the assistance of Mr. L. J. Kresfelder. Thanks are due to officials of the Forestry Department for information about forest reserves and plantations, and to Dr. J. C. F. Hopkins for locating places in Rhodesia. Senhor M. G. Beatriz of the Department of Agriculture, Lourenço Marques, has been very helpful in connection with the geography of the colony of Moçambique, of which territory only very poor maps are available. The colony is divided into four provinces: Sul do Save, Manica e Sofala, Quelimane and Porto Amelia. Each province is divided into districts and each district comprises a number of minor divisions named in Portuguese Concelhos and Circumscrições, the former more important and less numerous than the latter. Names of places in Moçambique, therefore, are followed by the name of the district, with that of the Concelho or Circumscrição in brackets, thus:—

Chai-Chai Lourenço Marques (Gaza) Sul do Save, Moçambique indicates that Chai Chai is in the Concelho de Gaza of the district of Lourenço Marques; province of Sul do Save, Moçambique.

The letters W. M, or E after districts of the Cape Province, indicate in which map—the Western, Midland or Eastern section—of the Cape Province the district is to be found.

It must be understood that the locality index is intended to be used only in connection with the list of species. Place names, especially those of farms, are often repeated in different parts of the country, and the general use of this index might be misleading.

For drafting maps showing districts in the various territories and provinces I am indebted to Miss R. Brown, who also compiled the extended vegetation map from information supplied by Dr. Pole Evans.

Locality.	District.	Province or Territory.
Aapies River	Pretoria	Transvaal.
Acornhoek		Transvaal.
Acton Homes		
Addo		
Addo Bush		
Adelaide		
Aiais—see Airas.		
Airas	Keetmanshoop	South-West Africa.
Albertinia	Riversdale	Cape M.
Alberton	Germiston	Transvaal.
Alexander Bay	Namaqualand	Cape W.
Alexandria	Alexandria	Cape E.
Alice	Victoria East	Cape E.
Alicedale	Albany	Cape E.
Aliwal North	Aliwal North	Cape E.
Alkmaar	Nelspruit	Transvaal.
Allerton	Pietermaritzburg	Natal.
Alpha (near Olifantsrivier Dam)	Clanwilliam	Cape W.
Amabele	Kingwilliamstown	Cape E.
Amalinda	East London	Cape E.
Amandas	Mazoe	S. Rhodesia.
Amanzi	Uitenhage	Cape M.
Amanzimtoti	Durban	Natal.
Amatikulu	Mtunzini	Natal (Zululand).
. Amatola Mts	Kingwilliamstown	Cape E.
Amersfoort	Carolina	Transvaal.
Amsterdam	Ermelo	Transvaal.
Andriesfontein		Cape (Griqualand West).
Angoche Is		Niassa, Moçcambique.
Angra Pequena		South-west Africa.
Appelsbosch		Natal.
Arcadia, Pretoria	Pretoria	
Arcturus	Salisbury	S. Rhodesia.
Aris Drift, see Arris Drift.		

Locality.	District.	Province or Territory.
Armadillo Creek. Armoedsvlakte. Arris Drift. Ashburton. Ashbury. Assegai Bosch. Assegai Bush—Assegai Bosch.	Vryburg Namaqualand Pietermaritzburg Pretoria.	Cape (Griqualand West) Cape W. Natal. Transvaal.
Athol Auasberge Auckland Forest. Aughrabies Falls (Orange R.). Auros. near Otavi. Avondale Avonduur.	Windhoek. Victoria East. Gordonia Grootfontein. Salisbury Uniondale.	South-west Africa. Cape E. Cape (East Griqualand). South-west Africa. Southern Rhodesia. Cape M.
Aylesby		
Baakens River Valley. Baale Baalfontein Bains Kloof. Balfour Balfour Balfour Balgowan Balgowan	Lourenço Marques (Manhiça) Lydenburg. Wellington-Worcester. Stockenstroom. Heidelberg. Lions River.	Sul do Save, Moçambique. Transvaal. Cape W. Cape E. Transvaal. Natal. Cape M.
Bambamyoke Forest Bandolier Kop. Banheek Banket. Bankop. Bantry Bay. Bantry Bay	Stellenbosch. Lomagundi Ermelo Cape. Barberton	Cape W S. Rhodesia. Transvaal. Cape W. Transvaal.
Barchiield (Heeg) Barclayville Barkly West Barrydale	Nelspruit	Transvaal. Cape (Griqualand West).
Basche (Drège) = Bashee River. Bashee River (lower reaches). Bassonsdrift. Bathurst. Baviaans Kloof (old name for Genadendal.	GordoniaBathurst	Cape (Griqualand West).
Baviaans Root (old hame for Genadendal, Baviaans Poort. Baviaans River. Baziya. Baziya. see Baziya.	Pretoria. Bedford	Cape E.
Beatrice. Bedford. Beestekraal. Begha River Vallev. Beginsel. Beira.	Bedford	Cape E. Transvaal. Cape E.
Belfast		Moçambique.
Bellair. Bellville. Belmont Valley. Belvidere. Berea. Durban. Bembesi. Benaauwheidsfontein. Bergplaats. Berg Rivier.	Durban Bellville Albany Knysna Durban Bubi Kimberley George Wellington	Natal. Cape W. Cape E Cape E Cape M. Natal. S. Rhodesia. Cape (Griqualand West). Cape M. Cape W.
Berlin Bermolli. Besters Hoek. Bethal	Kimberley	Cape (Griqualand West).

Locality.	District.	Province or Territory.
Bethanie	Bethanie	South-west Africa.
Bethlehem	Bethlehem	Orange Free State.
Bezuidenhouts River	Uitenhage	Cape M.
Biesjesvlei	Lourence Marques (Bileni)	Transvaal.
Bilene Bindura.	Mazoe	S. Rhodesia.
Birchleigh	Germiston	Transvaal.
Bisley	Pietermaritzburg	Natal.
Bitterfontein	Namaqualand	Cape W.
Bizana	Ermelo	Transvaal
Blaauwkrans Kloof	Albany	Cape E.
Blaauwbergstrand	Cape	Cape W.
Blaauwkrantz	Knysna	Cape M.
Blaauwkrantzrivier	Wellington	Cape W
Blauwvlei	Komgha	Cape E.
Bloemfontein	Bloemfontein	Orange Free State.
Bloubergstrand, see Blaauwbergstrand.		
Bloukransrivier, see Blaauwkrantzrivier. Bloukrans, see Blaauwkrantz.		
Blue Lilles Bush	Humansdorp	Cape M.
Bluff, Durban	Durban	Natal.
Blyvooruitzicht	Johannesburg	Transvaal.
Boboli	Lourenço Marques (Marracuene).	Sul do Save, Moçambique
Boekenhout Kloof	Pretoria	Transvaal.
Bokkeveld	Ceres	Cape W.
Bokpoort (Nieuweveld)	Beaufort West	Cape M.
Boksburg Boksburg North Bollellacarpu	Boksburg	Transvaal.
Boksburg North	Boksburg	Cana (Grigueland West)
Bon Accord	Pretoria	Transvaal.
Bonza Bay	East London	Cape E.
Boons	Rustenburg	Transvaal.
Bootmans Kop	Stellenbosch	Cape W.
Boroma	Tete(Tete)	Moçambique.
Borrowdale	Salisbury	
Boschberg	Somerset East	Cape M.
Boschfontein	Brits	Transvaal.
Boschjemansrivier, see Bushmans River.	Waterberg	Transvaal.
Boschrand	Nelspruit	Transvaal.
Bosmans Crossing	Stellenbosch	Cape W.
Bosplaas Botany Bay (? old name for Bantry Bay)	Pretoria	Transvaal.
Botha's Hill	Camperdown	Vape W.
Botha's Hill (Grahamstown)	Albany	Cape E.
Bottelary	Stellenbosch	Cape W.
Bot Rivier	Caledon	Cape W.
Brackels Kloof.	Nelspruit	Transvaal.
Brackenfel		
Bracken Hill	Knysna	Cape M.
Brak Kloof	Rustenburg	Transvaal.
Brandberg Mts., near Cape Cross	Omarusu	Transvaal
Branddraai		
Brander's High Forest	Victoria East	Cape E.
Brandfontein	Bredasdorp	Cape W.
Brandfort	Brandfort	Orange Free State.
Brandvlei	Bredasdorp	Cape W.
Breede Rivier	Worcester	Cape W.
Brenton	Knysna	Cape M.

Locality.	District.	Province or Territory.
Brereton	Wakkerstroom	Transvaal.
Breyton	Ermelo	Transvaal.
Brighton Beach	Durban	Natal.
Brits	Brits	Transvaal
Britstown	Britstown	Cape M.
Broken Hill Bromley	Marundollas	N. Knodesia.
Bronkhorstspruit	Pretorie	Transpaol
Brooklands	Pilgrims Rest	Transvaal.
Brooklyn, Pretoria	Pretoria	Transvaal.
Browns Kuil Drift		
Buccleuch	Pietermaritzburg	Natal.
Buffalo Bay Buffalo River	East London	Cape E.
Buffalo Kiver	Last London	Cape E.
BuffelBuffelsdrift		
Buffelshoek		
Buffelsnek	Knysna	Cape M.
Buffelspan, Pillandsberg	Rustenburg	Transvaal.
Buffelspoort	Rustenburg	Transvaal.
Buffelsrivier, see Buffalo River.		
Buffelsvlei	Lydenburg	Transvaal.
Bulaki	Pulawaya	Nyasaland.
Bulawayo		
Bulwer.		
Buraco		
Burghersdorp	Albert	Cape E.
Burnera	Impendhle	Natal.
Bushmans River		
Bushmans River Valley		
ButterworthBuxton	Stockrongtroom	Cape E
Duxton	THE RICHARD STREET	Cape D.
Caba Dalanda	Parta Amelia	Masambiana
Cabo Delgado. Cabo Negro.		
Caledon		
Caledon River		
		Basutoland.
Calitzdorp	Oudtshoorn	Cape M.
Calvinia.		
Cambridge		
Camps Bay	Cane	Cane W
Cana		
Cango Caves	Oudtshoorn	Cape M.
Cango Valley	Oudtshoorn	Cape M.
Canicado	Lourenço Marques (Chibuto)	Sul do Save, Moçambique
Cape Cross	Wynhard	Cone W
Cape Peninsula.	Simonstown Cane Wynherg	Cape W
Cape Point	Simonstown	Cape W.
Capetown	Cape	Cape W.
Caradoc's Bush	Knysna	Cape M.
Carlton	Middelburg	Cape M.
Carnaryon		
Caroca River, nr. Cabo Negro	Mossamedes	Angola.
Carolina	Carolina	Transvaal.
Cashel	Melsetter	S. Rhodesia
('astle Howard	Impendhle	Natal.
Catembe	Lourenço Marques	Sul do Save, Moçambique.
Cathedral Peak	Rargyilla	Vape M.
Cathedral Peak	Estcourt-Bergville	Natal.
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	4 1 to 0 CF1 1

Locality.	District.	Province or Territory.
Cato Ridge		
Cave Mt		
Vavendish	Durban	Natal.
Caverns, nr. Mont-aux-Sources Caversham	Lions Pivars	Natal.
Cazimba		
Cedara		
Cedarmont		
Ceres		
Chai-Chai		
Chakari	Hartley	S. Rhodesia.
Chalasi	Lourenço Marques (Maputo)	Sul do Save, Moçambique.
Charter	Victoria	S Rhodesia
Chasedene	Pietermaritzburg	Natal.
Chase Valley		
Cherinda		
Chibia	Mossamedes	Angola.
Chibuto	Lourenço Marques (Chibuto)	Sul do Save, Moçambique.
Chilimanzi	Lower Shire	N. Knodesia.
emone	LOWER SHITE	Province).
Chimanimani Mts	Melsetter	
Chinghanguanine		
Chiperone	Quelimane (Morrumbala)	Zambesia, Moçambique.
Chipinga		
Chirinda Forest		
Chitanda River		
Chongueni.		
Christiana		
Chunespoort		
Citrusdal	Clanwilliam	Cape W.
City Deep Mine		
Clairmont	Durban	Natal.
Clanwilliam		
Claremont, Pretoria		
Clarens		
Claridge		
Clocolan		
Cloudlands		
Clovelly		
ClydesdaleClumber	Rothurst	Cape E. (Griqualand East)
Coalbrook.	Heilbron	Orange Free State
Coega River		
Coegapoort	Uitenhage	Cape M.
Cold Bokkeveld Mts		Cape W.
Colenso		Natal.
Consolidated Main Reef G.M		
CommadaggaCommando Nek	Brits	Transvaal.
Compensation Beach	Lower Tugela	Natal.
- Concession	Mazoe	S. Rhodesia.
Concordia	Knysna	Cape M
Conney Glen	Knysna	Cape M.
Congella	Durban	
Conradie's Kloof		
Constantia		
Cookhouse		
Cookhouse Drift (Groot Visrivier)	Somerset East	Cape M
Cornforth Hill	Barkly West	Cape (Griqualand West).
Cradock	Cradoek	Cape M.
Craigmore	Melsetter	S. Rhodesia.

Locality.	District.	Province or Territory.
Cramond	Pietermaritzburg	Natal.
Crecy	Waterberg	Transvaal.
Crown Mines	Johannesburg	Transvaal.
Cubango Cyferbult	('ubango	Angola.
Cyferbult	Rustenburg	Transvaal.
Daggafontein Mines	Springs	Transvaal.
Dalmantha	Carolina	Transvaal.
Dalton Bridge	Estcourt	Natal.
Dargle Road. Darling.	Lions River	Natal.
Darwendale	Longondi	S Rhodesia
Daspoort		
Dassenberg	Malmesbury	Cape W.
Dassie Krantz, Grahamstown	Albany	Cape E.
Davel	Ermelo	Transvaal.
Dawsons		
De Aar Dealesville		
Debbe's Ravine	Pretoria	Transvaal.
De Beer's Rust. De Deur. Deepwalls	Pretoria	Transvaal.
De Deur	Vereeniging	Transvaal.
Deepwalls	Knysna	Cape M.
De Kol De Kroon	Alexandria	Cape E.
De Kuilen		
Delmas		
Derdepoort	Pretoria	Transvaal.
Despatch.	Uitenhage	Cape M.
Devil's Knuckles		
Devils Peak.  De Wagendrift.		
DeWildt	Brits	Transvaal.
Diamond Fields	Kimberley	Cape (Griqualand West).
Diepgat Kloof	Somerset West	Cape W.
Diepkloof nr. Dullstroom	Belfast	Transvaal.
Diep Rivier.		
' Die Swartland '	Malmesbury	Cape W.
Disa Gorge, Table Mt	Саре	Cape W.
Dohne Peak		
Dombashawa	Salisbury	S. Rhodesia.
Dongola Donkerbosch		
Donkerpoort		
Donnybrook	Polela	Natal.
Dooley. Doonside.	Bergville	Natal.
Doombook	Durban	Natal.
Doornbosch		
Douglas		
Driefontein	Zoutpansberg	Transvaal.
Driepoort	Volksrust	Transvaal.
Drummond	Prince Albert	Cape M.
Duikerfontein	Durban	Natal.
Duikervallei, Tygerberg Duivelsberg, see Devils Peak.		
Duivelskantoor, Kaapsche Hoop	Nelspruit	Transvaal.
Duivelskloof	Letaba	Transvaal.
Duivels Knackler', see Devils Knuckles.	T 1	m 1
Duivelskloof Duivels Knokler', see Devils Knuckles.	Letaba	Transvaal.
Dukuduku		
Dullstroom		

Locality.	District.	Province or Territory.
Dubrody Mission	. Uitenhage	Cape M.
Duncairn	Pitermaritzburg	Natal.
Dundee		
Dunkeld Dunmurray		
Durban	Durhan	Vatal
Durban Roodepoort Deep G.M	Krugersdorp	Transvaal.
Durbanville	Bellville	Cape W.
Du Toits Kloof		
Dwarsriviershoek	Stellenbosch	Cape W.
East Ferry, Victoria Falls	Wankie	S. Rhodesia
East London	East London	Cape E.
Ebb and Flow, Wilderness	George	Cape M.
Ebenezar	van Rhynsdorp	Cape W.
Edendale	Pietermaritzburg	Natal.
Edgehill Ediva	Estcourt	Natal.
Eikenhof	Inhanneshurg	Transvaal
Eikenhof Ehlanzeni	Umsinga	Natal.
Elandsdrift	Rustenburg	Transvaal.
Elandshoek	Nelspruit	Transvaal.
Elandskop		
Elandsriver Elberta		Cape M.
Eldorado	Lomagundi	S. Rhodesia.
Elgin	Caledon	Cape W.
Elim	Bredasdorp	Cape W.
Elim	Zoutpansberg	Transvaal.
Elliot	Elliot	Cape E.
Eloff Elsenburg		
Emigratie	Menemosen	Swaziland.
Emmasdale	Heidelberg	
Empalanea		
Empangeni		
Engelbrechtsdrift		
Ennersdale	Esteourt	Natal.
Enon		
Enselberg	Marico	Transvaal.
Entabeni	Zoutpansberg	
Enterprise	Fehowe	S. Rhodesia.
Equeefa	Umzinto	Natal.
Erasmus	Pretoria	Transvaal.
Ermelo		
Escombe		
Eshowe Eskdale		
Esperanza		
Essexvale	Umzingwane	S. Rhodesia.
Estcourt	Estcourt	Natal.
Eston	Camperdown	Natal.
Eteza. Evelyn Vallev	Kingwilliamstown	Cane F
Fzulweni		
Their College	70.1	m 1
Fairview Gold Mine Fairy Glen		Transvaal.
False Bay	Between Simonstown and	Transvaal. Cape. W.
Falca Ray	Caledon.	N-4-1 (7-1-11)
Farmer Peck's Valley	Simonstown	Natai (Zululand). Cape W.

Locality.	District.	Province or Territory.
Fauresmith	Fauresmith.	Orange Free State.
Fazendo de Ferrao		
Felixburg	Chilimanzi	S. Rhodesia.
Felixton	Lower Omfolosi	Natal (Zululand).
Fern Kloof	Albany	Cape E.
Ferrao da Sola		
Fish HoekFish River		
Flaaukraal		
Flo Forest	Kingwilliamstown	Cape E.
Floradora	Kuruman	Cape (Griqualand West).
Florida Lake	Krugersdorp	Transvaal.
Flynn's Bridge		
Forbes Reef		
Forest Hall	Eart Possfort	Cape F
Fort Cunynghame		
Fort Hare		
Fort Jackson	East London	Cape E.
Fort Louis	Babanango	Natal (Zululand).
Fortuna Creek	Barberton	Transvaal.
Fort Victoria	Victoria	N. Khodesia. Transvaal.
Fountains Valley		
Franschhoek		
Franskraal		
Frantzinas Rust	Barberton	Transvaal.
French Hoek ,see Franschhoek.		
Friedenheim		
Fullers Forest	Fort Beautort	cape r.
Gabieshoek	Lydenburg	Transvaal.
Gala Bush	Polela	Natal.
Gamtoos River Valley	Humansdorp	Cape M.
Gansekraal		
Garden of Eden		
Garies		
Garip	Namaqualand	Cape W.
Garstfontein		
Gatooma		
Gazaland is now		
Geuwa River	Springs	Transvaal
Geduld Prop. Mines	Springs	Transvaal.
Geelhoutboomberg		
'Gekau' (Drège)=Gcuwa River?	-	
Geldenhuys Deep G. M		
Genadendal		
George Giants Castle		
Gillitts	Pinetown	
Ginginhlovu		
Ginginhlovu	Mtunzini	Natal(Zululand).
Glebe Forest	Knysna	Cape M.
Glen	Bloemfontein	Orange Free State.
Glen Avon	Somerset East	Cape M.
Glen Echo	Durban	Natal.
Glencairn	Cathcart	Cape E.
Glendale	Mazoe	S. Rhodesia.
Glenfillan	Albany	Cape E.
'Glenfilling' see Glenfillan.	Victoria	S Phodovia
Glenlivet	Victoria	Transvaal.
	middefoulg	11010 1001

### Locality.

### · District.

Province or Territory.

Condenda II and Consider del		U
Gnadenthall, see Genadendal.		
Goanekontas	Swakopmund	South-west Africa.
Godwan River	Nelspruit	Transvaal.
Golden Valley	Somerset East	
Golden valley	Different East	Cape M.
Gondola	Beira (Chimoio)	Manica e Sofala,
		Moçambique.
Gonubie	Fast London	Care F
Contible	East London	Cape L.
Goodoo Bush		
Gordons Bay	Somerset West	Cape W.
Goromonzi	Salisbury	S. Phadasia
Goudkopje	Huila	
Goukamma River	Knysna	Cape M.
Gouna Forest		
		Cape m.
Gouritz River		Cape M.
Gqaga	Engcobo	Cape E.
Graafwater		Cane W
Graaff Reinet	Case of Dainet	Cape 11.
		Cape M.
Grahamstown	Albany	Cape E.
Graskop		
Grasmere	Krugersdorp	
Great Brak River	George	Cape M.
Great Karasberg	Warmbad	South West Africa
Great Kei River, lower reaches	Kontoni Komaha	Come F
Great Noodsberg	New Hanover	
Greefswald, Limpopo River	Zoutpansberg	Transvaal.
Green Point	Cono	Cana W
Green rolling	Cape	
Greenville Mission		
Greylingspos	Brits	Transvaal.
Grey's Pass		
Grey's Lass	TY	Cape W.
Greytown		
Groenekloof	Malmesbury	Cape W.
Groenkloof		
Groenkop		
Groot Constantia	Wynberg	Cape W.
Groot Drakenstein	Paarl	Cape W.
Grootfontein nr. Harrismith	Harrismith	Orongo Fron State
Grootiontem in. Harrismun	Traitismith	Orange Free State.
Grootfontein	Grootfontein	South West Africa.
Groot Karaberg—Great Karasberg.		
Grootrivier	Knyene	Cone M
Groot Schuur		
Grootvadersbosch	Swellendam	Cape W.
Groot Vischrivier or Groot Vis-rivier	Cradock-Somerset East-Albany-	Cane M-E
CIOU FISCHITTEE OF CHOOL FIS-1171CI	Peddie.	cape in in
		rm ,
Grootvlei	Heidelberg	Transvaal.
Grootvlei Prop. G.M		
Gumtree		
Guru		
Gwaai Settlement		
Gwanda	Gwanda	S. Rhodesia
Gwebi		
Gwelo		
Gxoqxowe Forest	Kingwilliamstown	Cape E.
Gxulu Forest	Kingwilliametown	Cane E
Oxulu Polestiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	Terrig wild territory in a contract of the con	Cape E.
Haakdoornfontein	Pretoria	Transvaal.
		Angola.
Habungu River		
Haenertsburg		
Haifischbusht	Lüderitz	South Weet Africa.
Haifischinsel		
II.1C. II.	Destant	T
Halfway House	rretoria	Transvaal.
Hamanskraal	Pretoria	Transvaal.
Hamberg		
Hamburg		
Hamilton Reservoir	Albany	Cape E.
Hanglip, Louis Trichardt	Zoutpansberg	Transvaal.
	•	

Locality.	District.	Province or Territory.
Hankey	Humansdorp	Cape M.
Hanover		
Harald Forest, see Hovald.		•
Harden Heights	Umvoti	Natal.
Hardong	Alfred	Natal.
Harkerville Forest	Knysna	Cape M.
Harrismith	Harrismith	Orange Free State.
Hartebeestfontein		
Hartley	Hartley	S Rhodesia
Hartley	Esteourt	Vatal
Hatfield	Hartley	S. Rhodesia.
Hatfield, Pretoria		
Hatherley		
Hawston	Caledon	Cape W.
HeadlandsHebron	Makoni	S. Rhodesia.
Hebron	Pretoria	Iransvaal.
Heidelburg (Cape)		
Heidelberg Heibron		
Hekpoort	Krugersdorp	Transvaal.
Helderberg	Somerset West	Cape W.
Helpmekaar, Woodbush	Pietersburg	Transvaal.
Hendricksdal	Pilgrims Rest	Transvaal.
Henley on Klip		
Henley	Pietermaritzburg	Natal.
Heunops River	Pretoria	Transvaal.
Hereroland		Transvaal. South West Africa.
Hermanus		
Herzogville		
Hex rivierberg	Ceres-Worcester	Cape W.
Highbury	Polela	Natal.
Highflats	Ixopo	Natal.
Hillarys		
Hill Crest, Pretoria	Pretoria	Transvaal.
Hillside	Bulawayo	S. Rhodesia.
Hilton Road	Fletermaritzourg	Natai.
Himeville Hippo Pool, Pretorius Kop Hlabini Forest	Velspruit	Transvaal
Hlabini Forest	Polela	Natal.
Hlatikulu Forest	Estcourt	Natal.
Hlinza Forest	Eshowe	Natal (Zululand).
Hluhluwe	Hlabisa	. Natal (Zuland).
Hoek van Hellbosch	Letaba	Iransvaal.
Hofmans Kloof	Albany	Cape E.
Hogsback Hoha Forest Holfontein Hollandsdrift	Victoria East	Cape E. (Crioualand Fast)
Holfontein	Lichtenherg	Transvaal
Hollandsdrift	Pietersburg	Transvaal.
Home Rule	Underberg	Natal.
Hondjeskuil	Barkly West	Cape (Griqualand West
Honeykloof	Uniondale	. Саре М.
Hoofbos, see Main Forest		C C
Hoogekraalsrivier	: Anysna	. Cape.
Hopefield	Valmashuw-	Cape W
Hopevale	Polela	Vatal
Horns Nek		
Horo Bush	Barberton	. Transvaal.
Horo Bush Horse Shoe Forest	Kingwilliamstown	. Cape E.
Hoshlosa Mt., see Hashlosa.		
Hottentots Holland		
Hout Bay	. Wynberg	. Cape W.
Houtboschdorp Houtboschberg	Pietersburg	. ransvaal.
montposemoerg	. rietersourg	. 1ransvaai.

Locality.	District.	Province or Territory.
Houwhockberg	Caledon	Cane W
Hovald Forest	Kingwilliamstown	Cape E.
Howick	Lions River	Natal
Howiesons Poort	Albany	Cane E
Huila or Huilla	Huila	Angola.
Huisriviersberg	Ladismith-Oudtshoorn	Cape M.
Humansdorp	Humansdorp	Cane M.
Humbe Humewood	Huila	Angola.
Humewood	Port Elizabeth	Cape M.
Hunters Road	Gwelo	S. Rhodesia.
Hunyani	Salisbury	S. Rhodesia.
Hysberge	Ladismith	Cape M.
Hysrivierberge see Huisriverisberge.		
TC C	TT 1 .	
Ifafa	. Umzinto	Natal.
Ida's Valley	Stellenbosch	Cape W.
Idutywa	Idutywa	Cape E.
Ihluka	Alfred	Natal.
Illovo Piron	Umlazi	Natal.
Illovo River	Port Shoretone	Natal.
Imbezana Imhoff's Gift	Simonstown	Natai.
Imloega Valley	Umtoli	S Phodosio
Immerpan		
Impamputo	Lourenco Marques (Sobie)	Sul do Save Mocambique
Impendble	Impendble	Vatal
Impendhle	Ficksburg	Orange Free State.
Impolweni	New Hanover	Natal.
Imvani	Queenstown	Cape E.
Inaccessible Gorge, Table Mt	Cape	Cape W.
Inanda	Inanda	Vatal
Inchanga	Camperdown	Natal.
Inchanga	Lourenço Marques (Sabie)	Mocambique.
Indument Forest	Bergville	Natai.
Infulene		
Infulxane	Entonjaneni	Natal (Zululand).
Ingangwane	Pietermaritzburg	Natal.
Ingeli Forest		
Ingogo	Newcastle	Natal.
Ingwavuma		
Inhaca Is.		
Inhambane Insekeni		
Insiza	Incian	S Phodesia
Insizwa		
Intsimbini	Port St. Johns	Cape E (Pondoland).
Inyanga	Invanga	S. Rhodesia.
Inyati		
Inyazura		
Inyezana River		
Inzana	Lotaba	Tracroal
Irene	Pretoria	Transvaal.
Iron Mine Hill	Gwelo	S. Rhodesia.
Isidenge Plantation		
Isipingo	Durban	Natal.
Ivantâla	Huila	Angola.
Ivy Range	Barberton	Transvaal.
Ixopo	Ixopo	Natal.
Izelini Forest		
Izotsha	rort Snepstone	Natal.
Jakhalsfontein	Prince Albert	Cane M.
Jakhalsrivier		
Jacksonstuin	Brits	Transvaal.

Locality.	District.	Province or Territory.
Jaggersfontein Mine	Fauresmith	Orange Free State
Lamastania	Wadehouse	Cane
Iamason's Drift	Eshowe	Natal (Zululand)
Jameson's Drift Jan de Boers	Worcester	Cane W.
Jansenville	Jansenville	Cape M.
Jan	Mossamedes	Angola.
Juffrey's Riv		
Jessievale	Ermelo	
JessievaleJihu	Melsetter	S. Rhodesia.
Johannesburg	Johannesburg	Transvaal.
JongensklipJonkershoek	Caledon	Cape W.
Jonkershoek	Stellenbosch	Cape W.
Joubertina	Uniondale	Cape M.
Juanasberg	Victoria East	Cape E.
Jubilee Mine	Pilgrims Rest	Transvaal.
Joubertshoes Juanasberg Jubilee Mine Jutland	Port Elizabeth	Cape M.
Kaaimansgat	George	Cape M.
Kaaimansgat Forest	Pretersburg	Transvaal.
Kaaimansrivier	George	Cape M.
Kaalfontein	George	Transvaal.
Kaalplaats Kaapmuiden	Pretoria	Transvaal.
Kaapmuiden	Barberton	Transvaal.
Kaapschehoop		
Kabindere		
Kabusi Plantation	Stutterheim	Cape L.
Kafferfontem. Kagaberg, nr. Bedford.	Pauresmith	Orange rice State.
Kagaberg, nr. Bedford Kakamas	Dedion1	Cape E.
Kalk Bay	Simonstown	Cape W
Kakele.		
Kathea	Kalahari	Rechusnaland Protectorate
Kakhea. Kalkfontein. Kalolo.	Warmhad	South West Africa
Kalolo	Cubango	Angola
Kamberg.	Esteourt	Natal.
Kameeldrift		
Kamieskroon		
Kampuluve R	Cubango	Angola.
Kandahar Is., Victoria Falls	Wankie	S. Rhodesia.
Kang	Kalahari	Bechuanaland Protectorate
Kanye		
Karatara		
Karino		
Karkloof	Lions River	Natal.
Karree Kloof Kasane or Kasani	Lydenburg	Transvaal.
Kassinga		
Kasouga River	Bathurst	Cape L.
Katherg.	Cape	Cape II.
Katberg Main Forest.		
Kat River		
Kat River Valley		
Kaymansgat, see Kaaimansgat.	Total Petrolica	Cup 2.
Kazungulu	Batoka	N. Rhosedia.
Keiskama Hoek		
Kenilworth	Wynberg	Cape W.
Kelso Junction	Umzinto	Natal.
Kenhardt	Kenhardt	Cape W.
Keniston	Albany	Cape E.
Kentani		
Kestell	Bethlehem	Orange Free State.
Kestell Road	Harrismith	Orange Free State.
Keurboom Keurboomsrivier	knysna	Cape M.
Kentooomstivier	Knysna	саре м.

Locality.	District.	Province or Territory.
Keurkloof Forest	George	Cape M.
Kew, Durban	Durban	Natal.
Key (Drège)=Great Kei River (lower reach		211101111
Khami Ruins	Bulawayo	S. Rhodesia.
Khami Ruins	Namaqualand	Cape W.
Khamiskron, see Kamieskroon.		
Kildo's Beach	East London	Cape E.
Kilgobbin	Durban	Natal.
Kimberley	Kimberley	Cape (Griqualand West).
Kincardine		
Kingwilliamstown	Kingwilliamstown	Cape E.
Kinross	Bethal	Transvaal.
Kirkwood		
Kirstenbosch	Wynberg	Cape W.
Kitive or Kitue		
Klaarstroom		
Klapmuts		
Klapperkop	Pretoria	Transvaal.
Klaver Klein Australie Kleinbrakrivier	Van Rynnsdorp	Cape W.
Klein Australie	Zoutpansberg	Transvaal.
Klein Dalamatain	Document Day	Cape M.
Klein Drakenstein		
Klein Karasberg		
Klein Kruis Rivuer.	Diversidals	Cape M.
Kleinrivier		
Klein Vischriver or Klein Visrivier	Samaraat Fast	Cape M.
Klipdam	Parkly West	Cape M.
Klipplaat		
Klip River		
Kliptown	Iohanneshura	Transvaal
Kloof Dordrecht	Wodehouse	Cone E
Kloof, Dordresht	Pinetown	Vatal
Kloof Neck	Cane	Cane
Kluitze's Kraal	Tulbagh	Cape W
Klyn Visch Rivier=Klein Vischrivier.	1 dibagii	cape
Knapdaar	Albert	Cane E.
Knockbarragh	Barkly West.	Cape (Griqualand West).
Knockbarragh	Knysna	Cape M.
Knorhoek, Sir Lowry Pass	Somerset West	Cape W.
Knysna		
Koedoespoort		
Koedoes River	Pitersburg	Transvaal.
Koega RiverC=oega R.		
Koelenhof. Koffiefontein Kögel Bay.	Stellenbosch	Cape W.
Koffiefontein	Fauresmith	Orange Free State.
Kögel Bay	Somerset West	Cape W.
Koni	Hulla	Angola.
Kokstad	Mount Currie	Cape E (Griqualand East).
Kologha Forest	Stutterheim	Cape E.
Komati Poort	Barberton	Transvaal.
Komati River	Carolina-Barberton	Transvaal.
Komgha		
Kommetjie		
Koningskroon		
Kooa	Bangwaketse Reserve	Bechuanaland Protectorate
Koratra=? Karatara.		_
Koster	Rustenburg	Transvaal.
Kosteriontein	Rustenburg	Transvaal.
Koster River	Rustenburg	Transvaal.
Kouderivier	Bredasdorp	Cape W.
Kowie		
Kraaifontein	Bellville	Cape W.
Kraairivier	Lady Grey-Barkley East	Tropovosi
Krabbefontein	Dowt Fligsboth	Cana M
ALIGNABAHA	TOTA EMERGEBH	Cape M.

Locality,	District.	Province or Territory.
Krakeel	Uniondale	Cane M
Kranskop.	Kranskon	Natal.
Krantzkloof, now Kloof.	Pinetour	Vatal.
Krantzpoort		
Kritzinger's Dam		
Kromrivier		
Kroondal	Rustenourg	Transvaal.
Kroondal	Kustenburg	Transvaal.
Kroonstad.	Kroonstad	Urange Free State.
Krugersdorp		
Krugerspost		
Kruisfontein		
Kruispad	Stellenbosch	Cape W.
Kruis Rivier	Kiversdale	Cape M.
Kubusi		
Kuebe		
Kueio		
Kuilsrivier		
Kuito River	Cubango	Angola.
Kulei	Cubango	Angola.
Kunene R		Af <del>r</del> ica.
Kuruman	Kuruman	Cape W.
Kusisi River		
Kutsi	Huila	Angola.
Kutue River		
Kwambonambi	Lower Umfolosi	Natal.
Kwatsani	Kalahari	Bechuanaland Protectorate
Laaken Vlei	('eres	Cape W.
Ladismith		
Ladybrand		
Lady Grev		
Ladysmith	Klin River	Vatal
Laingsburg.	Laingehurg	Cane M
Lake ('hrissie	Francia	Transvaal
Lake Ivantàla		
Lakeside		
Lamberts Bav		
La Morar	Inanda	Vatal
La MercyLangbaan	Malmanhum	Capa W
Languadh	Trans L'amana	Cape (Cricualand West)
Langeberg.		
Langeberg		
Langewens	Dalmesoury	Cape W.
Langholm Estates	Datnurst	Transvaal.
Langlaagte Gold Mine	Jonannesburg	Come VI
Lauterwater		
Lawley	Krugersdorp	transvaar.
Lazingua River	(ubango	Angola.
Lebomba Mts Ledzee	Letaba	Transvaai.
Ledzee	Letaba	Transvaai.
Leeuwdoorns	Wolmaranstad	Transvaal.
Leeuwpoort		
Lemana		
Leribe	Leribe	Basutoland.
Leslie	Bethal	Transvaal.
Letaba	Letaba	Transvaal.
Letaba Drift.	Letaba	Transvaal.
Lichtenburg		
Lidgetton	Lions River	Natal.
Likise or Licise	Cubango	Angola.
Linden	Johannesburg	Transvaal.
Linden. Linyanti.	Ngamiland	Bechuanaland Protectorate
Lions Head	Cape	Cape W.
Lions Rump	Cape	Cape W.
Little Fish River = Klein Visrivier.		

Locality.	District.	Province or Territory.
Livingstone Island		
Llandudno		
Llewellyn Lobatsi	Mount Currie	Cape E (East Griqualand). Bechuanaland Protectorate
Lomagundi	Lomagundi	
Lonely Mine		
Long River		
Long Kloof		
Lokenburg	Calvinia	Cape W.
Lopollo	Huila	Angola.
Loskop	Estcourt	Natal.
Loskop Irrigation Dam		
Lothair		
Louis Trichardt		
Louisvale		
Lourenço Marques	Somerset West	Cane W
Louws Creek		
Lovedale	Victoria East	Cape E.
Lowdale	Salisbury	S. Rhodesia.
'Lowenberg'?=Leeuwenberg. Low Forest	Knysna	Cane M.
Lüderitzbucht		
Lundie's Hill	Impendhle	Natal.
Luneberg. Lupata.	Paulpietersburg	Natal.
лирава	Della (Dartie)	Moçambique.
Lusaka		
Lusikisiki		
Lydiate	Hartley	S. Rhodesia.
LydiateLyndhurst	Johannesburg	Transvaal.
Lyndoch	Bedford	Cape E.
Lynedoch Lyttleton Junction		
Dyviction of diction.	Tievoria.	11tho ttem
Macequece		Moçambique.
Machoke		
Maclear		
Mac Mac Falls	Pilgrims Rest	Transvaal.
Mac Mae Plantation	Pilgrims Rest	Transvaal.
Maele or Mahele	Lourenco Marques (Magude)	Sul do Save, Mocambique.
Mafeking	Mafeking	Cape (Griqualand West).
Magalaquin R. nr. junction with Limpopo R	. Zoutpansberg	Transvaal.
Maglies River	Arugersdorp	Transvaal.
Magliesberg. Magalies River. Magoebas Kloof.	Letaba	Transvaal.
Magude	Lourenço Marques (Magude)	Sul do Save, Moçambique.
Magut Mahlabatini		
Mahotas	Lourenco Marques (Marracuene).	Sul do Save. Mocambique.
Mahotas Maid of the Mist Mine	Barberton	Transvaal.
Main Forest	Knysna	Cape M.
Maiombo River Maitland		
Makapan Caves	Pretoria	Transvaal.
Makoni	Inyanga	S. Rhodesia.
Makwapala	Southern Province	Nyaslaand.
Malagazi	Mbabane	Swaziland

Locality.	District.	Province or Territory.
Maleomess	Albert	Cape E.
Malelane Malmesbury	Barberton	Transvaal.
Malmesbury	Malmesbury	Cape W.
Malvern	Brits	Natal. Transvaal
Mangwendi.		
Manhica	Lourenco Marques (Manhica)	Sul do Save, Mocambique.
Manonge	(ubango	Angola.
Maotas, see Mahotas. Manubie Forest	Ruttomorth	Cana F
Maputa		
Maputo River	Lourence Marques (Maputo)	Sul do Save, Mocambique,
Maquassi Ranch	Wolmaranstad	Transvaal.
Mara	Zoutpansberg	Transvaal.
Marabastad	Johannesburg	Transvaal.
Maramba	Cubango	Angola.
Marandellas	Marandellas	S. Rhodesia.
Marchand	Kenhardt	Cape W.
Margate		
Marianthall	Ixopo	Natal.
Mariental. Mariepskop Marikana.	Gibeon	South West Africa.
Mariepskop	Pilgrims Rest	Transvaal.
Maritzburg, see Pietermaritzburg.	Rustenburg	I ransvaat.
Marracuene	Lourenco Marques (Marracuene).	Sul do Save, Mocambique.
Marral Marromen	Quelimane (Zambeze)	Zambezia, Moçambique.
Marromen	Quelimane (Marromen)	Zambezia, Moçambique.
Marwaqa Forest	Lomagundi	Natal. S. Rhodesia
Maseru	Maseru	Basutoland.
Mashangani	Arcturus	S. Rhodesia.
Masite	Maseru	Basutoland.
Massenberg. Massinga.	Inhambana (Massinga)	Sul do Sava Mocambiqua
Mastenberg, see Massenberg.	miamoane (Massinga)	cui do care, notaminque.
Mataffin		
Matatiele	Matatiele	Cape E.
Matjesfontein	Laingsburg (Varracuana)	Sul do Save Mocambique
Matopo Hills or Matopos	Matopo	S. Rhodesia.
Matopo Hills or Matopos	Huila	Angola.
Mauritzfontein	Kimberley	Cape (Griqualand West).
Maxixe	Inhambane (Inhambane)	Transvaal
Mayville	Durban	Natal.
Mazelspoort	Bloemfontein	Orange Free State.
Mayfern. Mayville. Mazelspoort. Mazee. Mbabane.	Mazoe	S. Rhodesia.
M'besa, see Mebesa.	Moabane	Swaznand.
Vehesa Forest	Umtali	S. Rhodesia.
Meintjes Kop. Melkbosch Strand.	Pretoria	Transvaal.
Melkbosch Strand	Bellville	Cape W.
Melk Rivier (Karroo).  Melmoth.	Fntonianeni	Cape M. Notal (Zululand)
Melsetter	Melsetter	S. Rhodesia.
Melsetter Memba Merensky	Nampula (Memba)	Niassa. Moçambique.
Merensky	Pietersburg	Transvaal.
Merrivale Meruru or Miruru	Tate	Manica e Sofala
		Mocambique.
Metonia	Nampula (Metonia)	Niassa, Moçambique.
Meyerton	Vereeniging	Transvaal.
Middelbult	Standerton	Transvaal.
		A COLOR T SESSE

Locality.	District.	Province or Territory.
Middelburg	Middelburg	Cape M.
Middelburg		
Middelkop		
Middelpos	Calvinia	Cape W.
Mid-Illovo	Camperdown	Natal.
Millwood Forest	Knysna	Cape M.
Misgund		
Mnondo		
Moamba	Lourenço Marques	Sul do Save, Moçambique.
Moçambique	Namp ula (Moçambique)	Niassa, Moçambique.
Mocuba		
Modderbee		
Modderfontein		
Modderfontein Deep Levels G.M	Panani	Transpered
Modderrivier		
Modderspruit		
Moedig Siding		
Mokeetsi		
Molteno		
Mona		
Monino River	Huila	Angola.
Montagu		
Montagu Pass	George	Cape M.
Mont aux Sources	Bergville	Natal.
Moodie's Estates		
Mooibank		
Mooiplaats, Hatherley		
Mooi River		
Moorddrift		
Moorreesburg		
Morgenzon		
Morro de Lopollo	Hulla	Angola.
Morrumbene. Mosdene, Naboomspruit	Weterhore (Morrumbene)	Transval
Mossamedes	Vossamades	Angola
Mossel Bay		
Mossel Rivier		
Mountain Drive, Grahamstown		
Mountain Rise	Pietermaritzburg	Natal.
Mountain View, Hercules	Pretoria	Transvaal.
Mount Edgecombe	Inanda	Natal.
Mount Frere		
Mount Hopley, Upper Zwartkei	Queenstown	Cape E.
Mt. Kanduliri, Zambesi Region	? Tete	Moçambique.
Mt. Mamotsuiri	Letaba	Transvaal.
Mt. Murambala	Quelimane (Massingere)	Zambezia, Moçambique.
Mt. Nhasinde?=Mt. Nhansito.	m	Marine a Safata
Mt. Nhansito	Tete	Manica e soiaia. Moçambique.
Mt. Nuza	Umtali	
Mount Pleasant	Salishury	S. Rhodesia
Mt. Silinda		
Mowbray		
Mposa	Lower Umfolosi	Natal (Zululand).
Mqanduli		
Mqatsheni	Polela	Natal.
M'Sasa		
M'sikaba River		
M'Soneddi	Mazoe	S. Rhodesia.
Mtambanana		
Mtao		
Mtepetepa	Mazoe	S. Khodesia.
Mtunzinî	(Qualimana (Pahana)	Zambezia Mossyrbique
Mucklenberg, Zebediela	Potriotererust	Transvaal
muchienucig, zeueulen	i organication and a second	Liaitovaat.

Locality.	District.	Province or Territory.
Muckencuk, Pretoria	Pretoria	Transvaal.
Muden	Weenen	Transvaal.
Mufulira	(Copper Area)	N. Rhodesia.
Muguene	Lourenço Marques (Maputo)	Sul do Save, Moçambique.
Muguene	Simonstown	Cape W.
Mulders Drift	Krugersdorp	Transvaal.
Mulders Vlei	Stellenbosch	Cape.
Mungari		Mocambique.
Murraysburg	Murraysburg Namaqualand	Cape W.
Naboomfontein	Potgietersrust	Transvaal.
Naboomspruit	Waterberg	Transvaal.
Nachtwacht. Nahoon.	Bredasdorp	Cape W.
Nahoon	East London	Cape E.
Naaiboomfontain (Schlechter), see Naboo	miontein.	Cal da Cara Managhiana
Namaacha		
Namaroup, Khamiesburg	Vampula	Visses Macombique
Nampula Napalanka Narubis	Cubango	Angola.
Varuhis	Keetmashoon	South West Africa.
Nattevlei	Paarl	Cape W.
Natvoet	Namaqualand	Cape W.
Nautilus Point (Angra Pequena)	Lüderitz	South West Africa.
Neaga Mt., Luneberg	Paulpietersburg	Natal.
Ndwedwe		
Neethlings Hof.	Stellenbosch	
Nelspruit		
Nels River		
Nelsrust		
Vow Amienthus Ashastos Vina	Valermit	Transvaal
New Amianthus Asbestos Mine Newcastle	Vewcostle	Vatal
New England		
New Germany		
New Guelderland	Lower Tugela	Natal.
New Hanover	New Hanover	Natal.
Newlands	Wynberg	('ape W.
New Modderfontein G.M	Benoni	Transvaal.
New Modder Mine, see Modderfontein.	a :	m 1
New State Areas G.M		
Ngokong Ngome Forest		
Ygova Forest	Mtunzini	Vatal (Zuhuland)
Ngoya Forest. Nhula.	Quelimane	Zambezia, Mocambique.
Nietvoorby	Stellenbosch	Cape W.
Nieuwveld Mts	Fraserburg-Beaufort West	Cape M.
Nkandhla Forest		
Nkwalini		
N'karini		
Noetze	Knysna	Cape M.
Nongoma Noodsberg	Nongoma	Natai (Zuiniand).
Noordhoek.	Simonstown	Cane W
Northdene.		
Northern Flats	Potgietersrust	Transvaal.
Northern Flats Northern Ravine, Rooiwal	Nelspruit	Transvaal.
Northlands	Johannesburg	Transvaal.
Norton	Hartley	S. Rhodesia.
Norwood	Johannesburg	Transvaal.
Notensele Forest, see Notinsila.		
Notinsila Forest	Ngqueleni	Cape E.
Notocote Nottingham Road.	Vueumane	Zambezia, Mocambique.
atovonguam moau	ESTOUTE	raidi.

Locality.	District.	Province or Territory.
· · · · · · · · · · · · · · · · · · ·		· ·
Nourse Gold Mine Ngadu Forest		Transvaal. Cape E.
Ngadu Heights.	Tsolo	Cape E.
Nqadu Heights	Nqutu	Natal (Zululand).
Ntambanana	Lower Umfolosi	Natal (Zululand).
Ntywenka		
Nutfield		Transvaal. Cape W.
Nyamandhlovu		S. Rhodesia.
Obib	Lüderitz	South West Africa
Odzani River		
Odzi	Makoni	S. Rhodesia.
Ofcalaco		
Okahandja		
Okaharui. Okapuka.	Windhoek	South West Africa.
Old Lead Mine, Rhenosterhoek	Middelburg	Transvaal.
Olifantsfontein		
Olifantshoek, nr. AlexandriaOlifants Hoek.	Alexandria	Cape E.
Olifants Hoek.		Cape E.
Olifantsrivier (Schlechter)		
Olifantsrivier		
Oliviers Hoek		
Olukonda		
Olyfhoutkloof nr. Enon	Uitenhage	Cape M.
Omaruru	Omaruru	South West Africa.
Ombale 'Omblas' (Drège), see Umlaas River, lower		Sotuh West Africa.
'Omsamculo' (Drège), see Umzimkulu Rive		
'Omsamwubo ' (Drège), see Umzimvubu R	iver, lower reaches.	
'Omtata' (Drège), see Umtata River, lowe 'Omtendo' (Drége), see Umtentu River, lo	r reaches.	
Onderstepoort	Pretoria	Transvaal.
Ondongwa	Ovamboland Reserve	South West Africa.
Onolonga	Ovamboland Reserve	South West Africa.
Onrust		
Oorlogsfontein		
Oppaslaagte	Lichtenberg	Transvaal.
Orange River (Station)	Hopetown	
Oranjeville		
Orchard Siding.	Worcester	
Oribi Flats	Port Shepatone	Natal.
Oribi Gorge	Port Shepstone	
Otavi Otjihavera		
Otjikuara ?=Otjihavera	TT MACHINE STATE OF THE STATE O	10000 11111000
Otto's Bluff		
Oudehouts KloofOudtshoorn		
Outeniqua Mts		
Outjo		South West Africa.
Paardeplaats	Lydenburg	Transvaal.
Paarl	Paarl	Cape W.
Paarlberg	Paarl	Cape W.
Paddock	Port ShepstoneZoutpansberg	Natal.
PalmaryvillePalm Kloof (Victoria Falls)	Wankie	S. Rhodesia.
Pan		

Locality.	District.	Province or Territory.
Pao	Mossamedes	Angola.
Papega disberg.	Stellenbosch	Cape W.
Park Rynie	Umzinto	Natal.
Pas River	Mossamedes	Angola.
Patentie		
Paulsberg	Simonstown	Cape W.
Pelindaba Penhalonga Pepworth Parktown	Pretoria	Transvaal.
Penhalonga	Umtali	S. Rhodesia.
Pepworth	Klip River	Natal.
Parktown	Johannesburg	Transvaal.
Parys	V redefort	Orange Free State.
Perde Eiland	Nennardt	Came M
Perseverance. Petrus Brandt	Envana	Cape M
Philadelphia	Rollvilla	Cape W
Phoenix	Inanda	Vatal
Phoenix. Pienaarstontein. Pienaars Poort.	Barkly West	Cape (Griouland West).
Pienaars Poort Pienaars River. Piesanghoek	Pretoria	Transyaal.
Pienaars River	Pretoria	Transvaal.
Piesanghock	Zoutpansberg	Transvaal.
Pietermaritzburg	Pietermaritzburg	Natal.
Pietersburg		
Piet Retief	Piet Retief	Transvaal.
Pilgrims Rest	Pilgrims Rest	Transvaal.
Pillansberg	Rustenburg	Transvaal.
Pillansberg. Pinelands Pinetown Piquetberg Pini Perset	Wynberg	Cape W.
Pinetown	Pinetown	Natal.
Piquetberg	Piquetberg	Cape W.
Pirie Forest	Kingwilliamstown	Cape E.
Planknek	Waterberg	Transvaal.
Pirie Forest Plunknok Pliston Platon Platrand	Netspruit	Transvaat.
Platous	Riversdale	Cape M.
Plating.	Standerton	Transvaal.
PlatrivierPlettenberg Boy.	Fretoria.	Caro M
Parel	Parel	Cane W
Pniel Polana	Laurence Maranes	Sul do Save Mocambique,
Politsi	Letaba	Transvaal.
Pomangula		
Pongola		
Ponta do Ouro	Lourenço Marques (Maputo)	Sul do Save, Moçambique.
Pooles Bay, Hermanus	Caledon	Cape W.
Port AlfredPort Durnford	Bathurst	Cape E.
Port Durnford	Mtunzini	Natal (Zululand).
Port Elizabeth		
Porterville		
Portland	Knysna	Cape W.
Port Natal, see Durban.		
Porto Pinda		
Port St. Johns		
Port Shepstone		
Postmasberg.		
Potchefstroom	Databafatraam	Transcal
Potgietersrust	Potgietersmist	Transvaal.
Powers Court		
Premier Mine		
Pretoria	Pretoria.	Transvaal.
Pretoria North	Pretoria North	Transvaal.
Pretoria North. Pretorius Kop.	Nelspruit	Transvaal.
Princess Mine, Roodepoort	Krugersdorp	Transvaal.
Prieska	Prieska	Cape M.
Prinshof	Pretoria	Transvaal.
Prospect	Komgha	Cape E.
Pungwana Forest	Port St. Johns	Cape (Pondoland).
Pull Adder	. Flagstaff	Cape E.

Locality.	District.	Province or Territory.
Putfontein	Benoni	· ·
Pyramids		Transvaal.
·		
Oalers	F	// P
Qudeni Forest		Cape F. Natal (Zululand).
Que Que	Gwelo	S. Rhodesia.
Queenstown	Queenstown	Cape E.
Quelimane	Quelimane	Zambezia, Moçambique.
Quiriri River	Cubango	Angola.
Qumbu	Qumbu	Cape E.
Radium		Transvaal.
Randfontein		Transvaal.
Rapenburg, Cape Flats	Wynberg	Cape W.
Randfontein Estates	Krugersdorp	Transvaal.
Ravenshill	Verceniging	Transvaal
Retreat	Wynberg	Cape W.
Reunion		
Rhebok Kop	Fouriesberg	Orange Free State.
Rhebok Kop	Fouriesberg	Orange Free State.
Rhenosterbos		
Rhenosterhoek (Old Lead Mine) Rhenosterfontein		
Ribaue		
Ricatla		
Richards Bay	Lower Umfolosi	Natal (Zululand).
Richmond		
Riebeek West	Mahnesbury	Cape W.
Rietfontein	Filiot	Cano F
Rietvlei		
Rietvlei		
Rietvlei	Umvoti	Natal.
Rikatli, see Ricatla.	37	
Rio Giraul		Angola.
Riversdale		
Riversdale		
Riverton		
Riverview Mine		Natal (Zululand).
Riviersonderend		
Roberts Heights	Pretoria	Transvaal.
Robertson	Robertson	Cape W.
Robinson Deep G.M	Johannesburg	Transvaal.
Rockeliff, nr. Sidbury	Albany	Cape E.
Roggeveld		Cape W. Cape.
Rondebosch		
Roodekop	Germiston	Transvaal.
Roodekuil Estate, Warmbaths	Waterberg	Transvaal.
Roodepoort	Krugersdorp	Transvaal.
RooidamRooikoppies, Duivelskloof	Lataba	Cape W. Transvaal.
Rooiwal		
Rosebank		
Rose Deep Mine	Germiston	Transvaal.
Rosehaugh	Barberton	Transvaal.
Rosendal		
Rosetta		
Rosmead	Middelburg	Cape M.
Rössing	Swakopmund	South West Africa.

Locality.	District.	Province or Territory.
Rosslyn	Pretoria	Transvaal.
Rouxville	Rouxville	Orange Free State.
Rua River	Mazoe	S. Rhodesia.
Rubbervale	Letaba	Transvaal.
Rumbwa (* Rumbayu)	nr. Chobe Swamp	Bechuanaland Protectorate
RusapiRust der Winter	Protorio	Transparal
Pustophuse	Ruetonhurg	Transvaal
Rustenburg Ruytersbosch Saaihoek	Mossel Bay	Cape M.
Saaihoek	Bethlehem	Orange Free State.
Sabie	Pilgrims Rest	Transvaal.
Saeo		
Saddleback		
Sakkemecho		
St. James. St. Lucia Bay.		
St. Lucia Lake		
Saldanha Bay		
Salisbury	Salisbury	S. Rhodesia.
Salisbury Is	Durban	Natal.
Saltpan, Loius Trichardt	Zoutpansberg	Transvaal.
Saltpan	Pretoria	Transvaal.
Samteesvlakte	Uitenhage	Cape M.
Sandbaken, nr Val		
Sanddrift, nr. Brits Sandtlats		
Sandown	Johannesburg	Transvaal.
Sandown Bay	Caledon	Cape W.
Sand River		
Sannahspos	Bloemfontein	Orange Free State.
Sao Paulo de Messano	Lourenço Marques (Bilene)	Sul do Save, Moçambique.
Sarnia Schagen.	Pinetown	Natal.
Schagen	Nelspruit	Transvaal.
Schoemansrast. Schoenberg, north of Hluhluwe ?		
Schoonord, Sekukuniland.		
Schoonuitzicht		
Schroeders	New Hanover	Natal.
Schurinks Kloof.	Lydenburg	Transvaal.
Schwuzwald Forest	Victoria East	Cape E.
Scottburgh		
Sea Point	Doubles	Cape W.
Sebalabala.	Rares	Resutoland
Sekukuni	Lydenburg	Transvaal.
Selati River	Letaba	Transvaal.
Selukwe		
Same	Belukwe	S. Rhodesia.
Cond	Beira (Sena)	Manica e Sofala,
	Beira (Sena)	Manica e Sofala, Moçambique.
	Beira (Sena)	Manica e Sofala, Moçambique.
Sendelingsdrift or Sendlingsdrift	Beira (Sena).  Lüderitz.  Mossamedes.	Manica e Sofala, Moçambique. South West Africa. Angola.
Sendelingsdrift or Sendlingsdrift. Serra de Cazimba Serra de Lopollo.	Beira (Sena)  Lüderitz  Moss/medes  Huila	Manica e Sofala, Moçambique, South West Africa, Angola, Angola.
Sendelingsdrift or Sendlingsdrift. Serra de Cazimba Serra de Lopollo. Serra de Montes Negros.	Beira (Sena).  Lüderitz.  Mossumedes.  Huila.  Mossumedes.	Manica e Sofala, Moçambique. South West Africa. Angola. Angola. Angola.
Sendelingsdrift or Sendlingsdrift. Serra de Cazimba Serra de Lopollo.	Beira (Sena).  Lüderitz.  Mossamedes.  Huila.  Mossamedes.  Huila.	Manica e Sofala, Moçambique, South West Africa, Angola, Angola, Angola, Angola, Angola,
Sendelingsdrift or Sendlingsdrift. Serra de Cazimba. Serra de Lopollo. Serra de Montes Negros. Serra da Xella. Settlers.	Beira (Sena).  Lüderitz. Mossamedes. Huila. Mossamedes. Huila. Waterberg. Swellendam.	Manica e Sofala, Moçambique. South West Africa. Angola. Angola. Angola. Angola. Transvaal. Cape W.
Sendelingsdrift or Sendlingsdrift. Serra de Cazimba Serra de Lopollo. Serra de Montes Negros. Serra da Xella. Settlers. Sevenfontein. Sevenfountains.	Beira (Sena)  Lüderitz  Mossamedes  Huila  Mossamedes  Huila  Waterberg  Swellendam  Albany	Manica e Sofala, Moçambique, South West Africa, Angola, Angola, Angola, Angola, Transvaal, Cape W, Cape E,
Sendelingsdrift or Sendlingsdrift. Serra de Cazimba. Serra de Lopollo. Serra de Montes Negros. Serra da Xella. Settlers. Sevenfontein. Sevenfountains. Sevenoaks.	Beira (Sena).  Lüderitz Mossamedes. Huila. Mossamedes. Huila Waterberg. Swellendam. Albany. Umyoti.	Manica e Sofala, Moçambique. South West Africa. Angola. Angola. Angola. Angola. Transvaal. Cape W. Cape E. Natal.
Sendelingsdrift or Sendlingsdrift. Serra de Cazimba. Serra de Lopollo. Serra de Montes Negros. Serra da Xella. Settlers. Sevenfontein. Sevenfountains. Sevenoaks. Seymour.	Beira (Sena).  Lüderitz. Mossamedes. Huila. Mossamedes. Huila. Waterberg. Swellendam. Albany. Umvoti. Stockenstroom.	Manica e Sofala, Moçambique. South West Africa. Angola. Angola. Angola. Angola. Transvaal. Cape W. Cape E. Natal. Cape E.
Sendelingsdrift or Sendlingsdrift. Serra de Cazimba. Serra de Lopollo. Serra de Montes Negros. Serra da Xella. Settlers. Sevenfontein. Sevenoaks. Seymour. Shamya.	Beira (Sena)  Lüderitz Mossamedes Huila Mossamedes Huila Waterberg Swellendam Albany Umvoti Stockenstroom Mazoe	Manica e Sofala, Moçambique, South West Africa, Angola, Angola, Angola, Angola, Cape W, Cape E, Natal, Cape E, S, Rhodesia,
Sendelingsdrift or Sendlingsdrift. Serra de Cazimba. Serra de Lopollo. Serra de Montes Negros. Serra da Xella. Settlers. Sevenfontein. Sevenfountains. Sevenoaks. Seymour. Shamya. Shangani. Shire Hiehlands.	Beira (Sena)  Lüderitz Mossamedes Huila Mossamedes Huila Waterberg Swellendam Albany Umyoti Stockenstroom Mazoe Insiza Southern Province	Manica e Sofala, Moçambique, South West Africa, Angola, Angola, Angola, Angola, Cape W. Cape E. Natal, Cape E. S. Rhodesia, S. Rhodesia, S. Rhodesia, S. Vassaland,
Sendelingsdrift or Sendlingsdrift. Serra de Cazimba. Serra de Lopollo. Serra de Montes Negros. Serra da Xella. Settlers. Sevenfontein. Sevenfountains. Sevenoaks. Seymour. Shamya. Shangani. Shire Hiehlands.	Beira (Sena)  Lüderitz Mossamedes Huila Mossamedes Huila Waterberg Swellendam Albany Umyoti Stockenstroom Mazoe Insiza Southern Province	Manica e Sofala, Moçambique, South West Africa, Angola, Angola, Angola, Angola, Cape W. Cape E. Natal, Cape E. S. Rhodesia, S. Rhodesia, S. Rhodesia, S. Vassaland,
Sendelingsdrift or Sendlingsdrift. Serra de Cazimba. Serra de Lopollo. Serra de Montes Negros. Serra da Xella. Settlers. Sevenfontein. Sevenfountains. Sevenoaks. Seymour. Shamya. Shangani.	Beira (Sena)  Lüderitz Mossamedes Huila Mossamedes Huila Waterberg Swellendam Albany Umvoti Stockenstroom Mazoe Insiza Southern Province Zoutpansberg	Manica e Sofala, Moçambique, South West Africa, Angola, Angola, Angola, Angola, Cape W. Cape E. Natal, Cape E. S. Rhodesia, S. Rhodesia, S. Rhodesia, Transvaal, Transvaal, Transvaal, Transvaal,
Sendelingsdrift or Sendlingsdrift. Serra de Cazimba. Serra de Lopollo. Serra da Xella. Serra da Xella. Settlers. Sevenfontein. Sevenfountains. Sevenoaks. Seymour. Shamya. Shangani. Shire Highlands.	Beira (Sena).  Lüderitz.  Mossamedes.  Huila.  Mossamedes.  Huila.  Waterberg.  Swellendam.  Albany.  Umvoti.  Stockenstroom.  Mazoe.  Insiza.  Southern Province.  Zoutpansberg.  Albany.	Manica e Sofala, Moçambique, South West Africa, Angola, Angola, Angola, Angola, Transvaal, Cape W, Cape E, Natal, Cape E, S, Rhodesia, S, Rhodesia, Nyasaland, Transvaal, Cape E,

Locality.	District.	Province or Territory.
Silutshana	Nqutu	Natal (Zululand).
Silvermine Valley	Simonstown	Cape W.
Silverton		Transvaal.
Simmer and Jack Mines		
Simondium		
Simonstown		
Singisi		
Sinoia	Lomagundi	S. Rhodesia.
Sir Lowry Pass		
Six Mile Spruit	Pretoria	Transvaal.
Scheerpoort	Brits	Transvaal.
Skinners Court		
Smithfield		
Smitskraal	Boshoff	Orange Free State.
Smitwinkel	Simonstown	Cape W.
Sobi		
Solheim Mission Station		
Somabula	Company Fast	S. Rhodesia. Cape M.
Somerset Strand		
Somerset West		
Sonderwater		
South African Lands & Exploration Co.	Brakpan	Transvaal.
G.M.	Vin Dino	Notel
Spion Kop	Klip River Barkly West	
Spitzkop		
Spitzkop, nr. Table Mt	Pietermaritzburg	
Springbok		
Springbok Flats	Waterberg Durban	
Springs Mines.		Transvaal
Stamford Hill.	Durban	
Standerton	Standerton	Transvaal.
Stanger		
Stapleford (Forest Reserve)	Inyanga Wynberg	S. Knodesia.
Steenbokfontein	Rustenburg	Transvaal.
Steenbras Rivier		
Stegi		
Steinkopf		
Stella Bush	DurbanStellenbosch	
Sterkfontein		Cape E.
Sterkstroom	Sterkstroom	Cape E.
Sterkwater		Transvaal.
SteynsburgSteynsdorp		Cape E.
Stikland		
Stilbaai, see Still Bay.		en promise
		Cape M.
	Pretoria	Transvaal.
Stones HillStorms River	Albany	
	Swellendam	
Strowan, Grahamstown	Albany	Cape E.
Strubens Valley, Roodepoort		Transvaal.
	Stutterheim	Cape E. Transvaal.
Sub-Nigel G.MSunday Falls, nr. Mont-aux-Sources		
Sundays River	Uitenhage	Cape M.
Suurbraak		
Suurberg, see Zuurberg.	Pout Fligsboth	Cana M
Sydenham	TORT PAIZABELL	Cape M.


Lorality.	District.	Province or Territory.
Swakop	Swakopmund	South West Africa.
Swakopmund Swallowfields	Swakopmund	S Rhodesia
Swanenoelsrust	Waterberg	Transvaal.
Swartberg	Swellendam	Cape W.
Carantleon Divor	Omaruru-Okahandia	South West Africa
Swartkoppies. Sweetwaters. Swellendam.	Pretoria	Transvaal.
Sweetwaters	Swellend in	Natal. Cano W
Swinburne	Harrismith	Orange Free State.
Swing Bridge	Pretoria	Transvaal.
Syringa	Bubalma	S. Rhodesia.
Sycamore	Belfast	Transvaal.
Sydenham	Durban	Natal.
Taaiboschkranz, nr. Rhenoster River	Heilbron	Orange Free State.
Taaibos Spruit	Potchefstroom	Transvaal.
Tabamhlope	Estcourt	Natal.
Tabankulu	Cana	Cape E. (Pondoland)
Tabankulu. Table Mountain. Table Mt., Natal.	Pietermaritzburg-Camperdown	Natal.
Tafelberg	Middelburg	Cape M.
Takoon		Bechuanaland Protectorate
Tamboers Kloof	Cape	Cape W.
Tandaai Pass	Melsetter	S. Khodesia.
Tarkastad. Tarkon. Taungs. Taylerville.	Krugersdorp	Transvaal.
Taungs	Taungs	Cape (Griqualand West).
Taylerville	Mount Currie	Cape E. (Griqualand East).
Tayside	Dundee	Natal.
Tenadu	Rapas	Resutcland
Tehututu	Kalahari .	Bechuanaland Protectorate
Tendenko Forest		Cape E.
Tevatevaneng	Berea	Basutoland.
Tnabazimbi	Rustenburg	Transvaal.
The Aloes, Kirstenbosch. The Downs. The Hanging Shaw. The Heads.	Letaba	Transvaal
The Hanging Shaw	Rustenburg	Transvaal.
The Heads	Knysna	Cape M.
The Look Out, Bushmans River	Albany	Cape E.
The Thorns.		
The Wilderness	Pretoria	Transvaal
The Willows. Theydon. Thornville.	Marandellas	S. Rhodesia.
Thornville	Camperdown	Natal.
Tidbury's Toll	Stockenstroom	Cape E.
Toise River		
Tonetti	Barberton	Transvaal.
Tontelboskolk	Calvinia	. Cape W.
Toowoomba, Warmbaths	Waterberg	Transvaal.
Town Bush	Pietermaritzburg	Natal.
Town Bush Valley Tradouw Pass		
Trappes Valley		
Trelawney	Lomagundi	S. Rhodesia
Triangle. Trigaartspoort.	? Montagu	. Cape W.
Trigaartspoort	Willowmore	. Transvaal.
Tshakoma	Zoutpansberg	. Transvaal.
Tshokwane, Kruger Nat. Park	. Pilgrims Rest	. Transvaal.
Tugela	. Lower Tugela	. Natal.
Tugela Valley, near Goodoo	Bergville	. Natal.
r ngena vaney, near mont aux bources	. Dergyme	. Natal.


Locality.	District.	Province or Territory.
Tuinplaats	Waterberg	Transvaal.
Tuin van Eden, see Garden of Eden. Tulbagh	Tulbagh	Cane W.
Tumlini Hill, nr. Mt. Mlanje	Quelimane (Milange)	Zambezia, Mocambique.
Turffontein		
Twee Rivier.	Uniondale	Cape M.
Twee Rivier	Ladybrand	Orange Free State.
Tygerberg Tyititi Forest ,nr. Keiskamamhoek	Kingwilliamstown	Cape W.
Tzaneen	Letaba	Transvaal.
Ubombo		Natal (Zululand).
Ugie Uitenhage		
Uitkomst	Na,aqualand	Cape W.
Uitvlugt Plantations	Wynberg	Cape W.
Ukasini Estates. Ukualaukalti		
Umbelusi or Umbeluzi		
Umbilo	Durban	Natal.
Umbogintwini		
Umfolosi	Lower Umfolosi	Natal (Zululand).
Umgeni	Durban	Natal.
Umgeni Beach Umgeni Lagoon	Durban	Natal.
Umhlali	Lower Tugela	Natal.
Umhlanga River	Inanda	Natal.
Umhlatuzi.	Mtunzini	Natal (Zululand).
Umkomas	Umzinto	Natal.
Umlaas River, lower reaches Umpala		
Umpumulo Hills	Fort Beufort	Cape E.
Umsindusi River	Pietermaritzburg	Natal.
Umsineni R Umtali.		
Umtata	Umtata	Cape E. (Pondoland)
Umtata River, lower reaches	Mqanduli–Ngqeline	Cape E.
Umtentweni		
Umtwalumi	Umzinto	Natal.
Umvukwe	Lomagundi	S. Rhodesia.
Umzimkulu	Umzinkulu	Cape E (Griqualand East).
Umzimkulu River, lower reaches	Port Shepstone	Natal.
Umzimvubu R., lower reaches	FOR St. JOHNS-LUSIKISIKI	Cape L. (Pondoland).
Umzinto		
Umzinyati Uniondale		
Unington	Gordonia	Cape (Griqualand West).
Upper Baviaans River	Bedford	Cape E.
Upper Baviaans River. Upper Tongaat. Upper Zwartkei.	Oueenstown-Tarka	Natal. Cape E.
Utrecht	Utrecht	Natal.
Uwanetsi River	Lourenço Marques (Magudi)	Sul do Save, Moçambique.
	***	
Vaalbank Vaalkrants		
Vaal water	Waterberg	Tran vaal.
Val		

Locality.	District.	Province or Territory.
Van Reenen	Klip River	Natal.
Van Reenens Pass	Klip River	Natal.
Van Rhyn dorp	Van Rhyn dorp	Cape W.
Van Reenens Pass Van Rhyn dorp. Van Rhyns Pass	Van Rhynsdorp	Cape W.
Van Ryn Deep G.M	Benoni	Transvaal.
Van Schoors Drift	Malmesbury	Cape W.
Van Stadens Berg	Uitenhage	Cape E.
Van Stadens Pass. Van Wyksfontein.	Urtenhage	Cape E.
Van Wyksfontein	Barkly West	Cape (Griqualand West).
Varkensylei		
VentersburgVentersdorp		
Venterspost G.M		
Vereeniging	Vereeniging	Transvaal.
Verulam	Inanda	Natal.
Verulam	Wankie	S. Rhodesia.
Vila Nova de Gaza	Lourenço Marques (Gaza)	Sul do Save, Moçambique.
Viljoensdorp	Caledon	Cape W.
Viljoens Pass	Caledon	Cape W.
Viljoens Pass. Villiersdorp. Vischgat or Visgat.	Robertson	Cape W.
Vischgat or Visgat	Waterberg	Transvaal.
Vissers Hoek	Protoria	Transvaal.
Vlaeberg		
VlakdriftVlakfontein.	Krugersdorp	Transvaal.
Viaktontein. Vlottenberg	Wolmaranstad	Transvaal.
Vogelgat (Schlechter)	2 Colodon	Cape W.
Vogelsfontein G. M	Springs	Transvaal
Volksrust	Volksrust	Transvaal.
Toemanahayaan	Frmala	Transgool
Vredefort	Vredefort	Orange Free State.
Vryburg	Vryburg	Cape (Griqualand West).
Vryheid	Vryheid	Natal.
Vredefort. Vryburg. Vryheid. Vumba Mts.	Umtali	S. Rhodesia.
Waaikraal	Springs	Transvaal.
Wagenspadsnek, see Wapadsnek.		
Wakkerstroom		
Walmer		
Wankie	Wankie	S. Rhodesia.
Wapadsnek	Pretoria	Transvaal.
Wargundy Orchards. Warmbaths.	Waterborg	Transport
Warm Bokkeveld.	Corne	Cone W
Warner Beach		
Wasserberg, nr. Windhoek	Windhoek	South West Africa.
Waterberg. Waterberg. Waterfall Estate nr. Sabi.	Waterberg	Transvaal.
Waterberg	Windhoek	South West Africa.
Waterfall Estate nr. Sabi	Pilgrims Rest	Transvaal.
Waterfall	Knysna	Cape M.
Waterkloof		
Waterkloof	Rustenburg	Transvaal.
Waterval	Rustenburg	Transvaal.
Waterval Boven	Belfast	Transvaal.
Wagnen	Woonen	Tansvaai.
Weenen Welgelegen		
Welgevonden	Reits	Transvaal
Welleslev	Lomagundi	S. Rhodesia.
Wellington	Wellington	Cape W.
Wellington	Potchefstroom	Transvaal.
Welwitsch	Swakopmund	South West Africa.
Wemmershoek	Paarl	Cape W.
Wepener	Wepener	Orange Free State.
Wesselbron	Hoopstad	Orange Free State.

Locality.	District.	Province or Territory.
	Klip River	
Wesselton Diamond Mine.		
Western Reels G.M	 KrugersdorpLetaba	Transvaal.
	Ladybrand	
West Springs G.M	 Springs	Transvaal.
West Wood, Haenertsburg	 Pietersburg	
White Piver	 East London	Cape E.
White Heather Mine	 Pietersburg	
	Williston	Cape W.
	Willowvale	
Willowmore		
Windhoek		
Windy Hill Estate	 Pietermaritzburg	Natal.
Windsorton	 Barkly West	
Winkle Spruit	Durban Uitenhage	
Winterhoek Mts., see Wint	Citomago	Саро 11.
Winters Kloof	Pietermaritzburg	Natal.
Witbank		
Witberg or Wittebergen Witfontein		
Witklip	Port Elizabeth	Cape M.
Witpoort	 Middelburg	Transvaal.
Witpoortberg		
Witpoortje Witsand or Witzand		
Witte Rivier	Uitenhage	
Wolfridge	 Kingwilliamstown	Cape E.
Wolhunterskop	Rustenburg	
Wolseley Wolwekloof	Tulbagh	
Wonderboom		
Wonderboom Poort		
Wonderfontein	Belfast	
	Knysna	
	Pietersburg	
Woodstock		
Woodville Forest	George Peddie	
Woolridge Worcester	Worcester	
	Klip River	
	Pinetown	
Wynberg	 Wynberg	Cape W.
Xalasi	 Lourenço Marques (Maputo)	Sul do Save, Moçambique.
	Lourenço Marques (Magude) Polela	
Aument Forest	 1 Oleia	Tracai.
York	New Hanover	Natal.
1 OFK	 New Hanover	Natai.
Zandfontein	Pretoria	
Zandspruit	Wakkerstroom	
Zavala	Lourenço Marques (Zavala)	
Zebediela	Potgietersrust	Transvaal.
Zeerust		Transvaal.
	Salisbury	
	Namaqualand	
		-

Locality.	District.	Province or Territory.
Zimbabwe	Victoria	S. Rhodesia.
Zimbiti or Mezimbiti Forest	Lourence Marques	Sul do Save, Mocambique.
Zinca Ferest		
Zomba		
Zona River		
Zumbo		
		Mocambique.
Zuurberg or Zuurebergen	Somerset East	
Zuurbraak		
Zuurvlakte		
Zwart Bing		
Zwartdam nr. Saltpan		
Zwartfontein		
Zwartklip	Wynberg	Cape W.
Zwartkop nr. Maritzburg		
Zwartkops River		
Zwartkops		
Zwartruggens		







PROVINCE) CAPE (WESTERN

KIMBERLEY  KIMBERLEY  ORANGE  HOPETOWN	OWIN PHILIPSTOWN BERDERG HANOVER HANOVER HANOVER RICHMOND WIDDELBUR REINET CRAE REINET TANSENVILLE SOMERS STEYTLERVILLE SOMERS HUMANSDORP PORT FLIZA	
KENHARDT	WILLISTON CARNARYON WILLISTON CARNARYON WEST WEST RASERBURG BEAUFORT WEST ABE ABE AUTHORISBURG LAINGSBURG MOSSEL GEORGE KNYSNA WINONDALE RIVERSDALE BAY	


# CAPE (MIDLANDS)




### (EAST) PROVINCE CAPE




## NATAL





SOUTHERN RHODESIA

× MAP



# BIBLIOGRAPHY

### A .-- PUBLICATIONS IN WHICH REFERENCE IS MADE TO SOUTH AFRICAN FUNGI AND LICHENS.

#### Anonymous.

1901. South African Locust Fungus. Cape Agric. Journ. 19: 850-855.

## Acharius, E.

Lichenographiae Sueciae Prodromus. Lincopiae, 264 pp. 1798

1803. Methodus, quo omnes detectos Lichenes secundum organa carpomorpha ad genera, species et

varietates redigere atque observationibus illustrare tentavit. Holmiae, tab.

1810 Lichenographia universalis, in qua Lichenes omnes detectos, adjectis observationibus et figuris horum vegetabilium naturam et organorum carpomophorum structuram illustrantibus, ad genera, specis, varietates differentiis et observationibus solicite definitas redegit. Goettingae (Danckwerts) 696 pp., 14 tab.

Synopsis methodica Lichenum, sistens omnes hujus ordinis naturalis detectas plantas, quas, secundum genera, species et varietates disposuit, characteribus et differentiis emendatis definitis, nec non synonymis et observationibus selectis illustravit. Lundae, 392 pp

## Arnaud, G.

1918. Les Asterinées. Annales de l'École Nationale d'Agriculture de Montpellier, nouvelle série 16, pp. 1–288, Pls. 1–LIII. Étude sur les champignons parasites (Parodiellinacées inclus Erysiphées). Annales des

1921

Epiphyties, Tome VII pp. 1-115, Pls. I-X.

1931. Les Astérinées V. (Étude sir Champignons parasites: Caliciacées, Hemisphériacées etc.). Ann. des Ephiphyties, Tome XVI, pp. 235-302, Pls. I-XIV.

#### Bates, G. R.

1933. Wastage during the 1932 export season. Mazoe Citrus Experiment Station Publication No. 2 c, pp. 155-176.

1933 b. Oil glands of citrus fruits as an avenue of infection. Nature Vol. 132, p. 751.

1936 a. Report of the Plant Pathologist for the year ending December 31st, 1935. Mazoe Citrus Experiment Station Publication No. 5, pp. 65-72. 1936 b. Storage tests with Rhodesian oranges during 1934. Mazoe Citrus Experiment Station

Publication No. 4 b, pp. 107-131.

1936 c. Studies in the infection of Citrus fruits. I. Some methods of infection by the green mould, Penicillium digatatum Sacc. Mazoe Citrus Experiment Station Publication Ni. 4 b.

Report of the Plant Pathologist for the year ending December 31st, 1936. Mazoe Citrus Experiment Station Publication No. 6, pp. 157-168.

1937 b. Diseases of Citrus fruits in Southern Rhodesia. Mazoe Citrus Experiment Station Publication

No. 6, pp. 173-218. · 1938. Report of the Plant Pathologist for the year ending December 31st, 1937. Mazoe Citrus Experiment Station Publication No. 7, pp. 53-59.

# Berkeley, M. J.

1843 a. On two hymenomycetous fungi, belonging to the Lycoperdaceous group. Hooker's London Journal of Botany, Vo. II pp. 200-205, Tabs. V-VII.

1843 b. Enumeration of Fungi collected by Herr Zeyher in Uitenhage. Hooker's London Journal of Botany, Vol. II, pp. 507-524, Tabs. XXII-XXIII.

1843 b. Notices of some Brazilian Fungi. Hooker's London Journal of Botany, Vol. II, pp. 629-643. 1844. Decades of Fungi. First Decade. Hooker's London Journal of Botany, Vol. III, pp. 185-194,

Tabs. V-VI.

1845. Description of Podaxon pistillaris Fr. Hooker's London Journal of Botany, Vol. IV, pp. 291-293, Tab. X.

Decades of Fungi, Decade XI. Hooker's London Journal of Botany, Vol. V, pp. 1-6. 1876 a. An enumeration of the fungi collected at the Cape of Good Hope during the stay of the English Transit of Venus Expedition in 1874. Journal of Botany, London, Vol. XIV (new series

Vol. V), pp. 173-175. Also in Hedwigia, Vol. XV, pp. 174-175. 1876 b. Two new fungi. Journal of Botany, London, Vol. XIV (new series, Vol. V), pp. 248-249,

2 text figures. 1876 c. Two new fungi. Gardener's Chronicle, 17th June, 1876, p. 785.

## Berkeley, M. J. and Curtis, M. A.

Characters of Fungi collected in the North Pacific Exploring Expedition by Charles Wright American Acad. Arts and Sci., Boston, IV, pp. 111-127.

## Berlese, A. N. and Voglino, P.

1886 a. Additamenta zu Vol. I-IV von P. A. Saccardo Sylloge Fungorum, Padua, 484 pp.

1886 b. Sopra un nuovo genere di Funghi sferopsidei. Atti della Soc. Veneto-Trentina Sc. Nat. X, pp. 176-195.

 Icones Fungorum ad usum Sylloges Saccardianae accommodatae Vol. III, Sect. 1-2, Sphaeriaceae allantosporae, pp. 1-52.

1902. Icones Fungorum ad usum Sylloges Saccardianae accommodatae, Vol. III, Sect. 3-4, pp. 53-104.

# Birt, C. and Leishman, W. B.

1902. A new acid-fast Streptothrix pathogenic to man and animals. Journal of Hygiene II, pp. 120-128, 1 Pl.

## Bisby, G. R.

1943. Stachybotrys. Trans Brit. Myc. Soc. XXVI, pp. 133-143 with 9 text figures.

## Black, D.

1896. Observations on the Growth of a Fungus parasitic on Locusts. Trans. South Afric Philosophical Soc. IX, Part 2.

#### Blumer, S.

 Die Erysiphaceen Mitteleuropas mit besonderer Berücksichtigung der Schweiz. Beiträge zur Kryptogamenflora der Schweiz, Band VII, Heft 1. Zurich, 483 pp., 167 figs.

#### Bottomley, Averil M.

1915. A disease of young Pepper trees (Gloeosporium sp.). Agric. Journ. of South Africa, Vol. I, pp. 371-374.

1916. An account of the Natal fungi collected by J. Medley Wood. South African Journ. Sei., Vol. 13, pp. 424-446.

1918. A preliminary investigation into a disease attacking young Cupressus plants. South Afric. Journ. Sci., Vol. 15, pp. 613-617, Pls. XIX-XXI.

 Yol. 15, pp. 613-617, Pfs. AIX-XXI.
 Fungous Diseases. Part II in Lawns and Lawn-making. South African Gardening and Country Life, Vol. XVII, p. 393.

1932. Diseases of the Soy Bean, in F. M. du Toit, Soy Beans in the Union. Union of South Afric. Dept. Agric. Bull. 107, 00, 20-21.

1936. Some of the more important diseases affecting timber plantations in the Transvaal. South

Afric. Journ. Sci., Vol. 33, pp. 373-376.

1939. Intensive Mushroom-growing for the Amateur. Union of S. Afric., Dept. Agric, and Forestry, Bull. 210, 34 pp., 13 figs.

1940. Sclerotium or Foot-rot Disease of Groundnuts. Farming in South Africa, Vol. XV, pp. 189-191, 194, 3 figs.

1948. The Gasteromycetes of South Africa. Bothalia IV, pp. 473-810. Plates I-LXXIX.

## Bottomley, Averil, M. and Carlson, K. A.

1920. Parasitic attack on Eucalyptus globulus. A note on Stereum hirsutum in plantations in the Transvaal, Union of S. Afric., Journ. Dept. Agric., Vol. 1, pp. 852-858. Also Sci. Bull. No. 3.

#### Bottomley, Averil M. and Fuller, C.

1921. The Fungus Food of Certain Termites. South Afric. Journ. Natural History, Vol. III, pp. 139-144.

#### Bresadola, G.

1916. Synonymia et adnotanda mycologica. Ann. Myc. 14, pp. 221-242.

1920. Selecta mycologica. Ann. Myc. 18, pp. 26-70.

## Brown, Mrs. M.

1936. Mine Timber Preservation—Mine Fungi. South Afric. Journ. Sci. 33, pp. 383-389. See also Lurie, Miss R.

#### Bubák, Franz.

1900. Einige neue und bekannte aussereuropaeische Pilze. Osterr. Botan. Zeitschr. L, p. 318.
 1902. Einige neue oder kritische Uromyces-Arten. Sitzungsber Königl. böhm. Gesellsch. d. Wissensch. in Prag., 11, Juli, 1902, 23 pp.

#### Buchenau, Franz.

1875. Monographie der Juncaceen von Cap. Abhandi. Naturw. Verein., Bremen, Bd. IV, pp. 393-512, Taf. V-XI.

## Burchell, Wm.

1811-1815. Catalogus Geographicus; Ms. now in Library of the Herbarium, Royal Botanic Gardens. Kew.

### Burt. E. A.

- 1925. The Thelephoraceae of North America, XIV. Peniophora. Ann. Mo. Bot. Gardn. 12, pp. 213-
- 1926. The Thelephoraceae of North America, XV. Corticium, Ann. Mo. Bot. Gardn. 13, pp. 173-354.

## Burtt-Davy, Joseph.

- 1904. Report of the Govt. Agrostologist and Botanist, in Report of the Transvaal Department of Agriculture, 1st July, 1903 to 30th June, 1904.
- 1905. Report of the Govt. Agrostologist and Botanist in Report of the Transvaal Dept. of Agriculture. 1st July, 1904 to 30th June, 1905.

### Butler, E. J.

The development of economic mycology in the empire overseas. Trans. Brit. Myc. Soc-1929. Soc. XIV, pp. 1-18.

## Butler, E. J. and Lefroy, H. Maxwell.

Report on trials of the South African Locust Fungus in India. Agric. Research Inst., Pusa, 1907. Bull. 5.

### Cardoso, J. Gardé Alfaro.

- Doenças das citrinas em Moçambique. Boletim da Sociedade de Estudos da Colónia de Moçambique IV, No. 27, pp. 179-188.
- Contribuïção para o estudo da micoflora de Moçambique. Bol. da Soc. de estudos da Col. 1937. de Moçambique VI, No. 35, pp. 151-156.
- Mozambique: Parasites of cultivated plants observed in the Province of Sul do Save. Int. 1938. Bull. of Plant Protection, Vol. 7, 74M-76M.
- 1939. Da patologia vegetal em Moçambique. Bol, da Soc, de Estudos da Col, de Moçambique VIII No. 39, pp. 41-48.
- 1943. Contribuição para o estudo das ferrugens das plantas em Moçambique. Moçambique Documentaria Trimestral No. 35. Julho-Agosto-Setembro 1943, pp. 29-70, 10 plates, 6 col.
- 1944 a. Contribuïção para o estudo des ferrugens das plantas em Moçambique. (continuação). Doc. Trimestral No. 36, Outubro-Novembro-Dezembro 1943, pp. 45-58, 5 Pls. col. 1944 b. Contribuïção para o estudo des ferrugens das plantas em Moçambique. (continuação). Doc.
- Trimestral No. 38, April-June 1944, pp. 51-58, 3 Pls. col.
- Da Fitapatologia em Moçambique. Moçambique Doc. Trimestral No. 44, Dec. 1945, pp. 1945.

# Carlson, K. A., see Bottomley and Carlson.

## Castellani, Aldo and Chalmers, Albert, J.

Manual of Tropical Medicine, Ed. 3, X + 2436 pp., New York.

#### Chapman, A. C. and Baker, F. G. S.

1907. Kaffir Beer. Journ. of the Institute of Brewing, XIII, No. 7.

#### Cheesman, W. N.

A Contribution to the Mycology of South Africa, with a note on the Coprophilous Fungi by 1909. Thomas Gibbs. Journ. Linn. Soc. London, XXXVII, pp 408-417, Pl. 36.

#### Chupp, Charles and Doidge, Ethel M.

Cercospora Species recorded from Southern Africa. Bothalia IV, pp. 881-893.

#### Ciferri, R.

1931. Quinta Contribuzione allo studio degli Ustilaginales, Annales Mycologici 29, pp. 1-74.

### Clark, R.

1946. The significance of Schizosaccharomyces ovis in fermentation and gas production in the fore-stomachs of ruminant animals. South African Journal of Science 42 (1946), pp. 154-156 (read 4th July, 1945).

# Clements, F. E.

1909. The Genera of Fungi. Minneapolis, 227 pp.

## Clements, F. E. and Shear, C. L.

The Genera of Fungi. New York, 496 pp., 58 Pls.

#### Cluver, E. H.

Annual Reports for the years 1940-1941 of the South African Institute for Medical 1941-42.Research, Johannesburg,

## Cook, W. R. Ivimey.

The life history of Sorodiscus radicicolus sp. nov. Annales Mycologici 29, pp. 313-324 1931. Pls. I-II.

## Cooke, M. C.

Rehm's Ascomycetes. Grevillea VII, pp. 57-58. 1878.

1879 a. Undescribed Fungi in the Kew Herbarium. Grevillea VII, pp. 34-35.

1879 b. Natal Fungi. Grevillea VII, pp. 69-72.

The sub-genus Coniophora. Grevillea VIII, pp. 88-89.

1880 b. Exotic Fungi. Grevillea IX, pp. 14-15.

1880 c. The genus Ravenelia. Journ. of the Roy. Microscop. Soc. III, p. 384.

1882 b. Exotic Fungi. Grevillea X, pp. 123-130.

1882 a. The Perisporiaceae of Saccardo's Sylloge Fungorum. Grevillea XI, pp. 35–38. 1883 a. Nummularia and its allies. Grevillea XII, pp. 1–8.

1883 b. Exotic Fungi. Grevillea XII, p. 93.

1884. Some Exotic Fungi. Grevillea XII, p. 6.

1885 a. Synopsis Pyrenomycetum. Grevillea XIII, pp. 61-72.

1885 b. Some Exotic Fungi. Grevillea XIV, p. 13. 1885 c. Praecursores ad Monographia Polypororum. Grevillea XIII, pp. 80-87 and XIV, pp. 17-21.

Praecursores ad Monographia Polypororum, Genus III Polystictus. Grevillea XIV, pp. 77-87. 1886 Praecursores ad Monographia Polypororum. Grevillea XV, pp. 19-27.

1888 a. Some Exotic Fungi. Grevillea XVI, p. 70. 1888 b. Exotic Agarics, Gervillea XVI, p. 105

1888 c. Exotic Fungi. Grevillea XVIII, p. 16.
1889. Three Natal Fungi. Grevillea XVII, p. 70.

1890 a. On Campbellia, Gen. nov. Grevillea XVIII, pp. 87-88 1890 b. Some African Fungi. Grevillea XIX, pp. 6-7.

1891 a. Omitted Diagnoses. Grevillea XIX, pp. 71-75.

1891 b. Additions to Daedalea. Grevillea, XIX, pp. 92-93.

1891 c. Exotic Fungi. Grevillea XX, pp. 15-16.

1892. Omitted Diagnoses. Grevillea XX, pp. 108-110.

#### Cooke, M. C. and Kalchbrenner, C.

Natal Fungi collected by J. M. Wood, Inanda. Grevillea, X. pp. 26-27. See also Kalchbrenner, C and Cooke, M. C.

## Cooper, A. W.

Locust Fungus. History of the Discovery. Natal Agric. Journ. and Mining Record, I, pp. 685-686.

## Corda, A. C. J.

Icones Fungorum hujusque cognitorum. Abbildungen der Pilze und Schwamme IV, 53 pp.,

1854. Icones Fungorum hujusque cognitorum, tomus sextus. Prag (Ehrlich) XX et 91 pp., 20 tab.

#### Couch, John N.

1938. The genus Septobasidium. University of North Carolina Press, 480 pp., 114 Plates.

## Crombie, James M.

1876 a. Lichenes capensis: An enumeration of the Lichens collected at the Cape of Good Hope by the Rev. A. E. Eaton during the Venus-Transit Expedition in 1874. Journ. Linn. Soc. XV, pp. 165-180 1876 b. New Lichens from the Cape of Good Hope. Journ. Bot., London, XIV (New series V),

pp. 18-21.
The Lichens of the Challenger Expedition. Journ. Linn. Soc. XVI, pp. 211-231.

## Cummins, George B.

Descriptions of Tropical Rusts VI. Bulletin of the Torrey Botanical Club, 70, pp. 517-430, figs. 1-12, 1943.

## Cunningham, G. H.

- The Gasteromycetes of Australasia. Proceedings of the Linnean Soc. of New South Wales, 1926, pp. 627-642, Plates XLVI-XLVIII.
- 1944. The Gasteromycetes of Australia and New Zealand. Dunedin, New Zealand, 236 +xv pp., 338 photographs and line drawings.

#### da Camara, Mannuel de Sousa,

Rapport sur les maladies des cocotiers de la Companhie du Zambéze. Revista agronomica, Sociedade de ciências agronomicas de Portugal. Lisbon (1918), p. 11, t. II, VII.

## Dangerfield, L. F. and Gear, James.

Sporotrichosis among Miners on the Witwatersrand Gold Mines, South Afric. Medical Journ. 1941. XV, pp. 128-131.

## Darbyshire, O .V.

- 1897. Ueber die Flechtentribus der Roccellei. Ber. der deutschen Bot. Gesellschaft XV, pp. 2-10,
- 1898 a. Weiteres über die Flechtentribus der Roccellei. Ber. der deutschen Bot. Gesellschaft XVI. pp. 6-16, I Pl.
  1898 b. Monographia Roccelleorum. Bibliotheca Botanica, Heft 45. Stuttgart, 1898, 103 pp.
- 30 Taf.

#### Davel, H. H.

1929-1930. Union of S. Afric., Dept. Agric., Sc. Bull. 98, 23 pp.

Annual Report of the Director, Dairy Research Institute, Union of S. Afric., Dept. Agric., Sc. Bull. 98, 23 pp.

1940-1943. Annual Reports of the Director, Dairy Research Institute, 1940-1941, 1941-1942, 1942-1943. (Unpublished.)

### Davidson, J. Duncan.

1909. A tree strangling fungus, Thelephora laciniata. Natal Agric. Journ. 12, p. 617.

#### Delise, D. F.

Histoire de Lichens, Genre Sticta, Caen, 1825 (in pagina inferiore 1822), 171 pp. avec Atlas. 1822.Mém. de la Soc. Linn. du Calvados I, pp. 1-167; II (1825) pp. 13, 598.

#### de Lamarck, J. B. A. P. M.

1783-1817. Encyclopédie méthodique Botanique. Paris. XIII Vols. Vol. III. 1789.

## de Notaris, Guiseppe.

- Frammenti lichenografici di un lavoro inediti. Giorn. Botan. Ital. II, pp. 174-224, 299-330. 1846.
- Nuovi caratteri di alcuni generi della tribii della Parmeliacee ed osservazione sulla 1849. classificazione dei Licheni. Mem. R. Acad. Sci. Torino, 2 ser., X, pp. 365-389, tab.

#### de Toni, G. B.

Revision monographica generis Geasteris Mich e tribu Gasteromycetum. Revue Mycologique 9, pp. 61-77, 125-133, Tab. LXII, LXIII.

### des Abbayes, H.

Some Cladoniae (Lichenes) of the British Dominions: S. Africa, Australia, The Antilles, with 1038 a dichotomous key to the species of the sub-genus Cladina. Journ. of Botany LXXVI, pp. 346-352.

## Dietel, P.

- 1889. Kurze Notizen über einige Rostpilze. Hedwigia 28, pp. 177-187.
- Sphaerophragmium Dalbergiae n. sp. Hedwigia 32, pp. 30-32. 1893.
- Die Gattung Ravenelia. Hedwigia 33, pp. 22-69, Taf. I-V and pp. 367-371. 1894.
- 1898. Hemibasidii und Uredinales in Engler Prantl Natürlichen Pflanzenfami'ien, 1 Teil, 1 Abt. xx Pilze, pp. 2-81.
- 1905.
- With the property of the Wilson of Strang Phragmidium. Hedwigia XLIV, pp. 112–132, Taf. IV. Monographie der Gattung Ravenelia Berk. Beihefte z. Bot. Centralblatt XX, pp. 343–413. 1906.
- Hemibasidii (Ustilaginales und Uredinales) in Engler & Prantl., Die natürlichen 1928. Pflanzenfamilien 2 Aufl., Band 6, pp. 1-98.

## Dinter, K.

- 1909. Deutsch-Südwest-Afrika. Flora. Forst- und landwirtschaftliche Fragmente, Leipzig. Fungi,
- 1912. Die vegetabilische Veldkost Deutsch-Südwest-Afrikas, Okahandia, Pilze, pp. 37-38.

## Dippenaar, B. J.

- 'n Bydrae tot ons Kennis van die Suid-Afrikaanse Geslagte en Soorte van die Familie Poly-1930 stomellaceae. Ann van die Univ. van Stellenbosch, Jaargang VIII, Reeks A, Afl. 2, pp. 1-39, Illustr. I-III.
- 1931 a. Drie Siektes wat in Suid-Afrika op Lupienplante voorkom. Ann, van die Univ, van Stellenbosch, Jaargang IX, Reeks B, Afil. 1, pp. 1-9, Figs. 1-3.
- 1931 b. Anthracnose of almonds caused by Gloeosporium amygdalinum Brizi. S. Afric. Journ. Sci. 28, pp. 267-273, Pl. VI.
- 1931 c. Descriptions of some new Species of South African Fungi and of Species not previously recorded from South Africa. South Afric. Journ. Sci. 28, pp. 284-289.
- Diseases of Lettuce. 1. Macrosporium Leaf Spot. Farming in South Africa 14, pp. 101-113. 106, 3 figs.

## Dippenaar, B. J. and Verwoerd, L.

On the occurrence of a berry wilt and rot of grapes (Vitis vinifera) caused by Sphaeropsis malorum Peck. Union of S. Afric. Dept. Agric. Sci. Bull. 86, 16 pp. 7 figs. See also Verwoerd and Dippenaar.

## Dodge, Carroll William.

1936. Medical Mycology, Fungous Diseases of men and other mammals. London, 1936. 900 pp. 142 figs.

## Dodge, Carroll W. and Zeller, Sanford M.

Hymenogaster and related genera. Ann. Mo. Bot. Gardn. 21, pp. 625-708. Hydnangium and related genera. Ann. Mo. Bot. Gardn. 23, pp. 565-598. 1936

### Doidge, Ethel M.

- The Flora of Certain Kaffir Beers. Transvaal Dept. Agric., Sci. Bull. 5, 31 pp., 8 Pls. 1910.
- Leaf Blight of the Pear and Quince. Agric. Journ. Union of South Africa I, pp. 694-695, 1911.
- Some diseases of the potato, 11 Black Dot disease (Vermicularia varians Duc.). South Afric, 1914. Agric. Journ. 7, pp. 879-882.
- 1915 a. Some Notes on the South African Erysiphaceae. Trans. Roy. Soc. of South Africa 5, pp. 237-245. Pls. 30-35.
   1915 b. Early Blight or Leaf Curl of the Potato (Alternaria solani). Agric. Journ. Union of South
- Africa I, pp. 53-55. South African Perisporiales, 1. The Perisporiaceae. Trans. Roy. Soc. South Africa 5, 1916.
- pp. 713-750. Pls. 57-66.
  The diagnostic characters of some superficial fungi. South Afric. Journ. Sci. 15, pp. 364-368.
- 1919 a. South African Perisporiaceae, H. Revisional Notes. Trans. Roy. Soc. of South Afric. 7. pp. 193-198, 3 figs.
- 1919 b. An interesting group of leaf fungi. South Afric. Journ. Nat. Hist. I, pp. 164 et seq.
- 1920 a. South African Perisperiaceae, II. Notes on four species of Meliola hitherto unrecorded from South Africa. Trans. Roy. Soc. South Africa 8, pp. 107-110, Pl. 4.
- 1920 b. South African Perisporiaceae, IV. New species from the coast districts. Trans. Roy. Soc. South Afric. 8, pp. 111-116, Pls. 5-3.
- 1920 c. Mycological Notes I. Trans. Roy. Soc. South Afric. 8, pp. 117-120. 1920 d. Meliolaster, a New Genus of the Microthyriaceae. Trans. Roy. Soc. South Afric. 8, pp. 121-124.
- 1920 c. Some changes in nomenclature of South African Ascomycetes. South Afric. Journ. Nat. Hist. 2, pp. 39-41.
- 1920 f. South African Perisporiaceae, V. Notes on an interesting collection from Natal. Trans Roy. Soc. South Afric. 8, pp. 137-144, Pls. 7-8.
- 1920 g. South African Microthyriaceae. Trans. Roy. Soc. South Afric. 8, pp. 325–282, Pls. 13–19. 1921 a. South African Perisporiaceae, VI. The haustoria of the genera Meliola and Irene. Trans.
- Roy. Soc. South Afric. 9, pp. 117-127, 7 text figs.
- 1921 b. South African Ascomycetes in the National Herbarium, Part I, nos. 1-50. Bothalia I, pp. 5-32, figs. 1-5.
- 1922 a. South African Ascomycetes in the National Herbarium, Part II, Nos. 51-85. Bothalia I, pp. 65-82, figs. 1-8.
- 1922 b. A fungus of economic importance on the Avocado. Bothalia I, pp. 179-186, Figs. 1-6. 1924 a. South African Ascomycetes in the National Herbarium, Part III, Nos. 86-135. Bothalia I,
- pp. 195-221, Figs. 1-9.

1924 b. A preliminary check list of plant diseases occurring in South Africa. Bot. Survey of South Africa, Memoir 6, 56 pp.

1925. Brown rot in citrus fruits (Pythiacystis citrophthora R. & E. Sm.): Union of South Afric. Journ. Dept. Agric. 10, pp. 499-503, Figs. 1-4.

1926. Wart disease of potatoes (Synchitrium endobioticum Perc.). Agric. Journ. Union of South Africa 12, pp. 161-169.

1927 a. A preliminary study of the South African Rust Fungi. Bothalia 2, pp. 1-228, numerous text figs.

1927 b. South African Ascomycetes in the National Herbarium, Part IV, Nos. 136-159. Bothalia 2, pp. 229-241.

1928. South African Rust Fungi, Part II. Bothalia 2, pp. 473-474.

1929 a. A study of some Alternarias affecting Citrus in South Africa. Union of South Africa, Dept. Agric. Sci. Bull. 69, 27 pp., 6 figs.

1929 b. Some diseases of Citrus prevalent in South Africa. South Africa Journ, Sci. 26, pp. 320-325. 1932. Fruit rots of oranges observed during the 1931 Packing Season. South Africa Citrus Grower

No. 30, pp. 15-21, August, 1932.

1938. Some South African Fusaria. Bothalia 3, pp. 331-483. Pls. L-LV, 48 text figs.

1939. South African Rust Fungi, Part III. Bothalia 3, pp. 487–512, 37 text figs.

1941 a. Some South African Valsaceae. Bothalia 4, 47–74, Pls. 1–15.

1941 b. South African Ascomycetes in the National Herbarium, Part V, Nos. 160-195. Bothalia 4, pp. 193-217, Figs. 1-5.

1941 c. South African Rust Fungi, Part IV. Bothalia 4, pp. 229-236, Figs. 1-6.

1942 a. A revision of the South African Microthyriaceae. Bothalia 4, pp. 273-420, Pls. I-LXXVI. 1942 b. Revised descriptions of Phyllachora and related genera. Bothalia 4, pp. 421-463.

1948. South African Ascomycetes in the National Herbarium, Part IV, Nos. 196-254. Bothalia 4, pp. 837-878.

1948. South African Rust Fungi, Part V. Bothalia 4, pp. 895-918.

1948. South African Rust Fungi, Part VI. The species of Uromyces on Iridaceae. Bothalia 4, pp. 919-937.

## Doidge, Ethel M. and Bottomley, Averil M.

1931. A revised list of plant diseases occurring in South Africa. Bot. Survey of South Africa, Memoir 11, 78 pp.

## Doidge, Ethel M. and Butler, E. J.

1924. The cause of Citrus scab. Trans. Brit. Myc. Soc. 10, pp. 119-121, Fig. 1.

#### Doidge, Ethel M. and Kresfelder, L. J.

1932. A wilt disease of cucurbits. Farming in South Africa 7, pp. 299-300.

#### Doidge, Ethel M. and Sydow, H.

1928. The South African species of the Meliolineae. Bothalia 2, pp. 424-472.

## Doidge, Ethel M. and van der Plank, J. E.

1931. Sooty Blotch in oranges. Farming in South Africa 6, pp. 173-174, 2 figs.

1936. The fungi which cause rots of stored citrus fruits in South Africa. Union of South Africa., Dept. Agric. and Forestry, Sci. Bull. 162, pp. 1-23. See also Chupp, Charles and Doidge, Ethel M.

## Drège, J. F.

1843 a. Zwei pflanzengeographische Documente von J. F. Drége nebst einer Einleitung von Dr, E. Meyer, Prof. in Königsberg. Besondere Beigabe zur Flora, 1843, Band II., Regensburg. II. Geographische Vertheilung (with map).

1843 b. Verzeichniss der Standorte der von Drège in Südafrika gesammelten Pflanzen. Flora 1843. Anhang, p. 44.

1847. Herbarien der südafrikanischen aussertropischen Flora. Hamburg. (8 Lichens listed on p. 25).

### du Plessis, S. J.

1932. Parasitisme, Morphologie en Physiologie van Fusarium solani (Mart.) Sacc. op Uie. Ann. Univers, van Stellenbosch Jaargang X, Reeks A, Afl. 2, p. 1-16, Figs. 1-4.

1933 a. Life history and morphology of Olpidiopsis Ricciae n. sp. infecting Riccia species in South Africa. Annals of Botany 47, pp. 755-762, 12 figs.

1933 b. Pink root and bulb rot of onions, caused by Fusarium Cepae Hanz. emend. Link & Bailey. Union of South Afric., Dept. Agric. Sc. Bull. 124, pp. 1-26. Sci. Bull. 16 of Stell. Elsenburg Coll. Agric.

1933 c. Drie nuwe siektes van blomtuinplante. Ann. Univ. Stellenbosch, Jaargang XI, Reeks A, Afl. 2, 16 pp.

1933 d. Die morphologiese Eienskappe en die Parasitisme van verskillende Fusaria op Aartappels. Ann. Univ. Stell., Jaargang XI, Reeks A, Afl. 3, 28 pp.

Beskrywing van Synchitrium Cotulae nov. spec. of Cotula coronopifolia Linn, in Suid-Afrika. Ann. van die Univ. Stellenbosch, Jaargang XI, Reeks A, Afl. 5, pp. 1-11, Figs. 1-8.

1933 f. Descriptions of some new species of South African Fungi and of species not previously recorded from South Africa, VI. South Afric. Journ. Sci. 30, pp. 206-211.

Groen-verrotting van appelkose en terug-sterf van appelkoosboomtakkies veroorsaak deur 1935 Sclerotinia sclerotiorum (Lib.) South African Jour. Sci. 32, pp. 238-245, 4 figs.

1936. Studies on the wastage of export grapes, with special reference to that caused by Botrytis cinerea Pers. Union of South Afric., Dept. Agric. and Forestry, Sci. Bull. 151, 151 pp. Pls. I-VII. Sci. Bull. 24 of Stell. Elsenburg Coll. Agric.

1938 The occurrence of dead-arm disease of vines in South Africa. Union of South Africa, Dept.

Agric, and Forestry, Sci. Bull. 175, 9 pp., 7 figs.
Bacterial Blight of Vines (Vlamsiekte) in South Africa caused by Erwinia vitivora (Bacc.). 1040 Union of South Africa, Dept. Agric. and Forestry, Sci. Bull. 214, 105 pp., 14 Pls.

1942 a. 'n Blaarvleksiekte van Wingerd veroorsaak deur Isariopsis Fuckelii (Thuem.) du Pless. Ann. Univ. Stellenbosch, Jaargang XX, Reeks A., Afl. 1.

1942 b. Isariopsis leaf spot in Vines. Farming in South Africa 17, pp. 60-65, Figs. 1-6. See also Verwoord, L. and du Plessis, S. J.

## Duthie, A. V.

1917 African Myxomycetes. Trans. Roy. Soc., South Afric. 6, pp. 297-310.

1918.

South African Myxomycetes. South Afric, Journ. Sci. 15, pp. 456-460. Contribution to our knowledge of the Stellenbosch flora. The species of Urginea of the Stellenbosch Flats. Ann. Univ. Stell., Vol. VI, Sect. A. No. 2. 1928.

# du Toit, C. J.

1942. Sporotrichosis on the Witwatersrand. Proc. Transvaal Mine Medical Ass. XXII, 10 pp., 37 figs.

## Erikson, Dagny.

1935 The pathogenic aerobic organisms of the Actinomyces groyp. Medical Research Council Special Report series No. 203, 61 pp., XI plates.

## Evans, I. B. Pole.

1906 a. Report of the Plant Pathologist in Report of the Transvaal Department of Agriculture, 1st July, 1905 to 30th June, 1906.

1906 b. Note on Fusicladium affecting apples and pears in the Cape Colony. Transvaal Agricultural Journal 4, pp. 827-829.

1907 a. Report of the Acting Botanist and Plant Pathologist in Annual Report of the Transvaal Agricultural Dept., 1st July, 1906 to 30th June, 1907.

1907 b. The cereal rusts. 1. The development of their uredo mycelia. Annals of Botany XXI, pp. 441-466, Pls. XL-XLIII.

1907 c. The cereal rusts. Ann. Rept. of the Transvaal Dept. Agric. for 1906-7, pp. 123-125.
1907 d. The South African Locust Fungus, Empusa Grylli Fres. Transvaal Agric. Journ. V.

рр. 933-939. 1907 e. İ. An Apple Disease (Coniothecium chomatosporum Corda). II. Anthracnose of the Water-melon [Colletotrichum lagenarium (Pass.)] Ell. & Halst., Transvaal Agric, Journ. 5, pp.

680-682.

1908 a. On the systematic position of Aecidium elegans Diet. Report of the South Afric. Ass. Adv. Sci. (1908), pp. 252-253.

1908 b. The New York Apple-tree canker or black rot fungus in South Africa. Transvaal Agric. Journ. 7, pp. 62-64.

1908 c. The mildews of the Grape Vine. Transvaal Agric. Journ. 7, pp. 213-217.

1908 d. Anthracnose or Zwart Roest on the Grape. Transvaal Agric. Journ., pp. 577-578, Pls. 78-80. 1908 e. Report of the Plant Pathologist in Report of the Transvaal Department of Agriculture. 1st July, 1907 to 30th June, 1908.

1909. Peach Freckle or Black Spot (Cladosporium carpophilum Thuem.). Transvaal Agric. Journ. 7, p. 446.

1910 a. On the structure and life history of Diplodia natalensis n. sp. The Cause of "Black Rot"

of Natal Citrus Fruit. Transvaal Dept. Agric, Sc. Bull. 4, 18 pp., 8 Pls.
1910 b. Brown rust of Maize (Puccinia Maydis Bereng.). Report of the Plant Pathologist and Mycologist in Ann. Rept. South Afric. Dept. Agric. (1910). p. 194.

1911 a. South African Cereal Rusts, with observations on the problem of breeding rust-resistant wheats. Journ. Agric. Sc. 4, pp. 95-104.

- 1911 b. Report of the Union Plant Pathologist and Mycologist for the Year 1911, in Report of the Department of Agriculture, Union of South Africa for the Period 21st May, 1910 to 31st December, 1911. Appendix X, pp. 257-266.

  1912 a. A fungus disease of bagworms in Natal. Ann Mycologici 10, pp. 281-284, Figs. 1-2.

  1912 b. A fungous disease of bagworms (Isaria Psychidae Pole Evans). Agric. Journ. Union of
- South Africa 4, pp. 63-67, 1 Pl.
- 1913 a. Dikvoet, Club-root or Finger and Toe (Plasmodiophora Brassicae Woron) in South Africa.
- Union of South Africa, Agric. Journ. 6, pp. 93-97.
  1913 b. Annual Report (1912-1913) of the Division of Plant Pathology and Mycology, in Report of the Dept. Agriculture, Union of South Africa for the period 1st Jan. 1912 to 21st March, 1913. Appendix VIII, pp. 169-183.
- 1914. Annual Report (1913-1914) of the Division of Botany, in Report of the Dept. of Agriculture, Union of South Africa for the Year 1st April, 1913 to 31st March, 1914, pp. 147-158.
- 1915 a. Three Fungi collected on the Percy Sladen Memorial Expeditions of 1910-1911 and 1912-1913. Ann. of the Bolus Herb. 1, p. 115.
- 1915 b. Note on a variety of Kalchbrennera Tuckii (Kalchbr, & MacOwan) Berk, from Grahamstown and Kentani Districts. Records of the Albany Museum 3, pp. 157-159.
- 1916 a. The South African Rust Fungi I. The Species of Puccinia on Compositae. Trans. Roy. Soc. of South Africa 5, pp. 637-646, Plates XLV-XLIX.
- 1916 b. A new smut on Sorghum halepense Nees. South Afric. Journ. Sci. 12, pp. 543-544, Pl. 19. 1918 a. Note on the genus Terfezia, a truffle from the Kalahari. Trans. Roy. Soc. of South Africa 7.
- p. 117, P. VII.
- 1918 b. Teff Rust. Kew Bull. (1918), pp. 228-229, 1 text fig.
  1918 c. Novitates Africanae. Annals of the Bolus Herb. II, pp. 109-111.
- 1918 d. Report on Coconut Palm Diseases at Quelimane, Portuguese East Africa, 1914. In Relatorio. sobre as doencas que atacam os palmares do distrito de Quelimane: por Manuel Correia da Silva. Imprensa Nacional-1918.

## Evans, I. B. Pole and Bottomley, Averil M.

- An enumeration of the fungi collected at Kentani in the Cape Province by Miss Alice Pegler. A.L.S. from 1911-1914. Ann. of the Bolus Herb. 2, pp. 185-193.
- 1919. On the genera Diplocystis and Broomeia. Trans. Roy. Soc. South Africa 7, 189-192, Pls. XIX-XXIII.

### Evans, M. Pole.

- 1923 a. Rusts in South Africa. (1) Sketch of the life cycle of the rust on Besem Grass and wild sweet pea. Union Dept. Agric. Sci. Bull. 23, pp. 1-8, Pls. L-III and 1 text fig.
- 1923 b. Rusts in South Africa. (2) A sketch of the life cycle of the rust on Mealie and Oxalis. Union of South Africa, Dept. Agric. Sci. Bull. 24 pp. 1-8, Pls. I-III, Figs. 1-11.

#### Eyles, F.

- A record of plants collected in Southern Rhodesia, Trans. Roy, Soc. South Africa V, pp. 1915.
- 1924 a. Diseases of Cotton in Southern Rhodesia. Rhodesian Agric. Journ. 21, pp. 592-595.
- 1924 b. Some diseases of tobacco in Rhodesia. Rhodesian Agric. Journ. 21, pp. 747-749.
- 1926. Preliminary List of Plant Diseases recorded in Southern Rhodesia. Rhodesian Agric, Journ. 23, pp. 629-651.

## Farguharson, C. O. and Lister, G.

Notes on Nigerian Mycetozoa (includes a table of Mycetozoa occurring in South Africa). Journ. of Bot., London, 54, pp. 121-133.

### Faull, J. H.

Taxonomy and Geographical Distribution of the Genus Uredinopsis. Contributions from the 1938. Arnold Arboretum XI, pp. 1-120, Pls, I-VI.

# Fawcett, Howard S.

1936. Citrus Diseases and their control, Second Edition, New York, 656 pp., 187 figs.

## Fayod, V.

1890. Hymenomycetes-Agaracineae in Hans Schinz: Beiträge zur Kennis der Flora von Deutsch-Südwest-Afrika, und der agrenzenden Gebiete. Verhandlungen des Botanischen Vereins der Provinz Brandenburg, Bd. 31, pp. 224-229, Tafel III.

#### Fée, A. L. A.

1827. Lichens in Dictionaire Classique d'Histoire Naturelle, Vol. XII, Paris, 1827.

#### Ferreira, A. J. de Lis.

- Problemas de micologia médica em Moçambique. Bol. da Soc. de Estudos da Colónia de 1941 Mocambique X, No. 44, pp. 33-64, 7 figs.
- Primeiros subsidios para o estudo da Micologia médica em Moçambique. Bol. da Soc. de 1942 Estudos da Cólonia de Moçambique XI, No. 45, pp. 39-67, 10 figs.

#### Fischer, Ed.

- Versuch einer systematischen Ubersicht über die bisher bekannten Phalloideen. Jahrb. d. 1886 Kgl. bot. Gartens zu Berlin IV, pp. 1-92, Pl. 1.
- Bemerkungen über einige von Dr. H. Schinz in Südenwestafrika gesammelte Gasteromyceten. 1889. Hedwigia XXVII, pp. 1-8, Taf. 1.
- Untersuchungen zur vergleichenden Entwicklungsgeschichte und Systematik der Phalloideen. 1890 Denkschrift der Schweizerisch, naturforsch, Ges. XXXVII, I, 103 pp., 6 tab.
- 1893. Neue Untersuchungen zur vergleichenden Entwicklungsgeschichte und Systematik der Phal-
- loiden. Denkschrift der Schweiz, naturforsch. Ges. XXXIII, No. i, 51 pp., 5 tab., 5 fig. Pilze Phallineae, Hymenogastrineae, Lycoperdineae, Nidulariineae, Plectobasidiineae in Engler 1998 Prantl Die natürlichen Pflanzenfamilien, Teil 1, Abt. 1xx, pp. 276-346.
- 1900 Untersuchungen zur vergleichenden Entwicklungsgeschichte und Systematik der Phalloiden. III Serie mit einer Anhang: Verwandschafts-verhältnisse der Gastromyceten. Denkschrift der Schweiz, naturforsch. Ges. XXXVI, No. 2, 84 pp., 6 tab., 4 fig.
- Fungi in H. Schinz; Beiträge zur Kentniss der afrikanischen Flora. Bull. Herb. Boiss, 2, 1901. sér. 1, pp. 758-762.
- 1933 Gastromycetae in Engler & Prantl., Die natürlich, Pflanzenfam, 2 Aufl. Bd. 7A, pp. 1-122.
- 1938. Tuberineae in Engler & Prantl., Die Natürlich, Pflanzenfam., 2 Aufl. Band 5B, VIII,

## Fisher, John.

Two Fungous Diseases of Coniferous Trees. Union of South Africa, Agric, Journ. III, pp. 1912. 289-391.

### Fitzpatrick, H. M.

- Monograph of the Corvneliaceae. Mycologia XII, pp. 206-267, Pls. 12-18.
- Revisionary studies in the Coryneliaceae. Mycologia 34, pp. 464-488, 41 figs.

## Forssel, K. B. J.

1885. Beiträge zur Kenntniss der Anatomie und Systematik der Gloeolichenen. Nov. Act. regiae Soc. Scient. Upsal, 3 sér., Vol. XIII, 118 pp.

#### Fries, Elias Magnus.

- Observationes mycologicae praecipue ad illustrandam floram Suecicam. Pars 2, pp. 1-372, 1818.
- 1820.Nägre tropiske lafvar beskrifna. Koningl. Vetensk-Akad. Handl., Stockholm, p. 38 et seq.
- 1823.Systema Mycologicum, sistens Fungorum Ordines, Genera et Species huc usque cognitas, quas ad normam methodi naturalis determinavit, disposuit atque descripsit. Gryphiswaldiae. Vol. II., 620 pp.
- 1829.
- Systema Mycologicum. Vol. III, 524 pp. Fungi natalenses quos annis MDCCCXXXIX-MDCCCXLI collegit J. A. Wahlberg, adjectis 1848. quibusdam capensibus. K. Vet. Ak. Handl., Stockholm, pp. 121-154 (Etiam seorsim distrib. sub titulo: J. A. Wahlbergii Fungi natalenses, Holmiae.).

## Fries, Theodor Magnus.

1861. Miscellanea lichenologica. Flora XLIV, p. 409.

## Fuller, Claude.

1902. Peach Leaf Curl, Exoascus deformans Fckl. Natal Agric, Journ. 4, pp. 624-627.

## Gaillard, A.

1892. Le Genre Meliola, Anatomie, Morphologie, Systematique. Paris, 1892, 161 pp., XXIV Pls.

## Garside, S.

The structure and mode of reproduction of Siphula tabularis Nyl. Trans. Brit. Myc. Soc. 1929. XIV, pp. 60-69, 1 pl., 4 figs.

#### Gaudichaud-Beaupré, Charles.

1826.Botanique du vovage autour du monde par ordre du roi dur les corvettes l'Uranie et la Physicienne pendant les années 1817-1820 par M. Louis de Frevcinet. Paris, 522 pp.

## Gepp. A.

1911. Gryptogams in A Contribution to our knowledge of the Flora of Gazaland, being an account of collections made by C. F. M. Swynnerton, Esq., F.L.S. Journal of the Linnean Society (Botany), Vol. XL, pp. 237-244.

### Gibbs, Thomas,

1909. A Note on the Coprophilous Fungi in W. N. Cheesman: A Contribution to the Mycology of South Africa. Journ. Linn. Soc. London 38, pp. 413-417, Pl. 36.

## Gluck, Hugo.

1899. Entwurf zu einer vergleichenden Morphologie der Flechten-Spermogonien. Verhandl. naturw medizin. Verein Hedelberg. Neue Folge Vol. VI, 216 pp., 2 tab.

#### Gmelin, J. F.

1791. Systema Naturae II. Leipsic, 1791.

## Goldberg, Morris and Pijper, Adrianus.

1931. Sporotrichosis in a white man. Journ. of the Medical Ass. of South Africa V, p. 140.

## Gorter, G. J. M. A.

1941. Chocolate Spot of Broad Beans. Farming in South Africa XVI, pp. 167-168, 4 figs.

1943. "Doodgaansiekte", Fusarium Blight or common foot rot of wheat. Farming in South Africa XVIII, pp. 181-183, 2 figs.

#### Gray, F. C.

1940. Two cases of Torula Meningitis, with special reference to the laboratory findings. South Afric. Medical Journ. XIV, pp. 65-70.

## Grove, W. B.

1916. In Fungi exotici XX. Kew Bull. 1916, pp. 76-77.

#### Guba. E. F.

1932. Monograph of the Genus Pestalotia, Part II. Mycologia 24, pp. 355-397, 4 figs.

#### Gyde, L. M.

1932. Some observations on the Genus Hemileia. South Afric. Journ. Sci. 29, pp. 296-300.

#### Gyelnik, V. Köfaragò.

1931 a. Lichenes extraeuropaei novi criticeque. Fedde Rep. spec. nov. regni vegetabilis 29, pp. 1–10. 1931 b. Additamente ad cognitionem Parmeliorum II. Fedde Rep. spec. nov. regni veg. XXIX,

1931 b. Additamente ad cognitionem Parmeliorum II. Fodde Rep. spec. nov. regni veg. XXIX pp. 273-291.

1931 c. Nephromae novae et criticae. Ann. de Cryptogamie Exotique IV, pp. 121-149.

1931 d. De Stictaceis nonnullis. Fedde Rep. spec. novi regni veg. XXIX, pp. 292-300.
1934. Additamenta ad cognitionem Parmeliarum V. Fedde Rep. spec. novi regni veg., XXXVI,

pp. 151–166. 1938. Additamenta ad cognitionem Parmeliarum VIII. Ann. Myc. 36, pp. 269–294.

## Hahn, G. G.

1930. Life History Studies of the species of Phomopsis occurring on Conifers. Trans. Brit. Myc. Soc. XV, pp. 32-93, Pls. I-III, 29 text figs.

#### Hahn, H. A.

1933. Blastomycosis of the central nervous System. South Afric. Medical Journ. 7, pp. 369-370.

## Hansford, C. G.

1942. The genus Eriomycopsis Speg. Bothalia 4, pp. 464-472, 17 figs.

1943. Contributions towards the fungus flora of Uganda.—V. Fungi Imperfecti. Proc. Linnean Soc. London, Session 155, 1942–1943, Pt. 1, pp. 34–67.

1944. Three additional records of African Fungi. Proceedings Linn. Soc. London, 156th Session (1943-1944), Part 2, p. 124.

1946 a. The Foliicolous Ascomycetes, their parasites and associated fungi, especially as illustrated by Uganda specimens. Mycological Papers No. 15, Imperial Mycological Institute, 3rd April, 1946, 240 pp., 75 figs.

1946 b. Contributions towards the fungus flora of Uganda. VIII. New Records Proceedings of the Linnean Society of London, 157th Session (1944-1945), Part 3, pp. 138-212.

1948. The method of parasitism of Some African Microthyriales. Bothalia 4, 811-820.

Hector, J. M. and Loest, F. C.

Preliminary note on brown rot gummosis of Citrus in the eastern Cape. South Afric, Journ, Sci. 33, pp. 543-644.

## Hennings, Paul.

Fungi africani. Engler's Bot. Jahrb. XIV. pp. 337-373. 1899

1895 a. Neue und interessante Pilze aus dem Königl, botanischen Museum in Berlin, III., II. Fungi capensis, Hedwigia 34, pp. 12-13.

1895 a. Fungi austro-africani. Hedwigia 34, pp. 324-327.

1895 c. Pilze Ostafrikas in A. Engler: Die Pflanzenwelt Ostafrikas und der Nachbargebiete. Berlin, 1895, Teil C, pp. 30-35, 48-61.

4897 a. Fungi camerunensis I. Engl. Bot. Jahrb. 22, pp. 72-111. 1897 b. Fungi camerunensis II (incl. nonnullis aliis africanis). Engl. Bot. Jahrb. 23, pp. 537-558.

1898 a. Fungi austro-africani II. Hedwigia 37, pp. 293-295.

1898 b. Pilze-Dacryomycetineae, Exobasidiineae, Hymenomycetineae in Engler Prantl Die

natürlichen Pflanzenfamilien, Teil 1, Abt. 1xx, pp. 96-276.

1900 a, Fungi in A Zahlbruckner: Plantae Pentherianae. Aufzählung der von Dr. A. Penther und in seinem Auftrage von P. Krook in Südafrika gesammelten Pflanzen. Ann. der K. K. Naturhist. Hofmus, Wien, 15, pp. 1-3, 1 text fig.

1900 b. Fungi Africae orientalis. Engler's Bot. Jahrb. 28, pp. 318-329.

1900 c. Einige neue Uredineen aus verschiedenen Gebieten. Hedwigia 39, pp. (153)-(155).

1900 d. Einige neue Geasterarten. Hedwigia 39, pp. (54)-(55).
 1902. Fungi Africae orientales H. Engler's Bot. Jahrb. 33, pp. 34-40.

Fungi, in H. Baum: Botanische Ergebnisse der Kunene-Sambesi-Expedition, pp. 155-169. 1903

1906. Fungi in Schinz: Beiträge zur afrikanischen Flora, XIX. Bull. Herb. Boiss, 2 ser., VI,

pp. 701–703. Einige neue parasitisch Pilze aus Transvaal von Herrn T. P. R. Evans gesammelt. Engler's 1908.

### Herter, W.

1913. Zur Kritik neuerer Speciesbeschreibungen in der Mycologie. Über drei angeblich neue Aspergillaceen. Mycologisches Centralblatt 3, pp. 286-290.

## Hillman, Johannes.

1920. Beiträge zur Systematik der Flechten. Ann. Myc. 18, pp. 1-25.

1900 Übersicht über die Arten der Flechten-Gattung Xanthoria (Th. Fr.) Arn. Hedwigia LXIII, pp. 198-208.

1929. Einige Bemerkungen über die roten Usneen. Fedde Rep. spec. nov. regni veg. XXVII. pp. 287 - 291.

1930. Studien über die Flechtengattung Teloschistes Norm. Hedwigia 69, pp. 303-343, 2 figs.

#### Hoeg. O. A.

1931. A note on the character of the Lichen Flora at Victoria Falls. Kong, Norsk, Vidensk, Selsk, Forhandl, IV, pp. 93-95.

#### Hoffman, Georg Franz.

1784. Enumeratio Lichenum iconibus et descriptionibus illustrati, Fasc, I (unicus) Erlangai, 102 pp.,

1790. Descriptio et Adumbratio plantarum e classe cryptogamico Linnaei, quae Lichenes dicitur. Lipsiae, Vol. I, 104 pp., tab. col. 1-24.

## Hollós, L.

1903 a. Geasteropsis nov. gen. Fachblatt der Sekt. der kgl. ungar. naturw. Gesellsch. H. Budapestpp. 72-75.

1903 b. Die Arten der Gattung Disciseda Czern. Hedwigia 42, pp. (20)-(22).

Die Gasteromyceten Ungarns (Gasteromycetes Hungariae), 210 pp. cum tabulis XXXI. Leipzig (Oswald Weigel).

Fungi novi in Gasteromycetes habitantes. Ann. hist.-mat. Musei Nat. Hungarici, Budapest. 1907. V. pp. 278-284.

## Hopkins, C. J.

Apple Fruit Spot, Phoma pomi Pass. Union of South Africa, Journ. Dept. Agric. XI, pp. 366-370, 4 figs.

## Hopkins, J. C. F.

Investigations into "Collar Rot" disease of Citrus. Rhodesia Agric. Journ. 62, pp. 137-146.

- A list of plant diseases occurring in Southern Rhodesia. Rhodesia Agric. Journ. 27, pp. 413-418, 523-529, 647-652.
- 1931 a. Alternaria gossypina (Thuem.) Hopkins comb. nov., causing a leaf spot and boll rot of cotton. Trans. Brit. Myc. Soc. XVI, pp. 136-144.
- 1931 b. Diseases of tobacco in Southern Rhodesia. 93 pp., 6 plates, 38 figs.
- 1931 c. A list of plant diseases occurring in Southern Rhodesia, Rhodesia Agric, Journ, 28, pp. 663-669.
- 1931 d. A Phytophthora from Antirrhinum causing a stem rot of tobacco. Proc. Rhodesia Sc. Ass. XXX, pp. 49-52
- A list of plant diseases occurring in Southern Rhodesia, Supplement 2. Rhodesia Agric. 1932 Journ. 29, pp. 462-467.
- 1933 a. A list of plant diseases occurring in Southern Rhodesia, Supplement 3. New records for the period June, 1932 to May, 1933. Rhodesia Agric. Journ. 30, pp. 504-506.
  1933 b. Rhizoctonia lamellifera Small, a distinct species of the Rhizoctonia bataticola group of fungi.
- Proc. Rhodesia Sc. Ass. XXXII, pp. 65-69.
- 1934 a. Parasitism of Rhizoctonia lamellifera Small. Nature CXXXIV, No. 3395, pp. 812-813.
- 1934 b. Locust Diseases. Proc. of the Third International Locust Conference, London, Appendix 6. pp. 92-93.
- 1938 a. A preliminary list of Rhodesian fungi. Transactions of the Rhodesia Sc. Ass. XXXV, Pt. 2, pp. 87-127.
- 1938 b. A note on a stem rot of sweet peas. Rhodesia Agric. Journ. 35, pp. 417-418.
- 1938 c. A black rot of Papaw Fruit caused by Phoma caricina sp. nov. Trans. Rhod. Sc. Ass. XXXV, Pt. 2, pp. 128-129.
- 1938 d. Mycological Notes. Seasonal Notes on Tobacco Diseases. II. Two destructive curing moulds. Rhodesia Agric. Journ. 35, pp. 510-512.
- 1938 e. Annual Report of the branch of Plant Pathology for the year ending 31st December, 1937. Rhodesia Agric. Journ. 35, pp. 617-625.
- 1939 a. A descriptive list of plant diseases in Southern Rhodesia and their control. Memoirs of of the Dept. Agric., Southern Rhodesia, No. 2, pp. 1-51.
- 1939 b. Diseases of tobacco in Southern Rhodesia, Supplement I, 1932-1938. Rhodesia Agric. Journ. 36, pp. 45-65, 97-119, Pls. 2-8.
- 1939 c. Report of the branch of Plant Pathology for the year ending 31st December, 1938. Rhodesia Agric, Journ. 36, pp. 589-597.
- 1941. Annual Report of the branch of Plant Pathology for the year ending 31st December, 1940, pp. 1-8.
- 1943 A descriptive list of plant diseases in Southern Rhodesia. Supplement I, January, 1940 to April, 1943. Rhodesia Agric. Journ. 40, pp. 178-192. Reprinted as Bull. 1231.

## Hopkins, J. C. F. and Bacon, A. L.

Common diseases of apples and their control in Southern Rhodesia. Rhode sia Agric. Journ. 35, pp. 452-466, Pls. 1-11.

# Hopkins, J. C. F. and Pardy, Marie H.

Diseases of Fruit, Flowers and Vegetables in Sourthern Rhodesia, 8. Yellows disease of cabbage. Rhodesia Agric. Journ. 41, pp. 63-67.

#### Howard, L. O.

1902. Experimental Work with fungous diseases of Grasshoppers. Yearbook of the United States Dept. Agric, for 1901, pp. 459-470.

### Hue, A.

- Lichenes exoticos a professore W. Nylander descriptos et in herbario musei Parisiensi pro maxima parte asservatos in ordine systematico deposuit. Nouv. Archiv. du Muséum d'hist. nat. 3 sér .:-
- Vol. II, p. 208 et seq. 1890.
- 1891. Vol. III, p. 33 et seq.
- 1892.Vol. IV, p. 103 et seq. Lichenes extra-europaei a pluribus collectoribus ad Museum Parisiense missi. Nouvelles Archives du Muséum d'hist. natur. de Paris, 4 sér.:
- 1899. Vol. I, p. 27 et seq.
- Vol. II, p. 49 et seq. 1900. 1901.
- Vol. III, p. 21 et seq. Lichenes morphologice et anatomice descripsit. Nouv. Archives du Muséum d'hist, natur, de Paris, 5 sér.:
- Vol. I, pp. 110-166. Vol. II, pp. 1-120. 1909.
- 1912.
- 1914. Vol. IV, pp. 1-52k

### Jatta, Antonio,

1910. Licheni dell'Asmara. Nuovo Giorn. Bot. Ital., n. ser. XVII, pp. 192-206.

## Jenkins, Anna E.

1934 a. A species of Sphaceloma on avocado. Phytopathology 24, pp. 84-85.

1934 b. Sphaceloma Perseae, the cause of avocado scab. Journ. Agric. Research 49, pp. 859-869,

Additional records of violet scab. Plant Disease Reporter 22, pp. 86-88.

## Juel. H. O.

1918. Plantae Thumbergianae. Ein Verzeichnis der von C. P. Thunberg in Südafrika, Indien und Japan gesammelten und der in seinen Schriften beschriebenen oder erwähnten Pflanzen, sowie von den Exemplaren derselben, die im Herbarium Thunbergianum in Upsala aufbewahrt sind. Upsala, 1918.

## Kalchbrenner, Kari.

Zwei neue Pilzgattungen (Kalchbrennera Tuckii Berk., MacOwanites agaricinus Kalchbr.). Hedwigia XV, pp. 115-116, tab.

1880 a. Phalloidei novi vel minus cognite. Abhandi, a. d. Bereiche d. Naturwiss, ungar. Akad. d. Wiss., Budapest, X, No. 17, pp. 1-23, 3 tab. col.

1880 b. Fungi MacOwaniana. Grevillea Vol. IX, pp. 107-116, 131-137.

1881. Fungi MacOwaniana. Grevillea Vol. X, pp. 52-59.
1882 a. Fungi MacOwaniana. Grevillea Vol. X, pp. 104-109, 143-147.
1882 b. Fungi MacOwaniana. Grevillea Vol. XI, pp. 18-27.

## Kalchbrenner, Karl and Cooke, M. C.

South African Fungi, Grevillea Vol. IX, pp. 17-34, 45-46, Pls. 135-138.

## Karling, John S.

1942. The Plasmodiophorales, 444 pp. 17 Plates. New York City, 1942.

#### Killerman, S.

1928.Unterklasse Eubasidii: Reihe Hymenomyceteae: Unterreihen Tremellineae und Hymenomycetineae: in Engler & Prantl: Die naturliche Pflanzenfamilien, 2 Aufl., Band VI, pp. 99-282.

#### King, A. M.

Notes on the genus Balansia. South African Journ. Sci. 15, pp. 668-673, Pl. 25, 4 text figures

## Konrad, P. and Maublanc, A.

1924-1937. Icones selectae Fungorum. Tome VI, Texte général, 558 pp.

#### Körber, G. G.

1977. Coniocybe Owanii Koerb, n. sp. Oesterreich, Bot, Zeitschrift XXVII, No. 11, p. 537.

#### Körnicke. Fr.

1877. Mykologische Beiträge. Hedwigia XVI, pp. 1-3, 17-31, 33-40.

#### Krauss, Ferdinand,

1846. Pflanzen des Cap- und Natal-landes. Flora 29, Lichenes pp. 136-138.

### Kunze, Gustav.

1840. Secotium, eine neue Gattung der Gasteromycetes Trichogastres. Flora XXIII, p. 321.

## Laughton, (Mrs.) Elaine M.

1936. The incidence of fungal disease of timber trees in South Africa South African Journ. Sci. 33, pp. 377-382.

1948. Some South African Pestalotia Species. Bothalia IV, pp. 821-836. See also Young, Elaine M.

### Leighton, W. A.

1869. On a new species of Umbilicaria: U. flavo-virescens. Journ. Linn. Soc., London, Vol. X, pp. 33-35.

# Lender, A.

1913. Notes mycologique. Bull. Soc. bot. Genève, sér. 2, Vol. V, pp. 29-35, 3 figs.

## Lettau, G.

1914. Nachweis und verhalten einiger Flechtensauren. Hedwigia LV, pp. 1-78.

#### Leveillé, J. H.

1845. Champignons exotiques. Ann. Sc. nat., III sér., t. III, pp. 38-71.

1846. Descriptions des Champignons de l'herbier du Muséum de Paris. Ann. Sc. nat., III sér. 5. V. pp. III-167, 249-305.

1848. Fragmentes mycologiques. Ann. Sc. nat. III Sér., t. IX, pp. 119-13, 245-262.

#### Lewin, C. J.

1936. Agriculture in the Territory, Report Dept. Agric, of Northern Rhodesia for 1935, pp. 3-7.

#### Lindau, Gustav.

1893. Bemerkungen über Bau und Entwicklung von Aecidium Englerianum P. Henn, & Lindau. Engler's Bot. Jahrb. XVI, pp. 43-47, Taf.

1897. Pilze in Engler & Prantl; Die Natürlichen Pflanzenfamilien, Teol I. Abt. 1. Pyrenomycetineae, Laboulbeniineae, pp. 321-505.

Beobachtungen über den südafrikanischen Heuschreckenpilz. Notizbl. des Kgl. Bot. Gart. und Mus. zu Berlin II, No. 26, pp. 119-126, Taf.

#### Lindroth, J. J.

1902. Die Umbelliferen—Uredineen. Acta Soc. pro Fauna et Flora Fennica, Helsingfors XXVII No. 1, 224 pp.

## Lindsay, W. Lauder.

1859. Memoir on the Spermogones and Pycnides of filamentous fructicolous and foliaceous Lichens. Trans. Roy. Soc. Edinburgh, Vol. XXII, pp. 101-103, 11 Pls.

1866. Notes on some African Lichens and Fungi. Trans. Bot. Soc. Edinburgh CIII, Pt. 3, pp. 378 - 380.

1869. Enumeration of Micro-Lichens parasitic on other Lichens. Quarterly Journ. of Microscop. Sci. IX, pp. 49-57, 135-146, 342-358.

### Linnaeus fil. (Carl v. Linné).

1781. Supplementum Plantarum Systematis vegetabilium. Fungi, pp. 452-453.

#### Lister, A.

1891. Notes on Mycetozoa. Lond. Journ. Bot. XXIX, pp. 257-268, Pls. 308-312.

A Monograph of the Mycetozoa, being a descriptive catalogue of the species in the herbarium 1894. of the British Museum. London, 224 pp., 57 plates. Notes on Mycetozoa. Journ. Bot. London, XXXIX, pp. 81-90, Pl. 419.

1901.

1911.

A Monograph of the Mycetozoa. Second Edition, revised by G. Lsiter. A Monograph of the Mycetozoa. Third Edition, revised by G. Lister, 296 pp., 223 plates, 1925. 56 woodcuts.

## Lister, G.

1921. New or rare species of Mycetozoa. Journ. Bot. London, LIX, pp. 89-93, Pl. 585. See also Farquharson, C. O. and Lister G.

#### Lister, Spencer.

1930-1939. Annual Reports for the Years 1929-1938 of the South African Institute for Medical Research, Johannesburg. Published annually.

## Lloyd, C. G.

Mycological Writings, Vol. I. 1898-1905.

The Genera of Gastromycetes, 42 pp.

Mycological Notes 13-15, pp. 121-156.

1904 a. Mycological Notes 16-18, pp. 157-204.

1904 b. Puff Ball Letters, No. 1.

Mycological Writings Vol. 2. 1905-1908.

Letter No. 7.

1906 a. The Tylostomeae, 27 pp.

1906 b. The Nidulariaceae, 32 pp. 1906 c. Mycological Notes 21–24, pp. 245–568 1907. Mycological Notes 25–28, pp. 309–364

1908 a. Mycological Notes 29-31, pp. 365-412.

1908 b. Letter No. 23.

Mycological Writings Vol. 3. 1908-1912.

- 1909 a. Synopsis of the Known Phalloids, 94 pp. 1909 b. Mycological Notes 33, pp. 425-444.
- 1910 a. Synopsis of the genus Hexagona, 46 pp.
- 1910 b. Synopsis of the Sections Microporus, tabacinus and funales of the genus Polystictus, pp. 49 - 70.
- 1910 c. Letters 27-28.
- 1910 d. Mycological Notes 34-36, pp. 445-492.
- 1911 a. Mycological Notes 37, pp. 493-508.
- 1911 b. Letters 31-38.
- 1911 c. Synopsis of the Section ovinus of Polyporus, pp. 73-94.
- 1912 a. Synopsis of the stipitate Polyporoids, pp. 95-207. Mycological Writings, Vol. 4. 1912-1916.
- 1912 b. Letters 29-42.
- 1913 a. Synopsis of the genus Cladoderris, 12 pp.
- 1913 b. Synopsis of the stipitate Stereums, 31 pp.
- 1913 c. Letters 46-48.
- 1914. Letters 49, 53.
- 1915 a. Letters 56-60.
- 1915 b. Mycological Notes 39-40, pp. 525-556.
- 1915 c. Synopsis of the genus Fornes, 75 pp.
- 1915 d. Synopsis of the Section Apus of the genus Polyporus, 100 pp.
- 1916 a. Letter 61.
- 1916 b. Mycological Notes 41, pp. 558-572.
   Mycological Writings Vol. 5, 1916-1919.
- 1916 c. Mycological Notes 42-44, pp. 573-620, 1916 d. Letters 62-62.
- 1917 a. Letters 65-67
- 1917 b. The genus Radulum, 12 pp.
- 1917 c. Mycological Notes 45–52, pp. 621–748, 1918 a. Mycological Notes 53–56, pp. 749–812, 1918 b. Letters 68–69.
- 1918 c. Xylaria Notes, 32 pp.
- 1919 a. Mycological Notes 57-60, pp. 813-876.
- 1919 b. The Larger Pyrenomycetes, 32 pp.
- Mycological Writings Vol. 6, 1919–1921. 1919 с. Mycological Notes 61, pp. 877-903.
- 1920.
- Mycological Notes 62-65, pp. 934-1100. Mycological Writings Vol. 7, 1922-1925.
- 1900 Mycological Notes 66-67, pp. 1105-1184
- 1923.
- Mycological Notes 68-70, pp. 1185-1268. Mycological Notes 71-73, pp. 1269-1348. 1924
- Mycological Notes 74-75, pp. 1349-1364. 1925.

## Long, W. H.

1942. Studies in the Gasteromycetes VI. Mycologia 34, pp. 532-535.

#### Long, W. H. and Plunkett, O. A.

1940. Studies in the Gasteromycetes I. The genus Dietyocephalos. Mycologia 32, pp. 696-709. Figs. 1-11.

#### Lounsbury, C. P.

- Zwart Roest or Anthracnose of the Vine. Agric, Journ, Cape of Good Hope 28, pp. 29-35
- 1907. Vine Mildew or Peronospora. Cape Agric. Journ. 30, pp. 330-332.
- 1908. The Fusicladium Disease of the pear and apple, with notes on other spot diseases of these fruits. Cape Agric, Journ, XXXII, pp. 16-32, Figs. 1-10.
- 1909. Dry Rot of the potato: Stem End Rot, white Rot, winter Rot (Nectria solani). Cape Agric. Journ. XXXV. pp. 42-48.
- 1910. A fungus decay of apples and some other fruits. Cape Agric. Journ. XXXVI, pp. 355-364.

## Louw, A. J.

- 1941. Studies on Septoria Passiflorae n. sp. occurring on passion fruit, with special reference to its parasitism and physiology. Union of South Africa. Dept. Agric. & Forestry, Sc. Bul No. 229, 51 pp., 11 figs, 4 Pls.
- 1946. Peach Mildew. Farming in South Africa 21, pp. 93-99.

#### Ludwig, F.

1892. Über neue australische Roskrankheiten. I Die Roste des Schilfrohnes und spanischen Rohres. Zeitschrift für Pflanzenkrankheiten Bd. II, pp. 130-134.

#### Lurie, R.

1932. Some organisms concerned in mine timber decay. Trans. Brit. Myc. Soc. XVI, pp. 270-287. See also Brown, Mrs. M.

## Lynge, B.

1937. Lichenes africani novi ab E. A. Vainio recogniti. Revue Bryologique et Lichenologique X.

## Macbride, T. H. and Martin, G. W.

1934. The Myxomycetes. A descriptive list, with special reference to those occurring in North America. New York, 1934, 339 pp., 21 Pls.

## MacOwan, P.

1877. Inquiry for two Cape Fungi, Broomeia congregata Berk. and Podaxon carcinomatis Fr Cape Monthly Mag. 15, No. 88, pp. 123-124.

Note on the occurrence of a new Puccinia upon Mesembryanthemum micranthum Haw. 1880.

1883.

Trans. S. African Philosoph. Soc. 2, pp. 89–90.

Broomeia congregata. Gardener's Chronicle XX, p. 373, Fig. 58.

The fungus enemies of apple and pear Trees, "Apple Scab", "Black Spot", "Leaf Mildew" 1889. "Leaf Blight" (Fusicladium dendriticum Fckl.), a disease of the leaves and fruit of apple and pear trees. Cape Agric. Journ. 1, pp. 181-182.

Destruction of tree roots by fungi. Cape Agric. Journ. 3, pp. 169-170, 182-183. 1891.

Diseased wheat at Durbanville. Report by the Government Botanist on samples submitted 1893. for his inspection. Cape Agric. Journ. 6, pp. 463-464, 1 Pl.

1894. Canker of Apple Trees (Nectria ditissima Tul.). Cape Agric. Journ. 7, pp. 127-128.

1895. Memorandum by Professor MacOwan on certain diseased plantation trees at Fort Cunynghame. Cape Agric. Journ. 8, pp. 331-333.

## Magnus, Paul.

Eiene interessante Phalloidee Kalchbrennera corallocephala (Welw. et Curr.) Kalchbr. Sit-1890. zungsber. d. Ges. Naturf. Freunde zu Berlin, 1890, p. 44.

1891 a. Zwei neue Uredineen. Berichte der deutschen Botanischen Gesellschaft XI, pp. 91-99.
Taf. V.

1891 b. Ein Beitrag zur Beleuchtung der Gattung Diorchidium. Ber. Deutsch. Bot. Ges. IX, pp. 187-192, Taf. IX

1892 a. Über einige von Herrn Professor G. Schweinfurth in der italienischen Colonie Eritrea gesammelte Uredineen. Ber. Deutsch. Bot. Ges. X, pp. 43-48, Taf. IV.

1892 b. Zur Umgrenzung der Gattung Diorchidium nebst kurzer Uebersicht der Arten von Uropyxis. Ber. Deutsch. Bot. Ges. X, pp. 192-195.

1896. Parallelformen unseres Uromyces scutellatus Lév. in weit entfernten Ländern. Ber. Deutsch. Bot. Ges. XIV, pp. 374-377.

1898. Einer kleiner Beitrag zur Kentniss der Puccinia Lycii Kalchbr. Hedwigia XXXVII, pp. (91)-(93).

1899 a. Ueber die Gattung Uropyxis Schroet. Ber. Deutsch. Bot. Ges. XVII, pp. 112-120.

1899 b. Ueber die bei verwandten Arten auftretenden Modificationen der Charaktere von Uredineen Gattungen. Ber. Deutsch. Bot. Ges. XVII, pp. 178-184, Taf. XII.

Ein neuer Krebsartigen Auswüchse der Wirtspflanze veranlassender Pilz aus Transvaal. Ber. Deutsch, Bot, Ges. XXVIII, pp. 377-380, Taf. XI.

## Magnusson, A. H.

A Monograph of the genus Acarospora. Kungl. Svenska Vetenskapsakademiens Hanflinger. 1929. 3 Sér., Band 7, No. 4, 389 pp.

1933. Supplement to the monograph of the genus Acarospora, I. A survey of the species from Southern and Central Africa. Ann. de Crypt. Exot. VI, pp. 13-48.

Die Flechtengattung Maronea Mass. Meddelanden Fran Göteborgs Botaniska Trädgard 1934. (Acta Horto Gotoburgensis) IX, pp. 41-69.

Additional Notes on Acarosporacea. Acta Horto Gotoburgensis XII, pp. 87-103. 1937

1940. Studies on species of Pseudocyphellaria. The Crocata Group. Acta Horto Gotoburgensis XIV, pp. 1-35.

#### Malme, Gustav O. A. N.

Lichenes blasteniospori Herbarii Regnelliani. Arkiv. för Botan. XXA, No. 9, 51 pp.

## Marloth, Rudolf.

1913. The Flora of South Africa Vol. I, xi Eumycetes, pp. 20-34, Pls. 3-4, Figs. 16-30. Cape Town.

### Martin, G. W.

1942. New or noteworthy tropical fungi II. Lloydia, Vol. 5, No. 2, pp. 138-164.

#### Mason, E. W.

1928. Annotated account of Fungi received at the Imperial Bureau of Mycology. List II, Fascicle I.

## Mason, J. N. and Bekker, J. G.

1934. Further Notes on Lumpy Wool. Onderstepoort Journ, Vet. Sci. and Animal Industry 3, Pt. 1, pp. 211-216.

## Massalongo, A. B.

1852 a. Synopsis lichenum Blasteniosporum. Flora XXXV, pp. 545-576.

1852 b. Monografia dei Licheni blaste diospori. Atti 1st. Venet, di Sc. Lett. ed Arti, ser. 2, Vol. III. Appendix III.

Mem are lichenografice con un'appendice alle recer he sull'autonomia dei licheni crostose, Verona (Münster) 1853, 183 pp. 29 tab.

L856 Miscellanea lichenologica. Volume pubblicate in occasiona delle Nosse Bizio-Pazienti, Verona, 1856, pp. 35-46.

183), Esame comparativo di alcune genera di licheni. Atti R. 1st. Venet. Sci Litt. e l'Arti, 3 ser., V. pp. 247-276, 313-337.

1851. Lichenes capensis quos collegit in itinere 1857 58 Dr. Wawra, Mem. dell' 1st. Venet, Sci. Litt, ed Arti X, pp. 33-90.

## Massee, G. E.

1887. A Monograph of the genus Lycoperdon (Tournef.) Fr. Journ. Roy. Microsc. Soc. London, 1887, pp. 701-728, Pls. XII-XIII.

A Revision of the genus Bovista (Dill.) Fr. Journ, of Botany, London 26, pp. 129-137, Pl. 282. 1889 a. A Monograph of the Thelephoraceae. Part I. Journ. Linn. Soc. London XXV, pp. 107-155, Pls. XLV-XLVII.

1889 b. A Monograph of the British Gastromycetes. Annals of Botany 4, pp. 1-103, Pls, I-IV. 1890 a. A Monograph of the genus Podaxis Desv. (=Podaxon Fr.). Journ. of Bot., London, 28,

pp. 33-39, 69-77, Pls. 294-295. 1890 b. A Monograph of the Thelephoracceae, Part II. Journ, Linn, Soc. London XXVII, pp. 95-205, Pls. V-VII

1892 a. A Monograph of the Myxogastres. London, 1892.

1892 b. Notes on Exotic Fungi in the Royal Herbarium Kew. Grevillea XXI, pp. 1-6.
1893. Revised description of type specimens in Kew Herbarium. Grevillea XXII, pp. 99-107.
1895. A Revision of the genus Cordyceps. Annals of Botany IX, pp. 1-44, Pls. I-II.

Redescriptions of Berkeley's Types of Fungi. Journ. Linn. Soc. London 31, pp. 463-524, 1896.Pls. XVI-XVIII.

A Fungus Parasite on Aloc. Gardener's Chronicle 3 ser. XXVI, p. 291.

1901 a. South African Locust Fungus. Kew Bull. Nos. 172-174, pp. 94-99.
 1901 b. Fungi exotici III. Kew Bull. 1901 pp. 150-169.

1906 a. Revision of the Genus Hemileia Berk. Kew Bull. 1906, pp. 35-42, with 1 plate.

1906 b. Plant Diseases V. Diseased apples and melons from the Cape of Good Hope. Kew Bull. 1906, pp. 193-196.

1938 a. Fungi exotici VIII. Kew Bull. 1908, pp. 216-219.

1908 b. The South African Locust Fungus. Kew Bull, 1908, pp. 197-198.

 1910 a, Fungi exotici X. Kew Bull. 1910, pp. 1-6, 1 Pl.
 1910 b. Fungi exotici XI. Kew Bull. 1910, pp. 249-253. Fungi exotici XII. Kew Bull. 1911, pp. 223-226.

#### Massee, G. E. and Wakefild, E. M.

Fungi exotici XVIII. Kew Bull., 1914, pp. 156-159.

#### Massey, L. M. and Jenkins, A. E.

1935. Violet Scab caused by Sphaceloma. Cornell Univ. New York Agric. Exp. Sta. Memoir 176, 9 pp.

## Mattirolo, O.

1908.Species novae in excelsis Ruwenzori in expedițione Ducis Aprutii lectae, VI, Mycetes, Annali di Botanici VII. pp. 143-145.

#### Maublanc, M. A.

1906. Quelques champignons de l'est Africain. Bull. Soc. Myc. Fr. XXII, pp. 71-75.

## McAlphine, D.

1899. Brief Report on the Locust Fungus reported from the Cape. New South Wales Agric, Gazette

1900. The systematic position of the locust fungus imported from the Cape. Agric, Gazette of New South Wales XI, pp. 184-186, 1 Pl.

## McGure, J. M.

1941. The Species of Sebacina (Tremellales) of Temperate Nirth America. Lloydia 4, pp. 1-43,

## McMartin, A.

1935 a. The South African Locust Fungus. Proc. of the Ninth Ann. Congress of S. Afric. Sugar Technologists Ass., Durban. pp. 119-128, Figs. 1-15.

1935 b. The Natural Enemies of Locusts. Proc. of the Ninth Ann. Congress of S. Afric. Sugar

Technologists Ass., Durban, pp. 178-182, Figs. 1-3.

1937 a. Pathological conditions affecting the growth of the sugarcane plant from cuttings in Natal. Proc. of the Eleventh Ann. Congress of S. Afric. Sugar Technologists Ass., Durban, pp. 123-131.

1937 b. Pathological conditions affecting growth of sugar cane plant from cuttings in Natal. South

Afric. Sugar Journ. 21, pp. 267-271, 353-357. Natal, South Africa, in E. C. Tims: Recent Developments in Sugarcane Pathology. Proc. of 1938. the Sixth Congress of the International Soc. of Sugar Cane Technologists, Louisiana, pp.

1940. Eye Spot and Brown Stripe. A report on diseased sugar cane leaves from Sena Sugar Estates. S. Africa. Sugar Journ. 24, p. 653.

1941 Red Rot in Co 290 Cane. South Afric. Sugar Journ. 25, pp. 587-591.

1943. Red Rot in Sugar Cane in Natal. Proc. of the Seventeenth Ann. Congress of S. Afric. Sugar Technologists Ass., Durban, pp. 51-52.

1944. Pineapple disease of sugar cane cuttings and its control. Proc. of the Eighteenth Ann. Congress of S. Afric. Sugar Technologists, Durban, pp. 41-46.

#### McMurtrie, K.

1914. A case of Mycetoma (Madura Foot) in the Transkei. South Afric. Medical Record XII, p. 164.

## Mes. Margaretha G.

A wilt of snapdragon (Antirrhinum majus) in South Africa. South Afric. Journ. Sci. 31, pp. 281-287, 4 text figs.

### Meyer, G. F. W.

1825. Die Entwicklung, Metamorphose und Fortpflanzung der Flechten. Göttingen, 1825, 372 pp.

#### Miller, Julian H.

1942. South African Xylariaceae. Bothalia 4, pp. 251-272.

#### Minks. Arthur.

1900 a. Beiträge zur Erweiterung der Flechtengattung Omphalodium. Mém. de l'Herb. Boissier No. 21, pp. 79-94.

1900 b. Analysis der Flechtengatting Umbilicaria. Mém. de l'Herb. Boissier, No. 22, pp. 1-74.

#### Miguel, F. A. W.

Fungorum aliquot exoticorum recensio. Tijdschr. van Wiss. en Nat. Wetens., Amsterdam, 1852.V, pp. 188-198.

#### Montagne, J. F. C.

1843 a. Quatriéme centurie de Plantes cellulaires exotiques nouvelles. Nos. 371-400. Ann. sc. nat., 2 sér., XIX, pp. 352-379.

1843 b. General Observation on the tribe of the Podaxineae and description of the new genus Gyrophragmium. Ann. and Mag. Nat. Hist. XII, pp. 111-113.

1843 c. Considérations générales sur le tribu des Podaxinées et formation du nouveau genre Gyrophragmium, appartenant at cette tribu. Ann. Sc. nat., 2 sér., XX, pp. 69-82. Also Compt. Rend. XVI, pp. 841-842.

1847. Enumeration Fungorum quos a cl. Drège in Africa meridionali collectos et in Herbario Miquelianoservatos, descriptionibus observationibusque nonnullis illustravit. Ann. Sci. nat. 3 Sér. VII, pp. 166-181.

#### Moore, E. S.

Diseases of Virginian Tobacco in South Africa. Union of S. Africa, Journ. Dept. Agric. 12, 1926. pp. 428-455.

Wilt in Turkish Tobacco. Farming in S. Africa 1, pp. 380.

1930. Internal Boll Disease of Cotton in South Africa, Union of S. Africa, Dept. Agric, Sic. Bull, 94, pp. 14-15.

## Moore, E. S. and Smith, A. J.

1933. Control of Pests and Diseases in Tobacco Seed Beds. Farming in S. Africa 8, pp. 305-306,

## Morse, Elizabeth Eaton,

1933. A Study of the Genus Podaxis. Mycologia 25, pp. 1-33, Pls. 1-12.

## Motyka, Josef.

1936. Lichenum generis Usnea. Studium monographicum. Pars systematica. Vol. primum, Leopoli 1936, pp. 1-304.

Lichenum generis Usnea . . . Vol. secundum, 1937, pp. 305-560.

## Müller, Jean (Arg.).

Lichenologische Beiträge VIII. Flora 38, pp. 161-169; IX, pp. 289-298.

1880 a. Lichenes Africae occidentalis a cll. Dr. Pechuel-Loesche et Soyaux e regione fluminis Quilla et ex Angola missi in Mus. bot. reg. berolinensi servati. Linnaea XLIII, pp. 31-48.

 1880 b. Lichenologische Beiträge X. Flora XXXVIII, pp. 17-24, 40-45; XI, pp. 259-268, 275-290.
 1881. Lichenologische Beiträge, XII. Flora XXXIX, pp. 81-88, 100-112; XIII, pp. 225-235; XIV, pp. 513-527

1883. Lichenologische Beiträge XVII. Flora LXVI, pp. 17-25, 45-48, 75-80; XVIII, pp. 243-249, 271-274, 286-290, 304-306, 317-322, 330-338, 344-453.

Lichenologische Beiträge XXI. Flora LXVIII, pp. 247–261, 324–326, 331–342, 343–356; XXII, pp. 499–502, 503–518, 528–533. 1885.

1886. Lichenologische Beiträge XXIII. Flora LXIX, pp. 124-128; XXIV, pp. 252-258, 286-290, 307-318.

1887 a. Lichenologische Beiträge XXV. Flora LXX, pp. 56-64, 74-80; XXVI, pp. 268-273, 283-288, 316-322, 336-338, 396-402, 423-429.

1887 b. Énumeration de quelques Lichens de Noumea. Rev. mycol. IX, pp. 77-82.
1888. Lichenologische Beiträge XXVII. Flora LXXI, pp. 17-25, 44-48; XXVIII, pp. 129-142; XXIX, pp. 195-208; XXX, pp. 528-552.

1890.

Lichenes Africae tropico-orientalis. Flora LXIII, pp. 334-347. Lichenologische Beiträge XXXIV. Flora LXXIV, pp. 107-114; XXXV, pp. 371-382. 1891. 1893 a. Lichenes africana in variis territoriis recenter lecto, in A. Engler: Beiträge zur Flora von

Africa IV. Engl. Bot. Jahrb. XV, pp. 505-510.

1893 b. Lichenes Zambesici in Africae regione zambesica prope Boroma a cl. Menyharth lecti, in Herbario Universitatis Vindobonensis servati quos exponit. Verh. Zool.-Bot. Ges. Wien 43, pp. 295-300. These lichens are listed in "Plantas Menyharthianas IV". Bol. da Soc. de Estudos da Col. de Mocambique V (1936) No. 31, pp. 206-208.

1893 c. Revision der Stein'schen Übersicht über die von Dr. Hans Meyer in Ostafrika gesammelten Flechten. Engl. Bot. Jahrb. XV, pp. 511-521.

1893 d. Lichenes exotici. Hedwigia 32, pp. 120-136.

Lichenes usambarensis. Engl. Bot. Jahrb. XX, pp. 238-298.

Thelotremeae et Graphideae novae quas praesertm ex hb. Reg. Kewensi exponit. Journ. Linn. Sic. London, XXX, pp. 451-463.

## Murray, G.

1883. On the outer peridium of Broomeia, Journ. Linn. Soc. London XX, pp. 311-313. 1 Pl.

## Nannfeldt, J. A.

1932. Studien über die Morphologie und Systematik der Nicht-lichenisierten inoperculaten Discomycetes. Nova Acta Regiae Soc. Sci. Upsaliensis, Ser. iv, Vol. 8, No. 2.

#### Nannizzi Arturo.

1934. Repertorio sistematico dei miceti dell' uomo e degli animali. Siena, S.A. Poligrafica Meini xii et 557 pp., 22 figs.

### Nel, G. C.

Genera et Species Fungorum ex Herb. P. A. van der Byl, Stellenbosch. Ann. Univ. Stellenbosch, Jaargang XX, Reeks A, No. 2, 110 pp.

#### Neuveu-Lemaire, Maurice.

1921. Précis de parasitologie humaine, ed. 5. Paris, J. Lamarre, vi. 466 pp.

## Niehaus, Chas. J. G.

Untersuchungen über Apiculatus hefen. Zentralbl. für Bakt. H Abt., Bd. 87, pp. 97-50.

### Nylander, William.

- Enumération générale de Leihers, avec l'indication sommaire de leur distribution géographi-1857.
- que. Mem. Soc. Impér. Sci. Cherbourg V, pp. 85–146; Supplément l.c., pp. 322–339. Expositio synoptica Pyrenocarpeorum. Mem. Soc. Acad. Maine-et-Loire IV, pp. 5–58. 1858.
- 1859. Lichenes in regionibus exoticis quibusdam vigentes exponit synopticis enumerationibus. Ann. Sci. Nat. Sér. 4, Vol. XI, pp. 205-264.
- 1860 a. Synopsis methodica Lichenum omnium hucusque cognitorum. Paris, Vol. I, 430 pp.
- 1860 b. Conspectus Umbilicariarum. Flora XLIII, pp. 417-418.
- Synopsis methodica Lichenum omnium hucusque cognitorum, Vol. 2, 64 pp.
- 1867.
- Circa genus Lichenum Dermatiscum. Bot. Zeitung XXV, p. 133. Lichenes Angolenses Welwitchiana. Bull. Soc. Linn. de Normandie, Caen, 2 sér., II, pp. 1868.
- 1869 a. Note sur les Lichens de Port Natal. Bull. Soc. Linn. de Normandie Caen, 2 sér., III, pp. 4-15.
- 1869 b. Circa reactiones Parmeliorum adnotationes. Flora LII, pp. 289-293; De reactionibus in genere Ricasolia. l.c. pp. 313-314. De reactionibus in genere Physcia. l.c., pp. 321-322; De reactionibus in genere Umbilicaria. l.c., pp. 387-389; De reactionibus in Cetrariis. l.c., pp. 441-444; De reactionibus in Alectoriis. l.c., p. 441: De reactionibus in Evernis et Parmeliopsibus. loc., pp. 445-446.
- 1870. Recognitio monographica Ramalinarum. Bull. Soc. Linn. de Normandie, Caen, 2 sér., IV.
- pp. 101-180. Lichenes in J. Henriques : Contribuição para o estudo da Flora d'alguinas possissoes portu-1884. guezas, I. Plantas colhidas por F. Newton na Africa occidental. Bol. da Soc. Broteriana, Coimbra. III, pp. 130-131.
- Parmeliae exotici novae. Flora XLVIII, pp. 605-615. 1885.
- 1886 Lichenes insulae San Thomé. Flora LXIX, pp. 171-178.
- 1890. Lichenes Japoniae. Accidunt observationibus Lichenes insulae Labuan. Paris (P. Schmidt),
- 1895. Lichenes africani a cl. J. A. Cardoso ins. S. Nicolai et S. Jacobi, F. Quintas Lourenco Marques et in agro Mocambiense determinatione R. R. Emeriae Episcopi lecti. Bol. Soc. Broteriana XII, pp. 102–105.

#### Pappe, L.

1850. Flora capensis medicae Prodromus; or An Enumeration of South African Plants used as remedies by the colonists of the Cape of Good Hope. First Edition. Cape Town, 1850.

## Parker, George Howard.

On the morphology of Ravenelia glandulaeformis. Proc. American Acad. Arts and Sci. XXII 1886. (New Ser. XIV), Part I, pp. 205-219.

#### Patouillard, M. N.

1918. Quelques champignons de Madagascar, Bull, Soc. Myc. de France XXXIV, pp. 86-91.

## Pazschke, O.

- 1901. Rabenhorstii Fungi Europaei et extra europaei exsiccati, Cent. 43, Nos. 4201-4300. Hedwigia XL, pp. (172)-(174).
- Rabenhorstii et Winteri Fungi europaei et extraeuropaei exsiccati. Cent. 45, Nos. 4401-4500. 1905. Hedwigia XLIV, pp. (177)-(178).

### Persoon, C. H.

Synopsis Methodica Fungorum sistens Omnium huc usque detectarum specierum, cum 1801 brevibus descriptionibus nec non synonymis et observationibus eslectic. Gottingae (Dieterich 1801, part I et III, xxx et 706 pp., 5 tab.

## Petch, T.

- Studies in Entomogenous Fungi. Trans. Brit. Myc. Soc. VII. pp. 133-167, Pls. III-V. 1922.
- 1932. Gibellula. Ann. Myc. 30, pp. 386-393, 1 text fig.

## Petrak, F.

- 1924.
- Mykologische Notizen VII. Ann. Myc. 22, pp. 1–182. Mykologischen Notizen IX. Ann. Myc. 25, pp. 193–343. 1927.
- Mykologische Notizen XII. Ann. Myc. 27, pp. 324–410.

  Mykologische Notizen XII. Ann. Myc. 32, pp. 317–447. 1928.
- 1929.
- 1934.

## Petrak, F. and Sydow, H.

- Kritisch-systematische Originaluntersuchungen über Pyrenomyzeten, Sphaeropsideen und Melanconieen. Ann. Myc. 22, 318-386.
- Kritisch-systematische Originaluntersuchunen über Pyrenomyzeten, Sphaeropsideen und . 1925. Melanconieen. Ann. Myc. 23, pp. 209-294.
- 1926 Die Gattungen der Pyrenomyzeten, Sphaeropsideen und Melanconieen. Fedde Rep. spec. nov. reg. veg. Beihefte Be. XLIII, 1 Lieferung, pp. 1-160.
- 1927. Die Gattungen der Pyrenomyzeten, Sphaeropsideen und Melanconieen. 2-3 Lieferung, le., pp. 161-551.

### Petri, L.

Sul valore diagnostico del capillizio nel genere 'Tylostoma' Pers. Ann. Myc. 2, pp. 412-438, 1904

## Phillips, E. P.

1908. Descriptions of some common Cape Fungi. Agric. Journ. of the Cape of Good Hope 32, pp. 367-371, Figs. I-IV.

## Phillips, J. F. V.

- 1923. Disease in young natural regeneration of Olea laurifolia Lam. South African Journal of Natural History 4, pp. 209-220.
- The biology, ecology and sylviculture of the stinkwood, Ocotea bullata E. Mey. South African Journal of Science 21, pp. 275-292. 1924.
- The influence of Usnea sp. (near barbata Fr.) upon the supporting tree. Transactions of the 1929. Royal Society of South Africa 17, pp. 101-107.
- 1931. Forest Succession and Ecology in the Knysna Region. Botanical Survey of South Africa. Memoir 14, 327 pp. 82 figs.

#### Pilát Albert.

1936 Devision der tropischen Lentinus-Arten aus dem Herbar des Botanischen Museums in Berlin-Dahlem. Ann. Myc. 34, pp. 108-140.

#### Pijper, Adrianus.

- A preliminary note on a case of thrush-like disease due to Monilia rugosa Castellani. Journ 1916 Trop. Med. and Hvg. 19, p. 249.
- 1917 a. Some unusual infections, H. Moniliases. Med. Journ. of South Africa 12, pp. 129-130.
- 1917 b. A new thrush parasite. Journ. Trop Med. and Hyg. 20, pp. 169-170, also in A. Med. Journ. 69, p. 854.
- 1917 c. Some unusual infections, III. Nocardiasis, IV. Nocardia Infection of the Bladder, V. Cryptococcus. Med. Journ. S. Africa 12, pp. 141-142, 157-158.

  1917 d. A Case of nocardiasis. Folia Microbiol. 5, pp. 50-53, 1 Pl.

  1918. Tinea inbricata in South Africa. Journ. Trop. Med. and Hyg. 21, pp. 45-57.

- A Case of Chronic Abscess caused by a Nocardia. Med. Journ. of South Africa 15, pp. 82-83. 1919. 1923. Bronchomoniliasis and Monilia fungi in Sputum. Med. Journ. S. Africa 19, pp. 101-111,
- 5 figs. 1928. A new Hanseniospora. Proc. Sect. Sci. K. Akad, Wetensch. Amsterdam, Vo. 31, pp. 989-992.
- 1931. Sporotrichum Carougeaui Langeron. Journ. Trop. Med. and Hyg. 34, pp. 390-391.

## Pijper, Adrianus and Pullinger, B. Davidine.

- 1927 a. South African Nocardiases. Journ. Trop. Med. and Hyg. 30, pp. 153-156, 2 Pls.
- 1927 b. An outbreak of sporotrichiosis among South African native miners. The Lancet, CCXIII, No. 5435, pp. 914-915, 2 figs. See also Goldberg, Morris and Pijper, Adrianus.

## Pirie, J. H. Harvey.

1940. Annual Report for the Year 1939, of the South African Institute for Medical Research Johannesburg, 85 pp.

## Pirotta, R.

1889. Osservazione sopra alcuna funghi. Nuovo Giorn. Bot. Ital. 21, pp. 312-317.

### Preston, N. C.

Observations on the genus Myrothecium Tode 1. The three classic species. Trans. Brit. Myc. Soc. XXVI, pp. 158-168, Pls. X-XI, 7 test figs.

#### Putterill, K. M.

1940. Two important foot rots of wheat and barley. Farming in S. Africa, 15, pp. 219-220.

## Putterill, V. A.

Notes on the morphology and life history of Uromyces Aloës Cooke. South Afric. Journ. Sci. 15, pp. 656-662, Pls. 22-23, 6 text figs. 1918.

A new apple tree canker. South Afric. Journ. Sci. 16, pp. 258-271, Pls. XXI-XXX, 5 text 1919.

1920. Flag Smut of Wheat. Union of S. Africa. Journ. Dept. Agric. 1, pp. 252-257.

1921. Black Mould, a storage rot of soft fruits caused by Rhizopus nigricans Ehrenb. Union of S. Africa, Journ. Dept. Agric. 2, pp. 529-531, 2 text figs.

The Biology of Schizophyllum Commune Fr., with special reference to its parasitism. Union

1922 of South Africa, Dept. Agric. Sci. Bull. 25, pp. 1-35, Pls. I-V, 5 text figs.

1923 a. Plant Diseases in the western Cape Province. X. Some of the causes of wastage in export

grapes. Union of S. Africa., Journ. Dept. Agric. 7, pp. 332-336, Figs. 1-4.
1923 b. Plant Diseases in the western Cape Province, XI. Note on a case of gumming in the fruit of the bitter seville orange. Union of S. Africa, Journ. Dept. Agric. 7, pp. 403-406, Figs. 1-4.

1923 c. Silver leaf Disease of Fruit Trees and its occurrence in South Africa. Union of S. Africa. Dept. Agric. Sci. Bull. 27.

Plant Disease in the western Cape Province, XII. Vrotpootje or Take-all of Wheat. Union of 1924. South Africa, Journ. Dept. Agric. 8, pp. 602-612, Figs. 1-6.

## Quinlan, John and de Kock, G.

Two Cases of Rhinosporidiosis in Equines. South Afric, Journ. Sci. XXIII, pp. 589-594, Pls. VII-IX.

## Quinn, J. J.

Studies on the Alimentary Tract of Merino Sheep in South Africa V.II.—Fermentation in the 1943. Forestomachs of Sheep. Onderstepoort Journal of Veterinary Science and Animal Husbandry 18, pp. 91-112.

## Ramsbottom, J.

Macowania, Hypochanum or Macowanites? Trans. British Mycological Society XXV, pp 1942.

## Rea. Carleton.

British Basidiomycetes: A handbook to the larger British Fungi. Cambridge Univ. Press. 1922.

#### Redinger, Karl.

Restitution und kritische Revision der Flechtengattungen Enterographa Fée und 1938. Sclerophyton Eschw. Fedde Rep. spec. nov. regni veg. 43, pp. 49-82.

### Reess, Max.

Ueber Ustilago? capensis, einem neuen Brandpilze vom Cap der guten Hoffnung. Sitzungsber. 1875. der Physic.-medic. Soc. zu Erlangen 7, pp. 70-72.

#### Rehm, H.

1900.

Ascomycetes exsicc. fasc. 27. Hedwigia 39, p. (192). Ascomyceten-Studien I. Hedwigia 42, p. (172)–(176). 1903.

Ascomycetes novi. Ann. Myc. 4, pp. 336-341. 1906.

Ascomycetes novi. Ann. Myc. 5, pp. 516-546. 1907.

Ascomycetes exsicc. Fasc. 47. Ann. Myc. 9, pp. 1-7. 1911.

#### Reinke, Johannes.

Abhandlunges über Flechten. IV. Skizzen zu einer vergleichenden Morphologie des Flechten 1895. thallus. Pringsheim, Jahrb. für wiss, Botan., XXVIII, p. 385 et seq., Fig. 102.

## Robinson, E. M. and Parkin, B. S.

A Case of Sporotrichosis in the Horse. Journ. S. Afric. Vet. Med. Ass. 1, pp. 17-24, 5 figs. 1929.

#### Roumeguère, C.

Cryptogamie illustrée ou histoire des familles des plantes acotylédones d'Europe coordonnée 1868. suivant les dernières classifications et complétée par les recherches scientifiques les plus récentes. Famille des Lichens. Paris (Baillière) et Toulouse (F. Cimet), 73 pp., 2L tab.

## Rudophi, Fr.

Plantarum vel novarum vel minus cognitarum descriptiones. Decas secunda. Linnaea 4. 1829. pp. 387-395.

## Saccardo, P. A.

Fungi novi gallici, germanici et capenses. Bull. Soc. Myc. France XII, pp. 64-69. 1896

Fungi aliquot Africani lecti a cl. A. Moller, Is. Newton et A Sarmento. Bol Soc. Brot. XXI. pp. 209-217. Sylloge Fungorum omnium hujusque cognitorum.

1882.Vol. I. Sylloge Pyrenomyceten.

1883. Sylloge Pyrenomycetum. Vol II

I884. Vol. III. Sylloge Sphaeropsidearum et Melanconium.

Vol. IV. Sylloge Hyphomycetum. 1886

Vol. V. Sylloge Hymenomycetum I. Agaricinese. 1887.

1888. Vol. VI. Sylloge Hymenomycetum II. Polyporeae, Hydneae, Thelephoreae.

Vol. VII. Gasteromyceteae: Phalloideae (auct. Ed. Fischer), Nidulariaceae, Lycoperdaceae 1888 et Hymenogastraceae (auct. de Toni); Mucoraceae, Peronosporaceae, Saprolegniaceae, Entomophthoraceae, Chytridiaceae, Protomycetaceae (auct. Berlese et de Toni); Myxomyceteae (auct. Berlese).

1880 Vol. VIII. Discomyceteae et Phymatosphaeriaceae (auct. P. A. Saccardo) Tuberaceae, Elaphomycetaceae, Onygenaceae (Auct. Paoletti); Laboulbeniaceae (Auct. Berlese); Saccharomycetaceae (Auct. de Toni); Schizomycetaceae (de Toni et Trevisan).

1891.

Vol. IX. Supplementum universale: Pars. I. Agaricaceae—Laboulbeniaceae. Vol. X. Supplementum universale: Pars. II. Discomyceteae—Hyphomyceteae. 1892.

Vol. XI. Supplementum universale, Pars. III. 1895.

1897. Vol. XII-XIII. Index universalis et locupletissimus generum, specierum, subspecierum, varietatum hospitumque in toto opere (Vol. I-XI) expositorum (Auct. P. Sydow). Vol. XIV. Supplementum universale, Pars IV (P.A. Saccardo et P. Sydow).

1899

1901. Vol. XV. Synonymia Generum, specierum subspecierumque in Vol. Î-XIV descriptorum (Auct. E. Mussat).

1902. Vol XVI. Supplementum universale, Pars V (P. A. Saccardo et P. Sydow).

1905. Vol XVII. Supplementum universale, Pars VI: Hymenomycetae- Laboulbeniomyceteae. P. A. Saccardo et D. Saccardo fil.).

Vol. XVIII. Supplementum universale, Pars VII: Discomycetae-Deuteromycetae (P. A. 1906. Saccardo et D. Saccardo fil.).

1916 Vol. XIX. Index Iconum Fungorum A-L (P. A. Saccardo et J. B. Traverso).

1911.  $\label{eq:continuous} \begin{tabular}{l} Vol.~XX.~Index~Iconum~Fungorum,~M-Z.~Addition~supplemento~indicis~totius~(P.~A.~Saccardo~et~J.~B.~Traverso). \end{tabular}$ 

1919 Vol. XXI. Supplementum universale, Pars. VIII: Hymenomycetae-Phycomycetae (P. A. Saccardo et Alex. Trotter).

1913. Vol. XXII. Supplementum universale, Pars IX: Ascomyceteae-Deuteromycetae (P. A. Saccardo et Alex. Trotter).

1925. Vol. XXIII. Supplementum universale. Pars X: Basidiomycetae (Alex. Trotter).

1926. Vol. XXIV, Sect. I. Supp. univ. Pars X: Phymycetae, Laboulbeniomycetae, Pyrenomycetae p.p. (Alex. Trotter).

Vol. XXIV. Sect. 2, Supp. univ. Pars X: Pyrenomycetae p.p., Discomycetae, Appensix: Addendo ad Vol. XXIII-XXIV (Alex. Trotter). 1928.

Vol. XXV. Supp. univ. Pars X : Myxomycetae, Myxobacteriaceae, Deuteromycetae, Mycelia sterilia (A. Trotter). 1931.

## St. John-Brooks, R.

Catalogue of the National Collection of type cultures. Med. Research Council. Special Report Series No. 214, 159 pp.

#### Salmon, E. S.

1908. Uncinula incrassata, a new species of Ervsiphaceae from East Africa. Ann. Myc. 6, p. 525.

## Sampson, B. F. and Farren, J. F.

1942. Another Case of Torula Meningitis, S. Afric, Medical Journ, XVI, pp. 245-247, Pls. II-VI

#### Sartory, A

1913. Étude d'un Penicillium nouveau, Penicillium Gratioti n.sp. Ann. Myc. 11 pp. 161-165. Pl. IX.

### Sartory, A. and Sydow, H.

Étude biologique et morphologique d'un Aspergillus nouveau, Aspergillus Sartoryi Syd. n.sp. Ann. Myc. 11, pp. 156-160, Pl. VIII.

### Schaefer, E. E.

1936. The white fungus disease (Beauveria Bassiana) among red locusts in South Africa and some observations on the grey fungus disease (Empusa Grylli). Union of S. Africa, Dept. Agric. and Forestry, Sci. Bull. No. 160, 28 pp., 11 pls.

1941. A Fungus of the family Entomophthoraccae found on Sugar Ants (Campanotus sp.). Bothalia IV, pp. 237-241, Pls. I-VII.

### Schinz, Hans.

1905. Plantae Menyharthianae. Ein Beitrag zur Kenntnis der Flora des untern Sambesi. Denkschr d. math.-naturw. Klasse der k. Akad. der Wiss, Wien, LXXVIII. pp. 376–445. Portuguese translation: Contribuição para o estudas da flora do Zambesi inferior. Bol. da Soc. de Estudos da Col. da Moçambique V 1 (1936), No. 29.

#### Schultze, Leonhard.

1907. Aus Namaland und Kalahari. Bericht an die Kgl. Preuss. Akad. der Wissenschaften zu Berlin über eine Forschungsreise im weistlichen und zentralen Afrika, ausgeführt in den Jahren 1930-1905, pp. 705-706. Fungi von P. Hennings; Lichenes von Dr. Linden.

## Schwendener, Simon.

1863. Untersuchungen über den Flechtenthallus II. Laub- und Gallerflechten in v. Naegeli: Beiträge zur wiss. Botan. 3 Heft, pp. 127–198.

## Shapiro, B. G.

1941. Iodine treatment for Epidermophytosis interdigitale. Brit. Med. Journ. 1941, II, p. 877

## Simpson, M. W. and Talbot, P. H. B.

1946. An Enumeration of Fungi collected at Qudeni Forest Reserve, Zululand in February, 1945. South African Journal of Science 42, pp. 131-134 (read 2nd July, 1945).

#### Simson, F. W. and Barnetson, J.

1942. Histoplasmosis: report of a case. Journ. Path. and Bact. LIV, pp. 299-305, Pls. XXXIV-XXXV.

## Simson, F. W., Harington, C. and Barnetson, J.

1943. Chromoblastomycosis, a report of six cases. Journ. Path. and Bact. LV, p. 191.

## Simson, F. W., and Strachan, A. Sutherland.

1937. Rhinosporidiosis in man, with a report of five cases occurring in the Union of South Africa. S. African Journ. Med. Sci. II, pp. 82-88.

#### Singer, Rolf.

1942. Type Studies on Agarics. Lloydia 5, pp. 97-135.

1945. The Boletineae of Florida, with notes on extralimital species II. The Boletaceae (Gyroporoideae). Farlowia 2, pp. 223-303.

## Skaife, S. H.

1920. Some factors in the natural control of the wattle bagworm. South African Journ. Sci. 17 p. 290-301.

1921. Notes on some South African Entomophthoraceae. Trans. Roy. Soc. S. Africa IX, pp. 77-86, Pls. II-IV.

1925. The locust fungus, Empusa Grylli and its effects on its host. South African Journ. Sci. 22, p. 298.

#### Smith, Annie Lorrain.

1895. East African Fungi. Journ. Bot. London, XXXIII, pp. 340-344.

1898. Supplement to Welwitsch's African Fungi. Journ. Bot. London, XXXVI, pp. 177-180.

1901. Fungi in Catalogue of the African Plants collected by Dr. Friedrich Welwitsch in 1853–1861. Vol. II, Part II. Cryptogamia, pp. 464–479.

1926. Cryptotheciaceae, a family of primitive Lichens. Trans. Brit. Myc. Soc. XI, pp. 189-196.

1932. Notes from the British Museum Herbarium. New Lichens. Journ. Bot. London LXX, pp. 48-49.

### Smith, N. J. G.

1935. Notes on Geaster with special reference to the eastern Cape. Records of the Albany Museum IV, pp. 257-282, 2 pls.

1937. Leaf scald of barley in South Africa. S. African Journ. Sci. 34, pp. 286-290. 1 Text fog.

## Smith, N. J. O. and Pope, F. B.

1934. The Association between the Gasteromycete Polysaccum and Eucalyptus Roots. Proc. Brit. Myc. Soc., 20th Jan., 1934: Summary in Trans. Brit. Myc. Soc. XIX, p. 95.

## Smith, N. J. G. and Putterill, K. M.

1932. Pycnidia produced by Helminthosporium Parasites of Cereals and Wild Grasses. South Afric. Journ. Sci. 29, pp. 286-295, 5 text figs.

A Disease of Elausine and notes on invasion of phloem by Helminthosporia. South Afric. Journ. Sci. 30, pp. 198-205, 3 text figs.

## Smith, N. J. G. and Rattray, J. M.

Netblotch, Spotblotch and Leaf Stripe diseases of barley in South Africa. South Afric. Journ. Sci. 27, pp. 341-351, 4 text figs.

#### Solheim, W. G.

1929. Morphological studies of the genus Cercospora, Illinois Biol, Monogr. XII, 88 pp., 4 pls.

## Sparrow, Frederick J.

Aquatic Phycomycetes exclusive of the Saprolegniaceae and Pythium, Univ. of Michigan Press, Ann. Arbor, 785 pp., 69 figs.

#### Sprengel, Curt.

1827. Systema Vegetabilium (Caroli Linnaei). Editio decima sexta, Vol. IV, Pt. I. Lichens, pp. 237-310, Fungi, pp. 376-580.

#### Stein. Berthold.

1888. Über afrikanische Flechten. 66 Jahresber. Schlesisch für vaterl. Kultur, pp. 133-142.

#### Steiner. J.

1897. Flechten aus Britisch-Ostafrika. Sitzungsber. Kais. Akad. Math.-Naturw. Klasse, Wien, CVI, Abt. I, pp. 207-234.

1901. Lichenes apud K. Fritsch: Beitrag zur Flora von Angola. Bull. Herb. Boiss., 2 sér., I, p. 1085.

1907. Lichenes austro-africani. Bull. Herb. Boiss., 2 sér., VII, pp. 637-646.

#### Stevens. F. L.

1927. The Meliolineae I. Ann. Myc. 25, pp. 405-469. Pls. I-II.

The Meliolineae II. Ann. Myc. 26, pp. 165-383. Pls. II-VI.

#### Stevens, F. L. and Ryan, M. H.

1939. The Microthyriaceae. Illinois Biol. Monographs XVIII, No. 2, 138 pp.

## Stevenson, John A. and Cash, Edith K.

1936. The new fungus names proposed by C. G. Lloyd, Bull, of the Lloyd Library 35, Mycological series No. 8.

## Stevenson, John A. and Rands R. D.

An annotated list of fungi and bacteria Associated with sugar cane and its products. The Hawaiian Planters' Record, Vol. XLII, pp. 247-313.

#### Steyn, D. G.

Investigations into the cause and transmission of lumpy wool affecting Merino Sheep, and its treatment. 17th Report of the Director of Veterinary Services and Animal Industry, pp. 205-212.

1934. The toxicology of plants in South Africa, together with a consideration of poisonous foodstuffs and fungi. Central News Agency, Pretoria, 1934. 631 pp.

### Stirton, J.

1876. Descriptions of recently discovered foreign lichens. Proc. Philosoph. Soc., Glasgow, Vol. X, pp. 156-164.

1877. Additions to the Flora of South Africa. Trans. of the Glasgow Soc. Field Natur. 5, pp. 211-220.

1878. On certain lichens belonging to the genus Parmelia. Scottish Naturalist n.s. IV, pp. 200-203, 252-254, 298-299.

1881. On the genus Usnea and another (Eumitra) allied to it. Scottish Naturalist VI, pp. 98-109.

1882.

Notes on the genus Usnea. Scottish Naturalist VI, pp. 292-297. Notes on the genus Usnea. Scottish Naturalist, n.s. I, pp. 74-79. 1883.

## Stizenberger, Ernst.

1890.Lichenaea africana. Jahresber, d. St. Gallischen naturw. Ges. 1888-1889, St. Gallen. pp. 105-149.

- 1891. Lichenaea africana. Jahresber, d. St. Gallischen naturw. Ges. 1889-1890, St. Gallen pp. 133-268.
- 1893. Supplementa ad Lichenaeam africanum. I Denuo addenda et corrigenda. Jahresber. d. St.
- Gallischen naturw. Ges. 1891–1892, St. Gallen. pp. 86–96. Supplementa ad Lichenaeam africanum. II. Addenda et corrigenda ex annis 1893–1894. 1895. Jahresber, d. St. Gall'schen naturw, Ges., 1893-1894, St. Gallen, pp. 215-264.

### Sydow, H.

- 1921. Die Verwertung der Verwandtschaftverhältnisse und des gegenwärtigen Entwicklungsganges zur Umgrenzung der Gattungen bei der Uredineen. Annales Mycologici 19, pp. 161-175.
- 1922 a. Über einige wenig bekannte Uredineen aus dem Kew Herbar. Ann. Myc. 20, pp. 54-60 1922 b. Weitere Mittheilungen der Umgrenzung der Gattungen bei der Uredineen. Ann. Myc. 20, рр. 109-125.
- 1924 a. Beschreibungen neuer südafrikanischen Pilze IV. Ann. Myc. 22, pp. 235–258.
- 1924 b. Notizen über Ustilagineen. Ann. Myc. 22, pp. 277-291.
- 1924 c. Beschreibungen neuer südafkanischer Pilze V. Ann. Myc. 22, pp. 419-435.
- Über einige südafrikanischer Pilze. Ann. Myc. 24, pp. 265-272
- 1928. 1930.
- Novae fungorum Species XIX. Ann. Myc. 26, pp. 132–139. Novae fungorum Species XX. Ann. Myc. 28, pp. 432–447. Beschreibungen neuer südafrikanischer Pilze VI. Ann. Myc. 33, pp. 230–237. 1935.
- 1937. Novae fungorum Species XXV. Ann. Myc. 35, pp. 244–286.
  1938. Novae fungorum Specie XXVI. Ann. Myc. 36, pp. 156–197.
  1939 a. Beschreibungen neuer südafrikanischer Pilze VII. Ann. Myc. 37, pp. 181–196.
- 1939 b. Novae fungorum Species XXVII. Ann. Myc. 37, pp. 197-253.

See alsoDoidge and Sydow. Petrak and Sydow. Sartory and Sydow. Theissen and Sydow.

## Sydow, H. and P.

- 1901 a. Mycologische Mittheilungen. Hedwigia XL, pp. (1)–(3).
  1901 b. Fungi novi brasilienses a cl. Ule lecti. Bull. Herb. Boiss. 2 sér., I, pp. 77–85.
- Diagnosen neuer Uredineen und Ustilagineen nebst Bemerkungen zu einigen bereits bekannten Arten. Ann. Myc. I, pp. 15-23.
- 1904 a. Neue und kritische Uredineen II. Ann. Myc. 2, pp. 27-31.
- 1904 b. Novae fungorum Species. Ann. Myc. 2, pp. 162-174.
- Über eine Anzahl aus der Gattung Uromyces auszuschliessender resp. unrichtig beschriebener Arten. Ann. Myc. 6, pp. 135-143.
- 1909. Einige neue resp. bemerkenswerte Pilze aus Südafrika. Ann. Myc. 7, pp. 543-547.
- Fungi africani novi. Engler's Bot. Jahrb. 45, pp. 259–265. Novae fungorum Species VI. Ann. Myc. 9, pp. 142–146. 1910.
- 1911.

- 1912 a. Beschreibungen neuer südafrikanischer Pilze H. Ann. Myc. 10, pp. 33–45, Figs. I–III. 1912 b. Novae fungorum Species VII. Ann. Myc. 10, pp. 77–85. 1912 c. Beschreibungen neuer südafrikanischer Pilze II. Ann. Myc. 10, pp. 437–444, 2 text figs.
- 1913. Novae fungorum Species X. Ann. Myc. II, pp. 254–271.1914 a. Novae fungorum Species XII. Ann. Myc. 12, pp. 195–204.
- 1914 b. Beschreibungen neuer südafrikanischer Pilze III. Ann. Myc. 12, pp. 263-267.
- 1915. Novae fungorum Species XIII. Ann. Myc. 13, pp. 25-43.
- 1916. Novae fungorum Species XIV. Ann. Myc. 14, pp. 256–262.
  1917. Novae fungorum Species XV. Ann. Myc. 15, pp. 143–148.
  1918. Mykologische Mittheilungen. Ann. Myc. 16, pp. 240–248.
  1919 a. Mykologische Mittheilungen. Ann. Myc. 17, pp. 33–37.

- 1919 b. Über einige Uredineen mit quellbaren Membranen und erhöhter Keimporenzahl. Ann. Myc. 17, pp. 101-107.
- 1920 a. Novae fungorum Species XVI. Ann. Myc. 18, pp. 154-160.
- 1920 b. Notizen über interessante oder wenig bekannte Pilze. Ann. Myc. 18, pp. 178-187.

#### Sydow, P.

- 1899 a. Fungi natalenses. Hedwigia 38, pp. (130)-(134).
- 1899 b. Diagnosen neuer aus verschiedenen Gegenden stammender Pilze. Hedwigia 38, pp. (140)-

## Sydow, P. and H.

- Monographica Uredinearum seu specierum omnium ad hunc esque diem descriptio et adumbratio systematica.
- Vol. I. Genus Puccinia, pp. 1-970 cum XLV tabulis.
- Vol. II. Genus Uromyses, pp. 1-396 cum XIV tabulis. 1910.

- Vol. III. Pucciniaceae (excl. Puccinia et Uromyces), Melampsoraceae-Zaghouniaceae-Coleo-1015 sporaceae, pp. 1-726 cum 32 tabulis.
- 1924. Vol. IV. Uredineae imperfectae, pp. 1-671.

# Talbot, P. H. B. see Simpson, M. W. and Talbot, P. H. B.

## Taylor, Thomas.

1847. New Lichens, principally from the Herbarium of W. J. Hooker. Hooker's London Journ. Bot. 6, pp. 148-197.

#### Thaxter, Roland.

- On the Myxobacteriaceae, a new order of Schizomycetes. Bot. Gazette XVII, pp. 389-406 1892 with Plates XXII-XXV
- Preliminary diagnosis of new species of Laboulbeniaceae I. Proc. American Acad. Arts and Sci. 35, pp. 153-209.
- 1900 a. Preliminary diagnoses of new species of Laboulbeniaceae II. Proc. American Acad. Arts and Sci. 35, pp. 409-450.
- 1900 b. Preliminary diagnoses of new species of Laboulbeniaceae III. Proc. American Acad. Arts and Sci. 36, pp. 397-414.
- 1901. Preliminary diagnoses of new species of Laboulbeniaceae IV. Proc. American Acad. Arts Arts and Sci. 37 pp. 21-45.
- 1902 Preliminary diagnoses of new species of Laboulbeniaceae V. Proc. American Acad. Arts and Science 38, pp. 1-57.
- 1905. Preliminary diagnoses of new species of Laboulbeniaceae VI. Proc. American Acad. Arts and Sci. 41, pp. 303-318.
- 1918. Extra-American dipterophilous Laboulbeniales, Proc. American Acad. Arts and Sci. 53, pp. 697-749.
- Contribution towards a Monograph of the Laboulbeniaceae V. Memoirs of the American 1931. Acad. Arts and Sci. XVI, Part I, 375 pp., Pls. I-LX.

## Theissen, F.

- 1912 a. Zur Revision der Gattung Dimerosporium. Beihefte z. Bot. Centralbl. XXIX, Abt. II pp. 45-73.
- 1912 b. Fragmenta brasilica IV, nebst Bemerkungen über einige andere Asterina-Arten. Ann. Myc. 10, pp. 1-32.
- 1912 c. Fragmenta brasilica V. nebst Besprechung einiger palaeotropischer Microthyriaceen. Ann. Mye. 10. pp. 159-204.
- 1913 a. Die Gattung Asterina. Abhandlungen der K.K. zool-bot. Ges. Wien, Band VII, Heft 3, pp. 1-139, Taf. I-VIII.
- 1913 b. Lembosia-studien. Ann. Myc. II, pp. 425-467, mit Tafel XX.
- 1916 a. Beiträge zur Sysematik der Ascomyzeten. Ann. Myc. 14. pp. 401-439, Pl. I.
- 1916 b. Mykologische Abhandlungen. Verhandl. zool.-bot. Ges. Wien, LXVI, pp. 296-400, Tab. I, 14 figs.
- Mykologische Mittheilungen. Ann. Myc. 16, pp. 175-188. 1918.
- Neue Original-Untersuchungen von Ascomyzeten. Verhandl. der K.K. zool-bot. Ges. Wien, 1919. LXIX. pp. 1-24.

## Theissen, F. and Sydow, H.

- Dothideazen-Studien II. Ann. Myc. 12, pp. 168–281. Die Dothideales. Ann. Myc. 13, pp. 149–746, Pls. I–VI.
- Einige Nachträgliche Mittheilungen über Dothideen sowie über Erikssonia und verwandte 1916. Formen. Ann. Myc. 14, pp. 444-453.
- 1917 a. Die Gattung Parodiella. Ann. Myc. 15, pp. 125-142.
- 1917 b. Synoptische Tafeln. Ann. Myc. 15, pp. 389-488.

#### Thom, Charles.

The Penicillia. London, 1930, 643 pp., 98 figs. 1930.

## Thom, Charles and Church, M. B.

1926 The Aspergilli. Baltimore. 172 pp.

#### Thunberg, Carl Pehr.

- 1800. Prodromus Plantarum Capensium, quas in Promontorio Bonae Spei Africes annis 1772-1775 collegit. Upsula. Classis XX. Cryptogamia pp. 171-183.
- 1823 Flora capensis, sistens plantas promontorii Bonae Spei Africes, secundum systema sexuale emendatum, redactas ad classes, ordines, genera et species cum differentiis specificis, synonumis et descriptionibus. Ed. III. Classis XX. Cryptogamia, pp. 731–756.

## Torrend, Camillo,

- 1905. Primeira contribuição para o estudo da flora mycologica da provincia de Moçambique. Brotería IV, pp. 212-221.
- 1914. Fungi Selecti exsiccati. 3 Centurie. Broteria, Ser. Bot. XII, pp. 58-69.

#### Tranzschel, W.

1910. Die auf der Gattung Euphorbia auftretenden autöcischen Uromyces-arten. Ann. Myc. 8, pp. 1-35.

#### Trevisan, Victore,

- 1853 a. Tornabenia et Blasteniospora, nova Parmeliacearum gymnocarp. genera. Padova 1853.
- 1853 b. (1) Carateri essenziali di dodici nuovi generi di Licheni. (2) Revisione dei generi e delle specie enumerate dal dott. Massalongo nelle Ricerche sull'autonomia di Licheni crostosi, Verona 1853 (Spighe e paglie, pp. 1-20 and 49-64).
- 1856. Brigantiaea, novum Lichenum genus. Linnaea XXVIII, pp. 283-332.

## Tuckerman, Edward.

- 1860. Observations on North American and some other Lichens. Proc. American Acad. Arts and Sci. V, pp. 383-422.
- 1872. Genera Lichenum: An arrangement of the North American Lichens. Amherst, Massach., 281 pp.
- 1887. Observationes Lichenologicae No. 4. Observations on North American and other lichens. Proc. American Acad. Arts and Sci. XII, pp. 166-185.
- 1882. Synopsis of the North American Lichens, Part I, comprising the Parmeliacei, Cladoniei and Coenogoniei. Boston, 1882, xvii and 272 pp.
- 1888. Synopsis of the North American Lichens Part II, comprising the Lecideacei and (in part) the Graphidacei. New Bedford, 1888, 176 pp.

## Tulasne, L. R. and C.

1847. Mémoire sur les Ustilaginées comparées aux Uredinées Ann. Sc. Nat., 3 sér., VII, pp. 12-127

### Turner, F. A. S.

1936. Shell Bark (Decorticosis) of Lemon Trees. Farming in South Africa XI, p. 258.

#### Ullyett, G. C. and Schonken, D. B.

1940. A fungus disease of Plutelia maculipennis Curt. in South Africa, with notes on the use of entomogenous fungi in insect control. Union of South Africa, Dept. Agric. and Forestry, Sc. Bull. 218, 24 pp. 8 text figs.

# United States of America, Dept. Agric.

- Plant Quarantine and Control Administration: Service and Regulatory Announcements.
- 1929. Annual Letter of Information No. 41, pp. 157-234.
- 1932. List of Intercepted Pests: List of Pests recorded during the Period Jan. 1 1930 to June 30 1931 inclusive, as intercepted in, on or with Plants and Plant Products entering United States Territory, pp. 202-368.
- 1935. List of Intercepted Plant Pests, 1934.
- 1937. List of Intercepted Plant Pests, 1936.
- 1941. List of Intercepted Plant Pests, 1940.
- 1942. List of Intercepted Plant Pests, 1941.
- 1944. List of Intercepted Plant Pests, 1943.

# Vainio, E. A. (formerly Wainio).

- 1926. Lichenes Africani Novi. Ann. Univ. Fennicae, Aboënsis, Ser. A., Tome II., No. 3, pp. 1-33.
- 1929. Lichenes Mozambici. Coimbra, 1929.

## van der Byl, P. A.

- 1914. Preliminary investigation on the deterioration of maize infected with Diplodia Zeae (Schw.) Lév. Trans. Rov. Soc. South Afric. 4, pp. 231–239, 2 text figs.
- 1915 a. Die back of Apple Trees caused by Cytospora leucostoma (Pers.) Sacc. South Afric. Journ. Sci. 12, pp. 545-557, Pls. 24-25, 4 text figs.
- 1915 b. Note on the Genus Coniothecium Corda, with special reference to Coniothecium chomatossporum Corda. S. Africa. Journ. Sci. 12, pp. 649-657.
- 1916 a. Wilt or crown rot disease of carnations cuased by Fusarium sp. Ann. of Applied Biology 2, pp. 267-291.
- pp. 267-291.
  1916 b. A study of dry rot of maize caused by Diplodia Zeae. Union of S. Africa, Dept. Agric. Sci. Bull. 7, 60 pp.

- 1916 c. Note on Polyporus lucidus Leys, and its effect on the wood of the willow. South Afric. Journ. Sci. 13, pp. 506-515, Pls. 12-16, 6 text figs
- Fomes applanatus (Pers.) Wllr. in South Africa and its effects on the wood of the black iron-
- wood trees (Olea laurifolia). S. Afric. Journ. Sci. 14 pp. 485–492, Pls. 14-17, 2 text figs. 1918 a. Note on Polysaccum crassipes DC., a common fungus in Eucalyptus plantations round Pretoria. Trans. Roy. Soc. S. Afric. VI, pp. 209-214, pls. XXXIII-XXXVIII.
- 1918 b. Heart Rot of Ptaeroxylon utile (Sneezewood) caused by Fomes rimosus Berk. Trans. Roy. Soc. S. Afric. VI, pp. 215-226. Pls. XXXIX-XLIV.
  1918 c. Root disease in cane and suggestions for its control. Union of S. Africa, Dept. Agric. Bull.
- No. 4, 15 pp., 9 figs.
- 1918 d. A cane leaf Spot. Union of S. Africa, Dept. Agric. Sci. Bull. 10, 16 pp., 7 figs.
- 1918 e. Observations on a fungus (Cephalosporium sacchari Butler) which caused a red rot of sugar cane stems. Union of S. Africa, Dept. Agric. Sci. Bull. 11, pp. 1-8.
- The systematic position of the fungus causing root disease of sugar cane in Natal and Zululand. South Afric. Journ. Sci. 16, pp. 204-206.
- 1920 a. A pawpaw leaf spot caused by a Phyllosticta sp. S. Afric, Journ, Sci. 17, pp. 280-290.
- 1920 b. Note on the Ikowe or Natal Kaffir Mushroom, Schulzeria Umkowaan. S. Afric. Journ. Sci. 17, pp. 286-287.
- 1920 c. Preliminary studies on some fungi and bacteria responsible for the deterioration of South African sugars. Union of S. Africa, Dept. Agric. Sci. Bull. 12, 32 pp., 14 figs.
- 1920 d. A leaf spot of the peanut or monkey nut plant caused by the fungus Septogloeum arachidis Rac. Union of S. Africa, Journ. Dept. Agric. 1, pp. 528-530.
- 1920 e. Studies on some fungi and the deterioration of sugar. Union of S. Africa, Dept. Agric. Sc. Bull. 18, 19 pp.
- 1921 a. South African Xylarias occurring around Durban, Natal. Trans. Roy. Soc. S. Africa IX, pp. 181-184.
- 1921 b. On a fungus-Ovulariopsis papayae n, sp.-which causes powdery mildew on the leaves
- of the Pawpaw Plant (Carica papaya). Trans. Roy. Soc. S. Africa IX, pp. 187–190, 1 text fig. 1921 c. Note on Lysurus Woodii (MacOwan) Lloyd. Trans. Roy. Soc. S. Africa IX, pp. 191–194. 1921 d. The genus Tulostoma in South Africa. Trans. Roy. Soc. S. Africa IX, pp. 185–186, Plate IX.
- 1921 e. On some fungi from the air of sugar mills and their economic importance to the sugar industry. S. Afric. Journ. Sci. 18, pp. 232-233.
- 1921 f. A contribution of our knowledge of the Polyporaceae of South Africa. South Afric. Journ. Sci. 18, pp. 246-293.
- 1921 g. Notes on some interesting or little known South African fungi. S. Afric. Journ. Sci. 18, pp. 345-348. 1921 h. Notes on some sugar cane matters. 1. The fungi of cane. Union of S. Africa, Journ. Dept.
- Agric. 2, pp. 122-127.
- 1922 a. A fungus—Gibellula Haygarthii sp. nov.—on a spider of the family Lycosidae. Trans. Roy. 1922 b. Some South African Stereums. Trans. Roy. Soc. S. Africa X, pp. 151-157, 9 text figs. 1922 c. A host list of the Polyporeae occurring in the Union of South Africa. Kew Bull. 1922, рр. 177-182.
- 1922 d. Fungi of the Stellenbosch District and immediate vicinity. Trans. Roy. Soc. S. Africa X, pp. 281-288.
- 1923. Suid-Afrikaanse Dacryomycetaceae, Tremellaceae en Auriculariaceae. Ann. Univ. Stellenbosch, Jaargang I, Reeks A, Afl. 3, pp. 1-11, Figs 1-8.
- 1924 a. Notes on some South African Xvlarias. Trans. Roy. Soc. S. Africa XI, pp. 207-208.
- 1924 b. Descriptions of additional South African Polyporeae. S. Afric. Journ. Xci. 21, pp. 308-313.
- 1924 c. Suid-Afrikaanse Lentinus-Soorte. Ann. Univ. Stellenbosch, Jaargang II, Reeks A, Afl. 1, 11 pp., 7 figs.
- 1925 a. Descriptions of some previously unnamed South African Fungi. S. Afric. Journ. Sci. 22, pp. 167-169.
- 1925 b. Preliminary list of fungi from Knysna and surroundings in the author's herbarium. S. Afric. Journ. Sci. 22, pp. 191-196.
- 1926 a. Landmarks in the development of the science of plant pathology and of disease control. S. Afric. Journ. Sci. 23, pp. 42–60.
- 1926 b. Descriptions of some previously unnamed South African Fungi II. S. African Journ. Sci. 23, pp. 283-284.
- 1926 c. List of fungi recorded from the Pietersburg-Tzaneen area of the Transvaal. S. African Journ. Sei. 23, pp. 285-289.
- 1927. Descriptions of some previously unnamed South African Fungi III. S Afric. Journ. Sci. 24, pp. 225-226.
- 1928 a. Aantekeninge oor enige Suid-Afrikaanse swamme. S. Afric, Journ. Sci. 25, pp. 181-184.
- 1928 b. Descriptions of some previously unnamed South African Fungi IV. S. Afric, Journ. Sci. 25, pp. 185-187.

- 1929 a. Descriptions of some previously unnamed South African Fungi V. S. Afric. Journ. Sci. 26, pp. 318-319.
- 1929 b. The Fungous Flora of the Western Province of the Cape. In Botanical Features of the Southwestern Cape Province, Cape Town, 1929, pp. 99-117.
- 1929 c. Die Suid-Afrikaanse Thelephoraceae. Ann. Univ. Stellenbosch, Jaargang VII, Reeks A, Afl. 3, 52 pp., III pls.
- 'n Lys van Korsmosse (Lichenes) versamel in the Unie van Suid-Afrika en in Rhosedesië gedurende die tydperk 1917-1929. Ann. Univ. Stellenbosch, Jaargang IX, Reeks A, Afl. 3,
- 1932 a. Oor enige Suid-Afrikaanse Clavaria-soorte of Knotsswamme. S. Afric. Journ. Sci. 29, pp. 317-323, Pl. III.
- 1932 b. Die Swamfamilie Xylariaceae in die Unie van Suid-Afrika. Ann. Univ. Stell. Jaargang X, Reeks A, Afl, 3, 10 pp., 5 figs.
- 1933 a. Korsmosse van die Unie van Suid-Afrika. I. Familie Roccellaceae. II. Familie Teloschistaceae. Ann. Univ. Stell. Jaargang XI, Reeks A, Afl. 6, 18 pp., 10 figs.
- 1933 b. Korsmosse van die Unie van Suid-Afrika III. Familie Cladoniaceae. Ann. Univ. Stell.
- Jaargang XI, Reeks A, Afl. 4, 13 pp., 5 figs. Die Suid-Afrikaanse Hydnaceae of Stekelswamme. Ann. Univ. Stell. Jaargang XII, Reeks A, Afl. I, 9 pp., 2 pls.
- 1935 a. Korsmosse van die Unie van Suid-Afrika. V. Familie Collemaceae. Ann. Univ. Stell., Jaargang XIII, Reeks A, Afl. 4, 11 pp., 4 figs.
   1935 b. Korsmosse van die Unie van Suid-Afrika IV. Die geslag Ramalina. Ann. Univ. Stell., Jaar-
- gang XIII, Reeks A, Afl. 1, 13 pp., 12 figs.

#### van der Plank, J. E.

Sooty Blotch on citrus fruits. Union of S. Afric. Dept. Agric. Sci. Bull. 121, 12 pp., 2 figs. See also Doidge, E. M. and van der Plank, J. E.

#### van Wyk. J. A. and Verwoerd. L.

1938. The toxicity of South African creosote. Journ. S. Afric. Forestry Ass., 1938, pp. 47-50.

#### Verwoerd, L.

- 1924 a. Peronospora mesembryanthemi n.sp. die oorsaak van 'n donsige skimmelsiekte van Mesem-
- bryanthemum-soorte. Ann. Univ. Stell. Jaargang II, Reeks A, Afl. 1, pp. 13-23, figs. 1-3. 1925 a. Suid-Afrikaanse Lycoperdaceae en Nidulariaceae. Ann. Univ. Stellenbosch, Jaargang 3, Reeks A, Afil. I, pp. 1-45, III. 1-14.
- 1925.A contribution to our knowledge of the South African Hymenogastraceae. S. Afric, Journ. Sci. 22, pp. 161-160.
- 1926 a. Adisionele beskrywings van enkele Suid-Afrikaanse Gasteromycetes. S. Afric. Journ. Sci. 23, pp. 290-294.
- 1926 b. 'n Bydrae tot ons kennis van die Suid-Afrikaanse Ustilaginales of Brandswamme. Ann. Univ. Stell., Jaargang IV, Reeks A, Afl. 2, pp. 1-34, Pls. 1-6.
- 1928 a. On the validity of the monotypic genus Kupsura Lloyd. S.Afric. Journ. Sci. 25, pp. 225-226. 1928 b. Aantekenings oor 'n paar minder bekende Suid-Afrikaanse Swamme. S. Afric. Journ. Sci.
- 25, pp. 237-239. 1929 a. The biology, parasitism and control of Urocystis Tritici Koern., the causal organism of Flag Smut in Wheat (Triticum spp.) and recording the occurrence of Urocystis occulta (Wallr.) Rab. in South Africa as the cause of stem smut of rye. Union of S. Africa, Dept. Agric.
- Sci. Bull. 76, 52 pp., 8 pls. 1929 b. A preliminary check list of diseases of cultivated plants in the winter rainfall area of the Cape Province. Union of S. Africa, Dept. Agric. Sci. Bull. 88, 28 pp.
- Preliminary report on the occurrence in South Africa of black chaff disease in wheat. Ann.
- Univ. Stell., Vol. VIII, Sect. A. No. 6, pp. 1-4, 2 pls.
  1931 a. A preliminary list of fungi from the Bloemfontein District of the Orange Free State. S. Afric. Journ. Sci. 28, pp. 298-301.
- 1931 b. Die Besmettingsvermöß van die Teleuto-stadium van Puccinia graminis Pers, in Suid-Afrika. Ann. Univ. Stell., Jaargang IX, Reeks A, Afl. 2, pp. 1-7.
- Die physiologiese rasse van Puccinia triticina Eriks. wat in Suid-Afrika voorkom. S. Afric. 1937 Journ. Sci. 33, pp. 648-652. See also van Wyk, J. A. and Verwoord, L.

#### Verwoerd, L. and Dippenaar, B. J.

- 1930 a. Descriptions of some new species of South African Fungi and of species not previously recorded from South Africa. S. Afric. Journ. Sci. 27, pp. 326-330.
- 1930 b. On the occurrence of a berry wilt and rot of grapes (Vitis-vinefera caused by Sphaeropsis malorum Berk.) Union of S. Africa, Dept. Agric. Sci. Bull. 86, 16 pp.

### Verwoerd, L. and du Plessis, S. J.

- Descriptions of some new species of South African Fungi and of species not previously recorded in South Africa III. S. Afric. Journ. Sci. 28, pp. 290-297.
- Descriptions of some new species of South African Fungi and of species not previously recorded 1939 in South Africa IV. S. Afric. Journ. Sci. 29, pp. 313-316.
- Descriptions of some new species of South African Fungi and of species not previously recorded 1933. from South Africa V. S. Afric, Journ. Sci. 30, pp. 222-233,

#### von Flotow, Julius.

1843. Lichenen des Reisevereins und des Hochstetter'schen Herbarii. Linnea XVII, p. 15 et seq. Lichenes capenses p. 27.

### von Höhnel, Franz.

- 1905. Mykologische Fragmente II-XV. Oesterreich, bot. Zeitschr. LV, pp. 13, 51, 97, 106.
- 1909. Fragmente zur Mykologie VIII, nos. 354-406. Sitzungsber, der kaiserl. Akad. der Wissenschaften zu Wien, math-naturw. Klasse, CXVIII, Abt. 1, pp. 1157-1246.
- 1910 a. Fragmente zur Mykologie, X Mittheilung, nos. 468-526. Sitzungsber, der kaiserl. Akad. der Wissenschaften, Wien, math.-naturw. Klasse, XCIX, Abt. 1, pp. 393-473.
- 1910 b. Fragmente zur Mykologie. XI Mittheilung, nr. 527-573. Sitzungsber. k. Akad. Wissensch.
- Wien, math.-naturw. Kl. CXIX. Abt. 1, pp. 617-679.

  1910 c. Fragmente zur Mykologie. XII Mittheilung, nr. 574-671.

  Wien, math.-naturw. Kl. CXIX. Abt. 1, pp. 877-859.

  1910 d. Mykologische Fragmente. CXVIII. Über die Gattung Hyalodema. Annales Mycologici
- VIII, p. 590.
- Fragmente zur Mykologie. XIII Mittheilung, nr. 642-718. Sitzungsber, k. Akad, Wissensch.
- Fragmente zur Mykologie. XIV Mittheilung, nr. 719-792. Sitzungsber. k. Akad. Wissensch. 1912. Wien, math.-naturw. Kl. CXXI, pp. 339-424, 7 figs., 2 tab.

#### von Krempelhuber, A.

Geschichte und Literatur der Lichenologie von die ältesten Zeiten bis zum Schlusse des Jahres 1865. München (Wolf u. Sohn).

- Band I. Geschichte und Literatur, xiv 7, 616 pp.
- Band II. Die Flechten-Systeme und Flechten-Speizies, viii u, 776 pp. 1869.
- 1872. Band III. xvi u, 261 pp.
- 1870.
- Flechten, in Reise S.M. Fregatte Novara um die Erde I Bd., p. 107 Wien. Aufzählung und Beschreibung der Flechtenarten welche Dr. Heinrich Wawra, Ritter von 1876. Fernsee von zwei Reisen um die Erde mitbrachte. Verh. zool. bot. Ges. Wien, XXVI, pp. 433-446.
- 1877. Neue Beiträge zu Afrikas Flechten-Flora. Linnaea XLI, pp. 135-144.

### von Lagerheim, G.

Révision des Ustilaginées et des Urédinées contenues dans l'herbier de Welwitsch. Bol. da Soc. Broter., Coimbra, VII, Fasc. 2, pp. 126-135.

### von Linné, Carl. See Linnaeus.

### von Thuemen, F.

- 1875. Fungi austro-africani I. Flora LXVIII, pp. 378–380.
  1876 a. Diagnosen zu Thümen's "Mycotheca universalis". Flora LIX, pp. 203–208.

- 1876 b. Fungi austro-africani II, III, IV. Flora LIX, pp. 362–364, 423–426, 568–571.
  1877 a. Fungi austro-africani V. Flora LX, pp. 407–413.
  1877 b. Diagnosen zu Thümen's "Mycotheca universalis". Flora LX, pp. 169–174, 204–208.
- 1878 a. Fungi austro-africani VI. Flora LXI, pp. 353-358.
- 1878 b. Die Pilze des Weinstockes. Monographische Bearbeitung der sämtlichen bisher bekanntes, auf die Arten der Gattung Vitis vorkommenden Pilze. Wien 1878, 225 pp. 15 tab. Abstract
- in Journ. Bot. London, 16, pp. 155–156.

  1878 a. Diagnosen zu Thümen's "Mycotheca universalis". Flora LX, pp. 87–94, 104–112.

  1879. Diagnosen zu Thümen's "Mycotheca universalis". Flora LXII, pp. 94–96, 103–110, 123–128, 137-139.
- 1880
- Diagnosen zu Thümen's "Mycotheca universalis". Flora LXIII, pp. 312-322, 323-332. Diagnosen zu Thümen's "Mycotheca universalis". Flora LXIV, pp. 237-239, 251-255, 1881. 266-272, 297-303.

### Vouaux, Leon.

- 1913. Synopsis des Champignons parasites de Lichens, 2 Groupe-Discomycetes, Bull. Soc. Myc. Fr. XXIX, pp. 401-446, 447-494.
- 1914. Synopsis des Champignons parasites de Lichens (Suite). Bull. Soc. Myc. Fr. XXX, pp. 135-198.

### Wager, V. A.

- 1931. Diseases of plants in South Africa due to members of the Pythiaceae, Union of S. Africa, Dept. Agric, Sci. Bull. 105, 43 pp.
- 1932 a. Aster wilt in South Africa. S. Afric. Journ. Sci. 29, pp. 301-312.
  1932 b. Foot rot disease of pawpaws. Farming in S. Africa VI, pp. 435-437, 3 figs.
- 1932 c. "Leak" or soft rot disease of potatoes. Farming in S. Africa VI, pp. 465-466.
- 1933 a. Fusarium wilt of tomatoes in South Africa. S. Afric. Journ. Sci. 30, pp. 240-246.
- 1933 b. A stem rot of transplanted tomatoes due to Pythium aphanidermatum (Eds.) Fitz. S. Afric. Journ. Sci. 30, pp. 247-249.
- 1935 a. Brown rot of tomato fruits due to Phytophthora parasitica Dast. S. Afric. Journ. Sci. 32, рр. 235-237.
- 1935 b. Control of Downy Mildew in Cucumbers. Farming in S. Africa X, pp. 457-458, 472, 4 figs.
- 1937. Mango diseases in South Africa. Farming in S. Africa XII, pp. 321-324, 7 figs.
  1939 a. Alternario citri and the November Drop problem of Washington Navel oranges in the Kat River Valley. Union of S. Africa, Dept. Agric. Sci. Bull. 193, 17 pp.
- 1939 b. The navel end rot, splitting and large navel end problems of Washington Navel oranges in the Kat River Valley. Union of S. Afric., Dept. Agric. Sci. Bull. 194, 18 pp.
- Descriptions of the South African Pythiaceae with records of their occurrence. Bothalia IV, pp. 3-35, Figs. 1-18.
- 1942 a. Phytophthora cinnamomi Rands and wet soil as contributory factors in the dying back of Avocado Trees in Southern California. Hilgardia 14, pp. 519-531.
- 1942 b. Pythiaceous Fungi on Citrus. Hilgardia 14, pp. 535-547, 2 figs.

### Wainio, E. A. (later Vainio, q.v.).

- 1887. Monographia Cladoniarum universalis, Pars I. Acta Soc. Fauna et Flora Fennica, Helsingfors, IV, pp. 1-509.
- 1894 Monographia Cladoniarum universalis, Pars II. Acta Soc. Fauna et Flora Fennica, Helsingfors, X, pp. 1-498.
- 1897. Monographia Cladoniarum universalis, Pars III. Acta Soc. Fauna et Flora Fennica, Helsingfors, XIV, pp. 1-268.
- 1900 a. Reactiones lichenum a J. Müllero Argoviensi descriptorum. Mém. Herb. Boissier, No. 5,
- pp. 1-17. 1900 b. Lichenes in Schinz: Beiträge zur Kenntniss der afrikanischen Flora. Mém. Herb. Boissier, No. 20, pp. 4-5.
  - Lichenes in Catalogue of Welwitsch's African Plants, Vol. II, Pt. II, pp. 396-463.
- Annal. acad. Sc. Fennic., ser. A. Vol. VI, No. 7. 1915.
- 1921. Lichenes ab A Yasuda in Japonia collecti (Continuatio I). Bot. Magaz. Tokyo, XXXV, pp. 45-49.

### Wakefield, E. M.

- 1916. Fungi exotici XX. Kew Bull. Misc. Inf. 1916, pp. 71-77.
- Fungi exotici XXVI. Kew Bull. Misc. Inf., 1922, pp. 161-165. 1922.
- The genus Cystopus in South Africa. Bothalia II, pp. 242-246. 1927.
- 1931.
- Fungi exotici XXVII. Kew Bull. Misc. Inf. 1931, pp. 201–206. Fungi exotici XXVII. Kew Bull. Misc. Inf. 1931, pp. 201–206. 1931.
- African Fungi collected by O. A. Hφeg in 1929-1930, I-III. Kong. Norske Vidensk. Selskab 1936. Forhandl. 9, pp. 42-45, 46-49, 50-53.

### Wakefield, E. M. and Talbot, P. H. U.

Descriptions of Some New Hymenomycetes, Bothalia Vol. IV, Part 4, pp. 939-949. See also Massee, G. E. and Wakefield, E. M.

#### Walker, James.

- 1913. A short note on the occurrence of Aspergillus in the ostrich in South Africa. Trans. Roy. Soc. S. Africa 3, pp. 199-214, Pls. IX-X.
- Aspergillosis in the Ostrich chick (Synonyms: Yellow Fever, Chick Fever). Third and Fourth Reports of the Director of Veterninary Research, November 1915, pp. 537-573.

### Watt. John Mitchell and Brever-Brandwijk, M. G.

The Medicinal and Poisonous Plants of Southern Africa. CXXIV. Fungi, pp. 213-215. (Edin-

#### Wehmer, Carl.

1907. Zur kenntniss einiger Aspergillus-Arten. Centralbl. f. Bakt., 2 Abt., Bd. 18, pp. 394-395

### Welchman, W. and Pirie, J. H. Harvey.

A South African case of Mycetoma (" Madura Foot") caused by " Nocardia indica" (Dis-1921. comvces Madurae). Medical Journ. S. Africa XVII, pp. 6-9.

### Welwitsch, F. and Currey, F.

Fungi angolenses. A description of the fungi collected by Dr. Friedrich Welwitsch during the Years 1850-1861. Part I. Trans, Linnaean Soc. London 26, pp. 279-294, Pls. 17-20.

#### Werderman, E.

1923. Einige neue Pilze aus Natal. Fedde Rep. spec. nov. regnis veg. 19, pp. 49-54.

#### Weston, W. H.

1933. A New Sclerospora from Nyasaland. Phytopathology XXIII, pp. 587-595, Figs. 1-2.

#### Wickens, G. M.

Report of the Division of Plant Pathology for the Year ending December, 1936. Rhodesia 1937. Agric. Journ. 34, pp. 689-696.

### Wijers, Everdina E.

1937. Phytophthora Wilt in carnation plants. S. Africa, Journ, Sci. 34, pp. 194-213, 3 text figs.

### Willey, Henry,

Dermatiscum, a further note concerning. Bull. Torrey Bot. Club XIV, p. 222.

A Synopsis of the genus Arthonia. New Bedford (E. Antony & Sons), 62 pp. 1890.

#### Winter, G.

1884 b. Ueber die Gattung Corynelia. Ber. der deutschen bot. Gesellsch. II. pp. 120-123.

1884 b. Rabenhorstii Fungi europaei et extra-europaei exsiccat , cura Dr. G. Winter, Cent. XXXI

et XXXII. Hedwigia 23, pp. 164-175. 1884 c. Exotische Pilze. Flora LXVIII. pp. 259-267, Taf. IV.

1885 a. Rabenhorstii Fungi europaei et extra-europaei exsiccati, cura Dr. G. Winter. Centuria XXXIII et XXXIV. Hedwigia 24, pp. 252-264.

1885 b. Exotische Pilze II. Hedwigia 24, pp. 21-35.

1887. Rabenhorstii Fungi europaei et extra-europaei exsiccata, cura Dr. G. Winter, Centuria XXXV et XXXVI. Hedw g a 26, pp. 24-35.

#### Wolf, Fred T.

A contribution to the life history and geographic distribution of the genus Allomyces. Mycologia XXXIII, pp. 158-173.

### Wollenweber, H. W.

1916. Fusaria autographice delineata Nos. 1-509. Ed. I, 1917. Fusaria autographice delineata Annales Mycolog c 15, pp. 1-56.

Uber Fusarium roseum Lk. Ber, deutsches Bot, Gesellsch, 35, pp. 743-745.

Fusaria autographice delineata: Supplementum. Ed. 1, Nos. 510-659. Fusaria autographice delineata. Ed. 2, Nos. 1-659. 1494

Fusaria autographice delineata. Supplementum Nos. 660-1100. Ed. 1, m t index.

Fusarium-Monographie. Fungi parasitici et saprophytici. Parasitenkunde 3, pp. 259–516. Fusaria autographice delineata, Nos. 1101–1200.

1935.

### Wollenweber, H. W. and Reinking, O. A.

Die Fusarien, ihre Beschreibung, Schadwirkung und Bekampfung, Berlin, 355 pp. mit 95 Textabbildungen.

### Wood, J. Medley.

1883 Hemileia vastartrix. Rept. Natal Bot. Gard. 1882-3, pp. 7, 21-22.

Hemileia vastratrix in Rept. Natal Botan c Gardens for the Year 1884, p. 7.

1886. Hemileia vastatrix in Report Natal Botan c Society for the Year 1885, pp. 21-22.

Natal Fungi. Rept. Natal Bot. Gard. and Colonial Herb. for the Year 1898, pp. 10-19. 1898.

Rept. Natal Bot. Gard. for the Year 1899: Fungi, p. 6. Rept. Natal Bot. Gard. 1903-4. 1899.

1904.

Coffee and the Hemileia. Rept. Natal Bot. Gard. and Colonial Herb. 1906, pp. 13-17. 1906.

### Woodroof, Naomi C.

Two leaf spots of the peanut (Arachis hypogaea). Phytopathology 23, pp. 627-640, F gs. 1-6.

### Young, Elaine M.

1930. Physiological studies in relation to the taxonomy of Monascus spp. Trans. Wisconsin Acad. Sci. 25, pp. 227-244.

The morphology and cytology of Monascus ruber. American Journ, Bot. 18, pp. 499-517, Pls. XXXIX-XLI. See also Laughton (Mrs.) Elaine M.

#### Zahlbruckner, A.

- 1907. Lichenes, \( \beta \). Spezialler Teil in Engler und Prantl: Die natürlichen Pflanzenfamilien, I Teil,
- 1921 Neue Flechten IX. Ann. Myc. XIX, pp. 224-242.
- 1926 a. Lichenes B. Spezieller Teil in Engler und Prtl: Die natürlichen Pflanzenfamilien, Zweite Auflage, Bd. 8, pp. 61-270, 127 figs.
- 1926 b. Afrikanische Flechten (Lichenes) in A. Engler: Beiträge zur Flora von Afrika LII. Engl.
- Bot. Jahrb. LX, pp. 468-564.

  1926 c. Spiegazione delle Tavol Lichenologiche inedite di Abrama Massalongo. Estratto del volume giubilare "Abram. Massalongo 1824-1924", Verona. 9 col. pls.
- Lichenes in Africa lecti. Ann. Crypt. Exot. V, pp. 198-275. 1932.
- 1936. Neue Flechten XII. Ann. Nyc. XXXIV, pp. 159-179.

### Zah bruckner, A.

Catalogus lichenum universalis.

- 1922.
- Vol. I. Ascolichens: Pyrenocarpeae: Gymnocarpeae: Coniocarpineae. Vol. II. Gymnocarpeae: Graphidineae. Cyclocarpineae: Lecanactidaceae, Byssolomaceae, 1924. Chrysothricaceae, Thelotremaceae, Diploschistaceae, Ectolechiaceae, Gyalectaceae, Coenogoniaceae, Ephebaceae, Pyrenopsidaceae.
- 1925. Vol. III. Lichinaceae, Collemaceae, Heppiaceae, Pannariaceae, Stictaceae, Peltigeraceae, Lecideaceae pp.
- 1927. Vol. IV. Lecideaceae pp., Phyllopsoraceae, Cladoniaceae, Gyrophoraceae.
- 1928.
- 1930.
- Vol. V. Acarosporaceae, Pertusariaceae, Lecanoraceae.
  Vol. VI. Parmeliaceae, Usneaceae.
  Vol. VII. Caloplacaceae, Teloschistaceae, Buelliaceae, Physiaceae. Hymenolichenes, Lichenes 1931. Imperfecti.
- 1932. Vol. VIII. Supplementum. Addenda et corrigenda.
- 1934. Vol. IV. Index

### Zeller, S. M.

New and Noteworthy Gasteromycetes. Mycolog a 31, pp. 1-32, F gs. 1-53. 1939.

#### Zeller, S. M. and Dodge, C. W.

- 1918. Rhizopogon in North America. Ann. Mo. Bot. Gard. 5, pp. 1-36.
- Arcangeliella, Gymnomyces and Macowanites in North America. Ann. Mo. Bot. Gard. 6, 1919. pp. 183-192.
- 1929 Hysterangium in North America. Ann. Mo. Bot. Gard. 16, pp. 83–128. New Species of Hydnangiaceae. Ann. Mo. Bot. Gard. 22, pp. 365–373.
- 1935.
- Elasmomyces, Arcangeliella and MacOwan tes. Ann. Mo. Bot. Gard. 23, pp. 599-655. 1936. See also Dodge, C. W. and Zeller, S. M.

### Zschokke, E.

Schweizer Archiv. für Tierheilkunde Vol. LV, p. 641. 1913.

#### Zundel, G. L. I.

- 1930. Monographic Studies in the Ustilaginales attacking Andropogon. Mycologia 22, pp. 124-158.
- Notes on New Species of Ustilaginales. Mycologia 23, pp. 296-299. 1931.
- The Ustilaginales of South Africa. Bothalia 3, pp. 283–330. Studies of the Ustilaginales of the World. 1. Notes on Smuts reported on Cynodon Dactylon 1939 a. (L.) Pers. 2. A New Genus of the Ustilaginales from South Africa. Mycologia 31, pp. 572-576, Figs. 1-2.
- 1939 b. Additions and Corrections to Ustilaginales. North American Flora 7, pp. 971-1045.
   1943. Notes on the Ustilaginales of the World. 3. Mycologia 35, pp. 164-184, 4 figs.

## BIBLIOGRAPHY

# B.—TITLES OF WORKS, NOT INCLUDED IN THE GENERAL BIBLIOGRAPHY (A), CONSULTED IN COMPILING SECTIONS I-VII.

### Adamson, R. S.

1938. The Vegetation of South Africa. Monographs of British Empire Vegetation, London, 1938, 235 pages, 17 photographs, 23 figs., 12 maps.

#### Ainsworte, G. C. and Bisby, G. R.

1943. A Dictionary of the Fungi. 339 pages, 138 figs., Imperial Mycological Institute, Kew, Surrey.

#### B. ('Backhouse) G. B.

1869. James Backhouse. Seemann's Journal of Botany LXXIV, pp. 51-58.

#### Backhouse, James.

1844. A Narrative of a Visit to Mauritius and South Africa. London, 1844.

#### Baum, H.

1903. Kunene-Sambesi-Expetition. Berlin 1903, 593 pp., 12 Taf., 108 Abbildungen im Text.

#### Berkelev. M. J.

1842. Notice of some fungi collected by Ch. Darwin in South America and the Islands of the Pacific. Annals and Magazine of Nat. History IX, pp. 443-448.

#### Bird, John.

1888. The Annals of Natal, 1495-1845, Vol II. P. Davis & Sons, Pietermaritzburg.

#### Bisby, G. R., Buller, A. H. R. and Dearness, John.

1929. The Fungi of Manitoba, with a preface by E. J. Butler. Longmans, Green & Co.

#### Bottomley, Averil M.

 The development of South African mycology and of the mycological herbarium at Pretoria, South African Journ, Science 26, pp. 326-331.

### Brown, N. E.

1915. John Medley Wood, 1827-1915. Kew Bulletin 1915, pp. 417-419.

#### Brown, Mrs. R.

1937-1940. Consultant's Report on the Timber Research Laboratory, Johannesburg.

### Burchell, Wm. J.

1811-1815. Catalogus Geographicus. Ms. now in the Library of the Herbarium, Royal Botanic Gardens, Kew.

1822. Travels in Southern Africa. Vols. I and II.

#### Butler, E. J.

1929. The development of economic mycology in the empire overseas. Trans. Brit. Myc. Soc. XIV, pp. 1-18.

#### Chapman, James.

1868. Travels in the interior of South Africa, Vol. I.

### Darwin, Charles.

1837. Journal of Researches during the Voyage of H.M.S. Beagle.

### Evans, I. B. Pole.

1917 a. A Sketch of the Rise, Growth and Development of Mycology in South Africa. South African Journ. Science 13., pp. 97-116. Presidential Address, South African Ass. Adv. Sci., Section C. Pietermaritzburg, July, 1916.

1917 b. The Plant Geography of South Africa. Repreinted from the Official Year Book, 1917, 8 pp., XXIV pls., 1 map.

1920. The Veld: its resources and dangers. S. African Journ. Sci. 17, pp. 1–34, Pls. I-XXVIII. Presidential Address, South African Ass. Adv. Sci., Bulawayo, 1920. 1930. Alice Marguerite Pegler. Proc. Linnean Soc., London, 1929-1930, pp. 215-216.

1936. A vegetation map of South Africa. Bot. Survey of South Africa, Memoir No. 15, 23 pp., coloured map.

### Fairbridge, Dorothea.

1931. Historic farms of South Africa: the wool, the wheat and the wine of the 17th and 18th centuries. Oxford University Press, 1931.

#### Franklin, J. L. M.

1937. Uit die Lewe van 'n Beroemde Afrikaner, Christiaan Hendrik Persoon. Ann. Univ. Stell. 15, B. 4, pp. 1–102, 1 pl.

#### Harvey, W. H.

1838. Genera of South African Plants.

#### Hiern, W. P.

1896. Catalogue of the African Plants collected by Dr. Friedrich Welwitsch in 1853-1861. Introduction, pp. vii-xvii.

#### Jackson, Benjamen Daydon.

1912. Index to the Linnean Herbarium. Supplement to Proc. Linnean Soc., London, 1911-1912, 152 pp.

### Kirby, P. R.

1939. The Diary of Dr. Andrew Smith, 1834-1836. Introduction to Vol. 1. The van Riebeeck Society, Cape Town.

### Laidler, P. W.

1937. History of Medicine II. Medical establishments and institutions at the Cape during the opening years of the nineteenth century. Reprint from the S. African Medical Journal, July 10th, 1937.

### MacOwan, P.

1886, Personalia of Botanical Collectors at the Cape. Trans. S. African Philosophical Soc. Vol. IV (1884–1888), pp. xxx-liii.

1897. Report of the Government Botanist and Curator of the Cape Government Herbarium for the year 1896. Cape Town, 1897.

#### Martin, G. W.

Outline of the Fungi. Univ. Iowa, Studies Nat. Hist. 18 (Supplement).

### McKay, Helen, M.

1941. William John Burchell, Botanist. Part II. Journ. of S. African Botany, Vol. VII, pp. 61-76. Pls. V-VIII.

### Mentzel, O. F.

1787. A geographical and topographical description of the Cape of Good Hope, Vol. II. Part 3 of translation from the original German by G. V. Marais and Dr. J. Hoge. The van Riebeeck Soc., Cape Town, 1944.

#### Mitchell, D. T.

1918. a A condition produced in cattle feeding on maize infected with Diplodia Zeae. 7th and 8th Reports of the Director of Veterinary Research, Union of South Africa, 1918, pp. 425–437.

1918 b. The effects produces in cattle by feeding on Paspalum dilatatum infected with a species of ergot, Claviceps Paspall. 7th and 8th Reports of the Director of Veterinary Research, Union of South Africa, 1918, pp. 440-449.

1919. Poisoning of cattle by feeding on Paspalum dilatatum infected with Claviceps Paspali. S. African Journ, Science 16, pp. 391-396.

### Newman, W. A.

1855. Biographical Memoir of John Montagu. London and Cape Town, 612 pp.

#### Phillips, E. P.

A brief historical sketch of the development of botanical science in South Africa and the contribution of South Africa to Botany. S. African Journ. Science, Vol. 27, pp. 39-80.

### Ramsbottom, J.

William Norwood Cheesman, 1847-1925. Trans. Brit. Mycological Soc. Vol. XI, pp. 1-4.

### Rogers, A. W. and Haughton, S. H.

1940. Topography and Geology.—A. Topography. Official Year Book of the Union of South Africa, No. 21 (1940), pp. 16-23.

### Scherzer, Karl.

1861-3. Narrative of the Circumnavigation of the Globe by the Austrian Frigate Novara, undertaken by Order of the Imperial Government in the Years 1857, 1858 and 1859. Vol. I, 1861. Vol. II, 1862. Vol. III. 1863.

### Shinz, Hans.

1891. Deutsch-Südwest-Afrika. Forschungsreisen durch die deutschen Schutzgebiete Gross-Namaund Herero-land, nach dem Kunene, den Ngami-See und der Kalahari, 1884-1887. Oldenburg und Leipzig, 1891.

#### Schonland, S.

1910. Dr. Peter MacOwan, F.L.S. Kew Bulletin, 1910, pp. 84-90.

### Schumann, T. E. W.

1940. Climate and Meteorology. Official Year Book of the Union of South Africa, No. 21, 1940, pp. 37-55.

### Silberbauer, S. F. and Mirvish, L.

1927. Notes of cases of fungus poisoning. Journ. Medical Ass. of S. Africa, Vol. I, No. 21, pp. 549–553.

#### Theal, George McCall.

- 1907. History of South Africa south of the Zambesi. Vol. II. Foundation of the Cape Colony by the Dutch.
- 1910. History and Ethnography of Africa south of the Zambesi. Vol. III. The Cape Colony to 1795, the Koranas, Bantu and Portuguese in South Africa to 1800.

#### Theiler, A.

1927. Die Diplodiosis der Rinder und Schafe in Süd-afrika. Deutsch. Tierärztl. Wochenschr., Jahrgang 35, 1927.

#### Thompson, George.

1827. Travels and Adventures in Southern Africa, Vol. II.

### Thunberg, Charles Peter.

- 1795. Travels in Europe, Africa and Asia made between the Years 1770 and 1779. Vols. I and II (English Translation).
- 1823. Flora capensis, Ed. III. Introduction.

#### Verwoerd, Len.

1924. The ancestors of Christiaan Hendrik Persoon in Lloyd, Myc. Writ. 7, Myc. Notes No. 73, pp. 1301-1303.

#### Wallis, J. P. R.

1936. Fortune my Foe. The story of Charles John Anderssen, African Explorer. Jonathan Cape London.

### Wiltshire, S. P.

The organization of the study of systematic mycology. Trans. Brit. Myc. Sic. XXVII, pp. 1-12.

# INDEX.

# INDEX TO FUNGI AND LICHENS.

Synonyms are printed in italics.

		PAGE		PAGE
Abrothallus	Parmeliarum Nyl	223	Actinomyces mineaceus Lachner-Sandoval	664
Acarospora	angolensis H. Magn	288	Pijperi Sartory & Bailly	664
	austroafricana H. Magn	288	pretorianus Nannizzi	664
	bella Jatta		ruber Sartory & Bailly	664
	Bylii H. Magn		scabies Güssow	665
	calviniensis H. Magn		transvalensis Nannizzi	665
	capensis Zahlbr		Actinomyces sp	665
	cervina Massal	289		
			Actinomycetaceae	600
	citrina Zahlbr		Actinonema Rosac Fr	
	crassilabra Zahlbr		Actinopeltella nitida Doidge	213
	deserticola Zahlbr		Aegerita Penniseti P. Henn	-715
	Finckei Zahlbr	289	Aecidium acalyphicolum Doidge	452
	Finckei var. lobulata Zahlbr		Acanthopsidis Syd	452
	fuscata Arn	289	albilabrum Kalchbr452,	459
	immixta H. Magn	289	albo-atrum P. Henn	456
	initialis H. Magn		anceps Syd	452
	initialis var. perfectior H. Magn.		Ancylanthi P. Henn	452
	insculpta H. Magn		Antholyzae Bubak	453
	intermixta H. Magn		Ari Desm	450
	intrusa H. Magn	290	aroideum Cooke	450
	laeta H. Magn		australe Berk	453
	laeta var. annularis H. Magn		banketensis Hopkins	453
	laevigata H. Magn		Barleriae Doidge	453
	longispora H. Magn		Baumanianum P. Henn	453
	lucida H. Magn		Baumii P. Henn	453
	lüderitzensis H. Magn		benguellense Lagerh	453
	macrospora Bagl	290	Berkheyae P. Henn. & Evans	427
	meridionalis H. Magn	290	bicolor Sacc	453
	negligens H. Magn	291	Brideliae P. Henn. & Evans	399
	ochrophaea H. Magn		Brunswigiae P. Henn	454
	Örtendahlii H. Magn		Bulbinis P. Henn. & Evans	454
	perexigua Hue		Burtt-Davyi Doidge	454
	porinoides Zahlbr		Bylianum Syd	404
			coppose Pork & Curt	454
	Rhodesiae H. Magn		capense Berk. & Curt	
	socialis H. Magn		Cardiospermi Cooke	454
	Steineri H. Magn		Cephalandrae Cooke	405
	subbadia H. Magn		Cephalariae Syd	454
	subochracea H. Magn		Chlorophyti Kalehbr	458
	subtersa H. Magn	292	clarum Syd	454
	sulphurata var. austroafricana	,	Clematidis-brachiatae Doidge	454
	Zahlbr	288	clerodendricola P. Henn	455
	tenuis H. Magn	292	Cluytiae Doidge	455
	tersa Zahlbr		compositarum DC	459
	tersa var. bella Wain		Conyzae-pinnatilobatae Syd	455
	tersa var. tenuis Wain		Cookeanum de Toni	455
	tersa var, thaeodes Wain		Corycii Doidge	455
	tersa var. thaeodes Zahlbr		Crini Kalchbr	455
			anunticum Kalahhr & Caalaa	410
	thaeodes Massal		crypticum Kalchbr. & Cooke:	
	xanthophana Jatta		Cussoniae Kalchbr	456
	ceae		Davyi Syd	456
Achorion So	choenleinii Remak		decipiens Syd	429
Acremoniell	a sp		Denekiae Doidge	456
Acremoniun	n verticillatum Link	. 665	Dielsii P. Henn	456
Acremonium	n sp	665	Dinteri Doidge	456
	macrosporoidea Wiltsh		Diospyri A. L. Sm	456
	s africanus Nannizzi		Dipcadi-viridis Doidge	456
	bovis Harz		Dissotidis Cooke	431
	chromogenus Gasp		Doidgei Syd	456
	dermatonomus Bull		Dolichi Cooke	95
			dubiosum Syd	456
	Foulertoni Sartory & Bailly			397
	Leishmani Sartory & Bailly		elegans Diet	
	Leishmanii Erikson		Elytropappi P. Henn	457
	Madurae Lachner-Sandoval	664	Englerianum P. Henn & Lindau	457

		PA++E		PAGE
Aecidium	Eriospermi P. Henn	440	Accidium Senecionis f. Senecionis mikanoides	
	Evansii P. Henn	457	Thuem	456
	Fluggeae Doidge	457	f. Senecionis napifolii	
	flustra Berk	, 465	Thuem	459
	Garckeanum P. Henn	457	f. Senecionis quinquelohi	
	Gomphostigmae Doidge	457	Thuem	452
	habunguense P. Henn	458	Senecionum Desm	456
	Hartwegiae Thuem	458	Aecidium Serrae Syd	463
	Helichrysi Doidge	458	spinicolum Doidge	463
	heliotropicolum Talbot	458	Stoboene Kalchbr. & Cooke	427
	Hoffmanni Syd	4.58	talinophilum Syd	463
	Hibisci Cooke	457	Tetragonii Doidge	463
	Impatientis-capensis Doidge	458	Thunbergiae Cooke	428
	incertum Syd	459	Tinneae P. Henn	463
	inornatum Kalchbr	432	Transvaaliae P. Henn, & Evans	463
	Ipomocae Thuem	111	truncatum Kalchbr	417
	kakelense P. Henn	4.59	tubulosum Pat & Gaill	463
	Kraussiae Syd	4.59	Tylophorae Cooke	443
	Lebeckiae P. Henn	459	Uleanum Pazschke	463
	Leguminosarum Rabenh	441	Urgineae P. Henn. & Evans	463
	Liocarpum Syd	403	Urtica Schw	456
	Leonotidis P. Henn	416	Vangueriae Cooke	464
	litakunensis Doidge	4.59	Vernoniae-monocephalae Doidge	464
	longaënse P. Henn	4.59	Vernoniae-podocomae Doidge	464
	Loranthi Cooke	455	Viborgiae P. Henn	464
	Macarangae P. Henn	455	Vignae Cooke	464
	MacOwanianum Thuem	459	Vitis A. L. Sm	464
	MacOwanianum f. Conyzae pinnati-		Welwitschii Lagerh	462
	lobatae Thuem	456	Withanias Thuem	402
	Menthas D.C	420	Woodianum Doidge	465
	Menyharthi P. Henn	460	Aecidium sp	465
	Metalasiae Syd	460	Aegerita Penniseti P. Henn	715
	Moggii Doidge	460	Aethalium septicum Fr	85
	Myrsiphylli Kalchbr	419	Agaricaceae	552
	Nestlerae Doidge	460	Agaricus (Amanita) muscarius Linn. ex Fr	552
	Xidorellae Doidge	460	(Amanita) praetorius Fr	553
	ornamentale Kalehbr	433	campestris Linn	584
	Ornithogaleum Bubak	460	comtulus Fr	584
	Ornithogali Kalehbr	415	Dialeri Sace. & Trott	584
	Osteospermi Doidge	460	(Clitocybe) amarus Fr	574
	Osyridicarpi Mass	427	(Clitocybe) expallens Pers. ex Fr	554
	Oxalidis Thuem	460	(Clitocybe) fragrans Sow. ex Fr	555
	Pachystigmae Doidge	461	(Clitocybe) gentianeus Quél	555
	Pelargonii Thuem	412	(Clitocybe) laccata Scop. ex Fr	558
	Pentziae-globosae Doidge	461	(Clitocybe) membranaceus Fr	555
	permultum Syd	461	(Clitocybe) sinopicus Fr	555
	Pienarii Doidge	461	(Clitocybe) splendens Pers. ex Fr	555
	Pleetranthi Barel	461	(Clitocybe) trullas formis Fr	555
	Plectroniae Cooke	461	(Clitocybe) zizyphinus Vivian	555
	plectroniicola P. Henn	461	(Collybia) acervatus Fr	555
	Pottsii Doidge	462	(Collybia) alreolatus Kalchbr	555
	pretoriense Doidge	462	(Collybia) butyraceus Bull. & Fr	556
	Pyehnostaehydis Syd	462	(Collybia) chortophilus Berk	556
	Rafniae MacOwan	462	(Collybia) confluens Pers. ex Fr	565
	Ranunculacearum DC	462	(Collybia) dryophilus Bull. ex Fr	556
	Relhaniae Dipp	462	(Collybia) ertuberans Fr	556
	resinaecolum Wint	462	(Collybia) homotrichus Berk	556
	resinaecolum var. tumefaciens Wint	462 397	(Collybia) macilentus Fr	556
	Rhamni Pers	397	(Collybia) melinosarcus Kalchbr	556
	Rhamni f. Rhamni princides Thuem	95	(Collybia) radicatus Relh. ex Fr (Collybia) radicatus var. brachypus	557
	Rhynchosiae Cooke	462	Kalchbr	557
	rubellum Gmel	422	(Collybia) stridulus Fr	557
	Rumicis f. Rumicis Eckloniana		(Collybia) relutipes Fr	557
	Thuem	422	(Coprinus) ephemerus Bull. ex Fr	588
:	Schlechterianum P. Henn	463	(Crepidotus) applanatus Pers. ex Fr	577
	Senecionis Desm	452	(Crepidotus) episphaeria Berk	77

		PAGE		PAGE
Agaricus	(Crepidotus) Inandae Cooke	577	Agaricus (Naucoria) semiorbicularis Bull. ex	
	(Crepidotus) pogonatus Kalchbr	577	Fr	579
	(Crepidotus) proteus Kalchbr	581	(Naucoria) undulosus Jungh	579
	(Crepidotus) scalaris var. lobulatus		(Nolanea) castus MacOwan	582
	Kalchbr	577	(Omphalia) griseo-pallidus Desm	568
	cretaceus Fr	563	(Omphalia) integrellus Pers. ex Fr	-568
	(Entoloma) sagittaeformis Kalchbr. &		(Omphalia) linopus Kalehbr	568
	Cooke	582	(Omphalia) micromeles Berk. & Br	568
	(Flammula) alnicola Fr	577	(Omphalia) paurophyllus Berk	-569
	(Flammula) flavidus Schaeff. ex Fr	577	(Omphalia) polypus Kalchbr	-569
	(Flammula) Harmoge Fr	577	(Omphalia) rusticus Fr	-569
	(Flammula) Janus Berk. & Br	578	(Omphalia) scyphiformis Fr	569
	(Flammula) tilopus Kalchbr. & Mac		(Omphalia) scyphoides Fr	-569
	Owan	578	(Omphalia) syndesmius Kalchbr	-569
	(Galera) Eatoni Berk	578	(Omphalia) umbelliferus Linn. ex Fr.	
	(Galera) hypnorum Schrank. ex Fr	578	var. cinnabarinus Berk	569
	(Galera) peroxydatus Berk	578	(Panaeolus) caliginosus Jungh	589
	(Galera) tener Schaeff, ex Fr	578	(Panaeolus) campanulatus Linn. ex	
	(Hebeloma) spoliatus Fr	578	Fr	590
	(Hypholoma) Candolleanus Fr	583	(Panaeolus) fimicolus Fr	590
	(Hypholoma) capnolepis Kalchbr	583	(Panaeolus) papilionaceus Bull. ex Fr.	590
	(Hypholoma) fascicularis Huds ex Fr.		(Panaeolus) separatus Linn. ex Fr	587
	(Lepiota) africanus Kalchbr	561	(Pholiota) aurivellus Batsch ex Fr	580
	(Lepiota) atricapillus Cooke & Mass.	561	(Pholiota) mycenoides Fr	581
	(Lepiota) cuculliformis Fr	561	(Pholiota) spectabilis Fr	581
	(Lepiota) excoriatus Schaeff ex Fr	562	(Pholiota) togularis Bull. ex Fr	581
	(Lepiota) Kunzei Fr	562	(Pholiota) unicolor Vahl. ex Fr	580
	(Lepiota) magnannulatus Kalchbr	562	(Pleurotus) atro-caeruleus Fr	570
	(Lepiota) Montagnei Kalchbr	562	(Pleurotus) aureo-tomentosus Kalchbr.	570
	(Lepiota) polysarcus Kalchbr. & Mac	w (14)	(Pleurotus) caveatus Berk. & ('urt	570
	Owan	563	(Pleurotus) clusilis Kalchbr	570
	(Lepiota) procerus Scop. ex Fr	563	(Pleurotus) contrarius Kalchbr	570
	(Lepiota) pteropus Kalchbr. & Mac	m 0.0	(Pleurotus) flahellatus Berk. & Br	570
	Owan	563	(Pleurotus) gilvescens Kalchbr	571
	(Lepiota) rubricata Berk. & Br	563	(Pleurotus) limpidus Fr	571
	(Lepiota) sulfurellus Kalchbr. & Mac	×(10)	(Pleurotus) olearius D.C. ex Fr	571
	Owan	563	(Pleurotus) perpusillus Fr	571
	(Lepiota) varians Kalchbr. & Mac	F (2.5)	(Pleurotus) radiatim-plicatus Kalchbr.	571
	Owan	$\frac{563}{564}$	(Pleurotus) sciadeum Kalchbr. & Mac	~~ 1
	(Lepiota) Zeyheri Berk		Owan	571
	(Lepiota) Zeyheri var. telosus Kalchbr.		(Pleurotus) sciadeum var. salmoneus	1
	& MacOwan	563	Kalchbr. & MacOwan	$\frac{571}{572}$
	(Lepiota) Zeyheri var. verrucellosus	564	(Pleurotus) septicus Fr	572
	Kalchbr		(Pleurotus) striatulus Fr (Pluteus) cervinus Schaeff. ex Fr	
	muscarius Linn	552	(Psalliota) arvensis Schaeff, ex Fr	-582 $-584$
	(Mycena) actiniceps Kalchbr. &	566	(Psalliota) arvensis var. grossus Berk.	
	Cooke Kolobby	566	(Psalliota) campestris Linn. ex Fr	584
	(Mycena) argutus Kalchbr	566	(Psalliota) campestris (b) praticola	584
	(Mycena) capillaris Schum. ex Fr	566	(Psalliota) pratensis var. australis	204
	(Mycena) clavicularis Fr	566	Berk	585
	(Mycena) corticola Fr	566	(Psalliota) sylvaticus Schaeff. ex Fr.	585
	(Mycena) debilis Fr	567	(Psathyra) corrugis Pers. ex Fr	585
	(Mycena) dilatatus Fr	567	(Psathyra) spadiceo-griseus Schaeff ex	000
		556	Berk	585
	(Mycena) galeropsis Fr (Mycena) heliscus Berk. & Br	567	(Psathyrella) disseminatus Pers. ex	900
	(Mycena) hiemalis Osbeck ex Fr	567	Fr	590
	(Mycena) macrorrhizus Fr	567	(Psathyrella) gracilis Fr	590
	(Mycena) rhodiophyllus Kalchbr	567	(Psathyrella) pronus Fr	590
	(Mycena) rusarophytias Kalenbr	567	(Psathyrella) subtilis Fr	591
	(Mycena) tintinnabulum Fr	567	(Psathyrella) sp	591
	(Mycena) vitreus Fr	568	(Psilocybe) atrorufus Schaeff. ex Fr.	586
			(Psilocybe) atrorafus var. montanus	500
	(Naucoria) arenicola Berk	579	Pers. ex Fr	586
	(Naucoria) furfuraceus Pers. ex Fr	579	(Psilocybe) ericaeus Pers. ex Fr	586
	(Naucoria) pediades Fr	579	(Psilocube) foenisecii Pers, ex Fr	586
	(Naucoria) pygmaeus Bull. ex Fr	579	(Psilocybe) semilanceatus Fr	586

	PAGE		PAGE
Agaricus (Psilocybe) squalens Fr	586	Amanita phalloides Secr	553
(Psilocybe) taediosus Kalchbr	586	rubescens S. F. Grav	553
(Psilocybe) udus Pers. ex Fr	586	solitaria Secr	553
purpuratus Kalchbr. var. cinerea	567	Amanitopsis praetoria Sacc	.553
(Schulzeria) Umkowaani Cooke &	*****	Amaurochaetaceae	91
	593	Amaurochaete fuliginosa MacBr	91
Mass			
(Stropharia) melaspermus Bull. ex Fr.	587	Amauroderma argenteofulvum Doidge	503
(Stropharia) obturatus Fr	587	fuscoporia Wakef	503
(Stropharia) olivaceo-flava Kalehbr.		rugosum Lloyd	503
& MacOwan	587	Amazonia asterinoides Theiss	122
(Stropharia) semiglobatus Batsch ex		Goniomae Doidge	131
Fr	587	Amphiloma elegans Koerb	347
(Tricholoma) caffrorum Kalehbr. &		elegantissimum Müll. Arg	347
MacOwan	574	eudoxum Müll. Arg	347
(Tricholoma) caffrorum var. sulonensis	******	leucoxanthum Müll. Arg	349
Valabba & Mandaga	574		
Kalchbr. & MacOwan	574	Anaptychia corallophora Wain	369
(Tricholoma) Georgii Clus. ex Fr	574	dactyliza Zahlbr	375
(Tricholoma) melaleucus var. porphy-		granulifera Massal	369
roleucus Bull. ex Fr	575	hypoleuca Massal	370
(Tricholoma) ustalis Fr	.57.5	hypoleuca var. colorata Zahlbr.	370
(Volvaria) hombycinus Schaeff, ex Fr.	200	leucomela Massal	370
Aithaloderma capensis Doidge	192	leucomelaena Vain	370
Albuginaceae	96	leucomelaena var. angustifolia	010
Albugo austro-africana Syd	96	Müll. Arg	370
	97	lauroma la man manife da f	010
candida Kunze		leucomelaena var. multifida f.	9=0
candida f. Heliophilae P. Henn	97	squarrosa Vain	370
cubicus	97	obesa f. caesiocrocata Zahlbr	370
Evansii Syd	98	palpebrata Vain	370
Tragopogonis S. F. Gray	97	podocarpa Massal	370
Albugo sp	715	speciosa Massal	371
Alectoria chalybeiformis Röhl, f. terrestris		speciosa f. sorediosa Zahlbr	371
Stizenb	327	speciosa var. esorediata Vain	371
Alectoria jubata Ach	327	speciosa var. lobulifera Vain	371
usneoides Ach	330	Anelleria separata Karst	587
Aleurodiscus acerinus v. Höhn. & Litsch	479	Angelina nigro-cinna barina Berk. & ('urt	219
	4117		
acerinus var. longisporus	400	Antennaria (Coleroa) Engleriana v Höhn	144
v. Höhn. & Litsch	479	Anthostomella africana Berl. & Vogl	180
capensis Lloyd	484	capensis Doidge	180
cerrussatus v. Höhn. & Litsch	479	('assinopsidis Rehm	180
corneus Lloyd	484	Cassinopsidis Petr. & Syd	180
disciformis Pat	479	nigro-annulata Sacc	180
Allantonectria miltina Weese	146	Salaciae Doidge	180
Allarthothelium minimum Vain	234	Anthracophyllum nigrita Kalchbr	575
Allomyces arbusculus E. J. Butler	96	Anthracothecium biferum Zahlbr	226
Aloysiella ruwenzorensis Matir. & Sacc	144	duplicans Müll. Arg	226
Alternaria Allii Nolla	698		226
		pyrenuloides Müll. Arg	
Alternaria Brassicae Sacc		thelemorphum Zahlbr	226
Brassicae var. Phaseoli Brum	698	Thwaitseii Mül. Arg	226
circinans Bolle		variolosum Müll. Arg	226
('itri Ellis & Pierce	698	Anthurus Archeri Ed. Fisch	594
crassa Rands	698	MacOwani Marloth	594
cucumerina Elliott	698	Woodii MacOwan	595
Dianthi Stev. & Hall	699	Aphysa Lebeckiae Doidge	194
gossypina Hopkins	699	Rhynchosiae Theiss. & Syd	194
herculea Elliott	699	senniana Doidge	194
longipes Tisd. & Wadk	699		123
iongipes risu, & wauk		Appendiculella calostroma v. Höhn	
macrospora Zimm	699	Arachniaceae	599
macrospora (group)	702	Arachnion alborosella Verw	599
Solani Jones & Grout	699	album Schw	599
Solani (group)	700	firmoderma Verw	600
tabacina Hori	700	giganteum Lloyd	600
tenuis Nees	700	scleroderma Lloyd	600
Violae Gall. & Dors	700	Arcangeliella africana Zeller & Dodge	592
Alternaria sp		Arctomia muscicola A.L.Sm.	250
Amanita mappa Quél	552	Arcyria cinerae Pers	93
muscaria S. F. Gray	552	denudata Wettstein	94
pantherina Quél	553	incarnata Pers	94

	PAGE		PAGE
Arcyria insignis Kalchbr. & Cooke	94	Ascobolus ciliatus Berk	217
nutans Grev	94	ciliatus Schum	217
Oerstedtii Rost	94	furfuraceus Pers	216
pomiformis Rost	94	Ascobolus stercorarius Schröet	216
punicea Pers	94	Ascochyta Alkekengi Massal	633
serpula Mass	93	atropunctata Wint	633
Arcyriaceae	93	Calpurniae Wint	633
Armillaria mellea Quél	553		
		Charicae Pat	633
ramentacea Quél	554	Cherimoliae Thuem	633
Arrhenia cucullata	519	citricola McAlp	633
Arthonia albida Willey	235	Dianthi Berk	641
Arthonia angulata Fée	234	Kentiae Maubl	634
angulosa Müll. Arg	234	Nicotianae Pass	634
antillarum Nyl	234	Papaveris Oud	634
argentea Stiz	236	parasitica Fautr	634
calospora Müll. Arg	234	Pisi Lib	634
capensis Stizenb	224	Ascophanus durbanensis v. d. Byl	216
cinnabarina Wallr	234	granulatus Speg	216
circumscissa Merrill	234	granuliformis Boud	216
consanguinea Willey	236	Ascophanus sp	216
dispersa Nyl	234	Ascostratum insigne Syd	112
fusconigra Nyl	234	Ascotricha chartarum Berk	141
gregaria Körb	234	Aseroë rubra la Bill.	594
	234		109
hormidiella Stirt		Ashbya Gossypii Guill	
lecideicarpa Zahlbr	234	Ashbyaceae	109
melanopsis Stirt	236	Aspergillus amstelodami Thom & Church	665
nana Stizenb	234	candidus Link	665
oblongula Müll. Arg	235	carbonarius Thom	665
obvelata Willey	236	eburneus Biourge	666
palmicola Ach	235	flavus Link	666
platygraphidea Nyl	235	fumigatus Fres	666
polymorpha Ach	235	glaucus Link	666
propinqua Nyl	235	minutus Gilman & Abott	666
pyrenuloides Müll. Arg	235	niger van Tiegh	666
rubrofuscescens Vain	235	ochraceus (series)	667
variabilis Müll. Arg	235	melleus Yukawa	667
violascens Flotow	236	parasiticus Speare	667
	235		667
Wilmsiana Müll. Arg	234	repens Sacc	667
Arthoniaceae		repens-glaucus (series)	
Arthopyrenia alboatra Müll. Arg	227	Sartoryi Syd	667
capensis Zahlbr	227	sulphureus Thom & Church	667
Cinchonae Müll. Arg	227	Sydowi Thom & Church	667
Cinchonae var. fumida Stiz enb	227	terreus Thom	667
fallax Arn	227	versicolor Tirab	667
Knysnana Zahlbr	227	Welwitschiae P. Henn	667
leucanthes Zahlbr	227	Aspergillus sp	667
norata Massal	227	Aspicilia nubila Hue	305
paraphysata Zahlbr	227	Asterella infuscans Sacc	207
pruinoso-grisea Müll. Arg	227	phaeostroma Sacc	122
recepta Müll. Arg	228	Rehmii P. Henn	203
simulans Müll. Arg	228	Asterina africana Doidge	203
Arthothelium abnorme Müll. Arg	235	Asterina africana var. Kiggelariae Doidge	204
	235	aulica Syd	204
albidum Müll. Arg	236		205
album Zahlbr	236	Balansae var. africana Theiss	204
argenteum Zahlbr		Bosmanae Doidge	
consanguineum Müll. Arg	236	Bottomleyae Doidge	204
fusconigrum Müll. Arg	236	capensis Kalchbr. & Cooke	128
melanopsis Zahlbr	236	capparidicola Doidge	204
michylum Vain	236	celtidicola P. Henn	203
obvelatum Müll. Arg	236	celtidicola var. microspora Doidge	203
phaeosporum Zahlbr	236	clausenicola Doidge	204
psyllodes Zahlbr	236	Combreti Syd	-204
psyllodes var. precursum		Combreti var. kutuensis v. Höhn	204
Zahlbr	236	confluens Kalchbr. & Cooke 205	
violascens Zahlbr	236	crotonicola Doidge	205
Arthrobotryum melanoplaca Berk. & Curt	734	crotoniensis Ryan	205
Arthrosporium parasiticum Wint	733	delicata Doidge	
zironrosportum parastoleum with	190	actionia Doinge	, 200

internspicua Doidge 201 influseans Wint 207 interrupta Wint 195 Knysnae Doidge 207 loranthicola Syd 207 MacOuvaniana Kalchbr & Cooke 137 myriadea Cooke 143 natalensis Doidge 207 nodosa Doidge 207 nodosa Doidge 207 nodosa Doidge 207 Oncinotidis Doidge 208 Pavoniae Werd 208 Peglerae Doidge 208 Peglerae Doidge 208 Pegrear Doidge 208 peraffinis Speg 208 polythyria Doidge 208 peraffinis Speg 208 praticulata Kalchbr. & Cooke emend 208 praticulata Kalchbr. & Cooke emend 209 probusta Doidge 212 Rinoreae Doidge 209 Saniculae Doidge 209 Saniculae Doidge 209 Saniculae Doidge 209 Scolopiae Doidge 209 Scolopiae Doidge 209 Scolopiae Doidge 209 Scolopiae Doidge 209 Saniculae Doidge 209 Scolopiae Doidge 209 Saniculae Doidge 209	oidge.	2111 203 197 2111 200 201 201 201 201 201 201 2111 2111 618 685 201 647 479
dissiliens Var. senegalensis Doidge 201 ditricha Kalchbr. & Cooke 205 erysiphoides Kalchbr. & Cooke 206 Excoccariae Doidge 206 firmoriata Kalchbr. & Cooke 206 gerbericola Doidge 206 gerbericola Doidge 206 Grewiae Cooke 205, 206 Grewiae Cooke 205, 206 Grewiae var. zonata Doidge 201 infuscans Wint 207 interrupta Wint 195 Knysnae Doidge 207 loranthicola Syd. 207 loranthicola Syd. 207 MarOmmiana Kalchbr. & Cooke 137 myriadea Cooke 143 natalensis Doidge 207 nodosa Doidge 207 nodosa Doidge 207 nodosa Doidge 207 Ookinotidis Doidge 208 Peglerae Doidge 208 Peglerae Doidge 208 pemphidioides Cooke 208 peraffinis Speg 208 pemphidioides Cooke 208 peraffinis Speg 208 penphidioides Cooke 208 peraffinis Speg 208 praticulata Kalchbr. & Cooke emend. Doidge 209 robusta Doidge 209 Saniculae Doidge 209	ndiae	197 2111 200 201 201 201 197 201 201 211 211 211 211 618 685 201 647 479
dissiliens var. senegalensis Doidge 201 ditricha Kalchbr. & Cooke elegans Doidge 205 erysiphoides Kalchbr. & Cooke emend. Doidge 206 Excoccariae Doidge 206 Excoccariae Doidge 206 ferruginosa Doidge 206 firmbriata Kalchbr. & Cooke 206 Fleuryae Doidge 206 gerbericola Doidge 206 gerbericola Doidge 207 gibbosa var. maqathyria Doidge 211 Grewiae Cooke 205, 206 Grewiae var. zonata Doidge 207 inconspicua Doidge 201 infuscans Wint 207 interrupla Wint 195 Knysnae Doidge 207 Jacobana Visit Doidge 207 Asterodothis Doidge 207 Asterostroma Ralchbr. & Cooke 137 myriadea Cooke 143 natalitia Diodge 207 Oncinotidis Doidge 207 Oncinotidis Doidge 208 Pavoniae Werd 208 Peglerae Doidge 208 Pavoniae Werd 208 Peraffinis Speg 208 peraffinis Speg 208 peraffinis Speg 208 praticulata Kalchbr. & Cooke emend Doidge 209 robusta Doidge 209 robusta Doidge 209 Saniculae Doidge 209	oidge.	2111 2000 2011 2011 2011 2011 2011 2111 2111 2111 6188 5201 647 2099 647 479
ditricha Kalchbr, & Cooke clegans Doidge crysiphoides Kalchbr, & Cooke emend, Doidge Excoccariae Doidge Excoccariae Doidge ferruginosa Doidge ferruginosa Doidge grebericola Doidge grebericola Doidge Grewiae Var. zonata Doidge Grewiae var. zonata Doidge Hendersoni Doidge infuscans Wint infuscans Wint infuscans Wint infuscans Wint infuscans Kalchbr, & Cooke  MacOraniana Kalchbr, & Cooke  Macoran	pidge.	200 201 201 201 197 201 201 201 211 211 211 618 685 201 647 479
clegans Doidge	ndiae	200 201 201 197 201 201 201 211 211 211 211 618 685 201 647 479
erysiphoides Kalchbr. & Cooke emend. Doidge	ndiae	201 197 201 201 201 201 211 211 211 618 685 201 647 479 479
Excocariae Doidge 206 ferruginosa Doidge 206 fimbriata Kalchbr. & Cooke 206 Fleuryae Doidge 206 gerbericola Doidge 206 gerbericola Doidge 206 Grewiae Cooke 205, 206 Grewiae var. zonata Doidge 207 infuscans Wint 207 infuscans Wint 207 interrupta Wint 195 Knysnae Doidge 207 loranthicola Syd 207 MacOvaniana Kalchbr. & Cooke 137 myriadea Cooke 143 natalensis Doidge 207 nodosa Doidge 207 nodosa Doidge 207 Oncinotidis Doidge 208 Peylerae Doidge 208 Peylerae Doidge 208 Peylerae Doidge 208 Personiae Werd 208 Peylerae Doidge 208 peraffinis Speg 208 phacostroma Cooke 122 polythyria Doidge 208 ratio-flashis Theiss 208 praripoda Doidge 208 ratio-flashis Theiss 208 ratio-flashis Theis 208 ratio-flashis Doidge 209 rati	ndiae	201 197 201 201 201 211 211 211 211 618 685 201 647 479 479
Fxcoceariae Doidge	ndiae	201 201 201 201 201 201 201 211 211 618 685 201 647 479 479
ferruginosa Doidge fimbriata Kalchbr. & Cooke 206 filmbriata Kalchbr. & Cooke 206 feluryae Doidge 206 gerbericola Doidge 206 gerbericola Doidge 216 Grewiae Cooke 205, 266 Grewiae var. zonata Doidge 206 Hendersoni Doidge 207 infuscans Wint 207 interrupta Wint 195 Knysnae Doidge 207 loranthicola Syd 207 loranthicola Syd 207 modosa Doidge 207 nodosa Doidge 207 Oxyanthi Doidge 208 Peglerae Doidge 208 pemphidioides Cooke 208 peraffinis Speg 208 practiculata Kalchbr. & Cooke 122 polythyria Doidge 208 racticulata Kalchbr. & Cooke 122 Rinoreae Doidge 209 Saniculae Doidge 209 Scolopiae Doidge 209 Scolopiae Doidge 209 Scolopiae Doidge 209 Scolopiae Doidge 209 Saniculae Doidge 209 Scolopiae Doidge 209 Saniculae Doidge 209 Scolopiae Doidge 205 Scolopiae	ndiae	201 201 201 201 211 211 211 618 685 201 647 479 479
fimbriata Kalchbr. & Cooke 206 Fleuryae Doidge 206 gerbericola Doidge 206 gerbericola Doidge 207 gibbosa var. magathyria Doidge 211 Grewiae Cooke 205, 206 Hendersoni Doidge 207 inconspicua Doidge 207 infuscans Wint 207 interrupta Wint 195 Knysnae Doidge 207 loranthicola Syd 207 MacOwaniana Kalchbr. & Cooke 137 myriadea Cooke 137 myriadea Cooke 137 muriadea Cooke 137 modosa Doidge 208 natalitia Diodge 207 nodosa Doidge 207 Oncinotidis Doidge 208 Pavoniae Werd 208 Peglerae Doidge 208 pemphidioides Cooke 208 peraffinis Speg 208 peraffinis Speg 208 phacostroma Cooke 122 polythyria Doidge 208 ratio-fassilis Theiss 208 raripoda Doidge 209 robusta Doidge 209 Saniculae Doidge 209	ndiae	201 201 201 201 211 211 211 618 685 201 647 479 479
Fleuryae Doidge gerbericola Doidge 206 gerbericola Doidge 206 glibbosa var. maqathyria Doidge 211 Grewiae Cooke 205, 266 Grewiae var. zonata Doidge 206 Grewiae var. zonata Doidge 206 Hendersoni Doidge 207 internata Wint 207 interrupta Wint 195 Knysnae Doidge 207 loranthicola Syd 207 loranthicola Syd 207 matalitia Diodge 207 matalitia Diodge 207 matalitia Diodge 207 nodosa Doidge 207 nodosa Doidge 207 nodosa Doidge 207 nodosa Doidge 207 Oncinotidis Doidge 208 Peylerae Doidge 208 Peylerae Doidge 208 Peylerae Doidge 208 Perlerae Doidge 208 Perlerae Doidge 207 Asterodithis solaris Theiss 206 pernfiling var. Re Doidge 207 Asteromyra inconspicua Doidge 207 Asterostromella eugenicola Doidge 207 Asterostromella Rumpiana Talbot. Asterostroma cervicolor Mass. Asterostromella Rumpiana Talbot. Astrostorila Brunchelliae Doidge 207 Asteromyra var. Re Doidge 207 Asteromyra inconspicua Doidge 207 Asteromyra inconspicua Doidge 207 Asterostromella eugenicola Doidge 207 Astrosporina maritima Rea 207 Astrosporina maritima Rea 207 Astrosporina maritima Rea 208 Auricularia auricula-judae Secr 208 Auricularia auricula-judae Secr 208 Geletat Henn 208 Emini P. Henn 209 Emini P. Henn 208 E	ndiae	201 211 201 211 211 211 618 685 201 647 479 479
gerbericola Doidge 206 gibbosa var. maqathyria Doidge 205 Grewiae Cooke 205, 206 Grewiae var. zonata Doidge 206 Hendersoni Doidge 207 infonospicua Doidge 207 infuscans Wint 207 interrupta Wint 195 Knysnae Doidge 207 loranthicola Syd 207 MacOwaniana Kalchbr & Cooke 137 myriadea Cooke 143 natalensis Doidge 207 nodosa Doidge 207 nodosa Doidge 207 nodosa Doidge 207 opaca Syd 207 Oxyanthi Doidge 207 Oxyanthi Doidge 208 Peglerae Doidge 208 pemphidioides Cooke 207 pharostroma Cooke 208 peraffinis Speg 208 practiculata Kalchbr & Cooke 208 practiculata Kalchbr & Cooke 209 polythyria Doidge 209 robusta Doidge 209 Saniculae Doidge 209 Saniculae Doidge 209 Saniculae Doidge 209 Scolopiae Doidge 209 Saniculae Doidge 205 Saniculae	ndiae	211 201 211 211 211 618 685 201 647 479 479
Grewiae Cooke 205, 206 Grewiae Var. zonata Doidge 206 Hendersoni Doidge 207 infuscans Wint 207 interrupta Wint 195 Knysnae Doidge 207 Ioranthicola Syd 207 Ioranthicola Syd 207 Indialensis Doidge 208 matalitia Diodge 208 matalitia Diodge 207 modosa Doidge 207 Oncinotidis Doidge 207 One Syd 207 Operating Wint 207 Indialensis Doidge 208 matalitia Diodge 207 Operating Syd 208 Peglerae Doidge 208 Perficial Syd 209 Performs var. Reficial Syd 207 Performs var. Reficial Syd 209 Performs var. Reficial Syd 209	ndiae	201 211 211 211 618 685 201 647 479 479
Grewiae Cooke	ndiae	211 211 618 685 201 647 479 479
Grewiae var. zonata Doidge	ndiae	211 618 685 201 647 209 647 479
Hendersoni Doidge 207 inconspicua Doidge 207 infuscans Wint 207 interrupta Wint 195 Knysnae Doidge 207 Jordanthicola Syd. 207 MacOvaniana Kalchbr. & Cooke 137 myriadea Cooke 143 natalensis Doidge 208 natalitia Diodge 207 nodosa Doidge 207 Oncinotidis Doidge 207 Oncinotidis Doidge 208 Peylerae Doidge 208 Peylerae Doidge 208 Peraffinis Speg 208 peraffinis Theiss 206 radio-fissilis Theiss 206 radio-fissilis Theis 208 rairupoda Doidge 209 robusta Doidge 209 robusta Doidge 209 robusta Doidge 209 Saniculae Doidge 209 Saniculae Doidge 209 Saniculae Doidge 209 Scolopiae Doidge 209 Saniculae Doidge 209 Scolopiae Doidge 209 Saniculae Doidge 209 Scolopiae Doidge 209 Scolopiae Doidge 209 Saniculae Doidge 209 Scolopiae Doidge 200 S	ndiae	618 685 201 647 209 647 479
Infuscans Wint		618 685 201 647 209 647 479
infuscans Wint		685 201 647 209 647 479 479
Knysnae Doidge 207		201 647 209 647 479 479
Doranthicola Syd		647 209 647 479 479
MacOwaniana Kalchbr. & Cooke       137         myriadea Cooke       143       Visci Doidge         natalitia Diodge       208       Asterostroma cervicolor Mass         natalitia Diodge       207       Astrosporina maritima Rea         Oncinotidis Doidge       204       Astrosporina maritima Rea         Opaca Syd       207       Astrosporina maritima Rea         Oxyanthi Doidge       208       Auerswaldia disciformis Wint         Oxyanthi Doidge       208       Auerswaldia examinans Sacc         Pavoniae Werd       208       Auricularia auricula-judae Secr         Peglerae Doidge       208       delicata Henn         peraffinis Speg       208       Emini P. Henn         phacostroma Cooke       122       flava Lloyd         polythyria Doidge       208       fusco-succinea P. Henn         punctiformis var. fimbriala Theiss       206       mesenterica Fr         raripoda Doidge       208       mesenterica Fr         raripoda Doidge       208       mesenterica Fr         raticulata Kalchbr. & Cooke emend.       Doidge       209         rbhamnicola Doidge       209       ornata Pers         rbeat Aller Aller Aller       Auriculariaceae         Rinoreae Doidge       <		209 647 479 479
myriadea Cooke 143 matalensis Doidge 208 natalitia Diodge 207 nodosa Doidge 207 nodosa Doidge 207 nocinotidis Doidge 204 opaca Syd 207 Oxyanthi Doidge 208 Pavoniae Werd 208 Peglerae Doidge 208 peraffinis Speg 208 peraffinis Speg 208 peraffinis Speg 208 punctiformis var. fimbriata Theiss 208 raripoda Doidge 208 ratioulata Kalchbr. & Cooke emend Doidge 209 Rinoreae Doidge 209 Rinoreae Doidge 209 Saniculae Doidge 209 Saniculae Doidge 209 Scolopiae Doidge 209 Scolopiae Doidge 209 Asterostroma cervicolor Mass		6479479479
matalitia Diodge 208 natalitia Diodge 207 nodosa Doidge 207 Astrosporina maritima Rea 208 Auricularia exa 208 Emini P. Henn planticularia exa 208 fuscular a varicularia exa 208 Federa 209 Auricularia exa 209 Federa 209 F		$\frac{479}{479}$
natalitia Diodge 207 nodosa Doidge 207 nodosa Doidge 207 Oncinotidis Doidge 204 opaca Syd 207 Oxyanthi Doidge 208 Pavoniae Werd 208 Peglerae Doidge 208 peraffinis Speg 208 peraffinis Speg 208 punctiformis var. fimbriala Theiss 208 raripoda Doidge 209 robusta Doidge 209 robusta Doidge 209 Saniculae Doidge 209 Saniculae Doidge 209 Scolopiae Astrotheliaccae Actrotheliaccae Actrotheliaccae Scolopiae		479
Normal		
Oncinotidis         Doidge         204         Astrotheliaceae           opaca         Syd.         207         Auerswaldia disciformis         Wint.           Oxyanthi         Doidge         208         Auerswaldia examinans         Sacc.           Pavoniae         Werd.         208         Auerswaldia examinans         Sacc.           Peglerae         Doidge         208         Auricularia         auricula-judae         Secr.           pemphidioides         Cooke         208         Emini         P. Henn.         P.		576
opaca Syd. 207 Oxyanthi Doidge 208 Pavoniae Werd 208 Peglerae Doidge 208 pemphidioides Cooke 208 peraffinis Speg 208 phacostroma Cooke 122 polythyria Doidge 208 radio-fissilis Theiss 208 raripoda Doidge 208 reticulata Kalchbr. & Cooke emend. Doidge 209 robusta Doidge 209 Rinoreae Doidge 209 Saniculae Doidge 209 Saniculae Doidge 209 Scolopiae Doidge 209		231
Oxyanthi Doidge 208 Pavoniae Werd 208 Peglerae Doidge 208 peraffinis Speg 208 peraffinis Speg 208 polythyria Doidge 208 punctiformis var. fimbriata Theiss 206 radio-fissilis Theiss 208 raripoda Doidge 208 reticulata Kalchbr. & Cooke emend Doidge 209 robusta Doidge 209 robusta Doidge 209 Saniculae Doidge 209 Saniculae Doidge 209 Scolopiae Doidge 209 Secolopiae S		115
Pavoniae Werd		113
pemphidioides Cooke 208 delicata Henn peraffinis Speg 208 Emini P. Henn pharostroma Cooke 122 flava Lloyd polythyria Doidge 208 fusco-succinea P. Henn 208 punctiformis var. fimbriala Theiss 206 lobata Sommerf adio-fissilis Theiss 208 mesenterica Fr 208 raripoda Doidge 208 mesenterica var. lobata Qu nigra P. Henn 209 ornata Pers 209 rhamnicola Doidge 212 polytricha Sacc 209 robusta Doidge 209 robusta Doidge 209 Saniculae Doidge 209 Saniculae Doidge 209 Scolopiae Doidge 209 Scolopiae Doidge 209 Saniculae Doidge 209 Saniculae Doidge 209 sanylothelia Vain 200 Auriculariaceae 209 amylothelia Vain 200 Auriculae III Vain 200 Auriculae III Vain 200 Auriculae III Vain 200 Auriculae Auri		113
peraffinis Speg.   208		471
phaeostroma Cooke		471
polythyria Doidge		471
punctiformis var. fimbriata Theiss. 206 radio-fissilis Theiss 208 mesenterica Fr rarripoda Doidge 208 reticulata Kalchbr. & Cooke emend. Doidge 209 ornata Pers. rhamnicola Doidge 212 Rinoreae Doidge 209 robusta Doidge 209 saniculae Doidge 209 Saniculae Doidge 209 Saniculae Doidge 209 Scolopiae Doidge 209		471
radio-fissilis Theiss		471
raripoda Doidge 208 mesenterica var. lobata Qu reticulata Kalchbr. & Cooke emend.  Doidge 209 ornata Pers rhamnicola Doidge 212 polytricha Sacc 212 polytricha Sacc 209 robusta Doidge 209 Auriculariaceae Saniculae Doidge 209 Bacidia aemula Zahlbr Scolopiae Doidge 209 amylothelia Vain 209		471
reticulata Kalchbr. & Cooke emend.  Doidge		471
Doidge     209     ornata Pers       rhannicolu     212     polytricha Sacc       Rinoreae Doidge     209     squamosa Pat. & Har       robusta Doidge     209     Auriculariaceae       Saniculae Doidge     209     Bacidia aemula Zahlbr       Scolopiae Doidge     209     amylothelia Vain		471
rhamnicola     Doidge     212     polytricha     Sacc       Rinoreae     Doidge     209     squamosa     Pat. & Har       robusta     Doidge     209     Auriculariaceae       Saniculae     Doidge     209     Bacidia     aemula     Zahlbr       Scolopiae     Doidge     209     amylothelia     amylothelia		472
Rinoreae Doidge 209 squamosa Pat. & Har robusta Doidge 209 Auriculariaceae Saniculae Doidge 209 Bacidia aemula Zahlbr Scolopiae Doidge 209 amylothelia Vain amylothelia Vain		
robusta Doidge		471
Scolopiae Doidge		471
		263
		263
secamonicola Doidge		263
similis Cooke		263
solaris Kalchbr. & Cooke		263
sphaerasca Thuem		263
stylospora ('ooke		263
Syzygii Doidge		264
tenuis Wint		264
tertia var. africana Doidge		264
toruligena Cooke		264
Trichiliae Doidge		264
Trichocladi Doidge		264
uncinata Doidge		264
undulata Doidge	in	264
vagans Speg	in	264
vagans var. subreticulata Theiss	in	265 265
van der Bylii Werd	in	
Woodiana Doidge	in	26
Woodii Doidge	n	265
xumenensis Doidge	in	263 263

	PAGE		PAGE
Bacidia lugubris Zahlbr	265	Blastenia praemicans Zahlbr	34:
luteola Mudd	265	psorothecioides Zahlbr	34:
luteola f. chlorotica Zahlbr	265	Punicae Zahlbr	34:
luteola f. conspondens Zahlbr	265	punicea Müll. Arg	34:
medialis Zahlbr	265	seductric Zahlbr	34:
millegrana Zahlbr	266	subsalicina Zahlbr	34:
proposita Zahlbr	266	testaceorufa Zahlbr	34;
rufata Zahlbr	266	vasquesia Massal	34;
sabuletorum Lettau	266	Blastocladiaceae	96
stupposa Zahlbr	266	Blastocladiales	96
subluteola Zahlbrsubspadicea Zahlbr	$\frac{266}{266}$	Bolbitius Boltonii Frbulbillosus Fr	576 576
trifaria Zahlbr	266	fragilis Fr	576
Bactridium flavum Kunze & Schum	716	liberatus Kalchbr	576
Badhamia affinis Rost	83	MacOwani Kalchbr	576
foliicola Lister	83	mitraeformis Berk	576
macrocarpa Rost	83	Boletoideae	551
nitens Berk	83	Boletus bovinus Linn. ex Fr	551
rubiginosa var. dictyospora Lister	84	collinitus Fr	551
utricularis Berk	84	cutipes Mass	55 l
varia Mass	84	edulis Bull. ez Fr	551
Badhamia sp	84	elegans Fr	552
Baeomyces capensis Tayl	361	eximius Peck	551
monocarpus Ach	287	flavidus Fr	551
Baeomyces roseus Pers	282	granulatus Linn	552
Bagnisiopsis disciformis (Wint)	$\frac{115}{146}$	Grevillei Klotzsch	552
Balansia Cynodontis Syd Trachypogonis Doidge	147	luteus Linnsanguineus Linn	552 538
Balansia sp	146	stellenbossiensis v.d. Byl	552
Balladyna leonensis Syd	122	subflammeus Berk	552
tenuis Hansf	122	versicolor Linn	540
ugandensis Syd	122	Boletus sp	552
velutina v. Höhn	122	Bombyliospora aureola Zahlbr	343
Balladynastrum glabrum Hansf	123	domingensis Zahlbr	343
Balladynella confusa Hansf	140	domingensis var. colorate Vain	343
Basisporium gallarum Molliard	686	domingensis var. flavidula	344
Batarrea Diqueti Pat. & Har	612	domingensis var. flavocrocea	
phalloides Pers	612	Zahlbr	343
Stevenii Fr	612	domingensis var. glaucotropa	211
Baumiella caespitosa P. HennBeauveria Bassiana Vuill	$\frac{140}{668}$	Vain:	344
globulifera F. Picard	668	Malme	344
Belonidium capense Sacc	219	domingensis var. inspersa Stei-	011
Beniowskia Penniseti Wakef	715	ner	344
Beniowskia sphaeroidea Mason	715	flavidula Zahlbr	344
Biatora decipiens Fr	270	flavocrocea Massal	343
melampepla Tuck	267	incana A.L.Sm	344
triptophylla corallinoides Floerke	255	leprolyta Zahlbr	344
Zeyheri Massal	279	tuberculosa Massal	344
Biatorella Armstrongiae Zahlbr	292	tuberculosa f. geotropa Zahlbr.	344
austroafricana Zahlbr	292	zuluensis Vain	344
clavulus Zahlbr	292	Borrera capensis Ach	353
lugens Zahlbr	292	chrysophthalma Ach	353
palmeti Zahlbr	$\frac{293}{293}$	flavicans Ach	$\frac{355}{370}$
robiginans ZahlbrBispora effusa Peck	688	pubera Ach	355
Blastenia Acaciae Zahlbr	341	pubera var. capensis Ach	353
aspicilioidea Zahlbr	341		635
Brunnthaleri Zahlbr	341	Botryodiplodia Oncidii Petr. & Syd	
capensis Trevis	353	Palmarum Petr. & Syd	635
confluens Müll. Arg	342	Theobromae Pat	635
ferruginea Massal	348	Botryosphaeria Mali V. A. Putterill	171
imponens Zahlbr	342	Botryosphaeria Ribis Shear, Stev. & Wilcox	171
laingsbergensis Zahlbr	342	Ribis chromogena Shear, Stev.	
leptospora Zahlbr	342	& Wilcox	171
ochracea var. parvula Zahlbr	342		
poliotera Müll. Arg	342	Vitis Sacc	171

	PAGE		PAGE
Botrytis Allii Munn	668	Buellia insidians Zahlbr	362
cinerea Pers	668	italica Massal	362
Fabae Sard	669	italica var. debanensis Bagl	362
Botrytis sp	669	italica var. recobarina Massal	362
Bottaria pyrenuloides Trevis	226	langbaanensis Vain	362
thelemorpha Wain	226	Lauri-cassiae Müll. Arg	362
Thwaitesii Wain	558	Lauri-cassiae var.macrosperma Zahlbr.	
Borista castanea Lév	603	leucina Müll. Arg	362
cervina Berk	603	lutata Zahlbr	362
citrina Bottomlev	600	meizocarpa Vain	363
juglandiformis Berk	603	melanthina Zahlbr	363
lilacina Mont. Berk	602	micromera Vain	363
oblongispora Bottomley	600	microsperma Müll. Arg	363
pusilla de Toni	607	minutula Arn	366
umbrina Bottomley	600	myriocarpa de Not	365
Zeyheri Berk	603	myriocarpella Oliv	367
Bovistella aspera Lloyd	604	natalensis Vain	363
oblongispora Lloyd	(500)	nesiotis Zahlbr	363
Bovistoides simplex Lloyd	612	Ocoteae Vain	363
Brachysporium Faureae P. Henn	692	oleicola Zahlbr	363
pulviniforme Syd	692	olivacea Müll. Arg	363
Brigantiaea Mariae Trevis	279	pachnodes Zahlbr	363
Broomeia congregata Berk	600	pachysporiodes Vain	363
ellipsospora v.Höhn	601	parasema de Not. var. disciformis Th.	
Buellia abstracta Oliv	358	Fr	360
aethalea Th. Fr	3.58	parasema var. sanguinea Müll. Arg	360
aethaloëssa Zahlbr	358	parasema var. vulgata Th. Fr	
afra Wain	358	perigrapta Zahlbr	364
africana Müll. Arg	358	permodica Zahlbr	364
africana Tuck	358	perspersa Steiner	364
albinea Müll. Arg	359	praelata Zahlbr	364
albula Müll. Arg	359	procellarum Massal	
ambusta Zahlbr	359	procellarum var. continuior Steiner	364
anatolodia Massal	359	procellarum var. repens Steiner	364
angulosa Steiner	359	proserpens Müll. Arg. var. continuior	
antarctica Massal	366	Steiner	364
antarctica var. effusa Massal	366	proserpens var. repens Steiner	
antarctica var. insularis Massal	366	protothallina Vain	
Brugierae Vain	3.59	protothallina var. indissimilis Vain	
Brunnthaleri Zahlbr	3.59	punctata Massal	
callaina Zahlbr	359	punctata f. marcidula Zahlbr	
callispora var. tetrapla Steiner	359	punctata f. punctiformis Hazsl	
callisporioides Vain	359	punctata var. aequata Zahlbr	
cangoënsis Vain	359	punctiformis Massal	
catalipa Massal	361	pura Vain	
coeruleata Zahlbr	360	quaterna Zahlbr	
contingens Zahlbr	360	rhodesiaca Zahlbr	
dialytella Vain	360	rinodinea Massal	
diorista Zahlbr	360	rudis Zahlbr	
disciformis Mudd	360	rusticorum Zahlbr	
disciformis f. vulgata Oliv	360	Schinziana Müll. Arg	
disciformis var. cinereopruinosa Vain.	360	spuria Anzi	366
disciformis var. lecanactina Steiner	360	spuria var. ferruginea Vain	
disciformis var. sanguinea Zahlbr	360	spuria var. insularis Jatta	
discolorans Zahlbr	360	stellulata Mudd	
dispersa Massal	361	stellulata f. albosparsa Stizenb	
distrahens Vain	361	stellulata f. hybrida Zahlbr	
distrata Zahlbr	361	stellulata f. murina Zahlbr	
durbana Vain	361	Stizenbergeri Zahlbr	
endorhodina Vain		subalbula Müll. Arg	
epichlora Zahlbr	361	subcinerascens Zahlbr	
glencairnensis Zahlbr	361	subdisciformis Vain	
halonia Tuck	361	subtristis Zahlbr	
incrustans Steiner	361	transvaalica Zahlbr	
incuriosa Zahlbr	361	triplicans Zahlbr	
indissimilis B. de Lesd	364	vernicoma Tuck	
inquilina Tuck	362	verruculosa Mudd	. 367

	PAGE		PAGE
Buellia viridiatra Zahlbr	367	Caloplaca fecunda Zahlbr	347
Buelliaceae	358	ferruginea Th. Fr	348
Bulgariastrum africanum Syd219,		ferruginea f. erysibe Jatta	348
bullatum Doidge	648	ferrugineovirens Zahlbr	348
Bulliardella capensis Doidge	215	flava Zahlbr	348
Byliana Halleriae Dipp	199	flavorubens Zahlbr	348
Byssochlamys nivea Westling	111	flavovirescens Dalla Torre & Sarnth.	348
Byssoloma tricholomum Zahlbr, f. confluens	240	gracilescens Zahlbr	348
Vain	246	granulosa Jatta	348
Byssospora stupposa Massal	266	haematodes Zahlbr	349
Caeoma Clematidis Thuem	393	Hampeana Zahlbr	349
Caeoma Heteromorphae Doidge	$\frac{465}{465}$	lamprocheila Flagey	349
Lichtensteiniae Doidge	395	leptopisma Zahlbr	349
nervisequum Thuem.,	462	leucoxantha Zahlbr massula Zahlbr	349 349
Ricini Schlecht	395	mastophora Zahlbr	349
Caliciaceae	233	mastophora var. flavorubescens	040
Calicium turbinatum Pers	233	Vain	349
Callopisma capensis Massal	345	murorum Th. Fr	349
cinnabarinum Müll. Arg	346	Neethlingii Zahlbr	350
cinnabarinum var. opacum Müll.		Nideri Steiner var. pruinosula	
Arg	346	Zahlbr	350
crocodes Massal	346	nolens Zahlbr	350
flavum Müll. Arg	348	Odoardii Zahlbr	350
haematodes Massal	349	orichalcea Zahlbr	350
teicophilum Massal	352	pallidior Zahlbr	350
zambesicum Müll, Arg	352	pallidior f. opaca Zahlbr	350
Calloriopsis gelatinosa Syd	221	perexigua Zahlbr	350
Calocera cornea Fr	476	phlogina Flagey	350
Calonectria capensis Doidge	147	placidia Steiner	351
Cephalosporii Hansf147,		platyna Zahlbr	351
decora Sacc	147	poliotera Steiner	342
leucorrhodina Speg	147 147	punicea Jatta	$\frac{343}{351}$
rigidiuscula Sacc	147	pyracea Th. Frpyracea f. pyrithromoides Oliv	351
Ugandae Hansf147,		pyracea f. subpicta Zahlbr	351
Calopeltis Jasmini Doidge	202	pyracea var. pyrithroma Flagey	351
Caloplaca amphidoxa Zahlbr	344	pyropoecila Zahlbr	351
aurantiaca Th. Fr	345	pyropoeciloides Zahlbr	351
aurantiaca f. fulva Zahlbr	345	regalis Zahlbr	351
benguellensis Zahlbr	345	regalis f. prostrata Zahlbr	351
calviniana Zahlbr	345	sophodes Zahlbr	351
capensis Zahlbr	345	subcerina Zahlbr	352
cardinalis Zahlbr	345	subseptata Zahlbr	352
carphinea Jatta var. scoriophila		subsoluta Zahlbr	352
Steiner	345	subpunicolor Zahlbr	352
catachista Zahlbr	345	sympageëlla Zahlbr	352
cerina Th. Fr	345	tegularis Sandst	352
cinnabarina Zahlbr	346	teicophila Zahlbrtheloschistoides Zahlbr	$\frac{352}{352}$
cinnabarina var. opaca Zahlbr	$\frac{346}{350}$	zambesica Zahlbr	352
cinnabarina var. pallidior Jatta cinnabarina var. subfulgescens	550	Caloplacaceae	341
Zahlbr	350	Calosphaeria cylindrica Sacc	170
cinnabariza Zahlbr	346	Calosphaeria princeps Tul	167
coccinella Zahlbr	346	Calospora arausiaca Sacc	167
conchiliata Zahlbr	346	Calospora Bottomleyae Doidge	167
crocodes Zahlbr	346	Calothyrium Psychotriae Doidge	212
delectans Zahlbr	346	Calvatia caelata Morg	601
diploplaca Zahlbr	347	candida Hollós	601
diploplaca var. gracilior Zahlbr	347	Fontanesii Lloyd	601
discolorella Zahlbr	347	gigantea Lloyd	601
Ecklonii Zahlbr	347	incerta Bottomley	601
effusa Merrill	347	lepidophora Lloyd	601
elegans Th. Fr	347	lilacina P. Henn	601
elegantissima Zahlbr	347	macrogemmae Lloyd	601
eudoxa Zahlbr	$\frac{347}{352}$	olivacea Lloyd	602
euelpis Zahlbr	000	pachyderma Morgan	002

	. f(+ t)	ł	A to I
Calvatia saccata Morgan	602	Ceratiomyxa fruticulosa Macbr	83
Campare Va Büttner, P. Henn	519	fruticulosa var. flexuosa Lister	83
	519		83
cucullata Lloyd		fruticulosa var. porioides Lister	
Campbellia africana Cooke & Mass	552	Ceratiomyxaceae	83
Candelaria concolor Arn	309	Ceratium hydnoides Alb. & Schw	83
fibrosa Müll. Arg	309	arbuscula Berk. & Br	83
stellata Müll. Arg	309	sphaeroideum Kalchbr. & Cooke83,	715
Candelariella elaeophaea Zahlbr	298	Ceratosphaeria crinigera Sacc	140
glaucolivescens Zahlbr	298	Ceratostoma cylindrica Kalchbr. & Cooke	170
vitellina Müll. Arg	298	Ceratostomella paradoxa Dade	141
vitellina f. athallina Zahlbr	298	pilifera Wint	141
Condition to the Condition of the Condit			707
Candida bethaliensis Dodge	734	Cercoseptoria egenula Syd	
Krusei Basgal	734	Cercospora Apii Fres	704
triadis Lang ron	735	Apii var. Pastinaca Sace	711
Cantharellus capensis Berk	.).)-	arachidicola Hori	604
cinnabarinus Schw	554	Argyrolobii Chupp & Doidge	705
foliolum Kalchbr	554	Bauhiniae Syd	705
leucophaeus Nouel	554	beticola Sacc	705
Capnodiaceae	191	bolleana Speg	705
Capnodium australe Mont	191		705
	192	Byliana Syd	70.5
citricolum MeAlp		caffra Syd	
Citri Berk. & Desm	192	canescens Ell. & Mart	705
fuligo Berk. & Desm	191	capensis Sace	693
salieinum Mont	192	Carotae Solh	706
Castellania balcanica Dodge	734	Carvae Chupp & Doidge	706
linguae-pilosae Dodge	734	Cassinopsidis Wint	706
pseudolondinensis Dodge	734	Cichorii J. J. Davis	706
pseudotropicalis Dodge	734	circumscissa Sacc	
Castellania sp	734	Clerodendri Miyake	706
Catacauma goyazense Theiss. & Svd	185	Cluytiae Kalchbr. & Cooke	706
			706
grammicum Theiss. & Syd	185	coffeicola Berk & Cooke	
Peglerae Doidge	188	columnaris Ell. & Ev	706
Pterocarpi Syd	189	Commelynae Kalchbr. & Cooke	706
puncta Theiss. & Syd	189	Corchori Sawada	707
Schotii Doidge	190	cruenta Sacc	707
Catalechia africana Müll. Arg	358	Curtisiae Chupp & Doidge	707
Catastoma anomalum Lloyd	602	delicatissima Kalchbr. & Cooke	685
castaneum Llovd	603	Demetrionana Wint	707
circumcissum Morgan	602	Dissotidis Chupp & Doidge	707
	602	Descrides Chupp & Donge	707
Duthiei Lloyd		Dovyalidis Chupp & Doidge	707
juglandiformis Lloyd	603	egenula Chupp & Doidge	707
magnum Lloyd	603	Faureae ('hupp & Doidge	707
pedicellatum Mogran	603	Fici Heald & Wolf	707
Zeyheri Lloyd	603	fukushiana Yam	707
Catillaria chalybeia Massal	266	fusca Rand	707
Finckei Zahlbr	266	fusimaculans Atk	708
intermixta Arn	267	gossypina Cooke	709
intermixta f. evanocentra Zahlbr	267	grandissima Rand	708
lenticularis Th. Fr	267	guliana Sacc	708
lenticularis f. chloropoliza Boist	267	Haemanthi Kalchbr	707
	249		708
lutea		Halleriae Chupp & Doidge	708
melampepla Zahlbr	267	Henningsii Allesch	
mollescens Zahlbr	267	heteromalla Syd	708
mortualis Zahlbr	267	insulana Chupp	708
nigroclavata Schuler	267	Juglandis Kellerm. & Swingle	656
opacata Zahlbr	267	Jussieuae Atk	709
rhyparoleuca Massal	267	Kiggelariae Syd	709
Stellenboschiana Vain	280	Kopkei Krüg	709
stictella Zahlbr	268	latimaculans Wakef	705
subfuscata Zahlbr	268	leoni Savul & Rayss	709
Celidium stictarum Tul.	223		709
Canangium polidnum Sana		Leonotidis Cooke	709
Cenangium pelidnum Sace	221	Liebenbergii Syd	
Cephalosporiopsis parasitica Hansf	683	longipes Butl	709
Cephalosporium Sacchari Butler	669	mayalensis Stev. & Solh	709
Cephalosporium sp		melaena Syd melanochaeta Ell. & Ev	709
Cephalothecium roseum Corda	683	melanochaeta Ell. & Ev	709
Cephatelium MacOwanianum Syd	433	Momordicae McRae	710

		PAGE		PAGE
0	Marana Wassa		Charlestino II and a fail to L. Datie.	
Cercospora	Musae Mass	710	Chaetostigmella asterinicola Doidge	145
	Musae Zimm	710	capensis Doidge	145
	Myrti Eriks	710	Chaetothyriaceae	192
	myrticola Speg	710	Chaetothyrium capense Hansf	192
	Nicotianae Ell. & Everh	710	Syzygii Hansf	192
	oblecta Syd	710	transvaalensis v. d. Byl	146
	occidentalis Cooke	710	Cheilymenia coprinaria Boud	217
	Oliniae Verw. & Dipp	710	Cheilymenia pulcherrima Boud	216
	omphacodes Ell. & Holw	710	Chiodecton capense Zahlbr	242
	Pachycarpi Chupp & Doidge	710	direnium Nyl	245
	Pareirae Speg	710	galactinum Zahlbr	242
	Pastinacae Peck	711	natalense Nyl	242
	Persicariae Yam	711	sanguineum Wain. f. rosaceocinc-	
	personata Ellis		tum Wain	242
	phaeocarpa Mitter	696	subnanum Vain	242
	Pouzolziae Syd	711	van der Bylii Zahlbr	242
	pretoriensis Chubb & Doidge	711	venosum Zahlbr	242
	Protearum Cooke	711	Chiodectonaceae	242
	Protearum var, Leucadendri Cooke	711	Chlamydopus Meyenianus Lloyd	612
	Protearum vae. Leucospermi Cooke	711	Chloridium Meliolae Hansf	686
	punctiformis Sacc. & Roum	712	Chlorociboria aeruginosa Seaver	221
	purpurea-cincta Nel	710	Chlorodothis Lahmii Clements	233
	Resedae Fuck	712	Chlorosplenium aeruginosum de Not	221
	Rhoicissi Syd	712	Choanephoraceae	106
	riachueli Speg	712	Chondrioderma difforme Rost	89
	richardiaecola Atk	712	subdictyosperum Rost	85
	ricinella Sacc. & Berk	712	Chondromyces aurantiacus Thaxter	733
	rubro-tineta Ell. & Everh	712	Chroolepus afrum Massal	249
	scitula Syd	712	Chrysomyces Brachystegiae Theiss. & Syd	116
	Sesami Zimm	712	Chrysothricaceae	246
	Solani-melongenae Chupp	712	Chytridiales	95
	Solani-melongenae Hori	712	Cicinnobella sp	631
	Sorghi Ell. & Everh	713	Cicinnobolus Ĉesatii de Bary	618
	sphaeroidea Speg	713	Cienkowskia reticulata Rost	84
	Stizolobii Syd	713	Ciliciopodium caespitosum Sacc	733
	transvaalensis Syd	713	Cintractia axicola Cornu	377
	Tremae Chupp	713	capensis Ciferri	377
	vaginae Krüger	713	caricicola P. Henn	377
	Violae Sacc	713	Crus-galli Magn	377
	viticola Sacc	713	leucoderma P. Henn	377
	Vitis Sace	713	Melinis Zundel	377
	Withaniae Syd	714	piluliformis P. Henn	377
	Ziznhwi Potoh	714	Sorghi-vulgaris Clint	383
Corossnore	Zizphyi Petch	714	togoënsis P. Henn	377
Corporational	sp	685	Circinella Sydowii Lendner	105
Cercosporen	la Brassicae v. Höhn			282
	delicatissima Chupp	685	Cladia aggregata Nyl	
	Ekebergiae Syd	685	Cladochytriaceae	96
	Gossypii Speg 159,		Cladoderris australica Berk	480
	herpotrichioides Fron	686	Cladoderris elegans Fr	480
	a ricinella Speg	712	funalis P. Henn	480
	modontis Syd	730	infundibuliformis Fr	480
	<u> </u>	730	spongiosa Fr	480
	Fici Arth	396	spongiosa var. subsessilis Fr	480
	Gossypii Arth	396	Thwaitesii Berk. & Br	480
Cetraria acu	leata Fr	327	Cladonia aggregata Ach	282
Ceuthospora	foliicola Lib	618	bacillaris Nyl	282
Ceuthospora	Oleae Kalchbr. & Cooke	618	bacillaris f. pityropoda Nyl	282
Chaetodime	rina Schiffnerulae Hansf	141	caespiticia Floerke	282
Chaetomella	Artemisiae Cooke	631	centrophora Müll. Arg	282
	Tritici Ten. & Dan	631	chlorophaea Spreng	286
Chaetominu	m chartarum Ehrenb	141	chordalis Ach	284
	elatum Kunze & Schum	141	didyma Wain. var. muscigena Wain.	283
	funicolum Cooke	141	didyma var. muscigena f. subulata	
	globosum Kunze	141	Sandst	283
	indicum Corda	141	fimbriata Fr	283
Chaetopelto	psis sp	213	fimbriata f. abortiva Floerke	284
Chaetosphae	eria insectivora Hansf	141	fimbriata var. Balfourii Wain	283
	THE THE COLUMN TENSION OF THE COLUMN TENSION			

		PAGE	F	PAGE
Cladonia	fimbriata var. chlorophaeoides Wain.	283	carpophilum Thuem689,	692
	fimbriata var. chondroidea Wain	283	Cladosporlium Citri	686
	fimbriata var. chondroidea f. Balfourii	283	Cladosporrium cucumerinum Ell. & Arth	689
	fimbriata var. chondroidea f. chloro-	283	elatum Nannffulvum Cooke	$689 \\ 689$
	phaeoides Wain	200	herbarum Link	689
	diata Wain	284	laxum Kalchbr. & Cooke	690
	fimbriata var. coniocraea Wain	283	macrocarpum Preuss	690
	fimbriata var. fibula Stizenb	283	Melanophloei Thuem	690
	fimbriata var. nemoxyna Coem	283	pisicolum Snyder	690
	fimbriata var. nemoxyna f. fibula		tenuissimum Cooke	690
	Wain	283	Vignae Rac	690
	fimbriata var. ochrochlora Wain fimbriata var. radiata Coem	$\frac{283}{284}$	Zeae Peck	690 690
	fimbriata var. radiata f. nemoxyna	-177	Clasterosporium carpophilum Aderh	69:
	Flotow	283	Celastri Sacc	692
	fimbriata var. simplex Flotow	284	clavatum Sacc	692
	fimbriata var. subcornuta Nyl	284	densum Syd	692
	fimbriata var. subradiata Wain	284	('lathraceae	594
	fimbriata var. subulata Wain	284	Clathrella Baumii Ed. Fisch	594
	fimbriata var. subulata f. abortiva	284	pseudocancellata Ed. Fisch Clathroporina locuples Zahlbr	$\frac{594}{228}$
	fimbriata var. subulata f. chordalis	-04	Clathrus angolensis Ed. Fisch	595
	Ach	284	Baumii P. Henn	594
	fimbriata var. subulata f. subcornuta			- 594
	Zahlbr	284	cancellatus Tourn	594
	fimbriata var. tubaeformis Ach	284	eibarius Ed. Fisch	594
	flabelliformis Wain. f. tenella Zahlbr.	284	gracilis Schlecht	593
	flabelliformis var. tenella Müll. Arg. Floerkeana Sommerf	$\frac{284}{284}$	Claudopus proteus Kalchbr	595 $581$
	fureata Schrad	284	variabilis Gill.	58
	gorgonina Wain. var. subrangiferina		Clavaria abietina Pers. ex Fr	495
	Wain	285	byssiseda Pers. ex Fr	495
	macilenta Hoffm	285	capensis Thunb	495
	macilenta var. corticata Wain	285	cinerea Bull. ex Fr	497
	multiformis Merrill f. subascypha	285	Cladoniae Kalchbrcontorta Holmsk. ex Fr	496 496
	Evansneglecta	285	corniculata Schaeff. ex Fr	496
	ochrochlora Floerke	283	corniculata var. pratensis Cotton &	
	pityrea Fr	285	Wakef	496
	pityrea f. scyphifera Del	285	cristata Fr	496
	pityrea var. subareolata Wain	285	cyanocephala Berk. & Curt	496
	pityrea var. Zwackii Wain. f. scyphi-	285	dealbata Berkdichotoma Kalchbr	496 497
	fera Wain pungens Floerke	286	durbana v.d. Byl	496
	pungens f. foliolosa Nyl	286	fastigiata Linn	496
	pycnoclada Nyl	285	flaceida Fr	496
	pycnoclada f. exalbescens Wain	285	furcellata Fr	498
	pyxidata Fr	285	inaequalis Müller ex Fr	496
	pyxidata f. staphylea Nylpyxidata var. chlorophaea Floerke	$\frac{286}{286}$	Kalchbrenneri Sacc Kunzei Fr	497
	pyxidata var. chlorophaea f. staphy-	200	laeticolor Berk. & Curt	497
	lea Harm	286	ligula Schaeff. ex Fr	497
	pyxidata var. pocillum Flotow	286	lorithamnus Berk	713
	rangiferina Web	.286	miniata Berk	497
	rangiformis Hoffm. var. foliosa	200	muscoides Linn	496
	Floerke	286	persimilis Cotton	497
	rangiformis var. pungens Wain squamosa Hoffm	$\frac{286}{286}$	pistillaris Linnpulchra Peck	497
	subcornuta Stizenb	284	semivestita Berk. & Br	497
	sylvatica Hoffm	286	setacea Kalchbr	497
	verticillata Hoffm	286	stricta Pers. ex Fr	498
Cladonia	sp	287	vermicularis Fr	498
Cladonia	ceae	282	Zippelii Lév	498
ciadospo	rium Aphidis Thuem	$688 \\ 688$	Clavariaceae	49ā 148
	baccae Verw. & Dipp	688	microcephala (Wallr.) Tul	149
	Berkheyae Syd	689	Paspali Stev. & Hall	148

	PAGE		PAGE
Claviceps purpurea Tul	148	Colletotrichum lagenarium Ell. & Halst	651
Claviceps sp		· lindemuthianum Shear166,	652
Clitocybe amara Quél	574	malvarum Braun & Casp	652
Clitocybe expallens Quél	554	nigrum Ell. & Halst	652
fragrans Quél	555	omnisonum Holat	652
gentianes Quel		omnivorum Halst	
gentianea Quél	555	orchidearum Allesch	652
infundibuliformis Quél. var. mem-	~	Papayae Syd	652
branacea Gill	555	phomoides Chester	653
membranacea Fr	555	Pterocelastri Wakef	653
sinopica Gill	555	rhodocyclum Petrak	653
splendens Gill	555	Trifolii Bain & Essary	653
trullaeformis Karst	555	Colletotrichum sp	653
zizyphina Sacc	555	Colonnaria columnata Ed. Fisch	595
Clitopilus prunulus Quél	582	Collybia acervata Gill	555
Clypeolella Psychotriae Doidge	212	albuminosa Petch	555
rhamnicola Doidge	212	alveolata Sacc	555
Clypeosphaeria natalensis Doidge	180	butyracea Quél	556
Cochliobilus stenospilus Matsum. & Yam	165	chortophila Sacc	556
Coccidioidaceae	110	confluens Quél	565
Coccocarpia pellita Müll. Arg. var. parmelioides		dryophila Quél	556
Müll. Arg.	254	dryophila var. oedipus Quél	556
Coccochora Lebeckiae Verw. & Dipp	194	extuberans Quél	556
Cocconia capensis Doidge	196		990
	196	fusipes Quél. var. contorta Gill. &	~ = 0
concentrica Syd		Lucand	556
porrigo Sacc	196	homotricha Sacc	556
Coenogoniaceae	249	macilenta Gill	556
Coenogonium afrum Massal	249	melinosarca Sacc	556
interplexum Nyl	249	radicata Quél	557
Coleophoma Oleae Petr. & Syd	618	radicata var. brachypus Sacc	557
Coleosporium Clematidis Barc	393	ratticauda Fayod	557
detergibile Thuem	397	stipulincola Kalchbr	557
Hedyotidis Kalchbr. & Cooke	393	stridula Quél	557
Ipomoeae Burr	393	velutipes Quél	557
ochraceum Bon	395	Collybia sp	557
Collema aggregatum Röhl	250	Comatricha irregularis Peck	90
bullatum Ach	252	longa Peck	90
byrsinum Ach	254	nigra Schroet	90
caespitosum Tayl	252	nigra var. alta Lister	90
crispum Wigg	251	tenerrima G. Lister	90
fuliginellum Nyl	250	typhoides Rost	90
furvum DC	251	Combea mollusca Ach	243
lanatum Pers	260	pruinosa de Not	243
nigrescens DC	251	Coniocybe Owanii Körb	155
pulposum Ach. var. tenax Nyl	251	Coniodictyum Evansii v. Höhn	685
redundans Nyl	251	Coniophora atrocinerea Karst	480
saturninum DC	253	Betulae Karst	480
tenax Ach	251	cerebella Pers	481
	251	papillosa Talbot	480
thysaneum Ach	253	pulverulenta Mass	480
tremelloides Ach	250		481
Collemaceae	649	puteana Karst	481
Colletotrichum Agaves Cav		olivacea Karst	
anonicola Speg	649	Coniosporium Schiraianum Bubak	686
Antirrhini Stew	649	Coniothecium chomatosporum Corda	701
atramentarium Taubenh. 649,	653	Citri McAlp	701
brachytrichum Del	649	MacOwanii Sacc	701
Camelliae Mass	650	punctiforme Wint	701
Carica Stev. & Hall	650	scabrum McAlp	701
cereale Manns	650	Coniothecium sp	701
circinans Vogl	650	Coniothyrina Agaves Petrak & Syd	631
coffeanum Noack	650	Conjothyrium Fuckelii Sacc	631
Dematium Grove	650	insigne Syd	631
falcatum Went	650	occultum Syd	631
gloeosporioides Penz650,	654	palmicolum Starb	631
Glycines Hori166,	651		
Gossypii Edgert166,	651	rafniicola Petrak	632
graminicolum Wilson	651	Conotrema volvarioides Müll. Arg	247
Kickvine Verw. & du Pless	651	Cookeina Colensoi Seaver	216

		PAGE		PAGE
Coprings	atramentarius Fr	587	Corynelia uberata Fr. ex Ach	192
	Cheesmani Th. Gibbs	587	Coryneliaceae	192
	cinereus S. F. Gray	587	Coryneliospora fructicola Fitz	193
	comatus S. F. Gray	555	Coryneum Beyerinckii Oud	
	comatus var. ovatus Quél	588	Coryneum Cocoes P. Henn	658
	curtus Kalchbr	588	disciforme Kunze & Schum	
	digitalis Fr	588	Dovyalidis v.d. Byl	659
	ephemerus Fr	588	Kunzei Corda	167
	floceulosus Fr	588	('raterellus cornucopioides Pers	483
	macrorhizus Rea	588	Craterium aureum Rost	84
	micaceus Fr	588	confusum Mass	84
	micaceus var. truncorum Quél	588	leucocephalum Ditm. var. scyphoi-	
	niveus Fr	589	des Lister	
	ovatus Schaeff. ex Fr	588	minutum Fr	84
	plicatilis Fr	589	Crepidotus applanatus Karst	577
	punctatus Kalchbr. & Cooke	589	episphaeria Sacc	577
	radiatus S. F. Gray	589	Inandae Sacc	577
	stercorarius Fr	589	mollis Quél	
	truncorum Fr	.588	pogonatus Sacc	577
Coprinus	sp	589	scalaris Karst, var. lobulatus Sacc.	577
	Musae v. Höhn	690	Cribraria argillacea Pers	91
	pauciseptata Preuss	690	intricata Schrad	91
	p	691	tenella Schrad	9:2
Cordyceps	s flabella Berk. & Curt	150	Crocynia membranacea Zahlbr	246
	velutipes Mass	150	Cronartium Bresadoleanum P. Henn	393
Cordycep:	s sp	1.50	Bresadoleanum var. Eucleae P.	
Cornicula	ria tenuissima Zahlbr	327	Henn	393
	ora maritima Werd	634	Cronartium Gilgianum P. Henn	393
	abeuns Burt	481	Zizyphi Syd. & Butl	394
	argillaceum v. Höhn. & Litsch	481	Crossopsora Gilgiana Syd	393
	armeniacum Sacc	481	Crucibulum vulgare Tul	
	atrocinereum Kalchbr	492	Cryptococcus histolyeus Stoddard & Cutler.	73.5
	bombyeinum Bres	481	linguae-pilosa Castellani & Chal-	
	caeruleum Fr	481	mers	734
	calceum Fr. emend. Romell & Burt	481	Cryptococcus sp.	
	calceum Fr	481	Cryptodidymosphaeria clandestina Syd	
	calceum var. lacteum Fr	479	Cryptogene Parodiellae Syd	
	ceraceum Berk. & Rav	481	Cryptogenella Parodiellae Syd	639
	cinereum Fr	486	Cryptomyces eugeniacearum Sacc	215
	confluens Fr	481	Melianthi Sacc	187
	Dregeanum Berk	484	Myricae Sacc	215
	gloeosporum Talbot	482	Cryptosporella umbrina Wehm	
	lacteum Fr	482	Cryptosporium fatale Kalchbr	
	laetum Bres.	482	Cryptostictis Dryopteris Verw. & du Pless	
	luteocystidiatum Talbot	482	Cryptothecia subnidulans Stirt	
		486		
	nudum Frpelliculare Karst	482	Cryptotheciaceae	
	portentosum Berk. & Curt	482	Cunninghamella sp	
	pulverulentum Cooke	480	lunata Boedijn	
	salmonicolor Berk. & Br	482	maculans Boedijn	693
	scutellare Berk. & Curt	482		
	Solani Bourd. & Galz	483	spicifera Boedijn	
			Curvularia sp	
	tumulosum Talbot	482	Cyanisticta crocata Gyeln	
	vagum Berk. & Curt	483	crocata var. isidiata Gyeln	
(10-41-1	ragum var. Solani Burt	483	gilva Gyeln	
Corticium	1 sp	483	gilva var. angustilobata Gyeln	
Cortinarn	us argutus Fr	576	gilva var. lanata Gyeln	
	camurus Fr	576	gilva var. pseudogilva Gyeln	
	castaneus Fr	576	subcrocata Gyeln	
	fusco-tinetus Rea	576	Thouarsii Gyeln	261
	lepidopus Cooke	576	Cyathus Berkeleyanus Lloyd	
C 1.	multiformis Fr	576	dasypus Nees	
Corynelia	carpophila Syd	193	Hookeri Berk	
	clavata Saec	193	laevis Thunb	
	clavata f. fructicola Rehm	193	microsporus Tul	
	fructicola v. Höhn	193	minutosporus Lloyd	
	tripos Cooke	193	Montagnei Tul	616

	PAGE		PAGE
Cyathus olla Pers	616	Dacryomycetaceae	476
pallidus Berk. & Curt	617	Dactylina mollusca Tuck	243
plicatulus Poepp	617	Daedalea biennis Fr	503
Poeppigii Tul	617	Dregeana Mont	-503
rufipes Ellis	617	Eatoni Berk	-503
stercoreus de Toni	617	fuscospora Lloyd	504
stercoreus f. Leseurii Tul	617	Hobbsii v.d. Byl	504
sulcatus Kalchbr	617	ligneotexta v.d. Byl	504
vernicosus DC	616	MacOwani Kalchbr. ex Thuem	504
Cycloconuim oleaginum Cast	691	ochracea Kalchbr. ex Thuem	504
Cycloschizon Brachylaenae P. Henn	$\frac{196}{196}$	quercina Fr	504
fimbriatum Doidge	198	rhodesica v.d. Byl	504
Cylindrocarpon album Wollenw. var. crassum	190	stereoides Frunicolor Fr	$\frac{504}{504}$
Wollenw	716	Daldinia Bakeri Lloyd	172
Cylindrocladium scoparium Morgan	683	concentrica Ces. & de Not	172
Cylindrosporium castanicolum Berl	663	concentrica var. Eschscholzii Ehrenb.	
Chrysanthemi Ell. & Dearn.	663	ex Fr	172
Juglandis Wolf	663	Eschscholzii Rehm	172
Kilimandscharicum Allesch	663	Darluca filum Cast	
Padi Karst	663	vagans Cast	634
Ribis Davis	663	Dasyscypha calyculaeformis Rehm	221
Cymatoderma elegans Jungh	480	lachnoderma Rehm	221
Cypheliaceae	233	Deconica atro-rufa Sacc	856
Cyphella alboviolascens Karst	483	Delitschia bisporula Hans	139
Cheesmanni Mass	483	Delitschia sp	139
farinacea Kalchbr. & Cooke	483	Dematiaceae	686
Friesii Crouan	483	Dendroecia Evansii Syd	432
fulvodisca Cooke & Mass	483	Dendrogaster radiatus Zeller & Dodge	591
Pelargonii Kalchbr	$\frac{483}{483}$	Dendryphium MacOwanianum Thuem	693 646
punctiformis Karsttabacina Cooke & Phil	484	Depazea Buddleyae Thuem640, nesodes Thuem	643
variolosa Kalchbr	484	Dermatea pelidna Kalchbr. & Cooke	221
Cystingophora deformans Syd	431	Dermatea rufa Cooke	220
Cystopus Amaranthi Berk	96	Dermateaceae	219
Cystopus austro-africanus Sacc. & Trott	96	Dermatina pyrenocarpa Zahlbr	693
austro-africanus Wakef	96	Dermatiscum Thunbergii Nyl	289
Bliti de Bary	96	viride Zahlbr	287
candidus de Bary	97	Dermatocarpaceae	225
cubicus de Bary	97	Dermatocarpon deserti Zahlbr	225
Evansii Sacc. & Trott	98	Finckei Zahlbr	225
Evansii Wakef	98	hepaticum Th. Fr	225
Impomocae - panduranae Stev. &	98	peltatum Zahlbr	226 84
Swing Portulacae de Bary	98	Diachaea leucopoda Rost	84
quadratus Kalchbr. & Cooke	98	Diachora Lessertiae Petrak	180
Schlechteri Syd	98	Diathrypton radians Syd	138
Tragopogonis Schroet	98	Diaporthe Citri Wolf	
Cystotelium inornatum Syd	432	perniciosa E. Marchal167,	625
Cytidea cornea Lloyd	484	Diaportheae	167
Cytidea flocculenta v. Höhn & Litsch	484	Diatrype auristroma Doidge	167
habgallae Martin	484	Bona-spei Berl	168
simulans Lloyd	484	caminata Kalchbr. & Cooke	168
Cytoplea Adeniae du Pless	632	capensis Kalchbr. & Cooke	168
Cytospora Australiae Speg	618	caulina Syd	168
chrysosperma Fr171,	618	conferta Doidge	168
foliicola Libert	618	congesta Kalchbr. & Cooke	168
leucostoma Sacc	$\frac{618}{619}$	Dovyalidis Doidge	$\frac{168}{169}$
Sacchari Butl	619	Durieui Mont Leonotidis Doidge	168
verrucula Sacc. & Berl	170	MacOwaniana Thuem	168
xanthosperma Fr	619	xumenensis Doidge	168
Dacryomitra dubia Lloyd	476	Diatrypella Agaves Syd	168
Dacryomyces australis Lloyd	477	Morganae Doidge	168
deliquescens Duby	477	natalensis Doidge	169
digressus Lloyd	477	oligostroma Syd	169
tortus Fr	477	pretoriensis Doidge	169

	1 300		P(117
Dicaroma Arundinellae Syd	402	Dimerosporium Gymnosporiae P. Henn	137
Rotthorllia Svd	426	Lepidagathis P. Henn	143
Dichlamys Trollipi Syd	451	MacOwanianum Sacc	137
Dichodium byrsinum Xyl	254	Osyridis Wint	142
sublaridam Nyl	255	Psilostomatis Sacc	122
	166	rerrucicolum Wint	142
Dietothrix crysiphina Theiss	92		
Dictydiaethalium plumbeum Rost		Dimerosporium sp	143
Dictydium cancellatum Macbr	92	Diorchidium Tricholaenae Syd	396
Dictyocephalos attenuatus Long & Plunkett	612	Woodii Kalchbr. & Cooke	396
Dietwochorella Andropogonis Doidge	162	Diplocarpon earliana Wolf	195
Dictyophora indusiata Desv	596	Rosae Wolf	195
phalloidea Desv	596	Diplochorella amphimelaena Theiss. & Syd	115
Diderma effusum Morg	8.5	Burchelliae Syd	115
hemisphericum Hornem	85	Diplocystis Junodii Pole Evans & Bottomley	601
subdictyospermum Lister	85	Diplodia Aurantii Catt	635
Didymella intercepta Sace	156	Cassinopsidis Kalchbr. & Cooke	180
Lycopersici Kleb	156	olomotidos Sasa	635
		clematidea Sacc	635
maculiformis Wint	161	Clematidis Kalchbr. & Cooke	
zuluensis Doidge	156	herbarum Lév	63.5
Didymellina Dianthi Burt	156	lichenopsis Cooke & Mass	636
Didymiaceae	~13	Maydis Sacc	637
Didymium difforme Duby	~ (1	Monsterae Verw. & Dipp	636
lencopus Fr	89	natalensis Pole Evans	636
melanospermum Macbr	89	palmicola Thuem	636
microcarpon Rost	89	pinea Kickx	636
nigripes Fr	89	sarmentorum Fr	637
nigripes var. eximium Lister	59	tubericola Taubenh	637
nigripes var. xanthopus Lister	89	variispora Died	637
physaroides Fr	59	Vignae Sacc	637
squamulosum Fr	89		247
Didymosphaeria clavata du Pless	156	Diploschistaceae	247
			248
opulenta Sacc	156	Diploschistes actinostomus Zahlbr	
populina Vuill	156	actinostomus var. aeneus Steiner	248
Rafniae Verw. & du Pless	156	actinostomus var. caesioplum-	
spatharum Wint	156	beus Steiner	248
Didymosporina africana Syd	657	anactinus Zahlbr	248
Didymosporium congestum Syd	657	bellus Zahlbr	248
latum Syd	657	cinereocaesius Wain	248
Dimeriella annulata Syd	141	deuterius Zahlbr	248
claviseta Doidge	141	isabellinus Zahlbr	248
Grewing Theiss	145	ochroniger Zahlbr	248
Woodii hansf	141	perispicillatus Zahlbr	248
Dimerina Osyridis Theiss	142	scruposus Norm	249
parasitica Hansf	142	seruposus f. iridatus Zahlbr	249
verrucicola Theiss	142	scruposus var. arenarius Müll.	
Dimerium africanum Hansf	142	Arg	249
baccharidicolum Sacc	142	subcupreus Zahlbr	249
Englerianum Sacc. & D. Sacc	144	Dirina capensis Fée	243
	116		243
erysiphinum Sacc		Dirinaceae	216
Gymnosporiae Syd	137	Discina submembranaceae P. Henn	602
Langloisii Theiss	142	Disciseda anomala G. H. Cunn	
leonense Hansf	143	candida Lloyd	602
Lepidogathis Sacc	143	candida Bottomley	602
leptosporum Speg	143	cervina Hollós	603
MacOwanianum Doidge	137	hypogaea Cunningham	603
minutum Sacc	143	juglandiformis Hollós	603
intermedium Syd	143	pedicellata Hollós	603
myriadeum Theiss	143	verrucosa G. H. Cunn	603
piceum Theiss	143	Zeyheri Hollós	603
Psilostomatis Sace	122	Discomyces Madurae Gedoelst	664
pulveraceum Theiss	144	Pijperi Neveu-Lemaire	664
radio-fissilis Sacc	208	Dothidasteromella contorta Doidge	200
subferrugineum Syd	144	orbiculata Syd	202
Dimerosporiopsis Engleriana P. Henn	144	Dothidea aloicola P. Henn	113
Dimerosporium Acocantherae P. Henn	197	amphimelaena Mont	115
Englerianum P. Henn	144	arduina Kalchbr. & Cooke	113
crusinhinum D Hann		circinata Kalchbr. & Cooke	183
$\epsilon rysiphinum P. Henn$	116	circinata Matchor. & Cooke	T 0-9

	PAGE		PAGI
Dothidea Crotonis Cooke	183	Englerula Macarangae P. Henn144,	
Kniphofiae Kalchbr. & Cooke	186	Popowiae Stevens	21:
lucens Čooke	186	Englerulaster Gymnosporiae Theiss	137
Melianthi Kalchbr. & Cooke	186	MacOwanianus Arnaud	137
oleifolia Kalchbr. & Cooke	114	orbicularis v. Höhn	207
perisporioides Berk. & Curt	114	Popowiae Doidge	212
puncta Cooke	189	Enterographa capensis Massal	24:
repens Berkscabies Kalchbr. & Cooke	189 113	galactina Redinger	242
Strelitziae Cooke	190	van der Bylii Redinger	242
viventis var. Albizziae Cooke	180	venosa Massal Enterostigma compunctum Müll. Arg	$\frac{242}{242}$
Dothideaceae	113	Entoloma erophilum Karst	582
Dothidella Osyridis Berl. & Vogl	115	lividum Quél	582
Osyridis var. Tassiana Sacc	115	microcarpum Sace	582
Dothidella Welwitschii A. L. Sm	113	sagittaeforme Sacc	582
Dothidina disciformis Theiss. & Syd	115	Entomophthora Aphidis Hoffm	107
Dothiopsis Stangeriae Verw. & du Pless	619	apiculata Thaxter	108
Dothiorella congesta Sacc	619	coronata Ker	108
Mali Ell. & Everh17		Grylli Fres	107
reniformis Vi. & Rav	619	megasperma Cohn	108
Senecionis Petrak	$\frac{619}{356}$	sphaerosperma Fres	108
Dufourea flammea Ach	243	Entomophthora sp	$\frac{108}{107}$
Dufourea physcioides Massal	327	Entomophthorales	107
plumbea Tayl	332	Entomosporium maculatum Lév420,	657
Echidnodella Hypolepidis Doidge	197	Entopeltis interrupta v. Höhn	195
Echidnodes Acokantherae Doidge	197	Entyloma australe Speg	390
africana Doidge	197	Bidentis P. Henn	390
Curtisiae Doidge	197	Calendulae de Bary	390
durbana Hansf	197	Dahliae Syd	390
Hypolepidis Doidge	197	fuscum Schroet	390
natalensis Doidge	197	Oleandrae P. Henn	390
rhoina Doidgetransvaalensis Doidge	$\frac{197}{198}$	Physalidis Wint	$\frac{390}{391}$
Ectotrichophyton mentagrophytes Castellani	190	Zinniae Syd Ephebaceae	250
& Chalmers	736	Ephebe lanata Wain	250
Elmerococcum Peglerae Doidge	113	pubescens Fr	250
Elsinoe ampelina Shear112,	680	Ephelis viridans Sacc	648
Fawcetti Jenkins112,	689	Epichloe cinerea Berk. & Br	150
Poinsettiae Jenkins	112	Eragrostis Pole Evans	150
Pyri Jenkins 112,	680	Zahlbruckneriana P. Henn	150
Violae Jenkins112,	680	Epicoccum Chrysanthemi du Pless	729
Empusa conglomerata Sorok	$\frac{107}{107}$	granulatum Lenz	$\frac{729}{729}$
Fresenii Nowak	107	humicola Saccneglectum Desm	$\frac{729}{729}$
Grylli Fres Lecanii Zimm	107	nigrum Link	729
Muscae Cohn	107	purpurascens Ehrenb	729
Empusa sp	107	Epicoceum sp	687
Endocarpiscum Guepini Nyl	254	Epidermophyton floccosum Langeron & Mil-	
Endocarpon crenatum Tayl	269	ochevitch	736
hepaticum Ach	225	interdigitale MacCarthy	736
peltatum Tayl	226	purpureum Doidge	736
Endocarpon pusillum Hedw	226	rubrum Castellani	736
speireum Tayl	$\frac{269}{226}$	Epistigme nidulans Syd	$\frac{632}{704}$
vitellinum Sprengl Thunbergii Ach	287	Epochnium phyllogenum Kalchbr. & Cooke Eremascaceae	110
Endodermophyton africanum Doidge	736	Eremascaceae Imperfectae	734
Endodermophyton sp	736	Erikssonia Carissae Doidge	113
Endodothella Deightonii Syd	180		
natalensis Doidge	181	Eriomycopsis Asterinae Hansf	684 $684$
Strelitziae Theiss. & Syd	190	Bomplandi Speg147, flagellata Hansf	684
Endomycetaceae	110	Meliolae Hansf147,	684
Endomycetales	109	minima Hansf	684
Endophyllum MacOwani Pole Evans	396	Ugandae Hansf	684
Endopyrenium peltatum Müll. Arg	226	Erostella quaternarioides Sacc	169
Enerthenema papillatum Rost	90		117
rate inchema habitaanin 1000	.,,	Erysiphaceae	3 1 4

	PAGE		PAGE
Erysiphe Aquilegiae DC		Flammula hybrida Gill	578
Brachystegiae Doidge		Janus Sace	578
eichoracearum DC 117, 67		sapinea Quél	578
communis Link		tilopus Sacc	578
graminis DC		Fomes albomarginatus Cooke	506
Jatrophae Doidge		annosus Cooke.	506
Martii Lév		annularis Lloyd	512
nitida Rabenh	. 118	applanatus Karst	511
Pisi DC	. 118	australis Fr	512
Polygoni DC 117, 11	8, 673	badius Cooke	506
umbelliferarum deBary		Caryophylli Bres	,74 H;
Eubasidii		chilensis Cooke	513
Eubelonis Ocoteae v.d. Byl		conchatus Gillet	516
Eucantharomyces africanus Thayter		connatus Gillet	506
Eudarluca australis Speg		Cartisti Berk	513
Eudimeriolum Gymnosporiae Hansf		Dialerii Bres. & Torrend	507
Eumitra implicita Stirt		durissimus Lloyd	507
Eupelte amicta Syd		endotheius Cooke	507
Eurotiaceae		fastuosus Cooke	507
Eurotium herbariorum Link		focalis Cooke	507
Euryachora maculiformis Nel		fomentarius Kocky	507 507
Eutypella Acacia Doidge		fulvus Gillet	
eitricola Syd		fusco-purpureus Boud	511 507
		geotropus Cooke	507
Lycii Doidge		glaucoporus Lloyd hemileucus Berk, & Curt	50%
stellulata Sacc		hornodermus (')oke	503
Evernia chrysophthalma Flotw		igniarius Kieky	508
flavicans Fr		Kermes Cook	506
flaricans var. dealbata Flota Flotow.		leucophaeus Cooke	512
Exidia auricula-judas Fr		lividus Cooke	505
Exidia caespitosa Lloyd		lucidus Leyss. ex Fr	514
Duthiei Lloyd	474	mastoporus Lêv	515
purpurea-cinerea MacOwan & Kalchbi	475	McGregori Bres	50%
Exoascus deformans Fuck		melanoporus ('ooke	508
Exobasidiaceae	. 478	minutulus P. Henn	508
Exobasidiaceae	. 478	mundulus Wakef	5419
Exobasidium Giseckiae Ellesch		Niaouli Lloyd	2018
hesperidium Maire		Nubilis Cooke var. albo-limbatus	
Vaccinii Woron		Kalehbr	509
Vitis Prill. & Delacr		oroflavus Lloyd	515
Exosporium ('elastri Kalehbr		pectinatus Gillet	208
palmiyorum Sace	. 730	pinicola Cooke	509
Fabraea litigiosa Sace	. 220	pseudosenex Sacc. & Trott	509
maculata Atks		rimosus Cooke	509
Farysia olivacea Syd		Robinsoniae Sacc. & Trott	510 510
Favolus agariceus Lév		robustus Karst	510
brasiliensis Frdermoporus Torrend ex Lloyd		salicinus Kirckxsenex Cooke	510
Europaeus Fr		torulosus Lloyd	511
Friesii Berk. & Curt	. 505	umbraeulum Saec	511
Jacobaeus Sacc. & Berl		regetus Cooke	512
megaloporus Bres		vucatanensis Sacc	511
moluccensis Mont	. 505	Zambesianus Sace	511
multiple Lév		zuluensis Wakef	511
natalensis Fr	. 505	Fracchiaea heterogenea Sacc	144
rhipidium Sace	. 528	Fuligo cinerea Morg	85
spathulatus Bres		muscorum Alb. & Schw	85
tesselatus Mont	. 505	septica Gmel	85
Favotrichophyton violaceum Dodge	. 736	varians Sommerf	83
Femsjonia natalensis Cooke	. 477	Fumago vagans Pers	701
Ferrarisia Jasmini Doidge	. 202	Fusarium Aloes Kalchbr. & Cooke	725
Fistulina atricana v. d. Byl	. 551	Fusarium angustum Sherb	716
Fistuliniodeae	. 551	argillaceum Sace	716
Flammula alnicola Quél	. 577	avenaceum Sacc	716
flavida Quél	. 577	avenaceum f. 1 Wollenw. & Rein-	-1-
Harmoge Karst	. 577	king	717

		PAGE		PAGE
Fusarium	baccharidicola P. Henn	718	Fusarium sambucinum f. 2 Wollenw	724
Fusarium	bulbigenum Cooke & Mass	717	sambueinum f. 6 Wollenw	72:
	bulbigenum var. blasticola Wollenw	717	Scirpi Lamb. & Fautr	725
	bulbigenum var. Lycopersiei Wol-		Scirpi var. acuminatum Wol-	
	lenw. & Reinking	717	lenw 151,	725
	bulbigenum var. niveum Wollenw	71.7	Scirpi var. compactum Wollenw	726
	bulbigenum var. tracheiphilum		Scirpi var. filiferum Wollenw	720
	Wollenw	717	semitectum Berk. & Rav. var.	
	Cepae Hanz, emend. Link & Bailey	723	majus Wollenw	726
	chlamydosporum Wollenw. &		Solani Appel & Wollenw	726
	Reinking	771	Solani var. Martii f. l Wollenw	727
	ciliatum Link	, 718	Solani var. Martii f. 2 Snyder	727
	coccinellum Kalchbr	718	sporotrichioides Sherb	727
	coccophilum Wollenw. & Rein-		stilboides Wollenw	727
	king 153,	718	vasinfectum Atk	728
	coeruleum Sacc	718	vasinfectum f. 2 Wollenw. & Rein-	
	conglutinans Wollenw	718	king	728
	conglutinans var. Callistephi Beach.	718	vasinfectum var. lutulatum	=00
	conglutinans var. majus Wollenw	718	Wollenw	728
	congoense Wollenw	720	vasinfectum var. Pisi van Hall	723
	congoense car. septatius Wollenw	$\frac{720}{719}$	vasinfectum var. zonatum (Sherb.)	200
	culmorum Sace	719	f. 1 Wollenw	728
	decemcellulare Brick  Dianthi Prill. & Delacr	719	vasinfectum var. zonatum f. 2	728
		719	Wollenw	728
	dimerum Penzdiversisporium Sherb	719	Fusarium sp Fusella zambesiana Torrend	728
	Equiseti Sacc	719	Füsicladium Crataegi Aderh	691
	Equiseti var. bullatum Wollenw	719	dendriticum Fuck 165,	
	expansum Schlecht	720	dendriticum var. Eriobotryae	691
	graminearum Schwabe 151		Eriobotryae Cav	691
	granulari Kalehbr	724	fuliginosum Kalchbr. & Cooke	691
	heterosporum Nees	720	pirinum Fuck 165.	
	heterosporum var. congoensis Wol-		pirinum var. pyracanthae	691
	lenw	720	Fusicoccum africanum v. d. Byl	619
	heterosporum var. congoensis f. l		viticolum Reddick	619
	Wollenw	720	Galera Eatoni Sacc	578
	incarnatum Sacc	726	hypnorum Quél	578
	javanicum Koord	720	lateritia Quél	578
	javanicum var. radicicola Wollenw.	721	peroxydata Sacc	578
	lateritium Nees 151,	721	pygmaeo-affinis Quél	578
	lateritium var. longum Wollenw	721	spartea Quél	578
	lateritium var. majus Wollenw	721	sphagnorum Karst	578
	Lini Boll	721	tenera Quél	579
	Lycopersici Brushi	717	tenera var. siliginea Quél	579
	moniliforme Sheld 151,	721	Ganoderma africanum Lloyd	511
	moniliforme var. erumpens Wollenw.		Alluaudi Pat. & Har	511
	& Reinking	721	applanatum Pat	511
	moniliforme var. subglutinans	700	applanatum var. laccatum Rea	513
	Wollenw. & Reinking 151,		australe Pat	512
	orthoceras Appel & Wollenw	722	chilense Pat	513
•	orthoceras var albido-violaceum Wol-	722	colossum Bres	513
	lenw	722	Curtisii Murrill	513
	orthoceras var. longius Wollenw	723	Emini P. Henn	513
	oxysporum Schlecht	723	fulvellum Bres	513
	oxysporum f. 1 Wollenw oxysporum f. 7 Wollenw	723	lobatum Atk	513
	oxysporum f. 8 Snyder	723	lucidum Karst	514
	oxysporum var. aurantiacum Wol-	120	mastoporum Pat	515
,	lenw	723	mollicarnosum Sace. & Trott	515
	oxysporum var. cubense Wollenw	724	(Polyporus nigrolucidus Lloyd)	515
	oxysporum var. Gladioli Massey	724	obokense Pat	515
	oxysporum var. Nicotianae Johns.	724	Oerstedii Bres	515
	putaminum Thuem	721	oroflavum Humphrey & Leus	515
	edolens Wollenw. f. 1 Wollenw	724	resinaceum Boud	515
	eticulatum Mont, f. 1 Wollenw	724	rugosum Bres	515
	oseum Kalchbr	724	Gassicourtia silicea Fée	155
8	sambueinum Fuck	724	Gasteromyceteae	591

	PAGE		PAGE
Geaster affinis Colenso	611	Gloeosporium affine Sacc	653
calceus Lloyd	610	ampelophagum de Bary	680
capensis Thuem	611	amygdalinum Brizi	653
coliformis Dicks	611	cocophilum Wakef	653
coriaceus Colenso	611	erocatum Sace	65
coronatus Schroet	610	epicarpii Thuem	653
Drummondii Berk	608	fructigenum Berk	654
Consultation Fireh	609		
fenestratum Fisch		Cydoniae Mont	654
granulosus Fuck	610	Helichrysi Wint	65
MacOwani Kalehbr	609	lagenarium Pass	651
minimus Fisch	610	limetticolum Claus	65-
plicatus Berk	610	Mangiferae P. Henn	65-
Schmidelii Vit	608	Musarum Cooke & Mass	65
Schweinfurthii P. Henn	608	Myricae Dip	653
striatulus Kalehbr	608	olivarum Alm	65.
Geasteropsis Conrathi Hollós	611	Papayae P. Henn	65:
Geastreae	608	Passiflorae Speg	65
Geastrum ambiguum Mont	608	Psidii Del 166	65
arenaruim Llovd	608	Ptychospermatis P. Henn	
Bryantii Berk	608	Sansevieriae Verw. & du Pless.	
campestre Morgan	608	Sclerocarvae Pole Evans	65
dissimile Bottomley	608		653
	608	venetum Speg	681
fimbriatum Fr		Violae Berk. & Br	
floriforme Vitt	609	Gloeosporium sp	65
fornicatum Fr	609	Glomerella cingulata Spauld, & v. Schrenk	
Hieronymi P. Henn	609	165, 650, 654	, 65.
hygrometricum Pers	609	Glycines Lehm & Wolf 166	
limbatum Fr	609		, 651
limbatum var. ellipsostoma N. J. G.		lindemuthianum Shear 166	, 65:
Sm	609	phacidiomorpha Petrak 166	, 653
MacOwani Kalchbr		Psidii Sheld 166	, 65
mammosum Chev	610	rufomaculans Spauld. & v. Schrenk	163
minimum Schw	610	Gloniella multiseptata Doidge	213
mirabile Mont	610	Gloniella natalensis Doidge	213
nanum Pers	610	Glyphis cicatricosa Ach	249
Pazschkeanum P. Henn	609	cicatricosa var. confluens Zahlbr	24:
pectinatum Pers	610	cicatricosa var. simplicior Zahlbr	243
quadrifidum Pers	610		24:
	611	Glyphis confluens Zenk	166
saccatum Fr		Gnomonia leptostyla Ces. & de Not	
triplex Jungh	611	Gnomoniaceae	16
velutinum Morgan	611	Gomphinaria Pedrosoi Dodge	686
Geoglossaceae	223	Gorgoniceps kuitoënsis P. Henn	22:
Geopyxis aluticolor Berk	216	Grammothele mappa Berk. & Curt	498
Geopyxis ammophila Dur. & Mont	216	Grandinia bicolor Talbot	498
cupularis Sacc	216	rosea P. Henn	498
Geotrichum rugosum Dodge	735	Graphidaceae	237
Geotrichum sp	735	Graphina Acharii Müll. Arg	23
Gibellula aranearum Syd	732	analoga Zahlbr	237
Haygarthii v.d. Byl	732	atrofusca Müll. Arg	237
Gibbera Engleriana v.d. Byl	144	Bylii Zahlbr	237
tinctoria Mass	140	Bylii var. lividula Zahlbr	237
Gibberella acuminata Wollenw	151	obtrita Müll. Arg	237
baccata Sacc	151	pergracilis Zahlbr	237
	151		237
Fujikuroi Wollenw	1.71	platycarpa Zahlbr	238
Fujikuroi var. subglutinans	1 = 1	polycarpa Müll. Arg	
Edwards	151	sophistica Müll. Arg	237
intricans Wollenw	151	Graphiola Phoenicis Poit	392
pulicaris Sacc	151	Graphiolaceae	39:
Saubinetii Sacc	151	Graphis Acharii Fee	237
Gliocladium deliquescens Sopp	670	analoga Nyl	237
penicilloides Corda	670	analoga f. tetraspora Stizenb	237
roseum Bain	670	atrofusca Stizenb	237
		Bylii Vain	237
Gloeodes pomigena Colby	, 607	Bylii var. lividula Vain	23
Gloeoporus conchoides Mont	515	caesiopruinosa Krempelh	241
dichrous Bres	516	cicatricosa Wain	24:
Gloeosoma capensis Lloyd	484	cicatricosa var. confluens Wain	24:
corpt moto into the contract the contract to	40×	occurred tar. conferent mann	- x.

	PAGE		PAGE
Graphis cicatricosa var. simplicior Wain	242	Helicomyces cinereus Mass	686
Graphis denudans Vain	238	Helminthocarpon natalense Vain	239
devestiens Nyl	238	Helminthosporium accedens Syd	693
diaphoroides Müll. Arg	238	bicolor Mitra	693
intertexta_Nyl	238	Brizae Nisikado	693
intricata Fée	238	capense Thuem	693
inusta Ach. var. emergens Vain	241	crustaceum P. Henn	695
mesographa Nyl	241	Cynodontis Marign	694
polycarpa Stizenb	238	dematoideum Bubak &	094
	238		en.
scripta Ach		Wrobl	694
sophistica Nyl	237	Dolichi Syd	694
striatula Spreng	238	dorycarpum Mont. (group)	694
subfarinacea Nyl	241	gramineum Rabenh163,	
subolivacea Zahlbr	238	halodes Drechsl	695
Guepinia agariciformis Lloyd	477	Leersii Atk	695
fissa Berk	477	leucostylum Drechsl	695
flabellata Cooke	477	Miyakei Nisikado	695
palmiceps Berk	477	Oryzae Breda de Haan	695
petaloides Kalchbr	477	Palmetto Gerard	695
sparassoides Kalchbr	477	Ravenelii Berk. & Curt	695
spathularia Fr	477	rostratum Drechsl	695
spathularia f. lata Lloyd	477	Sacchari Butler	695
Guignardia Bidwellii Vi. & Rav	156	sativum Pammel, King &	
Gyalecta Thunbergiana Ach	249	Bakke694,	696
Gyalectaceae	249	sigmoideum Cab	696
Gymnoascales	109	stenospilum Drechsl165,	
Gymnoascaceae Imperfectae	736	teres Sacc164,	
Gymnocarpeae	233	turcicum Pass	696
Gymnoglossum radiatum Bottomley	591	Helminthosporium sp	
Gyrodon capensis Sacc	552	Helotiaceae	221
	287	Helotiales	219
Gyrophoraceae	593	Helotium aeruginosum Fr	221
Gyrophragmium Delilei Mont	593		221
inquinans Lloyd		capense Kalchbr. & Cooke	222
Gyrostomum scyphuliferum Nyl	246	Helotium claro-flavum Berk	
Hadotrichum Phragmitis Fuck	729	conformatum Karst	222
Haematomma coccineum Körb. var. porphyri-	200	epihyllum Fr	222
cum Th. Fr	299	ferrugineum Fr	222
Fenzlianum Massal	299	purpuratum Kalchbr	218
Fenzlianum var. pulvinare		scutellatum Kalchbr. & Cooke	222
Zahlbr	299	Helvella mitra Linn	219
puniceum Massal	299	Helvellaceae	219
puniceum f. rufopallens Wain	299	Hemiarcyria clavata Rost	92
puniceum var. africanum		Hemihysteriae	196
Steiner	299	Hemileia Ancylanthi Syd	397
puniceum var. breviculum		Canthii Berk. & Br	397
Zahlbr	299	Evansii Syd	398
puniceum var. collatum Zahlbr	299	Fadogiae Syd	398
puniceum var. rufidulum		Scholzii Syd	398
Zahlbr	299	vastatrix Berk. & Br	398
puniceum var. subarthonioi-		Woodii Kalchbr. & Cooke	398
deum Zahlbr	300	Hemisphaericeae	213
Hamaspora longissima Koern	397	Hemitrichia clavata Rost	92
Hanseniospora Guillermondii Pijper	110	Serpula Rost	93
Haplodothella chaenostoma Werd	165	Vesparium Macbr	93
Haplodothis chaenostoma Theiss	165	Hendersonia Magnoliae Sacc	638
Haploravenelia Baumiana Syd	431	Osteospermi Wakef	638
inornata Diet	432	Rubi West	638
natalensis Diet	434	sparsa Wint	638
Haplosporangium bisporale Thaxt	107	Wistariae Cooke	638
Haplosporella hesperidica Speg	632	Hendersonula toruloidea Nattrass	638
Mali Petrak & Syd	632	Heppia azurea Vain	254
Harknessia uromycoides Speg	646	Guepini Nyl	254
	579	Guepini var. nigrolimbata Nyl	$\frac{254}{254}$
Helbeloma nudipes Karst	579	mossamedana Wain	254
spoliatum Gill	472	niarolimbata Nyl	254
Helicobasidium compactum Boedyn	472	nigrolimbata Nyl	$\frac{254}{254}$
mompa Tan		Heppiaceae	
purpureum Pat472,	101	Heterochaete andina Pat. & Lagerh	475

	PAGE		PAGE
Heterodermaceae	91	Hydnaceae	498
Heterosporium Avenae Oud	697	Hydnangium carneum Wallr	591
echnulatum Cooke		nigricans Kalchbr	591
	697	U. J	499
gracile Sacc		Hydnum ambiguum Berk. & Br	
groenlandicum Allesch	697	auriscalpium Linn, ex Fr	499
Munduleae Syd	697	cinnabarinum Fr	499
Ornithogali Klotzsch	697	coralloides Scop. ex Fr	499
Secalis Dipp	697	flavidum Lloyd	499
Heteroth cium Mariae Müll. Arg	279	Henningsii Bres	499
Hexagona albida Berk	516	longispinosum Llovd ex v. d. Byl	
			499
crinigera Fr	516	mucidum Pers	
decipiens Berk	516	ochraceum, Pers. ex Fr	501
dermatiphora Lloyd	516	pudorinum Fr	501
discopoda Pat. & Har	516	pulcher Lloyd	499
Dregeana Lév	516	pulchrum Lloyd	499
Dybowskii Pat	517	selerodontium Berk. & Mont	499
	317		499
Friesiana Speg		setosum Bres	
glabra Lév	517	Hydrophora stercoraria Tode	106
hystrix Har. & Pat	517	Hygrophorus atro-coecineus Kalchbr	557
orbiculata Fr	517	coccineus Fr	557
peltata Fr	517	conicus Fr	557
phaeopora Pat	517	discolor Kalehbr. & MacOwan	557
Pobeguini Har	517	virgineus Fr	558
	517	Hymenochaete Dregeana Mass	484
polygramma Mont. ex Fr			
rigida Berk	518	fasciculata Talbot	484
Sacleuxii Har	518	fulva Burt	484
similis Berk	518	fusco-violascens v. d. Byl	484
sinensis Fr	518	luteo-badia v. Höhn, & Litsch	485
speciosa Fr	518	nigricans Bres	485
Stuhlmanni P. Henn	517	ochromarginata Talbot	485
polymentation W. Jack	518		494
subvelutina Wakef		pellicula Berk, & Br	
tenuis Fr	518	rubiginosa Lév	485
tenuis var. natalensis Fr	519	semistupposa Petch	485
Thollonis Pat. & Har	-519	tabacina Lév	-485
tricolor Fr	519	tabacina var. australis Mont.	485
umbrinella Fr	519	tenuissima Berk	485
zambesiana Torrend	519	tristicula Mass	485
	737		591
Himantia stellifera Johnston		Hymenogaster albellus Mass. & Rodway	
Hirncola auricula-judac Berk	471	arenarius Tul	591
Hirneola auricularis Fr	472	levisporus Mass. & Rodway	591
auriformis Fr	472	lilacinus Tul	591
eochleata Fr	472	radiatus Lloyd	591
delicata Bres	471	zeylanicus Petch	591
fusco-succinea P. Henn	471	Hymenogastraceae.	591
hemispierica Fr	472	Hymonogostrolos	591
		Hymenogastrales	
nigra Fr	472	Hymenomycetales	478
nigra var. fusco-succinea Fr	471	Hymenomyceteae	471
rufa Fr	473	Hyphaster kutuensis P. Henn	204
polytricha Mont	472	Hyphoderma laetum Karst	482
squamosa Lloyd	471	Hypholoma Candolleanum Quél	583
vitellina Fr	473	capnolepis Sacc	583
	110		583
Histoplasma capsulatum Darling		capnoides Quél	
Holstiella usambarensis P. Henn.	170	fasciculare Quél	583
Homostegia Albizziae Berl. & Vogl	180	hydrophilum Quél	583
amphimelaena Sacc	115	noli-tangere Fr	585
Homostegia Piggottii Karst	686	Hypochnaceae	479
Hormodendron cladosporioides Sacc	686	Hypochnus Eylesii v. d. Byl	479
Pedrosoi Brumpt181,		puniceus Sacc	479
	686	Hymogras carnas Kalahhr & Cooks	152
resinae Lindau		Hypocrea carnea Kalchbr. & Cooke	
Hormomyces aurantiacus Bon	478	chrysostigma Kalchbr. & Cooke	152
calloriodies Sacc	478	citrina Fr	152
Humaria epitricha Berk	216	Inandae Cooke	152
Humarina leucoloma Seaver	217	Lycogalae Kalchbr. & Cooke	152
Humarina sp	217	rufa Fr	152
Hyalinia crystallina Boud	221	subcitrina Kalchbr. & Cooke	152
Huglodema Evaneii Voca	685		
Hyalodema Evansii Magn		sulphurella Kalchbr. & Cooke	152
Hyaloscyphaceae	221	trachycarpa Syd	152

	PAGE		PAGE
Hypocrea sp	146	Irene Heudeloti Doidge	125
Hypocreaceae	146	implicata Doidge	124
Hypomyces chrysospermus Tul	152	inermis Theiss. & Syd	124
Ipomoeae Wollenw	152	natalensis Doidge	125
Hyponectria Sutherlandiae Theiss	155	natalensis var. conferta Doidge	125
Hypoxylon africanum v. d. Byl	173	natalensis var. laxa Doidge	125
annulatum Mont	174	Nuxiae Syd	125
Hypoxylon argillaceum Fr	172	Peddieae Doidge	125
cetrarioides Welw. & Curr	174	Peglerae Doidge	125
clypeus Schw	173	Podocarpi Doidge	126
colliculosum Nitschke	174	Puiggarii Doidge	123
concentricum Fr	172	Rinoreae Doidge	126
cornutum Hoffm	178	scabra Doidge	126
deustum Grev	172	speciosa Doidge	126
exutans Cooke	173	Strophanthi Doidge	126
fuscum Fr		Zeyheri Doidge	126
Gilletianum Sacc	173	Irenina atra Stev	123
glomeratum Cooke	173	ditricha Stevens	124
haematostroma Mont	173	glabra Stevens	124
hypomiltum Mont	173	implicata Stevens	124
Kalchbrenneri Sacc	175	Heudeloti Stevens	125
le pidum v. d. Byl	175	Rinoreae Stev.	126
malleolus Berk. & Rav	173	scabra Stevens	126
mediterraneum Miller	173	Strophanthi Stevens	126
multiforme Fr	173	Zeyheri Stevens	126
natalense Berk	174	Irenopsis Bosciae Stevens	128
placenta Kalchbr	175	claviculata Stevens	129
punctulatum Berk. & Rav	173	comata Stevens	129
rubiginosum Pers. ex Fr 173		Zehneriae Stevens	129
serpens Pers. ex Fr	174	Irpex africanus v.d. Byl	500
Stygium Sacc	174	deformis Fr	500
suborbiculare Welw. & Curr	174	flavus Klotzsch	500
truncatum Miller	174	fusco-violaceus Fr	500
Hypsilophora calloeioides Kalchbr. & Cooke		grossus Kalchbr	500
Hysterangium niger Lloyd	592	lacteus Fr	500
Hysteriaceae	215	modestus Berk. ex Cooke	500
Hysteriales	215	obliquus Fr	500
Hysterographium Acaciae Doidge	215	tabacinus Berk. & Curt	500
Fraxini de Not. var. Olea-		vellereus Berk. & Br	500
stri Desm	215	Isaria coralloidea Kalchbr. & Cooke	732
spinicolum Doidge	215	Psychidae Pole Evans	732
Hysterostoma Acocantherae Theiss. & Syd	202	Isaria sp	732
areolata Nel	212	Isariopsis Fuckelii du Pless	734
capense Syd	202	griseola Sacc	706
Colae Hansf	202	Isidium tabulare Ach	332
Faureae Doidge	202	Isipinga areolata Doidge	212
microspora Doidge	202	contorta Doidge	-200
orbiculata Syd	202	Isothea rhytismoides Fr	189
'Hysterostomella Bosciae Doidge	198	Itajahya galericulata Möller	596
concentrica Syd	196	Ithyphallus aurantiacus Fischer	596
opaca Doidge	198	campanulatus Schlecht	596
Oxyanthae Doidge	198	Kalchbrennera corallocephala Kalchbr	595
tenella Syd	198	Tuckii Berk	-395
Hysteromina Euclea v. d. Byl	199	Tuckii var. microcephala Pole	
opaca Syd	198	Evans	595
Oxyanthae Doidge	198	Kloeckerospora uvarum Nichaus	110
tenella Syd	198	Kretzschmaria cetrarioides Sacc	174
Icmadophila ericetorum Zahlbr	300	knysnana v.d. Byl	174
Rendictyon cibarium Tul	594	micropus Fr	175
Imbricaria hottentottum Schwend	316	Kuehneola albida P. Magn	399
Inocybe microspora J. E. Lange	579	Fici Butler	396
Irene atra Doidge	123	Kupsura sphaerocephala Lloyd	596
calostroma v. Höhn	123	Laboulbenia anomala Thaxt	109
ditricha Doidge	124	bilabiata Thaxt	109
Ekebergiae Doidge	124	Dryptae Thaxt	109
glabra Doidge	124	Laboulbeniaceae	109
gloriosa Doidge	124	Laboulbeniales	109

	PAGE			PAGE
Laccaria laccata Berk. & Br	558	Lecanora	aureola Stirt	343
Lacellina graminicola Petch	687		badia Ach. var. cinerascens Flotow	
Lachnea capensis v.d. Byl	217		benquellensis Nyl	345
capensis Lloyd	217		bicineta Ram	301
hemispherica Gill	217		blanda Nyl	301
Lusatiae Cooke	217		bogotana Nyl	301
Lachnocladium cristatum Lloyd	498		Breuteliana Massal	301
furcellatum Lév	498		Bylii Vain	302
semivestitum Berk. & Curt	498		Bylii Zahlbr	
Zenkeri P. Henn	498		caesiopellens Vain	302
Lactarium deliciosus S. F. Gray	558		caesiorubella Ach	302
piperatus S. F. Gray	558		cancriformis Vain	302
scrobiculatus Fr	558 193		candidata Stizenbcarneoflava Müll. Arg	$\frac{302}{302}$
Lagenula fructicola ArnaudLamproderma scintillans Morg	90		carpinea Vain	
violaceum Rost	90		cateileoides Vain	302
Lamprospora leiocarpa Seaver	217		cervina Ach	289
Lanopila capensis Llovd	604		chlarona Nyl	302
Radloffiana Verw	604		chlarona f. geographica Nyl	302
Wahlbergii Fr	604		chlarona f. pinastri Cromb	303
Laschia auriscalpium Mont	519		chlarona var. bogotana Vain	
cucullata Bres	519		chlarotera Nyl	303
Duthiei Lloyd	519		chondroplaca Zahlbr	303
Friesiana P. Henn	519		einefacta Stizenb	303
rubella Sacc	520		cinerea Röhl	303
tenerrima Kalchbr	520		cinereocarnea Stizenb	
Thwaitesii Berk. & Br	520		cinnabarina Ach	346
Laschia sp	520		cinnabarina var. haematodes Stizenb	
Lasiobolus equinus Karst	217		cinnabarina var. pallidior Stizenb	
Lasiosphaeria capensis Kalchbr. & Cooke	145		cinnabarina var. opaca Stizenb	
Lasiosphaeria hispida Fuck	145		cinnabarina yar. perminiata Nyl	349
Lasmeniella globulifera Petrak & Syd	632 632		cinnabariza Xyl	$\frac{346}{292}$
Pterocarpi Petrak	595		clavulus Stizenb	
Laternea angolensis Welw. & Curr Lecanactidaceae			coaretata Ach	303 303
Lecanactis bullata Zahlbr.			coarctata f. fulgiana Zahlbr	303
develans Xyl	245		coarctata var. argilliseda Duf	303
diversa Nyi	237		coarctata var. fossulans Stizenb	
emersa Stizenb	245		coccinella Stizenb	
ulcerata Zahlbr	24.5		coilocarpa Nyl	303
Lecania arenaria Flagey	300		confluens Stizenb	
cyrtella Th. Fr	300		confragulosa Nyl	368
fructuosa Zahlbr	300		conspersa Stizenb	368
punicea Müll. Arg	299		constans Xyl	293
Lecanora aequata Stizenb	365		crassilabra Müll. Arg	293
albella Ach	306		cruda Stizenb	303
albella f. angulosa Nyl	$\frac{302}{300}$		deminuta Stizenb	
Lecanora albospersa Stizenb	300		deminutula Stizenb	368
allophana Röhlallophana var. glabrata Steiner	300		detecta Stizenbdiffusilis Nyl	$\frac{368}{304}$
amphidoxa Stizenb	344		dispersa Röhl. f. nana Vain	304
angulosa Ach	302		dispersa f. testacea Vain	304
arenaria Xyl	300		domingensis Ach	343
Armstrongiae Stizenb	292		elaeophaea Nyl	298
asperella Nyl	256		elapheia Stizenb	304
aspersa Stizenb	300		elegantissima Nyl	347
atra Ach	300		epichlora Vain	304
atra var. americana Fée	301		erythrella Ach	348
atraeformis Vain	301		erythroleuca var. subcerina Nyl	
atrorimata Nyl			eudoxa Stizenb	347
atrosulphurea Ach	301		euelpis Stizenb	352
atrosulphurea f. leptococca Stizenb.			exigua Röhl	368
atrosulphurea f. livens Stizenb	301		expallens Ach	304
aurantiaca Flotow	345 348		expallens var. lutescens Nyl	$\frac{304}{299}$
aurantiaca var. erythrella Nyl aurantiaca var. fulva Nyl	345		Fenzliana Stizenb ferruginea Link	348
aurantiaca var. placidium Stizenb			ferruginea f. erysibe Stizenb	348
The second of th			J	

		PAGE			PAGE
Lecanora	fibrosa Stizenb	309	Lecanora	scorigena Nyl	356
Becarior	ficta Stizenb	368	12ecanora	scoriophila Stizenb	345
	flava Stizenb	348		seductrix Stizenb	343
	flavocrea Nyl	344		smaragdula Nyl	290
	flavorubens Stizenb	348		sophodes Nyl	369
Lecanora	flavovirens Fée	304		sophodes var. atroalbida Nyl	369
	flexuosa Stizenb	304		sophodes var. roboris Duf	369
	fructuosa Stizenb	300		sphinctrina Nyl	256
	frustulosa Ach	304	Lecanora		306
	galactiniza Nyl	304		subcarnosa Ach	306
	gibbosa Nyl. var. subdepressa Nyl	307		subdepressa Nyl	307
	glaucolivescens Nyl	298		subfulgescens Nyl	350
	glaucoma Ach	306		subfusca Ach	307
	granulosa Wedd	348		subfusca var. allophana Ach	300
	helva Stizenb	305		subfusca var. campestris Rabenh	307
	homaloplaca Nyl	306		subfusca var. cinereocarnea Müll.	
	Hufferiana Stizenb	368		Arg	30.5
	hypocrocina Nyl	305		subfusca var. glabrata Sch	300
	imponens Stizenb	342		subfusca var. subcrenulata Nyl	307
	impressa Zahlbr	305		subfusca var. subgranulata Nyl	307
	labiosa Stizenb	305		subgranulata Nyl	307
	laciniosa Nyl	309		subpunicea Stizenb	343
	lamprocheila Nyl	349		subsoluta Nyl	352
	leprosa Fée	305		subunicolor Nyl	352
	leptoplaca Zahlbr	305		sylvestris Stizenb	307
	leucoxantha Müll. Arg	305		teichophiloides Stizenb	369
	leucoxantha Stizenb	349		tersa Nyl	292
	leucoxanthalla Stizenb	305		thaeodes Stizenb	288
	lithagogo Nyl	273		thiocheila Stizenb	307
	lugens Stizenb	292		varia Ach	307
	massula Stizenb	349		vascesia Stizenb	343
	microlepida Stizenb	369		vincentina Nyl	307
	microps Stizenb	367		vitellina Ach	298
	murorum Ach	349		vulpina Nyl	279
	murorum var. pusilla Wedd	352		xanthophana Nyl	288
	nidulans Stizenb	305		zambesica Stizenb	352
	nubila Stizenb	305	Lecanorac	ceae	298
	obvirescens Stizenb	306		cervata Stizenb	223
	ochracea Nyl. var. parvula Stizenb	342		achristella Vain	268
	Odoardi Stizenb	350		aemula Stizenb	263
	oveina Ach	369	3	neneola Vain. var. fuscoatrata	.311.3
	orichalcea Stizenb	350		Zahlbr	268
	ostracoderma Ach	306		aethalea Nyl	$\frac{358}{358}$
	pallescens Röhl	308		aethaloëssa Stizenb	
	pallida Rabenh	$\frac{306}{308}$		affine Merrill	$\frac{268}{358}$
	parella Ach			afra Stizenb	358
	perexigua Stiz	$\frac{291}{350}$		africana Tuck	359
	phlogina Nyl	306		albocoerulescens Arn	268
	placodina Zahlbr	342		albocoerulescens var. flavocoerules-	208
	poliotera Nyl	306	č	cens Schaer	268
	polytypa Vain	291	,	albula Nyl	359
	porinoides Stizenb	342		ambusta Stizenb	359
	praemicans Nyl homaloplass	012		anatalodia Krempelh	359
	prosecha Ach. var. homaloplaca	306		ingolensis Müll. Arg	268
	Vain	306		anomala Ach	300
	psaromela Nylpunicea Ach	299		anteposita Nyl	268
	punicea var. brevicula Stizenb	299		aporetica Stizenb	268
	punicea var. collata Stirt	299		Armstrongiae Jones	292
	pyracea Nyl. f. picta Nyl	351		atroalba Ach	280
	pyracea f. pyrithroma Nyl	351		atroalbella Nyl	358
	pyracea var. picta Stizenb	351		atrovirens Ach	280
	pyropoecila Nyl	351		urantiaca Ach	345
	Rehmannii Stizenb	306		ureola Tuck	343
	robiginans Stizenb	293		urigera Fée	271
	roboris Nyl	369		breviuscula Nyl	281
	rupicola Zahlbr	306		Brugierae Vain	268

		1. 10. 1		PAGE
Leciden	bundmind Nyl	281	Lecidea glomerulosa Steud	271
Lecidea	huyon Stir	269	goniophila Floerke	279
	caledonica Zahlbr. caledonica Zahlbr. callaina Stizenb	281	gouritzensis Vain	271
	caledonica Zahlbr.	269	graniferna Wain	271
	Allaina Stizenb	3.59	granulosula Nyl	272
	capensis Zahlbr	269	grisella Floerke f. Mosigii Zahlbr	272
	capensis Zantot	263	griseofusciuscula Vain	272
	caprolina Stizenb			
	carneola Ach	249	guamensis Vain	
	car moula Stizenb	263	halonia Ach	361
	candata Nyl	265	hereroënsis Zahlbr	272
	cha'ghara Borr	266	hereroënsis f. genuina Zahlbr	272
	chlorophaeata Nyl	264	hereroensis f. depauperata Zahlbr	272
	chloropoliza Nyl	267	Howickensis Vain	272
	chlorotica Nyl	26.5	Hyshergensis Vain	272
	cinnamomea Stizenb	269	iomadophila Ach	300
	coccinella Hue	346	imponens Hue	342
		360	impressa Krempelh	305
	corruleata Stizenb		ine no avera Val	
	confluens Hue	342	inconsequens Nyl	265
	contingens Nyl	360	inconveniens Nyl	265
	coroniformis Krempelh	269	incretata Stizenb	-281
	erassa Stizenb	269	incuriosa Nyl	361
	erenata Stizenb	269	inquilina Stizenb	362
	crenata var. coroniformis Zahlbr	269	inscripta Stizenb	272
	crenata var. speirea Stizenb	276	insculpta Flotow	272
	erustulata Sprengl	269	insculpta f. oxydata Flotow	272
	evanocentra Nyl	269	intermedia Nyl	264
		264		267
	cyrtocheila Stizenb		intermixta f. cyanocentra Nyl	
	deceptoria Nyl	269	italica Wedd	362
	decipiens Ach	270	italica var. debanensis Stizenb	362
	decrustulosa Vain	270	italica var. recobarina Stizenb	362
	disciformis Nyl	360	lactaria Stizenb	273
	disciformis var. sanguinea Stizenb	360	lactea Floerke	275
	discolor Stizenb	360	laetens Stizenb	273
	dispersula Stizenb	366	langbaanensis Vain	
	distrata Nyl	366	laurocerasi Nyl. var. amylothelia Wain	
	domingensis Nyl	343	lenticularis var. nigroclarata Stizenb.	
	Jamingensio Avii	344	leptobola Nyl	273
	domingensis var. inexplicata Nyl			
	elaeochroma Ach	270	leucina Stizenb	362
	elaeochroma f. flavicans Th. Fr	270	leucoste phana Stizenb	265
	elaeochroma f. geographica Zahlbr	270	leucoxantha Spreng	279
	elaeochroma var. hyalina Zahlbr	270	lithagogo Wain	273
	endoleuca Xyl	264	lutata Stizenb	-362
	endoleacella Stizenb	264	lutea Tayl	249
	enteroleuca Ach	27.5	luteola Ach	265
	enteroleuca var. geographica Bagl	270	luteola var. chlorotica Ach	265
	elginensis Zahlbr	270	luteola f. conspondens Nyl	265
	epichromatica Zahlbr	270	massula Hue	349
		270		
	esuriens Zahlbr		medialis Tuck	265
	earlpis Hue	352	meiospora Nyl	273
	exigua Chaub	270	melampepla Tuck	267
	exiguella Vain	271	melanthina Stizenb	363
	Finckei Zahlbr	271	millegrana Nyl	266
	flavocrocea Nyl	343	minutula Nyl	366
	fucina Stizenb	271	Montagnei Flotow	280
	fumosa Ach	271	mortualis Stizenb	267
	fumosa var. Mosigii Ach	272	mossamedana Wain	273
	fuscoatra Ach	271	mutabilis Fée	273
	fuscoatta Acti		mutaonis ree	
	fuscoatrata Nyl	268	myriocarpa Röhl	365
	fuscorubella Röhl	264	myriocarpa f. marcidula Nyl	365
	fuscorubescens Xyl	273	nanosperma Stizenb	363
	fuscolutea Ach	279	natalensis Xyl	273
	fuscotabulata Stizenb	271	nesiotis Stizenb	363
	geina Stizenb	271	nigrella Stizenb	278
	geographica Rebent	280	nigropallida Nyl	273
	geographica f. intermedia Stizenb	280	nitidula Fr	269
	glebaria Stizenb	271	Norrlinii Lamy	264
	glencairnensis Zahlbr	271	obumbrata Xvl	274

		PAGE			PAGE
Lecidea	ocellata Floerke	367	Lecidea	Stellenboschiana Vain	276
	ochriodea Stizenb	269		stellulata Tayl	-366
Lecidea	ochroplaca Zahlbr. var. intermedia			stellulata f. albosparsa Stizenb	366
	Zahlbr	274		stellulata f. hybrida Stizenb	366
	ochroplaca var. leprosa Zahlbr	274		stellulata f. murina Stizenb	366
	ochroplaca var. polita Zahlbr	274		stenospora Nyl. var. acutata Stizenb	263
	ochroxantha Nyl. f. aethiopica			stictella Stirt	268
	Stizenb	274		stupparia Stizenb	-276
	oligocheila Zahlbr	274		styloumena Stirt	-281
	olivacea Massal	363		subalbicans Nyl	277
	olivacea var. ambigua Lettau	270		subalbula Nyl	367
	olivacea Stizenb	270		subattingens Merrill	277
	opacata Stizenb	267		subceresina Zahlbr	277
	opalina Stizenb	274		subdisciformis Leight	367
	orbiculata Stizenb	274		subexigua Vain	277
	orichalcea Hue	350		subexiguella Vain	277
	Owaniana Müll. Arg	274		subfuscata Nyl	268
	pachnodes Stizenb	363		subinquinans Nyl	277
	pachycarpa Fr	344		sublucida Stizenb	277
	pallidonigra Ach	274		subluteola Nyl	266
	palmeti Stizenb	293		subspadicea Stizenb	266
	pantherina Ach	275		subsquamifera Zahlbr	277
	parasema Ach	275		subrussula Steiner	277
	parasema var. areolata Duf	275		substylosa Zahlbr	277
	parasema var. areolata Merrill	275		subtristis Nyl	367
	parasema var. atropurpurea Flotow.	275		sulfurosula Stizenb	277
	parasema var. elaeochroma Ach	270		tenebricosa Nyl	278
	parasema var. exigua Nyl	270		terrena Nyl	278
	paraspeirea Stizenb	275		thaleriza Stirt	278
	Parmeliarum Sommerf	223		theichroa Vain	278
	parvifolia Pers	281		theiphoriodes Vain	278
	parvifolia var. fibrillifera Nyl	282		tragorum Zahlbr	278
	parvifoliella Nyl	282		transvaalica Stizenb	367
	patellaria Stizenb	280		Trichiliae Zahlbr	278
	peltasta Stirt	275		trifaria Stizenb	-266
	peltoloma Müll. Arg	275		triphragmia Nyl	361
	peltulidea Stirt	275		tuberculosa Fée	344
	perforans Stizenb	224		tuberculosa f. geotropa Stizenb	344
	perigrapta Stizenb	364		valida Stizenb	278
	permodica Stizenb	364		vasquesia Hue	343
	phalerata Stizenb	275		vernalis Ach	278
	placodina Nyl	275		vernalis S. F. Gray	278
	porphyrea Mey	288		versicolor Nyl	280
	praelata Stizenb	364		vesicularis Ach	281
	praemicans Hue	342		vestita Nyl	278
	procellarum Stizenb	364		viridans Lamy var. nigrella Steiner	278
	promontorii Zahlbr	275		viridiatra Stizenb	367
	proposita Nyl	266		volvarioides Stizenb	247
	punicea Hue	34:3		vorticosa Körb	279
	quartzina Stizenb	276		vulgata Zahlbr	279
	remota Vain	276		vulpina Tuck	279
	rhynsdorpensis Zahlbr	276		Woodii Stizenb	279
	rhyparoleuca Stizenb	267		Zeyheri Zahlbr	279
	rivulosa Ach	276	Lecidead	ceae	263
	rudis Stizenb	365		n nigrella Massal	278
	rufata Stizenb	266		a flavescens Massal	-301
	russula Ach	276	Lembosi	a congesta Wint	198
	rusticorum Stizenb	365		durbana v.d. Byl	197
	sabuletorum Ach	266		natalensis Doidge	197
	santensis Tuck	271	Lembos	ia Phillipsii Doidge	212
	Schinziana Stizenb	365		piriensis Doidge	212
	speirea Ach	276		radiata Doidge	200
	spuria Schaer	366		Wageri Doidge	212
	spuria var. insularis Stizenb	366	Lembos	ina Rawsoniae Doidge	212
	squamifera Stizenb	276	Lembos	iopsis eucalyptina Petrak & Syd 198	, 648
	squamifera var. Bylii Zahlbr			s albidus Berk	558
	etellane Stizenh	976		canronatus Berk	561

		LACE		PAG:
Lentinus	cirrosus Fr	558	Lepiota Zevheri var. telosa Sacc	56
	dactyliophorus Lév	558	Zeyheri var. verrucellosa Sacc	56
	fastuosus Kalchbr. & MacOwan	558	Lepiota sp	56
	flabelliformis Fr	558	Lepra citrina Schaer	37
	hyracinus Kalchbr	559	lactea DC	370
	Lecomtei Fr	559	sulphurea Ehrht	37
	lepideus Fr	559	Lepr tria alba Ach	37
	miserculus Kalchbr	559	candelaris Fr	37
	Murravi Kalchbr. & MicOwan	559	citrina Schaer	37
	natalensis v.d. Byl	559	crassa Nees	26
	nigripes Fr.	559	flava Ach	370
	Phillipsii v.d. Byl	559	glaucella Ach	
		560	xanthina Vain	37
	Sajor-caju Fr	561		37
	Sajor-caju var. sparsifolius Pilat		Leproloma lanuginosum Nyl	24
	Sajor-caju var. typicus Pilat	559	Leptogiopsis Brebissonii Müll. Arg	25
	strigosus Fr	560	chloromeloides Müll. Arg	25
	stupeus Klotzsch	560	Leptogium adpressum Nyl	25
	tigrinus Fr	560	africanum Zahlbr	25
	Tuber-regium Fr	560	azureum Mont	25
	ursinus Fr	560	Brébissonii Mont	2.5
	velutinus Fr 558,	561	bullatum Mont	25
	villosus Klotzsch	561	bullatum yar. daetylinoideum Nyl	
	rillosus var. Zeyheri Pilat	561	Burgesii Mont	25:
	Woodii Kalchbr	561	chloromeloides Nyl	.).)
	Zeyheri Berk	561	chloromelum Nyl	2.5
Lenzites a	abietina Fr	520	chloromelum var. caespitosum	
(	alborepanda Lloyd	521	Zahlbr	2.5
/	ipplanata Fr	521	chloromelum var. crassius Nyl	2.5
	aspera Klotszch	520	daedaleum Nyl	25
ł	betulina Fr	520	Hildenbrandii Nyl	25
e	deplanata Fr	521	Kraussii Zahlbr	25
9	guineensis Fr	521	marginellum S. F. Gray	2.5
	Junghuhnii Lév	521	Menziesii Mont	2.5
,	whracea Lloyd	520	Menziesii f. fuliginosum Müll. Arg.	25
	Palisoti Fr	521	moluccanum Wain	25
	repanda Fr	521	moluceanum var. simplicata Vain.	
	rabea Fr	550	phyllocarpum Mont	2.5
	tricolor Fr	521	phyllocarpum var. coralloideum	
	s fragilis Rost	85	Hue	2.5
	gantula Kalchbr	223	phyllocarpum var. daedaleum Nyl.	25
	acutesquamosa Gill	561	phyllocarpum var. isidiosum Nvl	25
	africana Kalchbr	561	phyllocarpum var. macrocarpum	
	tricapilla Sacc	561	Nyl	2.5
	cinereo-bubella Kalchbr. & MacOwan	564	saturninum Nyl	25
	ristata Quél	561	tremelloides S. F. Gray	25
	cuculliformis Sace	561	tremelloides var. azureum Nyl	25-
	exeoriata Quél	562	Le ptosphaerella Helichrysi Cooke	15
	flava Beeli	562	Leptosphaeria anceps Sacc	15
	Goossensiae Beeli	562	caffra Thuem	1.58
	gracilenta Quel	562	cervispora Sacc	15
	hispida Gill	562	Cinnamomi Shir. & Hara	15
	anthina Mass	562	Coniothyrium Sacc	15
	Kunzei Sace	562	Helichrysi Sacc	15
	utea Godfrin	562	Owaniae Sacc	15
1	mamannulata Saca	562	Protearum Syd	15
	magnannulata Sacc	562	Pterocelastri Doidge	15
	Montagnei Sacc	563	Sacchari van Breda	
	Morgani Peck			157
	naucina Quél	563	Salvinii Catt	158
	nympharum Kalchbr	563	Verwoerdiana du Pless	158
1	polysarea Sace	563	Leptostromataceae	647
	procera S. F. Grey	563	Leptostromella Acaciae Syd	648
	pteropa Sace	563	Leptothyrium Evansii Syd	647
	purpurata Kalchbr	564	Pomi Sacc	647
	sulfurella Sacc	563	Leptotrema endoxanthellum Zahlbr	246
	varians Sacc	563	microglaenoides Zahlbr	246
	Zeyheri Sacc	564	Leveillina Arduinae Theiss. & Syd	113
2	Zeyheri var. elegantula Sacc	564	Leveillula taurica Arn	119

	1 /4 (11)		44.45
Levieuxia natalensis Fr	646	Lobaria verrucosa Hoffm	257
Libertella Rhois Kalchbr	663	Lobarina retigera Nyl	267
Lichen albus Roth	376	retigera f. isidiosa Stizenb	256
atrovirens Linn	280	scrobiculata Nyl	257
barbatus Linn	333	Longia natalensis Syd	434
capensis Linn. f	353	Lopadium fuscoluteum Mudd	279
ceranoides Lam	316	leucoxanthum Zahlbr	279
crispus Linn	251	Mariae Zahlbr	279
crocatus Linn	259	vulpinum Zahlbr	279
divaricatus Thunb	333	Woodii Zahlbr	279
excavatus Thunb	249	Lopharia javanica P. Henn. & E. Nym	50 l
fastigiatus Pers	329	lirellosa Kalchbr. & MacOwan	501
fimbriatus Linn	283	mirabilis Pat	501
flammeus Linn. f	356	Lophiostomataceae	167
flavicans Sw	354		
fragilis Wither	233	Lophodermium pinastri Chev	167
fraxineus Linn	329	Lycogala epidendrum Fr	92
gilvus Ach		flavo-fuscum Rost	92
helopherus Ach		rufo-cinnamomeum Mass	92
hepaticus Endocarpon Thunbergii Lam.		Lycogalaceae	92
hotentottus Ach		Lycoperdaceae	600
incarnatus Thunb	270		
monocarpus Thunb		Lycoperdales	600
opegraphus Lam		Lycoperdeae	600
pallidoniger Ach		Lycoperdon asperrimum Welw. & Curr	604
peltatus Lam		asperum de Toni	604
peltatus* Lecanora ostracoderma Lam.		atroviolaceum Kalchbr	605
perforatus Wulf		bicolor Welw. & Curr	604
pertusus Thunb		Bovista Linn	601
physodes Linn		caespitosum Welw. & Curr	604
pulmonarius Linn		caffrorum Kalchbr. & Cooke	604
pyxidatus Linn		capense Cooke & Mass	604
rangiferinus Linn		capense Fr	506
Roccella Linn		carcinomale Linn. f	613
rubiginosus Thunb		cepaeforme Mass	606
scriptus Linn		Curreyi Mass	603
squarrosus Lam		Curtisii Berk	606
tabularis Thunb		cyathiforme Bosc	602
Thunbergii Ach		djurense P. Henn	605
tomentosus Sw		Duthiei Bottomley	605
torulosus Thunb.		endotephrum Pat	605
Usnea Linn		Eylesii Verw	606
verruciger Gmel		flavum Mass	605
verrucosus Linn. f		furfuraceum Schaeff. ex de Toni	606
viridis Linn. f		Gardneri Berk	605
Lichenes Imperfectae		gemmatum Batsch605,	
Limacinia Nuxiae Doidge		glabellum Peck	608
transvaalensis Doidge		Gunnii Berk	603
Linderiella columnata G. H. Cunn		hyemale Vitt	606
Linochora Doidgei Syd		laetum Berk	60€
Linochorella striiformis Syd		lilacinum Mass	60:
Lithographa cerealis Stizenb		multiseptum Lloyd.	606
fumida Nyl		natalense Cooke & Mass	606
Lloydella retiruga Bros		natalense Fr	606
Lobaria interversans Wain		oblongisporum Berk. & Curt	606
isidiosa Wain		perlatum Pers	606
meridionalis Wain		polymorphum Vitt	606
			600
patinifera Hue		pratense Pers	60'
Lobaria pulmonacea Shirley		pusillum Batsch ex Pers	
pulmonacea var. hypomela Stizenb pulmonacea var. pleurocarpa Ach		Qudenii Bottomley radicatum Welw. & Curr	60
			60
		retis Lloydrhodesianum Verw	60
pulmonaria f. hypomela Cromb			
pulmonaria f. papillaris Hue		saccatum Vahl	60:
pulmonaria f. pleurocarpa Cromb.		subincarnatum Peck	60
quercizans Michx		umbrinum Pers	
retigera Trevis	. 201	Welwitschii de Toni	60

	PAGE		$P(\lambda) \circ E$
Lysurus borealis P. Henn	595	Marasmius torquescens Quél	566
corallocephalus Welw. & Curr	595	ustorum Berk	566
Gardneri Berk	595	Marasmius sp	566
Woodii Lloyd	595	Maronea constans Hepp	293
MacOwania agaricina Berk	593	crassilabra H. Magn	293
Macowaniella congesta Doidge	195	horizoides Wain	293
myrsini ola Doidge	199	Marssonia Castagnei Sacc	657
MacOwanites agaricinum Kalchbr	593	Marssonina Fragariae Kleb	656
Macrodiplodia corticale Kalchbr. & Cooke	632	Juglandis Magn166.	656
Macrophoma Agapanthi Trav	620	Populi Magn	657
Moes Scalia	620	Marssonina sp	657
Artemisiae Berl. & Vogl	620	Masseeella Flueggeae Syd	399
cattleyicola P. Henn	650	Medusula disjectans Nyl	243
Clematidis Togn	620	Megalonectria nigrescens Sace	153
curvispora Peck	620	pseudotrichia Speg	153
Dryopteris Verw. & du Pless	62 :	Megalospora lut a Flotow	279
Falconieri P. Henn	620	Megalospora Stellenboschiana Zahlbr	280
Oleae Berl. & Vogl	620	versicolor Zahlbr	280
Palmarum Berl. & Vogl	635	Megatrichophyton roseum Doidge	736
pinea Petrak & Syd	63.5	Melampsora aecidioides Schroet	394
Macrophoma sp	62.1	Helioscopiae Wint	394
Macrophomina limbalis Syd	621	Hyperici Schroet	394
Phaseoli Ashby	621	Hypericorum Wint, var. australis	
Macrosporium Camelliae Cooke & Mass	702	Doidge	394
Carotae Ell. & Langl	702	Junodii Doidge	394
Citri McAlp	702	Lini Lév	394
cladosporioides Desm	702	mixta Schroet	395
commune Rabenh	702	puccinioides Wint	394
cucumerinum Ell. & Everh	695	Ricini Pass	394
Eucalypti P. Henn	702	stratosa Cooke	435
Iridis Cooke & Ell	702	Tremulae Tul	394
lanceolatum Mass	702	Vitellinae Thuem	394
longipes Ell. & Everh	699	Melampsoraceae	393
Maydis Cooke & Ell	702 703	Melampsorella Ricini de Toni	394
nigricantium Atk	703	Melampydium metabolum Müll. Arg. subsp.	04-
nobile Vize Oleae Berl, & Vogl	703	africanum Zahlbr	245
Phascoli Fautr	703		358 361
Porri Ell	703	epichlora Vain Melanconiaceae	649
punctatum Kalchbr. & Cooke.	703	Melanconiales	649
sarcinula Berk	703	Melanconium Fourcroyae Syd	656
Solani Ell. & Mart	699	Sacchari Mass	656
tabacinum Ell. & Mart	700	Melanogaster ambiguus Tul	592
tomato Cooke	703	Owanianum Kalchbr	592
Vitis Sorok	703	Melanops Perseae Petrak	171
Macrosporium sp	703	Melanopsamma parasitica Sacc	142
Madurella sp	687	Melanopsichium austro-americanum G. Beck	378
Malacaria meliolicola Syd	153	Melanospora parasitica Tul	153
Malassezia furfur Baillon	735	Melanotheca oculea Stizenb	231
Marasmius calopus Fr	564	Melasmia confluens v. Höhn	647
candidus Fr	564	Parinarii P. Henn	647
delectans Morgin	564	Melaspilea gemella Nyl	239
epiphyllus Fr	564	Melastiza Charteri Boud	217
<ul> <li>filaris Kalchbr. &amp; MacOwan</li> </ul>	564	Meliola acanthacearum Hansf	127
haematocephalus Mont. ex Fr	.56.5	Acridocarpi Doidge	127
hariolorum Quél	.56-5	Allophyli Doidge	127
helvolus Berk	365		198
oreadoides Pass	363	Apodytis v.d. Byl	127
petalinus Berk. & Curt	565	arcuata Doidge	127
rotula Fr	565	argentina Speg	127
saccharinu Fr	565	Atalayae Doidge	127
scorodonius Fr	565		123
sieeus Fr	565		127
splachnoides Fr	565		127
tener Berk. & Curt	565 566		127
togoensis P. Henn Thwaitesii Berk. & Br	566		128
Thwattesh Delk, & Dr	565	brachyodonta Syd	130

		PAGE		PAGI
Meliola	buxicola Doidge	128	Meliola Podocarpi Doidge	126
	eampylotricha Syd	128	Meliola polytricha Kalchbr. & Cooke 133, 134,	
	capensis Theiss	128	Popowiae Doidge	134
	capnodioides Thuem128,	137	Psilostomae Thuem	122
	Carissae Doidge	129	Psychotriae Earle127, 128, 134,	
	celtidicola v.d. Byl	129	Ptaeroxyli Doidge	135
	Choristylidis Doidge	129	Puiggarii Speg	123
	cladophila Syd	129	quinques pora Thuem	124
	cladotricha Lév	116	rhoina Doidge	135
	claviculata Doidge	129	Rhois P. Henn	135
	Cluytiae v.d. Byl	129	Rhois var. tenuis Doidge	135
	Cnestidis Doidge	129	rigida Doidge	135
	comata Doidge	129	Sapindacearum Speg	125
	conferta Doidge	125	scabra Doidge	126
	Cryptocaryae Doidge	129	Sclerochitonie Kalchbr	206
	cylindripoda Doidge	130	Scolopiae Doidge	135
	dactylipoda Syd	130	sinuosa Doidge	135
	ditricha Doidge	124	speciosa Doidge	126
	Doidgeae Syd	130	Strophanthi Doidge	126
	dracaenicola Pat, & Har	127	Thuemeniana Stev	133
	Dummeri Hansf. var. brachyodonta		Toddaliae Doidge	135
	Hansf	130	torta Doidge	136
	Evansii Doidge	130	transvaalensis Doidge	136
	Excoecariae Doidge	130	varia Doidge	133
	falcata Syd	136	Woodiana Sace	136
	furcillata Doidge	130	xumenensis Doidge	136
	ganglifera Kalchbr	131	Zehneriae v.d. Byl	129
	gemellipoda Doidge	131	Meliola sp. var. M. capnodioides Thuem	137
	geniculata Syd. & Butler var. macros-	101	Meliola sp	137
	pora Doidge	130	Meliolaceae	122
	glabra Berk. & Curt	124	Meliolaster Mackenzii Doidge	122
	gloriosa Doidge	124	Meliolina arborescens Syd	116
	Goniomae Doidge	131	cladotricha Syd	116
	Heudeloti Gaill	125	irenicolum Stevens	145
	Hippocrateae Doidge	131	Melogramma Eucalypti Kalchbr. & Cooke	171
	Impatientis Doidge	131	Melogrammataceae	171
	Indigoferae Syd	137	Memnoniella echinata Gall	687
	inermis Kalchbr. & Cooke	124	Menispora cylindrica Kalchbr. & Cooke	687
	jasminicola P. Henn	132	Merulioideae	502
	kentaniensis Doidge	128	Merulius alneus Linn	572
	Knowltoniae Doidge	132	Merulius Corium Fr	502
	Knysnae Doidge	132	gelatinosus Lloyd	502
	leptidea Syd	132	himantoides Fr	502
	littoralis Syd	132	lacrymans Fr	-502
	Loxostylidis Doidge	132	Pinastri Burt	502
	MacOwaniana Thuem	137	rufus Pers. ex Fr	502
	malacotricha Speg	131	serpens Tode ex Fr	502
	manca Ell. & Mart	123	squalidus Fr	502
	Merrillii Syd	133	tremellosus Schrad, ex Fr	502
	microspora var. africana Doidge 128,	134	Metarrhizium anisopliae Sorokin	670
	microthecia Thuem	133	Metasphaeria brachiata Sacc	158
	natalensis Doidge	125	caffra Petrak	158
	natalensis var. conferta Doidge	125	cumana Sacc	158
	natalensis var. laxa Doidge	125	metuloidea Sacc	$\frac{158}{192}$
	Ochnae Doidge	133 133	Microcallis Nuxiae Hansf	$\frac{192}{192}$
	oleicola Doidgeoleicola var. Jasmini Doidge	133	Oleae Hansf Microcyclus kentaniensis Doidge	113
	Oliniae Kalchbr	209	Osynridis Sacc	115
	Oncinotidis Doidge	133	Tassianus Syd	115
	Osyridis Doidge	133	Microdiplodia rikatliensis Petrak	637
	palmicola Wint	134	Micropeltis Marattiae P. Henn	158
	Panici Earle	134	Micropettis stigma Cooke	213
	peddieïcola Hansf	134	Trichomanis P. Henn	213
	Peglerae Doidge	125	Microphiale lutea Zahlbr	249
	peltata Doidge	134	Microsphaera Alni Wint	671
	perpusilla Syd. var. congoensis Beeli	134	polonica Siemaszko119.	
	petiolaris Doidge	134	Microsporon furfur Robin	735

	PAGE		PAGE
Microsporum Audouini Gruby	737	Mycena arguta Sacc	566
Microstroma Albizziae Syd	478	capillaris Quél	566
album Sacc	479	clavicularis Gill	566
quercinum Niessl	479	corticola Quél	566
quercinum f. Roboris Thuem	479	debilis Quél	566
Microthelia confluens Müll. Arg	228	dilatata Gill	567
macrocarpoides Zahlbr		Dregeana Sacc	567
micula Körb	228	galericulata S. F. Gray	567
uniserialis Zahlbr	228	heliseus Sace	567
Microthyriaceae	195	hiemalis Quél	567
	200	macrorrhiza Sace	567
Microthyriales	194	rhadionhulla Sace	567
Microthyriales	214	rhodiophylla Sacc	
Microthyriella transvaalensis Doidge	202	sciola Sacc	567
Microthyrium annuliforme Syd		tenerrima Quél	567
maculicolum Doidge	202 203	tintinnabula Quél	567
ranulisporum Doidge		vitrea Quél	568
Milesina Dieteliana P. Magn	395	vulgaris Quél	568
nervisequa Syd	395	Mycena sp	568
Mollisia aquosa Phill	220	Mycenastrum corium Desv	607
cinerea Karst	220	lejospermum Mont	598
subgilva Kalchbr. & Cooke	220	phaeotrichum Berk	607
Monascus ruber van Tiegh.	139	Mycobilimbia acervata Vouaux	223
Monilia balcanica Castellani & Chalmers	734	quaternella Vouaux	223
bethaliensis Pijper	734	Mycoderma pararugosum Dodge	735
fimicola Cost. & Matr	674	Mycogone aurantiaca da Cam	683
Krusei Castellani & Chalmers	734	Mycogone sp	683
Monilia pseudolondinensis Castellani & Chal-		Mycolangloisia nitida Hanst	213
mers	734	Mycoleptodon ochraceum Pat	501
pseudotropicalis Castellani & Chalmers	734	Mycoporaceae	232
rugosa Castellani & Chalmers	735	Mycoporellum Lahmii Müll. Arg	233
sitophila Sacc	670	Mycoporum Lahmii Stizenb	233
zeylanica Castellani & Chalmers	73.5	pycnocarpum Nyl	232
Monilia sp	734	Mycosphaerella Agapanthi Lindau	158
Monochaetia Camelliae Miles	659	Aloes Syd	159
Cydoniae Pole Evans & Doidge.	659	areola Ehrlich & Wolf	159
Monoicomyces zealandicus Thaxt	109	brassicaecola Lindau	159
Montagnella asperata Syd	114	Byliana Syd	159
Montagnella maxima Mass	115	citrullina Gross	156
Peglerae Pole Evans	113	Dichrostachydis v.d. Byl	159
Montagnellaceae	115	Fragariae Lindau	159
Montagnites Candollei Fr	589	gibelliana Pass	159
Morchella conica Pers	219	gossypina Atk	159
esculenta Pers	219	Loranthi Syd	159
Morenoella Oxyanthae Doidge	198	maculiformis Schr	160
Phillipsii Doidge	212	Moelleriana Lindau	160
Morenoina africana Doidge	197	moricola Linn	160
Morenoina Dracaenae Doidge	199	Nemesiae Dipp	160
Mortierellaceae	107	pinodes Stone	160
Mucedinaceae	665	Plectranthi Doidge	160
Mucilago spongiosa Morg	90	Rubi Roark	160
Mucor clavatus Linn	193	Schoenoprasi Schroet	160
Mucor exitiosus Mass	105	sentina Schroet	161
hiemalis Wehm	105	Theae Shaw	161
mucedo Linn	106	Mycosphaerellaceae	155
racemosus Fres	106	Mycotoruloides triades Langeron & Talice	735
	- 106	Myriangiaceae	112
stercorius Link	106	Myriangiales	112
Mucoraceae	105	Myriangium Montagnei Berk	113
Mucorales	105	Myriostoma coliformis Corda	611
Mucronella aggregata Fr	501	Myrothecium verrucaria Alb. & Schw	729
Mutinus bambusinus Ed. Fisch	596	Mystrosporium Alliorum Berk	704
Curtisii Ed. Fisch	596	aterrimum Berk. & Curt	704
simplex Lloyd	596	polytrichum Cooke	704
Mycelia sterilia	737	velutinum Kalchbr. & Cooke	704
Mycena acicula Quél	566	Myxomycetes	83
alcalina Quél	566	Myxosporium corticola Edgert	655
actiniceps Sacc	566	Naemacyclus niveus Sacc	223

	PAGE		PAGE
Naevia rotundata Wain	220	Nummularia Kalchbrenneri Miller	175
Naucoria arenicola Sacc	579	lepida Syd	175
arvalis Quél	579	placenta Cooke	175
furfuracea Quél	579	punctulatum Sacc	173
pediades Quél	579	suborbiculare Sacc	174
pediades var. obscuripes Fayod	579	uni-apiculata Penz. & Sacc	175
pygmaea Gill	579	Ocellularia capensis Zahlbr. var. feracior	4.00
russa Sacc	579	Zahlbr	246
scolecina Quél	579	capensis var. leiothallina Zahlbr.	246
semiorbicularis Quél	579	cavata Müll. Arg	246
undulosa Sacc	579	diploschistoides Zahlbr	246
Nectria cinnabarina Fr	153	galactina Zahlbr	247
coccinea Fr	153	henatomma Müll. Arg	247
coccophila Wollenw. & Reinking	153	Ochrolechia africana Vain	307
ditissima Tul	153	africana Zahlbr	307
episphaeria Tode ex Fr	153	pallescens Massal	308
eximia Kalchbr. & Cooke	153	parella Massal	308
furfuracea Kalchbr. & Cooke	153	Octaviania africana Lloyd	592
gallingena Bres	154	carnea Corda	591
heterosperma Kalchbr. & Cooke	154	flava G. H. Cunn	592
leocarpoides Kalchbr. & Cooke	154	Odontia arguta Quél	501
martialis Kalchbr. & Cooke	154	knysnana v.d. Byl	501
meliopsicola P. Henn	154	saccharicola Burt	502
perpusilla Sacc	154	Oidiopsis taurica Lév119, 670, 671,	
Peziza Fr	154	Oidium abelmoschi Thuem	670
Nectria sp		Chrysanthemi Rabenh	670
Nectrioidaceae	646	erysiphoides Fr	671
Nematospora Coryli Pegl	110	farinosum Cooke	120
Gossypii Ashby & Nowell	109	Hortensiae Jorstad119,	
Nematostigma obducens Syd	116	lactis Fres	674
Neobarclaya congesta Petch	657	leuconium Desm	121
natalensis Syd	657	Lycopersicum Cooke & Mass	571
Neocosmospora vasinfecta E. F. Sm	154	Mangiferae Berthal	671
vasinfecta var. tracheiphila	154	guercinum Thuem	671
Neopeckia Caesalpiniae Doidge	145	Tabaci Thuem	671
rhodostoma Syd	145	Tuckeri Berk	121
Nephroma africanum Gyeln	262	Verbenae Thuem. & Bolle	671
capense Massal	262	Oidium sp117, 118, 120, 121, 672, 673,	
. cellulosum Ach	262	Olpidiopsis Ricciae du Plessis	95
flavireagens Gyeln	262	Oligostroma maculiformis Doidge	161
helveticum Ach		Proteae Syd	161
laevigatum Ach	262	Ombrophila nigrescens P. Henn	222
resupinatum Ach. f. helveticum		Omphalia bulbosa Bres	568
Rabenh	262	glaucophylla Gill	568 568
tropicum Zahlbr	$\frac{262}{262}$	griseo-pallida Quél	568
Nephromium helveticum Nyl	262	integrella Quél	568
tropicum Müll. Arg	262	nieromeles Sacc	568
Nesolechia perforans Vouaux	224	Oniscus Gill	568
Nidulariaceae	615	pallescens Bres	568
Nidularia dasypus Fr	616	paurophylla Sacc	569
Nigrospora Oryzae Petch	687	polypus Sacc	569
Panici Zimm	687	rustica Quél	569
sphaerica Sacc	687	scyphoides Quél	569
Niopsora Ecklonii Massal	347	syndesmia Sacc	569
Niorma derelicta Massal	355	umbellifera Quél. var. cinnabarina	
Nocardia africana Pijper & Pullinger	663	Berk	569
Foulertoni Chalmers & Christoph	664	Omphalaria minuscula Wain	250
indica Chalmers & Christopherson	664	Omphalodium hottentottum Flotow	316
Pijperi Castellani & Chalm	664	hottentottum var. phalacrum	
pretoriana Pijper & Pullinger	664	Hue	316
transvalensis Pijper & Pull	665	mutabile Minks	317
Nocardia sp	664	Oncospora bullata Kalchbr. & Cooke	648
Nolanea casta Sacc	582	viridans Kalchbr. & Cooke	648
leuciscus Kalchbr	582	Oospora Citri-aurantii Ferraris	674
Normandina pulchella Nyl	226	fimicola Cub. & Meg	674
Nummularia clypeus Cooke	173	Fusidium Sacc. & Vogl	674

	PAGE		EFCE
Oosport lactis Sacc	674	Pannaria Hookeri Nyl. var. leucolepis Th. Fr	255
pustularis Owen & Wakef	674	leucolepis Nyl	255
scal is Thaxter		leucosticta Tuck, var. isidiop is	
Oothecium consimile Syd		Nyl	255
Ootheeium Macarangae Petrak		lurida Nyl.	255
stylosporum Doidge	632	uhlusadae Stirt	255
Opegrapha adpicta Zahlbr		phlocodes Stirt	255
		rubiginosa Del	255
agelaea Fée		rubiginosa var. conoplea Korb	
etra Pers	239	rubiginosa var. lanuginosa Zahlbr	255
bacillosa Zahlbra	239	rubiginosa var. phloeodes Stizenb	255
Bonplandi Fée		triptophylla Massal	255
eapensis Mull, Arg		Pannariaceae	254
diagraphoides Nyl		Pannularia leucosticta Stizenb. var. isidiopsis	
diaphorella Stizenb	240	Nyl	255
· mirsa Mull. Arg	245	Panus cenehatus Fr	569
exigualla Zahlbr	240	melanophyllus Fr	575
exornata Zahlbr	240	quaquaversus Berk	569
interalbata Nyl		rudis Fr	569
lactifera Zahlbr		stipticus Fr	569
lyncea Borr		stipticus var. farinaceus Rea	569
medusulina Nyl.	240		569
Manuhambii Viill Ang	240	torulosus Fr	
Menyharthii Müll. Arg		Wrightii Berk. & Curt	569
parvula Nyl	240	Papularia sphaerosperma v. Höhn	729
prosodea Ach. var. microcarpella		Paranectria minuta Hansf	154
Zahlbr	240	parasitica Wint	154
quaternella Nyl. f. congesta Stizenb.		Parasterells	203
scripta Ach		Parasterina africana v.d. Byl	-203
semiatra Müll. Arg	240	brachystoma Theiss 208	, 210
signatella Vain	241	brachystoma var. laxa Doidge	208
tapetica Zahlbr	241	implicata Doidge	209
ulcerata Müll. Arg		laxa Doidge	208
Zanei Massal		reticulata Doidge	200
Ophiobolus cariceti Sacc	166	rigida Doidge	204
graminis Sacc	166		196
Landeni ka Sa		Parasterina sp.	195
herpotrichus Sacc		Parastigmatea nervisita Doidge	
Stipae Doidge		Paratheliaceae	231
Urticae Sacc	166	Parathelium trichosporum Stizenb	231
Ophiodothella edax v. Höhn		Parendomyces zevlanicus Doidge	735
Liebenbergii Doidge		Parenglerula Henningsii Petrak	137
Orbilia rubella Karst		Parenglerula MacOwaniana v. Höhn	137
xanthostigma Fr	221	Parenglerula MacOwaniana var. Elacodendri	
Orbiliaceae	221	Werd	137
Otthia deformans Pat		Parmelia abessinica Nyl	309
Ovularia bistorta Sacc		abessinica var. sorediosa Müll. Arg.	309
Lolii Volkart		abyssinica Nyl	309
Ovulariopsis moricola Delacr		abyssinica var. sorediosa Müll. Arg.	309
Papayae v.d. Byl		adhaerens Nyl	309
Ovulariopsis sp		aleuriza Vain	309
Pachyphiale cornea Poetsch		amphixanthoides Steiner & Zahlbr.	309
Paecilomyces aureo-cinnamomeum Thom		amplexa Stirt	309
		angolensia Waire	315
varioti Bain		angolensis Wain	
Paecilomyces sp.		atrichoides Nyl	309
Palawania Dovyalidis Nel		austro-africana Stirt	312
Eucleae Nel		austroafricana Zahlbr	310
Halleriae Doidge		Borreri Turn	310
orbiculata Doidge		Borreri var. stictica Duby	310
Palawaniella Doryalidis Doidge		Borreri var. ulophylla Nyl	310
Eucleae Doidge	199	brachyphylla Müll. Arg	310
orbiculata Doidge		Brunnthaleri Steiner & Zahlbr	310
Panasolus caliginosus Gill		Brunnthaleri f. irregularis Gyeln	310
campanulatus Quél		Bylii Gyeln.	323
fimicola Quél		Bylii Vain	310
papilionaceus Quél		caesia Ach	372
retirugis Gill	590	caffrorum Zahlbr	310
colidinas Past	590		330
solidipes Peck	927	capensis Ach	310
Pannaria capensis Steiner	255	capensis Nyl	
voernleebadia Massal	255	caperata Ach	310

		PAGE			PAGE
Parmelia	centrifuga Ach	311	Parmelia	granatensis Nyl	315
	ceresina Vain	311		hababiana Gyeln	309
	cetrarioides Del	311		Hildenbrandtii Krempelh. f. nuda	
	cetrata Ach	311		Stizenb	315
	cetrata f. ciliosa Viaud-Gr. Marais.	311		Hildenbrandtii f. sorediosa Stizerb.	-316
	cetrata f. sorediifera Wain	322		Hildebrandtii var. nuda Müll. Arg	315
	chlorea Stizenb	311		Hildebrandtii var. sorediosa Müll.	
	citrinireagens Gyeln	311		Arg	316
	citrinireagens var. angustior Gyeln	311		hottentotta Ach	-316
	colorata Gyeln	311		hottentotta var. diachrosta Stirt	316
	concolor Spreng	311		hottentotta var. pachythalla Nyl	-316
	concolor var. multifida Zahlbr	312		hottentotta var. phalacrum Zahlbr.	316
	concolor var. platyphylla Zahlbr	312		hypocrea Wain	-316
	concrescens Wain	312		hypoleia Nyl	317
	conspersa Ach	312		hypoleiaf. crenata Nyl	317
	conspersa f. isidiata Anzi	312		hypoleia var. crenata Nyl	317
	conspersa polita, polyphylla Mey	7.		hypoleia var. tenuifida Nyl	317
	Flotow	313		hypoleioides Wain	317
	conspersa var. austroafricana			hyporysalea Vain	317
	Stizenb	312		imitans Gyeln. f. protoimbricat-	
	conspersa var. benguellensis Wain	312		oides Gyeln	317
	conspersa var. constrictans Müll Arg	313		incisa Tayl	313
	conspersa var. endomiltoides Müll.			insignata Stizenb	317
	Arg	313		interrupts Stizenb	317
	conspersa var. eradicata Müll Arg	313		isidiza Nyl	317
	conspersa var. hypoclista Nyl	313		Junodii Steiner	318
	conspersa var. hypoclistoides Müll.			laceratula Nyl. f. phricoides Stirt	322
	Arg	313		laevigata Ach	-318
	conspersa var. hypomelaena Vain	313		latissima Fée	318
	conspersa var. incisa Zahlbr	313		laxa Gyeln. f.laciniata Gyeln	318
	conspersa var. lacinulata Gyeln	313		lecanoracea Müll. Arg	318
	conspersa var. laxa Müll. Arg	311		leonora Spreng	311
	conspersa var. leonora Linds	311		leonora var. multifida Flotow	312
	conspersa var. multifida Flotow	312		leonora var. platyphylla Massal	312
	conspersa var. polita Flotow	313		lichinoidea Ñyl	318
	conspersa var. polyphylla Müll. Arg	313		lugubris Pers	318
	conspersa var. stenophylla Ach	318		Macleyana Müll. Arg	318
	conspersa var. subconspersa Stein	325		majoris Wain	318
	conspersa var. thamnidiella Stizenb	314		melancholica Steiner & Zahlbr	318
	conspersula Nyl	314		molliuscula Ach	318
	constrictans Nyl	313		mollusca Ach	243
	constrictans var. eradicata Nyl	313		molybdiza Nyl	319
	conturbata Müll. Arg	314		Mougeotii Schaer	319
	conturbata var. exornata Zahlbr	314		Mougeotii var. dealbata Massal	319
	Cooperi Steiner & Zahlbr	314		Mougeotii var. obscurata Müll. Arg	319
	coronata Fée var. denudata Wain	314		Mougeotina Nyl	319
	cristifera Tayl	314		mutabilis Tayl	317
	cuprea Pers	314		namaënsis Steiner & Zahlbr	319
	digitula Nyl. var. citrinireagens			natalensis Steiner & Zahlbr	319
	Gyeln	311		nilgherrensis Nyl	319
	digitulata var. esaxicola Gyeln	314		nitens Müll. Arg	319
	digitulata var. esaxicola f. mitro-			obscura Fr	373
	vicensis Gyeln	314		oleagina Stizenb	319
	Domokosii Gyeln	315		olivacea Nyl	319
	Dregeana Hampe	315		olivacea Ach	319
	dubia Schaer	310		olivaria Th. Fr	319
	ecaperata Müll. Arg	315		olivetorum Nyl	319
	endomiltodes Nyl	313		olivetorum var. hyporysalea Wain	317
	euneta Stirt	315		omphalodes Ach. var. panniformis	
	fas igir'a Ach	329		Ach	320
	fissurina Zahlbr	315		omphalodes var. panniformis f.	
	formosa Fée var. latifolia Flotow	374		crinalis Hepp	320
	fraxinea Ach	329		ostracoderma Ach	306
	fuliginosa Nyl	315		Owaniana Stirt	320
	glabra Nyl	315		pachythala Spreng	316
	gracilescens Wain. var. angolensis			parietina Ach	357
	Wain	315		perfissa Steiner & Zahlbr	320

		PAGE		LINE
Parmelia	perforata Ach	320	Parmelia subconspersa var. africana Gyeln	325
	perforata f. ciliata Flotow	320	subconspersa var. benguellensis Wain	
	perforata var. cetrata Fr	311	subconspersa var. incisa Stizenb	313
	perforata var. ciliata Nyl	320	subconspersa var. thamnidiella	
	perisidiosa Nyl	320	Stizenb	314
	perlata Ach	320	subcrustacea Gyeln	325
	perlata var. ciliata Duby. f. soredii-		subdecipiens Vain	325
	fera Müll. Arg	320	subflabellata Steiner	325
	perlata f. sored fera Stizenb	320	sublaevigata Nyl	325
	perplexa Stizenb	320	subquereina Müll. Arg	325
	perrugata Nyl	321	subrudecta Nyl	326
	perspersa Stizenb	321	subschenckiana Gyeln	325
	persulphurata Nyl	321	gubsinuosa Nyl	325
	phaeophana Stirt	311	suffixa Stirt	326
	phaeophana var. stenotera Stirt	317	synestia Stirt	326
	pilosa Stizenb	321	terricola Steiner & Zahlbr	326
	pilosella Hue	321	Texana Tuck	326
	plumbea Ach	256	thamnidiella Stirt	314
	praetervisa Müll. Arg.	326	tiliacea Ach	322
	proboscidea Tayl	321	tiliacea var. rimulosa Müll. Arg	322
	proboscidea var. sorediifera Müll.		tiliacea var. revoluta Krempelh	322
	Arg.	321	tiliacea var. scortea Ducy	323
	prolixa Rohl	321	tinctoria var. hypomecha Ach	244
	profesa i. dendritica Ayi	321	tinctorum Despr	326
	prolixa var. applicata Stizenb	321	tortuosa Ach	332
	prolixula Nyl	322	toxodes Stirt	326
	pseudoconspersa Gyeln	322	van der Bylii Zahlbr	326
	quercina Achquercina f. cupiseda Wain	322	verruculifera Nyl	326
	quercina f. cupiseda Wain	322	Worcesteri Steiner & Zahlbr	326
	quercina var. rimulosa Zahlbr	322	xanthotropa Stirt	326
	resupina Stirt	322	zambesica Müll. Arg	327
	reterimulosa Steiner & Zahlbr	322	Zollingeri Hepp	327
	reticulata Tayl	322	Parmeliaceae	309
	revoluta Floerke	322	Parmeliella coelistina Zahlbr	255
	Roccella var. hypomecha Ach	244	corallinoides Zahlbr	255
	rubiginosa Ach	255	plumbea Müll. Arg	256
	rudecta Ach	322	Parmentaria capensis Zahlbr	231
	rudecta var. microphyllina Nyl	323	Parmotrema perforata Massal	320
	saxatilis Ach	323	Parodiella Brachystegiae P. Henn	116
	saxeti Stizenb	323	circinata Sace	183
	cabrosa Tayl	313	congregata Syd	161
	Schenckiana Müll. Arg	323	grammodes Cooke	114
	Schenckiana f. imperfecta Gyeln	323	paraguayensis Speg	114
	Schenckiana f. perfecta Gyeln	323	perisporioides Speg	114
	Schenckiana var. chalybaeizans	2.14	perisporoiodes var. microspora	
	Steiner & Zahlbr	323	Theiss. & Syd	114
	Schreuderiana Gyeln	323	puueta Sacc	189
	scopulorum f. cornuata Ach	330	Schimperi P. Henn	194
	scortea Ach	323	Parodiellinaceae	116
	sinuosa Ach	323	Parodiellineae	116
	soredians Xyl	324	Parodiellinopsis transvaalensis Hansf	116
	sphaerospora Nyl	324	Parodiopsidineae	116
	squamans Stizenb	324	Parodiopsis Brachystegiae Arn	116
	«quamariata Nyl	324	Passalora Protearum Kalchbr. & Cooke	692
	squamariata f. cinerascens Nyl	324	Patella albida Seaver	217
	Standaertii Gyeln. var. africana	0.24	coprinaria Seaver	217
	Gyeln	324	Lusatiae Seaver	217
	Steineri Gyeln	324	scutellata Morg	217
	stellaris Ach	374	Patellaria atrata Fr	224
	stenophylla du Rietz f. hypome-	9.24	incarnata Ach	270
	laena Vain	324	le prolyta Müll. Arg	344
	stenophylloides Wain	324	Patellariaceae	223
	stictella Massal	316	Patouillardia Rumicis Verw. & du Pless	716
	subaequans Xyl	324	Paxillus atraetopus Kalchbr	580
	subcaperatula Nyl	324	extenuatus Fr	580
	subconspersa Nyl	325	involutus Fr	580
	subconspersa f. lobulifera Gyeln	325	panuoides Fr	580

	PAGE		PAGE
Peccania minuscula Zahlbr	250	Peniophora velutina Cooke	487
Peltigera canina Willd		Penziĝia discolor Miller	175
canina f. leucorrhiza Floerke	262	verrucosa Miller	175
canina f. membranacea Duby	262	Perichaena corticalis Rost	94
ceranoides Spreng	316	depressa Libert	94
malacea Funck		populina Fr	94
membranacea Nyl	$\frac{262}{263}$	Periconia Doidgeae Hansf	687
polydactyla Hoffmpolydactyla f. hymenina Flotow	263	pycnospora Fres	$\frac{687}{687}$
Peltigeraceae	262	velutina Wint Periconiella velutina Sacc	687
Penicillium acidoferum Sopp	676	Perischizon oleifolium Syd	113
Adametzi Zal	676	Perisporina melioliicola Doidge	146
brevi-compactum Dierckx	676	Perisporium irenicolum Doidge	145
citrinum Thom	676	Peroneutypella cylindrica Berl	170
coryphilum Dierckx	676	infinitissima Doidge	170
cyclopium Westling	676	Peronoplasmopora cubensis Clint	103
digitatum Sacc	676	Peronospora destructor Casp	103
digitatum var. californicum Thom		effusa Rabenh	103
divaricatum Thom	$\frac{675}{676}$	Euphorbiae Tuck	104
Duclauxii Delacrelongatum Dierckx		Mesembryanthemi Verw	$\frac{104}{104}$
expansum Link. emend. Thom		obovata Bon Oxalidis Verw. & du Pless	104
funiculosum Thom		parasitica Tul	104
Gilmanii Thom	677	Rumicis Corda	104
Gladioli Machacek	677	Schleideni Ung	103
glaucum Link	677	trifoliorum de Bary	104
Gratioti Sartory	677	Viciae de Bary	104
guttulosum Abbott	677	Peronosporaceae	103
Hagemi Zaleski	677	Peronosporales	96
intricatum Thom	677	Pertusaria alpina Hepp	293
italicum Wehm	$\frac{677}{678}$	amara Nyl	$\frac{293}{293}$
janthinellum Biourgelanosum Westling	678	amara var. capensis Steiner ambigens Tuck	293
luteo-viride Biourge	678	aperta Stizenb	294
luteum Zukal	678	casta Zahlbr	294
luteum (series)	678	ceuthocarpa Fr	294
notatum Westling	678	coccodes Nyl	294
oxalicum Currie & Thom	678	commutans Vain	294
palitans Westling	678	coriacea Th. Fr. var. obducens	
Petchii Sartory & Bain	678	Zahlbr	294
pinophilum Hedgcock	678	cryptostoma Müll. Arg	$\frac{294}{294}$
purpurogenum Stoll	$\frac{679}{679}$	Diaziana Massal	294
Putterillii Thom	679	dispersa Vainduplicata Wain	294
roseo-citrinum Biourge	679	elatior Stirt	294
roseum Link	670	enterostigmoides Zahlbr	294
rugulosum var. aureomarginatum	679	euglypta Tuck	295
simplicissimum Thom	679	eyelpistia Massal	295
solitum Westling	679	flavens Nyl	295
tardum Thom	679	flavicunda Tuck	295
verrucosum Dierckx	679	granulata Müll. Arg	295
viridicatum (series)	679	granulata var. variolarioides	295
Penicillium sp	486	Flotow	295
Peniophora arenata Talbot atrocinerea Mass	493	inquinata Th. Frlaevigata Arn	295
carnosa Burt	486	laevigata var. laevigata Steiner	295
cinerea Cooke	486	leioplaca DC	295
cremea Sacc. & Syd	486	leioplaca var. octospora Nvl	293
gigantea Mass	486	leioplaca var. pycnocarpa Nyl	295
glebulosa Sacc. & Syd	486	leioplaca var. trypetheliiformis Nyl	297
incarnata Karst	486	leioplacella Nyl	295
nuda Bres	486	leonina Stizenb	296
papyrina Cooke	486	leucosoroides Nyl	296
pruinata Burt	486	limosa Zahlbr	$\frac{296}{296}$
Poumoguerii Bros	$\frac{487}{494}$	mamillana Müll. Argmelaleuca Duby	$\frac{296}{296}$
Roumeguerii Bressetigera Bres. ex Bourd & Galz	487	melanospora Nyl	296
be light a Dies. C. Dould & Cale.	201	macamatopone at the contract of the contract o	

	PAGE		PAGE
Pertusaria microthelia Wain	296	Peziza cyphellum Kalchbr	218
multiplicans Vain		epitricha Berk	-216
nivea Merrill		ferruginea Fr	222
obducens Nyl	294	lachnoderma Berk	221
orbiculata Zahlbr	= 296	Lusatiae Cooke	217
pustulata Duby		nilgherrensis Cooke	-218
rhodesica Vain		repanda Pers	218
spaniostoma Vain		rubella Pers	221
subdealbata Nyl		vesiculosa Bull	218
subvelatula Vain		Pezizaceae	216
thiostoma Nyl		Pezizales	216
tropica Wain		Phacidiaceae	215
trypetheliiformis Nyl	297	Phacidiales	215
variolosa Müll. Arg	. 294	Phacidium litigiosum Desm	220
velata Nyl	. 297	Phacidium nitidum Welw. & Curr	215
vepallida Nyl		Phaeochorella Parinarii Theiss. & Syd	
verrucosa Fée f. oligopyrena Wallr		Phacodimeriella Asterinarum Theiss	
Wawreana Massal		asterinicola Doidge	145
Wawreanoides Nyl		capensis Doidge	145
Wilmsii Stizenb		Grewiae Hansf	$\frac{145}{145}$
xanthomelaena Müll. Arg		parvulum Hansf	
vanthothelia Müll. Arg	. 298	plumbea Doidge	
Pertusariaceae Pestalotia Aloës Trinch	. 659	Phaeodothis Lebeckiae Nel	
Burchelliae Laughton		Phaeodothis stenostoma Theiss. & Syd	
caffra Svd.		Tristachyae Syd	155
Camelliae Pass		Phaeographina caesiopruinosa Müll. Arg	
Cassinis Laughton		limbata Müll. Arg	241
disseminata Thuem		subfarinacea Zahlbr	241
Encephalartos Laughton		Phaeographis conjungens Aahlbr	
Evansii P. Henn		eryptica Zahlbr	
funerea Desm		inusta Müll. Arg	
Gossypii Hori		mesographa Müll. Arg	
Guepini Desm66		Phaeophragmeriella Meliolae Hansf	
Laughtonae Doidge		irenicola Hansf	145
Laurophylli Laughton		transvaalensis Hansf	146
macrochaeta Guva		Phaeospherella congregata Doidge	
Mangiferae P. Henn	. 661	Parinarii Theiss. & Syd	181
Micheneri Guva	. 661	senniana Sacc	194
Milletiae Laughton	. 661	Phaeostigme circumsedens Doidge	
neglecta Thuem	. 661	Phallaceae	596
Ocoteae Laughton	.661	Phallales	
palmarum Cooke	.661	Phallus aurantiacus Mont	
Pelargonii Laughton	. 661	aurantiacus var. gracilis Fisch	
peregrina Ell. & Mart	. 661	Phallus campanulatus Berk	
Podocarpi Laughton	. 661	gracilis Lloyd	
Psidii Pat	. 661	impudicus Linn. ex Pers	
Pterocelastri Laughton	. 662	indusiatus Vent. ex Pers	596
guercina Guba	. 662	rubicundus Fr	596
Rapaneae Laughton	. 662	rugulosus Lloyd	
Theae Shaw	. 662	tunicatus Schlecht	
Trichocladi Laughton		Pharcidia Psorae Wint	
versicolor Speg	. 662	Phellorina Delastrei Ed. Fisch	
virgatula Kleb	. 661	Phellorina inquinans Berk	
Watsoniae Verw. & Dipp	. 662	squamosa Kalchbr. & MacOwan	
Zahlbruckneriana P. Henn	. 662	strobilina Kalchbr	218
Pestalotia sp	1, 662	Phillipsia domingensis Berk	
Pestalozzia, see Pestalotia	100	kermesina Kalchbr. & Cooke	
Peyritschiellaceae Peziza a bietina Pers	. 109	Philonectria ugandensis Hansf	
africana v. d. Byl	. 218	Phlebia strigoso-zonata Lloyd	
aluticolor Berk	. 218	Phlyctella andensis Nyl	
calyculaeformis Schum	. 221	capillaris Stizenb	308
cinerea Batsch ex Fr	. 221	Phlyctidia boliviensis Müll. Arg	
coccinea Jacq		Phlyctis argena Flotow	
columbina Kalchbr. & Cooke	99]	boliviensis Nyl	
cupularis Linn	. 216	candida Zahlbr	308
		C1000000000000000000000000000000000000	

	AUE		AUE
Phlyctis capillaris Stirt	308	Phragmosperma Marattiae Theiss. & Syd	158
Pholiota aurivella Quél	580	Phragmothyriella parenchymatica Doidge	214
cylindracea Gill	580	Phragmothyrium Trichomanis v. Höhn	213
dura Quél	580	Phycopsis africana Syd	224
flammans Quél	581	Phyllachora Aberiae P. Henn	181
mutabilis Quél	581	Albizziae Cooke	180
mycenoides Quél	581	amaniensis P. Henn	182
spectabilis Quél	581	anthistiriicola Syd	182
togularis Quél	581	Arundinellae Doidge	182
unicolor Gill	581	Baumii P. Henn	182
Phoma Agapanthi Sacc	621	Bottomleyae Doidge	182
ampelinum de Bary	680	Brachypodii Roum	182
Artemisiae Kalchbr. & Cooke	620	Brachystegiae Doidge	182
Betae Frank	621	Burgessiae Doidge	182
Brassicae Sacc	622	caffra Syd	182
caricina Hopkins	633	capensis Doidge	183
citricarpa McAlp	621	chloridicola Speg	183
cyclospora Sacc	621	Chrysopogonis Syd	183
destructiva Plowr	621	circinata Theiss. & Syd	183
Fici-caricae Verw. & du Pless	621	('rotonis Sacc	183
flaccida McAlp	622	Cynodontis Niessl	183
Gaillardiae du Pless	622	Cynodontis var. Chloridis P. Henn	183
Geasteropsidis Hollôs	622	Digitariae Syd	184
glumarum Ell. & Tracy	622	digitaricola Doidge	184
insidiosa Tassi	622	Doidgeae Syd	184
Lantanae Verw. & du Pless	622	Dombeyae Syd	184
lingam Desm	622	Elyonuri Doidge	184
macrothecia Thuem	622	eragrostidicola Doidge	184
oleracea Sacc	622	Eragrostidis Doidge	184
Ornithogali Thuem	622	Evansii Syd	
Passiflorae Penz. & Sacc	622	ficuum Niessl	185
persicae Sacc	623	gentilis Speg	191
pinastrella Sacc	623	goyazensis P. Henn185,	
pomi Pass	623	graminis Pers186, 187,	189
Rostrupii Sacc	623	grammica P. Henn	185
sanguinolenta Rostr	623	Grewiae Theiss. & Syd	185
Stapeliae Kalchbr. & Cooke	623	Halsei Doidge	185
straminella	629	heterospora P. Henn	186
subcircinata Ell. & Everh	623	Hieronymi P. Henn	186
Tatulae Kalchbr. & Cooke	623	Howardiana Petrsk	186
terrestris Hans	623	Kniphofiae Sace	186
tingens Cooke & Mass	623	Leptocarydii Syd	186
Welwitschiae Mass	623	Lessertiae Doidge	$\frac{180}{186}$
Zantedeschiae Dipp	623	Loudetiae Doidge	187
Phoma sp	624	lucens Sacc	186
Phomopsis cinerescens Trav	624	Melianthi Sacc	187
Citri Fawe	624	melinicola Syd	187
Daturae Sacc	624	microstegia Syd minuta P. Henn	187
juniperovora Hahn	624	Miscanthidii Doidge	187
Mali Roberts	625		187
oxalina Syd	625	Morganae Doidge myrsinicola Doidge	187
Papayae Frag. & Cif	625	nervisequens Petrak	188
perniciosa Grove	167	Osyridis Cooke	115
phaseolorum Grove	625	Peglerae Doidge	188
samarorum v. Höhn	625	Peltophori Syd	188
Phomopsis sp	625	Penniseti Syd	188
Phragmidium albidum Ludw	399	permutata Petrak	188
Phragmidium disciflorum James	399	Perotidis Doidge	188
longissimum Thuem	397	placida Theiss	188
obtusum Tul	395	Pretoriae Doidge	188
rosarum Fuck	399	Proteae Wakef	189
subcorticium Wint	399	Pterocarpi Syd	189
violaceum Wint	399	puncta Doidge	189
Phragmocauma viventis Theiss. & Syd	180	repens Sacc	189
Phragmodothella nervisequens Doidge	114	rikatliensis Petrak	189
Phragmodothic generate Syd	114	sanguinolenta Theiss. & Syd.	190

	L to E		PAGE
Phyllachora sanguinolenta var. microspora		Phyllosticta orbicularis Ell. & Everh	628
Syd	190	Owaniana Wint	628
Schizachyrii Doidge	190	Perseae Ell. & Mart	628
Schotiae Doidge	190	Persicae Sacc	628
Strelitziae Sacc. emend. Doidge	190	phaseolina Sacc	629
striatula Theiss, & Syd	190	prunicola Sacc	629
superba Doidge	190	Psidii Tassi	629
Tecleae Doidge	190	pyrina Sacc	629
Tephrosiae Syd	190	rhoina Kalchbr. & Cooke	629
transvaalensis Doidge	190	Richardiae Halst	629
Tricholaenae P. Henn	191	Rumicis Kalchbr	629
	191	solitaria Ell. & Everh	629
Winkleri Syd	191		629
Woodiana Doidge		sorghina Sacc	
Phyllachora sp	184	Stanhopiae Allesch	629
Phyllachoraceae	180	straminella Bres	629
Phyllachorella rikatliensis Doidge	189	Tabaci Pass	630
Phyllactinia Acaciae Syd	119	Terminaliae P. Henn	630
Combreti Doidge	119	Theobromae Alm. & Cam	630
corylea Karst119, 120,		Violae Desm	630
Erythrinae Doidge	119	Phyllosticta sp	630
Evansii Doidge	119	Phyllostictina concentrica v. Höhn. var.	
rhoina Doidge	119	lusitanica Alm	631
Sphenostylidis Doidge	120	Physalospora Bersamae Syd	187
Phyllopsora breviuscula Müll. Arg	281	Physalospora Bylii du Pless	161
corallina Müll. Arg	281	caffra Syd	182
parvifolia Müll. Arg	281	chaenostoma Sacc	165
parvifolia var. fibrillifera Müll.		Cliviae Syd	161
Arg	282	Cydoniae Arn	161
parvifolia var. pulvinata Steiner.	282	Dombeyae Syd	184
parvifoliella Müll. Arg	282	malorum Shear	161
Phyllopsoraceae	281	obtusa Cocke	161
Phyllosticta Aloës Kalchbr	625	Perseae Doidge	171
Antirrhini Syd	625	placida Syd	188
Asplenii Jaap	625	Sapii Doidge	162
auriculata Kalchbr. & Cooke	625	Physalosporina Sutherlandiae Petrak	155
Bauhiniae-reticulatae P. Henn	625		83
Begoniae Brun	626	Physaraceae	
Betae Oud	626	Physarum auriscalpium Cooke	86
Brassicae West			86
		bitectum Lister	86
Canavaliae v.d. Byl	626	bogoriense Rac	86
Caricae-papayae Allesch	626	capense Rost	
Carissae Kalchbr. & Cooke	626	cinereum Pers	
Cepae Verw. & du Pless	626	citrinum Schum	86
Cephalariae Wint	626	columbinum Sturgis	
Colae Verw. & du Pless	626	compactum Lister	86
degenerans Syd	626	compressum Alb. & Schw	
Delphinii Clem	626	confertum Macbr	
Dianthi West	627	didermoides Rost	87
Dioscoreae Cooke	627	digitatum Farquh. & G. Lister	87
Doxanthae Verw. & du Pless	627	flavicomum Berk	87
Dryopteris Verw. & du Pless	627	gyrosum Rost	87
Eriobotryae Thuem	627	javanicum Rac	
ficicola Pat	627	Kalchbrenneri Mass	87
gossypina Ell. & Mart	627	leucophaeum Fr	88
helvola Tassi	627	leucopus Link	
hesperidearum Penz	627	melleum Mass	87
hibiscina Ell. & Everth	627	mutabile Lister	
idaecola Cooke	627	nucleatum Rex	
latospora Verw. & du Pless	627	nutans Pers	
Magnoliae Sacc	628	nutans var. leucophaeum Lister	
Mali Prill. & Delacr	628	penetrale Rex	
Malkoffii Bubàk	627	pusillum Lister	
Medicaginis Sacc	628	roseum Berk. & Br	
Nemophilae Dipp	628	sinuosum Weinm	
Nepenthecearum Tassi	628	tenerum Rex	
Nicotianae Ell. & Everh	628	vernum Sommerf	
Odinae P. Henn. & Evans	628	viride Pers	
Commercial to the man and all sections.	020	Inde Ters	

		PAGE		PAGI
Physaru	m viride var. aurantiacum Lister	89	Physcia picta f. isidiifera Nyl	. 374
Dhysois	viride var. incanum Lister	89	picta var. erythrocardia Tuck	
i nysem	adglutinata Nyladglutinata var. pyrithrocardia Müll.	371	picta var. sorediata Müll. Arg podocarpa Nyl	
	Arg	371	pulverulenta Hampe	
	adscendens Oliv	371	pusilla Massal	
	aegiliata Nyl	371	setosa Nyl	. 374
	affixa Nyl	371	setosa f. deminuta Cromb	. 374
	africana Müll. Arg	372	setosa f. virella B. de Lesd	
	aipolia Hampe	372	speciosa Nyl	
	aipolia var. acrita Hue	372	speciosa var. dactyliza Nyl	
	aipolia var. alnophila Vain	372	speciosa var. granulifera Tuck	
	applanata Zahlbr	372	speciosa var. hypoleuca Nyl	
	astroidea Nyl	$\frac{372}{372}$	stellaris Nyl	
	capensis deNot	353	stellaris var. aipolia f. acrita Nyl subpicta Nyl	
	chrysophthalma DC	353	syncolla Nyl	
	Chrysophthalma var. capensis Nyl	353	tenella DC	
	chrysophthalma var. dijatata Šti		tribacoides Nyl	
	zenb	354	venustula Stizenb	. 375
	chrysophthalma var. pubera Nyl	355	villosa Duby	. 356
	Clementiana Kickx	372	zuluensis Vain	
	confluens Nyl	371	Physciaceae	. 369
	erispa Nyl	372	Physma byrsinum Müll. Arg	
	crispa f. melanothalma Wain	$\frac{372}{372}$	Callicarpum Hue	
	dilatata Nyldimidiata Nyl	373	Physoderma Maydis Miyabe	
	ectanoides Nyl.	356	Physopella Fici Arth	
	endochrysea Hampe	373	Physospora rubiginosa Fr	. 680
	endococcinea Nyl	373	Phytophthora cactorum Schroet	
	erythrocardia Vain	373	citricola Sawada	
	exilis Michx	354	cambivora Petri	. 99
	fibrosa Nyl	309	Cinnamomi Rands	
	flammea Nyl	356	citrophthora Leon	
	flammula Nyl	356	cryptogea Pethybr. & Laff	
	flavicans DC	355	hibernalis Carne	
	flavicans var. exilis Nyl	$\frac{354}{355}$	infestans de Bary parasitica Dast	
	flavicans var. crocea Jatta	355	parasitica var. Rhei Godfrey	
	hispida Frege	373	Syringae Kleb	
	holoxantha Nyl	356	Piggotia filicina Thuem	. 158
	hypoglauca Nyl	355	Pilidium Eucleae Kalchbr. & Cooke	
	hypoleuca Tuck	370	Piline africana Syd	
	hypoleuca var. granulifera Hue	369	Pilobolaceae	
	integrata Nyl	373	Pilobolus crystallinus Tode	
	integrata var. obsessa Vain	373	Pilocarpaceae	
	leucomela Michxleucomela var. angustifolia Nyl	$\frac{370}{370}$	Pilocarpon leucoblepharum Wain. f. confluen Wain	
	leicomela var. subcomosa Nyl	370	Pilophoron aciculare Nyl	
	lychnea Nyl. var. semigranularis	0.0	Pilula straminea Mass	
	Stizenb	356	Piptocephalaceae	. 106
	macryphylla Stizenb	358	Piricularia Oryzae Br. & Cav	. 685
	melanocarpoides Vain	373	Pisolithus tinetorius Coker & Couch	
	obesa Pers. f. caesiocrocata Nyl	370	Placosterella Rehmii Theiss. & Syd	
	obesa f. tenuior Stizenb	370	Placodium Acaciae Vain	. 341
	obscura Hampe	373	benguellense Wain	
	obscura var. chloantha Rabenh	373	cinnabarinum Nyl	
	obscura var. glaucovirens Zahlbr ochroleuca Müll. Arg	$\frac{373}{374}$	deminutum Müll. Argdomingense Vain	
	parietina deNot	357	elegans DC	
	parietina f. albicans Müll. Arg	357	elegantissimum Vain	
	parietina var. aureola Körb	357	ferrugineovirens Vain	
	parietina var. ectanea Nyl	358	ferrugineum Hopp var. benguellen	
	parietina var. rutilans Stizenb	357	sis Wain	. 345
	perrugosa Stizenb	355	ferrugineum var. miniaceum Tuck.	
	picta Nyl	374	ferrugineum var. pyrithromoide	
	picta f. erythrocardia Stizenb	372	Vain	. 351

	LTCE		PAGE
Placedium flavidulum Vain	344	Pleurotus sciadium Sacc	571
flavorubens Nyl	348	sciadeum var. salmoneus Sacc	571
leptopismum Vain		septicus Quél	572
leptopismum f. discreta Vain	349	striatulus Quél	572
mastankanum Vain	349		217
mastophorum Vain		Plicaria leiocarpa Curr	
perexiguum Müll. Arg	291	Pluteolus reticulatus Gill	581
perexiguum Vain	350	Pluteus cervinus Quél	582
polioterum Vain	342	pustulosus Killerm	
psorothecioides Vain	342	Podaxis aegyptica Mont	613
Punicae Vain	342	carcinomalis Fr	613
pyropoecilium Vain	3.51	indica Spreng	
scoriophilum Massal	345	Podaxis pistillaris Fr	
sophodes Vain	351	aegypticus Mont	
subcerinum Vain	352	carcinomalis Ft	613
Adoceronam vant Wain	345		
subranulosum Wain		elatus Welw. & Curr	
sympageellum Vain	352	mossamedensis Welw. & Curt	
testacea-rufum Vain	343	pistillaris Fr	
thandes Mull. Arg		Podocrea Transvaalii Lloyd	
xanthophanum Müll. Arg	290	Podonectria coccicola Petch	
Placothelium staurothelioides Müll. Arg	232	Podosphaera leucotricha Salm	120
Placynthiopsis africana Zahlbr	256	Polyblastia alba Müll, Arg	228
Plasmodiophora Brassicae Woron	9.5	transwaalensis Müll. Arg	228
Plasmodiophoraceae	9.5	Polyblastiopsis alba Zahlbr	
Plasmopora viticola Berl. & de Toni	104	transvaalensis Zahlbr	
Platygrapha dirinea Nyl	245	Polycephalum aurantiacum Kalchbr. & Cooke	
2 mingrapha arrived 2431	246		
septenaria Stizenb	218	Polyplocium inquinans Berk	
Plectania coccinea Fuck		Polyporaceae	
occidentalis Seaver	218	Polyporoideae	503
Plectodiscella veneta Burkh	655	Polyporus Acaciae v.d. Byl	
Pleiostomella Halleriae Doidge	203	adustus Fr	522
Pleomassaria gigantea Syd	162	affinis Blume & Nees	
grandis Syd	164	anebus Berk	522
Peddieae Doidge	162	ancirinus Cooke	
Pleonectria pseudotrichia Wollenw	155	aratoides Lloyd	544
Pleoravenelia deformans Maubl	431	aratus Berk	
Pleospora Bilbergiae Verw. & du Pless	162	arcularius Fr	
('amelliae Dipp	162	arenobasus Lloyd	
Dianthi de Not	162	argenteofulrus v.d. Byl	
disrupta McAlp	162	australiensis Wakef	
Doidgeae Petdak		australis Fr	
Dyeri Doidge		Baurii Kalehbr	
	162		
Gerberae Dipp		biformis Klotzsch	
gramineum Died	162	hrumalis Fr	
herbarum Rabenh	163	caesius Fr	
Kentiae Maubl	163	callosus Fr	
lanceolata Sacc		capensis Lloyd	
Ozyzae Catt	163	carneo-fulvus Berk. ex Fr	
refracta Sacc	163	carneo-pallens Berk	542
Tropaeoli Halst	163	chilensis Fr	513
vulgatissima Speg		chioneus Fr	
Pleurage Brassicae Kuntze	139	cinnabarinus Fr	
Pleurotrema trichosporum Müll. Arg	231	cladonia Berk	
Pleurotus applicatus Quél	570	Clemensiae Sacc. & Trott	
atrocaeruleus Gill	570	colossus Fr	
aureo-tomentosus Sacc	570	conchatus Lloyd	
caveatus Sacc	570	conchoides Lloyd	
clusilis Sacc	570	confluens Fr	
contrarius Sace	570	confragosus v.d. Byl	
flabellatus Sacc		conjunctus Lloyd	
gilvescens Sacc		corticola Fr	
limpidus Gill	571	crispus Fr	
olearius Gill	571	cristatus Fr	-523
ostreatus Quél	571	cuticularis Fr	
perpusillus Gill		devians Bres	
petaloides Quél		dichrous Fr	
radiatim-plicatus Sace		dictyopus Mont	
rudis Pilat	559	Doidgeae Wakef	
rums that	. 3. 329	Dongeae naket	0.14

		PAGE			PAGE
Polyporus	durbanensis v.d. Byl	524	Polyporus	reniformis Morgan	513
	durus Jungh	524	~ L	resinaceus? Lloyd	515
	elegans Fr	524 -		reticulatosporus v.d. Byl	513
	Emerici Berk	524		rheades Pers	528
	epilinteus Berk. & Br	542		rhipidius Berk	528
	Eylesii v.d. Byl	524		robiniophila Lloyd	548
	favoloides P. Henn	524		rudis Lloyd	503
	ferruginosus Rostr	542		rufescens Fr	503
	flabelliformis Fr	524		rugulosus Lév	528
	flexilis v.d. Byl	524		rusticus Lloyd	529
	focalis Kalchbr	507		sacer Fr	529
	fragilis Fr	524		salisburiensis v.d. Byl	529
	fruticum Berk. & Curt fumosus Fr	$\frac{525}{525}$		sanguineus Linn. ex Fr	$\frac{538}{543}$
	gallo-pavonis Berk. & Br	525		sanguinolentus Alb. Schw. ex Fr Schreuderi v.d. Byl	$\frac{545}{529}$
	gibbosus Nees	511		Schweinitzii Fr	529
	gilvus Fr	525		scruposus Fr	525
	glauco-effusus v.d. Byl	534		sector Fr.	529
	glaucoporus v.d. Byl	534		spadiceus Jungh	539
	glirinus Kalchbr	534		subliberatus Berk. & Curt	543
	Goetzii P. Henn	526		subpictilis v.d. Byl	539
	grammocephalus Berk	526		subradiatus Lloyd	529
	helvolus (Fr.)	534		sulphureus Fr	529
	heteroporus Fr	503		tabacinus Mont	539
	hirsutulus Sehw	534		Telfairii Klotzsch	530
	hirsutus Wulf ex Fr	534		trabeus Rost	-530
	hirtellus Fr	535		transvaalensis v.d. Byl	-530
	hispidus Fr	526		Trichiliae v.d. Byl	-530
	igniarius Linn. ex Fr	508		umbraculum Fr	511
	immaculatus Lloyd	526		undatus Pers	530
	inconstans Kalehbr	535		undulatus Torrend	530
	intactilis Lloyd	526		vallatus Berk	530
	isidioides Berk	525		vaporarius Fr	543
	leoninus Klotzsch	$\frac{535}{526}$		varius Fr	530 531
	Livingstoniensis v.d. Byl	514		veluticeps Cooke	531
	lucidus Leyss. ex Frluteo-olivaceus Berk. & Br	531		velutinus Pers. ex Fr	540
	luteus Blume & Nees	535		vernicipes Berk	531
	MacOwani Kalchbr527,	542		versicolor Linn. ex Fr	540
	mastoporus Lév	515		versiporus Pers	543
	megaloporus Mont	527		vibecinus Fr	505
	meleagris Berk	536		vibecinus var. antilopum Kalchbr	505
	mollicarnosus Lloyd	515		vicinus Bres	531
	molluscus Karst	527		vicinus Lloyd	531
	murinus Cooke	527		villosus sw. ex Fr	540
	nanus Mass	527		vinctus Berk	543
	natalensis Fr	547		vinosus Berk	541
	nidulans Fr	527		virgatus Berk. & Curt	531
	nigro-applanatus v.d. Byl	527		vittatus Berk	541
	nigrolucidus Lloyd	515		vulgaris Fr	$\frac{543}{541}$
	occidentalis Klotzsch	536 536		xanthopus Frzambesianus Lloyd	511
	ochraceus Persochroleucus Berk	527		zonatus Fr	541
	ochroporus v.d. Byl	527		Bewsii Doidge	203
	osfreiformis Berk	528		Celastri Doidge	203
3	Pancheri Pat	528		Pterocelastri Doidge	203
	Patouillardi Theiss	528		crassipes DC	597
	pectunculus Lloyd	524		affinis Fr	531
	phocinus Berk. & Br	537	•	affinis-concinnus Lloyd	531
	picipes Fr	528		aratus Cooke	531
	pinsitus Fr	537		argenteus Lloyd	531
	pocula Berk. & Curt	528		azureus Fr	532
	Proteus Berk	548		Baurii Cooke	532
	Proteus var. imbricatus Berk	548		beharensis Cooke	532
	pruinatus Klotzsch	528	-	biformis Fr	532
	pubescens Schum. ex. Fr	537 528		bulbipes Fr	532 532
1	Cappanines Wakel	028		cinnabarinus Cooke	00.

		PAGE		PAGE.
Polystictus	circinatus Cooke	533	Poris aneirina Cooke	541
	coccineus Lloyd	533	attenuata Peck	541
	Cryptomeriae P. Henn	533	callosa Cooke	-541
	detonsus Fr	533	citrina Mass	541
	discipes Fr	533 533	contigua Cooke	342
	Doidgei Lloyd	517	corticola Cooke	542 542
	elongatus Fr	533	epimiltina Lloyd	542
	Ecklonii Berk. ex Cooke	533	ferruginosa Karst	542
	Fergussoni Berk, ex Cooke	533	lacticolor Murr	542
	flavus Fr	533	laevigata Karst	542
	floceosus Fr	533	mollusca Cooke	542
	funalis Fr	534	obliqua Karst	542
	gallo-pavenis Cooke	534	radula Cooke	542
	glauco-effusus Lloyd	534	Ravenelae Cooke	542
	glaucoporus Lloyd	534 534	rufitincta Berk. & Curtsanguinolenta Cooke	542 542
	helvolus Fr	534	spissa Cooke	
	hirsutulus Cooke	534	subliberata Cooke	542
	hirsutus Fr	534	umbrina Cooke	
	hirtellus Fr	535	vaporaria Cooke	542
	inconstans Cooke	535	versipora Lloyd	542
	iodinus Fr	535	vineta Cooke	542
	lanatus Fr	535	vulgaris Cooke	
	leoninus Fr	535	Porina albella Müll. Arg	
	luteus Fr	535 536	dissipans Nyl	
	Macounii Lloyd meleagris Cooke	536	euryspermum Zahlbr ferruginosa Müll. Arg	
	Meyenii Cooke	547	knysnana Zahlbr	
	mimetes Wakef	536	Tetracerae Müll. Arg.	-
	obstinatus Cooke	547	variegata Fée	
	occidentalis Fr	536	Poronia Doumetii Pat	
	ochraceus Lloyd	536	Poronia oedipus Mont	
	pectunculus Lév	524	punctata Linn. ex Fr	
	perennis Fr	537	ustorum Pat	
	perennis var. simillimus Lloyd	537	Porothelium incanum Sacc	
	pergameus Frphocinus Cooke	537 537	Prillieuxina Acokantherae Ryan	
	pinsitus Fr	537	Mimusopsidis Ryan	
	polyzonus Cooke	537	Pterocelastri Stevens	
	Proteus Cooke	548	Woodiana Ryan	
	pubescens Fr	537	Protomyces Physalidis Kalchbr	390
	radiato-rugosus Bres	537	Protomycetaceae	111
	regius Cooke	537	Protostegia Eucleae Kalchbr. & Cooke	
	rugosissimus Torrend	537	Protothyriae	
	sacer Frsanguineus Fr	537 538	Protothyrium Tricalysiae Doidge	
	scorteus Fr	539	Protubera africana Lloyd	
	spadiceus Cooke	539	africana Favod	
	stereinus Berk. & Curt	539	amböensis Favod	
	stereoides Berk	539	arvensis Quél	584
	subiculoides Lloyd	539	arvensis var. grossa Berk	
	subpictilis P. Henn	539	augusta Quél	584
	tabacinus Fr	539	campestris Quél	
	torridus Fr	539	capestris var. alba W. G. Sm	
	vellereus Fr	550 540	campestris var. pratensis Vitt campestris var. rufescens W. G. Sm.	
	velutinus Cooke	540	comtula Quél	
	versicolor Fr	540	Dialeri Bres. & Torrend	584
	villosus Cooke	540	dulcidula Schulz	
	vinosus Cooke	541	exserta Rea	584
	vittatus Fr	541	Kiboga P. Henn	585
	xanthopus Fr	541	placomyces Kauffm	
	xanthopus-concinnus Lloyd	541	pratensis Quél	
	zonatus Fr	541	pratensis var. australis Berk Rodmani Kauffm	
Polystomel	la caulicola Doidge	203	silvatica Quél	
- storomer		-00	antania Anti	000

## 1077

	PAGE		PAGE
Psaliota sylvicola Morot	585	Puccinia aurea Wint	402
Psathyra corrugis Quél	585	bakoyana Pat. & Har	402
disseminata Fr	590	Batatae Syd	402
noli-tangere Fr	585	Becii Doidge	403
spadiceo-grisea Quél	$\frac{585}{590}$	Behenis Otth'berkheyicola Doidge	$\frac{403}{403}$
Psathyrella disseminata Qéulgracilis Quél	590	Blasdalei Diet. & Holw	401
hydrophora Quél	590	Blepharidis P. Henn	403
prona Gill	590	Borreriae Syd	403
subtilis Quél	590	Bottomleyae Doidge	403
trepida Gill	590	bromina Eriks	403
Psathyrella sp	590	Bulbostylidis Doidge	404
Pseudobalsamea microspora Diehl & Lamb	224	Bylianum Dipp	404
Pseudocyphellaria aurata Wain	258	callistea Syd	404
crocata var. isidialia Gyeln.	$\frac{250}{260}$	canaliculata lagerh. var tenuis	404
gilva Malme Pseudographis Chrysophylli Doidge	215	Doidge	404
Pseudodiscosia Dianthi Höst. & Laub	658	capensis Syd	410
Pseudoperonospora cubensis Berk. & Curt	103	carbonacea Kalchbr. & Cooke	400
Pseudopeziza Medacsginis Sacc	220	caricina DC	466
Ranunculi Fuck. f. Ranunculi-		Caricis-cernuae Doidge	404
pinnati Thuem	220	Cephalandrae Thuem	404
Trifolii Fuck	221	Chaetacanthi Doidge	405
Pseudophyscia hypoleuca Hue var. colorata	0=0	Chloridis Speg	405
Zahlbr	370	Chrysanthemi Roze	405
speciosa Müll. Arg. f. sorediosa	371	Cichorii Bell	406
Müll. Arg Pseudopyrenula papulosa Müll. Arg	229	contecta Syd	$\frac{406}{428}$
Pseudothis Pterocarpi Syd	170	coronata Corda397,	406
Pseudothyridaria moroides Syd	170	coronifera Kleb	406
Pseudovalsa longipes Sacc	167	cryptica Cooke	427
Psilocybe areolata Sacc	585	Cyani Pass	406
atro-rufa Quél	586	Cynodontis Desm	406
atro-rufa var. montanus Pers. ex Fr.	586	Cyperi Arth	467
ericaea Quél	586	Cyperi-fastigiati Doidge	406
foenisecii Quél	586 586	Cyperi-tagetiformis Kern	406
semilanceata Quélsqualens Karst	586	Cyperi-tagetiformis var. africana Doidge	421
taediosa Sacc	586	deformans Wint	406
uda Gill	586	dehiscens Syd	407
Psoroma asperellum Nyl	256	desertorum Syd	407
sphinctrinum Nyl	256	Dichondrae Mont	407
Psorotichia cataractae Zahlbr	250	Dieramae Syd	407
fuliginella Wain	250	Digitariae Pole Evans	420
Pterula multifida Fr	498	dimorpha Syd	407
penicellata Berk	$\frac{498}{502}$	Dimorphothecae Pole Evans  discoidearum Link	$\frac{407}{400}$
Puccinella Eragrostidis Syd	440		407
Puccinia Absinthii DC	400		408
Abutili Berk. & Br	400		407
Acalyphae Doidge	400	Eragrostidis-chalcanthae Doidge	408
advena Syd	400		408
aecidiiformis Thuem	400		408
aethiopica Kalchbr. & Cooke	400		409
afra Wint	400		409
africana Cooke	401		$\frac{409}{409}$
Alepideae DoidgeAllii Rud	401		409
	401		409
	401		410
	401		410
Anthospermi Syd	401	fuirenella Doidge	410
	401		410
	402		410
	402		407
	$\frac{402}{402}$		$\frac{410}{410}$

	PAGE		PAGE
Puccinia gerbericola Doidge	410	Puccinia Ornithogali-thyrsoides Dict	421
Gladioli Cast	442	Osyridicarpi Grove	427
Gladioli-crassifolii Doidge	411	Othonnae Doidge	421
Glechomatis DC	426	Pachycarpi Kalchbr. & Cooke	421
Gnidiae Doidge	411	pallens Syd	421
graminis Pers	411	pallida Mass	421
granularis Kalchbr. & Cooke	412	Pegleriana Doidge	421
Helianthi Schw	412	P. largonii Svd	412
Helichrysi Kalchbr. & Cooke	414	Pelargonii-zonalis Doidge	421
hennopsiana Doidge	412	Penniseti Zimm	400
heterospora Berk. & Curt	412	pentactina Doidge	422
holosericea Cooke	413	Pentanisiae Cooke	422
Hydrocotyles Cooke	413	Pentanisiae var. Pentagynae P. Henn	422
Hyperici Doidge	413	Phragmitis Koern	422
Hypochoeridis Oud	413	phyllocladiae Cooke	423
Imperatae Doidge	413	Pienaarii Pole Evans	423
inflorescenticola Pole Evans	413	Plectranthi Thuem	423
Ipomoeae Cooke403	444	Poarum Niels	423
Ipomoeae-panduratae Syd	414	Pogonarthriae Hopkins	423
Iridis Wallr	414	Pole-Evansii Doidge	423
Isoglossae Doidge	414	polycampta Svd	424
Junci Wint, var. africana Doidge	414	Polygoni-amphibii Pers	424
Junei-Oxycarpi Doidge	414	Popowiae Cooke	424
Kalchbrenneri de Toni	414	Pottsii Doidge	424
Kalchbrenneri var. valida Doidge	414	pretoriensis Doidge	424
Kalchbrenneriana de Toni	415	Printziae Thuem	424
kentaniensis Pole Evans	415	Pruni-spinosae Pers	424
koedoeënsis Doidge	415	pulla Kalchbr	417
Kraussiana Cooke	415	pulvinata Mass	427
Krookii P. Henn	415	punctata Link	425
Kuhnii Butler	415	purpurea Cooke	425
kyllingicola Doidge	415	ranulipes Doidge	425
Lebeckiae P. Henn	459	Rhynchosiae Kalchbr. & Cooke	448
lemanensis Doidge	415	Rottboelliae Syd	426
leonotidicola P. Henn	416	rubigo-vera Wint. f. sp. Tritici	
le Testui Maubl	416	Eriks. & Henn	429
Leucadis Syd	416	Rubiae Kalchbr. & Cooke	407
Liebenbergii Doidge	416	rutipes Diet	426
Lindaviana P. Henn	416	Salviae Ung	426
lippiivora Syd	416	Salviae-runcinata Doidge	426
Lolli Niels	406	Satyrii Syd	426
luandensis Syd	417	Schlechteri P. Henn	426
luxuriosa Svd	417	Schoenoxyphii Doidge	426
Lychnidearum Fuck403,		Scleriae-dregeana Doidge	426
Lycii Kalehbr.	417	Sorghi Schw	418
MacOwani Wint	417	Spermacoces Berk. & Curt	403
Magnusiana Koern	417	stellenboschiana v.d. Byl	427
Malvacearum Mont	417	Stoboeae MacOwan	427
Maydis Bereng	418	Stoboeae var. Woodii Syd	427
McCleanii Doidge	418	Stonemanniae Syd. & Evans	427
melanida Syd	419	striaeformis West406,	447
Menthae Pers	418	Tabernaemontanae Berk. & Br	428
Menthae f. Leonotidis Kalchbr	416	Tabernaemontanae Cooke	428
Mesembryanthemi MacOwan	418	tandaaiënsis Hopkins	428
Miscanthidii Doidge	419	Tetragoniae McAlp. var. austro-	120
Momordicae Kalchbr	405	africana Doidge	428
Monsoniae Doidge	419	Thunbergiae Cooke	428
Moraeae P. Henn	419	torosa Thuem	428
Morganae Doidge	419	tosta Arth	428
Myrsiphylli Wint	419	Tragiae Cooke	429
natalensis Diet. & Syd	420	transvaalensis Doidge	$\frac{429}{429}$
natalensis var. Evansii Doidge	$\frac{416}{420}$	Tristachyae Doidge	429
oahuensis Ell. & Everh		triticina Eriks	405
Ocimi Doidge	$\frac{420}{420}$	Urgines Kalchbr	415
cedipus Cooke Oenotherae Vize	420	Vangueriae Doidge	429
Ornithogali Kalchbr	415	Vernoniae Cooke	430
	4.0	· CLIMOTHOC COORCINSTANCE	200

	PAGE		PAGE
Puccinia vernoniicola P. Henn	430	Pythium splendens Braun	102
versicolor Diet. & Holw	430	ultimum Trow	-102
Verwoerdiana v.d. Byl	430	vexans de Bary	103
Woodiana Doidge	430	Pythium sp	103
Woodii Syd	396	Pyxine Cocoës Nyl	375
Zeae Bereng	418	endoleuca Vain	375
Zorniae McAlp	430	Eschweileri Vain	375
Pucciniaceae	396	Meissneri Tuck	375
Pucciniastrum Agrimoniae Tranzsch	395	Meissneri var. endoleuca Müll. Arg	375
Pucciniopsis caffra Wakef	730	Meissneri var. sorediosa Müll. Arg	375
Pucciniopsis sp.	730	Meissneri var. subobscurans Malme	376
Pucciniosira Dissotidis Wakef	432	petricola Nyl	376
Pullularia pullulans Berkh	687	rhodesiaca Vain	376
Pycnocarpon amicta Nel	202	Radulum javanicum Lloyd	501
Pyrenidiaceae	232	lirellosum Lloyd	501
Pyrenocarpeae & du Place	$\frac{225}{631}$	mirabile Lloyd	501
Pyrenochaeta Vanillae Verw. & du Pless	349	orbiculare Fr	$\frac{501}{327}$
Pyrenodesmia Hampeana Massal	163	arabum Mey. & Flotow	327
gramineum Ito	163	arbuscula Stizenb	327
horrida Syd	163	Bourgeana Nyl	327
teres Drechsl	163	calicaris Röhl	328
Pyrenopsidaceae	250	calicaris f. Ecklonii Nyl	331
Pyrenopsis Mackenziei Jones	250	capensis var. angulosa Th. Fr	327
robustula Müll. Arg	250	capensis var. melanothrix Th. Fr	330
Pyrenula aspistea Ach	229	complanata Ach	328
cerina Eschw. f. expallens Zahlbr	229	cuspidata Nyl	328
cinerea Zahlbr	229	cuspidata f. implexa Oliv	328
emergens Vain	229	dendriscoides Nyl	328
henatomma Ach	247	denticulata Nyl	328
Knightiana Müll. Arg	229	Duriaei Jatta	328
laevigata Arn. var. incusa Zahlbr	230	Ecklonii Mey. & Flotow	331
mamillana Trevis	230	Euphorbiae Wain	328
marginata Hook	230	evernoides Nyl	328
mastophora Müll. Arg	230	farinacea Ach	328
nitida Ach	230	farinacea var. squarrosa Müll. Arg	329
nitidella Müll. Arg	230	fastigiata Ach	329
obtecta Merrill	230	fraxinea Ach	329
pleiomeriza Zahlbr	230	fraxinea var. fastigiata Fr	329
subducta Müll. Arg	230	geniculata Hook. f. & Tayl	329
subglabriuscula Vain. var. natalen-	220	geniculata f. tenuis Hue	329
sis Vain	230	geniculata var. olivacea Müll. Arg	329
tesselata Ach	231	gracilis Nyl	329
transparens Zahlbr	231	implexa Laur	$\frac{328}{329}$
Wilmsiana Müll. Arg	226	intermedia Dellanceolata Nyl	329
Pyrenulaceae	218	linearis Ach	329
Pyronema omphaloides Fuck	218	melanothrix Laur	330
Pyronema sp	218	membranacea Laur	331
Pyrenophora Avenae Ito	163	pollinaria Ach	330
horrida Syd	163	pollinaria f. cariosa Laur	330
Pyrenopsidaceae	250	pusilla Le Prév	330
Pyrenopsis Mackenziei Jones	250	scopulorum Ach	330
robustula Müll. Arg	250	scopulorum var. cornuata Ach	330
Pyrenulaceae	226	scopulorum var. humilis Schaer	330
Pythiaceae	99	scopulorum var. implexa Nyl	328
Pythiacystis citrophthora R. E. & E. H. Smith	99	subfraxinea Nyl	330
Pythium acanthicum Drechsl	100	Usnea Howe jr	330
aphanidermatum Fitz	100	Usnea var. capensis Zahlbr	330
artotrogus	101	Usnea var. contorta Zahlbr	331
Debaryanum Hesse	101	usneoides Mont	330
Debaryanum var. Pelargonii Braun	101	usneoides var. capensis Nyl	331
Fabae Cheney	101	usneoides var. contorta Flotow	331
irregulare Buisman	101	Webbii Mont. var. capensis Massal.	331
myriotylum Drechsl	101	yemensis Nyl	327
oligandrum Drechsl	101	yemensis f. fenestralis Stizenb	331
spinosum Saw	101	yemensis f. sublinearis Nyl	331

	4 12 1.7 Aug		1.401
Ramalina yemensis f. tennissima Mull. Arg	331	Rhizopogon capensis Lloyd ex Verw	592
Ramalina yemensis var. Ecklonii Wain	331	luteolus Fr	592
yemensis var. lanceolata Nyl	329	niger Zeller & Dodge	592
yemensis var. membranacea Nyl	331	pachyphloeus Zeller & Dodge	592
yemensis var. tenuissima Zahlbr	331	radieans Lloyd	593
Ramularia areola Atk	685	rubescens Tul	593
Ramularia Primulae Thuem	685	Rhizopus arhizus Fisch	106
Richardiae Kalchbr	685	Artocarpi Rac	106
Rumieis Kalchbr. & Cooke	655	nigricans Ehrenb	106
Ravenelia atrides Syd	431	stolonifer Ehrenb	106
Baumiana P. Henn	431	Rhodopaxillus caffrorum Singer	574
Bottomleyae Doidge	431	Rhodotorula mucilaginosa Harrison	735
deformans Diet	431	Rhopalospora caffra Massal	265
Diehrostachydis Doidge	431	Rhynchosphaeria Fagarae Doidge	164
Elephantorrhizae Doidge	431	Rhynchosporium secalis Davis	683
escharoides Syd	432	Rhytisma eugeniacearum Corda	215
Evansii Syd	432	Grewiae Kalchbr	185
glabra Kalchbr. & Cooke	432	Melianthi Thuem	136
Halsei Doidge	432	Myricae Mont	215
Indigoferae Tranzsch	432	porrigo Cooke	196
inornata Diet	432	Ricasolia crenulata Nyl. var. stenospora Nyl	257
laevis Diet. & Holw	432	erosa Xyl	257
Le Testui Maubl	433	patinifera Müll. Arg	256
MacOmaniana Danahla			257
MacOwaniana Pazschke	433	Ravenelii Nyl	256
minima Cooke	433	sublactis Xyl	355
modesta Doidge	433	Rinodina aethalea Ach	
Mundul-ac P. Henn	434	Rinodina albotineta Zahlbr	365
natalensis Syd. & Evans	434	bicolor Zahlbr	365
ornamentalis Diet	433	capensis Hampe	368
Peglerae Pole Evens	434	confragulosa Müll. Arg	368
Pienaarii Doidge	434	conspersa Müll. Arg	365
pretoriensis Syd	434	deminutula Zahlbr	365
stictica Berk. & Br 432,		detecta Zahlbr	365
Tephrosiae Kalchbr	434	exigua S. F. Gray	368
transvaalensis Doidge	434	ficta Zahlbr	365
Woodii Pazschke	434	Hüfferiana Müll. Arg	365
Reticularia Lycoperdon Bull	92	huillensis Vain	369
Reticulariaceae	92	microlepida Müll. Arg	369
Rhachomyces Dolichaontis Thaxt	109	microphthalma Massal	367
Rhinocladium Beurmanni Vuill	682	oreina Massal	369
Rhinosporidium Kinealyi Minchin & Fantham	110	roboris Arn	369
Rhinosporidium Seeberi Seeber	110	sophodes Mass	369
Rhinosporidium sp	110	sophodes var. atroalba Zahlbr	369
Rhinotrichum Curtisii Berk. & Curt	680	sophodes var. Ledienii Stein	368
rubiginosum Lloyd	680	teichophiloides Zahlbr	369
Rhizina inflata Karst	219	Rizalia confusa Doidge	140
resupinata Lloyd	219	Roccella Arnoldi Wain	244
Rhizocarpon affine Merrill	280	Roccella fuciformis Lam. & DC	243
badio-atrum Th. Fr. var. albo-		fucoides Wain	244
atrum Malme	280	fucoides var. Arnoldi Zahlbr	244
capense Zahlbr	280	horomoneie Wain	244
disporum Müll. Arg. var. Mon-		hereroensis Wain	244
tagnei Zahlbr	280	hypomecha Bory	244
geographicum DC	280	hypomecha var. Benguellensis Wain.	244
geographicum f. atrovirens		hypomecha var. isabellina Wain	244
Massal	280	linearis Wain. var. guineënsis Wain.	244
<ul> <li>geographicum f. intermedium</li> </ul>		linearis var. primaria Wain	
Zahlbr	280	mollusca Nyl	243
Montagnei Körb	280	Montagnei Bél	244
patellarium Zahlbr	280	mossamedana Wain	245
viridiatrum Körb	280	phycopsis Ach	244
Rhizoctonia bataticola Butler	621	podocarpa Wain	245
Rhizoctonia crocorum DC	737	tinctoria DC	245
lamellifera Small	737	tinctoria f. complanata Wain	245
Solani Kühn 737,		tinctoria var. hypomecha Ach	244
Rhizoctonia sp		tinctoria var. subpodicellata Wain	245
Rhizomyces confusus Thaxt	109	Roccellaceae	243

## 1081

		PAGE	P	AGE
	aquila deNot	176	Sclerogaster africanus Lloyd	592
	subiculata Sacc	176	rhodesica Nel	598
Rosellinia s	p	176	salisburiensis Verwoerd	593
	dia horridula Doidge	116	Selerospora Butleri Weston	105
	anoxantha Fr	572	graminicola Schroet	105
1111	tegra Fr	$\frac{572}{572}$	indica Butler	105
pe	ctinata Bull. ex Fr	572	Maydis Butler	105
	bra Fr yces acidi-lactici Grotenf	110	Sorghi West. & Upp	105
baccharoni	Cerevisiae Hansen	111	Sclerotinia fructicola Rehm sclerotiorum de Bary	$\frac{222}{222}$
	fragilis Jôrg	111	Sclerotium cepivorum Berk	738
Saccharom	yces sp	111	Delphinii Welch	738
Saccharom	ycetaceae	110	Paspali P. Henn	148
	cetaceae Imperfectae	735	Rolfsii Sacc	738
	depauperatus Phill	219	stipitatum Berk. & Curr	178
	Comphocarpi Kalchbr. & Cooke		Sclerotium sp	
	o-atra Müll. Arg	228	Scolecodothis capensis Doidge	183
	a ferox Nees	96	Scolecopeltis Cassipoureae Doidge	214
	aceae	96	Eugeniae Doidge	214
	ales	96	Morganae Doidge	214
Sarcograph	a disjectans Zahlbr	243	Myrsinis Doidge	214
Sarcogyne o	austro-africana H. Magn	292	Strauchii Doidge	214
	clavulus H. Magn	292	Scolecosporium pedicellatum Dearn. & Overh	663
l	ugens H. Magnus	292	Scoleiocarpus tener Berk	599
	obiginans H. Magn	293	Scopulariopsis sphaerospora F. Zach	680
	a coccinea Jacq	218	Scorias sp	192
Schiffnerul	a Cissi Hansf	138	Scutellinia capensis (Nel)	217
	Compositanium Petrak	138	corpinaria (Nel)	217
	Doidgeae Hansf	138	hemispherica (Nel)	217
	Gymnosporiae Hansf	$\frac{138}{139}$	Scyphophorum monocarpum Ach	$\frac{287}{475}$
	Nuxiae Hansfradians Hansf	138	Sebacina africana Burt	593
	Whitfieldiae Hansf	138	Secotium Gueinzii Kunze	593
Schiffnerul			obtusum Lloyd	594
	pustulosa Fayod	582	Septobasidium Bagliettoanum Bres	473
	mma paradoxum Zahlbr		bogoriense Pat	473
190111011111001	septenarium Zahlbr		Carestianum Bres. var.	
Schistodes e	erysiphina Theiss		natalense Couch	473
	lum alneum Schröt		Curtisii Boedijn & Steinm	474
	lum commune Fr		grandispinosum Couch	473
	flabellare Fr	572	griseopurpureum Couch	473
Schizosaccl	haromyces ovis Quin	111	mompa Rac	473
Schizothyr.	iella Eylesiana v.d. Byl		natalense Couch	473
	$Brachylaenae \; { m Rehm} \ldots \ldots$		pedicellatum Pat	473
	radiata Doidge		philippense Couch	474
Schroeteria	aster Doidgeae Syd		protractum Syd	474
	stratosus Syd		pseudopedicellatum Burt	474
Schulzeria	Umkowaan Sacc	573	Septobasidium sp	$\frac{474}{658}$
Scleroderm	na aurantium Pers	597	Septogloeum Acaciae Verw. & du Pless  Arachidis Rac	711
	Bovista Fr	597	bullatum Syd	658
	capensis Lloyd		concentricum Syd	658
	carcinomale Pers		Manihotis Zimm	658
	cepa Pers		Mori Bri. & Cav 160,	
	flavidum Ell. & Everh		punctatum Wakef	658
	Geaster Fr		Septoria Antirrhini Desm	639
	laeve Lloyd		Apii Chester	639
	lejospermum de Toni		Apii-graveolentis Dorogin	639
	nitidum Berk		aracearum Sacc	639
	pyramidatum Kalchbr		Ari	639
	rhodesica Verw stellen bossiensis Verw		Atriplicis Fuck	640
	tenerum Berk. & Curt		Avenae	640
	verrucosum Pers		Asaleae Vogl	640
	vulgare Hornem. ex Fr		Bambusae Verw. & du Pless	640
Salarada			Buddleiae Kalchbr. & Cooke	640
	nales		Byliana Syd	640
Sclerodern	nataceae	. 597	capensis Eint	640

	1 200		1 3111
Septoria Caryophylli Scalia	640	Siphula tabularis Nyl	333
Cephalariae Kalchbr	640	torulosa Nyl	33:
cercosporioides Trail	640	Sirothecium Citri Bitanc	647
Chenopodii West	640	Skierka robusta Doidge	43:
chrysanthemella Sacc	641	Solenia candida Pers	487
Chrysanthemi Allesch	641	minima Cooke & Phill	487
Citri Pass	641	Solenopezia columbina Sacc	221
Citrulli Ell. & Everh	641	Solorina sorediifera Nyl	263
Commelynes Kalchbr. & Cooke	706	Solorinina sorediifera Stizenb	263
Cotyledonis Wakef	641	Sordaria anserina Wint	140
Cucurbitacearum Sacc	641	curvula de Bary	139
Dianthi Desm	641	pleiospora Wint	139
Doehlii Syd	641	setosa Wint	139
Drummondii Ell. & Everh	641	Sordaria sp	140
Eucleae Kalchbr	649	Sordariaceae	139
Evansii Syd	642	Sorodiscus radicicolus Ivimey Cook	97
fructigena Berk. & Curt	642	Sorosporella uvella Giard	680
Gerberae Syd	642	Sorosporella sp	680
Gladioli Pass	642 642	Sorosporium africanum Syd	378 378
Gomphocarpi P. Henn	642	afrum SydZundel	378
graminum Desm Gymnosporiae Syd	642	Brachiariae Hopkins	378
Helianthi Ell. & Kellerm	642	Cenchri Zundel	378
Helichrysi Syd	643	('lintonii Zundel	378
Knowltoniae Verw. & Dipp	643	consanguineum Ell. & Everh	378
Lactucae Pass	643	cryptum McAlp	379
Lolii Sacc	643	Everhartii Ell. & Gall	379
longispora Miyake	643	filiferum Zundel	379
Lycopersici Speg	643	Flanaganianum Zundel	379
Meliae Syd	643	harrismithense Zundel	379
nesodes Kalchbr	643	Healdii Zundel	379
nodorum Berk	644	Holstii P. Henn	379
Oenotherae West	644	Hotsonii Zundel	379
Oleae Dur. & Mont	618	inconspicuum Zundel	379
Ornithogali Pass	644	Panici McKinnon	379
Osteospermi Dipp	644	pretoriaënse Zundel	380
Passerini Sacc	644	proliferatum Zundel	380
Passiflorae Louw	642	pseudomaranguense Zundel	380
Pelargonii Syd	644	Reilianum McAlp	380
perforans McAlp	644	Setariae McAlp	380
Petroselini Desm	644	Simii Pole Evans	380
Petroselini var. Apii Bri. & Cav	639	Tembuti P. Henn. & Pole Evans	380
Pisi West	644	Tristachydis Syd	384
Podocarpi Thuem	64.5	verecundum Zundel	380
Polygoni-lapathifolii v.d. Byl	645	versatilis Zundel	381
pyricola Desm 161,		Wildemanianum P. Henn	381
Ribis Desm	645	Zundelianum Ciferri	381
Richardiae	639	Sorosporium sp	378
Rubi West 160,		Spegazzinia Meliolae Zimm	731
scabiosicola Desm	645	Sphaceloma ampelinum de Bary112,	680
Schlechteriana P. Henn	64.5	Fawcetti Jenkins112,	680
Sparmanniae Verw. & du Pless	645	Perseae Jenkins	681
Thuemenii Sacc	646	Poinsettiae Jenkins112,	681
Tritici Desm	646	Rosarum Jenkins	681
umbelliferarum Kalchbr	646	Violae Jenkins	681
Vignae P. Henn	646	Sphaceloma sp	681
zeina Stout	646	Sphacelotheca Amphilophis Syd	381
Septoria sp		Andropogonis Bubak	381
Septoriella striiformis Sace	638	Anthephorae Zundel	381
Septosporium heterosporum Ell. & Gal	709	concentrica Zundel	381
Seynesia Balansae Speg. var. africana Sacc	205	cruenta Potter	381
orbiculata Syd	199	densa Ciferri	382
Siphula ceratites Fr	$\frac{332}{332}$	Sphacelotheca Dinteri Zundel	$\frac{382}{382}$
decumbens Nyl Dregei	332	Doidgeae Zundel Evansii Zundel	382
incrustans Vain	332	flagellata Zundel	382
minor Vain	332	modesta Zundel	382
		AMOUNTER ZIMINGUL	770-

	2833.15		PAUL
Sphacelotheca Moggii Zundel	382	Sphaerostilbe incarnata Kalchbr	732
monilifera Clint	382	Sphaerostilhe MacOwani Cooke	155
natalensis Zundel	382	nigrescens Kalchbr. & Cooke	153
Panici-miliacei Bubak	383	pseudotrichia Berk. & Br	155
Pappophori Zundel	383	rosea Kalchbr	732
pretoriense Zundel	383	Sphaerotheca fuliginea Salm	120
Reiliana Clint	380	Humuli Burr	-120
Ruprechtii Syd	383	Humuli var. fuligines: Salm	120
Sorghi Clint	383	macularis Jacz	120
tenuis Zundel	383	pannosa Lév	120
transvaalensis Zundel	383	pannosa var. Persicae Woronich	121
Vryburgii Zundel	384	Sphaerulina Eucalypti Verw. & du Pless	164
Zilligii Zundel	384	oleifolia v.d. Byl	164
Sphaerella Agapanthi Kalchbr. & Cooke	158	Worsdellii Mass	164
brassicicola de Bary	159	Sphinctrina fuscescens Nyi	233
Sphaerella Cassinopsidis Kalchbr. & Cooke	164	gelasinata Zahlbr	233
geicola Kalchbr. & Cooke	164	meridionalis Stizenb	233
MacOwaniana Wint	164	microcephala Nyl	233
maculicola Wint	164	turbinata deNot	233
Myrsinis Kalchbr. & Cooke	164	Spondylocladium atrivirens Harz	697
Sphaeria africana Kalehbr. & Cooke	180	Spongospora subterranea Lagerh	95
brachiata Kalchbr. & Cooke	158	Sporidesmium Celastri Thuem	692
caffra Kalchbr. & Cooke	158	Sporidesmium polymorphum Corda	704
capensis Lév	176	Sporopodium leucoxanthemum Vain	-279
cervispora Kalchbr. & Cooke	157	Sporormia ambigua Niessl	140
cumana Sacc. & Speg	158	intermedia Auersw	140
graminis Pers. var. Ehrhartae Berk.	191	minima Auersw	140
Hypoxylon Linn	178	pascua Niessl	140
intercepta Kalchbr. & Cooke	156	transvaalensis Doidge	140
lanceolata Kalchbr. & Cooke	163	Sporotrichum Beurmanni Matruchot &	
lichenoides Berk	174	Ramond	682
metuloidea Kalchbr. & Cooke	158	Sporotrichum Carougeaui Langeron	681
Nesodes Berk, & Br. f. Hydrocotles		Citri Butl	680
asiaticae	643	epiphyllum Link	681
nigro-annulata Berk. & Curt	180	globuliferum Speg	668
Owaniae Kalchbr. & Cooke	157	paranense Marchion	681
refracta Kalchbr. & Cooke	163	roseum Link	682
tremelloides Linn	715	Schencki Matruchot	682
turbinata Pers	193	Schencki var. Beurmanni	
Urticae Rabenh	166	Doidge	-682
Sphaericeps lignipes Welv. & Curr	612	Sporotrichum sp	668
Sphaeriaceae	140	Spumaria alba DC	90
Sphaeriales	139	Squamaria speciosa Frege	371
Sphaerioidaceae	618	Stachybotrys atra Corda	688
Sphaerobolaceae	617	subsimplex Cooke	688
Sphaerobolus stellatus Tode ex Pers	617	Stachylidium Theobromae Turcz	688
Sphaerodothis Parinarii Nel	181	Staganospera Atriplicis Lindau	638
Sphaeronema pistillare Wallr	168	cryptogea Syd	638
Sphaerophoraceae	233	Kentiae Maubl	638
Sphaerophoron compressum Ach	233	nerinicola Dipp	638
Sphaerophorus melanocarpus DC	233	Staurothele clopima Th. Fr	225
Sphaerophragmium Artabotrydis Doidge	435	Stemonitaceae	90
Dalbergiae Diet	435	Stemonitis acuminata Mass	91
Sphaeropsidales	618	Stemonitis ferruginea Ehrenb	90
Sphaeropsis abnormis Berk. & Thuem	648	Friesiana de Bary	90
Cassinopsidis Pazschke	180	fusca Roth	91
congesta Lév	619	herbatica Peck	91
enormis Sacc	648	maxima Mass	91
Sphaeropsis corticalis Sacc	632	pallida Wingate	91
malorum Peck161,	632	splendens Rost	91
Mappae Cooke	632	splendens var. Webberi Lister	91
pinicola Speg	636	*	704
rafniicola P. Henn	632	Stemphylium Eugeniae Verw. & du Pless	704
Sphaeropsis sp	633	phyllogenum Sacc	
Sphaerostilbe coccophila Tul	718	Stemphylium sp	704
flammea Tul	718	Stephanophoron phyllocarpum var. daedaleum	
hypocreoides Kalchbr. & Cooke	155	Stizenb	252

	PAGE		PAGE
Stephanophorou phyllocarpum var. isidiosum		Stereum turgidum Lloyd	494
Stizenb	2.53	umbrinum Berk. & Curt	494
Stephanophorus Kraussii Flotow	252	vellereum Berk	494
Stereocaulon proximum Nyl	287	versicolor Fr	494
pulvinatum Ach	332	villosum Lév	485
tabulare Ach	332	vitile Fr	494
Stereum acerinum Pets. ex Fr	479	rorticosum Fr	492
Stereum adnatum Lloyd	487	Sterrebeckia Geaster Fr	607
Stereum affine Lév	487	lejosperma Fr	598
albo-badium Fr	487	Stichodothis disciformis Petrak	115
amoenum Kalchbr. & MacOwan	490	Stichomyces capensis Thaxt	$\frac{109}{656}$
atrocinereum v.d. Byl	493	Stichospora disciformis Petrsk	258
australe Lloyd	487 488	Stieta ambavillaria Ach	258
bellum Saccbicolor Fr	488	argyracea Delargyracea f. rigidula Zahlbr	258
Bresadoleanum Lloyd	488		258
caperatum Lloyd	494	argyracea var. aspera Krempelh argyracea var. flavescens Zahlbr	258
cinerascens Mass	488	aspera Laur	258
cinereum Lév	488	aurata Ach	258
concolor Sace	491	aurata var. pallens Nyl	258
cyphelloides Berk. & Curt	488	carpoloma Del. var. albocyphellata Nyl	258
diaphanum Cooke ex Sacc	488	clathrata deNot	259
durbanense v.d. Byl	489	clathrata var. subhirsuta Vain	259
duriusculum Berk. & Br	489	crocata Ach	259
elegans Mey	493	crocata var. gilva Ach	260
fasciatum Fr	489	crocata var. isidialia Gyeln	259
Friesii Lév	489	damaecornis Ach	259
fulvum Sacc	489	Ecklonii Spreng	260
fuscum Quél	488	endochrysea Del	259
glabrescens Berk.& Curt	487	erythroscypha Tayl	261
hirsutum Fr	489	fuliginosa Ach	259
hirsutum f. Kalchbrenneri	490	gilva Ach	259
involutum Klotzsch ex Fr	490	gilva var. angustilobata Gyeln	260
Kalchbrenneri Sacc	490	gilva var. lanata Gyeln	260
laxum Lloyd	491	gilva var. pseudogilva Gyeln	260
lobatum Fr	491	Hornemanni Fr	260
lobatum var. cinereum Lloyd	487	hottentotta Ach	316
Inteo-badium Fr	485	hottentotta var. umbilicata Del	316
membranaceum Fr	493	intricata Del	260
Murrayi Burt	491 491	intricata var. Hesseana Zahlbr	260 260
nitidulum Berk notatum Berk. & Br	491	limbata Ach	261
ochraceo-flavum Peck.	491	Mougeotiana Del	261
ostrea Fr	489	pulmonacea Ach	257
percome Berk. & Br	491	pulmonaria Birola var. hypomela Duby	257
perlatum Berk	492	quercizans Ach	257
proximum Lloyd	488	subcrocata Gyeln	261
pulverulentum Lév	491	sylvatica Ach	261
purpureum Fr	492	retigera Ach	257
pusillum Berk	492	Thouarsii Del	261
radicans Burt	492	tomentosa Ach	261
Ravenelii Berk. & Curt	492	variabilis Ach	261
retirugum Cooke	492	Weigelii Ach	261
rimosum Berk	492	Weigelii var. sublimbata Steiner	261
rimosum var. africanum Talbot	492	Stictaceae	256
rubiginosum Fr	485	Sitctina argyracea Nyl	258
rugosum Fr	492	arguracea var. flavescens Nyl	258
sanguinolentum Fr	493	argyracea var. rigidula Nyl	258
Schomburgkii Berk	493	aurata Ach	258
spadiceum Fr	493	carpoloma Nyl. var. albocyphellata Nyl.	
subpileatum Berk489	, 493	crocata Nyl	259
tabacinum Sow, ex Fr. var. australis	405	fuliginosa Nyl	259
Monttenebrosum I lovd	485	gilva Nyl	260 260
tenebrosum Lloyd	$\frac{493}{493}$	Hesseana Krempelh	260
Thozetii Berktomentosum v.d. Byl	493	intricata Nylintricata var. Thouarsii Nyl	261
transvaalium v.d. Byl	494	limbata Nyl	260
view investment totte Dyles in it is in it is	AU'X		~00

	PAGE		PAGT
Stictina membranacea Müll. Arg	262	Taphrina Pruni Tul	112
Mougeotiana var. aurigera Nyl	261	Taphrinaceae	111
quercizans Nyl	261	Taphrinales	111
quercizans Stizenb	257	Teleutoanena nentoaa Sud	451
	261	Teleutospora ventosa Syd	
sylvatica Nyl		Telimena corticicola Doidge	191
tomentosa Nyl	261	viventis	180
Stictis bella Kalchbr. & Cooke	223	Teloschistaceae	353
radiata Pers. ex Fr	223	Teloschistes africanus Zahlbr	353
thelotremoides Phill	223	Teloschistes capensis Malme	353
Stigmatea Grewiae P. Henn	195	capensis f. puber Malme	353
Platylophi Verw. & du Pless	195	chrysocarpoides Wain	353
Rhynchosiae Kalchbr. & Cooke	194		
		chrysophthalmus Beltr	353
Sutherlandiae Kalchbr. & Cooke	155	chrysophthalmus f. armatus	
Stigmateaceae	194	Hillm	353
Stigmatidium capense Stizenb	242	chrysophthalmus f. cinereus	
venosum Nyl	242	Müll. Arg	354
Stigmatolemina incanum Kalchbr	544	chrysophthalmus var. dilatatus	
Stigmatopeltis Royenae Doidge	195	Hillm	354
Stigmatula Rhynchosiae Syd	194	chrysophthalmus var. pulvinaris	9171
			0.74
Sutherlandiae Syd	155	Zahlbr	354
Stigmella graminicola Linder	704	controversus var. semigranularis	
Stigmina verruculosa Syd	698	Müll. Arg	-356
Stilbaceae	732	costatus Hillm	354
Stilbospora Faureae Syd	663	derelictus Zahlbr	355
Stilbum aurantio-cinnabarinum Speg	732	exilis Wain	354
caespitosum Welw. & Curr	733	exilis var. dealbatus Hillm	354
cineripes Kalchbr. & Cooke	733		354
		exilis var. pulvinatus Hillm	
cinnabarinum Mont	155	flavicans Norm	354
connatum Kalchbr. & Cocke	733	flavicans f. minor Cromb	355
fimetarium Pers	733	flavicans var. costatus Steiner	354
fimetarium var. simiarum Kalchbr	733	flavicans var. croceus Müll. Arg	355
Kalchbrenneri Sacc	732	flavicans var. dealbatus Zahlbr	354
lateritium Berk	732	flavicans var. exilis Müll. Arg	354
physarioides Kalchbr	733	flavicans var. intermedius Müll.	001
Stomiopeltella africana Doidge	214		355
		Arg	
Stomiopeltis petiolaris Doidge	214	flavicans var. maximus Zahlbr	355
Citri Bitane	214	flavicans var. puber Hillm	355
Streptothrix sp	664	flavicans var. puberus Müll. Arg.	355
Strigula actinoplacoides Vain	231	flavicans var. pulvinatus Zahlbr	354
africana Wain. var. natalensis Vain	232	flavicans var. validus Müll. Arg	356
argyronema Müll. Arg	232	hypoglaucus Zahlbr	355
complanata Nyl	232	perrugosus Müll. Arg	355
complanata var. virescens Nyl	232	scorigenus Wain	356
	232		356
elegans Müll. Arg		validus Hillm	
nemathora Mont	232	verrucosus Hillm	356
pallida Kalchbr	232	villosus Norm	356
rirescens Trevis	232	Teratosphaeria fibrillosa Syd	116
Strigulaceae	231	Terfezia Boudieri Chat	224
Strobilomyces strobilaceus Berk	544	Claveryi Chat	224
Stropharia albomaculata Kalchbr. & MacOwna	586	Pfeilii P. Henn	224
coronilla Quél	586	Tetracium rectisporum Petch	729
melanosperma Quél	587	Tetraploa aristata Berk. & Br	704
obturata Quél	587	Theissenula Woodiana Doidge	146
olivaceo-flava Sacc	587	Thelophora biennis Fr	488
semiglobata Quél	587	fulva Lév	489
Synalissa austroafricana Zahlbr	250	fusco-violasvens Mont	484
minuscula Nyl	250	hirsuta Willd	489
Syncephalastrum racemosum Schroet	106	Thelephora intybacea Pers. ex Fr	495
Synchytriaceae	95	laciniata Pers, ex Fr	495
Synchythium Catulag de Dlags		palmata Fr	495
Synchytrium Cotulae du Pless	95		
Dolichi Gaümann	95	pedicellata Schw	474
endobioticum Perc	96	penicillata Lloyd	495
Synechoblastis redundans Müll. Arg	251	pulverulenta Lév	480
Systremma Pterocarpi Doidge	110	punicea Alb. & Schw. ex Fr	479
Taphrina aurea Sade	111	terrestris Ehrh. ex Fr	495
deformans Tul	112	Thelephoraceae	479
Mume Nish	112	Theleporus cretaceus Fr	551
Junic Mon	* * *	am reported dictation of the contraction of the con	

	PAGE		$\mathrm{PAGE}$
Thelotrema capense Zahlbr	247	Trametes corrugata Bres	545
cavatum Ach	246	detonsa Fr	533
diplochistoides Vain	247		
henatomma Ach	247	devexa	545
leioplacoides Nyl	247	Dregeana	503
lepadinum Ach	247	fibrosa Fr	546
microglaenoides Wain	246	funalis Fr	534
muscigenum Stizenb	247	gibbosa Fr	546
		glabrescens Fr	546
variolarioides Ach	308	griseo-lilacina v.d. Byl	546
Thelotremaceae	246	heteromorpha Lloyd	-546
Thielavia basicola Zopf	139	hispida Bagl	546
Thielaviopsis basicola Ferraris	688	hydnoides Fr	546
paradoxa v. Hó m141.	688	hystrix Cooke	517
Thyrinula eucalyptina Petrak & Syd	648	incerta Curr	546
Thyriopsis Proteae v.d. Byl	194	incondita Fr	546
Thyrococcum humicola Buchanan	639	isidioides Fr	525
Tilletia Avresii Berk, ex Mass	391	Keetii v.d. Byl	547
Caries Tul	391	lactea Fr	547
echinosperma Ains	391	lactinea Fr	547
foetans Trel	391		535
heterospora Zundel	391	lanata Fr	
lacris Kuhn	391	Meyenii Lloyd	574
transvaalensis Zundel	391	moesta Kalchbr	547
	391	natalensis Fr	547
Tritici Wint		obstinatus ('ooke	547
verrucosa Cooke & Mass	391	ochraceus Lloyd	536
Viennotii Syd	391	ochrolignea Lloyd	-548
Tilletiaceae	390	Persoonii Pat	545
Tilmadoche mutabilis Rost	88	pertusa Fr	548
nutans Rost	87	pictus	545
riridis	88	Proteus Fr	548
Tilotus lenzitiformis Kalchbr	.574	rigida Berk, & Mont	548
Titaea Doidgeae Hansf	686	robiniophila Murr	548
Titanella grandis Syd	164	roseola Pat. & Har	549
Togninia quaternarioides Berl	169	salebrosa v.d. Byl	549
Tolyposporium Chloridis P. Henn		scalaris Fr	549
Penicillariae Bref	384		549
Tristachydis Zundel	384	Sceleton Fr	549
Tomasellia africana Zahlbr	231	seleroderma Fr	549
Toninia bumamma Zahlbr	281	sepium Berk	
caerulonigricans Th. Fr	281	serialis Fr	549
caesiopallida Zahlbr		serpens Fr	549
there Zahlba	281	suaveolens Fr	
tlava Žahlbrincretata Zahlbr	281	subflava Lloyd	
		Sycomori P. Henn	550
verrucosa Flagey	281	tomentosa v.d. Byl	
Tornah-nia africana Massal		torrida Fr	
capensis Massal	3.53	trabea Bres	
flaricans Massal	355	umbrina Fr	550
Torula Fasidium Thuem	674	ursina Fr	550
glutinis Pringsh. & Bilewsky	735	varians v.d. Byl	550
Torula herbarum Link	688	violacea Lloyd	550
histolyca Stoddard & Cutler	73.5	Wahlbergii Fr	
Sacchari Corda	688	Zimmermannii Bres	
Torulopsis glutinis Doidge	735		
mucilaginosa Ciferri & Redaelli	73.5	Tranzschelia punctata Arth	
utilis Lodder	73.5	Tremella alba Kalchbr	
Trabutia Evansii Theiss. & Svd	186	corrugis Fr	
ficuum Theiss. & Syd	185	erassa Lloyd	
n rvisequens Theiss. & Syd		epigaea Berk. & Br	475
Trametes albotexta_Lloyd	544	frondosa Fr	
ambigua Fr	544	fuciformis Berk	
aratoides Pat. & Har		hemifoliacea Lloyd	
balanina Fr		lutescens Pers. ex Fr	
		mesenterica Retz. ex Fr	
capensis Lloyd	544	micropera Kalchbr. & Cooke	
captiosa Mont	545	microspora Lloyd	
cervina Bres		moriformis Berk	
cingulata Berk			
circinatus Fr	533	Tremellaceae	474

	I W. C. L.		PAGE
Tremellineae	471	Tryblidium rufulum Spreng	224
Treubiomyces Celastri Doidge	192	Trypetheliaceae	231
Trichamphora pezizoides Jungh	89	Trypethelium austroafricanum Zahlbr	231
Trichasterina Popowiae Doidge	212	bicolor Taylor	231
Trichia affinis de Bary	93	eluteriae Spreng	231
Balfourii Mass	93	Phlyctaena Fée	231
	93	Sprengelii Ach	231
Botrytis Pers	93		
faboginea Pers		verrucosum Fée	295
fragilis Rost	93	Tuberaceae	224
persimilis Karst	93	Tuberales	224
scabra Rost	93	Tubercularia Fici Edgert	715
turbinata Sow	93	minor Link	715
varia Pers	93	persicina Ditm	715
Trichiaceae	92	vulgaris Tode	-715
Trichobasis cichoracearum Lév	437	Tuberculariaceae	-715
Hypoestis Cooke	468	Tuberculina malvacearum Speg	715
labiatarum Lév	416	persicina Sacc	715
rubigo-vera Lév	460	Tubifera ferruginosa Gmel	92
Vernoniae Cooke	430	Tubulinaceae	92
Zehneriae Thuem	470	Tubercinia Eriospermi Syd	392
Trichoderma lignorum Harz	682	Ornithoglossi Syd	392
			614
viride Pers	682	Tulostoma adherens Lloyd	
Trichodochium disseminatum Syd	730	albicans White	614
Trichoglossum hirsutum Boud	223	album Mass	614
Tricholoma album Quél	574	angolense Welw. & Curr	614
amarum Rea	574	australianum Lloyd	614
caffrorum Sacc	574	bonianum Pat	-614
caffrorum var. sulonense 🛶 cc	574	brumale Pers	614
cerinum Quél	574	cyclophorum Lloyd	614
gambosum Gill	574	lacticeps Bres	615
gambosum var. capense Kalchbr.		Lesliei v.d. Byl	615
& MacOwan	574	MacOwani Bres	615
Georgii Quél	574	mammosum Fr	614
melaleucum Quél	574	mammosum var. squamosum Fr	614
melaleucum var. adstringens	014	obesum Cooke & Ellis	615
	571		615
Quél	574	poculatum White	615
melaleucum var. prophyroleucum		Purpusii P. Henn	
Gill	575	squamosum Pers	615
nudum Quél	575	Transvaalii Lloyd	615
personatum Quél	575	Tulostomataceae	612
russula Gill	575	Tylophoron africanum Vain	233
saponaceum Quél	575	Bylii Merrill	233
ustale Quél	575	Tympanopsis euomphala Starb	146
Trichopeltaceae	213	Umbilicaria flavovirescens Leight	-287
Trichopeltula Carissae Doidge	213	Umbilicaria galuca Stizenb	287
kentaniensis Doidge	213	hottentotta Fée	288
Trichophyton mentagrophytes Gedoelst	736	lecanorocarpa Krempelh	288
purpureum Bang	736	membranacea Laur	287
roseum Sabouraud	736	papulosa Nyl	287
Trichophyton sulfureum Sabouraud	737	pustulata Hoffm.f. minor Cromb.	287
violaceum Sabouraud	736		288
		pustulata var. papillata Hampe	288
Trichophytoneae	736	pustulata var. papulosa Tuck	
Trichospaeria Vandae Verw. & du Pless	146	rubiginosa Pers	288
Trichosporium purpureum Mass	688	Thunbergii Reinke	287
Trichothecium roseum Link	683	Uncinula aspera Doidge	121
Trichothyriaceae	213	circinata Cooke & Peck	121
Trichothyrium dubiosum Theis	213	combreticola Doidge	121
elegans Doidge	213	Eylesii Doidge	121
robustum Doidge	213	incrassata Salm	121
Trichotrema trichosporum Clements	231	necator Burr	121
Tripospora Cookei Sacc	193	Pterocarpi Doidge	121
Tripospora tripos Lindau	193	polychaeta Berk. & Curt. ex Ellis	122
Triposporium Stapeliae du Pless	714	Uncinula sp.	117
Trochodium Ipomoeae Syd	444	Urceolaria actinostoma Pers. ex Ach	248
Tryblidaria Breutelii Rehm	224	actinostoma var. aenea Müll. Arg	248
	224	actinostoma var. aesioplumbea Nyl	243
capensis Vouaux			248
Tryblidiella rufula Sacc	224	capitata Nees	248

		2.50765		1301
Urceolaria	cinerea Ach	303	Uredo Lonchocarpi Doidge	468
	einereocaesia Ach	248	longaenis P. Henn	469
	deuteria Nyl	248	Lotononi Doidge	469
	exeavata Ach	249	lucida Theum	397
	scruposa p arenaria Schaer	249	Lupini Berk. & Curt	469
	scruposa f. arenaria Ach	249	macrosperum Cooke	396
	subcuprea Nyl	249	mixta Duby f. Salicis capensis Thuem.	395
Uredinales	· · · · · · · · · · · · · · · · · · ·	393	Monsoniae Syd	419
	is macrosperma P. Magn	396	Moraeae Kalchbr	469
	icana Lagerh	465	Myrsiphylli Thuem	
	ës Cooke	436	Pelargonii Thuem	
	sicarpi Doidge	436	phaseolorum de Bary	
	cylanthi P. Henn	397	pilulaeformis Berk	
	elepiadis-fruticosi Doidge	465	Plectranthi Kalehbr	
	rrima Thuem	444	Pogonarthriae Syd	
11(6)	geae Pole Evans	465	Polygalae Kalchbr	
		465		
	geae Syd	466	Polypodii DC	
	lsamodendri Cooke		pretoriensis Syd	
	achylaenae Doidge	466	Psoraleae-polystictae Doidge	
	ideliae Doidge	399	Pychnostachydis Kalchbr	
	ricis-petitianae Doidge		rhoina Syd	. 469
	rpodini P. Henn		Rhynchosiae Cooke	
	ssiae-mimosoides Doidge		Ricini Biv. Bern	
	lastrineae Cooke & Mass		Rotthoelliae Diet	
	phalandrae Thuem		Rubigo-vera DC, f. Digitariae-sanguina	
	matidis Berk		lis Thuem	
COL	mbreticola Doidge		Rumicum DC	
	mmelinae Kalchbr		Rumiem f. Rumicis obtusifolii capensi	N
col	npositarum var. Melantherae Cooke.	446	Thuem	. 448
erc	otalariicola P. Henn	466	Satyrii Mass	. 469
Cr	vptolepidis Cooke	467	Schizachyrii Doidge	=470
	ssoniae Cooke		Scholzii P. Henn	. 398
	pericola P. Henn		Scirpi-corymbosi Doidge	
	tergibilis P. Henn		Scirpi-maritimi Doidge	
die	gitariaccola Thuem	420	sempertecta Thuem	
	sae v. d. Byl		Stenotaphri Syd	
	issutidis Cooke		Stylosanthis P. Henn	
	issotidis-longicaudae P. Henn		transcersalis Thuem	
	lichospora Kalchbr		Valerianae DC. f. Valerianae-capens	
	ombeyae Doidge		Thuem	
	ctadiopsis Cooke		Vangueriae Cooke	
	cteinanthi Kalchbr		Viborgiae P. Henn	
	hrartae-calveinae Doidge		Zehneriae Thuem	
	riospermi MacOwan		Uredo sp.	
	ici Cast		Urocvstis Agropyri Schroet	
	ilieum Klotzsch			
			Gladioli Wernh	
	uirenae P. Henn		Hypoxidis Thaxt	
			occulta Rabenh	
Cre	eranii DC. f. Pelargonii-alchemilloide		Ornithoglossi Zundel	
	Thuem		Tritici Koern	
	eranii f. Pelargonii-zonalis Thuem		Uromyces Albucae Kalchbr. & Cooke	
	liae Lindr		Alchemillae Lév	
	rewiae Pat. & Har		Aloës P. Magn	
	Tarmsiana P. Henn		aloicola P. Henn	436
	leteromorphae MacOwan		Alysicarpi Wakef. & Hansf	
H	Iomeriae Bubák	. 468	Anomathecae Cooke	
	Lyperici-leucoptychodis Doidge		Antholyzae Syd	
	Lypoestis de Toni4		appendiculatus Link437. 4	
	ndigoferae Doidge		Argyrolobii Doidge	
	xiae Lév		Avicularae Schroet	
I.	xiaε Rud	. 444	Babianae Doidge	44
	aempferiae Syd		badius Syd	43
k	ampuluvensis P. Henn	. 468	Barbeyanus P. Henn	43
	guminosarum Link		Betae Lév	
L	episclinis Thuem	. 414	Bidentis Lagerh	
	leucadis Syd		Bolusii Mass	
7 i	nearis Pers	. 411	Bona-spei Bubak	

		PAGE		PAGE
Jromyces	Bulbinis Theum	438	Uromyces Peglerae Pole Evans	447
	Bylianus Doidge	438	phaseolorum DC	437
	capensis Doidge	438	Polemanniae Kalchbr. & Cooke	447
	caryophyllinus Wint	438	Polygoni Fuck	447
	Cassiae-mimosoides Doidge	438	pretoriensis Doidge	447
	Chloridis Doidge circinalis Kalchbr. & Cooke	439 439	proëminens Lév	441
	Clignyi Pat. & Har	439	Prunorum Link. var. Amygdali	424
	Cluytiae Kalchbr. & Cooke	439	Kalchbr Pseudarthriae Cooke	447
	Commelinae Cooke	439		448
	comptus Syd	439	Psoraleae Peck	447
	Cyperi P. Henn	467	rhodesicus Wakef	448
	delagoensis Bubak	444	Rhynchosiae Cooke emend. Doidge	448
	Dieramatis Doidge	444	Ricini Biv	395
	Dolichi Cooke	451	Romouleae v. d. Byl & Werd	442
	Dolichi Syd	448	Romuleae Doidge	442
	Dolicholi Arth	440	Rumicis Wint	448
	Drimiopsidis Doidge	440	saginatus Syd	449
	Ecklonii Bubák	440	sanguinalis Evans	447
	Ehrhartae-giganteae Doidge	440	Schinzianus P. Henn	449
	Eragrostidis Tracy	440	Scillarum Wint	439
	Eriospermi Kalchbr. & Cooke	440	Scrophulariae DC	465
	ermelensis Doidge	441	Setariae-italicae Yoshino	449
	Erythronii Pass	440	Sparaxidis Syd	449
	Erythronii Pass. v. Drimiopsidis	440	stellenbossiensis v. d. Byl	449
	Euphorbiae Cooke & Peck	441	Strauchii Doidge	449
	cuphorbiicola Tranzsch	441	striatus Schroet	449
	Fabae de Bary	441	Stylochitonis Doidge	450
	Ferrariae Doidge	441	tenuicutis McAlp	450
	fiorianus Sacc	442 442	Thwaitesii Berk. & Br	$\frac{412}{450}$
	Freesiae Bubák	442	transversalis Wint	450
	Geissorhizae P. Henn	412	Trichoneurae Doidge Trifolii Lév	450
	Gladioli P. Henn	442	Trollipi Kalchbr. & MacOwan	451
	Greenstockii Doidge	442	Urgines Kalchbr	414
	Harmsianus Doidge	443	Valerianae Fuck	451
	Heteromorphae Thuem	443	ventosa Syd	451
	Hobsoni Vize	443	Vignae Barcl	451
	Holubii Doidge	443	Watsoniae Syd	450
	Hyperici-frondosi Arth	443	Zeyheri Bubák	451
	Hypoxidis Cooke	443	Uropyxis Gerstneri Doidge	451
	inaequialtus Lasch	444	Steudneri P. Magn. var. rhodesica	
	Ipomoeae Berk	444	Doidge	451
	Ixiae Wint	444	Usnea acanthera Vain	333
	Junci Tul	414	aequatoriana Motyka	333
	kentaniensis Doidge	444	africana Motyka	333
	Krantzbergensis Doidge	445	amplissima Stirt	333
	Lachenaliae Doidge	444	angulata Ach	340 336
	leptodermus Syd	445 443	angulata f. gonioides Hue	335
	Limonii Lév	445	arthroclada Fée subsp. arthrocladodes	990
	lugubris Kalchbr	704	Vain	333
	MacOwani Bubák	439	articulata Hoffm	333
	Maireanus Syd	445	articulata f. minor Krempelh	333
	Massoniae Doidge	44.5	australis Fr	333
	Medicaginis Pass	449	Baileyi Zahlbr	,338
	Melantherae Cooke	446	barbata Fr	334
	Melasphaerulae Syd	444	barbata f. ceratina Ach	335
	microsorus Kalchbr. & Cooke	424	barbata f. florida Fr	335
	Mimusopsidis Cooke	446	barbata var. articulata Ach	333
	Moraeae Syd	446	barbata var. australis Müll. Arg	333
	Mucunae Rabenh	446	barbata var. farinosa Müll. Arg	341
	natalensis P. Magn	446	barbata var. florida f. australis Vain	333
	Oxalidis Lév	460	barbata* Usnea florida var. comosa	994
	papillatus Kalchbr. & Cooke	443	Wain	334 336
	paradoxus Syd	446	barbata var. scabrosa Müll. Arg	353
	pedicellata Pole Evans	440	capensis Hoffm	000

	PAGE		PAGE
Usnea capensis Motyka	333	Usnea rubrotincta Stirt	339
cartiliginea Laur	334	Usnea sorediosula Motyka	339
ceratina Ach	33.5	spilota Stirt	340
ceratina var. picta Steiner	338	Steineri Zahlbr	340
ceratina var. scabrosa Ach	336	Steineri var. tincta f. sorediosa Zahlbr	340
comosa Röhl	334	strigosa Eaton	340
contorta Jatta	334	strigosella Steiner	340
cornuta Körb	334	sublurida Stirt	340
dasypoga Röhl	334	submusciformis Vain	340
dasypoga var. plicata Cromb	338	sulcata Motyka	340
dasypoga var. plicata f. annulata Hue	335	transvaalensis Vain	339
dasypoga var. plicata f. dasypogoides		trichina Motyka	340
Hue	334 334	trichodea Achtrichodeoides Vain. emend. Motyka	341
	334		341
delicata Vaindensirostra Tayl	335	undulata Stirt	341
diffracta Vain		Usnea sp. Usneaceae.	
distensa Stirt	335	Ustilaginaceae	
farinosa Zahlbr	341	Ustilaginales	377
flaccida Motyka	33.5	Ustilaginoidea mossambicensis P. Henn	
flexilis Stirt		Setariae Bref	
florida Wigg		Ustilago affinis Ell. & Everh	
florida var. asperrima Müll. Arg	335	Andropogonis-finitimi Maubl	384
florida var australis Sitzenb	333	Anthephorae Syd	381
florida var. comosa Biroli		Avenae Jens	384
florida var. densirostra Stizenb		bromivora Fisch	
florida var. farinosa Stizenb		capensis Reess	
florida vat. ochrophora		Carbo Tul. f. Cynodontis Dactylonis	
florida var. pulverulenta Müll. Arg		Thuem	
florida var. rubiginea Michx	339	Cesatii Fisch, de Waldh	
florida var. scabrosa Wain	336	Crameri Korn	
florida var. strigosa Ach		Crus-galli Tracy & Earle	
florida var. subelegans Vain		Cynodontis P. Henn Dactyloctaenii P. Henn	
foveolata Stirt		Danthoniae Kalchbr	
fusca Motyka		Digitariae Rabenh	
gonioides Stirt		Dinteri Syd	
gracilis var. subplicata Vain		Dregeana Tul.	
Havaasii Motyka		Ehrhartana Zundel	
hirta Wigg		Elionuri P. Henn. & Evans	
hirta var. horridula Stizenb		Eragostidis-japonicana Zundel	
hispidula Zahlbr	. 336	Evansii P. Henn	. 380
horridula Motyka	. 336	Fingerhuthiae Syd	. 386
implicita Zahlbr		flagellata Syd	
intercalaris Krempelh		gigaspora Mass	. 387
laevis Nyl		Henningsii Sacc. & Syd	
leprosa Motyka	. 337	heterospora P. Henn	
longissima Ach	. 337	Holubii Syd	
longissima var. horridula Müll. Arg		Hordei Lagerh	
maculata Stirt		inconspicua Pole Evans	
molliuscula Stirt		Ischaemi Fuck	
moniliformis Motyka		Jensenii Rostr	
mutabilis Stirt			
ochrophora Motyka	. 338		
perspinosa Motyka	. 338	Liebenbergii Zundel	. 38
picata Motyka	. 338	Mariscana Zundel	. 38
plicata Wigg	. 338		. 389
poliotrix Krempelh	. 338	modesta Syd	. 38:
praelonga Stirt			
primitiva Motyka	. 338		
Promontorii Motyka			
pulverulenta Motyka	. 339		
pulvinata fr			
rubescens Stirt. var. rubrotineta Motyl rubicunda Stirt.			
rubiginea Massal	. 337		
	. 001	AUTOCHHOLOGIANIO ANNIMATION OF THE	

	PAGE		L/4.
Ustilago Sacchari Rabenh	388	Verrucaria pleiomeriza Ny1	23
Schlechteri P. Henn	388	pyrenuloides Nyl	22
scitaminea Syd	388	Verrucaria rebellans Zahlbr	22
scitaminea var. Sacchari-Barberi	388	santensis Nyl	23
segetum Dittm	385	simulans Stizenb	22
Sladenii Pole Evans	388	subducta Nyl	230
Sorghi Pass	383	Tetracerae Afzel	229
Stenotaphri P. Henn	384	transvaalensis Stizenb	22
$stenotaphricola\dots\dots\dots$	384	variolosa Mont	22
Trachypogonis Zundel	388	viridula Ach	22
Tragana Zundel	388	Wilmsiana Stizenb	23
Trichoneurana Zundel	388	Verrucariaceae	22
trichophora Kunze	389	Verticillium albo-atrum Reinke & Berth	68
Tritici Rostr	389	pulvinulum Kalchbr. & Cooke	683
Urochloana Zundel	389	terrestre Sacc	68:
verruculosa Wakef	389	Verticillium sp	683
Vaillantii Tul	389	Vestergrenia chaenostoma Theiss	16.
verecunda Syd	380	Volutella Dianthi Atk	713
versatilis Syd	381	Volutella sp	716
Welwitschiae Bres	$\frac{668}{389}$	Volvaria bombycina Quél	58: 55:
Zeae Unger	อดย	eurhiza Petch	58:
Ustilago sp. Ustulina vulgaris Tul.	176	pusilla Quél	58:
Valsa infinitissima Kalchbr. & Cooke	170	speciosa Gill Volvaria sp.	- 583 - 583
Valsa leucostoma Fr	170	Woodiella natalensis Sacc. & Syd	22.
salicina Fr	170	Woroninaceae	9:
sordida Nitschke	171	Woroninella Dolichi Syd	9;
stellulata Fr	170		
Valsaceae	167	Xanthoria condelaria Kickx f. fibrillosa	0 ~/
Valsaria Batesii Doidge	171	Hillmcandelaria var. semigranularis	350
Eucalypti Sacc	171	candelaria var. semigranularis Zahlbr	356
natalensis Doidge	171	ectaneoides Zahlbr	356
Valseae	167	flammea Hillm	350
Variolaria discoidea Pers	296	flammea var. podetiifera Hillm	35
lactea Wahlbg	308	Marlothii Zahlbr	35
Venturia Cephalariae Kalchbr. & Cooke	165	parietina Beltr	35
inaequalis Wint 165,	691	parietina f. albicans Hillm	35
pirina Aderh 165,		parietina f. rutilans Th. Fr	35
Vermicularia Capsici Syd	656	parietina var. aureola Th. Fr	351
Dematium Fr	650	parietina var. ectanea Kickx	358
Dianthi West	656	parietina var. ectaneoides Zahlbr	356
herbarum West	656	parietina var. macrophylla Hillm.	358
herbarum f. Dianthi West	656	turbinata Wain	358
varians Ducom	649	Xerotus Berterii Mont	573
Verrucaria alba Stizenb	228	caffrorum Kalchbr. & MacOwan	573
albella Stizenb	288	fuliginosus Berk. & ('urt	57
albo-atra Krempelh	$\frac{227}{228}$	nigritus Lév	573
albo-atra var. recepta Stizenb	229	Xylaria allantoidea Berk	176
aspistea Afzel	227		176
Cinchonae Ach	227	anisopleura Montapiculata Cooke	176
clopina Wahlbg	225	arbuscula Sacc	170
confluxa Stizenb	228	aristata Mont	176
dissipans Nyl	229	bulbosa Berk. & Br	170
Verrucaria erodens Müll. Arg	225	capensis Sacc	176
eurysperma Stizenb	229	carpophila Pers. ex Fr	177
fallax Nyl	227	castorea Berk	177
ferruginosa Stizenb		corniformis Fr	177
glabrata Ach. var. incusa Flotow	230	cubensis Mont	177
leucanthes Stirt	227	digitata Grev	177
locuples Stizenb	228	Doumetii Miller	177
microlepidea Zahlbr	225	ensata Kalch	177
microlepidea var. hilarior Zahlbr	225	fistulosa Fr	177
nigrescens Pers	225	heloidea Penz. & Sace	177
nitida Schrad	230	hippoglossa Speg	178
nitida var. nitidella Floerke	230	Hypoxylon Grev	178
papulosa Nyl''	229	ianthino-velutina Mont	178

## 

		PAGE		PAGE
Xylaria	multiplex Berk. & Curt	178	Xvlaria tabacina Berk	179
	Myosurus Mont			
	nigripes Cooke	178	variabilis Welw. & Curr	180
	Oxyacanthae Tul	178	Xvlaria sp	179
	pistillaris Nitschke	179	Xvlariaceae	172
	polymorpha Grev	179	Xylosorium Piperii Zundel	389
	reticulata Lloyd	179	Zukalia parenchymatica Doidge	214
	rhopaloides Mont	179	transvaalensis Doidge	146
	Schreuderiana v.d. Byl	179	Woodiana Doidge	146
	Schweinitzii Beri. & Curt	179	Zythia Welwitschiae P.Henn	646
	stilboidea Kalchbr. & Cooke	179	Zythiaceae	646

## B.—BOTANISTS, COLLECTORS, ETC., MENTIONED IN SECTIONS I-VII.

PAG	GE	1	PAGI
Acharius, Erik	58	Hibbert	27
Acocks, J. P. H		$H\phi eg, O. A$	. 74
Adamson, R. S.	8	Hollós, L	61
Ainsworth, G. C	64	Holub, Emil	57
Andersson, C. J	50	Hooker, J. D	-36
Armstrong, Miss	61	Hopkins, J. C. F 5, 14, 42,	170
	18	Howard, C. W	
	74	Imperial Mycological Institute Director., 6	, 68
Backhouse, James	50	Staff 6	, 68
	42	Jelinek, see Tellinck	_
	38	Jones, T. A	29
	36	Josephine, Empress	
Berkeley, M. J 28, 30, 36, 44, 49, 50,		Joubert, Gideon 15, 43, 49	
	24	Junod, Rev. Henri A 14, 39	
	64	Kalchbrenner, C 49, 57, 64, 73	
	27	Keet, J. D. M	, 67
Bottomley, Miss A. M. 6, 39, 40, 41, 50, 66, 6		Kew, Director, Royal Botanic Gardens	6
	28	Kirk, Sir John 24	
Breutel, J. C		Krauss, Ferdinand	29
	ð	Krook, P.	37
	11	Kunze, Gustav	
	28	Lee	27
Burchell, Wm. J 6, 23, 24, 27, 29, 5		Leighton, W. A	24
Burke, James 28, 35, 4		Le Testu	39
	18	Léveillé, J. H.	29
	39	Liebenberg, L. C. C	
	5	Lister, Miss Gulielma	64
Cardoso, J. G. A 14, 4		Lindsay, W. Lauder	24
	14	Linnaeus	
	19	Livingstone, David	39
Cooke, M. C		Lloyd, C. G 6, 42, 64,	
	30	Lojka, Hugo	
	38	Lurie, Dr. H. I Lurie, Miss R. (see also Mrs. Brown)	64
Darwin, Charles			42
Dinter, Karl	38	MacOwan, Peter 5. 13, 14, 27, 35, 36, 37, 44, 58, 61, 62, 64, 73, 74,	
Dippenaar B. J	2.4	Magnus, P	
Dodge, C. W	EO	Magnusson, A. H.	64
Drágo I F 98 20 50 7		Marloth, R	
Orége, J. F.       28, 30, 50, 7         lu Plessis, S. J       42, 5		Martin, G. W	64
Outhie, Miss A. V 5, 13, 42, 58, 64, 7	15	Massalongo, A. B	
Over, R. A		Massee, Geo	
Over, W. Thistleton		Masson	
Eaton, Rev. A. E		Maublane, M. A.	39
Ecklon, C. F		McKay, Mrs. Helen	50
Eën, Capt. J	0	McLea, J. H	73
Evans, I. B. Pole. 5, 6, 8, 14, 38, 39, 40, 41, 4	9	McMartin, A 41.	
50, 66, 72, 7		Mentzel, O. F	16
Eyles, F		Menyharth, Father Ladislau 14, 39,	
Payod, V 3			66
'incke, 'Apotheker'	5	Miller, Julian	65
ischer, Ed 4		Mitchell, Dr	
itzpatrick, H. M		Mogg, A. O. D	
Forster, Professor		Montagne, J. C. F.	28
ries, Elias	3	Motyka, Josef	
ries, Theodor M		Müller, Jean (Arg.)	
Farside, S		Murray, G	57
Queinzius, Wm		Nel, G. C.	76
unn, Miss M	7	Niven, James	27
Iansford, C. G	8	Nylander, W	
Iarington, Dr. C		Ortendahl, I	
Iarvey, William Henry 29, 73		Pappe, L	
Iennings, Paul		Pearson, H. H. W	28
Iesse, Pastor	3	Pegler, Miss A	75

PAG	GE P	AGE
Persoon, C. H	23 Tellinck, Antony	30
Phillips, Miss Edwina	7 Thaxter,	62
	40 Theal	16
	64 Theiler, Sir Arnold	68
	27 Thompson, George	16
	18 Thomson, Miss Mary	41
	68 Thunberg, Carl Pehr., 18, 19, 20, 27, 49, 58,	
	41 Trollip	57
Quinzius, see Gueinzuis		
	74 Tuckerman, Edward	30
	63 Tulasne, L. R. & C	29
	62 Tulbagh	18
	63 Vainio, see Wainio	18
	27 van der Byl, P. A. 5, 6, 13, 41, 42, 67, 74, 75,	
Rump, W. G		18
	41 van Riebeeck, Johan	
Schinz, Hans		18
	74 Verwoerd, Len	
	73 von Höhnel, F	57
	30 von Krempelhüber, A	30
	65 von Thuemen, F	36
	73 Vouaux, Leon	61
	42 Wager, V. A 41,	65
	41 Wahlberg, J. A	
	30 Wainio, E. A 6, 38, 39, 66,	
	66 Wakefield, Miss E. M 6, 27, 66, 68,	
	68 Ward, H. Marshall	40
	76 Wawra, Dr. Heinrich	30
Sparmann, Professor	19 Weintroub, Miss D	76
	58 Welwitzch, F	74
	39 Wilms, Dr	
	76 Wiltshire, S. P	
	73 Winter, Georg	
Stizenberger, Ernst 27, 28, 37, 66, 7	74 Wood, John Medley 5, 13, 14, 35, 36, 37, 39, 41,	50
	58 64 74	
	43 Wright, C. S	30
Sydow, H 6, 39, 61, 7		74
Sydow, P 6, 36, 37, 39, 7		
	73 Zundel, G. L. I	66







